

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

REEBA PRODUCTION

NETHERWOOD NOTTINGHAM ROAD

08 July 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 30 June 2025



DROUGHTMASTER SA[®]



SA STAMBOEK
STUD BOOK



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

11

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)

2. Breed's logo

3. GT - animal is genomically tested

4. Animal Identification Number and Name

5. Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6. Animal's photo, or Herd's logo

7. Herd's logo

8. Owner's information

9. Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10. Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12. Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 4 (M)



AMV 210073 PcPc
 REEBA 21-0073AMV



REEBA
 Red Droughtmaster & Droughtmaster

HOT 15 156 (C 05 21)
 x HOT 16 299 (Swan 1636)

SHM

D.H. MCHARDY

Everton, Kwazulu Natal
 dhm808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

Herd Book	SP
Birth date	2021-05-29
Age	4y 1m
Inbreeding	0%
DNA	U17369U007

HOT 150156
 BRANDWATER RY 15-0156HOT
 Wean Mat. 69

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 160299
 BRANDWATER RY 16-0299HOT
 Age 8y | AFC 36m | ICP 377d
 Calves 6 | Weighed - | Wean Mat. 110
 Avg. WI - | CCB - | CCW -
 Calvings: 19-09, 20-07, 21-05,
 22-08, 23-09, 24-11

DO 050021
 05-0021DO
 Wean Mat. 80

DO 060236
 06-0236DO
 Age 18y | AFC - | ICP (donor)
 Calves 12 | Weighed 6 | Wean Mat. 85
 Avg. WI 103 | Wean Mat. 85

SWAN 1636 (P) D5
 SWAN 1636 (P) D5
 Wean Mat. 98

FXF 050096
 BRANDWATERBOERDERY 05-0096FXF
 Age 19y | AFC - | ICP (donor)
 Calves 4 | Weighed 1 | Wean Mat. 128
 Avg. WI 114 | Wean Mat. 128

DO 022008
 02-2008DO
DO 020056
 02-0056DO-DONOR
 Age 16y | Avg. WI 109
 Calves 7 | Weighed 2
DO 020129
 02-0129DO
DO 030044
 03-0044DO
 Age 14y | Avg. WI 116
 Calves 4 | Weighed 2
 +609
 SWAN 609 (P) D5
 +525
 SWAN 525 (H) D5
 Age 1y | Avg. WI -
 Calves - | Weighed -
FXF 010076
 BRANDWATERBOERDERY 01-0076FXF
FXF 000369
 BRANDWATERBOERDERY 00-0369FXF
 Age 15y | Avg. WI -
 Calves 1 | Weighed -

COW VALUE 101	
114	Calving Ease Value
93	Calf Growth Value
89	Milk Value
96	Maintenance Value
108	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

LOGIX
 EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	93	93	89	-	111	108	93
65%	53%	43%	45%		42%	27%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	-	-	103	-	-	-	-	-
32%			36%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
30kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: A cracker polled bull oozing style and class. HOT 15 156 progeny are the best Droughtmasters I own with SWAN 1636 as the cherry on top. His first few calves are seriously smart Reebea retains a semen share BW 30kgs; 205D 252kgs; 540D 465kgs weights

LOT 8 (M)



AMV 220126
 REEBA 22-0126AMV



REEBA
 Red Droughtmaster & Droughtmaster

CSA 18 194 (CSA 16 56)
 x AGO 13 20 x (C 05 29)

SHM

D.H. MCHARDY

Everton, Kwazulu Natal
 dhm808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

Herd Book	SP
Birth date	2022-03-22
Age	3y 4m
Inbreeding	12%
DNA	U17369U014

CSA 180194 PcPc
 CONSIDERATA SA 18-0194CSA
 Wean Mat. 136

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AGO 130020
 ROCKY 13-0020AGO
 Age 10y | AFC 27m | ICP 388d
 Calves 7 | Weighed 4 | Wean Mat. 62
 Avg. WI 99 | CCB - | CCW 27.5
 Calvings: 15-11, 17-01, 17-12, 18-12,
 19-10, 20-12, 22-03

CSA 160056
 CONSIDERATA SA 16-0056CSA
 Wean Mat. 137

CTM 150023 PcH
 CHAN-TE-MAR 15-0023CTM
 Age 10y | AFC 31m | ICP (donor)
 Calves 7 | Weighed 1 | Wean Mat. 89
 Avg. WI 103 | Wean Mat. 89

DO 050029
 05-0029DO
 Wean Mat. 63

FXF 110013
 ROCKY 11-0013FXF
 Age 8y | AFC - | ICP (donor)
 Calves 4 | Weighed 1 | Wean Mat. 81
 Avg. WI 126 | Wean Mat. 81

C 110505
 11-0505C-EMBRIO CALVE
C 070001
 DONOR COW-07-0001C
 Age 18y | Avg. WI 97
 Calves 9 | Weighed 3
DO 050029
 05-0029DO
C 110507
 11-0507C-EMBRIO CALVE
 Age 11y | Avg. WI 103
 Calves 5 | Weighed 2
DO 022009
 02-2009DO
DO 022074
 02-2074DO
 Age 17y | Avg. WI 106
 Calves 10 | Weighed 3
FXF 070291
 BRANDWATERBOERDERY 07-0291FXF
FXF 020151
 ROCKY 02-0151FXF
 Age 14y | Avg. WI -
 Calves 1 | Weighed -

COW VALUE 112	
104	Calving Ease Value
121	Calf Growth Value
99	Milk Value
81	Maintenance Value
97	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

LOGIX
 EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	99	121	99	-	97	97	100
55%	51%	56%	52%		49%	29%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	-	-	119	-	-	-	-	-
46%			45%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS: n Uitstaande bul van dag een af . Wat jy sien is wat jy gaan kry . BW 31kgs; 205D 247kgs; 540D 451kgs weights.

LOT 12 (M)



AMV 220201

REEBA MR 22 201



REEBA
 Red Bushman & Droughtmaster

AGO 19 122 (AGO 14 1)
 x C 13 208 (C 10 450)

SHM

D.H. MCHARDY

Everton, Kwazulu Natal
 dh808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

Kuddeboek	SP
Geb. dtm	2022-11-24
Oud.	2j 7m
Inteling	3%
DNS	U17369U011

AGO 190122
 ROCKY 19-0122AGO
 Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

C 130208
 13-0208C

Oud. 12j | OEK - | TKP (donor)
 Kalwers 8 | Geweeg 4 | Spn. Mat. 114
 Gem. SI 99 | KKG - | KKS 45.9
 Kalwings: 17-06, 18-05, 19-05,
 20-07, 21-05, 22-11, 23-10, 24-10

AGO 170032
 ROCKY 17-0032AGO
 Spn Mat. 84

AGO 160041 HH
 ROCKY 16-0041AGO
 Oud. 9j | OEK 27m | TKP (donor)
 Kalwers 7 | Geweeg 6 | Spn. Mat. 114
 Gem. SI 105 | Spn. Mat. 114

C 100450
 CONSIDERATA-10-0450C
 Spn Mat. 96

C 100037
 10-0037C
 Oud. 13j | OEK - | TKP (donor)
 Kalwers 10 | Geweeg 5 | Spn. Mat. 115
 Gem. SI 101 | Spn. Mat. 115

AGO 140001
 ROCKY 14-0001AGO
AGO 130024
 ROCKY 13-0024AGO
 Oud. 7j | Gem. SI 98
 Kalwers 5 | Geweeg 1
C 110500
 11-0500C-EMBRIO CALVE

SR 080459
 ROCKY 08-0459SR
 Oud. 9j | Gem. SI 92
 Kalwers 4 | Geweeg 1
C 070065
 CONSIDERATA07-0065C
DO 060132
 06-0132DO
 Oud. 14j | Gem. SI 99
 Kalwers 5 | Geweeg 4
DO 050021
 05-0021DO
DO 030019
 03-0019DO
 Oud. 15j | Gem. SI 107
 Kalwers 8 | Geweeg 4



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 104	
94	Kalfgemak Waarde
109	Kalfgroei Waarde
105	Melk Waarde
83	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE -	
PRODUKSIE WAARDE -	

LOGIX
 GENETICS CENTRA
 EBV Analise 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	103	109	105	-	103	95	114
44%	39%	56%	48%		33%	20%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	-	-	116	-	-	-	-	-
44%			34%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
32kg	-	-	-	-	-	-	-

VERKOPER OPMERKINGS: Look out a very young bull with huge potential that's only going to develop into a smart prospect BW 32kgs; 205D 253KGS; 540D 464kgs weights

LOT 16 (M)



AMV 220127

REEBA MR 22 127



REEBA
 Red Bushman & Droughtmaster

CSA 15 54 (C 08 469)
 x AGO 19 150 (AGO 17 32)

SHM

D.H. MCHARDY

Everton, Kwazulu Natal
 dh808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

Kuddeboek	SP
Geb. dtm	2022-04-12
Oud.	3j 3m
Inteling	2%
DNS	U17369U012

AGO 190007
 ROCKY 19-0007AGO
 Spn Mat. 76

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

AGO 190150
 ROCKY 19-0150AGO

Oud. 5j | OEK 28m | TKP 430d
 Kalwers 3 | Geweeg - | Spn. Mat. 81
 Gem. SI - | KKG - | KKS -
 Kalwings: 22-04, 23-08, 24-08

AGO 160206
 ROCKY 16-0206AGO
 Spn Mat. 83

AGO 160044
 ROCKY 16-0044AGO
 Oud. 8j | OEK 30m | TKP (donor)
 Kalwers 7 | Geweeg 6 | Spn. Mat. 67
 Gem. SI 98 | Spn. Mat. 67

AGO 170032
 ROCKY 17-0032AGO
 Spn Mat. 84

AGO 160012 HH
 ROCKY 16-0012AGO
 Oud. 9j | OEK 34m | TKP 454d
 Kalwers 3 | Geweeg 2 | Spn. Mat. 78
 Gem. SI 81 | Spn. Mat. 78

384969
 SWAN EAGLE HAWK (P) D5
FXF 010278
 ROCKY 01-0278FXF
 Oud. 23j | Gem. SI 87
 Kalwers 3 | Geweeg 1
DO 050021
 05-0021DO
WB 120027
 ROCKY 12-0027WB
 Oud. 12j | Gem. SI 96
 Kalwers 8 | Geweeg 4
AGO 140001
 ROCKY 14-0001AGO
AGO 130024
 ROCKY 13-0024AGO
 Oud. 7j | Gem. SI 98
 Kalwers 5 | Geweeg 1
C 110500
 11-0500C-EMBRIO CALVE
WB 130024
 ROCKY 13-0024WB
 Oud. 6j | Gem. SI 96
 Kalwers 5 | Geweeg 4



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE 93	
91	Kalfgemak Waarde
112	Kalfgroei Waarde
79	Melk Waarde
101	Onderhoudswaarde
107	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE -	
PRODUKSIE WAARDE -	

LOGIX
 GENETICS CENTRA
 EBV Analise 2025-06-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	105	112	79	-	109	104	101
40%	35%	41%	36%		25%	15%	40%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	-	-	100	-	-	-	-	-
35%			29%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
28kg	-	-	-	-	-	-	-

VERKOPER OPMERKINGS: Hard bespiede bul met goeie breedte. BW 28kgs; 205D 259kgs; 540D 469kgs weights

LOT 20 (M)



AMV 220134

REEBA MR 22 134



REEBA
Red Breasted & Droughtmaster

LOT 20 AMV 22 134
HOT 15 156 (C 05 21)
x AGO 18 24 (C 07 361)

SHM

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

Herd Book	SP
Birth date	2022-08-07
Age	2y 11m
Inbreeding	1%
DNA	U17369U010

AGO 180200
ROCKY 18-0200AGO
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AGO 180024
ROCKY 18-0024AGO
Age 7y | AFC 24m | ICP 381d
Calves 5 | Weighed 1 | Wean Mat. 82
Avg. WI 111 | CCB - | CCW 48.8
Calvings: 20-06, 21-08, 22-08,
23-08, 24-08

GLENLANDS QUARTERMASTER
GLENLANDS QUARTERMASTER (ET)
Wean Mat. 79

AGO 140049
ROCKY 14-0049AGO
Age 6y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 88
Avg. WI 92 | Wean Mat. 88

AGO 140001
ROCKY 14-0001AGO
Wean Mat. 65

AGO 140047
D-RUBEUSROCKY 14-0047AGO
Age 7y | AFC 26m | ICP 405d
Calves 5 | Weighed 3 | Wean Mat. 97
Avg. WI 105 | Wean Mat. 97

+RSD2134
GLENLANDS D HADLEIGH
+U9C4231
GLENLANDS JUSTINE (P)
Age 18y | Avg. WI -
Calves - | Weighed -
WINGFIELD BLARNEY (P) D5
C 120076
12-0076C
Age 12y | Avg. WI 93
Calves 8 | Weighed 2
C 070361
CONSIDERATA07-0361C
DO 022247
02-2247DO
Age 15y | Avg. WI 108
Calves 13 | Weighed 4
C 060222
06-0222C
C 070337
CONSIDERATA07-0337C
Age 17y | Avg. WI 106
Calves 8 | Weighed 4

COW VALUE 100

94	Calving Ease Value
121	Calf Growth Value
87	Milk Value
83	Maintenance Value
101	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	93	121	87	-	103	92	101
67%	46%	50%	42%		37%	16%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	-	-	117	-	-	-	-	-
32%			37%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS: A power house of a bull. BW 31kgs; 205D 267kgs; 540D 471kgs weights

LOT 24 (M)



AMV 220162

REEBA MR 22 162



REEBA
Red Breasted & Droughtmaster

LOT 24 AMV 22 162
HOT 15 156 (DO 05 21)
x HS 17 8 (C 11 205)

SHM

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

Herd Book	SP
Birth date	2022-08-24
Age	2y 10m
Inbreeding	10%
DNA	U17369U009

HOT 150156
BRANDWATER RY 15-0156HOT
Wean Mat. 69

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HS 170008
HOTSPOT 17-0008HS
Age 7y | AFC 26m | ICP 454d
Calves 5 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -
Calvings: 19-10, 21-05, 22-08,
23-08, 24-09

DO 050021
05-0021DO
Wean Mat. 80

DO 060236
06-0236DO
Age 18y | AFC - | ICP (donor)
Calves 12 | Weighed 6 | Wean Mat. 85
Avg. WI 103 | Wean Mat. 85

C 110505
11-0505C-EMBRIO CALVE
Wean Mat. 122

HS 150031
D-HOTSPOT 15-0031HS
Age 9y | AFC - | ICP (donor)
Calves 8 | Weighed 3 | Wean Mat. 88
Avg. WI 90 | Wean Mat. 88

DO 022008
02-2008DO
DO 020056
02-0056DO-DONOR
Age 16y | Avg. WI 109
Calves 7 | Weighed 2
DO 020129
02-0129DO
DO 030044
03-0044DO
Age 14y | Avg. WI 116
Calves 4 | Weighed 2
C 080469
CONSIDERATA08-0469C
DO 060185
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4
DO 050021
05-0021DO
DO 022074
02-2074DO
Age 17y | Avg. WI 106
Calves 10 | Weighed 3

COW VALUE 103

110	Calving Ease Value
92	Calf Growth Value
86	Milk Value
115	Maintenance Value
114	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-06-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
124	78	92	86	-	115	120	100
68%	57%	47%	48%		48%	36%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	-	-	87	-	-	-	-	-
38%			42%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
28kg	-	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: 'n Netjiese poena bul. BW 28 kgs; 205D 241kgs; 540D 449kgs weights

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam				
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index	
Breed Average										-0.02	-0.09	1.4		1	-1				-	-							
Auction Average				30	-	-	-	-	-	-0.25	0.07	4.6	-2.4	5	5	-	-	-	-	-	-	-	-	-	103	6.0	106
4	AMV 210073	M	SP	30	-	-	-	-	-	-0.94	0.13	-1.5	-2.9	-3.8	1.9	0	0		0	0	-	-	-		6	106	
8	AMV 220126	M	SP	31	-	-	-	-	-	-0.25	-0.05	10.2	-0.2	13.4	15.3	0	0		0	0	-	-	-	99	7	101	
12	AMV 220201	M	SP	32	-	-	-	-	-	0.49	-0.18	5.0	1.5	6.7	12.7	0	0		0	0	-	-	-	99	8	97	
16	AMV 220127	M	SP	28	-	-	-	-	-	0.73	-0.25	6.2	-5.8	5.5	-0.2	0	0		0	0	-	-	-		3	109	
20	AMV 220134	M	SP	31	-	-	-	-	-	0.33	0.14	9.9	-3.6	12.8	13.6	0	0		0	0	-	-	-	111	5	118	
24	AMV 220162	M	SP	28	-	-	-	-	-	-1.86	0.61	-1.9	-3.7	-2.4	-11.7	0	0		0	0	-	-	-		5	105	

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik