

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

OPTIMUM BONSMARAS

Veilingsdatum / Auction Date:
16 October 2025

Data soos op / Data as on:
16 September 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P

7

DEF 050022

8

GHI 070076 HH(c)

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

9

JKL 000077 P

10

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

11

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

12

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines						
							<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss						Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High						Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light						Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less						More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High					*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low						High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light						Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss						Profit
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less						More
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss						Profit
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy						Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light						Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor						Good
		Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light				*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low						High
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low						High
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less						More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less						More
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor						Good
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low					*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor						Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor						Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light					*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short						Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short						Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1						>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small						Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin						Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low						High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low						High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
OPTIMUM BONSMARA

SP 220078 HH(c)
2022-09-14
SP
Parentage Sire Dam
DNA ☒ ☒
Genomic ☒


OPT 190183

OPT 160121
AGE/CALV. 9/7
AVG. Wt/CALV. 99/7
ICP 370

OLI 130100
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5
OLI 160148
AGE/CALV. 4/1
AVG. Wt/CALV. 111/1
ICP -
BPJ 100074
HJL 060119
AGE/CALV. 11/7
AVG. Wt/CALV. 97/6
ICP 455

BBN 110329
OLI 110511
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5
BBP 100205
OLI 110291
AGE/CALV. 12/10
AVG. Wt/CALV. 91/10
BHE 030103
BHE 050007
AGE/CALV. 12/8
AVG. Wt/CALV. 95/8
JJF 000004
HJL 020175
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

Calving Ease Value
118

Weaner Calf Value
111

Fertility Value
106

Maintenance Value
104

Cow Value
119

Growth Value
111

Carcass Value
112

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	99	114	100	100	105	112	105	105	108	93	95	105	85	90	113

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
97	-	-	105	-	309	1.26


Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 430 mm

LOGIX EBV Analysis: 2025-08-17

LOT 2
OPTIMUM BONSMARA

SP 220226 HH(c)
2022-10-19
SP
Parentage Sire Dam
DNA ☒ ☒
Genomic ☒


OPT 180152

OPT 170187
AGE/CALV. 7/6
AVG. Wt/CALV. 93/6
ICP 366

WAT 140344
DFP 070183
AGE/CALV. 11/8
AVG. Wt/CALV. 102/8
ICP 423
CEF 100412
LMR 070191
AGE/CALV. 11/7
AVG. Wt/CALV. 100/7
ICP 438

WAT 120166
WAT 120229
AGE/CALV. 4/2
AVG. Wt/CALV. 107/2
DFP 020178
DFP 030131
AGE/CALV. 12/10
AVG. Wt/CALV. 96/9
NPT 070170
CEF 000050
AGE/CALV. 14/12
AVG. Wt/CALV. 102/12
BG 010028
LMR 030114
AGE/CALV. 9/5
AVG. Wt/CALV. 101/5

Calving Ease Value
116

Weaner Calf Value
76

Fertility Value
124

Maintenance Value
105

Cow Value
99

Growth Value
111

Carcass Value
98

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
147	77	108	131	122	122	99	86	115	109	92	88	92	97	117	86

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
91	-	-	103	-	378	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 470 mm

LOGIX EBV Analysis: 2025-08-17

LOT 3
OPTIMUM BONSMARA

SP 210257 HH(c)
2021-11-01
SP
Parentage Sire Dam
DNA ☒ ☒
Genomic ☒


OLI 170174 HH(c)

OPT 190110
AGE/CALV. 6/4
AVG. Wt/CALV. 108/4
ICP 374

OLI 130100
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5
OLI 140160
AGE/CALV. 5/2
AVG. Wt/CALV. 105/1
ICP 440
GZV 150020
DBP 150429
AGE/CALV. 4/2
AVG. Wt/CALV. 100/2
ICP 351

BBN 110329
OLI 110511
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5
JRB 100092
OLI 080380
AGE/CALV. 11/7
AVG. Wt/CALV. 101/6
DAJ 120124
NPT 130055
AGE/CALV. 6/3
AVG. Wt/CALV. 115/3
AG 080716
DBP 090182
AGE/CALV. 9/6
AVG. Wt/CALV. 100/6

Calving Ease Value
97

Weaner Calf Value
109

Fertility Value
93

Maintenance Value
93

Cow Value
102

Growth Value
99

Carcass Value
103

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	115	88	132	90	97	99	111	102	115	107	107	111	101	79	84

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
110	-	-	112	-	388	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 470 mm

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 4 **OPTIMUM BONSMARA**

SP 210325
2021-11-25
SP

Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies



OPT 170123
OUD/KALW. 8/6
GEM. SI/KALW. 104/6
TKP 376

OPT 170023
OUD/KALW. 13/9
GEM. SI/KALW. 105/9

OPT 170035
OUD/KALW. 3/1
GEM. SI/KALW. 96/1
TKP -

WAT 130220

PHR 060252
OUD/KALW. 12/8
GEM. SI/KALW. 110/7
TKP 475

WAT 130296
DBP 060036
OUD/KALW. 13/9
GEM. SI/KALW. 105/9

JMP 060345
DBP 100178
OUD/KALW. 9/5
GEM. SI/KALW. 108/4

WAT 080026

WAT 050228
OUD/KALW. 10/8
GEM. SI/KALW. 108/7

PHR 030036

AYJ 010084
OUD/KALW. 8/5
GEM. SI/KALW. 101/5

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
83	105	82	84	92	112	115

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	106	119	111	89	87	92	108	115	108	116	116	115	102	105	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
105	-	-	101	-	356	1.22

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum 450 mm

LOGIX EBV Analise: 2025-08-17

LOT 5 **OPTIMUM BONSMARA**

LAR 200085 HH(c)
2020-08-16
SP

Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies ✓



LAR 170156
OUD/KALW. 8/4
GEM. SI/KALW. 103/4
TKP 397

LAR 140173 HH(c)

LAR 150271
OUD/KALW. 9/5
GEM. SI/KALW. 115/4
TKP 444

LAR 130059 HH(c)

LAR 140332
OUD/KALW. 9/5
GEM. SI/KALW. 94/4
TKP 468

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

BG 120043

LAR 090362
OUD/KALW. 14/11
GEM. SI/KALW. 104/11

AG 070176

LAR 100303
OUD/KALW. 11/6
GEM. SI/KALW. 108/6

BP 100017

LAR 100113
OUD/KALW. 7/5
GEM. SI/KALW. 110/5

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
103	121	117	98	128	131	112

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	113	111	132	136	95	112	118	133	138	100	92	117	92	89	65

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
94	-	-	93	-	355	1.23

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum 490 mm

LOGIX EBV Analise: 2025-08-17

LOT 6 **OPTIMUM BONSMARA**

SP 210209 HH(c)
2021-10-19
SP

Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies ✓



OPT 190233
OUD/KALW. 6/3
GEM. SI/KALW. 109/3
TKP 558

LAR 110016

BBN 050059
OUD/KALW. 15/11
GEM. SI/KALW. 106/10
TKP 389

DBP 150215

OLI 110185
OUD/KALW. 10/7
GEM. SI/KALW. 113/6
TKP 428

LAR 060224

LAR 080171
OUD/KALW. 16/13
GEM. SI/KALW. 103/13

LAR 990252

BBN 960107
OUD/KALW. 12/6
GEM. SI/KALW. 100/4

WAT 090100

DFP 080045
OUD/KALW. 8/5
GEM. SI/KALW. 108/5

BBN 080167

BBN 090049
OUD/KALW. 12/8
GEM. SI/KALW. 102/8

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
76	117	101	84	112	102	120

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
76	113	131	91	104	95	109	113	101	106	115	114	111	119	106	110

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
118	-	-	110	-	354	1.21

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum 440 mm

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 7

SP 220060
2022-04-11
B


OPT 180237
AGE/CALV. 6/4
AVG. Wt/CALV. 108/4
ICP 495

Parentage	Sire	Dam
DNA	✓	
Genomic		

OLI 130100
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5

OLI 140160
AGE/CALV. 5/2
AVG. Wt/CALV. 105/1
ICP 440

OLI 170174 HH(c)

DBP 140265
AGE/CALV. 6/4
AVG. Wt/CALV. 113/4
ICP 427

BBN 110329
OLI 110511
AGE/CALV. 9/5
AVG. Wt/CALV. 100/5
JRB 100092
OLI 080380
AGE/CALV. 11/7
AVG. Wt/CALV. 101/6

DKN 080028
DBP 060053
AGE/CALV. 12/8
AVG. Wt/CALV. 98/8

Calving Ease Value			Weaner Calf Value			Fertility Value			Maintenance Value			Cow Value			Growth Value			Carcass Value		
89			110			78			94			94			99			103		

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	112	102	126	79	91	88	106	102	112	105	122	119	105	86	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
110	-	-	95	-	371	1.16

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 470 mm

 EBV Analysis: 2025-08-17

LOT 8

SP 210077
2021-09-17
SP


OLI 170375
AGE/CALV. 4/2
AVG. Wt/CALV. 99/2
ICP 550

Parentage	Sire	Dam
DNA	✓	
Genomic		

LAR 070055
AGE/CALV. 4/2
AVG. Wt/CALV. 100/2

LAR 090199
AGE/CALV. 6/3
AVG. Wt/CALV. 104/3
ICP 421

LAR 120033 HH(c)

OLI 150053
AGE/CALV. 5/3
AVG. Wt/CALV. 96/3
ICP 368

BG 040088
LAR 040160
AGE/CALV. 4/2
AVG. Wt/CALV. 100/2
LAR 060224
LAR 970329
AGE/CALV. 14/12
AVG. Wt/CALV. 105/9
KVB 110083
KVB 110141
AGE/CALV. 11/7
AVG. Wt/CALV. 97/6
JRB 090067
BBN 050123
AGE/CALV. 12/9
AVG. Wt/CALV. 102/9

Calving Ease Value			Weaner Calf Value			Fertility Value			Maintenance Value			Cow Value			Growth Value			Carcass Value		
118			97			94			110			99			114			110		

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	96	92	84	102	89	102	102	111	100	89	80	98	139	89	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	113	-	349	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 430 mm

 EBV Analysis: 2025-08-17

LOT 9

SP 220028
2022-02-21
SP


DBP 100202
AGE/CALV. 12/10
AVG. Wt/CALV. 99/9
ICP 348

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TOR 140281
AGE/CALV. 5/3
AVG. Wt/CALV. 100/3

CAB 130013
AGE/CALV. 12/9
AVG. Wt/CALV. 93/8
ICP 365

LHB 190066

MCU 990069 P
AGE/CALV. 18/11
AVG. Wt/CALV. 106/10
ICP 498

TOR 110169
TOR 110093
AGE/CALV. 5/3
AVG. Wt/CALV. 100/3
BPJ 090041
CAB 080057
AGE/CALV. 5/4
AVG. Wt/CALV. 111/3
FCT 000065
BHE 990082
AGE/CALV. 13/10
AVG. Wt/CALV. 98/9
TWK 930268 P
JPL 940089 P
AGE/CALV. 11/9
AVG. Wt/CALV. 101/10

Calving Ease Value			Weaner Calf Value			Fertility Value			Maintenance Value			Cow Value			Growth Value			Carcass Value		
88			107			102			86			102			102			105		

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	118	87	82	95	112	93	114	101	101	116	94	99	72	107	80

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	112	-	339	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum 400 mm

 EBV Analysis: 2025-08-17

BULLE

LOT 10

SP 220012
 2022-02-15
 SP

Ouerskap
 DNS
 Genomies


LHB 190066

DBP 140310
 OUD/KALW. 8/6
 GEM. SI/KALW. 110/6
 TKP 350

TOR 140281
 OUD/KALW. 12/9
 GEM. SI/KALW. 93/8
 TKP 365
CAB 130013
 OUD/KALW. 5/4
 GEM. SI/KALW. 111/3
DBP 060062
 OUD/KALW. 12/8
 GEM. SI/KALW. 106/8
 TKP 459
FCT 060119
 OUD/KALW. 13/10
 GEM. SI/KALW. 98/9
FCT 040101
 OUD/KALW. 15/12
 GEM. SI/KALW. 97/12

TOR 110169
 OUD/KALW. 5/3
 GEM. SI/KALW. 100/3
BPJ 090041
 OUD/KALW. 5/4
 GEM. SI/KALW. 111/3
FCT 000065
 OUD/KALW. 13/10
 GEM. SI/KALW. 98/9
BHE 990082
 OUD/KALW. 15/12
 GEM. SI/KALW. 97/12
FCT 000095
 OUD/KALW. 15/12
 GEM. SI/KALW. 97/12

Geboortegemak Waarde			Speenkalf Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
91			122			108			74			115			109			119		

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	123	99	93	108	108	100	121	109	114	132	120	121	83	109	87

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	-	-	102	-	329	1.21

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum 460 mm

LOGIX EBV Analise: 2025-08-17

LOT 11

SP 220282
 2022-11-04
 SP

Ouerskap
 DNS
 Genomies


HVD 180208

OPT 190259
 OUD/KALW. 5/3
 GEM. SI/KALW. 99/3
 TKP 364

SYF 150141
 OUD/KALW. 7/4
 GEM. SI/KALW. 98/3
 TKP 414
HVD 150021
 OUD/KALW. 5/3
 GEM. SI/KALW. 100/2
WAT 130455
 OUD/KALW. 11/9
 GEM. SI/KALW. 102/9
DBP 140203
 OUD/KALW. 8/6
 GEM. SI/KALW. 100/6
DBP 140195
 OUD/KALW. 8/6
 GEM. SI/KALW. 100/6

SYF 120042
 OUD/KALW. 15/12
 GEM. SI/KALW. 97/9
SYF 090126
 OUD/KALW. 5/3
 GEM. SI/KALW. 100/2
WAT 130455
 OUD/KALW. 11/9
 GEM. SI/KALW. 102/9
DBP 140203
 OUD/KALW. 11/9
 GEM. SI/KALW. 102/9
V 080032
 OUD/KALW. 8/6
 GEM. SI/KALW. 100/6

Geboortegemak Waarde			Speenkalf Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
92			98			95			101			92			99			106		

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	109	79	97	91	105	90	108	97	95	98	96	97	88	135	78

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	95	-	351	1.20

Miostatien	
Q204X	0
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: Skrotum 460 mm

LOGIX EBV Analise: 2025-08-17

LOT 12

SP 220004
 2022-02-10
 SP

Ouerskap
 DNS
 Genomies


LAR 120033 HH(c)

DBP 140365
 OUD/KALW. 10/8
 GEM. SI/KALW. 101/8
 TKP 388

LAR 070055
 OUD/KALW. 4/2
 GEM. SI/KALW. 100/2
LAR 090199
 OUD/KALW. 6/3
 GEM. SI/KALW. 104/3
 TKP 421
DBP 100041
 OUD/KALW. 5/2
 GEM. SI/KALW. 116/2
DBP 110003
 OUD/KALW. 12/10
 GEM. SI/KALW. 98/10
 TKP 368

BG 040088
 OUD/KALW. 4/2
 GEM. SI/KALW. 100/2
LAR 040160
 OUD/KALW. 4/2
 GEM. SI/KALW. 100/2
LAR 060224
 OUD/KALW. 14/12
 GEM. SI/KALW. 105/9
LAR 970329
 OUD/KALW. 5/2
 GEM. SI/KALW. 116/2
DFP 050119
 OUD/KALW. 9/5
 GEM. SI/KALW. 104/5
BHE 030137
 OUD/KALW. 9/5
 GEM. SI/KALW. 104/5

Geboortegemak Waarde			Speenkalf Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
82			128			86			84			108			115			125		

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
77	134	89	102	83	88	104	125	115	109	119	103	120	144	101	92

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	-	-	99	-	343	1.23

Miostatien	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: Skrotum 440 mm

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 13		OPTIMUM BONSMARA		WAT 130296		CEF 050528		Calving Ease Value 91		Weaner Calf Value 103		Fertility Value 90		Maintenance Value 86		Cow Value 97		Growth Value 105		Carcass Value 109			
 SP 210345 2021-12-06 SP Parentage Sire Dam DNA ✓ ✓ Genomic		 OPT 170034		DBP 090099 AGE/CALV. 11/8 AVG. Wt/CALV. 92/8 ICP 401		WAT 030050 AGE/CALV. 13/10 AVG. Wt/CALV. 101/9		Calf and Mother		Fertility			Post-Wean Growth			Frame			Carcass				
				BHE 020187 AGE/CALV. 8/6 AVG. Wt/CALV. 102/5		AG 950284		Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
				PHR 020241		PHR 960027 AGE/CALV. 11/8 AVG. Wt/CALV. 100/8		91	105	113	122	92	100	87	106	106	108	115	118	111	103	98	104
				PHR 040290		EMH 990150 AGE/CALV. 14/12 AVG. Wt/CALV. 100/11		Wean Index 114		365D Index -		540D Index -		ADG Index 107		FCR Index -		Scrotum 358		LH 1.19			
				EMH 050148 AGE/CALV. 6/3 AVG. Wt/CALV. 101/3 ICP 392																Myostatin			
																				Q204X 1			
																				NT821 0			
																				F94L 0			
																</							

BULLE

LOT 16

OPTIMUM BONSMARA

SP 220244
2022-10-24
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

OPT 180206
OUD/KALW. 6/4
GEM. SI/KALW. 99/4
TKP 364

LAR 070055

LAR 090199
OUD/KALW. 6/3
GEM. SI/KALW. 104/3
TKP 421

OLI 130274

BBN 090207
OUD/KALW. 12/10
GEM. SI/KALW. 96/10
TKP 364

BG 040088

LAR 040160
OUD/KALW. 4/2
GEM. SI/KALW. 100/2

LAR 060224

LAR 970329
OUD/KALW. 14/12
GEM. SI/KALW. 105/9

JRB 090067

BBN 090163
OUD/KALW. 8/5
GEM. SI/KALW. 100/5

BBM 050003

BBN 050205
OUD/KALW. 8/5
GEM. SI/KALW. 96/5Geboortegemak
Waarde
86Speenkalv
Waarde
106Vrugbaarheids-
waarde
100Onderhouds-
waarde
99Koeiwaarde
100Groei-
waarde
116Karkas-
waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	113	89	77	100	102	98	113	112	92	99	86	107	145	61	68

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
94	-	-	92	90	312	1.26

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: Skrotum 390 mm

LOGIX EBV Analise: 2025-08-17

LOT 17

OPTIMUM BONSMARA

SP 220208
2022-10-14
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

OPT 170166
OUD/KALW. 7/5
GEM. SI/KALW. 98/5
TKP 413

OLI 130100

OLI 160148
OUD/KALW. 4/1
GEM. SI/KALW. 111/1
TKP -

DBP 140201

DBP 150019
OUD/KALW. 7/5
GEM. SI/KALW. 99/5
TKP 356

BBN 110329

OLI 110511
OUD/KALW. 9/5
GEM. SI/KALW. 100/5

BBP 100205

OLI 110291
OUD/KALW. 12/10
GEM. SI/KALW. 91/10

MBT 090114

DBP 090092
OUD/KALW. 11/8
GEM. SI/KALW. 96/7

AG 100719

DFP 090045
OUD/KALW. 10/6
GEM. SI/KALW. 109/5Geboortegemak
Waarde
95Speenkalv
Waarde
110Vrugbaarheids-
waarde
93Onderhouds-
waarde
78Koeiwaarde
99Groei-
waarde
129Karkas-
waarde
126

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	118	89	135	78	101	109	123	125	110	128	111	121	121	69	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	112	-	371	1.19

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: Skrotum 460 mm

LOGIX EBV Analise: 2025-08-17

LOT 18

OPTIMUM BONSMARA

SP 220018
2022-02-15
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

DBP 100166
OUD/KALW. 12/10
GEM. SI/KALW. 103/9
TKP 381

LAR 070055

LAR 090199
OUD/KALW. 6/3
GEM. SI/KALW. 104/3
TKP 421

DFP 060188

DFP 010087
OUD/KALW. 12/8
GEM. SI/KALW. 102/7
TKP 435

BG 040088

LAR 040160
OUD/KALW. 4/2
GEM. SI/KALW. 100/2

LAR 060224

LAR 970329
OUD/KALW. 14/12
GEM. SI/KALW. 105/9

DFP 020257

DFP 030152
OUD/KALW. 5/2
GEM. SI/KALW. 106/2

RCO 970247

DFP 920087
OUD/KALW. 11/9
GEM. SI/KALW. 99/8Geboortegemak
Waarde
96Speenkalv
Waarde
105Vrugbaarheids-
waarde
93Onderhouds-
waarde
96Koeiwaarde
99Groei-
waarde
114Karkas-
waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	111	90	101	95	95	95	112	112	110	104	90	106	143	94	98

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	105	-	349	1.27

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: Skrotum 450 mm

LOGIX EBV Analise: 2025-08-17

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				37	254	-	50.2	1.22	350	0.98 1.39	-0.29 -0.19	14.5 20.7	3.7 3.9	24 40	22 35	78 123	-36 -52	12.5 16.4	-3.0 -0	13.0 23	104	105	107	103	6.0	111
1	SP 220078	M	SP	36	246	-	58.5	1.26	309	-1.33	0.35	13.9	8.0	33.1	11.5	98	-49	12.6	-6	18	97	105	100	99	7	113
2	SP 220226	M	SP	36	235	-	48.4	1.19	378	-3.94	0.75	1.7	6.1	14.1	10.6	134	-50	30.4	-12	6	91	103	131	93	6	120
3	SP 210257	M	SP	38	251	-	52.3	1.20	388	1.60	-0.68	22.9	-0.1	39.1	32.7	87	-60	31.2	3	23	110	112	132	108	4	112
4	SP 210325	M	SP	36	256	-	38.8	1.22	356	2.61	-0.04	17.9	9.6	35.6	45.9	135	-49	18.9	10	27	105	101	111	104	6	114
5	LAR 200085	M	SP	32	237	-	54.7	1.23	355	0.82	-0.48	21.6	6.9	46.5	22.2	203	-97	31.1	-9	29	94	93	132	103	4	93
6	SP 210209	M	SP	38	269	-	53.7	1.21	354	3.50	0.20	21.6	13.2	40.8	44.3	81	-46	7.3	8	23	118	110	91	109	3	101
7	SP 220060	M	B	40	254	-	50.4	1.16	371	2.48	-0.74	20.9	4.4	33.7	29.5	84	-56	27.6	14	30	110	95	126	108	4	105
8	SP 210077	M	SP	35	258	-	58.2	1.25	349	-1.18	0.18	12.3	1.1	28.9	6.0	120	-37	3	-18	12	99	113	84	99	2	103
9	SP 220028	M	SP	36	230	-	49.5	1.25	339	2.34	-0.45	24.3	-0.5	41.1	45.0	82	-37	1.9	-8	12	99	112	82	99	10	116
10	SP 220012	M	SP	32	247	-	48.4	1.21	329	2.13	-0.62	27.4	3.5	49.2	69.3	112	-59	8.3	13	32	110	102	93	110	6	115
11	SP 220282	M	SP	38	265	-	54.5	1.20	351	1.66	-0.06	19.6	-2.7	34.8	19.0	66	-29	10.9	-6	11	100	95	97	99	3	102
12	SP 220004	M	SP	40	255	-	53.4	1.23	343	3.39	-0.71	33.1	0.2	52.2	50.2	135	-52	13.6	-0	31	110	99	102	101	8	111
13	SP 210345	M	SP	38	277	-	37.9	1.19	358	1.89	-0.19	17.4	7.7	33.0	43.8	101	-49	25.4	11	23	114	107	122	107	10	111
14	SP 220190	M	SP	41	279	-	50.3	1.22	327	2.84	0.23	30.3	4.8	56.9	61.7	204	-68	5.1	16	46	110	120	87	105	4	115
15	SP 220278	M	SP	38	274	-	50.6	1.23	356	0.87	-0.58	21.6	5.8	43.8	22.0	161	-68	23.2	-3	26	108	109	118	109	5	120
16	SP 220244	M	SP	40	246	-	44.8	1.26	312	2.51	-0.32	21.8	0.4	39.9	21.0	124	-24	-.7	-13	19	94	92	77	99	4	120
17	SP 220208	M	SP	40	251	-	45.4	1.19	371	1.37	-0.05	24.3	0.3	50.3	62.8	172	-52	32.9	6	32	98	112	135	98	5	108
18	SP 220018	M	SP	35	235	-	54.5	1.27	349	1.37	-0.29	20.5	0.7	39.0	27.1	123	-52	13.3	-10	18	103	105	101	103	10	115

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik