AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# SEBADJA BONSMARAS

Veilingsdatum / Auction Date:
**08 August 2025**

Data soos op / Data as on:
**10 July 2025**

BONSMARA SA

SA STAMBOEK STUD BOOK

## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

**The Society DOES NOT have any control over:**

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".

## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

**Die Genootskap het egter GEEN beheer oor:**

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## ANIMAL AND PEDIGREE INFORMATION




1. Lot Number
2. Owner of the animal
3. Herd's logo (if available)
4. Animal Identification Number
5. Birth date
6. Herd book section - NFR / PEN / F0 / A / B / SP
7. Four (4) generation pedigree
8. Genomic testing - it is indicated with the **GT** logo
9. Polled Status - the status will only be printed for animals that have been tested
10. Parentage Verification - a green tick (✔) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
11. QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on **www.SABeefBulls.com** where all information for the animal is available.
12. Dam information
    - Age and Number of Calvings
    - Average Wean Index and Number of Calves Weaned
    - Intercalving Period

## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 109 | 98 | 111 | 99 | 101 | 98 | 103 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |



### 5 L⚥GIX Cow Value

*Selection of:*

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

| | |
|---|---|
| 1 Calving Ease Value | EBVs Birth Direct & Maternal |
| Calf Growth Value | EBV Wean Direct |
| 3 Fertility Value | EBVs Cow & Heifer Fertility, EBV Longevity |
| Milk Value | EBV Wean Maternal |
| 4 Maintenance Value | EBVs Mature weight & Milk |

### 2 L⚥GIX Weaner Calf Value

**Selection for heavy weaners**

Measurements: Weaning weight, Birth weight, and Mature weight

EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

### 6 L⚥GIX Growth Value

**Selection for efficient growers on veld and in feedlot**

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake

### 7 L⚥GIX Carcass Value

**Selection for higher meat yields on a carcass**

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat

## HOW TO USE SELECTION VALUES

Sub-values sould also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitble in most environments.

### GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintence Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES




Average between 90 and 110, Acceptable between 80 and 120

# EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| | | Traits | | Description/Measurement | Goal | General Guidelines | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | <80 | <90 | 90-110 | >110 | >120 | |
| Selection Values | 5 | **Cow Value** | CV | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow | Loss | | | | | | Profit |
| | 1 | **Calving Ease Value** | CEV | Risk for calving problems (calf too heavy) vs calf too small | Average birth weight | High | | | | | | Low |
| | | **Calf Growth Value** | CGrV | Calf's genetic ability for pre-weaning growth | Heavy weaner calf | Light | | | | | | Heavy |
| | | **Milk Value** | MlkV | Cow's genetic mothering and milking ability | Enough milk for the calf | Less | | | | | | More |
| | 4 | **Maintenance Value** | MntV | Maintenance requirements of cow (cow weight and milk) | Low cow maintenance | High | | | | | * | Low |
| | 3 | **Fertility Value** | FertV | Fertility and retention of cows and heifers | Fertile cows | Low | | | | | | High |
| | 2 | **Weaner Calf Value** | WnCV | Combination of calf's weight and cow's milk | Heavy weaner calves | Light | | | | | | Heavy |
| | 6 | **Growth Value** | GV | Efficient growth on veld and in feedlot (Rand-value) | Profitable growth | Loss | | | | | | Profit |
| | 7 | **Carcass Value** | VarcV | Meat on carcass (Weight and RTU EBVs) | More meat on the carcass | Less | | | | | | More |
| | | **Production Value** | PV | Combination of Cow- and Growth values (Rand-value) | Profitable animals | Loss | | | | | | Profit |
| Cow & Heifer | 8 | **Birth Weight Direct** | BD | Birth weight (Calf's genetic ability) | Average birth weight | Heavy | | | | | | Light |
| | | **Birth Weight Maternal** | BM | Birth weight (Cow's genetic ability) | Easy calving | Heavy | | | | | | Light |
| | 9 | **Weaning Weight Direct** | WD | Weaning weight (Calf's genetic ability) | Heavy weaner calves | Light | | | | | | Heavy |
| | 10 | **Weaning Weight Maternal** | WM | Weaning weight (Cow's genetic ability) | Good mothers | Poor | | | | | | Good |
| | 18 | **Mature Cow Weight** | MW | Cow weight at weaning of first three calves | Average mature cow weight | Light | | | | * | * | Heavy |
| | | **Cow-Calf Birth** | CCB | EBV Birth Direct / EBV Mature Cow weight | Average | Low | | | | | | High |
| | | **Cow-Calf Wean** | CCW | EBV Wean Direct / EBV Mature Cow weight | High calf-cow ratio | Low | | | | | | High |
| Fertility | 12 | **Heifer Fertility** | HF | Age at first calving | Fertile heifers | Less | | | | | | More |
| | 13 | **Cow Fertility** | CF.E | First 3 inter-calving periods (ICPs) | Fertile cows | Less | | | | | | More |
| | 11 | **Scrotal Circumference** | SC | Scrotal circumference as measured during the growth test | Fertile bulls | Less | | | | | | More |
| | 14 | **Longevity** | LG | Retention of progeny | Acceptable progeny | Poor | | | | | | Good |
| Growth & Frame | 15 | **Post-Wean Weight** | PWn | 12- and 18 month weights | Good post-wean growth | Low | | | | | * | High |
| | 16 | **Average Daily Gain** | ADG | Average daily gain | Good growth | Poor | | | | | | Good |
| | 17 | **Feed Conversion Ratio** | FCR | 100g feed intake / g weight gain | Feed efficiency | Poor | | | | | | Good |
| | | **Final Test Weight** | FW | Final weight in the growth test | Heavy carcass | Light | | | | | * | Heavy |
| | 19 | **Height** | H | Shoulder height in growth test | Average height | Short | | | | | | Tall |
| | 20 | **Length** | L | Length in growth test | Longer for more muscle | Short | | | | | | Long |
| | 24 | **Length-Height Ratio** | LH | EBV Length / EBV Height | Longer rather than tall | <1 | | | | | | >1 |
| Carcass | 21 | **Eye Muscle Area** | EMA | RTU measured eye muscle area | Bigger steaks | Small | | | | | | Big |
| | 22 | **Fat Thickness** | Fat | RTU measured P8 backfat thickness | Carcass quality | Thin | | | | | | Thick |
| | 23 | **Marbling** | Mar | RTU measured % of intra-muscular fat | Juicy meat | Low | | | | | | High |
| | | **Dressing Percentage** | D% | Carcass weight / Live weight | High dressing percentage | Low | | | | | | High |

* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 99 | 99 | 90 | 97 | 75 | 92 | 85 | 100 | 94 | 93 | 92 | 123 | 110 | 104 | 100 | 79 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descritions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 109 | 104 | 105 | 122 | 117 | 327 | 1.22 |
| | | | 16 | 17 | 11 | 24 |

- Wean, 365D, 504D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

### LOT 1 — SEBADJA BONSMARAS

SBJ 220195
2022-11-03
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 140064 HH(c)
  - LAR 090281
    - LAR 070090
    - LAR 050151 — AGE/CALV. 19/15, AVG. WI/CALV. 102/15
  - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8, ICP 403
    - LAR 060224
    - LAR 080245 — AGE/CALV. 16/13, AVG. WI/CALV. 104/12
- LFR 170020 — AGE/CALV. 8/6, AVG. WI/CALV. 96/7, ICP 416
  - LFR 140017 HH(c)
    - HJL 070124
    - LMR 060244 — AGE/CALV. 15/11, AVG. WI/CALV. 101/10
  - LMR 100127 — AGE/CALV. 14/12, AVG. WI/CALV. 100/12, ICP 373
    - AG 030256
    - LMR 030227 — AGE/CALV. 14/11, AVG. WI/CALV. 102/11

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 104 | 92 | 104 | 110 | 96 | 101 | 98 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 107 | 97 | 88 | 114 | 107 | 98 | 106 | 95 | 106 | 107 | 90 | 85 | 89 | 133 | 99 | 83 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 90 | - | - | 104 | - | 379 | 1.28 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

### LOT 2 — SEBADJA BONSMARAS

SBJ 220085
2022-05-03
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 120227
  - MMJ 060226
    - MMJ 030164
    - MMJ 020249 — AGE/CALV. 11/7, AVG. WI/CALV. 105/7
  - LAR 080024 — AGE/CALV. 11/9, AVG. WI/CALV. 97/8, ICP 396
    - GCD 050148
    - LAR 050107 — AGE/CALV. 5/3, AVG. WI/CALV. 105/3
- LFB 150067 — AGE/CALV. 9/8, AVG. WI/CALV. 97/7, ICP 361
  - LFB 120002
    - AG 070457
    - LAR 040265 — AGE/CALV. 12/9, AVG. WI/CALV. 104/8
  - LFB 130043 — AGE/CALV. 12/10, AVG. WI/CALV. 101/10, ICP 364
    - LAR 090212
    - WAT 060244 — AGE/CALV. 13/10, AVG. WI/CALV. 98/10

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 97 | 99 | 84 | 99 | 90 | 105 | 99 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 95 | 101 | 100 | 97 | 97 | 79 | 99 | 102 | 110 | 101 | 99 | 90 | 96 | 101 | 89 | 111 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 96 | - | - | 111 | - | 355 | 1.27 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

### LOT 3 — SEBADJA BONSMARAS

SBJ 220035
2022-03-11
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- AG 150215
  - TOR 090196
    - TOR 050162
    - TOR 050224 — AGE/CALV. 4/2, AVG. WI/CALV. 100/2
  - GZV 100281 — AGE/CALV. 14/10, AVG. WI/CALV. 101/10, ICP 440
    - AG 060151
    - GZV 060341 — AGE/CALV. 11/9, AVG. WI/CALV. 101/8
- AG 170862 — AGE/CALV. 7/5, AVG. WI/CALV. 97/4, ICP 435
  - AG 130334
    - AG 110231 HH(c)
    - AG 110065 — AGE/CALV. 14/12, AVG. WI/CALV. 103/12
  - AG 130013 — AGE/CALV. 12/10, AVG. WI/CALV. 98/10, ICP 361
    - AG 080056
    - AG 060222 — AGE/CALV. 16/12, AVG. WI/CALV. 99/12

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 81 | 101 | 83 | 95 | 87 | 103 | 117 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 82 | 108 | 100 | 103 | 79 | 91 | 99 | 107 | 97 | 95 | 104 | 100 | 97 | 105 | 141 | 118 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 101 | - | - | 101 | - | 349 | 1.24 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

# BULLE

## LOT 4

*SEBADJA BONSMARAS*

SBJ 220312
2022-04-22
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

LFB 170400
LFB 190304
OUD/KALW. 5/3
GEM. SI/KALW. 111/3
TKP 462

LFB 140201
LFB 140468
OUD/KALW. 10/7
GEM. SI/KALW. 102/6
TKP 433
LAR 120227
LFB 130367
OUD/KALW. 11/9
GEM. SI/KALW. 101/8
TKP 377

PAD 080159
LAR 040243
OUD/KALW. 15/12
GEM. SI/KALW. 103/11
LAR 090212
LFB 080025
OUD/KALW. 14/10
GEM. SI/KALW. 110/9
MMJ 060226
LAR 080024
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
LAR 090212
BZ 090263
OUD/KALW. 11/8
GEM. SI/KALW. 101/6

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 105 | 107 | 96 | 92 | 107 | 120 | 108 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 107 | 101 | 117 | 112 | 102 | 89 | 107 | 112 | 122 | 114 | 106 | 95 | 107 | 103 | 64 | 100 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 109 | - | - | 122 | - | 354 | 1.25 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

## LOT 5

*SEBADJA BONSMARAS*

SBJ 220145
2022-09-28
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | |
| Genomies | | |

BKR 190007 HH(c)
LAR 190491
OUD/KALW. 5/3
GEM. SI/KALW. 92/3
TKP 365

SYF 150155 HH(c)
KRT 160074
OUD/KALW. 4/2
GEM. SI/KALW. 102/2
TKP 585
LFR 150032
LAR 130063
OUD/KALW. 12/8
GEM. SI/KALW. 97/8
TKP 413

SYF 120090 HH(c)
ADV 080229
OUD/KALW. 11/9
GEM. SI/KALW. 102/9
SYF 120319
KRT 100109
OUD/KALW. 8/4
GEM. SI/KALW. 98/4
HJL 120124
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
LAR 070055
LAR 100037
OUD/KALW. 13/9
GEM. SI/KALW. 101/9

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 98 | 98 | 101 | 100 | 98 | 106 | 108 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 98 | 105 | 88 | 90 | 108 | 90 | 109 | 110 | 98 | 75 | 99 | 65 | 83 | 105 | 107 | 90 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 98 | - | - | 101 | - | 348 | 1.25 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

## LOT 6

*SEBADJA BONSMARAS*

SBJ 220057
2022-03-24
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | |
| Genomies | | |

AG 150215
SBJ 190098
OUD/KALW. 5/4
GEM. SI/KALW. 98/4
TKP 366

TOR 090196
GZV 100281
OUD/KALW. 14/10
GEM. SI/KALW. 101/10
TKP 440
LFR 160061 HH(c)
LFR 150059
OUD/KALW. 9/7
GEM. SI/KALW. 104/6
TKP 411

TOR 050162
TOR 050224
OUD/KALW. 4/2
GEM. SI/KALW. 100/2
AG 060151
GZV 060341
OUD/KALW. 11/9
GEM. SI/KALW. 101/8
FCT 120053
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
LAR 080054
LFR 120053
OUD/KALW. 5/1
GEM. SI/KALW. 105/1

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 117 | 99 | 112 | 125 | 108 | 93 | 101 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 113 | 93 | 88 | 122 | 112 | 107 | 105 | 94 | 95 | 95 | 80 | 72 | 77 | 103 | 128 | 117 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 93 | - | - | 105 | - | 376 | 1.24 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS: Beproefde kalwings gemak bul - Behou twee gebruiksregte

LOGIX EBV Analise: 2025-06-22

## BULLS

### LOT 7

*SEBADJA BONSMARAS*

SBJ 220107
2022-05-31
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 160093 HH(c)
  - WAT 110394
    - WAT 080173
    - WAT 050175 (AGE/CALV. 12/9, AVG. WI/CALV. 99/8)
  - LAR 130049 (AGE/CALV. 12/8, AVG. WI/CALV. 105/8, ICP 395)
    - BP 100017
    - LAR 100408 (AGE/CALV. 7/4, AVG. WI/CALV. 101/4)
- LAR 070171 (AGE/CALV. 17/13, AVG. WI/CALV. 97/13, ICP 402)
  - LAR 030071
    - AG 980338
    - LAR 000380 (AGE/CALV. 8/6, AVG. WI/CALV. 103/6)
  - LAR 040074 (AGE/CALV. 8/6, AVG. WI/CALV. 100/5, ICP 387)
    - HJL 010126
    - LAR 010408 (AGE/CALV. 4/2, AVG. WI/CALV. 108/2)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 96 | 99 | 88 | 97 | 92 | 104 | 115 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 101 | 109 | 84 | 95 | 100 | 76 | 106 | 112 | 103 | 95 | 103 | 85 | 92 | 114 | 144 | 121 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 95 | - | - | 108 | - | 348 | 1.23 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

### LOT 8

*SEBADJA BONSMARAS*

SBJ 220059
2022-03-26
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 170358 HH(c)
  - JRP 110073
    - LAR 060015
    - JRP 070008 (AGE/CALV. 5/3, AVG. WI/CALV. 106/3)
  - LAR 100159 (AGE/CALV. 14/11, AVG. WI/CALV. 105/11, ICP 415)
    - LAR 080054
    - LAR 020268 (AGE/CALV. 17/14, AVG. WI/CALV. 104/13)
- LAR 160391 (AGE/CALV. 8/6, AVG. WI/CALV. 100/5, ICP 426)
  - LAR 130059 HH(c)
    - AG 070176
    - LAR 100303 (AGE/CALV. 11/6, AVG. WI/CALV. 108/6)
  - LAR 110089 (AGE/CALV. 12/9, AVG. WI/CALV. 94/8, ICP 413)
    - LAR 080050
    - LAR 020041 (AGE/CALV. 10/7, AVG. WI/CALV. 102/7)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 113 | 116 | 117 | 86 | 121 | 120 | 127 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 110 | 124 | 69 | 142 | 121 | 100 | 121 | 125 | 119 | 102 | 117 | 82 | 105 | 101 | 102 | 113 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 103 | - | - | 111 | - | 382 | 1.26 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS: Behou twee gebruiksregte. 4.5 Ster Bul

LOGIX EBV Analysis: 2025-06-22

### LOT 9

*SEBADJA BONSMARAS*

SBJ 220093
2022-05-13
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 120227
  - MMJ 060226
    - MMJ 030164
    - MMJ 020249 (AGE/CALV. 11/7, AVG. WI/CALV. 105/7)
  - LAR 080024 (AGE/CALV. 11/9, AVG. WI/CALV. 97/8, ICP 396)
    - GCD 050148
    - LAR 050107 (AGE/CALV. 5/3, AVG. WI/CALV. 105/3)
- LFB 140254 (AGE/CALV. 11/9, AVG. WI/CALV. 102/7, ICP 380)
  - LAR 090212
    - LAR 040287
    - LAR 050038 (AGE/CALV. 18/12, AVG. WI/CALV. 98/12)
  - HWB 060034 (AGE/CALV. 9/7, AVG. WI/CALV. 105/7, ICP 409)
    - WAT 000226
    - HWB 010144 (AGE/CALV. 13/11, AVG. WI/CALV. 107/11)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 82 | 115 | 88 | 91 | 103 | 108 | 99 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 86 | 115 | 112 | 108 | 96 | 87 | 98 | 113 | 116 | 116 | 108 | 119 | 120 | 121 | 59 | 81 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 117 | - | - | 107 | - | 345 | 1.25 |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

# BULLE

## LOT 10

*SEBADJA BONSMARAS*

**SYF 190070 HH(c)**
2019-04-16
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | ✔ | |

- **SYF 160250 HH(c)**
  - **SYF 120090 HH(c)**
    - ADV 070154
    - SYF 070114 (OUD/KALW. 13/11; GEM. SI/KALW. 103/10)
  - **ADV 100081** (OUD/KALW. 15/12; GEM. SI/KALW. 101/12; TKP 403)
    - SYF 060102
    - ADV 060119 (OUD/KALW. 11/7; GEM. SI/KALW. 110/6)
- **SYF 140278** (OUD/KALW. 10/7; GEM. SI/KALW. 106/6; TKP 433)
  - **GEL 100113**
    - GEL 060132
    - GEL 050008 (OUD/KALW. 7/5; GEM. SI/KALW. 105/5)
  - **SYF 100271** (OUD/KALW. 12/9; GEM. SI/KALW. 102/6; TKP 392)
    - SYF 070144
    - SYF 050052 (OUD/KALW. 11/9; GEM. SI/KALW. 103/9)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 97 | 108 | 106 | 95 | 108 | 113 | 110 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 100 | 114 | 88 | 115 | 113 | 90 | 116 | 115 | 116 | 95 | 104 | 84 | 103 | 114 | 89 | 97 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 119 | - | - | 118 | - | 346 | 1.22 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** Vyf gebruiksregte is reeds opgeneem. SYF 19-070 het vier seuns op die veiling, drie van hulle toets Miostatien normaal

LOGIX EBV Analise: 2025-06-22

## LOT 11

*SEBADJA BONSMARAS*

**SBJ 220201**
2022-11-07
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- **SYF 190070 HH(c)**
  - **SYF 160250 HH(c)**
    - SYF 120090 HH(c)
    - ADV 100081 (OUD/KALW. 15/12; GEM. SI/KALW. 101/12)
  - **SYF 140278** (OUD/KALW. 10/7; GEM. SI/KALW. 106/6; TKP 433)
    - GEL 100113
    - SYF 100271 (OUD/KALW. 12/9; GEM. SI/KALW. 102/6)
- **SBJ 150046** (OUD/KALW. 10/6; GEM. SI/KALW. 98/6; TKP 449)
  - **PAD 080159**
    - EI 980080
    - PAD 060074 (OUD/KALW. 14/11; GEM. SI/KALW. 96/11)
  - **LFB 120142** (OUD/KALW. 12/8; GEM. SI/KALW. 104/8; TKP 456)
    - LFB 090225
    - LFB 100138 (OUD/KALW. 5/3; GEM. SI/KALW. 94/3)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 91 | 96 | 81 | 101 | 84 | 97 | 95 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 92 | 104 | 90 | 121 | 88 | 74 | 110 | 103 | 105 | 102 | 97 | 79 | 92 | 85 | 98 | 88 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 91 | - | - | 98 | - | 383 | 1.28 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** Seun van Lot 10

LOGIX EBV Analise: 2025-06-22

## LOT 12

*SEBADJA BONSMARAS*

**SBJ 220169**
2022-10-11
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- **SYF 190070 HH(c)**
  - **SYF 160250 HH(c)**
    - SYF 120090 HH(c)
    - ADV 100081 (OUD/KALW. 15/12; GEM. SI/KALW. 101/12)
  - **SYF 140278** (OUD/KALW. 10/7; GEM. SI/KALW. 106/6; TKP 433)
    - GEL 100113
    - SYF 100271 (OUD/KALW. 12/9; GEM. SI/KALW. 102/6)
- **SYF 170265** (OUD/KALW. 7/5; GEM. SI/KALW. 96/4; TKP 467)
  - **SYF 140247**
    - GEL 100113
    - SYF 100071 (OUD/KALW. 11/9; GEM. SI/KALW. 110/9)
  - **SYF 090033** (OUD/KALW. 10/8; GEM. SI/KALW. 99/8; TKP 376)
    - SYF 060102
    - SYF 060157 (OUD/KALW. 4/2; GEM. SI/KALW. 104/2)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 92 | 110 | 105 | 85 | 106 | 113 | 120 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 94 | 119 | 87 | 125 | 109 | 93 | 112 | 119 | 113 | 90 | 117 | 85 | 101 | 123 | 110 | 104 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 97 | - | - | 108 | - | 381 | 1.27 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** Seun van Lot 10

LOGIX EBV Analise: 2025-06-22

## BULLS

### LOT 13 — SEBADJA BONSMARAS

**SBJ 220193**
2022-11-01
B

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- SYF 190070 HH(c)
  - SYF 160250 HH(c)
    - SYF 120090 HH(c)
    - ADV 100081 — AGE/CALV. 15/12, AVG. WI/CALV. 101/12
  - SYF 140278 — AGE/CALV. 10/7, AVG. WI/CALV. 106/6, ICP 433
    - GEL 100113
    - SYF 100271 — AGE/CALV. 12/9, AVG. WI/CALV. 102/6
- SBJ 170062 — AGE/CALV. 7/6, AVG. WI/CALV. 94/5, ICP 365
  - AJF 130377 HH(c)
    - LAR 090223
    - AJF 080250 — AGE/CALV. 10/8, AVG. WI/CALV. 106/8
  - SBJ 070117 — AGE/CALV. 13/3, AVG. WI/CALV. 110/3, ICP 366

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 87 | 98 | 111 | 106 | 102 | 102 | 94 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 92 | 102 | 100 | 117 | 117 | 99 | 108 | 101 | 108 | 102 | 92 | 96 | 97 | 114 | 90 | 89 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 100 | - | - | 103 | - | 381 | 1.23 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Seun van Lot 10

LOGIX EBV Analysis: 2025-06-22

### LOT 14 — SEBADJA BONSMARAS

**SBJ 220191**
2022-10-29
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- SBJ 190089 HH(c)
  - LAR 140173 HH(c)
    - LAR 120033 HH(c)
    - LAR 100159 — AGE/CALV. 14/11, AVG. WI/CALV. 105/11
  - LAR 150318 HH(c) — AGE/CALV. 9/7, AVG. WI/CALV. 95/4, ICP 364
    - JRP 110073
    - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8
- SBJ 170071 — AGE/CALV. 7/5, AVG. WI/CALV. 103/5, ICP 433
  - AJF 130377 HH(c)
    - LAR 090223
    - AJF 080250 — AGE/CALV. 10/8, AVG. WI/CALV. 106/8
  - SBJ 080008 — AGE/CALV. 9/7, AVG. WI/CALV. 101/7, ICP 395
    - JJF 010005
    - VOG 050025 — AGE/CALV. 9/6, AVG. WI/CALV. 94/5

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 83 | 122 | 101 | 87 | 115 | 136 | 133 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 85 | 126 | 102 | 129 | 106 | 87 | 117 | 128 | 141 | 124 | 113 | 97 | 114 | 125 | 110 | 102 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 105 | - | - | 128 | - | 364 | 1.27 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:**

LOGIX EBV Analysis: 2025-06-22

### LOT 15 — SEBADJA BONSMARAS

**SBJ 220100**
2022-05-20
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LFB 140473
  - LAR 090212
    - LAR 040287
    - LAR 050038 — AGE/CALV. 18/12, AVG. WI/CALV. 98/12
  - LFB 090241 — AGE/CALV. 6/4, AVG. WI/CALV. 107/3, ICP 449
    - AG 030029 HH(c)
    - AG 020370 — AGE/CALV. 11/7, AVG. WI/CALV. 100/7
- TEW 160068 — AGE/CALV. 6/5, AVG. WI/CALV. 95/3, ICP 339
  - TEW 130045
    - CRV 090375
    - TEW 090037 — AGE/CALV. 8/5, AVG. WI/CALV. 96/5
  - TEW 110053 — AGE/CALV. 9/8, AVG. WI/CALV. 97/8, ICP 401
    - TEW 080059
    - TEW 020015 — AGE/CALV. 11/8, AVG. WI/CALV. 108/8

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 94 | 98 | 101 | 90 | 97 | 126 | 114 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 95 | 105 | 98 | 82 | 94 | 110 | 97 | 112 | 125 | 122 | 111 | 110 | 117 | 113 | 108 | 102 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 93 | - | - | 120 | - | 315 | 1.25 |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:**

LOGIX EBV Analysis: 2025-06-22

## BULLE

### LOT 16 — *SEBADJA BONSMARAS*

**SBJ 220052**
2022-03-21
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- AG 140092 HH(c)
  - AG 080210
    - HJS 030016
    - BZ 020158 — OUD/KALW. 13/6, GEM. SI/KALW. 103/4
  - AG 090124 — OUD/KALW. 7/5, GEM. SI/KALW. 110/5, TKP 404
    - FCT 060109
    - AG 070081 — OUD/KALW. 7/5, GEM. SI/KALW. 100/4
- LAR 100026 — OUD/KALW. 15/10, GEM. SI/KALW. 100/9, TKP 478
  - LAR 060224
    - LAR 010297
    - LAR 020180 — OUD/KALW. 20/15, GEM. SI/KALW. 108/14
  - LAR 070407 — OUD/KALW. 13/10, GEM. SI/KALW. 101/10, TKP 422
    - LAR 040158
    - LAR 000225 — OUD/KALW. 8/6, GEM. SI/KALW. 102/6

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 94 | 113 | 61 | 98 | 90 | 104 | 107 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 93 | 111 | 105 | 126 | 64 | 60 | 107 | 110 | 110 | 105 | 100 | 95 | 98 | 131 | 88 | 86 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 105 | - | - | 107 | - | 385 | 1.27 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

### LOT 17 — *SEBADJA BONSMARAS*

**SBJ 220182**
2022-10-25
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- LAR 140064 HH(c)
  - LAR 090281
    - LAR 070090
    - LAR 050151 — OUD/KALW. 19/15, GEM. SI/KALW. 102/15
  - LAR 110039 HH(c) — OUD/KALW. 11/8, GEM. SI/KALW. 107/8, TKP 403
    - LAR 060224
    - LAR 080245 — OUD/KALW. 16/13, GEM. SI/KALW. 104/12
- AG 150219 — OUD/KALW. 10/8, GEM. SI/KALW. 101/8, TKP 365
  - HCO 090044
    - VV 030346
    - HJB 060044 — OUD/KALW. 11/9, GEM. SI/KALW. 101/9
  - AG 050273 — OUD/KALW. 12/9, GEM. SI/KALW. 98/9, TKP 397
    - RCO 000091
    - AG 010154 — OUD/KALW. 17/13, GEM. SI/KALW. 98/13

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 97 | 101 | 98 | 102 | 99 | 95 | 106 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 96 | 103 | 96 | 106 | 97 | 99 | 103 | 100 | 98 | 101 | 96 | 88 | 88 | 114 | 139 | 115 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 90 | - | - | 98 | - | 364 | 1.27 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

### LOT 18 — *SEBADJA BONSMARAS*

**SBJ 220223**
2022-11-26
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- AG 140092 HH(c)
  - AG 080210
    - HJS 030016
    - BZ 020158 — OUD/KALW. 13/6, GEM. SI/KALW. 103/4
  - AG 090124 — OUD/KALW. 7/5, GEM. SI/KALW. 110/5, TKP 404
    - FCT 060109
    - AG 070081 — OUD/KALW. 7/5, GEM. SI/KALW. 100/4
- SBJ 160006 — OUD/KALW. 9/7, GEM. SI/KALW. 105/6, TKP 382
  - AG 120001
    - AG 080210
    - AG 080399 — OUD/KALW. 15/11, GEM. SI/KALW. 98/9
  - SBJ 090024 — OUD/KALW. 9/7, GEM. SI/KALW. 86/8, TKP 371
    - AG 010005
    - VOG 060007 — OUD/KALW. 13/10, GEM. SI/KALW. 94/13

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 85 | 102 | 72 | 103 | 85 | 102 | 104 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 86 | 107 | 99 | 105 | 71 | 77 | 102 | 104 | 104 | 96 | 96 | 92 | 86 | 108 | 114 | 116 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 101 | - | - | 104 | - | 344 | 1.25 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

## BULLS

### LOT 19 — SEBADJA BONSMARAS

SBJ 220102
2022-05-25
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- LFB 140473
  - LAR 090212
    - LAR 040287
    - LAR 050038 (AGE/CALV. 18/12; AVG. WI/CALV. 98/12)
  - LFB 090241 (AGE/CALV. 6/4; AVG. WI/CALV. 107/3; ICP 449)
    - AG 030029 HH(c)
    - AG 020370 (AGE/CALV. 11/7; AVG. WI/CALV. 100/7)
- LFB 140418 (AGE/CALV. 10/8; AVG. WI/CALV. 105/6; ICP 439)
  - AG 040289
    - AG 020193
    - AG 950012 (AGE/CALV. 16/9; AVG. WI/CALV. 109/9)
  - LAR 080186 (AGE/CALV. 16/12; AVG. WI/CALV. 99/11; ICP 394)
    - LAR 050186
    - LAR 980381 (AGE/CALV. 12/10; AVG. WI/CALV. 107/10)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 87 | 120 | 105 | 77 | 112 | 136 | 133 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 87 | 120 | 108 | 121 | 105 | 101 | 105 | 128 | 145 | 133 | 128 | 103 | 120 | 123 | 136 | 118 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 108 | - | - | 147 | - | 378 | 1.24 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

### LOT 20 — SEBADJA BONSMARAS

SBJ 220112
2022-06-08
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 140064 HH(c)
  - LAR 090281
    - LAR 070090
    - LAR 050151 (AGE/CALV. 19/15; AVG. WI/CALV. 102/15)
  - LAR 110039 HH(c) (AGE/CALV. 11/8; AVG. WI/CALV. 107/8; ICP 403)
    - LAR 060224
    - LAR 080245 (AGE/CALV. 16/13; AVG. WI/CALV. 104/12)
- LFR 160045 (AGE/CALV. 9/6; AVG. WI/CALV. 98/6; ICP 458)
  - BBM 120194
    - JRB 080120
    - JRB 990208 (AGE/CALV. 17/13; AVG. WI/CALV. 103/14)
  - LFR 130079 (AGE/CALV. 10/6; AVG. WI/CALV. 100/5; ICP 481)
    - LAR 090380
    - LFR 100027 (AGE/CALV. 13/11; AVG. WI/CALV. 100/10)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 85 | 100 | 88 | 99 | 90 | 99 | 102 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 88 | 108 | 93 | 106 | 92 | 82 | 109 | 102 | 100 | 101 | 100 | 100 | 87 | 120 | 120 | 106 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 116 | - | - | 104 | - | 364 | 1.19 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

### LOT 21 — SEBADJA BONSMARAS

SBJ 220170
2022-10-12
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- LAR 170467 HH(c)
  - LAR 140064 HH(c)
    - LAR 090281
    - LAR 110039 HH(c) (AGE/CALV. 11/8; AVG. WI/CALV. 107/8)
  - LAR 120050 HH(c) (AGE/CALV. 13/9; AVG. WI/CALV. 104/9; ICP 403)
    - LAR 070055
    - LAR 090327 (AGE/CALV. 7/4; AVG. WI/CALV. 97/4)
- SBJ 140013 (AGE/CALV. 11/9; AVG. WI/CALV. 111/9; ICP 356)
  - SBJ 090026
    - AG 010005
    - IVY 930038 (AGE/CALV. 19/14; AVG. WI/CALV. 106/12)
  - SBJ 080011 HH(c) (AGE/CALV. 16/12; AVG. WI/CALV. 104/12; ICP 387)
    - PER 000077
    - BZK 030002 (AGE/CALV. 15/10; AVG. WI/CALV. 109/10)

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 83 | 115 | 94 | 82 | 102 | 125 | 122 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 79 | 120 | 100 | 101 | 79 | 101 | 109 | 121 | 128 | 121 | 121 | 117 | 118 | 119 | 117 | 100 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 111 | - | - | 116 | - | 360 | 1.23 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

## BULLE

### LOT 22 — *SEBADJA BONSMARAS*

**SBJ 220040**
2022-03-13
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- LAR 170339 HH(c)
  - LAR 140106
    - AG 070457
    - LAR 110029 — OUD/KALW. 6/3, GEM. SI/KALW. 105/3
  - LAR 080168 — OUD/KALW. 16/11, GEM. SI/KALW. 104/10, TKP 396
    - AG 040374
    - LAR 050151 — OUD/KALW. 19/15, GEM. SI/KALW. 102/15
- AG 090064 HH(c) — OUD/KALW. 16/13, GEM. SI/KALW. 99/12, TKP 403
  - VV 040146
    - VV 010230
    - VV 000463 — OUD/KALW. 9/7, GEM. SI/KALW. 108/6
  - AG 030203 — OUD/KALW. 13/11, GEM. SI/KALW. 100/11, TKP 411
    - AG 000264
    - AG 000163 — OUD/KALW. 7/4, GEM. SI/KALW. 107/4

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 84 | 132 | 100 | 81 | 117 | 121 | 136 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 69 | 137 | 86 | 110 | 88 | 107 | 109 | 138 | 115 | 102 | 123 | 102 | 118 | 127 | 98 | 117 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 100 | - | - | 111 | - | 345 | 1.27 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

### LOT 23 — *SEBADJA BONSMARAS*

**SBJ 220110**
2022-06-06
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | |
| Genomies | | |

- LFB 140473
  - LAR 090212
    - LAR 040287
    - LAR 050038 — OUD/KALW. 18/12, GEM. SI/KALW. 98/12
  - LFB 090241 — OUD/KALW. 6/4, GEM. SI/KALW. 107/3, TKP 449
    - AG 030029 HH(c)
    - AG 020370 — OUD/KALW. 11/7, GEM. SI/KALW. 100/7
- LFB 080406 — OUD/KALW. 16/13, GEM. SI/KALW. 103/14, TKP 398
  - DNT 040026
    - DNT 000001
    - DNT 980116 — OUD/KALW. 9/6, GEM. SI/KALW. 103/6
  - DNT 990032 — OUD/KALW. 15/11, GEM. SI/KALW. 102/12, TKP 451
    - DNT 940218
    - DNT 930081 — OUD/KALW. 11/9, GEM. SI/KALW. 109/8

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 118 | 112 | 101 | 86 | 115 | 115 | 107 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 117 | 107 | 106 | 81 | 100 | 107 | 94 | 110 | 112 | 117 | 114 | 113 | 119 | 106 | 86 | 87 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 102 | - | - | 98 | - | 330 | 1.21 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

### LOT 24 — *SEBADJA BONSMARAS*

**SBJ 220210**
2022-11-16
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- LAR 170467 HH(c)
  - LAR 140064 HH(c)
    - LAR 090281
    - LAR 110039 HH(c) — OUD/KALW. 11/8, GEM. SI/KALW. 107/8
  - LAR 120050 HH(c) — OUD/KALW. 13/9, GEM. SI/KALW. 104/9, TKP 403
    - LAR 070055
    - LAR 090327 — OUD/KALW. 7/4, GEM. SI/KALW. 97/4
- AG 110465 — OUD/KALW. 13/11, GEM. SI/KALW. 99/10, TKP 373
  - PAD 070093
    - CSW 030109
    - AG 050042 — OUD/KALW. 9/8, GEM. SI/KALW. 101/7
  - AG 090301 — OUD/KALW. 8/5, GEM. SI/KALW. 87/5, TKP 495
    - CEF 050503
    - AG 050183 — OUD/KALW. 10/8, GEM. SI/KALW. 91/8

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 102 | 85 | 95 | 104 | 85 | 99 | 85 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 99 | 93 | 87 | 96 | 84 | 95 | 114 | 97 | 100 | 98 | 95 | 75 | 83 | 114 | 73 | 75 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|---|---|---|---|---|---|---|
| 94 | - | - | 101 | - | 353 | 1.24 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-06-22

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## BULLS

### LOT 25 — SEBADJA BONSMARAS

SBJ 220024
2022-03-06
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 170339 HH(c)
  - LAR 140106
    - AG 070457
    - LAR 110029 — AGE/CALV. 6/3, AVG. WI/CALV. 105/3
  - LAR 080168 — AGE/CALV. 16/11, AVG. WI/CALV. 104/10, ICP 396
    - AG 040374
    - LAR 050151 — AGE/CALV. 19/15, AVG. WI/CALV. 102/15
- ADV 110316 — AGE/CALV. 13/12, AVG. WI/CALV. 98/9, ICP 363
  - SYF 080011
    - AG 020251
    - SYF 020020 — AGE/CALV. 6/4, AVG. WI/CALV. 98/3
  - ADV 060038 — AGE/CALV. 14/12, AVG. WI/CALV. 100/11, ICP 380
    - AG 980012
    - AG 960032 — AGE/CALV. 16/13, AVG. WI/CALV. 106/13

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 77 | 105 | 92 | 85 | 93 | 112 | 108 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 67 | 118 | 91 | 113 | 86 | 95 | 108 | 118 | 116 | 120 | 117 | 99 | 109 | 90 | 73 | 86 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 99 | - | - | 116 | - | 360 | 1.27 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-06-22

### LOT 26 — SEBADJA BONSMARAS

SBJ 220149
2022-09-29
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- SYF 190070 HH(c)
  - SYF 160250 HH(c)
    - SYF 120090 HH(c)
    - ADV 100081 — AGE/CALV. 15/12, AVG. WI/CALV. 101/12
  - SYF 140278 — AGE/CALV. 10/7, AVG. WI/CALV. 106/6, ICP 433
    - GEL 100113
    - SYF 100271 — AGE/CALV. 12/9, AVG. WI/CALV. 102/6
- BBM 150156 — AGE/CALV. 9/7, AVG. WI/CALV. 102/7, ICP 416
  - EI 040024
    - EI 980080
    - EI 940254 — AGE/CALV. 18/13, AVG. WI/CALV. 104/12
  - BBM 080041 — AGE/CALV. 17/14, AVG. WI/CALV. 105/14, ICP 361
    - JRB 000116
    - JRB 030026 — AGE/CALV. 18/15, AVG. WI/CALV. 109/14

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 84 | 120 | 107 | 84 | 115 | 118 | 123 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 87 | 122 | 105 | 125 | 112 | 99 | 107 | 119 | 121 | 110 | 117 | 101 | 111 | 117 | 117 | 115 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|---|---|---|---|---|---|---|
| 111 | - | - | 117 | - | 381 | 1.24 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS: Seun van Lot 10

LOGIX EBV Analysis: 2025-06-22

## COWS WITH CALVES

### LOT 31 — SEBADJA BONSMARAS

SBJ 200166
2020-11-20
SP
AGE/CALV. 4/3
AVG. WI/CALV. 107/2
ICP 404

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- LAR 140064 HH(c)
  - LAR 090281
    - LAR 070090
    - LAR 050151 — AGE/CALV. 19/15, AVG. WI/CALV. 102/15
  - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8, ICP 403
    - LAR 060224
    - LAR 080245 — AGE/CALV. 16/13, AVG. WI/CALV. 104/12
- CEF 150145 — AGE/CALV. 9/7, AVG. WI/CALV. 108/7, ICP 400
  - CEF 130548 HH(c)
    - GJN 100238
    - CEF 110046 — AGE/CALV. 14/11, AVG. WI/CALV. 104/11
  - CEF 130082 — AGE/CALV. 8/5, AVG. WI/CALV. 98/4, ICP 366
    - WAT 080080
    - CEF 090121 — AGE/CALV. 15/12, AVG. WI/CALV. 110/11

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 85 | 113 | 108 | 99 | 113 | 106 | 105 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 89 | 109 | 117 | 101 | 107 | 94 | 123 | 110 | 108 | 101 | 98 | 97 | 101 | 119 | 97 | 88 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 101 | 104 | 106 | - | - | - |

| Last Calf | |
|---|---|
| Calf ID | SBJ 250185 (F) |
| Birth Date | 2025-06-14 |
| Sire ID | LAR 190373 |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

REMARKS: Loop by SBJ 22-059 van kalf tot 07/08/25

LOGIX EBV Analysis: 2025-06-22

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## KOEIE MET KALWERS

### LOT 32 — *SEBADJA BONSMARAS*

**SBJ 220129**
2022-09-23
SP
OUD/KALW. 2/1
GEM. SI/KALW. -/-
TKP -

| Oerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | |
| Genomies | | |

- WBB 180334
  - LAR 140200
    - LAR 120033 HH(c)
    - LAR 100152 — OUD/KALW. 14/12, GEM. SI/KALW. 100/10
  - WBB 120469 — OUD/KALW. 12/10, GEM. SI/KALW. 103/9, TKP 411
    - LMR 100018
    - WBB 070044 — OUD/KALW. 5/3, GEM. SI/KALW. 102/2
- LFR 160090 — OUD/KALW. 8/6, GEM. SI/KALW. 97/5, TKP 423
  - BBM 110059
    - SJP 060018
    - BBM 080039 — OUD/KALW. 5/1, GEM. SI/KALW. 116/1
  - LFR 120056 — OUD/KALW. 11/9, GEM. SI/KALW. 100/10, TKP 390
    - JDB 100013
    - BEI 960054 — OUD/KALW. 16/14, GEM. SI/KALW. 101/14

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 89 | 95 | 101 | 96 | 90 | 110 | 98 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 85 | 111 | 74 | 96 | 91 | 104 | 108 | 110 | 113 | 115 | 104 | 101 | 103 | 123 | 82 | 94 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | LH |
|---|---|---|---|---|---|
| 92 | 99 | 95 | - | - | - |

| Laaste Kalf | |
|---|---|
| Kalf ID | SBJ 250085 (M) |
| Geb. dtm. | 2025-03-24 |
| Vaar ID | SBJ 200008 |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** KI met SBJ 20-08 op 09/06/2025 Loop saam SBJ 22-059 vanaf 23/06/2025 tot 07/08/2025

LOGIX EBV Analise: 2025-06-22

### LOT 33 — *SEBADJA BONSMARAS*

**SBJ 190007**
2019-04-21
SP
OUD/KALW. 6/4
GEM. SI/KALW. 115/3
TKP 400

| Oerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- LAR 140173 HH(c)
  - LAR 120033 HH(c)
    - LAR 070055
    - LAR 090199 — OUD/KALW. 6/3, GEM. SI/KALW. 104/3
  - LAR 100159 — OUD/KALW. 14/11, GEM. SI/KALW. 105/11, TKP 415
    - LAR 080054
    - LAR 020268 — OUD/KALW. 17/14, GEM. SI/KALW. 104/13
- AG 150281 — OUD/KALW. 10/7, GEM. SI/KALW. 104/7, TKP 434
  - AG 120720 HH(c)
    - LAR 060034
    - AG 080845 — OUD/KALW. 7/4, GEM. SI/KALW. 107/2
  - AG 120139 — OUD/KALW. 10/7, GEM. SI/KALW. 107/7, TKP 415
    - AG 090094
    - AG 100184 — OUD/KALW. 10/8, GEM. SI/KALW. 104/8

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 104 | 134 | 106 | 93 | 134 | 142 | 137 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 102 | 121 | 119 | 101 | 117 | 82 | 125 | 127 | 141 | 123 | 106 | 106 | 131 | 144 | 119 | 106 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | LH |
|---|---|---|---|---|---|
| 127 | 108 | 104 | - | - | - |

| Laaste Kalf | |
|---|---|
| Kalf ID | SBJ 250183 (F) |
| Geb. dtm. | 2025-06-12 |
| Vaar ID | LAR 200375 |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | Nie Getoets |
| F94L | Nie Getoets |

**OPMERKINGS:** Loop by SBJ 22-059 van kalf tot 07/08/25

LOGIX EBV Analise: 2025-06-22

## DRAGTIGE VERSE

### LOT 34 — *SEBADJA BONSMARAS*

**SBJ 230025**
2023-03-08
SP

| Oerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- AG 150215
  - TOR 090196
    - TOR 050162
    - TOR 050224 — OUD/KALW. 4/2, GEM. SI/KALW. 100/2
  - GZV 100281 — OUD/KALW. 14/10, GEM. SI/KALW. 101/10, TKP 440
    - AG 060151
    - GZV 060341 — OUD/KALW. 11/9, GEM. SI/KALW. 101/8
- SBJ 190095 — OUD/KALW. 5/4, GEM. SI/KALW. 108/2, TKP 367
  - LAR 140173 HH(c)
    - LAR 120033 HH(c)
    - LAR 100159 — OUD/KALW. 14/11, GEM. SI/KALW. 105/11
  - LAR 150318 HH(c) — OUD/KALW. 9/7, GEM. SI/KALW. 95/4, TKP 364
    - JRP 110073
    - LAR 110039 HH(c) — OUD/KALW. 11/8, GEM. SI/KALW. 107/8

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 87 | 109 | 97 | 102 | 102 | 108 | 116 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 86 | 112 | 95 | 123 | 105 | 84 | 110 | 112 | 111 | 109 | 96 | 89 | 99 | 124 | 121 | 103 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | LH |
|---|---|---|---|---|---|
| 99 | 94 | 90 | - | - | - |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** Dragtig van LAR 21-400 - KI datum 30/12/24
Dragtigheid van KI tweemaal bevestig

LOGIX EBV Analise: 2025-06-22

## PREGNANT HEIFERS

### LOT 35 — *SEBADJA BONSMARAS*

**SBJ 230057**
2023-03-17
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

**AG 100824**
AGE/CALV. 14/10
AVG. WI/CALV. 99/10
ICP 431

- LAR 170467 HH(c)
  - LAR 140064 HH(c)
    - LAR 090281
    - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8
  - LAR 120050 HH(c) — AGE/CALV. 13/9, AVG. WI/CALV. 104/9, ICP 403
    - LAR 070055
    - LAR 090327 — AGE/CALV. 7/4, AVG. WI/CALV. 97/4
- FCT 060109
  - FCT 040101
  - FCT 980024 — AGE/CALV. 11/10, AVG. WI/CALV. 100/10
- AG 030319 — AGE/CALV. 13/11, AVG. WI/CALV. 101/11, ICP 375
  - AG 980338
  - AG 970242 — AGE/CALV. 15/13, AVG. WI/CALV. 99/13

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 79 | 102 | 83 | 91 | 87 | 108 | 100 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 73 | 115 | 91 | 101 | 82 | 77 | 113 | 114 | 110 | 111 | 110 | 93 | 102 | 116 | 95 | 88 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 117 | 109 | 114 | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Dragtig van LAR 21-400 - KI datum 30/12/24
Dragtigheid van KI tweemaal bevestig

LOGIX EBV Analysis: 2025-06-22

### LOT 36 — *SEBADJA BONSMARAS*

**SBJ 230068**
2023-03-22
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

**ADV 110316**
AGE/CALV. 13/12
AVG. WI/CALV. 98/9
ICP 363

- LAR 140064 HH(c)
  - LAR 090281
    - LAR 070090
    - LAR 050151 — AGE/CALV. 19/15, AVG. WI/CALV. 102/15
  - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8, ICP 403
    - LAR 060224
    - LAR 080245 — AGE/CALV. 16/13, AVG. WI/CALV. 104/12
- SYF 080011
  - AG 020251
  - SYF 020020 — AGE/CALV. 6/4, AVG. WI/CALV. 98/3
- ADV 060038 — AGE/CALV. 14/12, AVG. WI/CALV. 100/11, ICP 380
  - AG 980012
  - AG 960032 — AGE/CALV. 16/13, AVG. WI/CALV. 106/13

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 97 | 85 | 83 | 101 | 79 | 95 | 84 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 102 | 96 | 89 | 90 | 87 | 82 | 105 | 90 | 99 | 96 | 98 | 89 | 82 | 98 | 87 | 79 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 101 | 94 | 92 | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Dragtig van BBM 17-305 van 06/01/25 tot 04/02/25 en
SBJ 22-59 van 05/02/25 tot 20/03/25

LOGIX EBV Analysis: 2025-06-22

### LOT 37 — *SEBADJA BONSMARAS*

**SBJ 230063**
2023-03-19
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

**CEF 100175**
AGE/CALV. 14/11
AVG. WI/CALV. 103/11
ICP 402

- LAR 170467 HH(c)
  - LAR 140064 HH(c)
    - LAR 090281
    - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8
  - LAR 120050 HH(c) — AGE/CALV. 13/9, AVG. WI/CALV. 104/9, ICP 403
    - LAR 070055
    - LAR 090327 — AGE/CALV. 7/4, AVG. WI/CALV. 97/4
- CEF 080505
  - CEF 060473
  - CEF 030027 — AGE/CALV. 8/6, AVG. WI/CALV. 101/4
- CEF 060204 — AGE/CALV. 5/2, AVG. WI/CALV. 96/2, ICP 416
  - WAT 030060
  - CEF 980112 — AGE/CALV. 14/11, AVG. WI/CALV. 101/10

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 80 | 94 | 91 | 87 | 84 | 118 | 107 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 70 | 108 | 92 | 89 | 78 | 92 | 116 | 112 | 118 | 111 | 115 | 100 | 109 | 129 | 94 | 93 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 95 | 99 | 93 | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Dragtig van LAR 21-400 - KI datum 30/12/24
Dragtigheid van KI tweemaal bevestig

LOGIX EBV Analysis: 2025-06-22

## DRAGTIGE VERSE

### LOT 38 — *SEBADJA BONSMARAS*

**SBJ 230080**
2023-03-29
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- SYF 190070 HH(c)
  - SYF 160250 HH(c)
    - SYF 120090 HH(c)
    - ADV 100081 (OUD/KALW. 15/12, GEM. SI/KALW. 101/12)
  - SYF 140278 (OUD/KALW. 10/7, GEM. SI/KALW. 106/6, TKP 433)
    - GEL 100113
    - SYF 100271 (OUD/KALW. 12/9, GEM. SI/KALW. 102/6)
- LFB 120142 (OUD/KALW. 12/8, GEM. SI/KALW. 104/8, TKP 456)
  - LFB 090225
    - AG 030026
    - HJB 970042 (OUD/KALW. 14/9, GEM. SI/KALW. 113/8)
  - LFB 100138 (OUD/KALW. 5/3, GEM. SI/KALW. 94/3, TKP 455)
    - FCT 070243
    - LFB 020103 (OUD/KALW. 15/10, GEM. SI/KALW. 100/7)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 74 | 105 | 82 | 96 | 89 | 103 | 102 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 76 | 113 | 101 | 120 | 91 | 71 | 112 | 114 | 109 | 107 | 103 | 97 | 105 | 100 | 101 | 95 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | LH |
|---|---|---|---|---|---|
| 98 | 104 | 105 | - | - | - |

| Miostatien | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** Dragtig van LAR 21-400 - KI datum 30/12/24
Dragtigheid van KI tweemaal bevestig

LOGIX EBV Analise: 2025-06-22

### LOT 39 — *SEBADJA BONSMARAS*

**SBJ 230030**
2023-03-10
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- WBB 180334
  - LAR 140200
    - LAR 120033 HH(c)
    - LAR 100152 (OUD/KALW. 14/12, GEM. SI/KALW. 100/10)
  - WBB 120469 (OUD/KALW. 12/10, GEM. SI/KALW. 103/9, TKP 411)
    - LMR 100018
    - WBB 070044 (OUD/KALW. 5/3, GEM. SI/KALW. 102/2)
- AG 090092 (OUD/KALW. 15/12, GEM. SI/KALW. 100/12, TKP 420)
  - AG 060027
    - LAR 010176
    - AG 020147 (OUD/KALW. 15/11, GEM. SI/KALW. 110/11)
  - AG 980218 (OUD/KALW. 16/14, GEM. SI/KALW. 107/14, TKP 384)
    - AG 960256
    - AG 960322 (OUD/KALW. 15/13, GEM. SI/KALW. 97/13)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 84 | 107 | 94 | 98 | 96 | 108 | 104 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 77 | 119 | 78 | 106 | 81 | 103 | 105 | 109 | 114 | 110 | 102 | 96 | 108 | 130 | 72 | 110 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | LH |
|---|---|---|---|---|---|
| 98 | 98 | 98 | - | - | - |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** Dragtig van BBM 17-305 van 06/01/25 tot 04/02/25 en SBJ 22-59 van 05/02/25 tot 20/03/25

LOGIX EBV Analise: 2025-06-22

### LOT 40 — *SEBADJA BONSMARAS*

**SBJ 230050**
2023-03-15
SP

| Ouerskap | Vaar | Moer |
|---|---|---|
| DNS | ✔ | ✔ |
| Genomies | | |

- SYF 190070 HH(c)
  - SYF 160250 HH(c)
    - SYF 120090 HH(c)
    - ADV 100081 (OUD/KALW. 15/12, GEM. SI/KALW. 101/12)
  - SYF 140278 (OUD/KALW. 10/7, GEM. SI/KALW. 106/6, TKP 433)
    - GEL 100113
    - SYF 100271 (OUD/KALW. 12/9, GEM. SI/KALW. 102/6)
- AG 190882 (OUD/KALW. 5/4, GEM. SI/KALW. 106/2, TKP 378)
  - AG 150202
    - TOR 090196
    - AG 090394 (OUD/KALW. 9/3, GEM. SI/KALW. 105/3)
  - AG 160225 (OUD/KALW. 8/6, GEM. SI/KALW. 93/7, TKP 443)
    - AG 100438
    - AG 120248 (OUD/KALW. 9/7, GEM. SI/KALW. 90/7)

| Geboortegemak Waarde | Speenkalf Waarde | Vrugbaarheids-waarde | Onderhouds-waarde | Koeiwaarde | Groei-waarde | Karkas-waarde |
|---|---|---|---|---|---|---|
| 112 | 97 | 106 | 106 | 103 | 101 | 95 |

| Kalf en Moeder | | | Vrugbaarheid | | | | Na-Speen Groei | | | Raam | | | Karkas | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Geb. Dir. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
| 109 | 97 | 92 | 107 | 105 | 100 | 111 | 101 | 104 | 99 | 92 | 88 | 96 | 104 | 97 | 98 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | LH |
|---|---|---|---|---|---|
| 98 | 92 | 93 | - | - | - |

| Miostatien | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**OPMERKINGS:** GeKI met LAR 21-400 datum 30/12/24, opvolg bulle BBM 17-305 van 06/01/25 tot 04/02/25 en SBJ 22-59 van 05/02/25 tot 20/03/25

LOGIX EBV Analise: 2025-06-22

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

## PREGNANT HEIFERS

### LOT 41

*SEBADJA BONSMARAS*

**SBJ 230137**
2023-05-11
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- LAR 140064 HH(c)
  - LAR 090281
    - LAR 070090
    - LAR 050151 — AGE/CALV. 19/15, AVG. WI/CALV. 102/15
  - LAR 110039 HH(c) — AGE/CALV. 11/8, AVG. WI/CALV. 107/8, ICP 403
    - LAR 060224
    - LAR 080245 — AGE/CALV. 16/13, AVG. WI/CALV. 104/12
- NFS 160082 — AGE/CALV. 9/7, AVG. WI/CALV. 94/6, ICP 420
  - NFS 110101
    - NFS 080032
    - NFS 000257 — AGE/CALV. 15/12, AVG. WI/CALV. 98/12
  - NFS 090086 — AGE/CALV. 14/12, AVG. WI/CALV. 105/12, ICP 369
    - NFS 060243
    - NFS 070048 — AGE/CALV. 6/4, AVG. WI/CALV. 92/4

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 102 | 92 | 90 | 98 | 87 | 104 | 91 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 102 | 102 | 82 | 103 | 82 | 90 | 109 | 99 | 106 | 110 | 101 | 99 | 93 | 117 | 98 | 77 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 101 | 103 | 102 | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Dragtig van BBM 17-305 van 06/01/25 tot 04/02/25 en SBJ 22-59 van 05/02/25 tot 20/03/25

LOGIX EBV Analysis: 2025-06-22

### LOT 42

*SEBADJA BONSMARAS*

**SBJ 230087**
2023-03-30
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | |
| Genomic | | |

- SYF 190070 HH(c)
  - SYF 160250 HH(c)
    - SYF 120090 HH(c)
    - ADV 100081 — AGE/CALV. 15/12, AVG. WI/CALV. 101/12
  - SYF 140278 — AGE/CALV. 10/7, AVG. WI/CALV. 106/6, ICP 433
    - GEL 100113
    - SYF 100271 — AGE/CALV. 12/9, AVG. WI/CALV. 102/6
- LFR 120056 — AGE/CALV. 11/9, AVG. WI/CALV. 100/10, ICP 390
  - JDB 100013
    - JDB 050037
    - JDB 050007 — AGE/CALV. 8/5, AVG. WI/CALV. 97/4
  - BEI 960054 — AGE/CALV. 16/14, AVG. WI/CALV. 101/14, ICP 379
    - BD 910244
    - BEI 920047 — AGE/CALV. 7/5, AVG. WI/CALV. 103/4

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 100 | 100 | 105 | 90 | 102 | 107 | 98 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 101 | 108 | 91 | 97 | 102 | 101 | 108 | 110 | 111 | 108 | 110 | 99 | 105 | 101 | 88 | 99 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 107 | 109 | 111 | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 1 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Dragtig van BBM 17-305 van 06/01/25 tot 04/02/25 en SBJ 22-59 van 05/02/25 tot 20/03/25

LOGIX EBV Analysis: 2025-06-22

### LOT 43

*SEBADJA BONSMARAS*

**SBJ 230016**
2023-03-06
SP

| Parentage | Sire | Dam |
|---|---|---|
| DNA | ✔ | ✔ |
| Genomic | | |

- SYF 190070 HH(c)
  - SYF 160250 HH(c)
    - SYF 120090 HH(c)
    - ADV 100081 — AGE/CALV. 15/12, AVG. WI/CALV. 101/12
  - SYF 140278 — AGE/CALV. 10/7, AVG. WI/CALV. 106/6, ICP 433
    - GEL 100113
    - SYF 100271 — AGE/CALV. 12/9, AVG. WI/CALV. 102/6
- AG 150274 — AGE/CALV. 8/6, AVG. WI/CALV. 104/6, ICP 393
  - AG 120219
    - AG 070176
    - AG 080724 — AGE/CALV. 10/7, AVG. WI/CALV. 104/5
  - AG 120344 — AGE/CALV. 12/3, AVG. WI/CALV. 106/3, ICP 406
    - PAD 070100
    - AG 040442 — AGE/CALV. 18/16, AVG. WI/CALV. 102/16

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|---|---|---|---|---|---|---|
| 102 | 107 | 105 | 90 | 108 | 112 | 103 |

| Calf and Mother | | | Fertility | | | | Post-Wean Growth | | | Frame | | | Carcass | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Birth Dir. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean | ADG | FCR | Mature Weight | Height | Length | EMA | Fat | Mar |
| 103 | 112 | 92 | 107 | 111 | 95 | 109 | 117 | 112 | 104 | 111 | 96 | 105 | 106 | 92 | 95 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | LH |
|---|---|---|---|---|---|
| 102 | 110 | 113 | - | - | - |

| Myostatin | |
|---|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L | 0 |

**REMARKS:** Dragtig van LAR 21-400 - KI datum 30/12/24
Dragtigheid van KI tweemaal bevestig

LOGIX EBV Analysis: 2025-06-22

# Bonsmara SA Cattle Breeders' Society

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct



| Dier Info | | | | Actual Values | | | | | | Expected Breeding Values | | | | | | | | | | | Indices | | | Dam | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LOT | Animal ID | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB *Ratio* | CCW *Ratio* | Length Height *Ratio* | Scr. Circ. *(mm)* | Birth Dir (kg) | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| | | | Breed Average | | | | | | | 0.99 | -0.30 | 14.5 | 3.6 | 24 | 22 | 77 | -36 | 12.4 | -3.0 | 13.0 | | | | | | |
| | | | Auction Average | 37 | 234 | 6.62 | 44.0 | 1.25 | 360 | 1.79 | -0.23 | 20.0 | 2.1 | 38 | 29 | 123 | -46 | 16.9 | -7 | 15 | 102 | 110 | 108 | 101 | 8.0 | 108 |
| 1 | SBJ 220195 | M | SP | 38 | 229 | 8.09 | 43.3 | 1.28 | 379 | 0.21 | 0.33 | 12.7 | 0.1 | 21.4 | 6.5 | 98 | -48 | 20.8 | -14 | 3 | 90 | 104 | 114 | 96 | 6 | 112 |
| 2 | SBJ 220085 | M | SP | 40 | 223 | 7.29 | 41.8 | 1.27 | 355 | 1.54 | -0.71 | 15.0 | 3.8 | 29.9 | 20.7 | 116 | -38 | 10.8 | -11 | 10 | 96 | 111 | 97 | 97 | 8 | 115 |
| 3 | SBJ 220035 | M | SP | 40 | 248 | 5.96 | - | 1.24 | 349 | 2.91 | -0.13 | 18.9 | 3.8 | 33.8 | 27.0 | 68 | -28 | 14.1 | -3 | 11 | 101 | 101 | 103 | 97 | 5 | 102 |
| 4 | SBJ 220312 | M | SP | 35 | 242 | 7.28 | 58.3 | 1.25 | 354 | 0.28 | -0.07 | 15.3 | 8.9 | 39.0 | 30.6 | 158 | -59 | 19.2 | -6 | 20 | 109 | 122 | 112 | 111 | 3 | 101 |
| 5 | SBJ 220145 | M | SP | 37 | 244 | 8.87 | 54.5 | 1.25 | 348 | 1.16 | -0.22 | 17.1 | 0.0 | 37.3 | 19.6 | 69 | 4 | 6.9 | -30 | -2 | 98 | 101 | 90 | 92 | 3 | 107 |
| 6 | SBJ 220057 | M | SP | 24 | 214 | 5.18 | 39 | 1.24 | 376 | -0.35 | -1.04 | 10.6 | -0.1 | 22.2 | -8.2 | 59 | -29 | 25.2 | -25 | -7 | 93 | 105 | 122 | 98 | 4 | 115 |
| 7 | SBJ 220107 | M | SP | 36 | 216 | 6.24 | 37.4 | 1.23 | 348 | 0.86 | 0.53 | 19.6 | -1.2 | 38.4 | 25.7 | 88 | -28 | 9.3 | -14 | 6 | 95 | 108 | 95 | 97 | 13 | 105 |
| 8 | SBJ 220059 | M | SP | 34 | 245 | 5.67 | 40 | 1.26 | 382 | -0.11 | -0.75 | 27.7 | -5.7 | 53.4 | 47.0 | 150 | -40 | 36.9 | -16 | 18 | 103 | 111 | 142 | 100 | 6 | 102 |
| 9 | SBJ 220093 | M | SP | 41 | 264 | 7.13 | 48.5 | 1.25 | 345 | 2.47 | 0.29 | 22.8 | 7.2 | 39.0 | 33.9 | 136 | -63 | 17 | 12 | 31 | 117 | 107 | 108 | 102 | 9 | 112 |
| 10 | SYF 190070 | M | SP | 35 | 279 | 6.18 | 48.5 | 1.22 | 346 | 0.99 | 0.25 | 22.4 | -0.1 | 41.4 | 28.3 | 136 | -28 | 20.8 | -15 | 16 | 119 | 118 | 115 | 106 | 7 | 103 |
| 11 | SBJ 220201 | M | SP | 41 | 234 | 7.26 | 37.1 | 1.28 | 383 | 1.78 | -0.08 | 16.6 | 0.7 | 29.9 | 17.8 | 96 | -40 | 24.6 | -19 | 6 | 91 | 98 | 121 | 98 | 6 | 92 |
| 12 | SBJ 220169 | M | SP | 41 | 246 | 5.89 | 44.6 | 1.27 | 381 | 1.62 | 0.05 | 25.0 | -0.4 | 45.8 | 46.5 | 127 | -20 | 26.7 | -14 | 14 | 97 | 108 | 125 | 96 | 5 | 101 |
| 13 | SBJ 220193 | M | B | 43 | 254 | 9.58 | 53.5 | 1.23 | 381 | 1.86 | 0.40 | 15.7 | 3.7 | 26.9 | 10.3 | 109 | -39 | 22.4 | -5 | 11 | 100 | 103 | 117 | 94 | 6 | 119 |
| 14 | SBJ 220191 | M | SP | 42 | 265 | 8.35 | 52.2 | 1.27 | 364 | 2.51 | 0.15 | 28.3 | 4.3 | 54.5 | 41.2 | 230 | -75 | 29.2 | -5 | 26 | 105 | 128 | 129 | 103 | 5 | 104 |
| 15 | SBJ 220100 | M | SP | 38 | 215 | 7.13 | 44.8 | 1.25 | 315 | 1.56 | -0.13 | 17.4 | 2.9 | 39.1 | 37.4 | 171 | -71 | 2 | 6 | 29 | 93 | 120 | 82 | 95 | 5 | 116 |
| 16 | SBJ 220052 | M | SP | 38 | 253 | 6.61 | 47.3 | 1.27 | 385 | 1.75 | -0.55 | 20.6 | 5.1 | 37.3 | 22.2 | 115 | -44 | 27.3 | -7 | 12 | 105 | 107 | 126 | 100 | 10 | 90 |
| 17 | SBJ 220182 | M | SP | 42 | 232 | 6.82 | 37.5 | 1.27 | 364 | 1.42 | -0.39 | 16.4 | 2.4 | 27.5 | 16.5 | 71 | -38 | 16.2 | -12 | 3 | 90 | 98 | 106 | 101 | 8 | 115 |
| 18 | SBJ 220223 | M | SP | 43 | 256 | 8.37 | 47.3 | 1.25 | 344 | 2.40 | -0.02 | 18.2 | 3.3 | 31.3 | 15.1 | 92 | -30 | 15.4 | -9 | 1 | 101 | 104 | 105 | 105 | 7 | 110 |
| 19 | SBJ 220102 | M | SP | 40 | 245 | 5.78 | 39.2 | 1.24 | 378 | 2.39 | -0.33 | 25.3 | 6.0 | 55.1 | 62.3 | 245 | -90 | 24.5 | -0 | 31 | 108 | 147 | 121 | 105 | 8 | 105 |
| 20 | SBJ 220112 | M | SP | 40 | 260 | 6.75 | 43 | 1.19 | 364 | 2.27 | 0.13 | 19.1 | 1.5 | 29.0 | 22.0 | 76 | -38 | 15.7 | -3 | 2 | 116 | 104 | 106 | 98 | 6 | 101 |
| 21 | SBJ 220170 | M | SP | 40 | 276 | 6.71 | 52.9 | 1.23 | 360 | 3.22 | -0.95 | 25.1 | 3.7 | 48.8 | 52.7 | 181 | -70 | 13 | 10 | 30 | 111 | 116 | 101 | 111 | 9 | 115 |
| 22 | SBJ 220040 | M | SP | 42 | 291 | - | - | 1.27 | 345 | 4.26 | -1.09 | 34.5 | -0.7 | 65.3 | 55.8 | 133 | -39 | 18.4 | -1 | 29 | 100 | 111 | 110 | 99 | 13 | 107 |
| 23 | SBJ 220110 | M | SP | 28 | 222 | 4.84 | 34.7 | 1.21 | 330 | -0.80 | -0.44 | 18.3 | 5.5 | 38.2 | 42.9 | 122 | -64 | 1.6 | 8 | 30 | 102 | 98 | 81 | 103 | 13 | 110 |
| 24 | SBJ 220210 | M | SP | 38 | 238 | 7.47 | 43.5 | 1.24 | 353 | 1.12 | -0.84 | 10.9 | -0.4 | 25.7 | 14.0 | 78 | -34 | 10.3 | -22 | -2 | 94 | 101 | 96 | 99 | 11 | 110 |
| 25 | SBJ 220024 | M | SP | 43 | 247 | 6.94 | 39.9 | 1.27 | 360 | 4.45 | 0.06 | 24.3 | 0.9 | 44.5 | 46.4 | 138 | -69 | 19.7 | -4 | 21 | 99 | 116 | 113 | 98 | 12 | 116 |

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

| Dier Info | | | | Werklike Syfers | | | | | | Verwagte Teelwaardes | | | | | | | | | | | Indekse | | | Moeder | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LOT | Dier ID | Geslag | AFD | Geb. Gewig (kg) | 205d Gewig (kg) | KKG *Verh.* | KKS *Verh.* | Lengte Hoogte *Verh.* | Skr. Omtr. *(mm)* | Geb Dir (kg) | Geb Mat (kg) | Spn Dir (kg) | Spn Mat (kg) | Na-Spn (kg) | Volw. Gewig (kg) | GDT (g/d) | VOV (kg:kg) | Skr. Omtr. (mm) | Hoogte (mm) | Lengte (mm) | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| | | **Ras Gemiddeld** | | | | | | | | 0.99 | -0.30 | 14.5 | 3.6 | 24 | 22 | 77 | -36 | 12.4 | -3.0 | 13.0 | | | | | | |
| | | **Aanbod Gemiddeld** | | 37 | 234 | 6.62 | 44.0 | 1.25 | 360 | 1.79 | -0.23 | 20.0 | 2.1 | 38 | 29 | 123 | -46 | 16.9 | -7 | 15 | 102 | 110 | 108 | 101 | 8.0 | 108 |
| 26 | SBJ 220149 | M | SP | 42 | 278 | 8.06 | 59.4 | 1.24 | 381 | 2.33 | 0.27 | 26.6 | 5.1 | 45.4 | 46.9 | 155 | -53 | 27 | -2 | 23 | 111 | 117 | 125 | 102 | 7 | 111 |
| 31 | SBJ 200166 | V | SP | 39 | 221 | 8.19 | 49.8 | - | - | 2.18 | 0.31 | 19.3 | 8.8 | 37.1 | 18.6 | 106 | -38 | 13.2 | -5 | 14 | 101 | - | 101 | 108 | 7 | 107 |
| 32 | SBJ 220129 | V | SP | 38 | 208 | 6.82 | 42.5 | - | - | 2.58 | -0.86 | 20.4 | -4.4 | 37.0 | 27.5 | 125 | -61 | 10.3 | -2 | 16 | 92 | - | 96 | 97 | 6 | 106 |
| 33 | SBJ 190007 | V | SP | 30 | 197 | 6.01 | 45.4 | - | - | 0.75 | -0.49 | 25.7 | 9.4 | 54.9 | 29.9 | 232 | -74 | 13.3 | 2 | 41 | 127 | - | 101 | 104 | 7 | 105 |
| 34 | SBJ 230025 | V | SP | 38 | 204 | 6.26 | 39.5 | - | - | 2.44 | -0.41 | 21.0 | 2.2 | 39.3 | 15.7 | 117 | -51 | 25.7 | -12 | 13 | 99 | - | 123 | 108 | 4 | 115 |
| 35 | SBJ 230057 | V | SP | 41 | 238 | 6.34 | 46.7 | - | - | 3.81 | -0.24 | 22.4 | 0.8 | 40.5 | 36.1 | 114 | -54 | 12.9 | -8 | 16 | 117 | - | 101 | 99 | 10 | 101 |
| 36 | SBJ 230068 | V | SP | 32 | 203 | 4.78 | 35.8 | - | - | 0.74 | 0.50 | 12.2 | 0.2 | 16.3 | 18.6 | 74 | -29 | 6.4 | -11 | -2 | 101 | - | 90 | 98 | 12 | 116 |
| 37 | SBJ 230063 | V | SP | 39 | 199 | 6.08 | 37.8 | - | - | 4.09 | -0.48 | 19.0 | 1.3 | 38.5 | 43.0 | 144 | -54 | 6.1 | -2 | 21 | 95 | - | 89 | 103 | 11 | 108 |
| 38 | SBJ 230080 | V | SP | 44 | 209 | 6.64 | 40 | - | - | 3.49 | 0.57 | 21.5 | 4.0 | 40.2 | 26.2 | 109 | -47 | 24.2 | -5 | 18 | 98 | - | 120 | 104 | 8 | 97 |
| 39 | SBJ 230030 | V | SP | 35 | 200 | 6.19 | 44.2 | - | - | 3.36 | -1.18 | 24.9 | -3.2 | 36.3 | 25.0 | 130 | -53 | 15.7 | -6 | 21 | 98 | - | 106 | 100 | 12 | 104 |
| 40 | SBJ 230050 | V | SP | 28 | 193 | 5.3 | 36.8 | - | - | 0.02 | -0.67 | 12.8 | 1.3 | 28.4 | 10.6 | 92 | -34 | 16.3 | -12 | 10 | 98 | - | 107 | 106 | 4 | 113 |
| 41 | SBJ 230137 | V | SP | 32 | 215 | 5.07 | 40.9 | - | - | 0.82 | -0.36 | 15.7 | -1.8 | 26.7 | 23.5 | 100 | -52 | 14.3 | -4 | 7 | 101 | - | 103 | 94 | 7 | 109 |
| 42 | SBJ 230087 | V | SP | 31 | 212 | 4.61 | 37.7 | - | - | 0.91 | -0.23 | 18.8 | 0.8 | 37.5 | 36.7 | 117 | -49 | 10.9 | -3 | 18 | 107 | - | 97 | 100 | 9 | 108 |
| 43 | SBJ 230016 | V | SP | 34 | 206 | 4.91 | 41.2 | - | - | 0.71 | -0.23 | 21.2 | 1.1 | 44.0 | 37.9 | 123 | -42 | 16.5 | -6 | 18 | 102 | - | 107 | 104 | 6 | 112 |

© Compiled by the South African Stud Book and Livestock Improvement Association
All Pedigree- and Performance Data has been certified as correct

| EXPLANATION OF CATALOGUE ABBREVIATIONS | | VERDUIDELIKING VAN KATALOGUS AFKORTINGS | |
|---|---|---|---|
| Lot Number | LOT | LOT | Lot Nommer |
| Estimated breeding value | EBV | EBV | Beraamde teelwaarde |
| Parentage verification | Parentage | Ouerskap | Ouerskap verifikasie |
| Age in years / Number of calvings | AGE. / CALV. | OUD. / KALF. | Ouderdom in jaar / Aantal kalwings |
| Average Wean index / Number of calves weaned | Ave WI / CALV. | GEM SI / KALF. | Gemiddelde speen indeks / Aantal kalwers gespeen |
| Animal identification number | ID | ID | Dier se identifikasie nommer |
| Herd Book Section | SEC | AFD | Kuddeboek Afdeling |
| Herd Book Section: Pending Registration | PEN | PEN | Kuddeboek Afdeling: Wag vir Registrasie |
| Herd Book Section: Not for Registration | NFR | NFR | Kuddeboek Afdeling: Nie vir Registrasie |
| Herd Book Section: Foundation Generation | FO | FO | Kuddeboek Afdeling: Fondasie Generasie |
| Herd Book Section: Appendix A | A | A | Kuddeboek Afdeling: Aanhangsel A |
| Herd Book Section: Appendix B | B | B | Kuddeboek Afdeling: Aanhangsel B |
| Herd Book Section: Studbook Proper, a registered animal | SP | SP | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested | GT | GT | Genomies Getoets |
| Homozygous Horned (Celtic test) | HH(c) | HH(c) | Homosigoties horings (Celtic toets) |
| Homozygous Polled (Celtic test) | PP(c) | PP(c) | Homosigotiets Poena (Celtic toets) |
| Heterozygous Polled (Celtic test) | Pp(c) | Pp(c) | Heterosigoties Poena (Celtic toets) |
| Phenotypically Polled | P | P | Fenotipies Poena |
| Intercalving Period | ICP | TKP | Tussen-Kalf Periode |
| Birth Direct breeding value | Birth Dir. | Geb. Dir | Geboorte Direk teelwaarde |
| Wean Direct breeding value | Wean Dir. | Spn. Dir. | Speen Direk teelwaarde |
| Wean Maternal breeding value | Wean Mat. | SPn. Mat. | Speen Maternaal teelwaarde |
| Scrotal Circumference | Scr. Circ. | Skr. Omt. | Skrotum omtrek |
| Heifer Fertility | Heifer Fert. | Vers Vrugb. | Vers Vrugbaarheid |
| Cow Fertility | Cow Fert. | Koei Vrugb. | Koei Vrugbaarheid |
| Longevity | Longev. | Lankl. | Lanklewendheid |
| Mature Weight | Mat. Wt. | Volw. Gewig | Volwasse gewig |
| Average Daily Gain (g/day) | ADG | GDT | Gemiddelde Daaglikse Toename |
| Feed Conversion Ratio (kg:kg) | FCR | VOV | Voeromset Verhouding |
| Eye Muscle Area | EMA | OSO | Oogspier grootte |
| Backfat Thickness | Fat | Vet | Rugvet Diepte |
| Marbeling (intra-muscular fat) | Mar | Mar | Marmering (binne-spierse vet) |
| 365-day weight index | 365D Index | 365D Indeks | 365-dae gewig indeks |
| 540-day weight index | 540D Index | 540D Indeks | 540-dae gewig indeks |
| Length-Height ratio | LH | LH | Lengte-Hoogte Verhouding |
| Actual Birth weight | Birth Wt. | Geb. gewig | Werklike Geboorte gewig |
| 205-day Dam-age corrected weight | 205d Wt. | 205d gewig | 205-dag Moeder-ouderdom gekorrigeerde gewig |
| Cow-Calf Birth Ratio | CCG | KKG | Koei-Kalf Geboorte Verhouding |
| Cow-Calf Wean Ratio | CCW | KKS | Koei-Kalf Speen Verhouding |
| Average Weaning Index | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks |
| Number of Calves | Nr. Calves | Aant. Kalw. | Aantal kalwers |
| Reproduction Index | Repr. Index | Repr. Indeks | Reproduksie indeks |
| Animal sex: M - Male, F - Female | M / F | M / V | Dier geslag: M - Manlik, V - Vroulik |