

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# FRANKFORT BONSMARA GROEP

Veilingsdatum / Auction Date:  
**29 August 2025**

Data soos op / Data as on:  
**06 August 2025**



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**
**1**

**THE RED CATTLE FARM**
**2**

3

**ABC 150029**
**4**

2015-02-03
**5**

SP
**6**

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P

**DEF 050022**
**7**

**GHI 070076 HH(c)**
**8**

AGE/CALV. 14/10  
AVG. Wt/CALV. 92/10  
ICP 395

**JKL 000077 P**

**ABC 080011**

AGE/CALV. 13/9  
AVG. Wt/CALV. 105/9  
ICP 417

**MNO 030002**
**12**

AGE/CALV. 19/10  
AVG. Wt/CALV. 109/10  
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

### 5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



### 6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                  |                         |                                                    | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |      |        |        |
|------------------|------------------|-------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|------|--------|--------|
|                  |                  |                         |                                                    |                                                                                               |                           | <80                | <90 | 90-110 | >110 | >120   |        |
| Selection Values | 5                | Cow Value               | CV                                                 | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |      |        | Profit |
|                  | 1                | Calving Ease Value      | CEV                                                | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |      |        | Low    |
|                  |                  | Calf Growth Value       | CGrV                                               | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |      |        | Heavy  |
|                  |                  | Milk Value              | MlkV                                               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |      |        | More   |
|                  | 4                | Maintenance Value       | MntV                                               | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        |      | *      | Low    |
|                  | 3                | Fertility Value         | FertV                                              | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |      |        | High   |
|                  | 2                | Weaner Calf Value       | WnCV                                               | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |      |        | Heavy  |
|                  | 6                | Growth Value            | GV                                                 | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |      |        | Profit |
|                  | 7                | Carcass Value           | VarcV                                              | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |      |        | More   |
|                  | Production Value | PV                      | Combination of Cow- and Growth values (Rand-value) | Profitable animals                                                                            | Loss                      |                    |     |        |      | Profit |        |
| Cow & Heifer     | 8                | Birth Weight Direct     | BD                                                 | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |      |        | Light  |
|                  |                  | Birth Weight Maternal   | BM                                                 | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |      |        | Light  |
|                  | 9                | Weaning Weight Direct   | WD                                                 | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |      |        | Heavy  |
|                  | 10               | Weaning Weight Maternal | WM                                                 | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |      |        | Good   |
|                  | 18               | Mature Cow Weight       | MW                                                 | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *    | *      | Heavy  |
|                  |                  | Cow-Calf Birth          | CCB                                                | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        |      |        | High   |
|                  | Cow-Calf Wean    | CCW                     | EBV Wean Direct / EBV Mature Cow weight            | High calf-cow ratio                                                                           | Low                       |                    |     |        |      | High   |        |
| Fertility        | 12               | Heifer Fertility        | HF                                                 | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |      |        | More   |
|                  | 13               | Cow Fertility           | CFE                                                | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |      |        | More   |
|                  | 11               | Scrotal Circumference   | SC                                                 | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |      |        | More   |
|                  | 14               | Longevity               | LG                                                 | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |      |        | Good   |
| Growth & Frame   | 15               | Post-Wean Weight        | PWn                                                | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |      | *      | High   |
|                  | 16               | Average Daily Gain      | ADG                                                | Average daily gain                                                                            | Good growth               | Poor               |     |        |      |        | Good   |
|                  | 17               | Feed Conversion Ratio   | FCR                                                | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |      |        | Good   |
|                  |                  | Final Test Weight       | FW                                                 | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |      | *      | Heavy  |
|                  | 19               | Height                  | H                                                  | Shoulder height in growth test                                                                | Average height            | Short              |     |        |      |        | Tall   |
|                  | 20               | Length                  | L                                                  | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |      |        | Long   |
|                  | 24               | Length-Height Ratio     | LH                                                 | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |      |        | >1     |
| Carcass          | 21               | Eye Muscle Area         | EMA                                                | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |      |        | Big    |
|                  | 22               | Fat Thickness           | Fat                                                | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |      |        | Thick  |
|                  | 23               | Marbling                | Mar                                                | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |      |        | High   |
|                  |                  | Dressing Percentage     | D%                                                 | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |      |        | High   |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8      9      10      11      12      13      14      15      16      17      18      19      20      21      22      23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16      17      11      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

**LOT 1**

**ADRIËL BONSMARAS**



**WEB 220257**  
2022-02-10  
SP

Parentage Sire Dam

DNA ☒

Genomic ☐



**LAR 160348**

**WEB 190078**  
AGE/CALV. 4/1  
AVG. Wt/CALV. 108/1  
ICP -

**LAR 130032 HH(c)**

**LAR 120049**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 101/5  
ICP 376

**LAR 150339**

**WEB 110078**  
AGE/CALV. 9/3  
AVG. Wt/CALV. 96/3  
ICP 401

**BP 100017**

**LAR 100159**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 105/11

**LAR 070055**

**LAR 090254**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 97/10

**LAR 120455**

**LAR 100162**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 103/9

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 106                | 95                | 90              | 101               | 91        | 87           | 97            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 105             | 100       | 87        | 108        | 90           | 99        | 91      | 97               | 89  | 92  | 98            | 74     | 87     | 100     | 93  | 101 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 108        | -          | -          | 95        | -         | 363     | 1.32 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 1          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS:

LOGIX EBV Analysis: 2025-07-21

**LOT 2**

**C. CILLIERS**



**CCW 220028**  
2022-09-13  
SP

Parentage Sire Dam

DNA ☐

Genomic ☐



**MCU 140023 P**

**CCW 140011**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 102/7  
ICP 443

**MCU 100127 HH(c)**

**MCU 100037 Pp(c)**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 95/6  
ICP 430

**GBS 080132**

**RCO 010226**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 103/11  
ICP 383

**JJ 040115**

**MCU 050064**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 95/9

**JJ 040115**

**MCU 040149 P**  
AGE/CALV. 11/5  
AVG. Wt/CALV. 103/5

**GBS 060059**

**GBS 050134**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 100/7

**RCO 970078**

**RCO 970135**  
AGE/CALV. 8/5  
AVG. Wt/CALV. 98/5

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 81                 | 96                | 118             | 102               | 99        | 102          | 112           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 75              | 111       | 77        | 106        | 115          | 122       | 95      | 105              | 105 | 106 | 97            | 117    | 115    | 116     | 104 | 126 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 104        | -          | -          | 111       | -         | 348     | 1.19 |

| Myostatin |   |
|-----------|---|
| Q204X     | 1 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-07-21

**LOT 3**

**C. CILLIERS**



**CCW 210138**  
2021-11-05  
SP

Parentage Sire Dam

DNA ☐

Genomic ☐



**JL 130254**

**CCW 140043 P**  
AGE/CALV. 8/6  
AVG. Wt/CALV. 100/6  
ICP 377

**AG 070413**

**MMJ 080050**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 103/5  
ICP 510

**CCW 100010**

**CCW 090098**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 102/3  
ICP 485

**AG 030205**

**AG 020165**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 101/12

**RCO 980037**

**MMJ 050150**  
AGE/CALV. 8/4  
AVG. Wt/CALV. 102/3

**MRW 040198 P**

**CCW 070030**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 105/10

**BHE 040215**

**CCW 040058**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 102/12

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 119                | 92                | 115             | 133               | 105       | 84           | 84            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115             | 86        | 86        | 67         | 110          | 120       | 100     | 81               | 86  | 94  | 72            | 94     | 84     | 86      | 109 | 104 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 109        | -          | -          | 99        | -         | 305     | 1.16 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-07-21

## BULLE

**LOT 4**  
**ADRIËL BONSMARAS**  
  
**WEB 220274**  
2022-05-08  
SP  
**Ouerskap Vaar Moer**  
**DNS** ✓  
**Genomies**

**LAR 180386**  
  
**WEB 190099**  
OUD/KALW. 5/3  
GEM. SI/KALW. 100/2  
TKP 401  
**WEB 130099**  
OUD/KALW. 8/5  
GEM. SI/KALW. 99/5  
TKP 367

**LAR 140173 HH(c)**  
**LAR 100159**  
OUD/KALW. 14/11  
GEM. SI/KALW. 105/11  
**WBB 070042**  
**LAR 030266**  
OUD/KALW. 10/8  
GEM. SI/KALW. 100/7  
**JJF 020019**  
**JSS 070015**  
OUD/KALW. 10/6  
GEM. SI/KALW. 96/5

| Geboortegemak Waarde |  |  | Speenkalv Waarde |  |  | Vrugbaarheids-waarde |  |  | Onderhouds-waarde |  |  | Koeiwaarde |  |  | Groei-waarde |  |  | Karkas-waarde |  |  |
|----------------------|--|--|------------------|--|--|----------------------|--|--|-------------------|--|--|------------|--|--|--------------|--|--|---------------|--|--|
| 107                  |  |  | 102              |  |  | 106                  |  |  | 94                |  |  | 105        |  |  | 103          |  |  | 102           |  |  |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 107            | 109       | 84        | 114          | 115         | 97          | 102    | 107            | 101 | 95  | 106         | 85     | 96     | 112    | 88  | 94  |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 118         | -           | -           | 93         | -          | 344     | 1.26 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2025-07-21

**LOT 5**  
**C. CILLIERS**  
  
**CCW 220097 Pp(c)**  
2022-11-07  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**MCU 190256 Pp(c)**  
  
**CCW 160072**  
OUD/KALW. 8/4  
GEM. SI/KALW. 113/4  
TKP 589  
**CCW 100068**  
OUD/KALW. 11/8  
GEM. SI/KALW. 98/8  
TKP 422

**HDT 100131 P**  
**HDT 070002**  
**HDT 070031 P**  
OUD/KALW. 9/7  
GEM. SI/KALW. 103/6  
**MCU 120006 PP**  
**MCU 120112 Pp(c)**  
OUD/KALW. 10/7  
GEM. SI/KALW. 107/7  
**FCT 000065**  
**CCW 010011**  
OUD/KALW. 13/8  
GEM. SI/KALW. 110/8  
**TGR 050060**  
**CCW 070097**  
OUD/KALW. 5/2  
GEM. SI/KALW. 109/2

| Geboortegemak Waarde |  |  | Speenkalv Waarde |  |  | Vrugbaarheids-waarde |  |  | Onderhouds-waarde |  |  | Koeiwaarde |  |  | Groei-waarde |  |  | Karkas-waarde |  |  |
|----------------------|--|--|------------------|--|--|----------------------|--|--|-------------------|--|--|------------|--|--|--------------|--|--|---------------|--|--|
| 92                   |  |  | 104              |  |  | 97                   |  |  | 91                |  |  | 100        |  |  | 109          |  |  | 115           |  |  |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 110       | 98        | 100          | 90          | 105         | 99     | 112            | 106 | 107 | 108         | 106    | 111    | 110    | 108 | 117 |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 109         | -           | -           | 115        | -          | 333     | 1.19 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-07-21

**LOT 6**  
**C. CILLIERS**  
  
**CCW 220034 Pp(c)**  
2022-09-17  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**MCU 120006 PP**  
**MCU 150145 Pp(c)**  
  
**CCW 160066**  
OUD/KALW. 8/4  
GEM. SI/KALW. 102/3  
TKP 510  
**CCW 090111**  
OUD/KALW. 12/9  
GEM. SI/KALW. 98/9  
TKP 405

**VV 080060 P**  
**MCU 090052 Pp(c)**  
OUD/KALW. 12/9  
GEM. SI/KALW. 104/9  
**AEJ 100020**  
**MCU 050092**  
OUD/KALW. 7/4  
GEM. SI/KALW. 104/4  
**MMJ 030247**  
**GBS 030132**  
OUD/KALW. 10/8  
GEM. SI/KALW. 98/8  
**TGR 050060**  
**CCW 030036**  
OUD/KALW. 9/6  
GEM. SI/KALW. 107/5

| Geboortegemak Waarde |  |  | Speenkalv Waarde |  |  | Vrugbaarheids-waarde |  |  | Onderhouds-waarde |  |  | Koeiwaarde |  |  | Groei-waarde |  |  | Karkas-waarde |  |  |
|----------------------|--|--|------------------|--|--|----------------------|--|--|-------------------|--|--|------------|--|--|--------------|--|--|---------------|--|--|
| 113                  |  |  | 96               |  |  | 109                  |  |  | 106               |  |  | 105        |  |  | 105          |  |  | 101           |  |  |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 108            | 92        | 102       | 112          | 100         | 112         | 104    | 93             | 103 | 116 | 92          | 104    | 101    | 94     | 111 | 119 |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 109         | -           | -           | 111        | -          | 335     | 1.19 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-07-21

**BULLS**

**LOT 7**  
  
**WEB 220256**  
 2022-02-04  
 SP  

Parentage Sire Dam  
 DNA ☒  
 Genomic

**ADRIËL BONSMARAS**  
  
**LAR 160348**  
 AGE/CALV. 6/3  
 AVG. Wt/CALV. 106/2  
 ICP 510  
**WEB 190216**  
 AGE/CALV. 10/3  
 AVG. Wt/CALV. 103/2  
 ICP 390

**LAR 130032 HH(c)**  
 BP 100017  
 LAR 100159  
 AGE/CALV. 14/11  
 AVG. Wt/CALV. 105/11  
 LAR 070055  
 LAR 090254  
 AGE/CALV. 12/10  
 AVG. Wt/CALV. 97/10  
 JRP 110073  
 LAR 110113  
 AGE/CALV. 6/4  
 AVG. Wt/CALV. 100/3

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 106                | 86                | 95              | 100               | 88        | 93           | 106           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109             | 92        | 96        | 88         | 101          | 98        | 92      | 96               | 89  | 87  | 98            | 94     | 99     | 101     | 100 | 107 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 98         | -          | -          | 96        | -         | 328     | 1.28 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 1          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:**

**LOGIX** EBV Analysis: 2025-07-21

**LOT 8**  
  
**CCW 230006 Pp(c)**  
 2023-03-15  
 SP  

Parentage Sire Dam  
 DNA  
 Genomic

**C. CILLIERS**  
  
**MCU 180180 PP(c)**  
 AGE/CALV. 9/5  
 AVG. Wt/CALV. 100/5  
 ICP 478  
**CCW 140060**  
 AGE/CALV. 9/5  
 AVG. Wt/CALV. 100/5  
 ICP 478

**MCU 160014 PP(c)**  
 MCU 120006 PP  
 MCU 090012 PP(c)  
 AGE/CALV. 14/9  
 AVG. Wt/CALV. 102/8  
 JPL 090116 P  
 MCU 110028 PP(c)  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 103/7  
**WAT 080237**  
 FCT 070236  
 AGE/CALV. 5/3  
 AVG. Wt/CALV. 100/1  
 CAM 070141  
 CCW 080126  
 AGE/CALV. 9/6  
 AVG. Wt/CALV. 106/6

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 105                | 90                | 91              | 124               | 89        | 79           | 92            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 106             | 87        | 97        | 110        | 78           | 100       | 104     | 83               | 86  | 90  | 81            | 85     | 87     | 95      | 117 | 108 |

|            |            |            |           |           |         |    |
|------------|------------|------------|-----------|-----------|---------|----|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
| 99         | 99         | 98         | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2025-07-21

**LOT 9**  
  
**CCW 220054 Pp(c)**  
 2022-10-04  
 SP  

Parentage Sire Dam  
 DNA  
 Genomic

**C. CILLIERS**  
  
**MCU 180180 PP(c)**  
 AGE/CALV. 8/5  
 AVG. Wt/CALV. 97/5  
 ICP 448  
**CCW 150047**  
 AGE/CALV. 8/5  
 AVG. Wt/CALV. 97/5  
 ICP 448

**MCU 160014 PP(c)**  
 MCU 120006 PP  
 MCU 090012 PP(c)  
 AGE/CALV. 14/9  
 AVG. Wt/CALV. 102/8  
 JPL 090116 P  
 MCU 110028 PP(c)  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 103/7  
**B N 0253**  
**B J 0353**  
 AGE/CALV. 15/10  
 AVG. Wt/CALV. 103/9  
**TGR 050060**  
**BHE 990103**  
 AGE/CALV. 12/9  
 AVG. Wt/CALV. 103/9

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 96                 | 90                | 107             | 126               | 94        | 83           | 89            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 98              | 93        | 87        | 127        | 98           | 112       | 103     | 87               | 91  | 96  | 79            | 78     | 82     | 85      | 114 | 105 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 100        | -          | -          | 100       | -         | 363     | 1.19 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2025-07-21

## BULLE

**LOT 10**  
**ADRIËL BONSMARAS**  
  
**WEB 220020**  
2022-10-21  
B  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**LMR 140226**  
  
**WEB 160179**  
OUD/KALW. 8/6  
GEM. SI/KALW. 105/5  
TKP 348

**WBB 100260**  
**LMR 110063**  
OUD/KALW. 12/10  
GEM. SI/KALW. 99/11  
TKP 388  
**AG 030256**  
GBS 050060  
OUD/KALW. 9/7  
GEM. SI/KALW. 94/6  
**VV 030346**  
**LMR 030218**  
OUD/KALW. 11/9  
GEM. SI/KALW. 98/7

|                                           |                                      |                                          |                                        |                                |                                  |                                   |          |            |             |             |        |               |     |                   |     |
|-------------------------------------------|--------------------------------------|------------------------------------------|----------------------------------------|--------------------------------|----------------------------------|-----------------------------------|----------|------------|-------------|-------------|--------|---------------|-----|-------------------|-----|
| <b>Geboortegemak Waarde</b><br><b>100</b> | <b>Speenkalf Waarde</b><br><b>91</b> | <b>Vrugbaarheids-waarde</b><br><b>96</b> | <b>Onderhouds-waarde</b><br><b>108</b> | <b>Koeiwaarde</b><br><b>91</b> | <b>Groei-waarde</b><br><b>92</b> | <b>Karkas-waarde</b><br><b>96</b> |          |            |             |             |        |               |     |                   |     |
| <b>Kalf en Moeder</b>                     |                                      |                                          | <b>Vrugbaarheid</b>                    |                                |                                  | <b>Na-Speen Groei</b>             |          |            | <b>Raam</b> |             |        | <b>Karkas</b> |     |                   |     |
| Geb. Dir.                                 | Spn. Dir.                            | Spn. Mat.                                | Skr. Omtr.                             | Vers Vrugb.                    | Koei Vrugb.                      | Lankl.                            | Na-Speen | GDT        | VOV         | Volw. Gewig | Hoogte | Lengte        | OSO | Vet               | Mar |
| 100                                       | 91                                   | 104                                      | 97                                     | 97                             | 99                               | 95                                | 79       | 100        | 99          | 90          | 107    | 100           | 120 | 97                | 106 |
| Spn. Indeks                               |                                      | 365D Indeks                              |                                        | 540D Indeks                    |                                  | GDT Indeks                        |          | VOV Indeks |             | Skrotum     |        | LH            |     | <b>Miostatien</b> |     |
| 112                                       |                                      | -                                        |                                        | -                              |                                  | 104                               |          | -          |             | 328         |        | 1.18          |     | Q204X 1           |     |
|                                           |                                      |                                          |                                        |                                |                                  |                                   |          |            |             |             |        |               |     | NT821 Nie Getoets |     |
|                                           |                                      |                                          |                                        |                                |                                  |                                   |          |            |             |             |        |               |     | F94L Nie Getoets  |     |

**OPMERKINGS:**  
**LOGIX** EBV Analise: 2025-07-21

**LOT 11**  
**C. CILLIERS**  
  
**CCW 220037**  
2022-09-21  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**MCU 150145 Pp(c)**  
  
**CCW 160053**  
OUD/KALW. 8/4  
GEM. SI/KALW. 103/3  
TKP 509

**MCU 120006 PP**  
**MCU 120145**  
OUD/KALW. 9/6  
GEM. SI/KALW. 109/5  
TKP 439  
**GBS 070148**  
**CCW 130066**  
OUD/KALW. 5/3  
GEM. SI/KALW. 104/3  
TKP 399  
**VV 080060 P**  
**MCU 090052 Pp(c)**  
OUD/KALW. 12/9  
GEM. SI/KALW. 104/9  
**AEJ 100020**  
**MCU 050092**  
OUD/KALW. 7/4  
GEM. SI/KALW. 104/4  
**MMJ 030247**  
**GBS 030132**  
OUD/KALW. 10/8  
GEM. SI/KALW. 98/8  
**FCT 110160**  
**CCW 100059**  
OUD/KALW. 8/6  
GEM. SI/KALW. 99/6

|                                           |                                      |                                           |                                        |                                 |                                   |                                    |          |            |             |             |        |               |     |                   |     |
|-------------------------------------------|--------------------------------------|-------------------------------------------|----------------------------------------|---------------------------------|-----------------------------------|------------------------------------|----------|------------|-------------|-------------|--------|---------------|-----|-------------------|-----|
| <b>Geboortegemak Waarde</b><br><b>108</b> | <b>Speenkalf Waarde</b><br><b>96</b> | <b>Vrugbaarheids-waarde</b><br><b>110</b> | <b>Onderhouds-waarde</b><br><b>100</b> | <b>Koeiwaarde</b><br><b>104</b> | <b>Groei-waarde</b><br><b>114</b> | <b>Karkas-waarde</b><br><b>110</b> |          |            |             |             |        |               |     |                   |     |
| <b>Kalf en Moeder</b>                     |                                      |                                           | <b>Vrugbaarheid</b>                    |                                 |                                   | <b>Na-Speen Groei</b>              |          |            | <b>Raam</b> |             |        | <b>Karkas</b> |     |                   |     |
| Geb. Dir.                                 | Spn. Dir.                            | Spn. Mat.                                 | Skr. Omtr.                             | Vers Vrugb.                     | Koei Vrugb.                       | Lankl.                             | Na-Speen | GDT        | VOV         | Volw. Gewig | Hoogte | Lengte        | OSO | Vet               | Mar |
| 103                                       | 93                                   | 106                                       | 143                                    | 104                             | 110                               | 103                                | 98       | 118        | 132         | 98          | 120    | 117           | 99  | 114               | 127 |
| Spn. Indeks                               |                                      | 365D Indeks                               |                                        | 540D Indeks                     |                                   | GDT Indeks                         |          | VOV Indeks |             | Skrotum     |        | LH            |     | <b>Miostatien</b> |     |
| 107                                       |                                      | -                                         |                                        | -                               |                                   | 114                                |          | -          |             | 374         |        | 1.18          |     | Q204X 0           |     |
|                                           |                                      |                                           |                                        |                                 |                                   |                                    |          |            |             |             |        |               |     | NT821 0           |     |
|                                           |                                      |                                           |                                        |                                 |                                   |                                    |          |            |             |             |        |               |     | F94L 0            |     |

**OPMERKINGS:**  
**LOGIX** EBV Analise: 2025-07-21

**LOT 12**  
**C. CILLIERS**  
  
**CCW 220073 HH(c)**  
2022-10-20  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**MCU 190256 Pp(c)**  
  
**CCW 190049**  
OUD/KALW. 6/2  
GEM. SI/KALW. 99/2  
TKP 681

**HDT 100131 P**  
**MCU 150203 Pp(c)**  
OUD/KALW. 4/2  
GEM. SI/KALW. 102/2  
TKP 523  
**MCU 150145 Pp(c)**  
**CCW 150018**  
OUD/KALW. 9/5  
GEM. SI/KALW. 97/4  
TKP 637  
**HDT 070002**  
**HDT 070031 P**  
OUD/KALW. 9/7  
GEM. SI/KALW. 103/6  
**MCU 120006 PP**  
**MCU 120112 Pp(c)**  
OUD/KALW. 10/7  
GEM. SI/KALW. 107/7  
**MCU 120006 PP**  
**MCU 120145**  
OUD/KALW. 9/6  
GEM. SI/KALW. 109/5  
**JPL 120054 P**  
**CCW 100043**  
OUD/KALW. 11/7  
GEM. SI/KALW. 105/7

|                                           |                                      |                                          |                                        |                                |                                   |                                   |          |            |             |             |        |               |     |                   |     |
|-------------------------------------------|--------------------------------------|------------------------------------------|----------------------------------------|--------------------------------|-----------------------------------|-----------------------------------|----------|------------|-------------|-------------|--------|---------------|-----|-------------------|-----|
| <b>Geboortegemak Waarde</b><br><b>108</b> | <b>Speenkalf Waarde</b><br><b>94</b> | <b>Vrugbaarheids-waarde</b><br><b>89</b> | <b>Onderhouds-waarde</b><br><b>110</b> | <b>Koeiwaarde</b><br><b>91</b> | <b>Groei-waarde</b><br><b>101</b> | <b>Karkas-waarde</b><br><b>98</b> |          |            |             |             |        |               |     |                   |     |
| <b>Kalf en Moeder</b>                     |                                      |                                          | <b>Vrugbaarheid</b>                    |                                |                                   | <b>Na-Speen Groei</b>             |          |            | <b>Raam</b> |             |        | <b>Karkas</b> |     |                   |     |
| Geb. Dir.                                 | Spn. Dir.                            | Spn. Mat.                                | Skr. Omtr.                             | Vers Vrugb.                    | Koei Vrugb.                       | Lankl.                            | Na-Speen | GDT        | VOV         | Volw. Gewig | Hoogte | Lengte        | OSO | Vet               | Mar |
| 108                                       | 96                                   | 90                                       | 98                                     | 87                             | 93                                | 101                               | 96       | 102        | 113         | 90          | 110    | 105           | 99  | 102               | 116 |
| Spn. Indeks                               |                                      | 365D Indeks                              |                                        | 540D Indeks                    |                                   | GDT Indeks                        |          | VOV Indeks |             | Skrotum     |        | LH            |     | <b>Miostatien</b> |     |
| 103                                       |                                      | -                                        |                                        | -                              |                                   | 102                               |          | -          |             | 318         |        | 1.15          |     | Q204X 0           |     |
|                                           |                                      |                                          |                                        |                                |                                   |                                   |          |            |             |             |        |               |     | NT821 0           |     |
|                                           |                                      |                                          |                                        |                                |                                   |                                   |          |            |             |             |        |               |     | F94L 0            |     |

**OPMERKINGS:**  
**LOGIX** EBV Analise: 2025-07-21

**BULLS**

**LOT 13**  
  
**WEB 220259**  
 2022-02-14  
 SP  
 Parentage Sire Dam  
 DNA ☒  
 Genomic

**ADRIËL BONSMARAS**  
**LAR 160348**  
  
**WEB 190621**  
 AGE/CALV. 6/3  
 AVG. Wt/CALV. 100/2  
 ICP 582

**LAR 130032 HH(c)**  
 BP 100017  
**LAR 100159**  
 AGE/CALV. 14/11  
 AVG. Wt/CALV. 105/11  
**LAR 070055**  
**LAR 090254**  
 AGE/CALV. 12/10  
 AVG. Wt/CALV. 97/10  
**JRP 110073**  
**LAR 110113**  
 AGE/CALV. 6/4  
 AVG. Wt/CALV. 100/3

**LAR 120049**  
 AGE/CALV. 9/6  
 AVG. Wt/CALV. 101/5  
 ICP 376  
**LAR 150380**  
**WEB 160121**  
 AGE/CALV. 6/2  
 AVG. Wt/CALV. 97/2  
 ICP 426

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 116                | 87                | 98              | 99                | 92        | 100          | 107           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 117             | 92        | 90        | 107        | 105          | 100       | 94      | 92               | 101 | 96  | 100           | 81     | 92     | 105     | 100 | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 101        | -          | -          | 115       | -         | 352     | 1.29 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**LOT 14**  
  
**CCW 210191 HH(c)**  
 2021-12-14  
 SP  
 Parentage Sire Dam  
 DNA ☐  
 Genomic

**C. CILLIERS**  
**MCU 150145 Pp(c)**  
  
**CCW 160076**  
 AGE/CALV. 8/5  
 AVG. Wt/CALV. 98/4  
 ICP 458

**MCU 120006 PP**  
 VV 080060 P  
**MCU 090052 Pp(c)**  
 AGE/CALV. 12/9  
 AVG. Wt/CALV. 104/9  
**AEJ 100020**  
**MCU 050092**  
 AGE/CALV. 7/4  
 AVG. Wt/CALV. 104/4  
**B N 0253**  
**B J 0353**  
 AGE/CALV. 15/10  
 AVG. Wt/CALV. 103/9  
**TGR 050060**  
**CCW 010038**  
 AGE/CALV. 12/10  
 AVG. Wt/CALV. 99/10

**MCU 120145**  
 AGE/CALV. 9/6  
 AVG. Wt/CALV. 109/5  
 ICP 439  
**B 930190**  
**CCW 090104**  
 AGE/CALV. 10/7  
 AVG. Wt/CALV. 98/7  
 ICP 412

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 109                | 94                | 111             | 121               | 103       | 96           | 92            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 108             | 88        | 101       | 102        | 105          | 112       | 102     | 87               | 98  | 110 | 82            | 98     | 96     | 80      | 106 | 114 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 90         | -          | -          | 94        | -         | 321     | 1.19 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**LOT 15**  
  
**CCW 220070**  
 2022-10-19  
 SP  
 Parentage Sire Dam  
 DNA ☐  
 Genomic

**C. CILLIERS**  
**MCU 140023 P**  
  
**CCW 140024**  
 AGE/CALV. 10/6  
 AVG. Wt/CALV. 105/6  
 ICP 506

**MCU 100127 HH(c)**  
 JJ 040115  
**MCU 050064**  
 AGE/CALV. 12/10  
 AVG. Wt/CALV. 95/9  
**JJ 040115**  
**MCU 040149 P**  
 AGE/CALV. 11/5  
 AVG. Wt/CALV. 103/5  
**TBR 910704**  
**RCO 950238**  
 AGE/CALV. 6/4  
 AVG. Wt/CALV. 97/3  
**FCT 020082**  
**CCW 050044**  
 AGE/CALV. 10/6  
 AVG. Wt/CALV. 104/6

**MCU 100037 Pp(c)**  
 AGE/CALV. 9/7  
 AVG. Wt/CALV. 95/6  
 ICP 430  
**RCO 980037**  
**CCW 100005**  
 AGE/CALV. 4/2  
 AVG. Wt/CALV. 102/2  
 ICP 571

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 95                 | 95                | 122             | 104               | 103       | 109          | 112           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92              | 107       | 74        | 103        | 128          | 120       | 96      | 105              | 108 | 101 | 95            | 106    | 108    | 118     | 106 | 129 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 105        | -          | -          | 114       | -         | 336     | 1.17 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

## BULLE

**LOT 16**  
**ADRIËL BONSMARAS**  
  
**WEB 220147**  
2022-10-23  
B  
**Ouerskap Vaar Moer**  
**DNS** ✓  
**Genomies**

**LAR 150380**  
  
**WEB 160115**  
OUD/KALW. 7/4  
GEM. SI/KALW. 102/4  
TKP 422

**JRP 110073**  
**LAR 110113**  
OUD/KALW. 6/4  
GEM. SI/KALW. 100/3  
TKP 405

**LAR 060015**  
**JRP 070008**  
OUD/KALW. 5/3  
GEM. SI/KALW. 106/3  
**WBB 070042**  
**LAR 040209**  
OUD/KALW. 19/16  
GEM. SI/KALW. 98/15

**Geboortegemak Waarde**  
**79**

**Speenkalf Waarde**  
**94**

**Vrugbaarheids-waarde**  
**97**

**Onderhouds-waarde**  
**96**

**Koeiwaarde**  
**89**

**Groei-waarde**  
**91**

**Karkas-waarde**  
**106**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 80             | 103       | 102       | 103          | 103         | 102         | 87     | 93             | 93  | 88  | 103         | 104    | 104    | 108    | 98  | 91  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 107         | -           | -           | 94         | -          | 310     | 1.19 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**OPMERKINGS:****LOGIX** EBV Analise: 2025-07-21

**LOT 17**  
**C. CILLIERS**  
  
**CCW 220048 Pp(c)**  
2022-09-30  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**MCU 140023 P**  
  
**CCW 130060**  
OUD/KALW. 11/9  
GEM. SI/KALW. 99/9  
TKP 403

**MCU 100037 Pp(c)**  
OUD/KALW. 9/7  
GEM. SI/KALW. 95/6  
TKP 430

**JMP 080214**

**CCW 070034**  
OUD/KALW. 12/10  
GEM. SI/KALW. 96/10  
TKP 403

**JJ 040115**  
**MCU 100127 HH(c)**  
**MCU 050064**  
OUD/KALW. 12/10  
GEM. SI/KALW. 95/9  
**JJ 040115**  
**MCU 040149 P**  
OUD/KALW. 11/5  
GEM. SI/KALW. 103/5  
**JMP 050276**  
**JMP 050120**  
OUD/KALW. 7/3  
GEM. SI/KALW. 110/3  
**CCW 040056**  
**RCO 010306**  
OUD/KALW. 8/5  
GEM. SI/KALW. 105/5

**Geboortegemak Waarde**  
**86**

**Speenkalf Waarde**  
**84**

**Vrugbaarheids-waarde**  
**127**

**Onderhouds-waarde**  
**102**

**Koeiwaarde**  
**95**

**Groei-waarde**  
**104**

**Karkas-waarde**  
**107**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 83             | 103       | 71        | 90           | 128         | 127         | 95     | 102            | 107 | 104 | 98          | 117    | 116    | 107    | 103 | 139 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 95          | -           | -           | 92         | -          | 322     | 1.14 |

| Miostatien |   |
|------------|---|
| Q204X      | 1 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:****LOGIX** EBV Analise: 2025-07-21

**LOT 18**  
**C. CILLIERS**  
  
**CCW 220082 Pp(c)**  
2022-10-25  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

**MCU 190256 Pp(c)**  
  
**CCW 130089**  
OUD/KALW. 10/6  
GEM. SI/KALW. 102/5  
TKP 447

**HDT 100131 P**

**MCU 150203 Pp(c)**  
OUD/KALW. 4/2  
GEM. SI/KALW. 102/2  
TKP 523

**LMR 080374**

**CCW 080005**  
OUD/KALW. 6/4  
GEM. SI/KALW. 95/4  
TKP 458

**HDT 070002**  
**HDT 070031 P**  
OUD/KALW. 9/7  
GEM. SI/KALW. 103/6  
**MCU 120006 PP**  
**MCU 120112 Pp(c)**  
OUD/KALW. 10/7  
GEM. SI/KALW. 107/7  
**GCD 020109**  
**LMR 020231**  
OUD/KALW. 12/8  
GEM. SI/KALW. 110/8  
**CCW 040056**  
**CCW 030050**  
OUD/KALW. 15/12  
GEM. SI/KALW. 96/11

**Geboortegemak Waarde**  
**82**

**Speenkalf Waarde**  
**90**

**Vrugbaarheids-waarde**  
**92**

**Onderhouds-waarde**  
**97**

**Koeiwaarde**  
**83**

**Groei-waarde**  
**104**

**Karkas-waarde**  
**108**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 88             | 104       | 89        | 94           | 89          | 104         | 86     | 106            | 103 | 99  | 102         | 104    | 107    | 103    | 105 | 113 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 98          | -           | -           | 105        | -          | 328     | 1.17 |

| Miostatien |   |
|------------|---|
| Q204X      | 1 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:****LOGIX** EBV Analise: 2025-07-21

## BULLS

**LOT 19**  
  
**ADRIËL BONSMARAS**  
  
**WEB 230047**  
 2023-05-12  
 B  
  

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |

  
**WEB 160183**  
 AGE/CALV. 8/4  
 AVG. Wt/CALV. 106/3  
 ICP 502

**LAR 160080**  
  
**LAR 150111**  
 AGE/CALV. 10/7  
 AVG. Wt/CALV. 101/7  
 ICP 383

**LAR 120455**  
**LAR 120413**  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 98/6  
  
**LAR 120026 HH(c)**  
  
**LAR 080188 HH(c)**  
 AGE/CALV. 13/8  
 AVG. Wt/CALV. 106/8

|                    |     |
|--------------------|-----|
| Calving Ease Value | 104 |
|--------------------|-----|

|                   |     |
|-------------------|-----|
| Weaner Calf Value | 102 |
|-------------------|-----|

|                 |     |
|-----------------|-----|
| Fertility Value | 100 |
|-----------------|-----|

|                   |    |
|-------------------|----|
| Maintenance Value | 87 |
|-------------------|----|

|           |     |
|-----------|-----|
| Cow Value | 104 |
|-----------|-----|

|              |     |
|--------------|-----|
| Growth Value | 104 |
|--------------|-----|

|               |     |
|---------------|-----|
| Carcass Value | 114 |
|---------------|-----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 101             | 100       | 113       | 114        | 102          | 97        | 105     | 93               | 102 | 100 | 113           | 98     | 112    | 120     | 95  | 95  |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 108        | -          | -          | 98        | -         | 343     | 1.24 |

|           |            |
|-----------|------------|
| Myostatin |            |
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:**

**LOGIX** EBV Analysis: 2025-07-21

**LOT 20**  
  
**C. CILLIERS**  
  
**CCW 230002 Pp(c)**  
 2023-02-12  
 SP  
  

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

  
**CCW 130133**  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 102/7  
 ICP 420

**MCU 160014 Pp(c)**  
  
**MCU 150192 Pp(c)**  
 AGE/CALV. 9/6  
 AVG. Wt/CALV. 93/6  
 ICP 408

**MCU 120006 PP**  
**MCU 090012 Pp(c)**  
 AGE/CALV. 14/9  
 AVG. Wt/CALV. 102/8  
  
**JPL 090116 P**  
  
**MCU 110028 Pp(c)**  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 103/7  
  
**AG 030418**  
  
**CAM 040136**  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 105/7  
  
**HTC 990018**  
  
**GBS 930081**  
 AGE/CALV. 13/10  
 AVG. Wt/CALV. 106/10

|                    |     |
|--------------------|-----|
| Calving Ease Value | 100 |
|--------------------|-----|

|                   |    |
|-------------------|----|
| Weaner Calf Value | 94 |
|-------------------|----|

|                 |    |
|-----------------|----|
| Fertility Value | 95 |
|-----------------|----|

|                   |     |
|-------------------|-----|
| Maintenance Value | 124 |
|-------------------|-----|

|           |    |
|-----------|----|
| Cow Value | 93 |
|-----------|----|

|              |    |
|--------------|----|
| Growth Value | 81 |
|--------------|----|

|               |    |
|---------------|----|
| Carcass Value | 93 |
|---------------|----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 92        | 95        | 117        | 80           | 102       | 110     | 86               | 88  | 95  | 80            | 90     | 90     | 94      | 120 | 111 |

|            |            |            |           |           |         |    |
|------------|------------|------------|-----------|-----------|---------|----|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
| 103        | 101        | 101        | -         | -         | -       | -  |

|           |   |
|-----------|---|
| Myostatin |   |
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2025-07-21

**LOT 21**  
  
**C. CILLIERS**  
  
**CCW 220122 Pp(c)**  
 2022-12-12  
 SP  
  

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

  
**CCW 170050 P**  
 AGE/CALV. 7/4  
 AVG. Wt/CALV. 117/3  
 ICP 412

**MCU 120006 PP**  
  
**MCU 120145**  
 AGE/CALV. 9/6  
 AVG. Wt/CALV. 109/5  
 ICP 439

**VV 080060 P**  
**MCU 090052 Pp(c)**  
 AGE/CALV. 12/9  
 AVG. Wt/CALV. 104/9  
  
**AEJ 100020**  
  
**MCU 050092**  
 AGE/CALV. 7/4  
 AVG. Wt/CALV. 104/4  
  
**MCU 100127 HH(c)**  
  
**MCU 100037 Pp(c)**  
 AGE/CALV. 9/7  
 AVG. Wt/CALV. 95/6  
  
**GBS 080132**  
  
**CCW 040126**  
 AGE/CALV. 12/10  
 AVG. Wt/CALV. 104/8

|                    |    |
|--------------------|----|
| Calving Ease Value | 82 |
|--------------------|----|

|                   |     |
|-------------------|-----|
| Weaner Calf Value | 105 |
|-------------------|-----|

|                 |     |
|-----------------|-----|
| Fertility Value | 116 |
|-----------------|-----|

|                   |     |
|-------------------|-----|
| Maintenance Value | 100 |
|-------------------|-----|

|           |     |
|-----------|-----|
| Cow Value | 107 |
|-----------|-----|

|              |    |
|--------------|----|
| Growth Value | 98 |
|--------------|----|

|               |     |
|---------------|-----|
| Carcass Value | 100 |
|---------------|-----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 71              | 110       | 98        | 132        | 102          | 118       | 105     | 101              | 98  | 110 | 98            | 94     | 99     | 100     | 106 | 124 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 135        | -          | -          | 96        | -         | 360     | 1.14 |

|           |   |
|-----------|---|
| Myostatin |   |
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2025-07-21

## BULLE

**LOT 22**  
**ADRIËL BONSMARAS**  
  
**WEB 230055**  
2023-06-15  
B  
**Ouerskap Vaar Moer**  
**DNS** ✓  
**Genomies**

  
**WEB 160152**  
OUD/KALW. 8/6  
GEM. SI/KALW. 102/4  
TKP 369

**LAR 160080**  
**LAR 150111**  
OUD/KALW. 10/7  
GEM. SI/KALW. 101/7  
TKP 383

**LAR 120455**  
**LAR 120413**  
OUD/KALW. 11/8  
GEM. SI/KALW. 98/6  
**LAR 120026 HH(c)**  
**LAR 080188 HH(c)**  
OUD/KALW. 13/8  
GEM. SI/KALW. 106/8

**Geboortegemak Waarde**  
**117**

**Speenkalf Waarde**  
**84**

**Vrugbaarheids-waarde**  
**104**

**Onderhouds-waarde**  
**99**

**Koeiwaarde**  
**93**

**Groei-waarde**  
**103**

**Karkas-waarde**  
**99**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 113            | 87        | 95        | 102          | 107         | 97          | 107    | 81             | 108 | 108 | 99          | 95     | 104    | 111    | 92  | 90  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 104         | -           | -           | 106        | -          | 336     | 1.22 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 0           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**OPMERKINGS:**

**LOGIX** EBV Analise: 2025-07-21

**LOT 23**  
**C. CILLIERS**  
  
**CCW 220102 Pp(c)**  
2022-11-14  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

  
**CCW 110083**  
OUD/KALW. 11/8  
GEM. SI/KALW. 93/8  
TKP 427

**MCU 140023 P**  
**MCU 100037 Pp(c)**  
OUD/KALW. 9/7  
GEM. SI/KALW. 95/6  
TKP 430  
**CAM 070141**  
**CCW 090039**  
OUD/KALW. 4/2  
GEM. SI/KALW. 94/2  
TKP 391

**MCU 100127 HH(c)**  
**MCU 050064**  
OUD/KALW. 12/10  
GEM. SI/KALW. 95/9  
**JJ 040115**  
**MCU 040149 P**  
OUD/KALW. 11/5  
GEM. SI/KALW. 103/5  
**AG 030418**  
**CAM 040136**  
OUD/KALW. 11/8  
GEM. SI/KALW. 105/7  
**MRW 030176**  
**RCO 010226**  
OUD/KALW. 15/12  
GEM. SI/KALW. 103/11

**Geboortegemak Waarde**  
**106**

**Speenkalf Waarde**  
**83**

**Vrugbaarheids-waarde**  
**116**

**Onderhouds-waarde**  
**120**

**Koeiwaarde**  
**93**

**Groei-waarde**  
**85**

**Karkas-waarde**  
**97**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 103            | 91        | 73        | 93           | 112         | 122         | 93     | 90             | 91  | 92  | 84          | 99     | 103    | 108    | 98  | 120 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 92          | -           | -           | 101        | -          | 330     | 1.21 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:**

**LOGIX** EBV Analise: 2025-07-21

**LOT 24**  
**C. CILLIERS**  
  
**CCW 230001 Pp(c)**  
2023-01-15  
SP  
**Ouerskap Vaar Moer**  
**DNS**  
**Genomies**

  
**MCU 130140 P**  
OUD/KALW. 11/7  
GEM. SI/KALW. 100/7  
TKP 511

**MCU 180180 PP(c)**  
**MCU 150192 Pp(c)**  
OUD/KALW. 9/6  
GEM. SI/KALW. 93/6  
TKP 408  
**MCU 090078 P**  
**MCU 100082**  
OUD/KALW. 7/6  
GEM. SI/KALW. 99/5  
TKP 399

**MCU 120006 PP**  
**MCU 090012 PP(c)**  
OUD/KALW. 14/9  
GEM. SI/KALW. 102/8  
**JPL 090116 P**  
**MCU 110028 PP(c)**  
OUD/KALW. 11/8  
GEM. SI/KALW. 103/7  
**CEF 050355**  
**MCU 030062 P**  
OUD/KALW. 7/4  
GEM. SI/KALW. 106/4  
**JJ 040115**  
**MCU 050084 P**  
OUD/KALW. 13/9  
GEM. SI/KALW. 100/9

**Geboortegemak Waarde**  
**80**

**Speenkalf Waarde**  
**91**

**Vrugbaarheids-waarde**  
**113**

**Onderhouds-waarde**  
**125**

**Koeiwaarde**  
**94**

**Groei-waarde**  
**89**

**Karkas-waarde**  
**93**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 78             | 95        | 92        | 115          | 97          | 115         | 112    | 91             | 92  | 93  | 80          | 80     | 83     | 91     | 131 | 108 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 94          | 93          | 96          | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:**

**LOGIX** EBV Analise: 2025-07-21

## BULLS

**LOT 25**

**C. CILLIERS**

  
CCW 220026  
2022-09-13  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
MCU 150145 Pp(c)  
CCW 170068  
AGE/CALV. 7/3  
AVG. Wt/CALV. 105/3  
ICP 584

MCU 120006 PP  
MCU 120145  
AGE/CALV. 9/6  
AVG. Wt/CALV. 109/5  
ICP 439  
CCW 130038  
CCW 140019  
AGE/CALV. 8/4  
AVG. Wt/CALV. 109/4  
ICP 475

VV 080060 P  
MCU 090052 Pp(c)  
AGE/CALV. 12/9  
AVG. Wt/CALV. 104/9  
AEJ 100020  
MCU 050092  
AGE/CALV. 7/4  
AVG. Wt/CALV. 104/4  
FCT 080201  
FCT 050044  
AGE/CALV. 9/6  
AVG. Wt/CALV. 106/6  
B 930190  
CCW 040046  
AGE/CALV. 14/11  
AVG. Wt/CALV. 96/11

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 114                | 101               | 96              | 128               | 103       | 96           | 92            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109             | 88        | 105       | 112        | 93           | 99        | 99      | 87               | 102 | 117 | 76            | 103    | 101    | 84      | 105 | 115 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 98         | -          | -          | 104       | -         | 347     | 1.18 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX  
EBV Analysis: 2025-07-21

**LOT 26**

**C. CILLIERS**

  
CCW 220108  
2022-11-23  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
MCU 140023 P  
CCW 160107  
AGE/CALV. 8/5  
AVG. Wt/CALV. 97/4  
ICP 486

MCU 100127 HH(c)  
MCU 100037 Pp(c)  
AGE/CALV. 9/7  
AVG. Wt/CALV. 95/6  
ICP 430  
HDT 070086  
CCW 100063  
AGE/CALV. 12/10  
AVG. Wt/CALV. 95/10  
ICP 373

JJ 040115  
MCU 050064  
AGE/CALV. 12/10  
AVG. Wt/CALV. 95/9  
JJ 040115  
MCU 040149 P  
AGE/CALV. 11/5  
AVG. Wt/CALV. 103/5  
LAR 010234  
HDT 020088 P  
AGE/CALV. 12/10  
AVG. Wt/CALV. 97/10  
TGR 050060  
CCW 070055  
AGE/CALV. 6/3  
AVG. Wt/CALV. 111/3

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 83                 | 88                | 113             | 105               | 90        | 100          | 104           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 80              | 106       | 73        | 103        | 106          | 120       | 98      | 102              | 101 | 103 | 95            | 108    | 109    | 110     | 101 | 122 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 92         | -          | -          | 102       | -         | 327     | 1.15 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX  
EBV Analysis: 2025-07-21

**LOT 27**

**C. CILLIERS**

  
CCW 230008 Pp(c)  
2023-04-11  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
MCU 180180 Pp(c)  
CCW 140102  
AGE/CALV. 10/6  
AVG. Wt/CALV. 101/5  
ICP 500

MCU 160014 Pp(c)  
MCU 150192 Pp(c)  
AGE/CALV. 9/6  
AVG. Wt/CALV. 93/6  
ICP 408  
LMR 080374  
CCW 070057  
AGE/CALV. 9/5  
AVG. Wt/CALV. 100/5  
ICP 466

MCU 120006 PP  
MCU 090012 Pp(c)  
AGE/CALV. 14/9  
AVG. Wt/CALV. 102/8  
JPL 090116 P  
MCU 110028 Pp(c)  
AGE/CALV. 11/8  
AVG. Wt/CALV. 103/7  
GCD 020109  
LMR 020231  
AGE/CALV. 12/8  
AVG. Wt/CALV. 110/8  
CCW 050150  
CCW 040069  
AGE/CALV. 10/7  
AVG. Wt/CALV. 103/7

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 92                 | 91                | 88              | 111               | 85        | 88           | 90            |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 95              | 97        | 92        | 123        | 76           | 98        | 101     | 91               | 93  | 102 | 88            | 82     | 83     | 92      | 118 | 110 |

|            |            |            |           |           |         |    |
|------------|------------|------------|-----------|-----------|---------|----|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
| 111        | 112        | 114        | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX  
EBV Analysis: 2025-07-21

| Dier Info                        |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     |            | Dam             |            |             |
|----------------------------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                              | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average<br>Auction Average |            |     |     | 35            | 202          | 7.78      | 42.5      | 1.20                | 337             | 0.98<br>1.20             | -0.30<br>-0.57 | 14.5<br>12.9  | 3.6<br>1.0    | 24<br>22       | 22<br>11            | 77<br>72  | -36<br>-39  | 12.5<br>16.3    | -3.0<br>-5   | 13.0<br>13  | 104  | 103 | 107        | 102             | 5.0        | 93          |
| 1                                | WEB 220257 | M   | SP  | 27            | 202          | -         | -         | 1.32                | 363             | 0.43                     | -0.34          | 14.7          | -0.3          | 24.2           | 18.3                | 36        | -24         | 16.9            | -23          | 2           | 108  | 95  | 108        | 108             | 1          | 82          |
| 2                                | CCW 220028 | M   | SP  | 39            | 262          | 8.55      | 50.4      | 1.19                | 348             | 3.59                     | -1.62          | 20.6          | -3.5          | 33.9           | 17.6                | 95        | -46         | 15.8            | 10           | 26          | 104  | 111 | 106        | 102             | 8          | 101         |
| 3                                | CCW 210138 | M   | SP  | 33            | 171          | 8.66      | 38.6      | 1.16                | 305             | -0.58                    | -1.01          | 6.9           | -0.6          | 10.1           | -20.0               | 24        | -26         | -6.6            | -7           | -1          | 109  | 99  | 67         | 100             | 6          | 107         |
| 4                                | WEB 220274 | M   | SP  | 32            | 242          | -         | -         | 1.26                | 344             | 0.27                     | -0.32          | 19.2          | -1.3          | 34.0           | 30.3                | 80        | -29         | 20.7            | -15          | 10          | 118  | 93  | 114        | 100             | 3          | 106         |
| 5                                | CCW 220097 | M   | SP  | 36            | 210          | 7.36      | 49.1      | 1.19                | 333             | 1.81                     | -0.27          | 19.9          | 2.9           | 39.3           | 34.0                | 101       | -48         | 12.4            | 2            | 23          | 109  | 115 | 100        | 113             | 4          | 73          |
| 6                                | CCW 220034 | M   | SP  | 31            | 203          | 7.85      | 39.7      | 1.19                | 335             | 0.11                     | -1.04          | 10.1          | 4.1           | 21.5           | 9.5                 | 89        | -62         | 19.1            | 0            | 15          | 109  | 111 | 112        | 102             | 4          | 82          |
| 7                                | WEB 220256 | M   | SP  | 27            | 185          | -         | -         | 1.28                | 328             | 0.03                     | 0.17           | 9.9           | 2.4           | 22.4           | 18.8                | 37        | -15         | 5.8             | -7           | 13          | 98   | 96  | 88         | 106             | 3          | 94          |
| 8                                | CCW 230006 | M   | SP  | 38            | 162          | 6.51      | 37.7      | -                   | -               | 0.40                     | -0.18          | 7.6           | 2.5           | 9.6            | -6.9                | 25        | -20         | 18.4            | -14          | 2           | 99   | -   | 110        | 100             | 5          | 88          |
| 9                                | CCW 220054 | M   | SP  | 37            | 251          | 7.82      | 41.4      | 1.19                | 363             | 1.20                     | 0.05           | 10.5          | -0.4          | 13.5           | -9.6                | 42        | -30         | 27.9            | -20          | -3          | 100  | 100 | 127        | 97              | 5          | 93          |
| 10                               | WEB 220020 | M   | B   | 33            | 245          | -         | -         | 1.18                | 328             | 1.03                     | -0.28          | 9.5           | 4.9           | 6.0            | 7.1                 | 77        | -35         | 10.7            | 3            | 13          | 112  | 104 | 97         | 105             | 6          | 120         |
| 11                               | CCW 220037 | M   | SP  | 32            | 201          | 7.98      | 37.6      | 1.18                | 374             | 0.62                     | -0.97          | 10.9          | 5.6           | 26.9           | 18.3                | 145       | -88         | 37.3            | 13           | 28          | 107  | 114 | 143        | 103             | 4          | 82          |
| 12                               | CCW 220073 | M   | SP  | 30            | 185          | 8.52      | 53.5      | 1.15                | 318             | 0.13                     | -0.21          | 12.3          | 0.6           | 23.9           | 6.3                 | 85        | -57         | 11              | 5            | 18          | 103  | 102 | 98         | 99              | 2          | 71          |
| 13                               | WEB 220259 | M   | SP  | 28            | 192          | -         | -         | 1.29                | 352             | -0.80                    | -0.14          | 10.1          | 0.4           | 18.9           | 22.2                | 82        | -29         | 16.3            | -18          | 7           | 101  | 115 | 107        | 100             | 3          | 84          |
| 14                               | CCW 210191 | M   | SP  | 33            | 164          | 7.99      | 35.6      | 1.19                | 321             | 0.16                     | -0.45          | 8.0           | 3.8           | 15.2           | -4.5                | 68        | -53         | 13.3            | -4           | 10          | 90   | 94  | 102        | 98              | 5          | 92          |
| 15                               | CCW 220070 | M   | SP  | 34            | 202          | 7.76      | 53.2      | 1.17                | 336             | 1.86                     | -1.44          | 18.3          | -4.6          | 33.7           | 14.7                | 107       | -38         | 14.1            | 2            | 21          | 105  | 114 | 103        | 105             | 6          | 85          |
| 16                               | WEB 220147 | M   | B   | 45            | 230          | -         | -         | 1.19                | 310             | 3.12                     | -0.09          | 16.3          | 4.3           | 19.4           | 26.4                | 50        | -18         | 14.3            | 0            | 17          | 107  | 94  | 103        | 102             | 4          | 101         |
| 17                               | CCW 220048 | M   | SP  | 38            | 242          | 7.77      | 35.6      | 1.14                | 322             | 2.75                     | -1.52          | 16.3          | -5.4          | 30.8           | 18.0                | 104       | -43         | 6.8             | 11           | 27          | 95   | 92  | 90         | 99              | 9          | 109         |
| 18                               | CCW 220082 | M   | SP  | 40            | 197          | 7.92      | 45        | 1.17                | 328             | 2.29                     | 0.56           | 16.6          | 0.3           | 31.9           | 24.4                | 90        | -35         | 8.9             | 1            | 19          | 98   | 105 | 94         | 102             | 6          | 96          |
| 19                               | WEB 230047 | M   | B   | 30            | 256          | -         | -         | 1.24                | 343             | 0.88                     | -0.78          | 14.7          | 7.5           | 20.6           | 40.5                | 86        | -37         | 20.7            | -5           | 24          | 108  | 98  | 114        | 106             | 4          | 85          |
| 20                               | CCW 230002 | M   | SP  | 40            | 169          | 7.05      | 47.7      | -                   | -               | 1.11                     | -0.47          | 10.0          | 2.0           | 13.4           | -7.3                | 30        | -28         | 22.5            | -10          | 4           | 103  | -   | 117        | 102             | 8          | 102         |
| 21                               | CCW 220122 | M   | SP  | 40            | 169          | 8.08      | 31.6      | 1.14                | 360             | 3.99                     | -0.81          | 19.7          | 2.9           | 29.4           | 19.0                | 70        | -52         | 31.1            | -8           | 13          | 135  | 96  | 132        | 117             | 4          | 95          |
| 22                               | WEB 230055 | M   | B   | 28            | 246          | -         | -         | 1.22                | 336             | -0.39                    | -0.95          | 7.4           | 2.2           | 9.1            | 20.9                | 106       | -50         | 13.7            | -6           | 17          | 104  | 106 | 102        | 102             | 6          | 114         |
| 23                               | CCW 220102 | M   | SP  | 33            | 179          | 7.08      | 41.5      | 1.21                | 330             | 0.67                     | -1.44          | 9.7           | -4.8          | 18.2           | -1.8                | 45        | -24         | 8.5             | -4           | 16          | 92   | 101 | 93         | 93              | 8          | 100         |
| 24                               | CCW 230001 | M   | SP  | 40            | 158          | 6.72      | 46.9      | -                   | -               | 3.30                     | -0.51          | 11.8          | 1.1           | 17.4           | -8.4                | 47        | -26         | 21.3            | -18          | -1          | 94   | -   | 115        | 100             | 7          | 90          |
| 25                               | CCW 220026 | M   | SP  | 31            | 186          | 8.61      | 41.1      | 1.18                | 347             | 0.02                     | -1.16          | 7.8           | 5.3           | 15.7           | -14.2               | 85        | -64         | 19.3            | -0           | 14          | 98   | 104 | 112        | 105             | 3          | 76          |

| Dier Info                         |            |        |     | Werklike Syfers    |                    |              |              |                        |                    | Verwagte Teelwaardes |                 |                 |                 |                |                     |              |                |                    |                | Indekse        |      |     | Moeder     |                  |             |              |
|-----------------------------------|------------|--------|-----|--------------------|--------------------|--------------|--------------|------------------------|--------------------|----------------------|-----------------|-----------------|-----------------|----------------|---------------------|--------------|----------------|--------------------|----------------|----------------|------|-----|------------|------------------|-------------|--------------|
| LOT                               | Dier ID    | Geslag | AFD | Geb. Gewig<br>(kg) | 205d Gewig<br>(kg) | KKG<br>Verh. | KKS<br>Verh. | Lengte Hoogte<br>Verh. | Skr. Omtr.<br>(mm) | Geb Dir<br>(kg)      | Geb Mat<br>(kg) | Spn Dir<br>(kg) | Spn Mat<br>(kg) | Na-Spn<br>(kg) | Volw. Gewig<br>(kg) | GDT<br>(g/d) | VOV<br>(kg:kg) | Skr. Omtr.<br>(mm) | Hoogte<br>(mm) | Lengte<br>(mm) | Spn. | GDT | Skr. Omtr. | Gem. Spn. Indeks | Aant. Kalw. | Repr. Indeks |
| Ras Gemiddeld<br>Aanbod Gemiddeld |            |        |     | 35                 | 202                | 7.78         | 42.5         | 1.20                   | 337                | 0.98<br>1.20         | -0.30<br>-0.57  | 14.5<br>12.9    | 3.6<br>1.0      | 24<br>22       | 22<br>11            | 77<br>72     | -36<br>-39     | 12.5<br>16.3       | -3.0<br>-5     | 13.0<br>13     | 104  | 103 | 107        | 102              | 5.0         | 93           |
| 26                                | CCW 220108 | M      | SP  | 41                 | 188                | 8.45         | 39           | 1.15                   | 327                | 3.04                 | -0.61           | 17.5            | -4.8            | 29.5           | 13.9                | 82           | -41            | 14                 | 3              | 21             | 92   | 102 | 103        | 97               | 5           | 89           |
| 27                                | CCW 230008 | M      | SP  | 40                 | 153                | 7.14         | 42.3         | -                      | -                  | 1.47                 | 0.33            | 13.0            | 1.2             | 17.4           | 4.0                 | 52           | -40            | 25.9               | -17            | -2             | 111  | -   | 123        | 101              | 6           | 87           |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |                 |                  |                                                             |
|---------------------------------------------------------|-----------------|------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT              | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV              | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap         | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.     | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.   | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID               | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD              | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN              | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR              | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO               | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP               | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT               | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)            | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)            | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)            | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP              | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir         | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.        | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.        | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.        | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.      | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.      | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.           | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig      | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT              | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV              | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO              | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet              | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar              | Marmering (binne-spiers vet)                                |
| 365-day weight index                                    | 365D Index      | 365D Indeks      | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks      | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH               | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig       | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig       | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG              | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS              | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.      | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks     | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V            | Dier geslag: M - Manlik, V - Vroulik                        |