

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# KINKO DORMERS

Kinko, Swellendam

30 July 2025


*All Pedigree- and Performance Data is as recorded on LOGIX on 18 July 2025*

dormer



## ANIMAL, OWNER AND PEDIGREE INFORMATION

**LOT 1 (F)**



**SUPER-SHEEP BREEDER**

Pretoria, Gauteng  
082 123 4680  
lambchops@gmail.com

**ABC 220001**

|             |            |     |
|-------------|------------|-----|
| Herd Book   | SP         |     |
| Birth date  | 2022-06-15 |     |
| Age         | 1.3 jaar   |     |
| Inbreeding  | 6.63%      |     |
| Birth Stat. | 3          |     |
| AFL         | ILP        | EPI |
| 12.4m       | -          | 100 |
| Lambled     | 1          |     |
| Lambs       | 2          |     |
| Weaned      | 0          |     |

**ABC 160020**

**ABC 190216 (2)**

**ABC 170012 (3)**

**ABC 150063**

**ABC 160004**

**SKP 140197**

**SKP 110036**

**SKP 120001**

**SKP 130164**

**SHP 130073**

**SHP 130102**

**SHP 130064**

**SPR 140018**

**SPR 150113**

**SPR 150063**

**SPR 160004**


1. Lot Number & sex (mixed lots)
2. GT - animal is genomically tested
3. Animal's identification number
4. Animal's photo (or owner's logo)
5. Breed's logo
6. Animal's information
  - Herd book section
  - Birth date
  - Animal's age
  - Animal's inbreeding percentage
  - Birth status
7. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
8. Owner's logo
9. QR code that links to animal's information on [SASmallStock.co.za](https://SASmallStock.co.za)
10. Additional information (Ewes)
  - Age at first lambing, Interlambing Period, and Ewe Production Index
  - Number of times lambled, lambs born and lambs weaned
11. Additional information (Rams)
  - Number of progeny in the herd, total progeny and number of herds used
12. Owner's most recent Elite Award
13. Owner's information
14. Dam-line information
  - Age at First Lambing, Interlambing Period, and Ewe Production Index
  - Number of times lambled, lambs born and lambs weaned
15. Four (4) generation pedigree

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES FORDORMER


| Traits    | Description/Measurement   | Goal                                 | General Guidelines |    |     |     |        |
|-----------|---------------------------|--------------------------------------|--------------------|----|-----|-----|--------|
|           |                           |                                      | 76                 | 88 | 100 | 112 | 124    |
| Indices   | 1 Logix Merit Index       | Total Merit Index                    | Loss               |    |     |     | Profit |
|           | 2 Growth Index            | Direct and maternal growth potential | Light              |    |     | *   | Heavy  |
|           | 3 Reproduction Index      | Overall ewe fertility                | Poor               |    |     |     | Good   |
| Growth    | 6 Weaning Weight Direct   | Wean weight (lamb's ability)         | Light              |    |     |     | Heavy  |
|           | 7 Weaning Weight Maternal | Wean weight (ewe's ability)          | Poor               |    |     | *   | Good   |
|           | 8 Post-Wean Direct        | Post-wean weight (lamb's ability)    | Light              |    |     | *   | Heavy  |
| Fertility | 9 Number of Lambs Weaned  | Multiples at birth and good survival | Few                |    |     |     | Many   |
|           | 10 Total Weight Weaned    | Good survival and heavy weights      | Light              |    |     |     | Heavy  |
|           | 11 Age at First Lambing   | Early sexual maturity                | Late               |    |     |     | Early  |
|           | 12 Interlambing Period    | Early pregnancy in season            | Long               |    |     |     | Short  |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



## SELECTION INDICES FOR DORMER



## GENETIC VALUES - BUILDING BLOCKS

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 108      | 99        | 102      | 115          | 102 | 134 | 110 |
| 64%      | 45%       | 51%      | 52%          | 45% | 36% | 40% |
| 6        | 7         | 8        | 9            | 10  | 11  | 12  |

The Logix Selection Indices are compiled of specific genetic building blocks, as indicated in the selection index descriptions above. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

## PHENOTYPIC VALUES

| Birth Weight | Wean Weight    | Post-Wean Weight | Mature Weight |
|--------------|----------------|------------------|---------------|
| 4kg          | 20.5kg<br>(80) | 55.4kg<br>(100)  | 88.5kg        |

Weights and phenotypic index as obtained within the animal's contemporary group

## GROWTH TEST RESULTS

| ADG Index | FCR Index | Scrotal Circumference |
|-----------|-----------|-----------------------|
| 113       | 101       | 37mm                  |

ADG en FCR index, and scrotal circumference, in mm, as measured during and at the end of the growth test

## LOT 1 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 200794

KINKO OOI JS 200794

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2020-11-15 |
| <i>Age</i>         | 4.7 years  |
| <i>Inbreeding</i>  | 8.95%      |
| <i>Birth Stat.</i> | 1          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 20.1m      | 241d       | 116        |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 5     |
| <i>Lambs (Sucking)</i> | 9 (0) |
| <i>Weaned</i>          | 6     |

JS 180021 (3)  
KINKO RAM JS 180021

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

JS 170656 (2)  
KINKO OOI JS 170656  
AFL 15.4 | ILP 248 | EPI 132  
Lambled 4 | Lambs 6 | Weaned 6

JS 160855  
KINKO RAM JS 160855

JS 150201  
KINKO OOI JS 150201  
AFL 15.5 | ILP 285 | EPI 131  
Lambled 5 | Lambs 10 | Weaned 9

JS 150423  
KINKO RAM JS 150423

JS 150407  
KINKO OOI JS 150407  
AFL 24 | ILP 357 | EPI 92  
Lambled 2 | Lambs 4 | Weaned 3

KINKO RAM JS 140752  
KINKO OOI JS 140421  
AFL 19.1 | ILP 255 | EPI 107  
Lambled 3 | Lambs 4 | Weaned 4

KINKO RAM JS 130590  
KINKO OOI JS 120276  
AFL 28.3 | ILP 232 | EPI 174  
Lambled 8 | Lambs 13 | Weaned 11

KINKO RAM JS 140172  
KINKO OOI JS 130653  
AFL 20.6 | ILP - | EPI 88  
Lambled 1 | Lambs 1 | Weaned 1

KINKO RAM JS 130636  
KINKO OOI JS 130504  
AFL 15.8 | ILP 303 | EPI 90  
Lambled 3 | Lambs 4 | Weaned 3

LOGIX  
GENETICS  
EBV Analysis 2025-07-18

SELLER REMARKS: Dragtig met 'n 3-ling van NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 109      | 81        | 107      | 117          | 111 | 113 | 88  |
| 68%      | 72%       | 62%      | 54%          | 66% | 46% | 37% |

Logix Merit Index 113

Growth Index 103

Reproduction Index 111

|            |              |
|------------|--------------|
| Birth Wt.  | 6kg          |
| Wean Wt.   | 33.1kg (109) |
| Post-Wean  | 39.4kg (108) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 2 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 210035

KINKO OOI JS210035

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2021-03-04 |
| <i>Age</i>         | 4.4 years  |
| <i>Inbreeding</i>  | 5.93%      |
| <i>Birth Stat.</i> | 2          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 20.7m      | 459d       | 82         |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 3     |
| <i>Lambs (Sucking)</i> | 3 (1) |
| <i>Weaned</i>          | 1     |

JT 190583 (2)  
REMKUIL RAM JT 190583

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

JS 190601 (1)  
KINKO EWE JS190601  
AFL 17.5 | ILP 482 | EPI 94  
Lambled 3 | Lambs 6 | Weaned 3

JT 160623  
REMKUIL RAM JT 160623

JT 160293  
REMKUIL OOI JT 160293  
AFL 16.3 | ILP 348 | EPI 157  
Lambled 6 | Lambs 12 | Weaned 12

JS 170298  
KINKO RAM JS 170298

JS 180041  
KINKO OOI JS 180041  
AFL 18.1 | ILP 261 | EPI 109  
Lambled 4 | Lambs 5 | Weaned 4

JABUWY RAM K 130137  
REMKUIL OOI JT 140345  
AFL 15.7 | ILP 327 | EPI 117  
Lambled 5 | Lambs 9 | Weaned 9

KINKO RAM JS 130258  
REMKUIL OOI JT130506  
AFL 24.6 | ILP 467 | EPI 99  
Lambled 4 | Lambs 6 | Weaned 5

KINKO RAM JS 150692  
KINKO OOI JS 140497  
AFL 35.4 | ILP - | EPI 93  
Lambled 1 | Lambs 2 | Weaned 2

KINKO RAM JS 160973  
KINKO OOI JS 160129  
AFL 16.2 | ILP 241 | EPI 97  
Lambled 2 | Lambs 3 | Weaned 3

LOGIX  
GENETICS  
EBV Analysis 2025-07-18

SELLER REMARKS: Met ooilam JS25-236. Loop by NB21-586 vanaf 01/06/2025

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 103      | 110       | 111      | 90           | 98  | 99  | 64  |
| 61%      | 57%       | 59%      | 46%          | 56% | 42% | 35% |

Logix Merit Index 101

Growth Index 111

Reproduction Index 97

|            |              |
|------------|--------------|
| Birth Wt.  | 4kg          |
| Wean Wt.   | 29.6kg (115) |
| Post-Wean  | 43.1kg (107) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

LOT 3 (F)



M.J. SWART  
Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



JS 210115

KINKO OOI JS 210115

|                        |                       |
|------------------------|-----------------------|
| <i>. Herd Book</i>     | SP                    |
| <i>Birth date</i>      | 2021-03-17            |
| <i>Age</i>             | 4.4 years             |
| <i>Inbreeding</i>      | 11.33%                |
| <i>Birth Stat.</i>     | 1                     |
|                        |                       |
| <i>AFL</i>             | <i>ILP</i> <i>EPI</i> |
| 18.2m                  | 325d 91               |
|                        |                       |
| <i>Lambled</i>         | 4                     |
| <i>Lambs (Sucking)</i> | 7 (3)                 |
| <i>Weaned</i>          | 2                     |

JS 190696 (2)  
KINKO RAM JS 190696

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

JS 180291 (2)  
KINKO OOI JS180291  
AFL 23.9 | ILP 256 | EPI 93  
Lambled 2 | Lambs 3 | Weaned 3

JS 180231  
KINKO RAM JS 180231

JS 160302  
KINKO OOI JS 160302  
AFL 16.5 | ILP 245 | EPI 208  
Lambled 7 | Lambs 16 | Weaned 10

JS 150423  
KINKO RAM JS 150423

JS 160588  
KINKO OOI JS 160588  
AFL 23.4 | ILP 360 | EPI 88  
Lambled 2 | Lambs 4 | Weaned 2

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160411  
AFL 23.5 | ILP 232 | EPI 112  
Lambled 3 | Lambs 4 | Weaned 4

KINKO RAM JS 150019  
KINKO OOI JS 140268  
AFL 16.8 | ILP 278 | EPI 127  
Lambled 5 | Lambs 10 | Weaned 8

KINKO RAM JS 140172  
KINKO OOI JS 130653  
AFL 20.6 | ILP - | EPI 88  
Lambled 1 | Lambs 1 | Weaned 1

KINKO RAM JS 150019  
KINKO OOI JS 140197  
AFL 17.2 | ILP 278 | EPI 117  
Lambled 4 | Lambs 7 | Weaned 7



SELLER REMARKS: Loop by NB21-586  
vanaf 01/06/2025. Met oilam JS25-233,  
ramlam JS25-231 (dood) en oilam  
JS25-232.

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 104      | 64        | 109      | 120          | 102 | 99  | 82  |
| 62%      | 61%       | 60%      | 49%          | 59% | 44% | 35% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 100 |
| Growth Index       | 90  |
| Reproduction Index | 95  |

|            |             |
|------------|-------------|
| Birth Wt.  | 5kg         |
| Wean Wt.   | 14.2kg (55) |
| Post-Wean  | 35kg (87)   |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 4 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 210310

KINKO OOI JS 210310

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2021-07-08 |
| Oud.        | 4.1 jaar   |
| Inteling    | 6.6%       |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 24.1m | 339d | 97  |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 4 (1) |
| Gespeen        | 3     |

JT 190694 (4)

REMUIL RAM JT 190694

Ouerskap Vaar Moer

DNS

Genomies

JS 190471 (2)

KINKO OOI JS 190471

OEL 15.8 | ILP 313 | OPI 125  
Gelam 4 | Lammers 7 | Gespeen 6

JT 170622

REMUIL RAM JT 170622

JT 170358

REMUIL OOI JT 170358

OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

JS 170341

KINKO RAM JS 170341

JS 160836

KINKO OOI JS 160836

OEL 20.7 | ILP 364 | OPI 101  
Gelam 2 | Lammers 4 | Gespeen 4

KINKO RAM JS 140932

REMUIL OOI JT 150464

OEL 23.5 | ILP 350 | OPI 109  
Gelam 4 | Lammers 8 | Gespeen 6

REMUIL RAM JT 150031

REMUIL OOI JT 140339

OEL 15.7 | ILP 365 | OPI 109  
Gelam 4 | Lammers 8 | Gespeen 7

KINKO RAM JS 150692

KINKO OOI JS 140624

OEL 18.4 | ILP 436 | OPI 128  
Gelam 4 | Lammers 6 | Gespeen 6

KINKO RAM JS 140752

KINKO OOI JS 140610

OEL 18.6 | ILP 330 | OPI 127  
Gelam 6 | Lammers 8 | Gespeen 5

**LOGIX**  
GENETICS CENTRAL  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Met oilam  
JS25-220. Loop by NB21-586 vanaf  
01/06/2025.

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 112       | 83        | 118     | 88          | 91  | 117 | 64  |
| 65%       | 65%       | 60%     | 48%         | 61% | 46% | 36% |

Logix Meriete Indeks 99

Groeï Indeks 107

Reproduksie Indeks 86

|            |              |
|------------|--------------|
| Geb. Gew.  | 5kg          |
| Speen Gew. | 34.7kg (108) |
| Na-Speen   | 49kg (107)   |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 5 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 210317

KINKO OOI JS 210317

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2021-07-08 |
| Oud.        | 4.1 jaar   |
| Inteling    | 9.32%      |
| Geb. Status | 1          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 24.1m | 243d | 120 |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 6 (0) |
| Gespeen        | 4     |

JS 190714 (1)

KINKO RAM JS 190714

Ouerskap Vaar Moer

DNS

Genomies

JS 180339 (2)

KINKO OOI JS180339

OEL 16 | ILP 303 | OPI 95  
Gelam 3 | Lammers 3 | Gespeen 3

JS 180231

KINKO RAM JS 180231

JS 170207

KINKO OOI JS 170207

OEL 16.1 | ILP 258 | OPI 109  
Gelam 4 | Lammers 5 | Gespeen 4

JS 160973

KINKO RAM JS 160973

JS 150338

KINKO OOI JS 150338

OEL 13.8 | ILP 333 | OPI 101  
Gelam 3 | Lammers 4 | Gespeen 4

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160411

OEL 23.5 | ILP 232 | OPI 112  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 150564

KINKO OOI JS 140268

OEL 16.8 | ILP 278 | OPI 127  
Gelam 5 | Lammers 10 | Gespeen 8

DORWALD RAM CPG 140270

KINKO OOI JS 140586

OEL 19.3 | ILP 243 | OPI 101  
Gelam 3 | Lammers 5 | Gespeen 3

J.O.R RAM JOR 120176

KINKO OOI JS 130223

OEL 16.4 | ILP 244 | OPI 87  
Gelam 2 | Lammers 3 | Gespeen 2

**LOGIX**  
GENETICS CENTRAL  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
2-ling van NL21-29

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 108       | 105       | 118     | 114         | 117 | 107 | 95  |
| 63%       | 65%       | 62%     | 48%         | 60% | 42% | 34% |

Logix Meriete Indeks 120

Groeï Indeks 113

Reproduksie Indeks 121

|            |              |
|------------|--------------|
| Geb. Gew.  | 6kg          |
| Speen Gew. | 26.4kg (82)  |
| Na-Speen   | 49.7kg (108) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 6 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 210379

KINKO OOI JS 210379

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2021-07-12 |
| Oud.        | 4 jaar     |
| Inteling    | 18.75%     |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 15.7m | 308d | 109 |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 7 (0) |
| Gespeen        | 5     |

JS 200064 (2)

KINKO RAM JS 200064

Ouerskap Vaar Moer

DNS

Genomies

JS 180046 (1)

KINKO OOI JS 180046

OEL 15.3 | ILP 372 | OPI 96  
Gelam 3 | Lammers 5 | Gespeen 3

JS 180001

KINKO RAM JS 180001

JS 180049

KINKO OOI JS 180049

OEL 15.6 | ILP 255 | OPI 97  
Gelam 2 | Lammers 3 | Gespeen 3

JS 160855

KINKO RAM JS 160855

JS 150611

KINKO OOI JS 150611

OEL 14.3 | ILP 249 | OPI 112  
Gelam 4 | Lammers 4 | Gespeen 4

KINKO RAM JS 160855

KINKO OOI JS 150312

OEL 15.4 | ILP 249 | OPI 132  
Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 160855

KINKO OOI JS 150396

OEL 15.2 | ILP 251 | OPI 130  
Gelam 5 | Lammers 11 | Gespeen 9

KINKO RAM JS 140752

KINKO OOI JS 140421

OEL 19.1 | ILP 255 | OPI 107  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 140218

KINKO OOI JS 140036

OEL 18 | ILP 392 | OPI 104  
Gelam 5 | Lammers 5 | Gespeen 4

**LOGIX**  
GENETICS CENTRAL  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Loop by NB21-586  
vanaf 01/06/2025

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 87        | 118     | 101         | 102 | 122 | 85  |
| 62%       | 64%       | 58%     | 47%         | 59% | 40% | 31% |

Logix Meriete Indeks 110

Groeï Indeks 107

Reproduksie Indeks 103

|            |            |
|------------|------------|
| Geb. Gew.  | 6kg        |
| Speen Gew. | 33kg (102) |
| Na-Speen   | 50kg (109) |
| Volw. Gew. | -          |
| GDT Ind.   | -          |
| VOV Ind.   | -          |
| Skrotum    | -          |

## LOT 7 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 210538

KINKO OOI JS 210538

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2021-07-25 |
| <i>Age</i>         | 4 years    |
| <i>Inbreeding</i>  | 8.3%       |
| <i>Birth Stat.</i> | 3          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 23.9m      | 306d       | 95         |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 3     |
| <i>Lambs (Sucking)</i> | 3 (1) |
| <i>Weaned</i>          | 2     |

 JS 180021 (3)  
 KINKO RAM JS 180021

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 190663 (2)  
 KINKO OOI JS 190663  
 AFL 21.5 | ILP - | EPI 90  
 Lambled 1 | Lambs 3 | Weaned 2

 JS 160855  
 KINKO RAM JS 160855

 JS 150201  
 KINKO OOI JS 150201  
 AFL 15.5 | ILP 285 | EPI 131  
 Lambed 5 | Lambs 10 | Weaned 9

 JS 170330  
 KINKO RAM JS 170330

 JS 160411  
 KINKO OOI JS 160411  
 AFL 23.5 | ILP 232 | EPI 112  
 Lambed 3 | Lambs 4 | Weaned 4

 KINKO RAM JS 140752  
 KINKO OOI JS 140421  
 AFL 19.1 | ILP 255 | EPI 107  
 Lambed 3 | Lambs 4 | Weaned 4

 KINKO RAM JS 130590  
 KINKO OOI JS 120276  
 AFL 28.3 | ILP 232 | EPI 174  
 Lambed 8 | Lambs 13 | Weaned 11

 KINKO RAM JS 150692  
 KINKO OOI JS 140585  
 AFL 24 | ILP 343 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 J.O.R RAM JOR 120176  
 KINKO OOI JS 130693  
 AFL 20.7 | ILP 351 | EPI 112  
 Lambed 2 | Lambs 4 | Weaned 4

 LOGIX  
 GENETICS CHINA  
 EBV Analysis 2025-07-18

SELLER REMARKS: Loop by ram NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 88        | 112      | 99           | 103 | 115 | 67  |
| 62%      | 61%       | 60%      | 47%          | 58% | 44% | 35% |

Logix Merit Index 109

Growth Index 111

Reproduction Index 99

|            |              |
|------------|--------------|
| Birth Wt.  | 4kg          |
| Wean Wt.   | 33.3kg (103) |
| Post-Wean  | 37.9kg (82)  |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 8 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 210660

KINKO OOI JS 210660

|                    |            |
|--------------------|------------|
| <i>Herd Book</i>   | SP         |
| <i>Birth date</i>  | 2021-10-23 |
| <i>Age</i>         | 3.8 years  |
| <i>Inbreeding</i>  | 5.95%      |
| <i>Birth Stat.</i> | 3          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 16m        | 271d       | 111        |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 3     |
| <i>Lambs (Sucking)</i> | 5 (0) |
| <i>Weaned</i>          | 5     |

 JT 190583 (2)  
 REMKUIL RAM JT 190583

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 200675 (2)  
 KINKO OOI JS 200675  
 AFL 13.6 | ILP 272 | EPI 131  
 Lambed 6 | Lambs 9 | Weaned 5

 JT 160623  
 REMKUIL RAM JT 160623

 JT 160293  
 REMKUIL OOI JT 160293  
 AFL 16.3 | ILP 348 | EPI 157  
 Lambed 6 | Lambs 12 | Weaned 12

 JS 180001  
 KINKO RAM JS 180001

 JS 170925  
 KINKO OOI JS 170925  
 AFL 15.8 | ILP 268 | EPI 114  
 Lambed 3 | Lambs 4 | Weaned 4

 JABUWY RAM K 130137  
 REMKUIL OOI JT 140345  
 AFL 15.7 | ILP 327 | EPI 117  
 Lambed 5 | Lambs 9 | Weaned 9

 KINKO RAM JS 130258  
 REMKUIL OOI JT130506  
 AFL 24.6 | ILP 467 | EPI 99  
 Lambed 4 | Lambs 6 | Weaned 5

 KINKO RAM JS 160855  
 KINKO OOI JS 150312  
 AFL 15.4 | ILP 249 | EPI 132  
 Lambed 4 | Lambs 8 | Weaned 8

 KINKO RAM JS 150534  
 KINKO OOI JS 160686  
 AFL 15.7 | ILP 243 | EPI 112  
 Lambed 3 | Lambs 5 | Weaned 5

 LOGIX  
 GENETICS CHINA  
 EBV Analysis 2025-07-18

SELLER REMARKS: Loop by ram NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 101      | 114       | 105      | 100          | 107 | 106 | 91  |
| 64%      | 66%       | 61%      | 48%          | 61% | 42% | 35% |

Logix Merit Index 110

Growth Index 111

Reproduction Index 114

|            |              |
|------------|--------------|
| Birth Wt.  | 3kg          |
| Wean Wt.   | 30kg (100)   |
| Post-Wean  | 52.1kg (103) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 9 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 210724

KINKO OOI JS 210724

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2021-11-01 |
| <i>Age</i>         | 3.7 years  |
| <i>Inbreeding</i>  | 7.48%      |
| <i>Birth Stat.</i> | 1          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 20.2m      | 217d       | 116        |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 3     |
| <i>Lambs (Sucking)</i> | 5 (0) |
| <i>Weaned</i>          | 5     |

 JS 200644 (1)  
 KINKO RAM JS 200644

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 200618 (2)  
 KINKO OOI JS 200618  
 AFL 14.4 | ILP 249 | EPI 92  
 Lambed 2 | Lambs 2 | Weaned 2

 JS 180001  
 KINKO RAM JS 180001

 JS 170248  
 KINKO OOI JS 170248  
 AFL 23.8 | ILP 260 | EPI 100  
 Lambed 3 | Lambs 3 | Weaned 3

 JS 180094  
 KINKO RAM JS 180094

 JS 190224  
 KINKO OOI JS 190224  
 AFL 16.9 | ILP 380 | EPI 117  
 Lambed 4 | Lambs 6 | Weaned 6

 KINKO RAM JS 160855  
 KINKO OOI JS 150312  
 AFL 15.4 | ILP 249 | EPI 132  
 Lambed 4 | Lambs 8 | Weaned 8

 KINKO RAM JS 150536  
 KINKO OOI JS 150183  
 AFL 16.2 | ILP 240 | EPI 120  
 Lambed 4 | Lambs 6 | Weaned 6

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160389  
 AFL 20.7 | ILP 224 | EPI 96  
 Lambed 3 | Lambs 5 | Weaned 3

 KINKO RAM JS 170298  
 KINKO OOI JS 170252  
 AFL 22.8 | ILP 259 | EPI 111  
 Lambed 3 | Lambs 5 | Weaned 5

 LOGIX  
 GENETICS CHINA  
 EBV Analysis 2025-07-18

SELLER REMARKS: Loop by ram NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 109      | 106       | 112      | 105          | 111 | 115 | 105 |
| 59%      | 61%       | 56%      | 41%          | 56% | 34% | 27% |

Logix Merit Index 119

Growth Index 115

Reproduction Index 118

|            |             |
|------------|-------------|
| Birth Wt.  | 4kg         |
| Wean Wt.   | 27.5kg (98) |
| Post-Wean  | 37.5kg (94) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 10 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 210832

KINKO OOI JS 210832

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2021-11-13 |
| Oud.        | 3.7 jaar   |
| Inteling    | 7.03%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 19.7m | 247d | 105 |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 6 (0) |
| Gespeen        | 4     |

JS 190714 (1)

KINKO RAM JS 190714

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 180023 (3)

KINKO OOI JS 180023

OEL 16.5 | ILP 279 | OPI 116  
Gelam 4 | Lammers 6 | Gespeen 5

JS 180231

KINKO RAM JS 180231

JS 170207

KINKO OOI JS 170207

OEL 16.1 | ILP 258 | OPI 109  
Gelam 4 | Lammers 5 | Gespeen 4

JS 160855

KINKO RAM JS 160855

JS 150201

KINKO OOI JS 150201

OEL 15.5 | ILP 285 | OPI 131  
Gelam 5 | Lammers 10 | Gespeen 9

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160411

OEL 23.5 | ILP 232 | OPI 112  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 150564

KINKO OOI JS 140268

OEL 16.8 | ILP 278 | OPI 127  
Gelam 5 | Lammers 10 | Gespeen 8

KINKO RAM JS 140752

KINKO OOI JS 140421

OEL 19.1 | ILP 255 | OPI 107  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 130590

KINKO OOI JS 120276

OEL 28.3 | ILP 232 | OPI 174  
Gelam 8 | Lammers 13 | Gespeen 11


 LOGIX  
GENETICS CHANGES  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Loop by ram  
NB21-488

## Groeï

## Reproduksie

| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS | TWW | OEL | ILP |
|-----------|-----------|---------|-----|-----|-----|-----|
| 107       | 79        | 110     | 117 | 109 | 114 | 90  |
| 64%       | 65%       | 63%     | 48% | 61% | 43% | 34% |

Logix Meriete Indeks 111

Groeï Indeks 100

Reproduksie Indeks 109

|            |              |
|------------|--------------|
| Geb. Gew.  | 3kg          |
| Speen Gew. | 24.7kg (88)  |
| Na-Speen   | 40.3kg (101) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 11 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220021

KINKO OOI JS 220021

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-03-04 |
| Oud.        | 3.4 jaar   |
| Inteling    | 7.06%      |
| Geb. Status | 1          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 19.8m | 250d | 103 |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 5 (0) |
| Gespeen        | 3     |

JS 200651 (2)

KINKO RAM JS 200651

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200085 (2)

KINKO EWE JS 200085

OEL 15.4 | ILP 246 | OPI 104  
Gelam 4 | Lammers 7 | Gespeen 4

JS 180372

KINKO RAM JS 180372

JS 190171

KINKO OOI JS 190171

OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

JT 160588

REMKUIL RAM JT 160588

JS 170950

KINKO OOI JS 170950

OEL 19.7 | ILP 284 | OPI 134  
Gelam 5 | Lammers 8 | Gespeen 6

KINKO RAM JS 160699

KINKO OOI JS 160026

OEL 20.9 | ILP 233 | OPI 100  
Gelam 4 | Lammers 8 | Gespeen 4

KINKO RAM JS 170299

KINKO OOI JS 170133

OEL 16.6 | ILP 239 | OPI 122  
Gelam 4 | Lammers 8 | Gespeen 7

JABUWY RAM K 130137

REMKUIL OOI JT 140362

OEL 16.3 | ILP 344 | OPI 112  
Gelam 7 | Lammers 10 | Gespeen 7

KINKO RAM JS 160116

KINKO OOI JS 140554

OEL 23.6 | ILP 253 | OPI 116  
Gelam 3 | Lammers 6 | Gespeen 6


 LOGIX  
GENETICS CHANGES  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
2-ling van NB21-488.

## Groeï

## Reproduksie

| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS | TWW | OEL | ILP |
|-----------|-----------|---------|-----|-----|-----|-----|
| 122       | 100       | 130     | 114 | 123 | 102 | 97  |
| 59%       | 59%       | 57%     | 41% | 55% | 37% | 29% |

Logix Meriete Indeks 129

Groeï Indeks 125

Reproduksie Indeks 120

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.6kg        |
| Speen Gew. | 37kg (119)   |
| Na-Speen   | 47.4kg (114) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 12 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220038

KINKO EWE JS220038

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-03-11 |
| Oud.        | 3.4 jaar   |
| Inteling    | 6.25%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 19.9m | 352d | 90  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 5 (0) |
| Gespeen        | 2     |

JS 190729 (2)

KINKO RAM JS 190729

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 190168 (2)

KINKO OOI JS 190168

OEL 17.2 | ILP 345 | OPI 115  
Gelam 6 | Lammers 10 | Gespeen 6

JS 180231

KINKO RAM JS 180231

JS 160818

KINKO OOI JS 160818

OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

JS 170048

KINKO RAM JS 170048

JS 170096

KINKO OOI JS 170096

OEL 16.3 | ILP 362 | OPI 108  
Gelam 3 | Lammers 5 | Gespeen 5

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160411

OEL 23.5 | ILP 232 | OPI 112  
Gelam 3 | Lammers 4 | Gespeen 4

DORWALD RAM CPG 140270

KINKO OOI JS 140602

OEL 18.6 | ILP 258 | OPI 96  
Gelam 3 | Lammers 6 | Gespeen 3

KINKO RAM JS 150536

KINKO OOI JS 140554

OEL 23.6 | ILP 253 | OPI 116  
Gelam 3 | Lammers 6 | Gespeen 6

KINKO RAM JS 150031

KINKO OOI JS 140872

OEL 27.9 | ILP 254 | OPI 89  
Gelam 2 | Lammers 3 | Gespeen 2


 LOGIX  
GENETICS CHANGES  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
4-ling van NL21-29

## Groeï

## Reproduksie

| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS | TWW | OEL | ILP |
|-----------|-----------|---------|-----|-----|-----|-----|
| 113       | 84        | 122     | 131 | 125 | 111 | 74  |
| 63%       | 61%       | 59%     | 47% | 59% | 43% | 34% |

Logix Meriete Indeks 123

Groeï Indeks 109

Reproduksie Indeks 123

|            |              |
|------------|--------------|
| Geb. Gew.  | 3.8kg        |
| Speen Gew. | 29.1kg (94)  |
| Na-Speen   | 43.1kg (103) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 13 (F)

## JS 220071

KINKO EWE JS220071



dormer



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2022-03-17 |
| <i>Age</i>         | 3.4 years  |
| <i>Inbreeding</i>  | 32.05%     |
| <i>Birth Stat.</i> | 2          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 20.1m      | 244d       | 81         |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 2     |
| <i>Lambs (Sucking)</i> | 3 (0) |
| <i>Weaned</i>          | 1     |

 JS 180022 (3)  
KINKO RAM JS 180022

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 200279 (2)  
KINKO OOI JS 200279  
AFL 20.2 | ILP - | EPI 91  
Lambled 1 | Lambs 2 | Weaned 2

 JS 160855  
KINKO RAM JS 160855

 JS 150201  
KINKO OOI JS 150201  
AFL 15.5 | ILP 285 | EPI 131  
Lambled 5 | Lambs 10 | Weaned 9

 JS 180022  
KINKO RAM JS 180022

 JS 170501  
KINKO OOI JS 170501  
AFL 16 | ILP 302 | EPI 90  
Lambled 3 | Lambs 5 | Weaned 2

 KINKO RAM JS 140752  
KINKO OOI JS 140421  
AFL 19.1 | ILP 255 | EPI 107  
Lambled 3 | Lambs 4 | Weaned 4

 KINKO RAM JS 130590  
KINKO OOI JS 120276  
AFL 28.3 | ILP 232 | EPI 174  
Lambled 8 | Lambs 13 | Weaned 11

 KINKO RAM JS 160855  
KINKO OOI JS 150201  
AFL 15.5 | ILP 285 | EPI 131  
Lambled 5 | Lambs 10 | Weaned 9

 KINKO RAM JS 150031  
KINKO OOI JS 140105  
AFL 17 | ILP 567 | EPI 101  
Lambled 3 | Lambs 6 | Weaned 4

 LOGIX  
GENETICS CENTRA  
EBV Analysis 2025-07-18

SELLER REMARKS: Dragtig met 'n 2-ling van NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 115      | 67        | 119      | 115          | 107 | 118 | 83  |
| 61%      | 57%       | 60%      | 44%          | 56% | 44% | 34% |

Logix Merit Index 111

Growth Index 102

Reproduction Index 102

|            |              |
|------------|--------------|
| Birth Wt.  | 3.6kg        |
| Wean Wt.   | 33.1kg (107) |
| Post-Wean  | 42.4kg (102) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 14 (F)

## JS 220137

KINKO OOI JS 220137



dormer



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

| . Herd Book     | SP         |     |
|-----------------|------------|-----|
| Birth date      | 2022-04-02 |     |
| Age             | 3.3 years  |     |
| Inbreeding      | 8.74%      |     |
| Birth Stat.     | 1          |     |
|                 |            |     |
| AFL             | ILP        | EPI |
| 19.2m           | 569d       | 74  |
|                 |            |     |
| Lambled         | 2          |     |
| Lambs (Sucking) | 3 (2)      |     |
| Weaned          | 0          |     |

 JS 200601 (2)  
KINKO RAM JS 200601

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 190507 (1)  
KINKO OOI JS 190507  
AFL 24.2 | ILP 305 | EPI 124  
Lambled 4 | Lambs 6 | Weaned 4

 JS 180372  
KINKO RAM JS 180372

 JS 190046  
KINKO OOI JS 190046  
AFL 17.3 | ILP - | EPI 90  
Lambled 1 | Lambs 2 | Weaned 2

 JS 170330  
KINKO RAM JS 170330

 JS 170656  
KINKO OOI JS 170656  
AFL 15.4 | ILP 248 | EPI 132  
Lambled 4 | Lambs 6 | Weaned 6

 KINKO RAM JS 160699  
KINKO OOI JS 160026  
AFL 20.9 | ILP 233 | EPI 100  
Lambled 4 | Lambs 8 | Weaned 4

 KINKO RAM JS 170299  
KINKO OOI JS 170124  
AFL 16.2 | ILP 257 | EPI 121  
Lambled 4 | Lambs 8 | Weaned 7

 KINKO RAM JS 150692  
KINKO OOI JS 140585  
AFL 24 | ILP 343 | EPI 98  
Lambled 2 | Lambs 3 | Weaned 3

 KINKO RAM JS 150423  
KINKO OOI JS 150407  
AFL 24 | ILP 357 | EPI 92  
Lambled 2 | Lambs 4 | Weaned 3

 LOGIX  
GENETICS CENTRA  
EBV Analysis 2025-07-18

SELLER REMARKS: Loop by NB21-586 vanaf 01/06/2025. Met ram JS25-234 en ooilam JS25-235.

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 113      | 92        | 121      | 107          | 110 | 113 | 64  |
| 55%      | 43%       | 50%      | 36%          | 46% | 34% | 27% |

Logix Merit Index 113

Growth Index 112

Reproduction Index 107

|            |              |
|------------|--------------|
| Birth Wt.  | 6kg          |
| Wean Wt.   | 38.4kg (124) |
| Post-Wean  | 46.8kg (112) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 15 (F)

## JS 220226

KINKO OOI JS 220226



dormer



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

|                 |            |     |
|-----------------|------------|-----|
| . Herd Book     | SP         |     |
| Birth date      | 2022-06-29 |     |
| Age             | 3.1 years  |     |
| Inbreeding      | 7.43%      |     |
| Birth Stat.     | 2          |     |
| AFL             | ILP        | EPI |
| 20.2m           | 244d       | 102 |
| Lambled         | 2          |     |
| Lambs (Sucking) | 3 (0)      |     |
| Weaned          | 3          |     |

 JS 210100 (1)  
KINKO RAM JS210100

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 200624 (2)  
KINKO OOI JS 200624  
AFL 14.5 | ILP 281 | EPI 98  
Lambled 3 | Lambs 5 | Weaned 3

 JS 190696  
KINKO RAM JS 190696

 JS 180359  
KINKO EWE JS180359  
AFL 23.9 | ILP 328 | EPI 95  
Lambled 2 | Lambs 2 | Weaned 2

 JS 180777  
KINKO RAM JS 180777

 JS 180550  
KINKO OOI JS 180550  
AFL 15.7 | ILP 312 | EPI 100  
Lambled 3 | Lambs 5 | Weaned 4

 KINKO RAM JS 180231  
KINKO OOI JS 160302  
AFL 16.5 | ILP 245 | EPI 208  
Lambled 7 | Lambs 16 | Weaned 10

 KINKO RAM JS 160973  
KINKO OOI JS 150411  
AFL 15.3 | ILP 309 | EPI 111  
Lambled 3 | Lambs 5 | Weaned 5

 KINKO RAM JS 170338  
KINKO OOI JS 150069  
AFL 17.3 | ILP 276 | EPI 161  
Lambled 5 | Lambs 9 | Weaned 9

 KINKO RAM JS 150564  
KINKO EWE JS 160016  
AFL 17.2 | ILP 357 | EPI 106  
Lambled 4 | Lambs 6 | Weaned 4

 LOGIX  
GENETICS CENTRA  
EBV Analysis 2025-07-18

SELLER REMARKS: Loop by ram NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 108      | 100       | 114      | 131          | 128 | 107 | 81  |
| 59%      | 60%       | 56%      | 41%          | 55% | 37% | 30% |

Logix Merit Index 125

Growth Index 111

Reproduction Index 131

|            |              |
|------------|--------------|
| Birth Wt.  | 5.8kg        |
| Wean Wt.   | 40.6kg (122) |
| Post-Wean  | 36.8kg (98)  |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 16 (F)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 220250

KINKO OOI JS 220250

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-07-02 |
| Oud.        | 3.1 jaar   |
| Inteling    | 6.78%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 16.2m | 257d | 85  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 2 (0) |
| Gespeen        | 1     |

JS 210100 (1)

KINKO RAM JS210100

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 200418 (2)

KINKO OOI JS 200418

OEL 23.6 | ILP - | OPI 94  
Gelam 1 | Lammers 2 | Gespeen 2

JS 190696

KINKO RAM JS 190696

JS 180359

KINKO EWE JS180359

OEL 23.9 | ILP 328 | OPI 95  
Gelam 2 | Lammers 2 | Gespeen 2

JS 180777

KINKO RAM JS 180777

JS 180364

KINKO OOI JS 180364

OEL 16 | ILP 248 | OPI 90  
Gelam 2 | Lammers 3 | Gespeen 2

KINKO RAM JS 180231

KINKO OOI JS 160302

OEL 16.5 | ILP 245 | OPI 208  
Gelam 7 | Lammers 16 | Gespeen 10

KINKO RAM JS 160973

KINKO OOI JS 150411

OEL 15.3 | ILP 309 | OPI 111  
Gelam 3 | Lammers 5 | Gespeen 5

KINKO RAM JS 170338

KINKO OOI JS 150069

OEL 17.3 | ILP 276 | OPI 161  
Gelam 5 | Lammers 9 | Gespeen 9

REMKUIL RAM JT 160588

KINKO OOI JS 160545

OEL 23.6 | ILP 248 | OPI 105  
Gelam 3 | Lammers 4 | Gespeen 4

**LOGIX**  
GENETICS CENTRAL  
EBV Analyse 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
3-ling van NL21-29

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 108       | 96        | 120     | 119         | 118 | 107 | 83  |
| 56%       | 52%       | 55%     | 40%         | 51% | 38% | 29% |

Logix Meriete Indeks 117

Groeï Indeks 109

Reproduksie Indeks 119

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.5kg        |
| Speen Gew. | 38.5kg (115) |
| Na-Speen   | 42.8kg (114) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 17 (F)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 220275

KINKO OOI JS 220275

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-07-05 |
| Oud.        | 3.1 jaar   |
| Inteling    | 5.61%      |
| Geb. Status | 2          |

|     |      |     |
|-----|------|-----|
| OEL | ILP  | OPI |
| 16m | 281d | 94  |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 4 (1) |
| Gespeen        | 3     |

JS 190729 (2)

KINKO RAM JS 190729

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 190419 (2)

KINKO OOI JS 190419

OEL 20.1 | ILP 238 | OPI 95  
Gelam 3 | Lammers 5 | Gespeen 3

JS 180231

KINKO RAM JS 180231

JS 160818

KINKO OOI JS 160818

OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

JS 160855

KINKO RAM JS 160855

JS 160315

KINKO OOI JS 160315

OEL 16.2 | ILP 314 | OPI 123  
Gelam 4 | Lammers 7 | Gespeen 6

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160411

OEL 23.5 | ILP 232 | OPI 112  
Gelam 3 | Lammers 4 | Gespeen 4

DORWALD RAM CPG 140270

KINKO OOI JS 140602

OEL 18.6 | ILP 258 | OPI 96  
Gelam 3 | Lammers 6 | Gespeen 3

KINKO RAM JS 140752

KINKO OOI JS 140421

OEL 19.1 | ILP 255 | OPI 107  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 150045

KINKO OOI JS 140074

OEL 17.2 | ILP 349 | OPI 92  
Gelam 2 | Lammers 4 | Gespeen 3

**LOGIX**  
GENETICS CENTRAL  
EBV Analyse 2025-07-18

VERKOPER OPMERKINGS: Met  
ramlamJS25-221. Loop by NB21-586 vanaf  
01/06/2025

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 110       | 67        | 116     | 125         | 112 | 117 | 80  |
| 64%       | 63%       | 62%     | 47%         | 60% | 44% | 34% |

Logix Meriete Indeks 112

Groeï Indeks 97

Reproduksie Indeks 109

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.8kg       |
| Speen Gew. | 28.3kg (85) |
| Na-Speen   | 35.4kg (94) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 18 (F)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 220294

KINKO OOI JS 220294

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-07-07 |
| Oud.        | 3.1 jaar   |
| Inteling    | 10.53%     |
| Geb. Status | 2          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 19.8m | -   | 93  |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 3 (0) |
| Gespeen        | 2     |

JS 210100 (1)

KINKO RAM JS210100

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 200629 (2)

KINKO OOI JS 200629

OEL 22.4 | ILP 241 | OPI 97  
Gelam 2 | Lammers 3 | Gespeen 3

JS 190696

KINKO RAM JS 190696

JS 180359

KINKO EWE JS180359

OEL 23.9 | ILP 328 | OPI 95  
Gelam 2 | Lammers 2 | Gespeen 2

JS 180777

KINKO RAM JS 180777

JS 180584

KINKO OOI JS 180584

OEL 14.5 | ILP 324 | OPI 103  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 180231

KINKO OOI JS 160302

OEL 16.5 | ILP 245 | OPI 208  
Gelam 7 | Lammers 16 | Gespeen 10

KINKO RAM JS 160973

KINKO OOI JS 150411

OEL 15.3 | ILP 309 | OPI 111  
Gelam 3 | Lammers 5 | Gespeen 5

KINKO RAM JS 170338

KINKO OOI JS 150069

OEL 17.3 | ILP 276 | OPI 161  
Gelam 5 | Lammers 9 | Gespeen 9

KINKO RAM JS 160973

KINKO OOI JS 160972

OEL 20.3 | ILP 366 | OPI 102  
Gelam 2 | Lammers 4 | Gespeen 4

**LOGIX**  
GENETICS CENTRAL  
EBV Analyse 2025-07-18

VERKOPER OPMERKINGS: Loop by ram  
NL21-29

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 104       | 93        | 110     | 132         | 124 | 112 | 83  |
| 58%       | 57%       | 54%     | 38%         | 53% | 38% | 25% |

Logix Meriete Indeks 121

Groeï Indeks 104

Reproduksie Indeks 129

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.1kg       |
| Speen Gew. | 29.6kg (89) |
| Na-Speen   | 33.4kg (89) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 19 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 220307

KINKO OOI JS 220307

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2022-07-07 |
| Age         | 3.1 years  |
| Inbreeding  | 9.93%      |
| Birth Stat. | 2          |

| AFL   | ILP  | EPI |
|-------|------|-----|
| 15.8m | 254d | 96  |

|                 |       |
|-----------------|-------|
| Lambled         | 2     |
| Lambs (Sucking) | 2 (0) |
| Weaned          | 2     |

 JS 200391 (3)  
 KINKO RAM JS 200391

Parentage Sire Dam

DNA

Genomic

 JS 210039 (2)  
 KINKO OOI JS210039

 AFL 16.1 | ILP - | EPI 86  
 Lambled 1 | Lambs 2 | Weaned 1

 JS 180001  
 KINKO RAM JS 180001

 JS 170016  
 KINKO OOI JS 170016  
 AFL 17 | ILP 240 | EPI 129  
 Lambled 4 | Lambs 8 | Weaned 8

 JS 190696  
 KINKO RAM JS 190696

 JS 180674  
 KINKO OOI JS 180674  
 AFL 23.3 | ILP 313 | EPI 115  
 Lambled 3 | Lambs 6 | Weaned 5

KINKO RAM JS 160855

 KINKO OOI JS 150312  
 AFL 15.4 | ILP 249 | EPI 132  
 Lambled 4 | Lambs 8 | Weaned 8

KINKO RAM JS 150031

 KINKO OOI JS 150545  
 AFL 18.7 | ILP 500 | EPI 93  
 Lambled 2 | Lambs 4 | Weaned 3

 KINKO RAM JS 180231  
 KINKO OOI JS 160302

 AFL 16.5 | ILP 245 | EPI 208  
 Lambled 7 | Lambs 16 | Weaned 10

KINKO RAM JS 170001

 KINKO OOI JS 170133  
 AFL 16.6 | ILP 239 | EPI 122  
 Lambled 4 | Lambs 8 | Weaned 7

 LOGIX  
 GENETICS CENTRA  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 'n 2-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 108      | 100       | 111      | 119          | 119 | 116 | 93  |
| 58%      | 56%       | 57%      | 40%          | 53% | 38% | 29% |

Logix Merit Index 122

Growth Index 111

Reproduction Index 125

|            |             |
|------------|-------------|
| Birth Wt.  | 3.7kg       |
| Wean Wt.   | 32.6kg (98) |
| Post-Wean  | 31.1kg (83) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 20 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 220328

KINKO OOI JS 220328

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2022-07-09 |
| Age         | 3.1 years  |
| Inbreeding  | 8.62%      |
| Birth Stat. | 2          |

| AFL | ILP  | EPI |
|-----|------|-----|
| 16m | 253d | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 3     |
| Lambs (Sucking) | 6 (1) |
| Weaned          | 2     |

 JS 210100 (1)  
 KINKO RAM JS210100

Parentage Sire Dam

DNA

Genomic

 JS 200308 (1)  
 KINKO OOI JS 200308

 AFL 24 | ILP - | EPI 93  
 Lambled 1 | Lambs 2 | Weaned 2

 JS 190696  
 KINKO RAM JS 190696

 JS 180359  
 KINKO EWE JS180359  
 AFL 23.9 | ILP 328 | EPI 95  
 Lambled 2 | Lambs 2 | Weaned 2

 JS 180001  
 KINKO RAM JS 180001

 JS 170024  
 KINKO OOI JS 170024  
 AFL 16.5 | ILP 243 | EPI 107  
 Lambled 4 | Lambs 4 | Weaned 4

KINKO RAM JS 180231

 KINKO OOI JS 160302  
 AFL 16.5 | ILP 245 | EPI 208  
 Lambled 7 | Lambs 16 | Weaned 10

KINKO RAM JS 160973

 KINKO OOI JS 150411  
 AFL 15.3 | ILP 309 | EPI 111  
 Lambled 3 | Lambs 5 | Weaned 5

 KINKO RAM JS 160855  
 KINKO OOI JS 150312

 AFL 15.4 | ILP 249 | EPI 132  
 Lambled 4 | Lambs 8 | Weaned 8

KINKO RAM JS 150490

 KINKO OOI JS 150030  
 AFL 16.7 | ILP 237 | EPI 152  
 Lambled 4 | Lambs 9 | Weaned 9

 LOGIX  
 GENETICS CENTRA  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 'n 2-ling van  
 NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 108      | 99        | 118      | 136          | 132 | 108 | 92  |
| 58%      | 57%       | 57%      | 42%          | 54% | 39% | 30% |

Logix Merit Index 128

Growth Index 110

Reproduction Index 136

|            |             |
|------------|-------------|
| Birth Wt.  | 3.7kg       |
| Wean Wt.   | 31.8kg (95) |
| Post-Wean  | 40kg (107)  |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 21 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 220337

KINKO OOI JS 220337

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2022-07-10 |
| Age         | 3.1 years  |
| Inbreeding  | 7.63%      |
| Birth Stat. | 2          |

| AFL   | ILP  | EPI |
|-------|------|-----|
| 15.8m | 298d | 84  |

|                 |       |
|-----------------|-------|
| Lambled         | 3     |
| Lambs (Sucking) | 4 (2) |
| Weaned          | 1     |

 JS 210016 (1)  
 KINKO RAM JS210016

Parentage Sire Dam

DNA

Genomic

 JS 200280 (2)  
 KINKO OOI JS 200280

 AFL 15.6 | ILP 333 | EPI 93  
 Lambled 3 | Lambs 6 | Weaned 2

 JS 190714  
 KINKO RAM JS 190714

 JS 180389  
 KINKO OOI JS 180389  
 AFL 14.5 | ILP 261 | EPI 100  
 Lambled 4 | Lambs 6 | Weaned 4

 JS 180022  
 KINKO RAM JS 180022

 JS 170501  
 KINKO OOI JS 170501  
 AFL 16 | ILP 302 | EPI 90  
 Lambled 3 | Lambs 5 | Weaned 2

KINKO RAM JS 180231

 KINKO OOI JS 170207  
 AFL 16.1 | ILP 258 | EPI 109  
 Lambled 4 | Lambs 5 | Weaned 4

REMKUIL RAM JT 160588

 KINKO OOI JS 150109  
 AFL 16.2 | ILP 362 | EPI 101  
 Lambled 3 | Lambs 5 | Weaned 4

 KINKO RAM JS 160855  
 KINKO OOI JS 150201

 AFL 15.5 | ILP 285 | EPI 131  
 Lambled 5 | Lambs 10 | Weaned 9

KINKO RAM JS 150031

 KINKO OOI JS 140105  
 AFL 17 | ILP 567 | EPI 101  
 Lambled 3 | Lambs 6 | Weaned 4

 LOGIX  
 GENETICS CENTRA  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Met ramlam JS25-246 en  
 oilam JS25-247. Loop by NB21-586 vanaf  
 01/06/2025

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 91        | 130      | 122          | 121 | 112 | 76  |
| 58%      | 54%       | 56%      | 40%          | 52% | 40% | 32% |

Logix Merit Index 122

Growth Index 112

Reproduction Index 120

|            |              |
|------------|--------------|
| Birth Wt.  | 5kg          |
| Wean Wt.   | 39.2kg (117) |
| Post-Wean  | 44.1kg (118) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 22 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220342

KINKO OOI JS 220342

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-07-11 |
| Oud.        | 3 jaar     |
| Inteling    | 8.06%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 24.2m | 251d | 96  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 4 (1) |
| Gespeen        | 3     |

JS 210015 (1)  
KINKO RAM JS210015

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200772 (2)  
KINKO OOI JS 200772  
OEL 20 | ILP 244 | OPI 89  
Gelam 2 | Lammers 4 | Gespeen 3

JS 180159  
KINKO RAM JS 180159

JS 180082  
KINKO OOI JS 180082  
OEL 15.7 | ILP 279 | OPI 103  
Gelam 4 | Lammers 7 | Gespeen 5

JS 180001  
KINKO RAM JS 180001

JS 170718  
KINKO OOI JS 170718  
OEL 22.1 | ILP 242 | OPI 100  
Gelam 3 | Lammers 6 | Gespeen 4

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160603  
OEL 23.1 | ILP 307 | OPI 98  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 150564  
KINKO OOI JS 160946  
OEL 16.7 | ILP 231 | OPI 110  
Gelam 3 | Lammers 6 | Gespeen 5

KINKO RAM JS 160855  
KINKO OOI JS 150312  
OEL 15.4 | ILP 249 | OPI 132  
Gelam 4 | Lammers 8 | Gespeen 8

DROERIVIER RAM DZ 140002  
KINKO OOI JS 140057  
OEL 17.9 | ILP 276 | OPI 120  
Gelam 6 | Lammers 9 | Gespeen 7

LOGIX  
GENETICS CENTRAL  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
3-ling van NB21-488

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 108       | 88        | 105     | 136         | 130 | 114 | 108 |
| 60%       | 60%       | 53%     | 39%         | 55% | 39% | 31% |

Logix Meriete Indeks 126

Groeï Indeks 105

Reproduksie Indeks 133

|            |             |
|------------|-------------|
| Geb. Gew.  | 3.8kg       |
| Speen Gew. | 33.2kg (99) |
| Na-Speen   | -           |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 23 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220343

KINKO OOI JS 220343

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-07-11 |
| Oud.        | 3 jaar     |
| Inteling    | 8.25%      |
| Geb. Status | 1          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 15.9m | 236d | 92  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 2 (0) |
| Gespeen        | 2     |

JS 210094 (2)  
KINKO RAM JS 210094

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 190416 (2)  
KINKO OOI JS 190416  
OEL 23.7 | ILP 321 | OPI 110  
Gelam 4 | Lammers 5 | Gespeen 4

JS 190729  
KINKO RAM JS 190729

JS 180297  
KINKO OOI JS 180297  
OEL 23.9 | ILP 237 | OPI 137  
Gelam 4 | Lammers 8 | Gespeen 7

JS 160855  
KINKO RAM JS 160855

JS 160409  
KINKO OOI JS 160409  
OEL 27.6 | ILP 251 | OPI 101  
Gelam 2 | Lammers 4 | Gespeen 4

KINKO RAM JS 180231  
KINKO OOI JS 160818  
OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 160105  
KINKO OOI JS 160982  
OEL 19.9 | ILP 353 | OPI 92  
Gelam 3 | Lammers 6 | Gespeen 2

KINKO RAM JS 140752  
KINKO OOI JS 140421  
OEL 19.1 | ILP 255 | OPI 107  
Gelam 3 | Lammers 4 | Gespeen 4

J.O.R RAM JOR 120176  
KINKO OOI JS 130058  
OEL 16.4 | ILP 244 | OPI 109  
Gelam 7 | Lammers 9 | Gespeen 6

LOGIX  
GENETICS CENTRAL  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
2-ling van NB21-488

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 116       | 80        | 126     | 108         | 108 | 112 | 74  |
| 60%       | 58%       | 57%     | 43%         | 55% | 40% | 31% |

Logix Meriete Indeks 112

Groeï Indeks 109

Reproduksie Indeks 102

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.9kg        |
| Speen Gew. | 35.3kg (106) |
| Na-Speen   | 47.2kg (126) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 24 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220362

KINKO OOI JS 220362

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-07-13 |
| Oud.        | 3 jaar     |
| Inteling    | 8.67%      |
| Geb. Status | 3          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 19.5m | 251d | 102 |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 4 (0) |
| Gespeen        | 4     |

JS 210100 (1)  
KINKO RAM JS210100

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200432 (3)  
KINKO OOI JS 200432  
OEL 16.3 | ILP 331 | OPI 120  
Gelam 4 | Lammers 11 | Gespeen 5

JS 190696  
KINKO RAM JS 190696

JS 180359  
KINKO EWE JS180359  
OEL 23.9 | ILP 328 | OPI 95  
Gelam 2 | Lammers 2 | Gespeen 2

JS 180001  
KINKO RAM JS 180001

JS 170133  
KINKO OOI JS 170133  
OEL 16.6 | ILP 239 | OPI 122  
Gelam 4 | Lammers 8 | Gespeen 7

KINKO RAM JS 180231  
KINKO OOI JS 160302  
OEL 16.5 | ILP 245 | OPI 208  
Gelam 7 | Lammers 16 | Gespeen 10

KINKO RAM JS 160973  
KINKO OOI JS 150411  
OEL 15.3 | ILP 309 | OPI 111  
Gelam 3 | Lammers 5 | Gespeen 5

KINKO RAM JS 160855  
KINKO OOI JS 150312  
OEL 15.4 | ILP 249 | OPI 132  
Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 150564  
KINKO OOI JS 140900  
OEL 20.6 | ILP 322 | OPI 121  
Gelam 4 | Lammers 8 | Gespeen 6

LOGIX  
GENETICS CENTRAL  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 1-ling  
van NL21-29

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 110       | 79        | 112     | 136         | 138 | 90  | 100 |
| 61%       | 63%       | 59%     | 43%         | 58% | 40% | 31% |

Logix Meriete Indeks 119

Groeï Indeks 103

Reproduksie Indeks 119

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.2kg        |
| Speen Gew. | 37.8kg (113) |
| Na-Speen   | 38.2kg (102) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 25 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220364

KINKO OOI JS 220364

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2022-07-13 |
| Age         | 3 years    |
| Inbreeding  | 7.61%      |
| Birth Stat. | 2          |

| AFL   | ILP  | EPI |
|-------|------|-----|
| 16.3m | 276d | 96  |

|                 |       |
|-----------------|-------|
| Lambled         | 3     |
| Lambs (Sucking) | 6 (2) |
| Weaned          | 3     |

 JS 210094 (2)  
 KINKO RAM JS 210094

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 190752 (2)  
 KINKO OOI JS 190752

 AFL 17.1 | ILP 375 | EPI 133  
 Lambled 4 | Lambs 9 | Weaned 5

 JS 190729  
 KINKO RAM JS 190729

 JS 180297  
 KINKO OOI JS 180297  
 AFL 23.9 | ILP 237 | EPI 137  
 Lambled 4 | Lambs 8 | Weaned 7

 JS 170341  
 KINKO RAM JS 170341

 JS 180616  
 KINKO OOI JS 180616  
 AFL 15.6 | ILP 308 | EPI 96  
 Lambled 3 | Lambs 5 | Weaned 3

 KINKO RAM JS 180231  
 KINKO OOI JS 160818  
 AFL 20.4 | ILP 243 | EPI 116  
 Lambled 4 | Lambs 8 | Weaned 5

 KINKO RAM JS 160105  
 KINKO OOI JS 160982  
 AFL 19.9 | ILP 353 | EPI 92  
 Lambled 3 | Lambs 6 | Weaned 2

 KINKO RAM JS 150692  
 KINKO OOI JS 140624  
 AFL 18.4 | ILP 436 | EPI 128  
 Lambled 4 | Lambs 6 | Weaned 6

 KINKO RAM JS 150564  
 KINKO OOI JS 160836  
 AFL 20.7 | ILP 364 | EPI 101  
 Lambled 2 | Lambs 4 | Weaned 4

 LOGIX  
 GENETIC CHANCE  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Met ramlam JS25-226 en  
 ooilam JS25-227. Loop by NB21-586 vanaf  
 01/06/2025

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 109      | 73        | 109      | 131          | 118 | 105 | 71  |
| 62%      | 61%       | 57%      | 42%          | 57% | 39% | 29% |

Logix Merit Index 113

Growth Index 99

Reproduction Index 112

|            |             |
|------------|-------------|
| Birth Wt.  | 4.9kg       |
| Wean Wt.   | 30.5kg (91) |
| Post-Wean  | 35.8kg (95) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 26 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220406

KINKO OOI JS 220406

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2022-07-16 |
| Age         | 3 years    |
| Inbreeding  | 7.81%      |
| Birth Stat. | 3          |

| AFL   | ILP  | EPI |
|-------|------|-----|
| 15.6m | 246d | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 3     |
| Lambs (Sucking) | 5 (0) |
| Weaned          | 2     |

 JS 210016 (1)  
 KINKO RAM JS210016

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 200332 (2)  
 KINKO OOI JS 200332

 AFL 15.6 | ILP 336 | EPI 127  
 Lambled 6 | Lambs 11 | Weaned 5

 JS 190714  
 KINKO RAM JS 190714

 JS 180389  
 KINKO OOI JS 180389  
 AFL 14.5 | ILP 261 | EPI 100  
 Lambled 4 | Lambs 6 | Weaned 4

 JS 180316  
 KINKO RAM JS 180316

 JS 180249  
 KINKO EWE JS180249  
 AFL 24.1 | ILP 237 | EPI 96  
 Lambled 4 | Lambs 6 | Weaned 3

 KINKO RAM JS 180231  
 KINKO OOI JS 170207  
 AFL 16.1 | ILP 258 | EPI 109  
 Lambled 4 | Lambs 5 | Weaned 4

 REMKUIL RAM JT 160588  
 KINKO OOI JS 150109  
 AFL 16.2 | ILP 362 | EPI 101  
 Lambled 3 | Lambs 5 | Weaned 4

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 150068  
 AFL 17 | ILP 351 | EPI 104  
 Lambled 3 | Lambs 5 | Weaned 4

 KINKO RAM JS 160142  
 KINKO OOI JS 160002  
 AFL 17.2 | ILP 300 | EPI 110  
 Lambled 3 | Lambs 4 | Weaned 4

 LOGIX  
 GENETIC CHANCE  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 2-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 108      | 96        | 124      | 136          | 130 | 106 | 101 |
| 60%      | 58%       | 57%      | 42%          | 55% | 39% | 31% |

Logix Merit Index 127

Growth Index 109

Reproduction Index 134

|            |             |
|------------|-------------|
| Birth Wt.  | 4.6kg       |
| Wean Wt.   | 35kg (105)  |
| Post-Wean  | 36.1kg (96) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 27 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220413

KINKO OOI JS 220413

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2022-07-17 |
| Age         | 3 years    |
| Inbreeding  | 9.74%      |
| Birth Stat. | 3          |

| AFL   | ILP  | EPI |
|-------|------|-----|
| 16.1m | 224d | 90  |

|                 |       |
|-----------------|-------|
| Lambled         | 2     |
| Lambs (Sucking) | 2 (0) |
| Weaned          | 2     |

 JS 210016 (1)  
 KINKO RAM JS210016

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 200356 (2)  
 KINKO OOI JS 200356

 AFL 15.4 | ILP 267 | EPI 94  
 Lambled 2 | Lambs 4 | Weaned 2

 JS 190714  
 KINKO RAM JS 190714

 JS 180389  
 KINKO OOI JS 180389  
 AFL 14.5 | ILP 261 | EPI 100  
 Lambled 4 | Lambs 6 | Weaned 4

 JS 180245  
 KINKO RAM JS180245

 JS 180082  
 KINKO OOI JS 180082  
 AFL 15.7 | ILP 279 | EPI 103  
 Lambled 4 | Lambs 7 | Weaned 5

 KINKO RAM JS 180231  
 KINKO OOI JS 170207  
 AFL 16.1 | ILP 258 | EPI 109  
 Lambled 4 | Lambs 5 | Weaned 4

 REMKUIL RAM JT 160588  
 KINKO OOI JS 150109  
 AFL 16.2 | ILP 362 | EPI 101  
 Lambled 3 | Lambs 5 | Weaned 4

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160410  
 AFL 23.5 | ILP - | EPI 93  
 Lambled 1 | Lambs 2 | Weaned 2

 KINKO RAM JS 150564  
 KINKO OOI JS 160946  
 AFL 16.7 | ILP 231 | EPI 110  
 Lambled 3 | Lambs 6 | Weaned 5

 LOGIX  
 GENETIC CHANCE  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 2-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 103      | 87        | 117      | 129          | 118 | 108 | 107 |
| 59%      | 58%       | 57%      | 43%          | 55% | 39% | 31% |

Logix Merit Index 118

Growth Index 100

Reproduction Index 123

|            |              |
|------------|--------------|
| Birth Wt.  | 3.6kg        |
| Wean Wt.   | 34.2kg (102) |
| Post-Wean  | 41.7kg (111) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 28 (F)

## JS 220417

KINKO OOI JS 220417



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2022-07-17 |
| Oud.        | 3 jaar     |
| Inteling    | 13.06%     |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 15.8m | 247d | 99  |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 6 (0) |
| Gespeen        | 3     |

JS 200391 (3)

KINKO RAM JS 200391

Ouerskap Vaar Moer

DNS

Genomies

JS 210047 (1)

KINKO OOI JS 210047

 OEL 16.3 | ILP - | OPI 88  
 Gelam 1 | Lammers 2 | Gespeen 2

JS 180001

KINKO RAM JS 180001

JS 170016

KINKO OOI JS 170016

 OEL 17 | ILP 240 | OPI 129  
 Gelam 4 | Lammers 8 | Gespeen 8

JS 180022

KINKO RAM JS 180022

JS 180848

KINKO OOI JS 180848

 OEL 19.7 | ILP 237 | OPI 112  
 Gelam 4 | Lammers 7 | Gespeen 5

KINKO RAM JS 160855

KINKO OOI JS 150312

 OEL 15.4 | ILP 249 | OPI 132  
 Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 150031

KINKO OOI JS 150545

 OEL 18.7 | ILP 500 | OPI 93  
 Gelam 2 | Lammers 4 | Gespeen 3

KINKO RAM JS 160855

KINKO OOI JS 150201

 OEL 15.5 | ILP 285 | OPI 131  
 Gelam 3 | Lammers 10 | Gespeen 9

KINKO RAM JS 150535

KINKO OOI JS 170675

 OEL 16 | ILP 247 | OPI 132  
 Gelam 4 | Lammers 6 | Gespeen 6

| Groe      |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 105       | 87        | 110     | 121         | 114 | 123 | 101 |
| 60%       | 59%       | 58%     | 41%         | 55% | 39% | 29% |

Logix Meriete Indeks 117

Groe Indeks 102

Reproduksie Indeks 121

|            |             |
|------------|-------------|
| Geb. Gew.  | 4kg         |
| Speen Gew. | 29kg (87)   |
| Na-Speen   | 33.7kg (90) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

 VERKOPER OPMERKINGS: Dragtig met 2-ling  
 van NB21-488

 LOGIX  
 GENETICS ONLINE  
 EBV Analyse 2025-07-18

## LOT 29 (F)

## JS 220427

KINKO OOI JS 220427



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2022-07-18 |
| Oud.        | 3 jaar     |
| Inteling    | 8.3%       |
| Geb. Status | 3          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 16.1m | 276d | 96  |

|                |       |
|----------------|-------|
| Gelam          | 3     |
| Lammers (Soog) | 7 (3) |
| Gespeen        | 3     |

JS 210100 (1)

KINKO RAM JS210100

Ouerskap Vaar Moer

DNS

Genomies

JS 200645 (1)

KINKO OOI JS 200645

 OEL 14.3 | ILP 256 | OPI 91  
 Gelam 2 | Lammers 4 | Gespeen 2

JS 190696

KINKO RAM JS 190696

JS 180359

KINKO EWE JS180359

 OEL 23.9 | ILP 328 | OPI 95  
 Gelam 2 | Lammers 2 | Gespeen 2

JS 180372

KINKO RAM JS 180372

JS 190042

KINKO OOI JS 190042

 OEL 17.6 | ILP 394 | OPI 96  
 Gelam 4 | Lammers 7 | Gespeen 4

KINKO RAM JS 180231

KINKO OOI JS 160302

 OEL 16.5 | ILP 245 | OPI 208  
 Gelam 7 | Lammers 16 | Gespeen 10

KINKO RAM JS 160973

KINKO OOI JS 150411

 OEL 15.3 | ILP 309 | OPI 111  
 Gelam 2 | Lammers 5 | Gespeen 5

KINKO RAM JS 160699

KINKO OOI JS 160026

 OEL 20.9 | ILP 233 | OPI 100  
 Gelam 4 | Lammers 8 | Gespeen 4

KINKO RAM JS 160855

KINKO OOI JS 160196

 OEL 12.7 | ILP 239 | OPI 116  
 Gelam 5 | Lammers 7 | Gespeen 5

| Groe      |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 114       | 81        | 119     | 136         | 128 | 109 | 74  |
| 59%       | 59%       | 56%     | 40%         | 55% | 38% | 30% |

Logix Meriete Indeks 124

Groe Indeks 108

Reproduksie Indeks 125

|            |              |
|------------|--------------|
| Geb. Gew.  | 5kg          |
| Speen Gew. | 41.2kg (123) |
| Na-Speen   | 41.4kg (110) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

 VERKOPER OPMERKINGS: Loop by NB21-586  
 vanaf 01/06/2025. Met ramlam JS25-228,  
 ramlam JS25-229 (dood) en ooilam JS25-230

 LOGIX  
 GENETICS ONLINE  
 EBV Analyse 2025-07-18

## LOT 30 (F)

## JS 220550

KINKO EWE JS 220550



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2022-08-13 |
| Oud.        | 3 jaar     |
| Inteling    | 8.59%      |
| Geb. Status | 1          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| -   | -   | -   |

JS 200391 (3)

KINKO RAM JS 200391

Ouerskap Vaar Moer

DNS

Genomies

JS 210107 (2)

KINKO OOI JS 210107

 OEL 16.9 | ILP - | OPI 86  
 Gelam 1 | Lammers 1 | Gespeen 1

JS 180001

KINKO RAM JS 180001

JS 170016

KINKO OOI JS 170016

 OEL 17 | ILP 240 | OPI 129  
 Gelam 4 | Lammers 8 | Gespeen 8

JS 190714

KINKO RAM JS 190714

JS 180618

KINKO OOI JS 180618

 OEL 15.7 | ILP 287 | OPI 173  
 Gelam 6 | Lammers 9 | Gespeen 8

KINKO RAM JS 160855

KINKO OOI JS 150312

 OEL 15.4 | ILP 249 | OPI 132  
 Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 150031

KINKO OOI JS 150545

 OEL 18.7 | ILP 500 | OPI 93  
 Gelam 2 | Lammers 4 | Gespeen 3

KINKO RAM JS 180231

KINKO OOI JS 170207

 OEL 16.1 | ILP 258 | OPI 109  
 Gelam 4 | Lammers 5 | Gespeen 4

KINKO RAM JS 160934

KINKO EWE JS 160246

 OEL 15.5 | ILP 364 | OPI 121  
 Gelam 3 | Lammers 6 | Gespeen 6

| Groe      |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 104       | 107       | 113     | 116         | 117 | 115 | 99  |
| 56%       | 45%       | 54%     | 34%         | 47% | 31% | 23% |

Logix Meriete Indeks 121

Groe Indeks 111

Reproduksie Indeks 127

|            |             |
|------------|-------------|
| Geb. Gew.  | 3.6kg       |
| Speen Gew. | 35.3kg (98) |
| Na-Speen   | 37.8kg (96) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

 VERKOPER OPMERKINGS: Loop by ram  
 NB21-488

 LOGIX  
 GENETICS ONLINE  
 EBV Analyse 2025-07-18

## LOT 31 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220585

KINKO OOI JS 220585

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2022-09-20 |
| Age         | 2.9 years  |
| Inbreeding  | 5.68%      |
| Birth Stat. | 3          |

|       |     |     |
|-------|-----|-----|
| AFL   | ILP | EPI |
| 17.8m | -   | 94  |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 2 (0) |
| Weaned          | 2     |

JT 190694 (4)

REM KUIL RAM JT 190694

Parentage Sire Dam

DNA

Genomic

JS 190709 (2)

KINKO OOI JS 190709

 AFL 20.2 | ILP 220 | EPI 91  
 Lambled 3 | Lambs 7 | Weaned 3

JT 170622

REM KUIL RAM JT 170622

JT 170358

REM KUIL OOI JT 170358

 AFL 15.6 | ILP 299 | EPI 109  
 Lambled 3 | Lambs 7 | Weaned 7

JS 180245

KINKO RAM JS180245

JS 180004

KINKO OOI JS 180004

 AFL 20 | ILP - | EPI 94  
 Lambled 1 | Lambs 2 | Weaned 2

KINKO RAM JS 140932

REM KUIL OOI JT 150464

 AFL 23.5 | ILP 350 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 6

REM KUIL RAM JT 150031

REM KUIL OOI JT 140339

 AFL 15.7 | ILP 365 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 7

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160410

 AFL 23.5 | ILP - | EPI 93  
 Lambled 1 | Lambs 2 | Weaned 2

KINKO RAM JS 160855

KINKO OOI JS 150632

 AFL 20.8 | ILP 249 | EPI 98  
 Lambled 3 | Lambs 3 | Weaned 2

 LOGIX  
 GENETIC ANALYSIS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 2-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 101      | 75        | 108      | 95           | 87  | 104 | 101 |
| 62%      | 61%       | 53%      | 46%          | 58% | 45% | 32% |

Logix Merit Index 92

Growth Index 92

Reproduction Index 84

|            |             |
|------------|-------------|
| Birth Wt.  | 4kg         |
| Wean Wt.   | 21.9kg (70) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 32 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220589

KINKO OOI JS 220589

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2022-09-21 |
| Age         | 2.9 years  |
| Inbreeding  | 5.99%      |
| Birth Stat. | 2          |

|       |     |     |
|-------|-----|-----|
| AFL   | ILP | EPI |
| 22.5m | -   | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 1 (0) |
| Weaned          | 1     |

JT 190694 (4)

REM KUIL RAM JT 190694

Parentage Sire Dam

DNA

Genomic

JS 200254 (2)

KINKO OOI JS 200254

 AFL 20.5 | ILP 235 | EPI 96  
 Lambled 3 | Lambs 4 | Weaned 2

JT 170622

REM KUIL RAM JT 170622

JT 170358

REM KUIL OOI JT 170358

 AFL 15.6 | ILP 299 | EPI 109  
 Lambled 3 | Lambs 7 | Weaned 7

JS 180782

KINKO RAM JS 180782

JS 180157

KINKO OOI JS 180157

 AFL 24.2 | ILP 376 | EPI 101  
 Lambled 2 | Lambs 4 | Weaned 4

KINKO RAM JS 140932

REM KUIL OOI JT 150464

 AFL 23.5 | ILP 350 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 6

REM KUIL RAM JT 150031

REM KUIL OOI JT 140339

 AFL 15.7 | ILP 365 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 7

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160685

 AFL 27.3 | ILP 302 | EPI 116  
 Lambled 3 | Lambs 7 | Weaned 5

KINKO RAM JS 160105

KINKO OOI JS 160049

 AFL 16.8 | ILP 339 | EPI 95  
 Lambled 2 | Lambs 3 | Weaned 3

 LOGIX  
 GENETIC ANALYSIS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 3-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 118      | 84        | 119      | 82           | 91  | 95  | 84  |
| 61%      | 57%       | 55%      | 46%          | 56% | 45% | 33% |

Logix Merit Index 100

Growth Index 113

Reproduction Index 79

|            |              |
|------------|--------------|
| Birth Wt.  | 5kg          |
| Wean Wt.   | 33.9kg (108) |
| Post-Wean  | -            |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 33 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220633

KINKO OOI JS 220633

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2022-09-04 |
| Age         | 2.9 years  |
| Inbreeding  | 6.55%      |
| Birth Stat. | 2          |

|       |      |     |
|-------|------|-----|
| AFL   | ILP  | EPI |
| 19.1m | 204d | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 3     |
| Lambs (Sucking) | 3 (1) |
| Weaned          | 1     |

JT 190694 (4)

REM KUIL RAM JT 190694

Parentage Sire Dam

DNA

Genomic

JS 190277 (2)

KINKO OOI JS 190277

 AFL 16.6 | ILP 248 | EPI 127  
 Lambled 5 | Lambs 7 | Weaned 6

JT 170622

REM KUIL RAM JT 170622

JT 170358

REM KUIL OOI JT 170358

 AFL 15.6 | ILP 299 | EPI 109  
 Lambled 3 | Lambs 7 | Weaned 7

JS 170298

KINKO RAM JS 170298

JS 170753

KINKO OOI JS 170753

 AFL 19.9 | ILP 394 | EPI 103  
 Lambled 2 | Lambs 4 | Weaned 4

KINKO RAM JS 140932

REM KUIL OOI JT 150464

 AFL 23.5 | ILP 350 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 6

REM KUIL RAM JT 150031

REM KUIL OOI JT 140339

 AFL 15.7 | ILP 365 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 7

KINKO RAM JS 150692

KINKO OOI JS 140497

 AFL 35.4 | ILP - | EPI 93  
 Lambled 1 | Lambs 2 | Weaned 2

KINKO RAM JS 150719

KINKO OOI JS 140169

 AFL 16.9 | ILP 330 | EPI 97  
 Lambled 5 | Lambs 7 | Weaned 4

 LOGIX  
 GENETIC ANALYSIS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Loop by NB21-586 vanaf  
 01/06/2025. Met ooilam JS25-222

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 104      | 84        | 116      | 80           | 81  | 88  | 92  |
| 63%      | 60%       | 54%      | 47%          | 58% | 46% | 36% |

Logix Merit Index 86

Growth Index 99

Reproduction Index 72

|            |             |
|------------|-------------|
| Birth Wt.  | 3kg         |
| Wean Wt.   | 20.9kg (66) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 34 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220695

KINKO OOI JS 220695

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-11-04 |
| Oud.        | 2.7 jaar   |
| Inteling    | 7.98%      |
| Geb. Status | 1          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 16.3m | 243d | 118 |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 3 (0) |
| Gespeen        | 3     |

JS 210127 (2)

KINKO RAM JS 210127

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 210358 (2)

KINKO OOI JS 210358

OEL 15.8 | ILP - | OPI 87  
Gelam 1 | Lammers 1 | Gespeen 1

JS 190729

KINKO RAM JS 190729

JS 180535

KINKO OOI JS 180535

OEL 23.9 | ILP 241 | OPI 111  
Gelam 3 | Lammers 5 | Gespeen 4

JS 180022

KINKO RAM JS 180022

JS 190019

KINKO OOI JS 190019

OEL 17.9 | ILP 253 | OPI 115  
Gelam 4 | Lammers 6 | Gespeen 6

KINKO RAM JS 180231

KINKO OOI JS 160818

OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 150692

KINKO OOI JS 150144

OEL 17.2 | ILP 348 | OPI 102  
Gelam 3 | Lammers 5 | Gespeen 4

KINKO RAM JS 160855

KINKO OOI JS 150201

OEL 15.5 | ILP 285 | OPI 131  
Gelam 5 | Lammers 10 | Gespeen 9

KINKO RAM JS 170048

KINKO OOI JS 160824

OEL 21 | ILP 239 | OPI 99  
Gelam 4 | Lammers 7 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 117       | 83        | 120     | 123         | 121 | 118 | 92  |
| 60%       | 60%       | 50%     | 42%         | 56% | 39% | 30% |

Logix Meriete Indeks 125

Groeï Indeks 112

Reproduksie Indeks 121

|            |             |
|------------|-------------|
| Geb. Gew.  | 5kg         |
| Speen Gew. | 22.2kg (75) |
| Na-Speen   | -           |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

VERKOPER OPMERKINGS: Dragtig met 2-ling  
van NL21-29

LOGIX  
GENETICS ONLINE  
EBV Analise 2025-07-18

## LOT 35 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220706

KINKO OOI JS 220706

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2022-11-06 |
| Oud.        | 2.7 jaar   |
| Inteling    | 10.25%     |
| Geb. Status | 3          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 16.1m | -   | 85  |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 4 (0) |
| Gespeen        | 1     |

JS 210094 (2)

KINKO RAM JS 210094

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 210496 (2)

KINKO OOI JS 210496

OEL 15.6 | ILP 289 | OPI 135  
Gelam 4 | Lammers 9 | Gespeen 6

JS 190729

KINKO RAM JS 190729

JS 180297

KINKO OOI JS 180297

OEL 23.9 | ILP 237 | OPI 137  
Gelam 4 | Lammers 8 | Gespeen 7

JS 190696

KINKO RAM JS 190696

JS 180675

KINKO OOI JS 180675

OEL 23.1 | ILP 383 | OPI 94  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 180231

KINKO OOI JS 160818

OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 160105

KINKO OOI JS 160982

OEL 19.9 | ILP 353 | OPI 92  
Gelam 3 | Lammers 6 | Gespeen 2

KINKO RAM JS 180231

KINKO OOI JS 160302

OEL 16.5 | ILP 245 | OPI 208  
Gelam 7 | Lammers 16 | Gespeen 10

KINKO RAM JS 170001

KINKO OOI JS 170106

OEL 16.7 | ILP 235 | OPI 93  
Gelam 2 | Lammers 3 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 115       | 71        | 119     | 135         | 124 | 112 | 69  |
| 59%       | 54%       | 49%     | 39%         | 52% | 38% | 24% |

Logix Meriete Indeks 121

Groeï Indeks 104

Reproduksie Indeks 118

|            |             |
|------------|-------------|
| Geb. Gew.  | 3kg         |
| Speen Gew. | 28.6kg (96) |
| Na-Speen   | -           |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

VERKOPER OPMERKINGS: Loop by NB21-586  
vanaf 01/06/2025

LOGIX  
GENETICS ONLINE  
EBV Analise 2025-07-18

## LOT 36 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 220732

KINKO OOI JS 220732

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-11-13 |
| Oud.        | 2.7 jaar   |
| Inteling    | 6.63%      |
| Geb. Status | 2          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 20.3m | -   | 80  |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (0) |
| Gespeen        | 0     |

JS 210589 (1)

KINKO RAM JS 210589

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 190214 (2)

KINKO OOI JS 190214

OEL 17.4 | ILP 267 | OPI 102  
Gelam 4 | Lammers 8 | Gespeen 4

JT 190694

REM KUIL RAM JT 190694

JS 200283

KINKO OOI JS 200283

OEL 13.6 | ILP 312 | OPI 107  
Gelam 4 | Lammers 6 | Gespeen 3

JS 160855

KINKO RAM JS 160855

JS 160545

KINKO OOI JS 160545

OEL 23.6 | ILP 248 | OPI 105  
Gelam 3 | Lammers 4 | Gespeen 4

REM KUIL RAM JT 170622

REM KUIL OOI JT 170358

OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 180782

KINKO OOI JS 180351

OEL 24 | ILP 257 | OPI 95  
Gelam 2 | Lammers 2 | Gespeen 2

KINKO RAM JS 140752

KINKO OOI JS 140421

OEL 19.1 | ILP 255 | OPI 107  
Gelam 3 | Lammers 4 | Gespeen 4

DROERIVIER RAM DZ 140002

KINKO OOI JS 130479

OEL 23.8 | ILP 356 | OPI 91  
Gelam 3 | Lammers 3 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 89        | 118     | 64          | 74  | 115 | 92  |
| 60%       | 49%       | 48%     | 41%         | 51% | 40% | 27% |

Logix Meriete Indeks 91

Groeï Indeks 108

Reproduksie Indeks 72

|            |              |
|------------|--------------|
| Geb. Gew.  | 4kg          |
| Speen Gew. | 29.9kg (101) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

VERKOPER OPMERKINGS: Loop by ram  
NL21-29

LOGIX  
GENETICS ONLINE  
EBV Analise 2025-07-18

## LOT 37 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 220754

KINKO OOI JS 220754

|             |            |
|-------------|------------|
| • Herd Book | SP         |
| Birth date  | 2022-11-29 |
| Age         | 2.7 years  |
| Inbreeding  | 5.31%      |
| Birth Stat. | 2          |

|       |     |     |
|-------|-----|-----|
| AFL   | ILP | EPI |
| 30.1m | -   | -   |

|                 |       |
|-----------------|-------|
| Lambd           | 1     |
| Lambs (Sucking) | 2 (2) |
| Weaned          | 0     |

JT 190694 (4)

REM KUIL RAM JT 190694

Parentage Sire Dam

DNA

Genomic

JS 200552 (2)

KINKO OOI JS 200552

AFL 20.1 | ILP 237 | EPI 138  
Lambd 4 | Lambs 9 | Weaned 7

JT 170622

REM KUIL RAM JT 170622

JT 170358

REM KUIL OOI JT 170358

AFL 15.6 | ILP 299 | EPI 109  
Lambd 3 | Lambs 7 | Weaned 7

JS 180245

KINKO RAM JS180245

JS 180088

KINKO OOI JS 180088

AFL 28.1 | ILP 369 | EPI 97  
Lambd 2 | Lambs 3 | Weaned 3

KINKO RAM JS 140932

REM KUIL OOI JT 150464

AFL 23.5 | ILP 350 | EPI 109  
Lambd 4 | Lambs 8 | Weaned 6

REM KUIL RAM JT 150031

REM KUIL OOI JT 140339

AFL 15.7 | ILP 365 | EPI 109  
Lambd 4 | Lambs 8 | Weaned 7

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160410

AFL 23.5 | ILP - | EPI 93  
Lambd 1 | Lambs 2 | Weaned 2

KINKO RAM JS 150692

KINKO OOI JS 150457

AFL 13.3 | ILP 336 | EPI 132  
Lambd 6 | Lambs 8 | Weaned 7
 LOGIX  
GENETIC CHOICE  
EBV Analysis 2025-07-18

 SELLER REMARKS: Loop by NB21-586  
 vanaf 01/06/2025. Met ramlam JS25-239 en  
 oilam JS250240.

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 112      | 86        | 120      | 96           | 99  | 106 | 95  |
| 61%      | 56%       | 54%      | 44%          | 55% | 41% | 33% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 106 |
| Growth Index       | 109 |
| Reproduction Index | 95  |

|            |              |
|------------|--------------|
| Birth Wt.  | 4kg          |
| Wean Wt.   | 32.2kg (109) |
| Post-Wean  | -            |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 38 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 230020

KINKO OOI JS 230020

|             |            |
|-------------|------------|
| • Herd Book | SP         |
| Birth date  | 2023-02-21 |
| Age         | 2.4 years  |
| Inbreeding  | 10.34%     |
| Birth Stat. | 2          |

|       |      |     |
|-------|------|-----|
| AFL   | ILP  | EPI |
| 17.3m | 240d | 94  |

|                 |       |
|-----------------|-------|
| Lambd           | 2     |
| Lambs (Sucking) | 2 (1) |
| Weaned          | 1     |

JS 210341 (2)

KINKO RAM JS 210341

Parentage Sire Dam

DNA

Genomic

JS 200734 (1)

KINKO OOI JS 200734

AFL 20.3 | ILP 241 | EPI 136  
Lambd 5 | Lambs 9 | Weaned 7

JT 190694

REM KUIL RAM JT 190694

JS 180492

KINKO OOI JS 180492

AFL 20 | ILP 241 | EPI 112  
Lambd 3 | Lambs 5 | Weaned 5

JS 180021

KINKO RAM JS 180021

JS 170384

KINKO OOI JS 170384

AFL 15.8 | ILP 245 | EPI 127  
Lambd 4 | Lambs 7 | Weaned 6

REM KUIL RAM JT 170622

REM KUIL OOI JT 170358

AFL 15.6 | ILP 299 | EPI 109  
Lambd 3 | Lambs 7 | Weaned 7

KINKO RAM JS 150692

KINKO OOI JS 150184

AFL 19.7 | ILP 305 | EPI 103  
Lambd 3 | Lambs 5 | Weaned 4

KINKO RAM JS 160855

KINKO OOI JS 150201

AFL 15.5 | ILP 285 | EPI 131  
Lambd 5 | Lambs 10 | Weaned 9

KINKO RAM JS 150692

KINKO OOI JS140723

AFL - | ILP 489 | EPI 97  
Lambd 2 | Lambs 3 | Weaned 3
 LOGIX  
GENETIC CHOICE  
EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 3-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 84        | 117      | 95           | 99  | 114 | 71  |
| 57%      | 53%       | 46%      | 39%          | 51% | 38% | 30% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 107 |
| Growth Index       | 112 |
| Reproduction Index | 94  |

|            |              |
|------------|--------------|
| Birth Wt.  | 4kg          |
| Wean Wt.   | 32.3kg (106) |
| Post-Wean  | -            |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 39 (F)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 230025

KINKO OOI JS 230025

|             |            |
|-------------|------------|
| • Herd Book | SP         |
| Birth date  | 2023-02-25 |
| Age         | 2.4 years  |
| Inbreeding  | 7.09%      |
| Birth Stat. | 1          |

|       |      |     |
|-------|------|-----|
| AFL   | ILP  | EPI |
| 16.2m | 264d | 97  |

|                 |       |
|-----------------|-------|
| Lambd           | 2     |
| Lambs (Sucking) | 3 (1) |
| Weaned          | 2     |

JS 210273 (2)

KINKO RAM JS 210273

Parentage Sire Dam

DNA

Genomic

JS 210340 (2)

KINKO OOI JS 210340

AFL 19.5 | ILP 246 | EPI 140  
Lambd 4 | Lambs 8 | Weaned 7

JT 190694

REM KUIL RAM JT 190694

JS 180520

KINKO OOI JS 180520

AFL 20.6 | ILP 230 | EPI 111  
Lambd 3 | Lambs 4 | Weaned 4

JS 180021

KINKO RAM JS 180021

JS 190847

KINKO OOI JS 190847

AFL 19.5 | ILP 382 | EPI 99  
Lambd 2 | Lambs 4 | Weaned 4

REM KUIL RAM JT 170622

REM KUIL OOI JT 170358

AFL 15.6 | ILP 299 | EPI 109  
Lambd 3 | Lambs 7 | Weaned 7

KINKO RAM JS 160934

KINKO OOI JS 150380

AFL 15.2 | ILP 313 | EPI 102  
Lambd 3 | Lambs 4 | Weaned 4

KINKO RAM JS 160855

KINKO OOI JS 150201

AFL 15.5 | ILP 285 | EPI 131  
Lambd 5 | Lambs 10 | Weaned 9

KINKO RAM JS 180146

KINKO OOI JS 170023

AFL 16.5 | ILP 244 | EPI 92  
Lambd 4 | Lambs 7 | Weaned 3
 LOGIX  
GENETIC CHOICE  
EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 1-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 110      | 84        | 111      | 112          | 108 | 99  | 71  |
| 59%      | 56%       | 47%      | 38%          | 53% | 37% | 29% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 107 |
| Growth Index       | 105 |
| Reproduction Index | 102 |

|            |             |
|------------|-------------|
| Birth Wt.  | 4.2kg       |
| Wean Wt.   | 30.1kg (98) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 40 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230032

KINKO OOI JS 230032

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-03-01 |
| Oud.        | 2.4 jaar   |
| Inteling    | 4.35%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 19.8m | 219d | 96  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 4 (2) |
| Gespeen        | 2     |

|                        |
|------------------------|
| NL 210029 (2)          |
| NUWELAND RAM NL 210029 |
| Ouerskap Vaar Moer     |
| DNS                    |
| Genomies               |

|                                 |
|---------------------------------|
| JS 210873 (2)                   |
| KINKO OOI JS 210873             |
| OEL 15.5   ILP 289   OPI 101    |
| Gelam 4   Lammers 7   Gespeen 4 |

|                                 |
|---------------------------------|
| NL 190188                       |
| NUWELAND RAM NL 190188          |
| RHENOSTERBOSRUG RAM AP 160078   |
| NUWELAND OOI NL 180207          |
| OEL 16.8   ILP 259   OPI 88     |
| Gelam 4   Lammers 7   Gespeen 4 |

|                                   |
|-----------------------------------|
| NL 180048                         |
| NUWELAND OOI NL 180048            |
| OEL 17.7   ILP 251   OPI 129      |
| Gelam 7   Lammers 15   Gespeen 12 |
| TOP 3 RAM ASJ 120435              |
| NUWELAND OOI NL 150279            |
| OEL 23.3   ILP 314   OPI 124      |
| Gelam 6   Lammers 11   Gespeen 8  |

|                                 |
|---------------------------------|
| JS 200064                       |
| KINKO RAM JS 200064             |
| KINKO RAM JS 180001             |
| KINKO OOI JS 180049             |
| OEL 15.6   ILP 255   OPI 97     |
| Gelam 2   Lammers 3   Gespeen 3 |

|                                 |
|---------------------------------|
| JS 190408                       |
| KINKO OOI JS 190408             |
| OEL 20.4   ILP 234   OPI 98     |
| Gelam 2   Lammers 3   Gespeen 3 |
| KINKO RAM JS 170048             |
| KINKO OOI JS 160960             |
| OEL 20.1   ILP 352   OPI 104    |
| Gelam 3   Lammers 5   Gespeen 4 |

 LOGIX  
 ANALISE 2025-07-18

 VERKOPER OPMERKINGS: Loop by  
 NB21-586 vanaf 01/06/2025. Met ramlam  
 JS25-237 (dood) en ramlam JS25-238

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 102       | 93        | 116     | 132         | 122 | 96  | 117 |
| 61%       | 57%       | 52%     | 36%         | 54% | 37% | 27% |

Logix Meriete Indeks 119

Groeï Indeks 102

Reproduksie Indeks 126

|            |             |
|------------|-------------|
| Geb. Gew.  | 3.4kg       |
| Speen Gew. | 29.6kg (97) |
| Na-Speen   | -           |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 41 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230067

KINKO OOI JS 230067

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-03-05 |
| Oud.        | 2.4 jaar   |
| Inteling    | 7.67%      |
| Geb. Status | 1          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 20.5m | -   | 92  |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (0) |
| Gespeen        | 1     |

|                     |
|---------------------|
| JS 210470 (2)       |
| KINKO RAM JS 210470 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                 |
|---------------------------------|
| JS 200629 (2)                   |
| KINKO OOI JS 200629             |
| OEL 22.4   ILP 241   OPI 97     |
| Gelam 2   Lammers 3   Gespeen 3 |

|                                 |
|---------------------------------|
| JT 190694                       |
| REMKUIL RAM JT 190694           |
| REMKUIL OOI JT 170358           |
| OEL 15.6   ILP 299   OPI 109    |
| Gelam 3   Lammers 7   Gespeen 7 |

|                                  |
|----------------------------------|
| JS 190351                        |
| KINKO OOI JS 190351              |
| OEL 16.4   ILP 340   OPI 116     |
| Gelam 5   Lammers 11   Gespeen 6 |
| KINKO RAM JS 170048              |
| KINKO OOI JS 161061              |
| OEL 19.1   ILP 362   OPI 103     |
| Gelam 2   Lammers 4   Gespeen 4  |

|                                 |
|---------------------------------|
| JS 180777                       |
| KINKO RAM JS 180777             |
| KINKO RAM JS 170338             |
| KINKO OOI JS 150069             |
| OEL 17.3   ILP 276   OPI 161    |
| Gelam 5   Lammers 9   Gespeen 9 |

|                                 |
|---------------------------------|
| JS 180584                       |
| KINKO OOI JS 180584             |
| OEL 14.5   ILP 324   OPI 103    |
| Gelam 3   Lammers 4   Gespeen 4 |
| KINKO RAM JS 160973             |
| KINKO OOI JS 160972             |
| OEL 20.3   ILP 366   OPI 102    |
| Gelam 2   Lammers 4   Gespeen 4 |

 LOGIX  
 ANALISE 2025-07-18

 VERKOPER OPMERKINGS: Loop by ram  
 NL21-29

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 114       | 76        | 110     | 95          | 95  | 115 | 82  |
| 60%       | 54%       | 50%     | 38%         | 53% | 35% | 24% |

Logix Meriete Indeks 104

Groeï Indeks 105

Reproduksie Indeks 90

|            |              |
|------------|--------------|
| Geb. Gew.  | 5kg          |
| Speen Gew. | 34.1kg (111) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 42 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230073

KINKO OOI JS 230073

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-03-05 |
| Oud.        | 2.4 jaar   |
| Inteling    | 6.97%      |
| Geb. Status | 3          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 16.9m | 220d | 98  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 4 (0) |
| Gespeen        | 2     |

|                     |
|---------------------|
| JS 210589 (1)       |
| KINKO RAM JS 210589 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                 |
|---------------------------------|
| JS 200602 (2)                   |
| KINKO OOI JS 200602             |
| OEL 13.6   ILP 258   OPI 113    |
| Gelam 3   Lammers 7   Gespeen 5 |

|                                 |
|---------------------------------|
| JT 190694                       |
| REMKUIL RAM JT 190694           |
| REMKUIL OOI JT 170358           |
| OEL 15.6   ILP 299   OPI 109    |
| Gelam 3   Lammers 7   Gespeen 7 |

|                                 |
|---------------------------------|
| JS 200283                       |
| KINKO OOI JS 200283             |
| OEL 13.6   ILP 312   OPI 107    |
| Gelam 4   Lammers 6   Gespeen 3 |
| KINKO RAM JS 180782             |
| KINKO OOI JS 180351             |
| OEL 24   ILP 257   OPI 95       |
| Gelam 2   Lammers 2   Gespeen 2 |

|                                 |
|---------------------------------|
| JS 180372                       |
| KINKO RAM JS 180372             |
| KINKO RAM JS 160699             |
| KINKO OOI JS 160026             |
| OEL 20.9   ILP 233   OPI 100    |
| Gelam 4   Lammers 8   Gespeen 4 |

|                                 |
|---------------------------------|
| JS 190046                       |
| KINKO OOI JS 190046             |
| OEL 17.3   ILP -   OPI 90       |
| Gelam 1   Lammers 2   Gespeen 2 |
| KINKO RAM JS 170299             |
| KINKO OOI JS 170124             |
| OEL 16.2   ILP 257   OPI 121    |
| Gelam 4   Lammers 8   Gespeen 7 |

 LOGIX  
 ANALISE 2025-07-18

 VERKOPER OPMERKINGS: Loop by ram  
 NB21-488

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 115       | 88        | 122     | 107         | 109 | 108 | 104 |
| 61%       | 58%       | 49%     | 38%         | 55% | 39% | 30% |

Logix Meriete Indeks 116

Groeï Indeks 112

Reproduksie Indeks 108

|            |              |
|------------|--------------|
| Geb. Gew.  | 3.9kg        |
| Speen Gew. | 31.5kg (103) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 43 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230076

KINKO OOI JS 230076

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2023-03-06 |
| Age         | 2.4 years  |
| Inbreeding  | 8.12%      |
| Birth Stat. | 2          |

|     |      |     |
|-----|------|-----|
| AFL | ILP  | EPI |
| 17m | 234d | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 2     |
| Lambs (Sucking) | 2 (1) |
| Weaned          | 1     |

 JS 210470 (2)  
 KINKO RAM JS 210470

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 200464 (3)  
 KINKO OOI JS 200464  
 AFL 15.4 | ILP 278 | EPI 115  
 Lambed 5 | Lambs 6 | Weaned 4

 JT 190694  
 REMKUIL RAM JT 190694

 JS 190351  
 KINKO OOI JS 190351  
 AFL 16.4 | ILP 340 | EPI 116  
 Lambed 5 | Lambs 11 | Weaned 6

 JS 180022  
 KINKO RAM JS 180022

 JS 170982  
 KINKO OOI JS 170982  
 AFL 31.2 | ILP - | EPI 97  
 Lambed 1 | Lambs 3 | Weaned 3

 REMKUIL RAM JT 170622  
 REMKUIL OOI JT 170358  
 AFL 15.6 | ILP 299 | EPI 109  
 Lambed 3 | Lambs 7 | Weaned 7

 KINKO RAM JS 170048  
 KINKO OOI JS 161061  
 AFL 19.1 | ILP 362 | EPI 103  
 Lambed 2 | Lambs 4 | Weaned 4

 KINKO RAM JS 160855  
 KINKO OOI JS 150201  
 AFL 15.5 | ILP 285 | EPI 131  
 Lambed 5 | Lambs 10 | Weaned 9

 KINKO RAM JS 150692  
 KINKO OOI JS 141008  
 AFL 20.1 | ILP 249 | EPI 102  
 Lambed 3 | Lambs 5 | Weaned 4

 LOGIX  
 GENETICS ANALYTICS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 2-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 115      | 68        | 112      | 101          | 97  | 110 | 91  |
| 61%      | 55%       | 52%      | 40%          | 54% | 42% | 30% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 103 |
| Growth Index       | 102 |
| Reproduction Index | 89  |

|            |             |
|------------|-------------|
| Birth Wt.  | 4.5kg       |
| Wean Wt.   | 27.8kg (91) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 44 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230077

KINKO OOI JS 230077

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2023-03-06 |
| Age         | 2.4 years  |
| Inbreeding  | 8.12%      |
| Birth Stat. | 2          |

|       |      |     |
|-------|------|-----|
| AFL   | ILP  | EPI |
| 16.6m | 246d | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 2     |
| Lambs (Sucking) | 2 (1) |
| Weaned          | 1     |

 JS 210470 (2)  
 KINKO RAM JS 210470

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 200464 (3)  
 KINKO OOI JS 200464  
 AFL 15.4 | ILP 278 | EPI 115  
 Lambed 5 | Lambs 6 | Weaned 4

 JT 190694  
 REMKUIL RAM JT 190694

 JS 190351  
 KINKO OOI JS 190351  
 AFL 16.4 | ILP 340 | EPI 116  
 Lambed 5 | Lambs 11 | Weaned 6

 JS 180022  
 KINKO RAM JS 180022

 JS 170982  
 KINKO OOI JS 170982  
 AFL 31.2 | ILP - | EPI 97  
 Lambed 1 | Lambs 3 | Weaned 3

 REMKUIL RAM JT 170622  
 REMKUIL OOI JT 170358  
 AFL 15.6 | ILP 299 | EPI 109  
 Lambed 3 | Lambs 7 | Weaned 7

 KINKO RAM JS 170048  
 KINKO OOI JS 161061  
 AFL 19.1 | ILP 362 | EPI 103  
 Lambed 2 | Lambs 4 | Weaned 4

 KINKO RAM JS 160855  
 KINKO OOI JS 150201  
 AFL 15.5 | ILP 285 | EPI 131  
 Lambed 5 | Lambs 10 | Weaned 9

 KINKO RAM JS 150692  
 KINKO OOI JS 141008  
 AFL 20.1 | ILP 249 | EPI 102  
 Lambed 3 | Lambs 5 | Weaned 4

 LOGIX  
 GENETICS ANALYTICS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 2-ling van  
 NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 68        | 111      | 101          | 97  | 111 | 88  |
| 61%      | 55%       | 52%      | 40%          | 54% | 42% | 30% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 103 |
| Growth Index       | 102 |
| Reproduction Index | 89  |

|            |             |
|------------|-------------|
| Birth Wt.  | 3.8kg       |
| Wean Wt.   | 26.7kg (87) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 45 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230079

KINKO OOI JS 230079

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2023-03-06 |
| Age         | 2.4 years  |
| Inbreeding  | 7.24%      |
| Birth Stat. | 3          |

|       |      |     |
|-------|------|-----|
| AFL   | ILP  | EPI |
| 16.4m | 236d | 92  |

|                 |       |
|-----------------|-------|
| Lambled         | 2     |
| Lambs (Sucking) | 3 (0) |
| Weaned          | 1     |

 JS 210273 (2)  
 KINKO RAM JS 210273

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 210452 (1)  
 KINKO OOI JS 210452  
 AFL 19.6 | ILP - | EPI 89  
 Lambed 1 | Lambs 3 | Weaned 2

 JT 190694  
 REMKUIL RAM JT 190694

 JS 180520  
 KINKO OOI JS 180520  
 AFL 20.6 | ILP 230 | EPI 111  
 Lambed 3 | Lambs 4 | Weaned 4

 JT 190583  
 REMKUIL RAM JT 190583

 JS 200099  
 KINKO OOI JS 200099  
 AFL 15.7 | ILP - | EPI 88  
 Lambed 1 | Lambs 1 | Weaned 1

 REMKUIL RAM JT 170622  
 REMKUIL OOI JT 170358  
 AFL 15.6 | ILP 299 | EPI 109  
 Lambed 3 | Lambs 7 | Weaned 7

 KINKO RAM JS 160934  
 KINKO OOI JS 150380  
 AFL 15.2 | ILP 313 | EPI 102  
 Lambed 3 | Lambs 4 | Weaned 4

 REMKUIL RAM JT 160623  
 REMKUIL OOI JT 160293  
 AFL 16.3 | ILP 348 | EPI 157  
 Lambed 6 | Lambs 12 | Weaned 12

 KINKO RAM JS 180022  
 KINKO OOI JS 170859  
 AFL 19.6 | ILP 247 | EPI 98  
 Lambed 3 | Lambs 3 | Weaned 2

 LOGIX  
 GENETICS ANALYTICS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 4-ling van  
 NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 104      | 94        | 110      | 90           | 92  | 104 | 85  |
| 56%      | 50%       | 41%      | 36%          | 49% | 37% | 29% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 98  |
| Growth Index       | 104 |
| Reproduction Index | 91  |

|            |             |
|------------|-------------|
| Birth Wt.  | 3.8kg       |
| Wean Wt.   | 19.9kg (65) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 46 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230103

KINKO OOI JS 230103

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-03-13 |
| Oud.        | 2.4 jaar   |
| Inteling    | 8.81%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 16.4m | 228d | 93  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 3 (0) |
| Gespeen        | 1     |

JS 210470 (2)

KINKO RAM JS 210470

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 200664 (1)

KINKO OOI JS 200664

OEL 12.8 | ILP 269 | OPI 98  
Gelam 3 | Lammers 7 | Gespeen 3

JT 190694

REMKEUIL RAM JT 190694

JS 190351

KINKO OOI JS 190351

OEL 16.4 | ILP 340 | OPI 116  
Gelam 5 | Lammers 11 | Gespeen 6

JS 180001

KINKO RAM JS 180001

JS 180286

KINKO OOI JS 180286

OEL 16.3 | ILP 298 | OPI 110  
Gelam 3 | Lammers 4 | Gespeen 4

REMKEUIL RAM JT 170622

REMKEUIL OOI JT 170358

OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 170048

KINKO OOI JS 161061

OEL 19.1 | ILP 362 | OPI 103  
Gelam 2 | Lammers 4 | Gespeen 4

KINKO RAM JS 160855

KINKO OOI JS 150312

OEL 15.4 | ILP 249 | OPI 132  
Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 150051

KINKO OOI JS 150508

OEL 19.1 | ILP 244 | OPI 96  
Gelam 3 | Lammers 6 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 121       | 83        | 116     | 94          | 101 | 111 | 90  |
| 60%       | 54%       | 50%     | 40%         | 53% | 42% | 30% |

Logix Meriete Indeks 112

Groeï Indeks 115

Reproduksie Indeks 94

VERKOPER OPMERKINGS: Dragtig met 1-ling  
van NL21-29

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.9kg        |
| Speen Gew. | 36.7kg (120) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 47 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230116

KINKO OOI JS 230116

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-03-14 |
| Oud.        | 2.4 jaar   |
| Inteling    | 12.21%     |
| Geb. Status | 2          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 18.8m | -   | 93  |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (0) |
| Gespeen        | 1     |

JS 210589 (1)

KINKO RAM JS 210589

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 200212 (2)

KINKO OOI JS 200212

OEL 16.1 | ILP 248 | OPI 104  
Gelam 3 | Lammers 5 | Gespeen 3

JT 190694

REMKEUIL RAM JT 190694

JS 200283

KINKO OOI JS 200283

OEL 13.6 | ILP 312 | OPI 107  
Gelam 4 | Lammers 6 | Gespeen 3

JS 180782

KINKO RAM JS 180782

JS 180537

KINKO OOI JS 180537

OEL 23.5 | ILP 238 | OPI 99  
Gelam 4 | Lammers 7 | Gespeen 4

REMKEUIL RAM JT 170622

REMKEUIL OOI JT 170358

OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 180782

KINKO OOI JS 180351

OEL 24 | ILP 257 | OPI 95  
Gelam 2 | Lammers 2 | Gespeen 2

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160685

OEL 27.3 | ILP 302 | OPI 116  
Gelam 3 | Lammers 7 | Gespeen 5

KINKO RAM JS 160945

KINKO OOI JS 160636

OEL 16.3 | ILP 236 | OPI 117  
Gelam 5 | Lammers 8 | Gespeen 5

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 112       | 94        | 123     | 82          | 91  | 104 | 105 |
| 59%       | 52%       | 48%     | 39%         | 52% | 39% | 26% |

Logix Meriete Indeks 102

Groeï Indeks 112

Reproduksie Indeks 88

VERKOPER OPMERKINGS: Loop by ram  
NB21-488

|            |           |
|------------|-----------|
| Geb. Gew.  | 4.9kg     |
| Speen Gew. | 30kg (98) |
| Na-Speen   | -         |
| Volw. Gew. | -         |
| GDT Ind.   | -         |
| VOV Ind.   | -         |
| Skrotum    | -         |

## LOT 48 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230221

KINKO OOI JS 230221

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-07-08 |
| Oud.        | 2.1 jaar   |
| Inteling    | 7.38%      |
| Geb. Status | 1          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 14.1m | -   | 100 |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (0) |
| Gespeen        | 1     |

JS 220023 (3)

KINKO RAM JS 220023

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 210739 (2)

KINKO OOI JS 210739

OEL 20.1 | ILP 258 | OPI 100  
Gelam 3 | Lammers 3 | Gespeen 3

JT 190694

REMKEUIL RAM JT 190694

JS 200797

KINKO OOI JS 200797

OEL 15.6 | ILP 390 | OPI 93  
Gelam 4 | Lammers 7 | Gespeen 3

JS 180022

KINKO RAM JS 180022

JS 200091

KINKO EWE JS 200091

OEL 19.4 | ILP 247 | OPI 99  
Gelam 2 | Lammers 4 | Gespeen 4

REMKEUIL RAM JT 170622

REMKEUIL OOI JT 170358

OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 180159

KINKO OOI JS 190377

OEL 16.2 | ILP 294 | OPI 97  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 160855

KINKO OOI JS 150201

OEL 15.5 | ILP 285 | OPI 131  
Gelam 5 | Lammers 10 | Gespeen 9

KINKO RAM JS 150535

KINKO OOI JS 160726

OEL 22.7 | ILP 317 | OPI 95  
Gelam 3 | Lammers 7 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 83        | 115     | 104         | 102 | 115 | 85  |
| 58%       | 51%       | 54%     | 37%         | 50% | 38% | 24% |

Logix Meriete Indeks 108

Groeï Indeks 105

Reproduksie Indeks 101

VERKOPER OPMERKINGS: Dragtig met  
2-ling van NL21-29

|            |              |
|------------|--------------|
| Geb. Gew.  | 4kg          |
| Speen Gew. | 38.7kg (105) |
| Na-Speen   | 48.7kg (98)  |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 49 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230253

KINKO OOI JS 230253

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2023-07-12 |
| Age         | 2 years    |
| Inbreeding  | 7.46%      |
| Birth Stat. | 2          |

| AFL | ILP | EPI |
|-----|-----|-----|
| 14m | -   | 102 |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 2 (0) |
| Weaned          | 1     |

JS 220023 (3)

KINKO RAM JS 220023

Parentage Sire Dam

| DNA     |
|---------|
| Genomic |

JS 210773 (1)

KINKO OOI JS 210773

AFL 20.2 | ILP 299 | EPI 108  
Lambled 3 | Lambs 5 | Weaned 5

JT 190694

REM KUIL RAM JT 190694

JS 200797

KINKO OOI JS 200797

AFL 15.6 | ILP 390 | EPI 93  
Lambled 4 | Lambs 7 | Weaned 3

JS 200065

KINKO RAM JS 200065

JS 190076

KINKO OOI JS 190076

AFL 16.1 | ILP 235 | EPI 108  
Lambled 4 | Lambs 7 | Weaned 5

REM KUIL RAM JT 170622

REM KUIL OOI JT 170358

AFL 15.6 | ILP 299 | EPI 109  
Lambled 3 | Lambs 7 | Weaned 7

KINKO RAM JS 180159

KINKO OOI JS 190377

AFL 16.2 | ILP 294 | EPI 97  
Lambled 3 | Lambs 5 | Weaned 3

KINKO RAM JS 180001

KINKO OOI JS 180049

AFL 15.6 | ILP 255 | EPI 97  
Lambled 2 | Lambs 3 | Weaned 3

KINKO RAM JS 170299

KINKO OOI JS 170025

AFL 16.7 | ILP 237 | EPI 95  
Lambled 2 | Lambs 3 | Weaned 3

**LOGIX**  
Genetics Analysis  
EBV Analysis 2025-07-18

SELLER REMARKS: Loop by ram NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 107      | 96        | 117      | 110          | 110 | 112 | 86  |
| 57%      | 51%       | 45%      | 36%          | 50% | 36% | 22% |

Logix Merit Index 113

Growth Index 108

Reproduction Index 112

|            |             |
|------------|-------------|
| Birth Wt.  | 3kg         |
| Wean Wt.   | 25.5kg (77) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 50 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230261

KINKO OOI JS 230261

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2023-07-13 |
| Age         | 2 years    |
| Inbreeding  | 7.42%      |
| Birth Stat. | 3          |

| AFL   | ILP | EPI |
|-------|-----|-----|
| 13.9m | -   | 107 |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 2 (0) |
| Weaned          | 2     |

JS 220023 (3)

KINKO RAM JS 220023

Parentage Sire Dam

| DNA     |
|---------|
| Genomic |

JS 210809 (3)

KINKO OOI JS 210809

AFL 20 | ILP 238 | EPI 101  
Lambled 2 | Lambs 6 | Weaned 5

JT 190694

REM KUIL RAM JT 190694

JS 200797

KINKO OOI JS 200797

AFL 15.6 | ILP 390 | EPI 93  
Lambled 4 | Lambs 7 | Weaned 3

JS 190696

KINKO RAM JS 190696

JS 180250

KINKO EWE JS180250

AFL 24.1 | ILP 245 | EPI 106  
Lambled 3 | Lambs 6 | Weaned 4

REM KUIL RAM JT 170622

REM KUIL OOI JT 170358

AFL 15.6 | ILP 299 | EPI 109  
Lambled 3 | Lambs 7 | Weaned 7

KINKO RAM JS 180159

KINKO OOI JS 190377

AFL 16.2 | ILP 294 | EPI 97  
Lambled 3 | Lambs 5 | Weaned 3

KINKO RAM JS 180231

KINKO OOI JS 160302

AFL 16.5 | ILP 245 | EPI 208  
Lambled 7 | Lambs 16 | Weaned 10

KINKO RAM JS 150051

KINKO OOI JS 150268

AFL 14 | ILP 224 | EPI 100  
Lambled 4 | Lambs 5 | Weaned 4

**LOGIX**  
Genetics Analysis  
EBV Analysis 2025-07-18

SELLER REMARKS: Dragtig met 1-ling van NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 108      | 71        | 116      | 135          | 120 | 106 | 81  |
| 59%      | 56%       | 56%      | 37%          | 53% | 38% | 24% |

Logix Merit Index 115

Growth Index 98

Reproduction Index 116

|            |             |
|------------|-------------|
| Birth Wt.  | 3kg         |
| Wean Wt.   | 26.5kg (81) |
| Post-Wean  | 48.5kg (98) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 51 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230315

KINKO OOI JS 230315

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2023-07-15 |
| Age         | 2 years    |
| Inbreeding  | 7.22%      |
| Birth Stat. | 4          |

| AFL   | ILP | EPI |
|-------|-----|-----|
| 20.1m | -   | -   |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 1 (0) |
| Weaned          | 0     |

JS 220022 (3)

KINKO RAM JS 220022

Parentage Sire Dam

| DNA     |
|---------|
| Genomic |

JS 200145 (2)

KINKO OOI JS 200145

AFL 24.8 | ILP 349 | EPI 112  
Lambled 4 | Lambs 8 | Weaned 5

JT 190694

REM KUIL RAM JT 190694

JS 200797

KINKO OOI JS 200797

AFL 15.6 | ILP 390 | EPI 93  
Lambled 4 | Lambs 7 | Weaned 3

JS 180022

KINKO RAM JS 180022

JS 170534

KINKO OOI JS 170534

AFL 16 | ILP 574 | EPI 91  
Lambled 2 | Lambs 3 | Weaned 2

REM KUIL RAM JT 170622

REM KUIL OOI JT 170358

AFL 15.6 | ILP 299 | EPI 109  
Lambled 3 | Lambs 7 | Weaned 7

KINKO RAM JS 180159

KINKO OOI JS 190377

AFL 16.2 | ILP 294 | EPI 97  
Lambled 3 | Lambs 5 | Weaned 3

KINKO RAM JS 160855

KINKO OOI JS 150201

AFL 15.5 | ILP 285 | EPI 131  
Lambled 5 | Lambs 10 | Weaned 9

KINKO RAM JS 160116

KINKO OOI JS 140645

AFL 19 | ILP 291 | EPI 107  
Lambled 5 | Lambs 6 | Weaned 4

**LOGIX**  
Genetics Analysis  
EBV Analysis 2025-07-18

SELLER REMARKS: Dragtig met 2-ling van NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 67        | 119      | 122          | 112 | 108 | 78  |
| 57%      | 48%       | 55%      | 35%          | 48% | 39% | 24% |

Logix Merit Index 111

Growth Index 100

Reproduction Index 104

|            |              |
|------------|--------------|
| Birth Wt.  | 3kg          |
| Wean Wt.   | 31.4kg (95)  |
| Post-Wean  | 53.1kg (107) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 52 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230320

KINKO OOI JS 230320

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-07-16 |
| Oud.        | 2 jaar     |
| Inteling    | 8.44%      |
| Geb. Status | 2          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| 20m | -   | -   |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 2 (0) |
| Gespeen        | 0     |

JS 220031 (2)  
KINKO RAM JS220031

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200080 (1)  
KINKO OOI JS 200080  
OEL 19.2 | ILP 315 | OPI 122  
Gelam 3 | Lammers 5 | Gespeen 5

JS 190729  
KINKO RAM JS 190729

JS 190040  
KINKO OOI JS 190040  
OEL 28.1 | ILP 244 | OPI 84  
Gelam 2 | Lammers 3 | Gespeen 1

JS 150535  
KINKO RAM JS 150535

JS 160909  
KINKO OOI JS 160909  
OEL 20.5 | ILP 306 | OPI 93  
Gelam 3 | Lammers 3 | Gespeen 2

KINKO RAM JS 180231  
KINKO OOI JS 160818  
OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 170048  
KINKO OOI JS 160035  
OEL 29 | ILP 246 | OPI 87  
Gelam 3 | Lammers 3 | Gespeen 2

KINKO RAM JS 140007  
KINKO OOI JS 121051  
OEL 19.9 | ILP 382 | OPI 90  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 150051  
KINKO OOI JS 130377  
OEL 32 | ILP 225 | OPI 95  
Gelam 2 | Lammers 4 | Gespeen 4

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 113       | 92        | 120     | 123         | 122 | 110 | 101 |
| 56%       | 47%       | 53%     | 34%         | 47% | 37% | 23% |

Logix Meriete Indeks 124

Groeï Indeks 112

Reproduksie Indeks 124

VERKOPER OPMERKINGS: Dragtig met 3-ling van NL21-29

|            |             |
|------------|-------------|
| Geb. Gew.  | 2kg         |
| Speen Gew. | 39kg (118)  |
| Na-Speen   | 48.2kg (97) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 53 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230344

KINKO OOI JS 230344

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-07-19 |
| Oud.        | 2 jaar     |
| Inteling    | 7.12%      |
| Geb. Status | 3          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 13.7m | -   | 98  |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 2 (0) |
| Gespeen        | 1     |

JS 210470 (2)  
KINKO RAM JS 210470

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200679 (2)  
KINKO OOI JS 200679  
OEL 19.1 | ILP 234 | OPI 107  
Gelam 3 | Lammers 6 | Gespeen 5

JT 190694  
REM KUIL RAM JT 190694

JS 190351  
KINKO OOI JS 190351  
OEL 16.4 | ILP 340 | OPI 116  
Gelam 5 | Lammers 11 | Gespeen 6

JS 180094  
KINKO RAM JS 180094

JS 190145  
KINKO OOI JS 190145  
OEL 17.6 | ILP 295 | OPI 148  
Gelam 7 | Lammers 10 | Gespeen 8

REM KUIL RAM JT 170622  
REM KUIL OOI JT 170358  
OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 170048  
KINKO OOI JS 161061  
OEL 19.1 | ILP 362 | OPI 103  
Gelam 2 | Lammers 4 | Gespeen 4

RHENOSTERBOSRUG RAM AP 160309  
KINKO OOI JS 160389  
OEL 20.7 | ILP 224 | OPI 96  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 170298  
KINKO OOI JS 170423  
OEL 20.2 | ILP 227 | OPI 91  
Gelam 2 | Lammers 3 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 74        | 105     | 102         | 98  | 107 | 90  |
| 60%       | 54%       | 56%     | 39%         | 53% | 40% | 24% |

Logix Meriete Indeks 103

Groeï Indeks 101

Reproduksie Indeks 92

VERKOPER OPMERKINGS: Loop by ram NB21-488

|            |              |
|------------|--------------|
| Geb. Gew.  | 4kg          |
| Speen Gew. | 33.7kg (102) |
| Na-Speen   | 42.7kg (98)  |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 54 (F)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 230413

KINKO OOI JS 230413

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-10-27 |
| Oud.        | 1.8 jaar   |
| Inteling    | 4.43%      |
| Geb. Status | 1          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| -   | -   | -   |

NL 210029 (2)  
NUWELAND RAM NL 210029

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 220115 (1)  
KINKO EWE JS220115  
OEL 19.2 | ILP - | OPI 85  
Gelam 1 | Lammers 1 | Gespeen 1

NL 190188  
NUWELAND RAM NL 190188

NL 180048  
NUWELAND OOI NL 180048  
OEL 17.7 | ILP 251 | OPI 129  
Gelam 7 | Lammers 15 | Gespeen 12

JS 200601  
KINKO RAM JS 200601

JS 190599  
KINKO OOI JS190599  
OEL 21.6 | ILP 241 | OPI 93  
Gelam 3 | Lammers 4 | Gespeen 3

RHENOSTERBOSRUG RAM AP 160078  
NUWELAND OOI NL 180207  
OEL 16.8 | ILP 259 | OPI 88  
Gelam 4 | Lammers 7 | Gespeen 4

TOP 3 RAM ASJ 120435  
NUWELAND OOI NL 150279  
OEL 23.3 | ILP 314 | OPI 124  
Gelam 6 | Lammers 11 | Gespeen 8

KINKO RAM JS 180372  
KINKO OOI JS 190046  
OEL 17.3 | ILP - | OPI 90  
Gelam 1 | Lammers 2 | Gespeen 2

KINKO RAM JS 170330  
KINKO OOI JS 160396  
OEL 16.6 | ILP 313 | OPI 111  
Gelam 4 | Lammers 5 | Gespeen 4

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 97        | 94        | 110     | 116         | 108 | 98  | 103 |
| 57%       | 42%       | 46%     | 29%         | 45% | 29% | 19% |

Logix Meriete Indeks 106

Groeï Indeks 98

Reproduksie Indeks 112

VERKOPER OPMERKINGS: Dragtig met 'n 1-ling van NB21-488

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.5kg       |
| Speen Gew. | 22.2kg (68) |
| Na-Speen   | -           |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 55 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230416

KINKO OOI JS 230416

|                    |            |            |
|--------------------|------------|------------|
| <i>Herd Book</i>   | SP         |            |
| <i>Birth date</i>  | 2023-10-27 |            |
| <i>Age</i>         | 1.8 years  |            |
| <i>Inbreeding</i>  | 7.4%       |            |
| <i>Birth Stat.</i> | 1          |            |
| <i>AFL</i>         | <i>ILP</i> | <i>EPI</i> |
| -                  | -          | -          |

 JS 190729 (2)  
 KINKO RAM JS 190729

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 220245 (2)  
 KINKO OOI JS 220245  
 AFL 15.9 | ILP - | EPI 91  
 Lambed 1 | Lams 1 | Weaned 1

 JS 180231  
 KINKO RAM JS 180231

 JS 160818  
 KINKO OOI JS 160818  
 AFL 20.4 | ILP 243 | EPI 116  
 Lambed 4 | Lams 8 | Weaned 5

 JT 190583  
 REMKUIL RAM JT 190583

 JS 200532  
 KINKO OOI JS 200532  
 AFL 23.3 | ILP - | EPI 91  
 Lambed 1 | Lams 2 | Weaned 1

RHENOSTERBOSRUG RAM AP 160309

 KINKO OOI JS 160411  
 AFL 23.5 | ILP 232 | EPI 112  
 Lambed 3 | Lams 4 | Weaned 4

DORWALD RAM CPG 140270

 KINKO OOI JS 140602  
 AFL 18.6 | ILP 258 | EPI 96  
 Lambed 3 | Lams 6 | Weaned 3

 REMKUIL RAM JT 160623  
 REMKUIL OOI JT 160293  
 AFL 16.3 | ILP 348 | EPI 157  
 Lambed 6 | Lams 12 | Weaned 12

 KINKO RAM JS180245  
 KINKO OOI JS 180768  
 AFL 20.5 | ILP 419 | EPI 92  
 Lambed 2 | Lams 3 | Weaned 2

 LOGIX  
 GENETICS ONLINE  
 EBV Analysis 2025-07-18

SELLER REMARKS: Dragtig met 2-ling van NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 118      | 97        | 125      | 126          | 128 | 108 | 79  |
| 60%      | 50%       | 53%      | 40%          | 52% | 39% | 29% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 129 |
| Growth Index       | 119 |
| Reproduction Index | 127 |

|            |              |
|------------|--------------|
| Birth Wt.  | 4.4kg        |
| Wean Wt.   | 41.5kg (127) |
| Post-Wean  | -            |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 56 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230441

KINKO OOI JS 230441

|                        |            |            |
|------------------------|------------|------------|
| <i>. Herd Book</i>     | SP         |            |
| <i>Birth date</i>      | 2023-10-30 |            |
| <i>Age</i>             | 1.8 years  |            |
| <i>Inbreeding</i>      | 9.64%      |            |
| <i>Birth Stat.</i>     | 2          |            |
|                        |            |            |
| <i>AFL</i>             | <i>ILP</i> | <i>EPI</i> |
| 16.7m                  | -          | -          |
|                        |            |            |
| <i>Lambd</i>           | 1          |            |
| <i>Lambs (Sucking)</i> | 1 (1)      |            |
| <i>Weaned</i>          | 0          |            |

 JS 220017 (2)  
 KINKO RAM JS 220017

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 200040 (1)  
 KINKO OOI JS 200040  
 AFL 16.5 | ILP 263 | EPI 138  
 Lambed 6 | Lams 11 | Weaned 6

 JS 200651  
 KINKO RAM JS 200651

 JS 190442  
 KINKO OOI JS190442  
 AFL 16.3 | ILP 278 | EPI 142  
 Lambed 7 | Lams 12 | Weaned 6

 JS 180661  
 KINKO RAM JS 180661

 JS 180571  
 KINKO OOI JS 180571  
 AFL 19.8 | ILP 275 | EPI 101  
 Lambed 3 | Lams 4 | Weaned 4

KINKO RAM JS 180372

 KINKO OOI JS 190171  
 AFL 17.2 | ILP 297 | EPI 108  
 Lambed 7 | Lams 12 | Weaned 5

 KINKO RAM JS 170305  
 KINKO OOI JS 160965  
 AFL 24.7 | ILP 288 | EPI 99  
 Lambed 3 | Lams 4 | Weaned 3

 KINKO RAM JS 160142  
 KINKO OOI JS 160165  
 AFL 16 | ILP 280 | EPI 136  
 Lambed 4 | Lams 8 | Weaned 7

 KINKO RAM JS 170066  
 KINKO OOI JS 170029  
 AFL 16.7 | ILP 244 | EPI 99  
 Lambed 3 | Lams 4 | Weaned 4

 LOGIX  
 GENETICS ONLINE  
 EBV Analysis 2025-07-18

SELLER REMARKS: Loop by ram NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 110      | 95        | 115      | 115          | 115 | 110 | 90  |
| 59%      | 44%       | 56%      | 31%          | 47% | 34% | 17% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 118 |
| Growth Index       | 111 |
| Reproduction Index | 117 |

|            |             |
|------------|-------------|
| Birth Wt.  | 4.3kg       |
| Wean Wt.   | 29.8kg (91) |
| Post-Wean  | 41.2kg (96) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 57 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230474

KINKO OOI JS 230474

|                    |            |
|--------------------|------------|
| <i>Herd Book</i>   | SP         |
| <i>Birth date</i>  | 2023-11-03 |
| <i>Age</i>         | 1.7 years  |
| <i>Inbreeding</i>  | 8.72%      |
| <i>Birth Stat.</i> | 2          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 16.1m      | -          | -          |

|                        |       |
|------------------------|-------|
| <i>Lambd</i>           | 1     |
| <i>Lambs (Sucking)</i> | 1 (0) |
| <i>Weaned</i>          | 0     |

 JS 220122 (2)  
 KINKO RAM JS220122

Parentage Sire Dam

|         |
|---------|
| DNA     |
| Genomic |

 JS 210313 (2)  
 KINKO OOI JS 210313  
 AFL 15.9 | ILP 364 | EPI 99  
 Lambed 2 | Lams 4 | Weaned 3

 JS 200651  
 KINKO RAM JS 200651

 JS 190365  
 KINKO OOI JS 190365  
 AFL 16.3 | ILP 344 | EPI 145  
 Lambed 5 | Lams 10 | Weaned 7

 JS 190696  
 KINKO RAM JS 190696

 JS 180413  
 KINKO OOI JS180413  
 AFL 25.8 | ILP 307 | EPI 98  
 Lambed 2 | Lams 3 | Weaned 3

KINKO RAM JS 180372

 KINKO OOI JS 190171  
 AFL 17.2 | ILP 297 | EPI 108  
 Lambed 7 | Lams 12 | Weaned 5

 KINKO RAM JS 170305  
 KINKO OOI JS 170302  
 AFL 16 | ILP 247 | EPI 115  
 Lambed 4 | Lams 6 | Weaned 4

 KINKO RAM JS 180231  
 KINKO OOI JS 160302  
 AFL 16.5 | ILP 245 | EPI 208  
 Lambed 7 | Lams 16 | Weaned 10

 KINKO RAM JS 150423  
 KINKO OOI JS 150004  
 AFL 28.2 | ILP 378 | EPI 96  
 Lambed 2 | Lams 4 | Weaned 4

 LOGIX  
 GENETICS ONLINE  
 EBV Analysis 2025-07-18

SELLER REMARKS: Dragtig met 'n 3-ling van NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 119      | 87        | 126      | 123          | 123 | 108 | 76  |
| 59%      | 45%       | 57%      | 31%          | 47% | 38% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 124 |
| Growth Index       | 115 |
| Reproduction Index | 118 |

|            |              |
|------------|--------------|
| Birth Wt.  | 4.4kg        |
| Wean Wt.   | 34.3kg (105) |
| Post-Wean  | 46.7kg (109) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 58 (F)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



## JS 230475

KINKO OOI JS 230475

|                |            |     |
|----------------|------------|-----|
| . Kuddeboek    | SP         |     |
| Geb. dtm       | 2023-11-03 |     |
| Oud.           | 1.7 jaar   |     |
| Inteling       | 8.72%      |     |
| Geb. Status    | 2          |     |
|                |            |     |
| OEL            | ILP        | OPI |
| 16.5m          | -          | -   |
|                |            |     |
| Gelam          | 1          |     |
| Lammers (Soog) | 1 (0)      |     |
| Gespeen        | 0          |     |

JS 220122 (2)  
KINKO RAM JS220122

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      |      |      |
| Genomies |      |      |

JS 210313 (2)  
KINKO OOI JS 210313  
OEL 15.9 | ILP 364 | OPI 99  
Gelam 2 | Lammers 4 | Gespeen 3

JS 200651  
KINKO RAM JS 200651

JS 190365  
KINKO OOI JS 190365  
OEL 16.3 | ILP 344 | OPI 145  
Gelam 5 | Lammers 10 | Gespeen 7

JS 190696  
KINKO RAM JS 190696

JS 180413  
KINKO OOI JS180413  
OEL 25.8 | ILP 307 | OPI 98  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 180372  
KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305  
KINKO OOI JS 170302  
OEL 16 | ILP 247 | OPI 115  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 180231  
KINKO OOI JS 160302  
OEL 16.5 | ILP 245 | OPI 208  
Gelam 7 | Lammers 16 | Gespeen 10

KINKO RAM JS 150423  
KINKO OOI JS 150004  
OEL 28.2 | ILP 378 | OPI 96  
Gelam 2 | Lammers 4 | Gespeen 4

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 118       | 87        | 124     | 123         | 122 | 107 | 77  |
| 59%       | 45%       | 57%     | 31%         | 47% | 38% | 20% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 123 |
| Groeï Indeks         | 114 |
| Reproduksie Indeks   | 117 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.3kg        |
| Speen Gew. | 33.7kg (103) |
| Na-Speen   | 43.3kg (101) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Loop by ram  
NB21-488

## LOT 59 (F)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



## JS 230495

KINKO OOI JS 230495

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-11-05 |
| Oud.        | 1.7 jaar   |
| Inteling    | 6.57%      |
| Geb. Status | 1          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| -   | -   | -   |

JS 210470 (2)  
KINKO RAM JS 210470

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      |      |      |
| Genomies |      |      |

JS 220257 (2)  
KINKO OOI JS 220257  
OEL 16.1 | ILP 249 | OPI 104  
Gelam 3 | Lammers 3 | Gespeen 3

JT 190694  
REM KUIL RAM JT 190694

JS 190351  
KINKO OOI JS 190351  
OEL 16.4 | ILP 340 | OPI 116  
Gelam 5 | Lammers 11 | Gespeen 6

JS 210016  
KINKO RAM JS210016

JS 200294  
KINKO OOI JS 200294  
OEL 23.8 | ILP 283 | OPI 138  
Gelam 4 | Lammers 9 | Gespeen 6

REM KUIL RAM JT 170622  
REM KUIL OOI JT 170358  
OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 170048  
KINKO OOI JS 161061  
OEL 19.1 | ILP 362 | OPI 103  
Gelam 2 | Lammers 4 | Gespeen 4

KINKO RAM JS 190714  
KINKO OOI JS 180389  
OEL 14.5 | ILP 261 | OPI 100  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS180245  
KINKO OOI JS 180829  
OEL 19.7 | ILP 238 | OPI 111  
Gelam 4 | Lammers 7 | Gespeen 5

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 87        | 116     | 107         | 106 | 107 | 95  |
| 59%       | 48%       | 56%     | 36%         | 49% | 35% | 24% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 111 |
| Groeï Indeks         | 108 |
| Reproduksie Indeks   | 104 |

|            |             |
|------------|-------------|
| Geb. Gew.  | 5.2kg       |
| Speen Gew. | 31.4kg (96) |
| Na-Speen   | 45kg (105)  |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Loop by ram  
NB21-488

## LOT 60 (F)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



## JS 230517

KINKO OOI JS 230517

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-11-07 |
| Oud.        | 1.7 jaar   |
| Inteling    | 9.35%      |
| Geb. Status | 2          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 16.3m | -   | -   |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (0) |
| Gespeen        | 0     |

JS 220017 (2)  
KINKO RAM JS 220017

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      |      |      |
| Genomies |      |      |

JS 200736 (2)  
KINKO OOI JS 200736  
OEL 16.5 | ILP 275 | OPI 152  
Gelam 5 | Lammers 10 | Gespeen 9

JS 200651  
KINKO RAM JS 200651

JS 190442  
KINKO OOI JS190442  
OEL 16.3 | ILP 278 | OPI 142  
Gelam 7 | Lammers 12 | Gespeen 6

JS 180001  
KINKO RAM JS 180001

JS 170922  
KINKO OOI JS 170922  
OEL 15.7 | ILP 301 | OPI 97  
Gelam 3 | Lammers 4 | Gespeen 2

KINKO RAM JS 180372  
KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305  
KINKO OOI JS 160965  
OEL 24.7 | ILP 288 | OPI 99  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 160855  
KINKO OOI JS 150312  
OEL 15.4 | ILP 249 | OPI 132  
Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 150534  
KINKO OOI JS 160334  
OEL 16.3 | ILP - | OPI 90  
Gelam 1 | Lammers 1 | Gespeen 1

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 123       | 91        | 123     | 114         | 120 | 115 | 83  |
| 60%       | 46%       | 57%     | 32%         | 48% | 36% | 20% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 127 |
| Groeï Indeks         | 122 |
| Reproduksie Indeks   | 117 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5kg          |
| Speen Gew. | 37.1kg (113) |
| Na-Speen   | 47kg (110)   |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS: Dragtig met 'n  
2-ling van NL21-29

## LOT 61 (F)

## JS 230522

KINKO OOI JS 230522



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2023-11-07 |
| <i>Age</i>         | 1.7 years  |
| <i>Inbreeding</i>  | 10.34%     |
| <i>Birth Stat.</i> | 2          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 16.6m      | -          | -          |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 1     |
| <i>Lambs (Sucking)</i> | 1 (1) |
| <i>Weaned</i>          | 0     |

 JS 220017 (2)  
 KINKO RAM JS 220017

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

 JS 200837 (2)  
 KINKO OOI JS 200837  
 AFL 19.8 | ILP 234 | EPI 86  
 Lambed 3 | Lambs 4 | Weaned 3

 JS 200651  
 KINKO RAM JS 200651

 JS 190442  
 KINKO OOI JS190442  
 AFL 16.3 | ILP 278 | EPI 142  
 Lambed 7 | Lambs 12 | Weaned 6

 JS 180021  
 KINKO RAM JS 180021

 JS 170675  
 KINKO OOI JS 170675  
 AFL 16 | ILP 247 | EPI 132  
 Lambed 4 | Lambs 6 | Weaned 6

KINKO RAM JS 180372

 KINKO OOI JS 190171  
 AFL 17.2 | ILP 297 | EPI 108  
 Lambed 7 | Lambs 12 | Weaned 5

 KINKO RAM JS 170305  
 KINKO OOI JS 160965  
 AFL 24.7 | ILP 288 | EPI 99  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 160855  
 KINKO OOI JS 150201  
 AFL 15.5 | ILP 285 | EPI 131  
 Lambed 5 | Lambs 10 | Weaned 9

 KINKO RAM JS 160132  
 KINKO OOI JS 150272  
 AFL 16 | ILP 304 | EPI 105  
 Lambed 3 | Lambs 7 | Weaned 6

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 83        | 117      | 127          | 122 | 110 | 89  |
| 59%      | 45%       | 57%      | 30%          | 47% | 36% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 122 |
| Growth Index       | 108 |
| Reproduction Index | 120 |

|            |             |
|------------|-------------|
| Birth Wt.  | 4kg         |
| Wean Wt.   | 26.1kg (80) |
| Post-Wean  | 41kg (96)   |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

SELLER REMARKS: Dragtig met 'n 2-ling van NB21-488

 LOGIX  
 GENETIC ORIGIN  
 EBV Analysis 2025-07-18

## LOT 62 (F)

## JS 230545

KINKO OOI JS 230545



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|                    |            |
|--------------------|------------|
| <i>. Herd Book</i> | SP         |
| <i>Birth date</i>  | 2023-11-10 |
| <i>Age</i>         | 1.7 years  |
| <i>Inbreeding</i>  | 8.59%      |
| <i>Birth Stat.</i> | 2          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| 16.1m      | -          | -          |

|                        |       |
|------------------------|-------|
| <i>Lambled</i>         | 1     |
| <i>Lambs (Sucking)</i> | 1 (0) |
| <i>Weaned</i>          | 0     |

 JS 220209 (1)  
 KINKO RAM JS220209

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

 JS 220287 (2)  
 KINKO OOI JS 220287  
 AFL 16.2 | ILP 341 | EPI 106  
 Lambed 2 | Lambs 5 | Weaned 4

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JS 210100  
 KINKO RAM JS210100

 JS 200531  
 KINKO OOI JS 200531  
 AFL 23.4 | ILP - | EPI 94  
 Lambed 1 | Lambs 2 | Weaned 2

KINKO RAM JS 180159

 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 KINKO RAM JS 190696  
 KINKO EWE JS180359  
 AFL 23.9 | ILP 328 | EPI 95  
 Lambed 2 | Lambs 2 | Weaned 2

 KINKO RAM JS 180231  
 KINKO OOI JS 180371  
 AFL 24.4 | ILP 367 | EPI 93  
 Lambed 2 | Lambs 3 | Weaned 2

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 118      | 94        | 117      | 136          | 136 | 105 | 87  |
| 58%      | 42%       | 56%      | 28%          | 45% | 35% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 133 |
| Growth Index       | 118 |
| Reproduction Index | 134 |

|            |             |
|------------|-------------|
| Birth Wt.  | 4kg         |
| Wean Wt.   | 30.8kg (94) |
| Post-Wean  | 41kg (96)   |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

SELLER REMARKS: Dragtig met 'n 2-ling van NB21-488

 LOGIX  
 GENETIC ORIGIN  
 EBV Analysis 2025-07-18

## LOT 63 (F)

## JS 230555

KINKO OOI JS 230555



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|                    |            |
|--------------------|------------|
| <i>Herd Book</i>   | <i>SP</i>  |
| <i>Birth date</i>  | 2023-11-11 |
| <i>Age</i>         | 1.7 years  |
| <i>Inbreeding</i>  | 8.28%      |
| <i>Birth Stat.</i> | 1          |

|            |            |            |
|------------|------------|------------|
| <i>AFL</i> | <i>ILP</i> | <i>EPI</i> |
| -          | -          | -          |

 JS 220209 (1)  
 KINKO RAM JS220209

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |

 JS 220405 (3)  
 KINKO OOI JS 220405  
 AFL 15.9 | ILP 244 | EPI 124  
 Lambed 3 | Lambs 5 | Weaned 5

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JS 210016  
 KINKO RAM JS210016

 JS 200332  
 KINKO OOI JS 200332  
 AFL 15.6 | ILP 336 | EPI 127  
 Lambed 6 | Lambs 11 | Weaned 5

KINKO RAM JS 180159

 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 KINKO RAM JS 190714  
 KINKO OOI JS 180389  
 AFL 14.5 | ILP 261 | EPI 100  
 Lambed 4 | Lambs 6 | Weaned 4

 KINKO RAM JS 180316  
 KINKO EWE JS180249  
 AFL 24.1 | ILP 237 | EPI 96  
 Lambed 4 | Lambs 6 | Weaned 3

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 95        | 123      | 130          | 129 | 105 | 104 |
| 59%      | 43%       | 56%      | 29%          | 46% | 27% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 130 |
| Growth Index       | 116 |
| Reproduction Index | 130 |

|            |              |
|------------|--------------|
| Birth Wt.  | 4.6kg        |
| Wean Wt.   | 32.9kg (100) |
| Post-Wean  | 43.7kg (102) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

SELLER REMARKS: Dragtig met 'n 2-ling van NB21-488

 LOGIX  
 GENETIC ORIGIN  
 EBV Analysis 2025-07-18

## LOT 64 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230558

KINKO OOI JS 230558

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-11-11 |
| Oud.        | 1.7 jaar   |
| Inteling    | 8.72%      |
| Geb. Status | 2          |

|       |     |     |
|-------|-----|-----|
| OEL   | ILP | OPI |
| 16.5m | -   | -   |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (1) |
| Gespeen        | 0     |

 JS 220209 (1)  
 KINKO RAM JS220209

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

 JS 220417 (2)  
 KINKO OOI JS 220417  
 OEL 15.8 | ILP 247 | OPI 99  
 Gelam 3 | Lammers 6 | Gespeen 3

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 OEL 27.7 | ILP 231 | OPI 101  
 Gelam 2 | Lammers 4 | Gespeen 4

 JS 200391  
 KINKO RAM JS 200391

 JS 210047  
 KINKO OOI JS 210047  
 OEL 16.3 | ILP - | OPI 88  
 Gelam 1 | Lammers 2 | Gespeen 2

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 OEL 20.4 | ILP 243 | OPI 98  
 Gelam 3 | Lammers 4 | Gespeen 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 OEL 24.1 | ILP 261 | OPI 98  
 Gelam 2 | Lammers 3 | Gespeen 3

 KINKO RAM JS 180001  
 KINKO OOI JS 170016  
 OEL 17 | ILP 240 | OPI 129  
 Gelam 4 | Lammers 8 | Gespeen 8

 KINKO RAM JS 180022  
 KINKO OOI JS 180848  
 OEL 19.7 | ILP 237 | OPI 112  
 Gelam 4 | Lammers 7 | Gespeen 5

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 113       | 85        | 105     | 121         | 117 | 114 | 103 |
| 58%       | 41%       | 56%     | 27%         | 44% | 34% | 19% |

Logix Meriete Indeks 121

Groeï Indeks 109

Reproduksie Indeks 119

VERKOPER OPMERKINGS: Dragtig met 'n 1-ling van NB21-488

|            |             |
|------------|-------------|
| Geb. Gew.  | 3kg         |
| Speen Gew. | 32.6kg (99) |
| Na-Speen   | 24.6kg (57) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 65 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230578

KINKO OOI JS 230578

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-11-13 |
| Oud.        | 1.7 jaar   |
| Inteling    | 19.62%     |
| Geb. Status | 1          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| -   | -   | -   |

 JS 190729 (2)  
 KINKO RAM JS 190729

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

 JS 220320 (2)  
 KINKO OOI JS 220320  
 OEL 16.2 | ILP 250 | OPI 106  
 Gelam 3 | Lammers 4 | Gespeen 3

 JS 180231  
 KINKO RAM JS 180231

 JS 160818  
 KINKO OOI JS 160818  
 OEL 20.4 | ILP 243 | OPI 116  
 Gelam 4 | Lammers 8 | Gespeen 5

 JS 210127  
 KINKO RAM JS 210127

 JS 200091  
 KINKO EWE JS 200091  
 OEL 19.4 | ILP 247 | OPI 99  
 Gelam 2 | Lammers 4 | Gespeen 4

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160411  
 OEL 23.5 | ILP 232 | OPI 112  
 Gelam 3 | Lammers 4 | Gespeen 4

 DORWALD RAM CPG 140270  
 KINKO OOI JS 140602  
 OEL 18.6 | ILP 258 | OPI 96  
 Gelam 3 | Lammers 6 | Gespeen 3

 KINKO RAM JS 190729  
 KINKO OOI JS 180535  
 OEL 23.9 | ILP 241 | OPI 111  
 Gelam 3 | Lammers 5 | Gespeen 4

 KINKO RAM JS 150535  
 KINKO OOI JS 160726  
 OEL 22.7 | ILP 317 | OPI 95  
 Gelam 3 | Lammers 7 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 119       | 90        | 121     | 136         | 136 | 118 | 82  |
| 60%       | 52%       | 52%     | 41%         | 53% | 38% | 29% |

Logix Meriete Indeks 134

Groeï Indeks 116

Reproduksie Indeks 135

VERKOPER OPMERKINGS: Loop by ram NL21-29

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.7kg        |
| Speen Gew. | 34.8kg (106) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 66 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230594

KINKO OOI JS 230594

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2023-11-19 |
| Oud.        | 1.7 jaar   |
| Inteling    | 9.39%      |
| Geb. Status | 1          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| -   | -   | -   |

 JS 190729 (2)  
 KINKO RAM JS 190729

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

 JS 220385 (3)  
 KINKO OOI JS 220385  
 OEL 16.2 | ILP 233 | OPI 96  
 Gelam 2 | Lammers 2 | Gespeen 2

 JS 180231  
 KINKO RAM JS 180231

 JS 160818  
 KINKO OOI JS 160818  
 OEL 20.4 | ILP 243 | OPI 116  
 Gelam 4 | Lammers 8 | Gespeen 5

 JS 210016  
 KINKO RAM JS210016

 JS 200530  
 KINKO OOI JS 200530  
 OEL 23.7 | ILP - | OPI 90  
 Gelam 1 | Lammers 3 | Gespeen 1

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160411  
 OEL 23.5 | ILP 232 | OPI 112  
 Gelam 3 | Lammers 4 | Gespeen 4

 DORWALD RAM CPG 140270  
 KINKO OOI JS 140602  
 OEL 18.6 | ILP 258 | OPI 96  
 Gelam 3 | Lammers 6 | Gespeen 3

 KINKO RAM JS 190714  
 KINKO OOI JS 180389  
 OEL 14.5 | ILP 261 | OPI 100  
 Gelam 4 | Lammers 6 | Gespeen 4

 KINKO RAM JS 180022  
 KINKO OOI JS 170438  
 OEL 20.2 | ILP 491 | OPI 93  
 Gelam 2 | Lammers 2 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 117       | 92        | 125     | 134         | 132 | 113 | 84  |
| 60%       | 51%       | 58%     | 40%         | 52% | 38% | 29% |

Logix Meriete Indeks 132

Groeï Indeks 115

Reproduksie Indeks 133

VERKOPER OPMERKINGS: Dragtig met 'n 3-ling van NL21-29

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.4kg        |
| Speen Gew. | 34kg (104)   |
| Na-Speen   | 46.8kg (109) |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 67 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230637

KINKO OOI JS 230637

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2023-11-28 |
| Age         | 1.7 years  |
| Inbreeding  | 5.22%      |
| Birth Stat. | 1          |

| AFL   | ILP | EPI |
|-------|-----|-----|
| 15.6m | -   | -   |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 1 (0) |
| Weaned          | 0     |

 NB 210488 (1)  
 NOVA BARLETTA RAM NB210488

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 210843 (2)  
 KINKO OOI JS 210843  
 AFL 15.7 | ILP 247 | EPI 106  
 Lambled 3 | Lambs 4 | Weaned 4

 NB 190715  
 NOVA BARLETTA BUZZ  
 NOVA BARLETTA EWE NB180185  
 AFL 17.4 | ILP 335 | EPI 116  
 Lambled 7 | Lambs 10 | Weaned 7

 NB 180016  
 NOVA BARLETTA EWE NB180016  
 AFL 16.7 | ILP 317 | EPI 95  
 Lambled 4 | Lambs 6 | Weaned 6

 JS 200064  
 KINKO RAM JS 200064  
 KINKO RAM JS 180001  
 KINKO OOI JS 180049  
 AFL 15.6 | ILP 255 | EPI 97  
 Lambled 2 | Lambs 3 | Weaned 3

 JS 190819  
 KINKO EWE JS190819  
 KINKO RAM JS 180279  
 KINKO OOI JS 160834  
 AFL 15.6 | ILP 236 | EPI 138  
 Lambled 5 | Lambs 9 | Weaned 7

 LOGIX  
 GENETIC ANALYSIS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 'n 3-ling  
 van NL21-29

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 87        | 126      | 114          | 114 | 115 | 118 |
| 59%      | 45%       | 57%      | 34%          | 48% | 37% | 24% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 123 |
| Growth Index       | 112 |
| Reproduction Index | 117 |

|            |              |
|------------|--------------|
| Birth Wt.  | 5.6kg        |
| Wean Wt.   | 34.4kg (105) |
| Post-Wean  | 47.1kg (110) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 68 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230639

KINKO OOI JS 230639

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2023-11-28 |
| Age         | 1.7 years  |
| Inbreeding  | 8.25%      |
| Birth Stat. | 2          |

| AFL   | ILP | EPI |
|-------|-----|-----|
| 15.6m | -   | -   |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 1 (0) |
| Weaned          | 0     |

 JS 220122 (2)  
 KINKO RAM JS220122

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 210495 (2)  
 KINKO OOI JS 210495  
 AFL 28.3 | ILP - | EPI 87  
 Lambled 1 | Lambs 2 | Weaned 1

 JS 200651  
 KINKO RAM JS 200651  
 KINKO RAM JS 180372  
 KINKO OOI JS 190171  
 AFL 17.2 | ILP 297 | EPI 108  
 Lambled 7 | Lambs 12 | Weaned 5

 JS 190365  
 KINKO OOI JS 190365  
 KINKO RAM JS 170305  
 KINKO OOI JS 170302  
 AFL 16.3 | ILP 344 | EPI 145  
 Lambled 5 | Lambs 10 | Weaned 7

 JS 180021  
 KINKO RAM JS 180021  
 KINKO RAM JS 160855  
 KINKO OOI JS 150201  
 AFL 15.5 | ILP 285 | EPI 131  
 Lambled 5 | Lambs 10 | Weaned 9

 JS 190156  
 KINKO OOI JS 190156  
 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 170799  
 AFL 17.2 | ILP 270 | EPI 115  
 Lambled 4 | Lambs 8 | Weaned 7

 LOGIX  
 GENETIC ANALYSIS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Dragtig met 'n 1-ling  
 van NB21-488

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 82        | 119      | 124          | 121 | 110 | 82  |
| 58%      | 43%       | 57%      | 31%          | 46% | 37% | 19% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 122 |
| Growth Index       | 110 |
| Reproduction Index | 117 |

|            |             |
|------------|-------------|
| Birth Wt.  | 4.5kg       |
| Wean Wt.   | 26kg (79)   |
| Post-Wean  | 36.2kg (85) |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 69 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230061

KINKO OOI JS 230061

| Herd Book   | SP         |
|-------------|------------|
| Birth date  | 2023-03-04 |
| Age         | 2.4 years  |
| Inbreeding  | 6.27%      |
| Birth Stat. | 2          |

| AFL   | ILP | EPI |
|-------|-----|-----|
| 27.2m | -   | -   |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 1 (1) |
| Weaned          | 0     |

 JT 190694 (4)  
 REMKUIL RAM JT 190694

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 190768 (2)  
 KINKO OOI JS 190768  
 AFL 16.7 | ILP 351 | EPI 94  
 Lambled 3 | Lambs 5 | Weaned 3

 JT 170622  
 REMKUIL RAM JT 170622  
 KINKO RAM JS 140932  
 REMKUIL OOI JT 150464  
 AFL 23.5 | ILP 350 | EPI 109  
 Lambled 4 | Lambs 8 | Weaned 6

 JT 170358  
 REMKUIL OOI JT 170358  
 REMKUIL RAM JT 150031  
 REMKUIL OOI JT 140339  
 AFL 15.6 | ILP 299 | EPI 109  
 Lambled 3 | Lambs 7 | Weaned 7

 JS 170942  
 KINKO RAM JS 170942  
 KINKO RAM JS 160142  
 KINKO OOI JS 150155  
 AFL 16.1 | ILP 239 | EPI 115  
 Lambled 4 | Lambs 8 | Weaned 6

 JS 180278  
 KINKO OOI JS 180278  
 KINKO RAM JS 150692  
 KINKO OOI JS 160635  
 AFL 16.1 | ILP 306 | EPI 88  
 Lambled 2 | Lambs 4 | Weaned 2

 LOGIX  
 GENETIC ANALYSIS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Loop by by NL21-29. Met  
 ramlam JS250242

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 110      | 79        | 116      | 86           | 87  | 101 | 87  |
| 60%      | 53%       | 52%      | 42%          | 53% | 41% | 32% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 94  |
| Growth Index       | 102 |
| Reproduction Index | 79  |

|            |             |
|------------|-------------|
| Birth Wt.  | 5.5kg       |
| Wean Wt.   | 29.9kg (98) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 70 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230071

KINKO OOI JS 230071

|             |            |
|-------------|------------|
| . Kuddeboek | B          |
| Geb. dtm    | 2023-03-05 |
| Oud.        | 2.4 jaar   |
| Inteling    | 5.92%      |
| Geb. Status | 2          |

|       |      |     |
|-------|------|-----|
| OEL   | ILP  | OPI |
| 17.3m | 281d | 94  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 2 (1) |
| Gespeen        | 1     |

 JS 210341 (2)  
 KINKO RAM JS 210341

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

 JS 200812 (1)  
 KINKO EWE JS 200812  
 OEL - | ILP 214 | OPI 97  
 Gelam 2 | Lammers 4 | Gespeen 3

 JT 190694  
 REMKUIL RAM JT 190694

 JS 180492  
 KINKO OOI JS 180492  
 OEL 20 | ILP 241 | OPI 112  
 Gelam 3 | Lammers 5 | Gespeen 5

 REMKUIL RAM JT 170622  
 REMKUIL OOI JT 170358  
 OEL 15.6 | ILP 299 | OPI 109  
 Gelam 3 | Lammers 7 | Gespeen 7  
 KINKO RAM JS 150692  
 KINKO OOI JS 150184  
 OEL 19.7 | ILP 305 | OPI 103  
 Gelam 3 | Lammers 5 | Gespeen 4

 LOGIX  
 ANALISE  
 EBV Analise 2025-07-18

 VERKOPER OPMERKINGS: Loop by  
 NB21-586 vanaf 01/06/2025. Met ramlam  
 JS25-223

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 83        | 86        | 94      | 88          | 76  | 99  | 74  |
| 50%       | 47%       | 36%     | 30%         | 44% | 32% | 25% |

Logix Meriete Indeks 74

Groeï Indeks 80

Reproduksie Indeks 77

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.4kg       |
| Speen Gew. | 21.8kg (71) |
| Na-Speen   | -           |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 71 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 220614

KINKO OOI JS 220614

|             |            |
|-------------|------------|
| . Kuddeboek | A          |
| Geb. dtm    | 2022-09-25 |
| Oud.        | 2.8 jaar   |
| Inteling    | 6.22%      |
| Geb. Status | 1          |

|     |      |     |
|-----|------|-----|
| OEL | ILP  | OPI |
| -   | 293d | 92  |

|                |       |
|----------------|-------|
| Gelam          | 2     |
| Lammers (Soog) | 4 (2) |
| Gespeen        | 1     |

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

 JS 190365 (2)  
 KINKO OOI JS 190365  
 OEL 16.3 | ILP 344 | OPI 145  
 Gelam 5 | Lammers 10 | Gespeen 7

 JS 170305  
 KINKO RAM JS 170305

 JS 170302  
 KINKO OOI JS 170302  
 OEL 16 | ILP 247 | OPI 115  
 Gelam 4 | Lammers 6 | Gespeen 4

 KINKO RAM JS 160132  
 KINKO OOI JS 150453  
 OEL 15.2 | ILP 245 | OPI 96  
 Gelam 2 | Lammers 3 | Gespeen 3  
 KINKO RAM JS 160105  
 KINKO OOI JS 150253  
 OEL 17.1 | ILP 306 | OPI 115  
 Gelam 3 | Lammers 6 | Gespeen 6

 LOGIX  
 ANALISE  
 EBV Analise 2025-07-18

 VERKOPER OPMERKINGS: Loop by NB21-586  
 vanaf 01/06/2025. Met ramlam JS25-224.

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 109       | 98        | 124     | 91          | 98  | 105 | 64  |
| 48%       | 44%       | 36%     | 30%         | 42% | 21% | 15% |

Logix Meriete Indeks 102

Groeï Indeks 111

Reproduksie Indeks 94

|            |              |
|------------|--------------|
| Geb. Gew.  | 5kg          |
| Speen Gew. | 36.1kg (115) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 72 (F)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 230536

KINKO OOI JS 230536

|             |            |
|-------------|------------|
| . Kuddeboek | A          |
| Geb. dtm    | 2023-11-08 |
| Oud.        | 1.7 jaar   |
| Inteling    | 6.11%      |
| Geb. Status | 1          |

|     |     |     |
|-----|-----|-----|
| OEL | ILP | OPI |
| -   | -   | -   |

|                |       |
|----------------|-------|
| Gelam          | 1     |
| Lammers (Soog) | 1 (1) |
| Gespeen        | 0     |

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

 JS 221000 (1)  
 KINKO EWE JS 221000  
 OEL - | ILP - | OPI 90  
 Gelam 1 | Lammers 1 | Gespeen 1

 LOGIX  
 ANALISE  
 EBV Analise 2025-07-18

 VERKOPER OPMERKINGS: Loop by NB21-488.  
 Met oilam JS25-241 en oilam JS25-241

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 75        | 106       | 89      | 85          | 77  | 96  | 64  |
| 33%       | 17%       | 34%     | 5%          | 19% | 5%  | 5%  |

Logix Meriete Indeks 74

Groeï Indeks 82

Reproduksie Indeks 84

|            |             |
|------------|-------------|
| Geb. Gew.  | 4kg         |
| Speen Gew. | 31.4kg (96) |
| Na-Speen   | 35.2kg (82) |
| Volw. Gew. | -           |
| GDT Ind.   | -           |
| VOV Ind.   | -           |
| Skrotum    | -           |

## LOT 73 (F)

## JS 230487

KINKO OOI JS 230487



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| • Herd Book | A          |
| Birth date  | 2023-11-04 |
| Age         | 1.7 years  |
| Inbreeding  | 6.11%      |
| Birth Stat. | 2          |

|     |     |     |
|-----|-----|-----|
| AFL | ILP | EPI |
| -   | -   | -   |

|                 |       |
|-----------------|-------|
| Lambled         | 1     |
| Lambs (Sucking) | 2 (2) |
| Weaned          | 0     |

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 220240 (2)  
 KINKO OOI JS 220240  
 AFL 16.2 | ILP 249 | EPI 124  
 Lambled 3 | Lambs 7 | Weaned 6

 JT 190583  
 REMKUIL RAM JT 190583

 JS 200602  
 KINKO OOI JS 200602  
 AFL 13.6 | ILP 258 | EPI 113  
 Lambled 3 | Lambs 7 | Weaned 5

 REMKUIL RAM JT 160623  
 REMKUIL OOI JT 160293  
 AFL 16.3 | ILP 348 | EPI 157  
 Lambled 6 | Lambs 12 | Weaned 12

 KINKO RAM JS 180372  
 KINKO OOI JS 190046  
 AFL 17.3 | ILP - | EPI 90  
 Lambled 1 | Lambs 2 | Weaned 2

 LOGIX  
 DIRECT GENETICS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: Loop by by NB21-586.  
 Met ramlam JS25-244 en ramlam JS25-243

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 95       | 100       | 106      | 99           | 96  | 104 | 64  |
| 45%      | 34%       | 30%      | 24%          | 36% | 21% | 17% |

|                    |    |
|--------------------|----|
| Logix Merit Index  | 95 |
| Growth Index       | 98 |
| Reproduction Index | 99 |

|            |             |
|------------|-------------|
| Birth Wt.  | 3kg         |
| Wean Wt.   | 28.1kg (86) |
| Post-Wean  | -           |
| Mature Wt. | -           |
| ADG Ind.   | -           |
| FCR Ind.   | -           |
| Scrotum    | -           |

## LOT 74 (M)

## JS 230292

KINKO RAM JS 230292



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| • Herd Book | SP         |
| Birth date  | 2023-07-15 |
| Age         | 2 years    |
| Inbreeding  | 6.15%      |
| Birth Stat. | 3          |

|         |
|---------|
| Progeny |
| None    |

 JS 210470 (2)  
 KINKO RAM JS 210470

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 200552 (2)  
 KINKO OOI JS 200552  
 AFL 20.1 | ILP 237 | EPI 138  
 Lambled 4 | Lambs 9 | Weaned 7

 JT 190694  
 REMKUIL RAM JT 190694

 JS 190351  
 KINKO OOI JS 190351  
 AFL 16.4 | ILP 340 | EPI 116  
 Lambled 5 | Lambs 11 | Weaned 6

 JS 180245  
 KINKO RAM JS180245

 JS 180088  
 KINKO OOI JS 180088  
 AFL 28.1 | ILP 369 | EPI 97  
 Lambled 2 | Lambs 3 | Weaned 3

 REMKUIL RAM JT 170622  
 REMKUIL OOI JT 170358  
 AFL 15.6 | ILP 299 | EPI 109  
 Lambled 3 | Lambs 7 | Weaned 7

 KINKO RAM JS 170048  
 KINKO OOI JS 161061  
 AFL 19.1 | ILP 362 | EPI 103  
 Lambled 2 | Lambs 4 | Weaned 4

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160410  
 AFL 23.5 | ILP - | EPI 93  
 Lambled 1 | Lambs 2 | Weaned 2

 KINKO RAM JS 150692  
 KINKO OOI JS 150457  
 AFL 13.3 | ILP 336 | EPI 132  
 Lambled 6 | Lambs 8 | Weaned 7

 LOGIX  
 DIRECT GENETICS  
 EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 80        | 113      | 112          | 109 | 111 | 96  |
| 60%      | 50%       | 56%      | 36%          | 51% | 36% | 25% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 114 |
| Growth Index       | 107 |
| Reproduction Index | 107 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3kg          |
| Wean Wt.   | 44kg (109)   |
| Post-Wean  | 46.7kg (105) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 75 (M)

## JS 230196

KINKO RAM JS 230196



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| • Herd Book | SP         |
| Birth date  | 2023-07-06 |
| Age         | 2.1 years  |
| Inbreeding  | 18.14%     |
| Birth Stat. | 1          |

| Progeny           |    |
|-------------------|----|
| <i>In Herd</i>    | 31 |
| <i>Total</i>      | 31 |
| <i>Herds Used</i> | 1  |

 JS 220031 (2)  
 KINKO RAM JS220031

| Parentage Sire Dam |
|--------------------|
| DNA                |
| Genomic            |

 JS 210095 (2)  
 KINKO OOI JS 210095  
 AFL 19.8 | ILP 242 | EPI 159  
 Lambled 4 | Lambs 7 | Weaned 7

 JS 190729  
 KINKO RAM JS 190729

 JS 190040  
 KINKO OOI JS 190040  
 AFL 28.1 | ILP 244 | EPI 84  
 Lambled 2 | Lambs 3 | Weaned 1

 JS 190729  
 KINKO RAM JS 190729

 JS 180297  
 KINKO OOI JS 180297  
 AFL 23.9 | ILP 237 | EPI 137  
 Lambled 4 | Lambs 8 | Weaned 7

 KINKO RAM JS 180231  
 KINKO OOI JS 160818  
 AFL 20.4 | ILP 243 | EPI 116  
 Lambled 4 | Lambs 8 | Weaned 5

 KINKO RAM JS 170048  
 KINKO OOI JS 160035  
 AFL 29 | ILP 246 | EPI 87  
 Lambled 3 | Lambs 3 | Weaned 2

 KINKO RAM JS 180231  
 KINKO OOI JS 160818  
 AFL 20.4 | ILP 243 | EPI 116  
 Lambled 4 | Lambs 8 | Weaned 5

 KINKO RAM JS 160105  
 KINKO OOI JS 160982  
 AFL 19.9 | ILP 353 | EPI 92  
 Lambled 3 | Lambs 6 | Weaned 2

 LOGIX  
 DIRECT GENETICS  
 EBV Analysis 2025-07-18

 SELLER REMARKS: In stoet gebruik 31  
 lammers gem. punt speen 3.3/5

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 97        | 117      | 136          | 134 | 106 | 89  |
| 73%      | 49%       | 71%      | 35%          | 55% | 33% | 23% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 132 |
| Growth Index       | 116 |
| Reproduction Index | 135 |

|            |              |
|------------|--------------|
| Birth Wt.  | 6kg          |
| Wean Wt.   | 38.8kg (100) |
| Post-Wean  | 51.8kg (116) |
| Mature Wt. | -            |
| ADG Ind.   | -            |
| FCR Ind.   | -            |
| Scrotum    | -            |

## LOT 76 (M)

## JS 220209

KINKO RAM JS220209



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-06-24 |
| Oud.        | 3.1 jaar   |
| Inteling    | 8.66%      |
| Geb. Status | 1          |

|                |     |
|----------------|-----|
| Nageslag       |     |
| In Kudde       | 117 |
| Totaal         | 142 |
| Kuddes Gebruik | 6   |

JS 210134 (1)  
KINKO RAM JS 210134

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 190409 (2)  
KINKO OOI JS 190409  
OEL 27.7 | ILP 231 | OPI 101  
Gelam 2 | Lammers 4 | Gespeen 4

JS 180159  
KINKO RAM JS 180159

JS 180720  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

JS 170048  
KINKO RAM JS 170048

JS 170420  
KINKO OOI JS 170420  
OEL 24.1 | ILP 261 | OPI 98  
Gelam 2 | Lammers 3 | Gespeen 3

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160603  
OEL 23.1 | ILP 307 | OPI 98  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 170338  
KINKO OOI JS 150396  
OEL 15.2 | ILP 251 | OPI 130  
Gelam 5 | Lammers 11 | Gespeen 9

KINKO RAM JS 150536  
KINKO OOI JS 140554  
OEL 23.6 | ILP 253 | OPI 116  
Gelam 3 | Lammers 6 | Gespeen 6

KINKO RAM JS 150692  
KINKO OOI JS 140382  
OEL 24.7 | ILP 376 | OPI 122  
Gelam 4 | Lammers 7 | Gespeen 6

**LOGIX**  
GENETICS CHANGES  
EBV Analise 2025-07-18

**VERKOPER OPMERKINGS:** In stoet gebruik 121 lammers gem. punt keur 6.6/9 Naspeen 3.4/5 en speen 3.5/5

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 121       | 85        | 111     | 120         | 121 | 106 | 106 |
| 87%       | 56%       | 81%     | 37%         | 64% | 38% | 25% |

Logix Meriete Indeks 126

Groeï Indeks 116

Reproduksie Indeks 117

|            |              |
|------------|--------------|
| Geb. Gew.  | 7kg          |
| Speen Gew. | 40.4kg (112) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 77 (M)

## JS 220175

KINKO RAM JS 220175



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2022-06-20 |
| Oud.        | 3.1 jaar   |
| Inteling    | 18.21%     |
| Geb. Status | 2          |

|                |     |
|----------------|-----|
| Nageslag       |     |
| In Kudde       | 93  |
| Totaal         | 110 |
| Kuddes Gebruik | 4   |

JS 210134 (1)  
KINKO RAM JS 210134

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 190771 (2)  
KINKO OOI JS 190771  
OEL 16.3 | ILP 229 | OPI 104  
Gelam 3 | Lammers 6 | Gespeen 4

JS 180159  
KINKO RAM JS 180159

JS 180720  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

JS 180159  
KINKO RAM JS 180159

JS 170885  
KINKO OOI JS 170885  
OEL 16.4 | ILP 252 | OPI 116  
Gelam 3 | Lammers 5 | Gespeen 5

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160603  
OEL 23.1 | ILP 307 | OPI 98  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 170338  
KINKO OOI JS 150396  
OEL 15.2 | ILP 251 | OPI 130  
Gelam 5 | Lammers 11 | Gespeen 9

KINKO OOI JS 160603  
OEL 23.1 | ILP 307 | OPI 98  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 160116  
KINKO OOI JS 140542  
OEL 19.9 | ILP 301 | OPI 114  
Gelam 4 | Lammers 7 | Gespeen 6

**LOGIX**  
GENETICS CHANGES  
EBV Analise 2025-07-18

**VERKOPER OPMERKINGS:** In stoet gebruik 70 lammers gem. punt keur 7.2/9 Naspeen 3.5/5 en speen 3.4/5

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 128       | 85        | 116     | 127         | 131 | 107 | 111 |
| 84%       | 53%       | 70%     | 35%         | 61% | 32% | 25% |

Logix Meriete Indeks 136

Groeï Indeks 123

Reproduksie Indeks 126

|            |              |
|------------|--------------|
| Geb. Gew.  | 6.4kg        |
| Speen Gew. | 40.7kg (113) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

## LOT 78 (M)

## JS 240035

KINKO RAM JS 240035



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

|             |            |
|-------------|------------|
| . Kuddeboek | SP         |
| Geb. dtm    | 2024-02-25 |
| Oud.        | 1.4 jaar   |
| Inteling    | 8.89%      |
| Geb. Status | 2          |

|                |    |
|----------------|----|
| Nageslag       |    |
| In Kudde       | 18 |
| Totaal         | 19 |
| Kuddes Gebruik | 2  |

JS 220175 (2)  
KINKO RAM JS 220175

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 210095 (2)  
KINKO OOI JS 210095  
OEL 19.8 | ILP 242 | OPI 159  
Gelam 4 | Lammers 7 | Gespeen 7

JS 210134  
KINKO RAM JS 210134

JS 190771  
KINKO OOI JS 190771  
OEL 16.3 | ILP 229 | OPI 104  
Gelam 3 | Lammers 6 | Gespeen 4

JS 190729  
KINKO RAM JS 190729

JS 180297  
KINKO OOI JS 180297  
OEL 23.9 | ILP 237 | OPI 137  
Gelam 4 | Lammers 8 | Gespeen 7

KINKO RAM JS 180159

KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 180159  
KINKO OOI JS 170885  
OEL 16.4 | ILP 252 | OPI 116  
Gelam 3 | Lammers 5 | Gespeen 5

KINKO RAM JS 180231  
KINKO OOI JS 160818  
OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 160105  
KINKO OOI JS 160982  
OEL 19.9 | ILP 353 | OPI 92  
Gelam 3 | Lammers 6 | Gespeen 2

**LOGIX**  
GENETICS CHANGES  
EBV Analise 2025-07-18

**VERKOPER OPMERKINGS:** In stoet gebruik 18 lammers gem. punt speen 3.4/5

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 119       | 94        | 116     | 134         | 135 | 105 | 93  |
| 68%       | 45%       | 54%     | 31%         | 51% | 27% | 21% |

Logix Meriete Indeks 134

Groeï Indeks 119

Reproduksie Indeks 133

|            |              |
|------------|--------------|
| Geb. Gew.  | 3.8kg        |
| Speen Gew. | 35.1kg (96)  |
| Na-Speen   | 62.4kg (101) |
| Volw. Gew. | -            |
| GDT Ind.   | 98           |
| VOV Ind.   | -            |
| Skrotum    | 33           |

## LOT 79 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240153

KINKO RAM JS 240153

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-03-11 |
| Age         | 1.4 years  |
| Inbreeding  | 5.52%      |
| Birth Stat. | 1          |
| Progeny     | None       |

|                    |                                                            |
|--------------------|------------------------------------------------------------|
| NB 210488 (1)      | NOVA BARLETTA RAM NB210488                                 |
| Parentage Sire Dam |                                                            |
| DNA                |                                                            |
| Genomic            |                                                            |
| JS 210772 (2)      | KINKO OOI JS 210772                                        |
|                    | AFL 28.2   ILP 240   EPI 96<br>Lambd 3   Lams 4   Weaned 2 |

|           |                                                            |                                                                                             |
|-----------|------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| NB 190715 | NOVA BARLETTA BUZZ                                         | NOVA BARLETTA SPUTNIK                                                                       |
|           |                                                            | NOVA BARLETTA EWE NB180185<br>AFL 17.4   ILP 335   EPI 116<br>Lambd 7   Lams 10   Weaned 7  |
| NB 180016 | NOVA BARLETTA EWE NB180016                                 | NOVA BARLETTA RAM NB130090                                                                  |
|           | AFL 16.7   ILP 317   EPI 95<br>Lambd 4   Lams 6   Weaned 6 | NOVA BARLETTA EWE NB120135<br>AFL 13.9   ILP 297   EPI 137<br>Lambd 8   Lams 14   Weaned 11 |
| JS 200644 | KINKO RAM JS 200644                                        | KINKO RAM JS 180001                                                                         |
|           |                                                            | KINKO OOI JS 170248<br>AFL 23.8   ILP 260   EPI 100<br>Lambd 3   Lams 3   Weaned 3          |
| JS 200195 | KINKO OOI JS 200195                                        | KINKO RAM JS 180001                                                                         |
|           | AFL 16.1   ILP 245   EPI 93<br>Lambd 3   Lams 4   Weaned 2 | KINKO OOI JS 170279<br>AFL 12.6   ILP 316   EPI 217<br>Lambd 8   Lams 18   Weaned 11        |

**LOGIX**  
GENETIC CENTRE  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 123      | 98        | 136      | 108          | 118 | 111 | 115 |
| 58%      | 42%       | 55%      | 32%          | 46% | 30% | 24% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 129 |
| Growth Index       | 125 |
| Reproduction Index | 118 |

|            |              |
|------------|--------------|
| Birth Wt.  | 7kg          |
| Wean Wt.   | 51.5kg (140) |
| Post-Wean  | 78.3kg (127) |
| Mature Wt. | -            |
| ADG Ind.   | 117          |
| FCR Ind.   | -            |
| Scrotum    | 32           |

## LOT 80 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240154

KINKO RAM JS 240154

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-03-11 |
| Age         | 1.4 years  |
| Inbreeding  | 5.38%      |
| Birth Stat. | 2          |
| Progeny     |            |
| In Herd     | 46         |
| Total       | 51         |
| Herds Used  | 2          |

|                    |                                                            |
|--------------------|------------------------------------------------------------|
| NB 210488 (1)      | NOVA BARLETTA RAM NB210488                                 |
| Parentage Sire Dam |                                                            |
| DNA                |                                                            |
| Genomic            |                                                            |
| JS 220691 (2)      | KINKO OOI JS 220691                                        |
|                    | AFL 16.2   ILP 241   EPI 96<br>Lambd 2   Lams 3   Weaned 2 |

|           |                                                            |                                                                                             |
|-----------|------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| NB 190715 | NOVA BARLETTA BUZZ                                         | NOVA BARLETTA SPUTNIK                                                                       |
|           |                                                            | NOVA BARLETTA EWE NB180185<br>AFL 17.4   ILP 335   EPI 116<br>Lambd 7   Lams 10   Weaned 7  |
| NB 180016 | NOVA BARLETTA EWE NB180016                                 | NOVA BARLETTA RAM NB130090                                                                  |
|           | AFL 16.7   ILP 317   EPI 95<br>Lambd 4   Lams 6   Weaned 6 | NOVA BARLETTA EWE NB120135<br>AFL 13.9   ILP 297   EPI 137<br>Lambd 8   Lams 14   Weaned 11 |
| JS 210127 | KINKO RAM JS 210127                                        | KINKO RAM JS 190729                                                                         |
|           |                                                            | KINKO OOI JS 180535<br>AFL 23.9   ILP 241   EPI 111<br>Lambd 3   Lams 5   Weaned 4          |
| JS 210267 | KINKO OOI JS 210267                                        | KINKO RAM JS 180022                                                                         |
|           | AFL 16   ILP 314   EPI 144<br>Lambd 4   Lams 9   Weaned 7  | KINKO OOI JS 190118<br>AFL 17.6   ILP 276   EPI 101<br>Lambd 3   Lams 5   Weaned 4          |

**LOGIX**  
GENETIC CENTRE  
EBV Analysis 2025-07-18

SELLER REMARKS: In stoet gebruik 28 lammers gem. punt speen 3.3/5

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 127      | 93        | 136      | 126          | 132 | 114 | 112 |
| 70%      | 45%       | 56%      | 32%          | 52% | 32% | 24% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 140 |
| Growth Index       | 126 |
| Reproduction Index | 132 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3.3kg        |
| Wean Wt.   | 36.7kg (100) |
| Post-Wean  | 65.1kg (106) |
| Mature Wt. | -            |
| ADG Ind.   | 98           |
| FCR Ind.   | -            |
| Scrotum    | 28           |

## LOT 81 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240229

KINKO RAM JS 240229

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-06-26 |
| Age         | 1.1 years  |
| Inbreeding  | 8.34%      |
| Birth Stat. | 2          |
| Progeny     | None       |

|                    |                                                             |
|--------------------|-------------------------------------------------------------|
| JS 220017 (2)      | KINKO RAM JS 220017                                         |
| Parentage Sire Dam |                                                             |
| DNA                |                                                             |
| Genomic            |                                                             |
| JS 200734 (1)      | KINKO OOI JS 200734                                         |
|                    | AFL 20.3   ILP 241   EPI 136<br>Lambd 5   Lams 9   Weaned 7 |

|           |                                                              |                                                                                     |
|-----------|--------------------------------------------------------------|-------------------------------------------------------------------------------------|
| JS 200651 | KINKO RAM JS 200651                                          | KINKO RAM JS 180372                                                                 |
|           |                                                              | KINKO OOI JS 190171<br>AFL 17.2   ILP 297   EPI 108<br>Lambd 7   Lams 12   Weaned 5 |
| JS 190442 | KINKO OOI JS190442                                           | KINKO RAM JS 170305                                                                 |
|           | AFL 16.3   ILP 278   EPI 142<br>Lambd 7   Lams 12   Weaned 6 | KINKO OOI JS 160965<br>AFL 24.7   ILP 288   EPI 99<br>Lambd 3   Lams 4   Weaned 3   |
| JS 180021 | KINKO RAM JS 180021                                          | KINKO RAM JS 160855                                                                 |
|           |                                                              | KINKO OOI JS 150201<br>AFL 15.5   ILP 285   EPI 131<br>Lambd 5   Lams 10   Weaned 9 |
| JS 170384 | KINKO OOI JS 170384                                          | KINKO RAM JS 150692                                                                 |
|           | AFL 15.8   ILP 245   EPI 127<br>Lambd 4   Lams 7   Weaned 6  | KINKO OOI JS140723<br>AFL -   ILP 489   EPI 97<br>Lambd 2   Lams 3   Weaned 3       |

**LOGIX**  
GENETIC CENTRE  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 119      | 86        | 122      | 116          | 117 | 114 | 78  |
| 60%      | 46%       | 57%      | 33%          | 48% | 30% | 21% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 121 |
| Growth Index       | 115 |
| Reproduction Index | 114 |

|            |              |
|------------|--------------|
| Birth Wt.  | 2.4kg        |
| Wean Wt.   | 32.6kg (90)  |
| Post-Wean  | 54.9kg (105) |
| Mature Wt. | -            |
| ADG Ind.   | 103          |
| FCR Ind.   | -            |
| Scrotum    | 33           |

## LOT 82 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240231

KINKO RAM JS 240231

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-06-26 |
| Oud.        | 1.1 jaar   |
| Inteling    | 5.48%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

|                              |                                 |
|------------------------------|---------------------------------|
| NB 210488 (1)                | NOVA BARLETTA RAM NB210488      |
| Ouerskap                     | Vaar                            |
| Moer                         |                                 |
| DNS                          |                                 |
| Genomies                     |                                 |
| JS 220327 (2)                | KINKO OOI JS 220327             |
| OEL 16.3   ILP 247   OPI 127 | Gelam 3   Lammers 8   Gespeen 6 |

|           |                                 |                                   |
|-----------|---------------------------------|-----------------------------------|
| NB 190715 | NOVA BARLETTA BUZZ              | NOVA BARLETTA SPUTNIK             |
|           |                                 | NOVA BARLETTA EWE NB180185        |
|           |                                 | OEL 17.4   ILP 335   OPI 116      |
|           |                                 | Gelam 7   Lammers 10   Gespeen 7  |
| NB 180016 | NOVA BARLETTA EWE NB180016      | NOVA BARLETTA RAM NB130090        |
|           | OEL 16.7   ILP 317   OPI 95     |                                   |
|           | Gelam 4   Lammers 6   Gespeen 6 |                                   |
| JS 210100 | KINKO RAM JS210100              | NOVA BARLETTA EWE NB120135        |
|           |                                 | OEL 13.9   ILP 297   OPI 137      |
|           |                                 | Gelam 8   Lammers 14   Gespeen 11 |
| JS 200308 | KINKO OOI JS 200308             | KINKO RAM JS 190696               |
|           | OEL 24   ILP -   OPI 93         |                                   |
|           | Gelam 1   Lammers 2   Gespeen 2 |                                   |
|           |                                 | KINKO EWE JS180359                |
|           |                                 | OEL 23.9   ILP 328   OPI 95       |
|           |                                 | Gelam 2   Lammers 2   Gespeen 2   |
|           |                                 | KINKO RAM JS 180001               |
|           |                                 | KINKO OOI JS 170024               |
|           |                                 | OEL 16.5   ILP 243   OPI 107      |
|           |                                 | Gelam 4   Lammers 4   Gespeen 4   |


 Logix

EBV Analise 2025-07-18

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 115       | 92        | 132     | 133         | 131 | 107 | 117 |
| 59%       | 46%       | 57%     | 33%         | 48% | 32% | 24% |

|                      |     |            |              |
|----------------------|-----|------------|--------------|
| Logix Meriete Indeks | 132 | Geb. Gew.  | 2.4kg        |
| Groeï Indeks         | 114 | Speen Gew. | 35.8kg (99)  |
| Reproduksie Indeks   | 134 | Na-Speen   | 54.4kg (104) |
|                      |     | Volw. Gew. | -            |
|                      |     | GDT Ind.   | 103          |
|                      |     | VOV Ind.   | -            |
|                      |     | Skrotum    | 31           |

VERKOPER OPMERKINGS:

## LOT 83 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240232

KINKO RAM JS 240232

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-06-26 |
| Oud.        | 1.1 jaar   |
| Inteling    | 5.48%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

|                              |                                 |
|------------------------------|---------------------------------|
| NB 210488 (1)                | NOVA BARLETTA RAM NB210488      |
| Ouerskap                     | Vaar                            |
| Moer                         |                                 |
| DNS                          |                                 |
| Genomies                     |                                 |
| JS 220327 (2)                | KINKO OOI JS 220327             |
| OEL 16.3   ILP 247   OPI 127 | Gelam 3   Lammers 8   Gespeen 6 |

|           |                                 |                                   |
|-----------|---------------------------------|-----------------------------------|
| NB 190715 | NOVA BARLETTA BUZZ              | NOVA BARLETTA SPUTNIK             |
|           |                                 | NOVA BARLETTA EWE NB180185        |
|           |                                 | OEL 17.4   ILP 335   OPI 116      |
|           |                                 | Gelam 7   Lammers 10   Gespeen 7  |
| NB 180016 | NOVA BARLETTA EWE NB180016      | NOVA BARLETTA RAM NB130090        |
|           | OEL 16.7   ILP 317   OPI 95     |                                   |
|           | Gelam 4   Lammers 6   Gespeen 6 |                                   |
| JS 210100 | KINKO RAM JS210100              | NOVA BARLETTA EWE NB120135        |
|           |                                 | OEL 13.9   ILP 297   OPI 137      |
|           |                                 | Gelam 8   Lammers 14   Gespeen 11 |
| JS 200308 | KINKO OOI JS 200308             | KINKO RAM JS 190696               |
|           | OEL 24   ILP -   OPI 93         |                                   |
|           | Gelam 1   Lammers 2   Gespeen 2 |                                   |
|           |                                 | KINKO EWE JS180359                |
|           |                                 | OEL 23.9   ILP 328   OPI 95       |
|           |                                 | Gelam 2   Lammers 2   Gespeen 2   |
|           |                                 | KINKO RAM JS 180001               |
|           |                                 | KINKO OOI JS 170024               |
|           |                                 | OEL 16.5   ILP 243   OPI 107      |
|           |                                 | Gelam 4   Lammers 4   Gespeen 4   |


 Logix

EBV Analise 2025-07-18

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 93        | 128     | 133         | 129 | 107 | 117 |
| 59%       | 46%       | 57%     | 33%         | 48% | 32% | 24% |

|                      |     |            |             |
|----------------------|-----|------------|-------------|
| Logix Meriete Indeks | 129 | Geb. Gew.  | 2.8kg       |
| Groeï Indeks         | 111 | Speen Gew. | 31kg (86)   |
| Reproduksie Indeks   | 133 | Na-Speen   | 49.4kg (94) |
|                      |     | Volw. Gew. | -           |
|                      |     | GDT Ind.   | 107         |
|                      |     | VOV Ind.   | -           |
|                      |     | Skrotum    | 30          |

VERKOPER OPMERKINGS:

## LOT 84 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240247

KINKO RAM JS 240247

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-01 |
| Oud.        | 1.1 jaar   |
| Inteling    | 8.14%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

|                             |                                 |
|-----------------------------|---------------------------------|
| JS 220168 (2)               | KINKO RAM JS 220168             |
| Ouerskap                    | Vaar                            |
| Moer                        |                                 |
| DNS                         |                                 |
| Genomies                    |                                 |
| JS 230025 (1)               | KINKO OOI JS 230025             |
| OEL 16.2   ILP 264   OPI 97 | Gelam 2   Lammers 3   Gespeen 2 |

|           |                                 |                                 |
|-----------|---------------------------------|---------------------------------|
| JS 210134 | KINKO RAM JS 210134             | KINKO RAM JS 180159             |
|           |                                 | KINKO OOI JS 180720             |
|           |                                 | OEL 20.4   ILP 243   OPI 98     |
|           |                                 | Gelam 3   Lammers 4   Gespeen 3 |
| JS 190077 | KINKO OOI JS 190077             | KINKO RAM JS 170299             |
|           | OEL 15.6   ILP 239   OPI 113    |                                 |
|           | Gelam 4   Lammers 7   Gespeen 6 |                                 |
| JS 210273 | KINKO RAM JS 210273             | KINKO OOI JS 170025             |
|           |                                 | OEL 16.7   ILP 237   OPI 95     |
|           |                                 | Gelam 2   Lammers 3   Gespeen 3 |
| JS 210340 | KINKO OOI JS 210340             | REMKUIL RAM JT 190694           |
|           | OEL 19.5   ILP 246   OPI 140    |                                 |
|           | Gelam 4   Lammers 8   Gespeen 7 |                                 |
|           |                                 | KINKO OOI JS 180520             |
|           |                                 | OEL 20.6   ILP 230   OPI 111    |
|           |                                 | Gelam 3   Lammers 4   Gespeen 4 |
|           |                                 | KINKO RAM JS 180021             |
|           |                                 | KINKO OOI JS 190847             |
|           |                                 | OEL 19.5   ILP 382   OPI 99     |
|           |                                 | Gelam 2   Lammers 4   Gespeen 4 |


 Logix

EBV Analise 2025-07-18

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 113       | 93        | 123     | 117         | 117 | 105 | 85  |
| 59%       | 40%       | 56%     | 25%         | 44% | 24% | 19% |

|                      |     |            |              |
|----------------------|-----|------------|--------------|
| Logix Meriete Indeks | 119 | Geb. Gew.  | 3.5kg        |
| Groeï Indeks         | 113 | Speen Gew. | 33kg (91)    |
| Reproduksie Indeks   | 116 | Na-Speen   | 52.8kg (101) |
|                      |     | Volw. Gew. | -            |
|                      |     | GDT Ind.   | 110          |
|                      |     | VOV Ind.   | -            |
|                      |     | Skrotum    | 31           |

VERKOPER OPMERKINGS:

## LOT 85 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240248

KINKO RAM JS 240248

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-01 |
| Age         | 1.1 years  |
| Inbreeding  | 8.14%      |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220168 (2)  
 KINKO RAM JS 220168

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 230025 (1)  
 KINKO OOI JS 230025  
 AFL 16.2 | ILP 264 | EPI 97  
 Lambed 2 | Lambs 3 | Weaned 2

 JS 210134  
 KINKO RAM JS 210134

 JS 190077  
 KINKO OOI JS 190077  
 AFL 15.6 | ILP 239 | EPI 113  
 Lambed 4 | Lambs 7 | Weaned 6

 JS 210273  
 KINKO RAM JS 210273

 JS 210340  
 KINKO OOI JS 210340  
 AFL 19.5 | ILP 246 | EPI 140  
 Lambed 4 | Lambs 8 | Weaned 7

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170299  
 KINKO OOI JS 170025  
 AFL 16.7 | ILP 237 | EPI 95  
 Lambed 2 | Lambs 3 | Weaned 3

 REMKUIL RAM JT 190694  
 KINKO OOI JS 180520  
 AFL 20.6 | ILP 230 | EPI 111  
 Lambed 3 | Lambs 4 | Weaned 4

 KINKO RAM JS 180021  
 KINKO OOI JS 190847  
 AFL 19.5 | ILP 382 | EPI 99  
 Lambed 2 | Lambs 4 | Weaned 4

 LOGIX  
 GENETICS CHARTER  
 EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 111      | 93        | 120      | 117          | 116 | 105 | 85  |
| 59%      | 40%       | 56%      | 25%          | 44% | 24% | 19% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 117 |
| Growth Index       | 111 |
| Reproduction Index | 115 |

|            |             |
|------------|-------------|
| Birth Wt.  | 3.5kg       |
| Wean Wt.   | 31kg (86)   |
| Post-Wean  | 47.2kg (90) |
| Mature Wt. | -           |
| ADG Ind.   | 103         |
| FCR Ind.   | -           |
| Scrotum    | 29          |

## LOT 86 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240249

KINKO RAM JS 240249

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-01 |
| Age         | 1.1 years  |
| Inbreeding  | 12.75%     |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210236 (2)  
 KINKO OOI JS 210236  
 AFL 17.3 | ILP 309 | EPI 131  
 Lambed 4 | Lambs 5 | Weaned 5

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JS 180159  
 KINKO RAM JS 180159

 JS 180052  
 KINKO OOI JS 180052  
 AFL 18 | ILP 285 | EPI 111  
 Lambed 3 | Lambs 6 | Weaned 4

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160603  
 AFL 23.1 | ILP 307 | EPI 98  
 Lambed 3 | Lambs 5 | Weaned 3

 KINKO RAM JS 160973  
 KINKO OOI JS 160183  
 AFL 15.7 | ILP 242 | EPI 96  
 Lambed 3 | Lambs 4 | Weaned 3

 LOGIX  
 GENETICS CHARTER  
 EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 117      | 89        | 114      | 121          | 121 | 104 | 108 |
| 59%      | 44%       | 56%      | 31%          | 47% | 29% | 21% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 125 |
| Growth Index       | 114 |
| Reproduction Index | 119 |

|            |              |
|------------|--------------|
| Birth Wt.  | 4.2kg        |
| Wean Wt.   | 36.2kg (100) |
| Post-Wean  | 51.6kg (98)  |
| Mature Wt. | -            |
| ADG Ind.   | 89           |
| FCR Ind.   | -            |
| Scrotum    | 29           |

## LOT 87 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240250

KINKO RAM JS 240250

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-01 |
| Age         | 1.1 years  |
| Inbreeding  | 12.75%     |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210236 (2)  
 KINKO OOI JS 210236  
 AFL 17.3 | ILP 309 | EPI 131  
 Lambed 4 | Lambs 5 | Weaned 5

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JS 180159  
 KINKO RAM JS 180159

 JS 180052  
 KINKO OOI JS 180052  
 AFL 18 | ILP 285 | EPI 111  
 Lambed 3 | Lambs 6 | Weaned 4

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 RHENOSTERBOSRUG RAM AP 160309  
 KINKO OOI JS 160603  
 AFL 23.1 | ILP 307 | EPI 98  
 Lambed 3 | Lambs 5 | Weaned 3

 KINKO RAM JS 160973  
 KINKO OOI JS 160183  
 AFL 15.7 | ILP 242 | EPI 96  
 Lambed 3 | Lambs 4 | Weaned 3

 LOGIX  
 GENETICS CHARTER  
 EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 89        | 115      | 121          | 121 | 104 | 108 |
| 59%      | 44%       | 56%      | 31%          | 47% | 29% | 21% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 124 |
| Growth Index       | 114 |
| Reproduction Index | 119 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3.5kg        |
| Wean Wt.   | 34.2kg (95)  |
| Post-Wean  | 54.3kg (104) |
| Mature Wt. | -            |
| ADG Ind.   | 110          |
| FCR Ind.   | -            |
| Scrotum    | 31           |

## LOT 88 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240256

KINKO RAM JS 240256

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-01 |
| Oud.        | 1.1 jaar   |
| Inteling    | 5.34%      |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

|                            |
|----------------------------|
| NB 210488 (1)              |
| NOVA BARLETTA RAM NB210488 |
| Ouerskap Vaar Moer         |
| DNS                        |
| Genomies                   |

|                                 |
|---------------------------------|
| JS 220343 (1)                   |
| KINKO OOI JS 220343             |
| OEL 15.9   ILP 236   OPI 92     |
| Gelam 2   Lammers 2   Gespeen 2 |

|                                 |                                   |
|---------------------------------|-----------------------------------|
| NB 190715                       | NOVA BARLETTA SPUTNIK             |
| NOVA BARLETTA BUZZ              | NOVA BARLETTA EWE NB180185        |
|                                 | OEL 17.4   ILP 335   OPI 116      |
|                                 | Gelam 7   Lammers 10   Gespeen 7  |
| NB 180016                       | NOVA BARLETTA RAM NB130090        |
| NOVA BARLETTA EWE NB180016      | NOVA BARLETTA EWE NB120135        |
| OEL 16.7   ILP 317   OPI 95     | OEL 13.9   ILP 297   OPI 137      |
| Gelam 4   Lammers 6   Gespeen 6 | Gelam 8   Lammers 14   Gespeen 11 |
| JS 210094                       | KINKO RAM JS 190729               |
| KINKO RAM JS 210094             | KINKO OOI JS 180297               |
|                                 | OEL 23.9   ILP 237   OPI 137      |
|                                 | Gelam 4   Lammers 8   Gespeen 7   |
| JS 190416                       | KINKO RAM JS 160855               |
| KINKO OOI JS 190416             | KINKO OOI JS 160409               |
| OEL 23.7   ILP 321   OPI 110    | OEL 27.6   ILP 251   OPI 101      |
| Gelam 4   Lammers 5   Gespeen 4 | Gelam 2   Lammers 4   Gespeen 4   |

 LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 118       | 84        | 134     | 114         | 115 | 109 | 107 |
| 59%       | 43%       | 57%     | 33%         | 47% | 32% | 24% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 121 |
| Groeï Indeks         | 113 |
| Reproduksie Indeks   | 112 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.1kg        |
| Speen Gew. | 33kg (91)    |
| Na-Speen   | 57.7kg (110) |
| Volw. Gew. | -            |
| GDT Ind.   | 110          |
| VOV Ind.   | -            |
| Skrotum    | 32           |

## LOT 89 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240261

KINKO RAM JS 240261

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-03 |
| Oud.        | 1.1 jaar   |
| Inteling    | 8.48%      |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

|                    |
|--------------------|
| JS 220209 (1)      |
| KINKO RAM JS220209 |
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

|                                 |
|---------------------------------|
| JS 210376 (1)                   |
| KINKO OOI JS 210376             |
| OEL 19.6   ILP 247   OPI 127    |
| Gelam 4   Lammers 7   Gespeen 4 |

|                                 |                                 |
|---------------------------------|---------------------------------|
| JS 210134                       | KINKO RAM JS 180159             |
| KINKO RAM JS 210134             | KINKO OOI JS 180720             |
|                                 | OEL 20.4   ILP 243   OPI 98     |
|                                 | Gelam 3   Lammers 4   Gespeen 3 |
| JS 190409                       | KINKO RAM JS 170048             |
| KINKO OOI JS 190409             | KINKO OOI JS 170420             |
| OEL 27.7   ILP 231   OPI 101    | OEL 24.1   ILP 261   OPI 98     |
| Gelam 2   Lammers 4   Gespeen 4 | Gelam 2   Lammers 3   Gespeen 3 |
| JS 200064                       | KINKO RAM JS 180001             |
| KINKO RAM JS 200064             | KINKO OOI JS 180049             |
|                                 | OEL 15.6   ILP 255   OPI 97     |
|                                 | Gelam 2   Lammers 3   Gespeen 3 |
| JS 180031                       | KINKO RAM JS 150423             |
| KINKO OOI JS180031              | KINKO OOI JS 160875             |
| OEL 17.5   ILP 340   OPI 102    | OEL 16.5   ILP -   OPI 93       |
| Gelam 3   Lammers 3   Gespeen 3 | Gelam 1   Lammers 2   Gespeen 2 |

 LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 118       | 94        | 116     | 98          | 107 | 108 | 103 |
| 58%       | 43%       | 56%     | 30%         | 46% | 28% | 20% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 117 |
| Groeï Indeks         | 118 |
| Reproduksie Indeks   | 105 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.1kg        |
| Speen Gew. | 36.8kg (102) |
| Na-Speen   | 54.4kg (104) |
| Volw. Gew. | -            |
| GDT Ind.   | 100          |
| VOV Ind.   | -            |
| Skrotum    | 34           |

## LOT 90 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240262

KINKO RAM JS 240262

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-03 |
| Oud.        | 1.1 jaar   |
| Inteling    | 9.64%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

|                     |
|---------------------|
| JS 220017 (2)       |
| KINKO RAM JS 220017 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                  |
|----------------------------------|
| JS 200040 (1)                    |
| KINKO OOI JS 200040              |
| OEL 16.5   ILP 263   OPI 138     |
| Gelam 6   Lammers 11   Gespeen 6 |

|                                  |                                  |
|----------------------------------|----------------------------------|
| JS 200651                        | KINKO RAM JS 180372              |
| KINKO RAM JS 200651              | KINKO OOI JS 190171              |
|                                  | OEL 17.2   ILP 297   OPI 108     |
|                                  | Gelam 7   Lammers 12   Gespeen 5 |
| JS 190442                        | KINKO RAM JS 170305              |
| KINKO OOI JS190442               | KINKO OOI JS 160965              |
| OEL 16.3   ILP 278   OPI 142     | OEL 24.7   ILP 288   OPI 99      |
| Gelam 7   Lammers 12   Gespeen 6 | Gelam 3   Lammers 4   Gespeen 3  |
| JS 180661                        | KINKO RAM JS 160142              |
| KINKO RAM JS 180661              | KINKO OOI JS 160165              |
|                                  | OEL 16   ILP 280   OPI 136       |
|                                  | Gelam 4   Lammers 8   Gespeen 7  |
| JS 180571                        | KINKO RAM JS 170066              |
| KINKO OOI JS 180571              | KINKO OOI JS 170029              |
| OEL 19.8   ILP 275   OPI 101     | OEL 16.7   ILP 244   OPI 99      |
| Gelam 3   Lammers 4   Gespeen 4  | Gelam 3   Lammers 4   Gespeen 4  |

 LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 123       | 92        | 128     | 115         | 121 | 111 | 89  |
| 59%       | 44%       | 56%     | 31%         | 47% | 28% | 17% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 127 |
| Groeï Indeks         | 122 |
| Reproduksie Indeks   | 118 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 3.8kg        |
| Speen Gew. | 44.8kg (124) |
| Na-Speen   | 66.6kg (127) |
| Volw. Gew. | -            |
| GDT Ind.   | 100          |
| VOV Ind.   | -            |
| Skrotum    | 32           |

## LOT 91 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240272

KINKO RAM JS 240272

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-04 |
| Age         | 1.1 years  |
| Inbreeding  | 8.52%      |
| Birth Stat. | 2          |
| Progeny     | None       |

JS 220017 (2)  
KINKO RAM JS 220017

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220109 (2)  
KINKO EWE JS220109  
AFL 27.5 | ILP - | EPI 90  
Lambd 1 | Lambs 2 | Weaned 2

JS 200651  
KINKO RAM JS 200651

JS 190442  
KINKO OOI JS190442  
AFL 16.3 | ILP 278 | EPI 142  
Lambd 7 | Lambs 12 | Weaned 6

JS 190729  
KINKO RAM JS 190729

JS 190221  
KINKO OOI JS 190221  
AFL 17.2 | ILP 286 | EPI 92  
Lambd 3 | Lambs 5 | Weaned 3

KINKO RAM JS 180372

KINKO OOI JS 190171  
AFL 17.2 | ILP 297 | EPI 108  
Lambd 7 | Lambs 12 | Weaned 5

KINKO RAM JS 170305

KINKO OOI JS 160965  
AFL 24.7 | ILP 288 | EPI 99  
Lambd 3 | Lambs 4 | Weaned 3

KINKO RAM JS 180231

KINKO OOI JS 160818  
AFL 20.4 | ILP 243 | EPI 116  
Lambd 4 | Lambs 8 | Weaned 5

KINKO RAM JS 170298

KINKO OOI JS 170248  
AFL 23.8 | ILP 260 | EPI 100  
Lambd 3 | Lambs 3 | Weaned 3

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 117      | 94        | 123      | 122          | 124 | 113 | 81  |
| 58%      | 43%       | 56%      | 29%          | 46% | 28% | 18% |

Logix Merit Index 126

Growth Index 117

Reproduction Index 124

|            |             |
|------------|-------------|
| Birth Wt.  | 5.7kg       |
| Wean Wt.   | 29kg (80)   |
| Post-Wean  | 51.9kg (99) |
| Mature Wt. | -           |
| ADG Ind.   | 118         |
| FCR Ind.   | -           |
| Scrotum    | 32          |

SELLER REMARKS:

LOGIX  
GENETICS CENTRE  
EBV Analysis 2025-07-18

## LOT 92 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240273

KINKO RAM JS 240273

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-04 |
| Age         | 1.1 years  |
| Inbreeding  | 8.52%      |
| Birth Stat. | 2          |
| Progeny     | None       |

JS 220017 (2)  
KINKO RAM JS 220017

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220109 (2)  
KINKO EWE JS220109  
AFL 27.5 | ILP - | EPI 90  
Lambd 1 | Lambs 2 | Weaned 2

JS 200651  
KINKO RAM JS 200651

JS 190442  
KINKO OOI JS190442  
AFL 16.3 | ILP 278 | EPI 142  
Lambd 7 | Lambs 12 | Weaned 6

JS 190729  
KINKO RAM JS 190729

JS 190221  
KINKO OOI JS 190221  
AFL 17.2 | ILP 286 | EPI 92  
Lambd 3 | Lambs 5 | Weaned 3

KINKO RAM JS 180372

KINKO OOI JS 190171  
AFL 17.2 | ILP 297 | EPI 108  
Lambd 7 | Lambs 12 | Weaned 5

KINKO RAM JS 170305

KINKO OOI JS 160965  
AFL 24.7 | ILP 288 | EPI 99  
Lambd 3 | Lambs 4 | Weaned 3

KINKO RAM JS 180231

KINKO OOI JS 160818  
AFL 20.4 | ILP 243 | EPI 116  
Lambd 4 | Lambs 8 | Weaned 5

KINKO RAM JS 170298

KINKO OOI JS 170248  
AFL 23.8 | ILP 260 | EPI 100  
Lambd 3 | Lambs 3 | Weaned 3

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 124      | 91        | 126      | 122          | 127 | 113 | 81  |
| 58%      | 43%       | 56%      | 29%          | 46% | 28% | 18% |

Logix Merit Index 131

Growth Index 122

Reproduction Index 124

|            |              |
|------------|--------------|
| Birth Wt.  | 5.2kg        |
| Wean Wt.   | 39.8kg (110) |
| Post-Wean  | 53.2kg (102) |
| Mature Wt. | -            |
| ADG Ind.   | 100          |
| FCR Ind.   | -            |
| Scrotum    | 30           |

SELLER REMARKS:

LOGIX  
GENETICS CENTRE  
EBV Analysis 2025-07-18

## LOT 93 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240275

KINKO RAM JS 240275

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-04 |
| Age         | 1.1 years  |
| Inbreeding  | 5.23%      |
| Birth Stat. | 2          |
| Progeny     | None       |

NB 210488 (1)  
NOVA BARLETTA RAM NB210488

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220270 (3)  
KINKO OOI JS 220270  
AFL 16.2 | ILP 249 | EPI 120  
Lambd 3 | Lambs 5 | Weaned 4

NB 190715  
NOVA BARLETTA BUZZ

NB 180016  
NOVA BARLETTA EWE NB180016  
AFL 16.7 | ILP 317 | EPI 95  
Lambd 4 | Lambs 6 | Weaned 6

JS 210016  
KINKO RAM JS210016

JS 200306  
KINKO OOI JS 200306  
AFL 23.9 | ILP 239 | EPI 109  
Lambd 2 | Lambs 5 | Weaned 4

NOVA BARLETTA SPUTNIK

NOVA BARLETTA EWE NB180185  
AFL 17.4 | ILP 335 | EPI 116  
Lambd 7 | Lambs 10 | Weaned 7

NOVA BARLETTA RAM NB130090

NOVA BARLETTA EWE NB120135  
AFL 13.9 | ILP 297 | EPI 137  
Lambd 8 | Lambs 14 | Weaned 11

KINKO RAM JS 190714

KINKO OOI JS 180389  
AFL 14.5 | ILP 261 | EPI 100  
Lambd 4 | Lambs 6 | Weaned 4

KINKO RAM JS 180782

KINKO EWE JS 180473  
AFL 23.8 | ILP 367 | EPI 96  
Lambd 2 | Lambs 5 | Weaned 3

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 117      | 98        | 132      | 120          | 124 | 107 | 118 |
| 59%      | 45%       | 57%      | 33%          | 48% | 31% | 24% |

Logix Merit Index 129

Growth Index 118

Reproduction Index 127

|            |            |
|------------|------------|
| Birth Wt.  | 4.2kg      |
| Wean Wt.   | 38kg (105) |
| Post-Wean  | 53kg (101) |
| Mature Wt. | -          |
| ADG Ind.   | 100        |
| FCR Ind.   | -          |
| Scrotum    | 31         |

SELLER REMARKS:

LOGIX  
GENETICS CENTRE  
EBV Analysis 2025-07-18

## LOT 94 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240283

KINKO RAM JS 240283

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-06 |
| Oud.        | 1.1 jaar   |
| Inteling    | 8.01%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JS 220122 (2)  
KINKO RAM JS220122

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 220346 (1)  
KINKO OOI JS 220346  
OEL 15.9 | ILP 245 | OPI 102  
Gelam 3 | Lammers 4 | Gespeen 3

JS 200651  
KINKO RAM JS 200651

JS 190365  
KINKO OOI JS 190365  
OEL 16.3 | ILP 344 | OPI 145  
Gelam 5 | Lammers 10 | Gespeen 7

JS 190729  
KINKO RAM JS 190729

JS 190768  
KINKO OOI JS 190768  
OEL 16.7 | ILP 351 | OPI 94  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 180372

KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305

KINKO OOI JS 170302  
OEL 16 | ILP 247 | OPI 115  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 180231

KINKO OOI JS 160818  
OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 170942

KINKO OOI JS 180278  
OEL 16.1 | ILP 306 | OPI 88  
Gelam 2 | Lammers 4 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 121       | 88        | 131     | 125         | 126 | 111 | 85  |
| 59%       | 44%       | 57%     | 30%         | 47% | 31% | 20% |

Logix Meriete Indeks 128

Groeï Indeks 118

Reproduksie Indeks 123

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.4kg        |
| Speen Gew. | 38.2kg (106) |
| Na-Speen   | 58.2kg (111) |
| Volw. Gew. | -            |
| GDT Ind.   | 100          |
| VOV Ind.   | -            |
| Skrotum    | 29           |

## LOT 95 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240288

KINKO RAM JS 240288

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-07 |
| Oud.        | 1.1 jaar   |
| Inteling    | 5.42%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

NB 210488 (1)  
NOVA BARLETTA RAM NB210488

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 220508 (2)  
KINKO OOI JS 220508  
OEL 15.4 | ILP 243 | OPI 86  
Gelam 3 | Lammers 4 | Gespeen 1

NB 190715  
NOVA BARLETTA BUZZ

NB 180016  
NOVA BARLETTA EWE NB180016  
OEL 16.7 | ILP 317 | OPI 95  
Gelam 4 | Lammers 6 | Gespeen 6

JS 210127  
KINKO RAM JS 210127

JS 200080  
KINKO OOI JS 200080  
OEL 19.2 | ILP 315 | OPI 122  
Gelam 3 | Lammers 5 | Gespeen 5

NOVA BARLETTA SPUTNIK

NOVA BARLETTA EWE NB180185  
OEL 17.4 | ILP 335 | OPI 116  
Gelam 7 | Lammers 10 | Gespeen 7

NOVA BARLETTA RAM NB130090

NOVA BARLETTA EWE NB120135  
OEL 13.9 | ILP 297 | OPI 137  
Gelam 8 | Lammers 14 | Gespeen 11

KINKO RAM JS 190729

KINKO OOI JS 180535  
OEL 23.9 | ILP 241 | OPI 111  
Gelam 3 | Lammers 5 | Gespeen 4

KINKO RAM JS 150535

KINKO OOI JS 160909  
OEL 20.5 | ILP 306 | OPI 93  
Gelam 3 | Lammers 3 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 122       | 93        | 132     | 122         | 126 | 112 | 116 |
| 58%       | 42%       | 56%     | 32%         | 46% | 31% | 24% |

Logix Meriete Indeks 133

Groeï Indeks 121

Reproduksie Indeks 127

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.7kg        |
| Speen Gew. | 43.3kg (120) |
| Na-Speen   | 59.9kg (114) |
| Volw. Gew. | -            |
| GDT Ind.   | 96           |
| VOV Ind.   | -            |
| Skrotum    | 31           |

## LOT 96 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240291

KINKO RAM JS 240291

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-08 |
| Oud.        | 1.1 jaar   |
| Inteling    | 10.98%     |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JS 220122 (2)  
KINKO RAM JS220122

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 220427 (3)  
KINKO OOI JS 220427  
OEL 16.1 | ILP 276 | OPI 96  
Gelam 3 | Lammers 7 | Gespeen 3

JS 200651  
KINKO RAM JS 200651

JS 190365  
KINKO OOI JS 190365  
OEL 16.3 | ILP 344 | OPI 145  
Gelam 5 | Lammers 10 | Gespeen 7

JS 210100  
KINKO RAM JS210100

JS 200645  
KINKO OOI JS 200645  
OEL 14.3 | ILP 256 | OPI 91  
Gelam 2 | Lammers 4 | Gespeen 2

KINKO RAM JS 180372

KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305

KINKO OOI JS 170302  
OEL 16 | ILP 247 | OPI 115  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 190696

KINKO EWE JS180359  
OEL 23.9 | ILP 328 | OPI 95  
Gelam 2 | Lammers 2 | Gespeen 2

KINKO RAM JS 180372

KINKO OOI JS 190042  
OEL 17.6 | ILP 394 | OPI 96  
Gelam 4 | Lammers 7 | Gespeen 4

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 122       | 87        | 131     | 126         | 127 | 109 | 79  |
| 58%       | 43%       | 56%     | 28%         | 45% | 29% | 18% |

Logix Meriete Indeks 129

Groeï Indeks 119

Reproduksie Indeks 122

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.2kg        |
| Speen Gew. | 38.4kg (106) |
| Na-Speen   | 56.8kg (108) |
| Volw. Gew. | -            |
| GDT Ind.   | 103          |
| VOV Ind.   | -            |
| Skrotum    | 30           |

## LOT 97 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240293

KINKO RAM JS 240293

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-08 |
| Age         | 1.1 years  |
| Inbreeding  | 8.04%      |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210379 (2)  
 KINKO OOI JS 210379  
 AFL 15.7 | ILP 308 | EPI 109  
 Lambed 3 | Lambs 7 | Weaned 5

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JS 200064  
 KINKO RAM JS 200064

 JS 180046  
 KINKO OOI JS 180046  
 AFL 15.3 | ILP 372 | EPI 96  
 Lambed 3 | Lambs 5 | Weaned 3

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 KINKO RAM JS 180001  
 KINKO OOI JS 180049  
 AFL 15.6 | ILP 255 | EPI 97  
 Lambed 2 | Lambs 3 | Weaned 3

 KINKO RAM JS 160855  
 KINKO OOI JS 150611  
 AFL 14.3 | ILP 249 | EPI 112  
 Lambed 4 | Lambs 4 | Weaned 4

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 86        | 113      | 111          | 111 | 114 | 95  |
| 59%      | 43%       | 56%      | 30%          | 46% | 28% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 117 |
| Growth Index       | 110 |
| Reproduction Index | 110 |

 LOGIX  
 GENETICS ONLINE  
 EBV Analysis 2025-07-18

SELLER REMARKS:

|            |             |
|------------|-------------|
| Birth Wt.  | 4.7kg       |
| Wean Wt.   | 32.3kg (89) |
| Post-Wean  | 49.3kg (94) |
| Mature Wt. | -           |
| ADG Ind.   | 110         |
| FCR Ind.   | -           |
| Scrotum    | 31          |

## LOT 98 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240302

KINKO RAM JS 240302

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-09 |
| Age         | 1.1 years  |
| Inbreeding  | 7.28%      |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210688 (1)  
 KINKO OOI JS 210688  
 AFL 16.2 | ILP 250 | EPI 135  
 Lambed 4 | Lambs 6 | Weaned 6

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JT 190583  
 REMKUIL RAM JT 190583

 JS 200489  
 KINKO OOI JS 200489  
 AFL 15.2 | ILP 252 | EPI 105  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 REMKUIL RAM JT 160623  
 REMKUIL OOI JT 160293  
 AFL 16.3 | ILP 348 | EPI 157  
 Lambed 6 | Lambs 12 | Weaned 12

 KINKO RAM JS 180316  
 KINKO OOI JS 180797  
 AFL 20.1 | ILP 238 | EPI 142  
 Lambed 6 | Lambs 11 | Weaned 7

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 97        | 113      | 110          | 115 | 101 | 98  |
| 59%      | 44%       | 56%      | 31%          | 47% | 28% | 21% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 119 |
| Growth Index       | 116 |
| Reproduction Index | 113 |

 LOGIX  
 GENETICS ONLINE  
 EBV Analysis 2025-07-18

SELLER REMARKS:

|            |              |
|------------|--------------|
| Birth Wt.  | 4.6kg        |
| Wean Wt.   | 37kg (102)   |
| Post-Wean  | 54.9kg (105) |
| Mature Wt. | -            |
| ADG Ind.   | 110          |
| FCR Ind.   | -            |
| Scrotum    | 30           |

## LOT 99 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240303

KINKO RAM JS 240303

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-09 |
| Age         | 1.1 years  |
| Inbreeding  | 7.28%      |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210688 (1)  
 KINKO OOI JS 210688  
 AFL 16.2 | ILP 250 | EPI 135  
 Lambed 4 | Lambs 6 | Weaned 6

 JS 210134  
 KINKO RAM JS 210134

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4

 JT 190583  
 REMKUIL RAM JT 190583

 JS 200489  
 KINKO OOI JS 200489  
 AFL 15.2 | ILP 252 | EPI 105  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 REMKUIL RAM JT 160623  
 REMKUIL OOI JT 160293  
 AFL 16.3 | ILP 348 | EPI 157  
 Lambed 6 | Lambs 12 | Weaned 12

 KINKO RAM JS 180316  
 KINKO OOI JS 180797  
 AFL 20.1 | ILP 238 | EPI 142  
 Lambed 6 | Lambs 11 | Weaned 7

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 113      | 97        | 111      | 110          | 114 | 101 | 98  |
| 59%      | 44%       | 56%      | 31%          | 47% | 28% | 21% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 118 |
| Growth Index       | 115 |
| Reproduction Index | 113 |

 LOGIX  
 GENETICS ONLINE  
 EBV Analysis 2025-07-18

SELLER REMARKS:

|            |            |
|------------|------------|
| Birth Wt.  | 3.9kg      |
| Wean Wt.   | 36kg (100) |
| Post-Wean  | 51kg (97)  |
| Mature Wt. | -          |
| ADG Ind.   | 110        |
| FCR Ind.   | -          |
| Scrotum    | 29         |

## LOT 100 (M)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 240307

KINKO RAM JS 240307

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-10 |
| Oud.        | 1.1 jaar   |
| Inteling    | 5.24%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

|                            |
|----------------------------|
| NB 210488 (1)              |
| NOVA BARLETTA RAM NB210488 |
| Ouerskap Vaar Moer         |
| DNS                        |
| Genomies                   |

|                                 |
|---------------------------------|
| JS 220358 (2)                   |
| KINKO OOI JS 220358             |
| OEL 16.1   ILP 240   OPI 112    |
| Gelam 2   Lammers 5   Gespeen 5 |

 NB 190715  
 NOVA BARLETTA BUZZ

 NB 180016  
 NOVA BARLETTA EWE NB180016  
 OEL 16.7 | ILP 317 | OPI 95  
 Gelam 4 | Lammers 6 | Gespeen 6

 JS 210015  
 KINKO RAM JS210015

 JS 200810  
 KINKO OOI JS 200810  
 OEL 19.7 | ILP - | OPI 87  
 Gelam 1 | Lammers 2 | Gespeen 2

 NOVA BARLETTA SPUTNIK  
 NOVA BARLETTA EWE NB180185  
 OEL 17.4 | ILP 335 | OPI 116  
 Gelam 7 | Lammers 14 | Gespeen 7

 NOVA BARLETTA RAM NB130090  
 NOVA BARLETTA EWE NB120135  
 OEL 13.9 | ILP 297 | OPI 137  
 Gelam 8 | Lammers 14 | Gespeen 11

 KINKO RAM JS 180159  
 KINKO OOI JS 180082  
 OEL 15.7 | ILP 279 | OPI 103  
 Gelam 4 | Lammers 7 | Gespeen 5

 KINKO RAM JS 180159  
 KINKO OOI JS 190352  
 OEL 16.4 | ILP 365 | OPI 122  
 Gelam 4 | Lammers 6 | Gespeen 5

 LOGIX  
 GENETICS CENTRA  
 EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 119       | 95        | 128     | 136         | 140 | 110 | 127 |
| 59%       | 46%       | 58%     | 32%         | 48% | 32% | 24% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 140 |
| Groeï Indeks         | 120 |
| Reproduksie Indeks   | 141 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.5kg        |
| Speen Gew. | 43.8kg (121) |
| Na-Speen   | 61.5kg (117) |
| Volw. Gew. | -            |
| GDT Ind.   | 107          |
| VOV Ind.   | -            |
| Skrotum    | 34           |

## LOT 101 (M)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 240310

KINKO RAM JS 240310

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-10 |
| Oud.        | 1.1 jaar   |
| Inteling    | 19.31%     |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

|                     |
|---------------------|
| JS 220017 (2)       |
| KINKO RAM JS 220017 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                 |
|---------------------------------|
| JS 220021 (1)                   |
| KINKO OOI JS 220021             |
| OEL 19.8   ILP 250   OPI 103    |
| Gelam 3   Lammers 5   Gespeen 3 |

 JS 200651  
 KINKO RAM JS 200651

 JS 190442  
 KINKO OOI JS190442  
 OEL 16.3 | ILP 278 | OPI 142  
 Gelam 7 | Lammers 12 | Gespeen 6

 JS 200651  
 KINKO RAM JS 200651

 JS 200085  
 KINKO EWE JS 200085  
 OEL 15.4 | ILP 246 | OPI 104  
 Gelam 4 | Lammers 7 | Gespeen 4

 KINKO RAM JS 180372  
 KINKO OOI JS 190171  
 OEL 17.2 | ILP 297 | OPI 108  
 Gelam 7 | Lammers 12 | Gespeen 5

 KINKO RAM JS 170305  
 KINKO OOI JS 160965  
 OEL 24.7 | ILP 288 | OPI 99  
 Gelam 3 | Lammers 4 | Gespeen 3

 KINKO RAM JS 180372  
 KINKO OOI JS 190171  
 OEL 17.2 | ILP 297 | OPI 108  
 Gelam 7 | Lammers 12 | Gespeen 5

 REMKUIL RAM JT 160588  
 KINKO OOI JS 170950  
 OEL 19.7 | ILP 284 | OPI 134  
 Gelam 5 | Lammers 8 | Gespeen 6

 LOGIX  
 GENETICS CENTRA  
 EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 128       | 93        | 131     | 117         | 126 | 107 | 90  |
| 58%       | 42%       | 56%     | 28%         | 45% | 28% | 18% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 132 |
| Groeï Indeks         | 127 |
| Reproduksie Indeks   | 120 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.3kg        |
| Speen Gew. | 39.4kg (109) |
| Na-Speen   | 53.2kg (102) |
| Volw. Gew. | -            |
| GDT Ind.   | 89           |
| VOV Ind.   | -            |
| Skrotum    | 32           |

## LOT 102 (M)



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

dormer



## JS 240317

KINKO RAM JS 240317

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-11 |
| Oud.        | 1.1 jaar   |
| Inteling    | 11.02%     |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

|                     |
|---------------------|
| JS 220168 (2)       |
| KINKO RAM JS 220168 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                 |
|---------------------------------|
| JS 220273 (2)                   |
| KINKO OOI JS 220273             |
| OEL 15.8   ILP 250   OPI 107    |
| Gelam 3   Lammers 7   Gespeen 4 |

 JS 210134  
 KINKO RAM JS 210134

 JS 190077  
 KINKO OOI JS 190077  
 OEL 15.6 | ILP 239 | OPI 113  
 Gelam 4 | Lammers 7 | Gespeen 6

 JS 210015  
 KINKO RAM JS210015

 JS 200114  
 KINKO OOI JS 200114  
 OEL 15.4 | ILP 359 | OPI 100  
 Gelam 2 | Lammers 4 | Gespeen 4

 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 OEL 20.4 | ILP 243 | OPI 98  
 Gelam 3 | Lammers 4 | Gespeen 3

 KINKO RAM JS 170299  
 KINKO OOI JS 170025  
 OEL 16.7 | ILP 237 | OPI 95  
 Gelam 2 | Lammers 3 | Gespeen 3

 KINKO RAM JS 180159  
 KINKO OOI JS 180082  
 OEL 15.7 | ILP 279 | OPI 103  
 Gelam 4 | Lammers 7 | Gespeen 5

 KINKO RAM JS 180022  
 KINKO OOI JS 170146  
 OEL 16.3 | ILP 309 | OPI 106  
 Gelam 3 | Lammers 5 | Gespeen 5

 LOGIX  
 GENETICS CENTRA  
 EBV Analise 2025-07-18

VERKOPER OPMERKINGS: In stoet gebruik, lamseisoen W25 nog nie gespeen

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 117       | 103       | 126     | 129         | 133 | 114 | 99  |
| 60%       | 43%       | 58%     | 27%         | 46% | 25% | 20% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 136 |
| Groeï Indeks         | 121 |
| Reproduksie Indeks   | 138 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.9kg        |
| Speen Gew. | 38.2kg (106) |
| Na-Speen   | 57.4kg (110) |
| Volw. Gew. | -            |
| GDT Ind.   | 114          |
| VOV Ind.   | -            |
| Skrotum    | 29           |

## LOT 103 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240320

KINKO RAM JS 240320

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-11 |
| Age         | 1.1 years  |
| Inbreeding  | 10.07%     |
| Birth Stat. | 2          |

|         |      |
|---------|------|
| Progeny | None |
|---------|------|

JS 220168 (2)  
KINKO RAM JS 220168

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220424 (2)  
KINKO OOI JS 220424  
AFL 16 | ILP 237 | EPI 100  
Lambd 2 | Lams 3 | Weaned 3

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
AFL 15.6 | ILP 239 | EPI 113  
Lambd 4 | Lams 7 | Weaned 6

JS 210015  
KINKO RAM JS210015

JS 200111  
KINKO OOI JS 200111  
AFL 16 | ILP 330 | EPI 98  
Lambd 3 | Lams 6 | Weaned 4

KINKO RAM JS 180159  
KINKO OOI JS 180720  
AFL 20.4 | ILP 243 | EPI 98  
Lambd 3 | Lams 4 | Weaned 3

KINKO RAM JS 170299  
KINKO OOI JS 170025  
AFL 16.7 | ILP 237 | EPI 95  
Lambd 2 | Lams 3 | Weaned 3

KINKO RAM JS 180159  
KINKO OOI JS 180082  
AFL 15.7 | ILP 279 | EPI 103  
Lambd 4 | Lams 7 | Weaned 5

KINKO RAM JS 180021  
KINKO OOI JS 170142  
AFL 16.3 | ILP 281 | EPI 115  
Lambd 4 | Lams 5 | Weaned 5

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 100       | 126      | 129          | 130 | 111 | 95  |
| 59%      | 42%       | 58%      | 27%          | 45% | 25% | 20% |

Logix Merit Index 131

Growth Index 117

Reproduction Index 134

|            |              |
|------------|--------------|
| Birth Wt.  | 5kg          |
| Wean Wt.   | 38.9kg (108) |
| Post-Wean  | 65.4kg (125) |
| Mature Wt. | -            |
| ADG Ind.   | 107          |
| FCR Ind.   | -            |
| Scrotum    | 30           |

LOGIX  
GENETICS CENTRA  
EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 104 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240321

KINKO RAM JS 240321

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-11 |
| Age         | 1.1 years  |
| Inbreeding  | 10.07%     |
| Birth Stat. | 2          |

|         |      |
|---------|------|
| Progeny | None |
|---------|------|

JS 220168 (2)  
KINKO RAM JS 220168

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220424 (2)  
KINKO OOI JS 220424  
AFL 16 | ILP 237 | EPI 100  
Lambd 2 | Lams 3 | Weaned 3

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
AFL 15.6 | ILP 239 | EPI 113  
Lambd 4 | Lams 7 | Weaned 6

JS 210015  
KINKO RAM JS210015

JS 200111  
KINKO OOI JS 200111  
AFL 16 | ILP 330 | EPI 98  
Lambd 3 | Lams 6 | Weaned 4

KINKO RAM JS 180159  
KINKO OOI JS 180720  
AFL 20.4 | ILP 243 | EPI 98  
Lambd 3 | Lams 4 | Weaned 3

KINKO RAM JS 170299  
KINKO OOI JS 170025  
AFL 16.7 | ILP 237 | EPI 95  
Lambd 2 | Lams 3 | Weaned 3

KINKO RAM JS 180159  
KINKO OOI JS 180082  
AFL 15.7 | ILP 279 | EPI 103  
Lambd 4 | Lams 7 | Weaned 5

KINKO RAM JS 180021  
KINKO OOI JS 170142  
AFL 16.3 | ILP 281 | EPI 115  
Lambd 4 | Lams 5 | Weaned 5

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 107      | 101       | 115      | 129          | 126 | 111 | 95  |
| 59%      | 42%       | 58%      | 27%          | 45% | 25% | 20% |

Logix Merit Index 126

Growth Index 111

Reproduction Index 133

|            |             |
|------------|-------------|
| Birth Wt.  | 4.6kg       |
| Wean Wt.   | 31.2kg (86) |
| Post-Wean  | 47.4kg (90) |
| Mature Wt. | -           |
| ADG Ind.   | 107         |
| FCR Ind.   | -           |
| Scrotum    | 30          |

LOGIX  
GENETICS CENTRA  
EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 105 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240330

KINKO RAM JS 240330

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-12 |
| Age         | 1.1 years  |
| Inbreeding  | 9.1%       |
| Birth Stat. | 2          |

|         |      |
|---------|------|
| Progeny | None |
|---------|------|

JS 220168 (2)  
KINKO RAM JS 220168

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 210843 (2)  
KINKO OOI JS 210843  
AFL 15.7 | ILP 247 | EPI 106  
Lambd 3 | Lams 4 | Weaned 4

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
AFL 15.6 | ILP 239 | EPI 113  
Lambd 4 | Lams 7 | Weaned 6

JS 200064  
KINKO RAM JS 200064

JS 190819  
KINKO EWE JS190819  
AFL 15.6 | ILP 236 | EPI 138  
Lambd 5 | Lams 9 | Weaned 7

KINKO RAM JS 180159  
KINKO OOI JS 180720  
AFL 20.4 | ILP 243 | EPI 98  
Lambd 3 | Lams 4 | Weaned 3

KINKO RAM JS 170299  
KINKO OOI JS 170025  
AFL 16.7 | ILP 237 | EPI 95  
Lambd 2 | Lams 3 | Weaned 3

KINKO RAM JS 180001  
KINKO OOI JS 180049  
AFL 15.6 | ILP 255 | EPI 97  
Lambd 2 | Lams 3 | Weaned 3

KINKO RAM JS 180279  
KINKO OOI JS 160834  
AFL 20.5 | ILP 244 | EPI 109  
Lambd 4 | Lams 7 | Weaned 4

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 94        | 123      | 115          | 117 | 115 | 98  |
| 60%      | 43%       | 59%      | 29%          | 46% | 25% | 19% |

Logix Merit Index 122

Growth Index 114

Reproduction Index 119

|            |              |
|------------|--------------|
| Birth Wt.  | 5.2kg        |
| Wean Wt.   | 34.2kg (95)  |
| Post-Wean  | 52.7kg (101) |
| Mature Wt. | -            |
| ADG Ind.   | 93           |
| FCR Ind.   | -            |
| Scrotum    | 29           |

LOGIX  
GENETICS CENTRA  
EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 106 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240331

KINKO RAM JS 240331

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-12 |
| Oud.        | 1.1 jaar   |
| Inteling    | 9.1%       |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JS 220168 (2)  
KINKO RAM JS 220168

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 210843 (2)  
KINKO OOI JS 210843  
OEL 15.7 | ILP 247 | OPI 106  
Gelam 3 | Lammers 4 | Gespeen 4

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
OEL 15.6 | ILP 239 | OPI 113  
Gelam 4 | Lammers 7 | Gespeen 6

JS 200064  
KINKO RAM JS 200064

JS 190819  
KINKO EWE JS190819  
OEL 15.6 | ILP 236 | OPI 138  
Gelam 5 | Lammers 9 | Gespeen 7

KINKO RAM JS 180159  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 170299  
KINKO OOI JS 170025  
OEL 16.7 | ILP 237 | OPI 95  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 180001  
KINKO OOI JS 180049  
OEL 15.6 | ILP 255 | OPI 97  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 180279  
KINKO OOI JS 160834  
OEL 20.5 | ILP 244 | OPI 109  
Gelam 4 | Lammers 7 | Gespeen 4

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 116       | 94        | 125     | 115         | 118 | 115 | 98  |
| 60%       | 43%       | 59%     | 29%         | 46% | 25% | 19% |

Logix Meriete Indeks 124

Groeï Indeks 116

Reproduksie Indeks 119

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.7kg        |
| Speen Gew. | 37.6kg (104) |
| Na-Speen   | 54.1kg (103) |
| Volw. Gew. | -            |
| GDT Ind.   | 114          |
| VOV Ind.   | -            |
| Skrotum    | 28           |

LOGIX  
GENETICS CHARTER  
EBV Analise 2025-07-18

## LOT 107 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240337

KINKO RAM JS 240337

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-13 |
| Oud.        | 1.1 jaar   |
| Inteling    | 7.47%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JS 220168 (2)  
KINKO RAM JS 220168

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 220374 (2)  
KINKO OOI JS 220374  
OEL 15.6 | ILP 263 | OPI 86  
Gelam 3 | Lammers 4 | Gespeen 1

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
OEL 15.6 | ILP 239 | OPI 113  
Gelam 4 | Lammers 7 | Gespeen 6

JT 190583  
REMKUIL RAM JT 190583

JS 190392  
KINKO OOI JS 190392  
OEL 26.1 | ILP 253 | OPI 98  
Gelam 4 | Lammers 6 | Gespeen 3

KINKO RAM JS 180159  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 170299  
KINKO OOI JS 170025  
OEL 16.7 | ILP 237 | OPI 95  
Gelam 2 | Lammers 3 | Gespeen 3

REMKUIL RAM JT 160623  
REMKUIL OOI JT 160293  
OEL 16.3 | ILP 348 | OPI 157  
Gelam 6 | Lammers 12 | Gespeen 12

KINKO RAM JS 170341  
KINKO OOI JS 170696  
OEL 23.6 | ILP 251 | OPI 92  
Gelam 2 | Lammers 4 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 114       | 106       | 124     | 109         | 117 | 108 | 86  |
| 59%       | 40%       | 58%     | 27%         | 44% | 27% | 21% |

Logix Meriete Indeks 122

Groeï Indeks 120

Reproduksie Indeks 118

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.7kg        |
| Speen Gew. | 46kg (127)   |
| Na-Speen   | 58.1kg (111) |
| Volw. Gew. | -            |
| GDT Ind.   | 68           |
| VOV Ind.   | -            |
| Skrotum    | 29           |

LOGIX  
GENETICS CHARTER  
EBV Analise 2025-07-18

## LOT 108 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240339

KINKO RAM JS 240339

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-13 |
| Oud.        | 1.1 jaar   |
| Inteling    | 8.16%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

JS 220168 (2)  
KINKO RAM JS 220168

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 220405 (3)  
KINKO OOI JS 220405  
OEL 15.9 | ILP 244 | OPI 124  
Gelam 3 | Lammers 5 | Gespeen 5

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
OEL 15.6 | ILP 239 | OPI 113  
Gelam 4 | Lammers 7 | Gespeen 6

JS 210016  
KINKO RAM JS210016

JS 200332  
KINKO OOI JS 200332  
OEL 15.6 | ILP 336 | OPI 127  
Gelam 6 | Lammers 11 | Gespeen 5

KINKO RAM JS 180159  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 170299  
KINKO OOI JS 170025  
OEL 16.7 | ILP 237 | OPI 95  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 190714  
KINKO OOI JS 180389  
OEL 14.5 | ILP 261 | OPI 100  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 180316  
KINKO EWE JS180249  
OEL 24.1 | ILP 237 | OPI 96  
Gelam 4 | Lammers 6 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 117       | 102       | 136     | 131         | 134 | 108 | 99  |
| 60%       | 43%       | 58%     | 28%         | 46% | 25% | 20% |

Logix Meriete Indeks 135

Groeï Indeks 121

Reproduksie Indeks 137

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 3.7kg        |
| Speen Gew. | 39.7kg (110) |
| Na-Speen   | 55.9kg (107) |
| Volw. Gew. | -            |
| GDT Ind.   | 103          |
| VOV Ind.   | -            |
| Skrotum    | 28           |

LOGIX  
GENETICS CHARTER  
EBV Analise 2025-07-18

## LOT 109 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240340

KINKO RAM JS 240340

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-13 |
| Age         | 1.1 years  |
| Inbreeding  | 8.16%      |
| Birth Stat. | 3          |
| Progeny     | None       |

 JS 220168 (2)  
 KINKO RAM JS 220168

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 220405 (3)  
 KINKO OOI JS 220405  
 AFL 15.9 | ILP 244 | EPI 124  
 Lambed 3 | Lambs 5 | Weaned 5

 JS 210134  
 KINKO RAM JS 210134  
 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 JS 190077  
 KINKO OOI JS 190077  
 AFL 15.6 | ILP 239 | EPI 113  
 Lambed 4 | Lambs 7 | Weaned 6  
 KINKO RAM JS 170299  
 KINKO OOI JS 170025  
 AFL 16.7 | ILP 237 | EPI 95  
 Lambed 2 | Lambs 3 | Weaned 3

 JS 210016  
 KINKO RAM JS 210016  
 KINKO RAM JS 190714  
 KINKO OOI JS 180389  
 AFL 14.5 | ILP 261 | EPI 100  
 Lambed 4 | Lambs 6 | Weaned 4

 JS 200332  
 KINKO OOI JS 200332  
 AFL 15.6 | ILP 336 | EPI 127  
 Lambed 6 | Lambs 11 | Weaned 5  
 KINKO RAM JS 180316  
 KINKO EWE JS 180249  
 AFL 24.1 | ILP 237 | EPI 96  
 Lambed 4 | Lambs 6 | Weaned 3

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 103       | 136      | 131          | 133 | 108 | 99  |
| 60%      | 43%       | 58%      | 28%          | 46% | 25% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 134 |
| Growth Index       | 120 |
| Reproduction Index | 137 |

|            |              |
|------------|--------------|
| Birth Wt.  | 4.2kg        |
| Wean Wt.   | 36.2kg (100) |
| Post-Wean  | 59.3kg (113) |
| Mature Wt. | -            |
| ADG Ind.   | 121          |
| FCR Ind.   | -            |
| Scrotum    | 30           |

 LOGIX  
 GENETICS CENTRA  
 EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 110 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240346

KINKO RAM JS 240346

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-14 |
| Age         | 1 years    |
| Inbreeding  | 9.68%      |
| Birth Stat. | 3          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS 220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210019 (1)  
 KINKO OOI JS 210019  
 AFL 20.4 | ILP 288 | EPI 147  
 Lambed 4 | Lambs 8 | Weaned 6

 JS 210134  
 KINKO RAM JS 210134  
 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4  
 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 JS 190010  
 KINKO RAM JS 190010  
 KINKO EWE JS 160250  
 AFL 15.4 | ILP 293 | EPI 109  
 Lambed 3 | Lambs 4 | Weaned 2

 JS 190732  
 KINKO OOI JS 190732  
 AFL 15.9 | ILP 436 | EPI 107  
 Lambed 3 | Lambs 4 | Weaned 4  
 KINKO RAM JS 180231  
 KINKO OOI JS 160165  
 AFL 16 | ILP 280 | EPI 136  
 Lambed 4 | Lambs 8 | Weaned 7

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 118      | 88        | 115      | 125          | 125 | 105 | 88  |
| 59%      | 44%       | 56%      | 29%          | 46% | 27% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 126 |
| Growth Index       | 115 |
| Reproduction Index | 121 |

|            |              |
|------------|--------------|
| Birth Wt.  | 4.9kg        |
| Wean Wt.   | 35.7kg (99)  |
| Post-Wean  | 52.6kg (100) |
| Mature Wt. | -            |
| ADG Ind.   | 93           |
| FCR Ind.   | -            |
| Scrotum    | 26           |

 LOGIX  
 GENETICS CENTRA  
 EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 111 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240347

KINKO RAM JS 240347

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-14 |
| Age         | 1 years    |
| Inbreeding  | 9.68%      |
| Birth Stat. | 3          |
| Progeny     | None       |

 JS 220209 (1)  
 KINKO RAM JS 220209

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 210019 (1)  
 KINKO OOI JS 210019  
 AFL 20.4 | ILP 288 | EPI 147  
 Lambed 4 | Lambs 8 | Weaned 6

 JS 210134  
 KINKO RAM JS 210134  
 KINKO RAM JS 180159  
 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lambs 4 | Weaned 3

 JS 190409  
 KINKO OOI JS 190409  
 AFL 27.7 | ILP 231 | EPI 101  
 Lambed 2 | Lambs 4 | Weaned 4  
 KINKO RAM JS 170048  
 KINKO OOI JS 170420  
 AFL 24.1 | ILP 261 | EPI 98  
 Lambed 2 | Lambs 3 | Weaned 3

 JS 190010  
 KINKO RAM JS 190010  
 KINKO EWE JS 160250  
 AFL 15.4 | ILP 293 | EPI 109  
 Lambed 3 | Lambs 4 | Weaned 2

 JS 190732  
 KINKO OOI JS 190732  
 AFL 15.9 | ILP 436 | EPI 107  
 Lambed 3 | Lambs 4 | Weaned 4  
 KINKO RAM JS 180231  
 KINKO OOI JS 160165  
 AFL 16 | ILP 280 | EPI 136  
 Lambed 4 | Lambs 8 | Weaned 7

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 89        | 108      | 125          | 122 | 105 | 88  |
| 59%      | 44%       | 56%      | 29%          | 46% | 27% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 122 |
| Growth Index       | 111 |
| Reproduction Index | 121 |

|            |             |
|------------|-------------|
| Birth Wt.  | 3.8kg       |
| Wean Wt.   | 30.7kg (85) |
| Post-Wean  | 41.8kg (80) |
| Mature Wt. | -           |
| ADG Ind.   | 89          |
| FCR Ind.   | -           |
| Scrotum    | 27          |

 LOGIX  
 GENETICS CENTRA  
 EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 112 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240348

KINKO RAM JS 240348

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-14 |
| Oud.        | 1 jaar     |
| Inteling    | 9.68%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

JS 220209 (1)  
KINKO RAM JS220209

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 210019 (1)  
KINKO OOI JS210019  
OEL 20.4 | ILP 288 | OPI 147  
Gelam 4 | Lammers 8 | Gespeen 6

JS 210134  
KINKO RAM JS 210134

JS 190409  
KINKO OOI JS 190409  
OEL 27.7 | ILP 231 | OPI 101  
Gelam 2 | Lammers 4 | Gespeen 4

JS 190010  
KINKO RAM JS 190010

JS 190732  
KINKO OOI JS 190732  
OEL 15.9 | ILP 436 | OPI 107  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 180159  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 170048  
KINKO OOI JS 170420  
OEL 24.1 | ILP 261 | OPI 98  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 170297  
KINKO EWE JS 160250  
OEL 15.4 | ILP 293 | OPI 109  
Gelam 3 | Lammers 2 | Gespeen 2

KINKO RAM JS 180231  
KINKO OOI JS 160165  
OEL 16 | ILP 280 | OPI 136  
Gelam 4 | Lammers 8 | Gespeen 7

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 114       | 89        | 110     | 125         | 123 | 105 | 88  |
| 59%       | 44%       | 56%     | 29%         | 46% | 27% | 20% |

Logix Meriete Indeks 123

Groeï Indeks 112

Reproduksie Indeks 121

VERKOPER OPMERKINGS:

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.5kg       |
| Speen Gew. | 31.2kg (86) |
| Na-Speen   | 45.2kg (86) |
| Volw. Gew. | -           |
| GDT Ind.   | 110         |
| VOV Ind.   | -           |
| Skrotum    | 31          |

LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

## LOT 113 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240356

KINKO RAM JS 240356

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-15 |
| Oud.        | 1 jaar     |
| Inteling    | 9.94%      |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

JS 220017 (2)  
KINKO RAM JS 220017

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 220027 (2)  
KINKO EWE JS220027  
OEL 19.7 | ILP 259 | OPI 101  
Gelam 2 | Lammers 3 | Gespeen 3

JS 200651  
KINKO RAM JS 200651

JS 190442  
KINKO OOI JS190442  
OEL 16.3 | ILP 278 | OPI 142  
Gelam 7 | Lammers 12 | Gespeen 6

JS 200349  
KINKO RAM JS 200349

JS 190435  
KINKO OOI JS 190435  
OEL 24 | ILP 245 | OPI 112  
Gelam 3 | Lammers 5 | Gespeen 5

KINKO RAM JS 180372  
KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305  
KINKO OOI JS 160965  
OEL 24.7 | ILP 288 | OPI 99  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 180001  
KINKO OOI JS 170017  
OEL 16.3 | ILP 244 | OPI 159  
Gelam 5 | Lammers 11 | Gespeen 9

KINKO RAM JS 170048  
KINKO OOI JS 170469  
OEL 24 | ILP 365 | OPI 98  
Gelam 2 | Lammers 5 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 126       | 97        | 131     | 116         | 125 | 108 | 91  |
| 58%       | 43%       | 56%     | 28%         | 45% | 28% | 18% |

Logix Meriete Indeks 132

Groeï Indeks 127

Reproduksie Indeks 122

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 6.3kg        |
| Speen Gew. | 39.5kg (109) |
| Na-Speen   | 64.9kg (124) |
| Volw. Gew. | -            |
| GDT Ind.   | 110          |
| VOV Ind.   | -            |
| Skrotum    | 34           |

LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

## LOT 114 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240357

KINKO RAM JS 240357

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-15 |
| Oud.        | 1 jaar     |
| Inteling    | 5.4%       |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JNRD210250 (3)  
JANOR RAM JNRD210250

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 220600 (2)  
KINKO OOI JS 220600  
OEL 21.7 | ILP 240 | OPI 107  
Gelam 2 | Lammers 3 | Gespeen 3

JNRD200189  
JANOR RAM JNRD200189

JNRD180122  
JANOR EWE JNRD180122  
OEL 17.8 | ILP 374 | OPI 98  
Gelam 2 | Lammers 5 | Gespeen 5

JS 210016  
KINKO RAM JS210016

JS 210165  
KINKO OOI JS 210165  
OEL 18 | ILP 180 | OPI 107  
Gelam 4 | Lammers 6 | Gespeen 4

NOVA BARLETTA SPUTNIK  
RHENOSTERBOSRUG OOI AP 150072  
OEL 23.8 | ILP 340 | OPI 170  
Gelam 6 | Lammers 16 | Gespeen 15

NOVA BARLETTA RAM NB130090  
RHENOSTERBOSRUG OOI AP 150072  
OEL 23.8 | ILP 340 | OPI 170  
Gelam 6 | Lammers 16 | Gespeen 15

KINKO RAM JS 190714  
KINKO OOI JS 180389  
OEL 14.5 | ILP 261 | OPI 100  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 190714  
KINKO OOI JS 180797  
OEL 20.1 | ILP 238 | OPI 142  
Gelam 6 | Lammers 11 | Gespeen 7

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 106       | 104       | 108     | 118         | 118 | 102 | 108 |
| 54%       | 41%       | 51%     | 30%         | 43% | 29% | 23% |

Logix Meriete Indeks 120

Groeï Indeks 111

Reproduksie Indeks 124

VERKOPER OPMERKINGS:

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.3kg       |
| Speen Gew. | 28.4kg (79) |
| Na-Speen   | 45.7kg (87) |
| Volw. Gew. | -           |
| GDT Ind.   | 110         |
| VOV Ind.   | -           |
| Skrotum    | 28          |

LOGIX  
GENETICS CENTRA  
EBV Analise 2025-07-18

## LOT 115 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240358

KINKO RAM JS 240358

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-15 |
| Age         | 1 years    |
| Inbreeding  | 5.4%       |
| Birth Stat. | 2          |
| Progeny     | None       |

JNRD210250 (3)

JANOR RAM JNRD210250

Parentage Sire Dam

DNA

Genomic

JS 220600 (2)

KINKO OOI JS 220600

AFL 21.7 | ILP 240 | EPI 107  
Lambd 2 | Lambs 3 | Weaned 3

JNRD200189

JANOR RAM JNRD200189

JNRD180122

JANOR EWE JNRD180122

AFL 17.8 | ILP 374 | EPI 98  
Lambd 2 | Lambs 5 | Weaned 5

JS 210016

KINKO RAM JS210016

JS 210165

KINKO OOI JS 210165

AFL 18 | ILP 180 | EPI 107  
Lambd 4 | Lambs 6 | Weaned 4

NOVA BARLETTA SPUTNIK

RHENOSTERBOSRUG OOI AP 150072

AFL 23.8 | ILP 340 | EPI 170  
Lambd 6 | Lambs 16 | Weaned 15

NOVA BARLETTA RAM NB130090

RHENOSTERBOSRUG OOI AP 150072

AFL 23.8 | ILP 340 | EPI 170  
Lambd 6 | Lambs 16 | Weaned 15

KINKO RAM JS 190714

KINKO OOI JS 180389

AFL 14.5 | ILP 261 | EPI 100  
Lambd 4 | Lambs 6 | Weaned 4

KINKO RAM JS 190714

KINKO OOI JS 180797

AFL 20.1 | ILP 238 | EPI 142  
Lambd 6 | Lambs 11 | Weaned 7

**LOGIX**  
LIVESTOCK ANALYTICS  
EBV Analysis 2025-07-18

SELLER REMARKS:

## Growth

| Wn. Dir. | Wean Mat. | Post-Wn. |
|----------|-----------|----------|
| 102      | 105       | 105      |
| 54%      | 41%       | 51%      |

## Reproduction

| NLW | TWW | AFL | ILP |
|-----|-----|-----|-----|
| 118 | 117 | 102 | 108 |
| 30% | 43% | 29% | 23% |

Logix Merit Index 117

Growth Index 107

Reproduction Index 123

Birth Wt. 3.8kg

Wean Wt. 22.1kg (61)

Post-Wean 42.2kg (81)

Mature Wt. -

ADG Ind. 93

FCR Ind. -

Scrotum 24

## LOT 116 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240359

KINKO RAM JS 240359

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-15 |
| Age         | 1 years    |
| Inbreeding  | 5.13%      |
| Birth Stat. | 3          |
| Progeny     |            |
| In Herd     | 7          |
| Total       | 7          |
| Herds Used  | 1          |

NB 210488 (1)

NOVA BARLETTA RAM NB210488

Parentage Sire Dam

DNA

Genomic

JS 220500 (2)

KINKO OOI JS 220500

AFL 15 | ILP 256 | EPI 137  
Lambd 3 | Lambs 7 | Weaned 7

NB 190715

NOVA BARLETTA BUZZ

NB 180016

NOVA BARLETTA EWE NB180016

AFL 16.7 | ILP 317 | EPI 95  
Lambd 4 | Lambs 6 | Weaned 6

JS 190729

KINKO RAM JS 190729

JS 190274

KINKO OOI JS 190274

AFL 20 | ILP 256 | EPI 101  
Lambd 3 | Lambs 4 | Weaned 3

NOVA BARLETTA SPUTNIK

NOVA BARLETTA EWE NB180185

AFL 17.4 | ILP 335 | EPI 116  
Lambd 7 | Lambs 10 | Weaned 7

NOVA BARLETTA RAM NB130090

NOVA BARLETTA EWE NB210135

AFL 13.9 | ILP 297 | EPI 137  
Lambd 8 | Lambs 14 | Weaned 11

KINKO RAM JS 180231

KINKO OOI JS 160818

AFL 20.4 | ILP 243 | EPI 116  
Lambd 4 | Lambs 8 | Weaned 5

KINKO RAM JS 170305

KINKO OOI JS 160970

AFL 16.4 | ILP 234 | EPI 114  
Lambd 3 | Lambs 5 | Weaned 5

**LOGIX**  
LIVESTOCK ANALYTICS  
EBV Analysis 2025-07-18

SELLER REMARKS:

## Growth

| Wn. Dir. | Wean Mat. | Post-Wn. |
|----------|-----------|----------|
| 122      | 84        | 136      |
| 60%      | 47%       | 58%      |

## Reproduction

| NLW | TWW | AFL | ILP |
|-----|-----|-----|-----|
| 136 | 134 | 111 | 108 |
| 35% | 49% | 33% | 25% |

Logix Merit Index 136

Growth Index 117

Reproduction Index 133

Birth Wt. 5.1kg

Wean Wt. 35.6kg (98)

Post-Wean 55.9kg (107)

Mature Wt. -

ADG Ind. 103

FCR Ind. -

Scrotum 30

## LOT 117 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240360

KINKO RAM JS 240360

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-15 |
| Age         | 1 years    |
| Inbreeding  | 5.13%      |
| Birth Stat. | 3          |
| Progeny     | None       |

NB 210488 (1)

NOVA BARLETTA RAM NB210488

Parentage Sire Dam

DNA

Genomic

JS 220500 (2)

KINKO OOI JS 220500

AFL 15 | ILP 256 | EPI 137  
Lambd 3 | Lambs 7 | Weaned 7

NB 190715

NOVA BARLETTA BUZZ

NB 180016

NOVA BARLETTA EWE NB180016

AFL 16.7 | ILP 317 | EPI 95  
Lambd 4 | Lambs 6 | Weaned 6

JS 190729

KINKO RAM JS 190729

JS 190274

KINKO OOI JS 190274

AFL 20 | ILP 256 | EPI 101  
Lambd 3 | Lambs 4 | Weaned 3

NOVA BARLETTA SPUTNIK

NOVA BARLETTA EWE NB180185

AFL 17.4 | ILP 335 | EPI 116  
Lambd 7 | Lambs 10 | Weaned 7

NOVA BARLETTA RAM NB130090

NOVA BARLETTA EWE NB210135

AFL 13.9 | ILP 297 | EPI 137  
Lambd 8 | Lambs 14 | Weaned 11

KINKO RAM JS 180231

KINKO OOI JS 160818

AFL 20.4 | ILP 243 | EPI 116  
Lambd 4 | Lambs 8 | Weaned 5

KINKO RAM JS 170305

KINKO OOI JS 160970

AFL 16.4 | ILP 234 | EPI 114  
Lambd 3 | Lambs 5 | Weaned 5

**LOGIX**  
LIVESTOCK ANALYTICS  
EBV Analysis 2025-07-18

SELLER REMARKS:

## Growth

| Wn. Dir. | Wean Mat. | Post-Wn. |
|----------|-----------|----------|
| 120      | 84        | 134      |
| 60%      | 47%       | 58%      |

## Reproduction

| NLW | TWW | AFL | ILP |
|-----|-----|-----|-----|
| 136 | 132 | 111 | 108 |
| 35% | 49% | 33% | 25% |

Logix Merit Index 134

Growth Index 115

Reproduction Index 132

Birth Wt. 4.1kg

Wean Wt. 33.5kg (93)

Post-Wean 47.5kg (91)

Mature Wt. -

ADG Ind. 100

FCR Ind. -

Scrotum 29

## LOT 118 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240370

KINKO RAM JS 240370

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-16 |
| Oud.        | 1 jaar     |
| Inteling    | 8.72%      |
| Geb. Status | 1          |

|                |    |
|----------------|----|
| Nageslag       |    |
| In Kudde       | 15 |
| Totaal         | 15 |
| Kuddes Gebruik | 1  |

JS 220122 (2)  
KINKO RAM JS220122

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 220158 (1)  
KINKO OOI JS220158  
OEL 16.7 | ILP 313 | OPI 106  
Gelam 3 | Lammers 3 | Gespeen 2

JS 200651  
KINKO RAM JS 200651

JS 190365  
KINKO OOI JS 190365  
OEL 16.3 | ILP 344 | OPI 145  
Gelam 5 | Lammers 10 | Gespeen 7

JS 210134  
KINKO RAM JS 210134

JS 190811  
KINKO EWE JS190811  
OEL 16.3 | ILP 222 | OPI 111  
Gelam 3 | Lammers 5 | Gespeen 5

KINKO RAM JS 180372

KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305

KINKO OOI JS 170302  
OEL 16 | ILP 247 | OPI 115  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 180159  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 180159  
KINKO OOI JS 170133  
OEL 16.6 | ILP 239 | OPI 122  
Gelam 4 | Lammers 8 | Gespeen 7

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 121       | 94        | 125     | 122         | 126 | 105 | 98  |
| 58%       | 43%       | 55%     | 29%         | 46% | 30% | 18% |

Logix Meriete Indeks 130

Groeï Indeks 120

Reproduksie Indeks 124

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.2kg        |
| Speen Gew. | 32.6kg (90)  |
| Na-Speen   | 52.2kg (100) |
| Volw. Gew. | -            |
| GDT Ind.   | 121          |
| VOV Ind.   | -            |
| Skrotum    | 30           |

LOGIX  
GROOTS OORLOF  
EBV Analise 2025-07-18

## LOT 119 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240379

KINKO RAM JS 240379

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-18 |
| Oud.        | 1 jaar     |
| Inteling    | 8.98%      |
| Geb. Status | 1          |

|          |  |
|----------|--|
| Nageslag |  |
| Geen     |  |

JS 220168 (2)  
KINKO RAM JS 220168

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 230106 (2)  
KINKO OOI JS 230106  
OEL 16.2 | ILP 247 | OPI 107  
Gelam 2 | Lammers 2 | Gespeen 2

JS 210134  
KINKO RAM JS 210134

JS 190077  
KINKO OOI JS 190077  
OEL 15.6 | ILP 239 | OPI 113  
Gelam 4 | Lammers 7 | Gespeen 6

JS 210470  
KINKO RAM JS 210470

JS 200435  
KINKO OOI JS 200435  
OEL 15.7 | ILP 269 | OPI 105  
Gelam 6 | Lammers 10 | Gespeen 3

KINKO RAM JS 180159

KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 170299

KINKO OOI JS 170025  
OEL 16.7 | ILP 237 | OPI 95  
Gelam 2 | Lammers 3 | Gespeen 3

REMKUIL RAM JT 190694

KINKO OOI JS 190351  
OEL 16.4 | ILP 340 | OPI 116  
Gelam 5 | Lammers 11 | Gespeen 6

KINKO RAM JS 180777

KINKO OOI JS 180618  
OEL 15.7 | ILP 287 | OPI 173  
Gelam 6 | Lammers 9 | Gespeen 8

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 114       | 99        | 116     | 107         | 113 | 113 | 90  |
| 60%       | 41%       | 57%     | 27%         | 45% | 26% | 19% |

Logix Meriete Indeks 119

Groeï Indeks 116

Reproduksie Indeks 115

VERKOPER OPMERKINGS:

|            |             |
|------------|-------------|
| Geb. Gew.  | 4.3kg       |
| Speen Gew. | 36kg (100)  |
| Na-Speen   | 42.1kg (80) |
| Volw. Gew. | -           |
| GDT Ind.   | 85          |
| VOV Ind.   | -           |
| Skrotum    | 31          |

LOGIX  
GROOTS OORLOF  
EBV Analise 2025-07-18

## LOT 120 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240383

KINKO RAM JS 240383

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-18 |
| Oud.        | 1 jaar     |
| Inteling    | 5.41%      |
| Geb. Status | 2          |

|          |  |
|----------|--|
| Nageslag |  |
| Geen     |  |

JB 210188 (2)  
JOHANRI RAM JB210188

Ouerskap Vaar Moer

|          |
|----------|
| DNS      |
| Genomies |

JS 210189 (1)  
KINKO OOI JS 210189  
OEL 15.9 | ILP 364 | OPI 105  
Gelam 3 | Lammers 4 | Gespeen 3

JB 200092  
JOHANRI ANKER

BR 130209  
BENDRI OOI BR130209  
OEL 23.1 | ILP 435 | OPI 165  
Gelam 6 | Lammers 12 | Gespeen 10

JT 190694  
REMKUIL RAM JT 190694

JS 190766  
KINKO OOI JS 190766  
OEL 16.5 | ILP - | OPI 89  
Gelam 1 | Lammers 1 | Gespeen 1

JOHANRI KETTING

JOHANRI EWE JB180015  
OEL 23.3 | ILP - | OPI 93  
Gelam 1 | Lammers 3 | Gespeen 3

RHENOSTERBOSRUG RAM AP 100097

KINKO OOI JS 080578  
OEL 25.6 | ILP 367 | OPI 103  
Gelam 4 | Lammers 6 | Gespeen 5

REMKUIL RAM JT 170622

REMKUIL OOI JT 170358  
OEL 15.6 | ILP 299 | OPI 109  
Gelam 3 | Lammers 7 | Gespeen 7

KINKO RAM JS 180146

KINKO OOI JS 170279  
OEL 12.6 | ILP 316 | OPI 217  
Gelam 8 | Lammers 18 | Gespeen 11

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 116       | 87        | 108     | 92          | 98  | 97  | 83  |
| 62%       | 47%       | 55%     | 32%         | 49% | 32% | 23% |

Logix Meriete Indeks 105

Groeï Indeks 113

Reproduksie Indeks 89

VERKOPER OPMERKINGS:

|            |             |
|------------|-------------|
| Geb. Gew.  | 3.7kg       |
| Speen Gew. | 35.6kg (98) |
| Na-Speen   | 47.5kg (91) |
| Volw. Gew. | -           |
| GDT Ind.   | 71          |
| VOV Ind.   | -           |
| Skrotum    | 27          |

LOGIX  
GROOTS OORLOF  
EBV Analise 2025-07-18

## LOT 121 (M)



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240387

KINKO RAM JS 240387

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-18 |
| Age         | 1 years    |
| Inbreeding  | 4.87%      |
| Birth Stat. | 1          |
| Progeny     | None       |

|                    |                                                             |
|--------------------|-------------------------------------------------------------|
| NB 210488 (1)      | NOVA BARLETTA RAM NB210488                                  |
| Parentage Sire Dam |                                                             |
| DNA                |                                                             |
| Genomic            |                                                             |
| JS 220311 (1)      | KINKO OOI JS 220311                                         |
|                    | AFL 16.7   ILP 236   EPI 93<br>Lambd 3   Lambs 3   Weaned 1 |

|           |                                                              |                                                                |
|-----------|--------------------------------------------------------------|----------------------------------------------------------------|
| NB 190715 | NOVA BARLETTA BUZZ                                           | NOVA BARLETTA SPUTNIK                                          |
|           |                                                              | NOVA BARLETTA EWE NB180185                                     |
|           |                                                              | AFL 17.4   ILP 335   EPI 116<br>Lambd 7   Lambs 10   Weaned 7  |
| NB 180016 | NOVA BARLETTA EWE NB180016                                   | NOVA BARLETTA RAM NB130090                                     |
|           | AFL 16.7   ILP 317   EPI 95<br>Lambd 4   Lambs 6   Weaned 6  | NOVA BARLETTA EWE NB120135                                     |
|           |                                                              | AFL 13.9   ILP 297   EPI 137<br>Lambd 8   Lambs 14   Weaned 11 |
| JT 190583 | REM KUIL RAM JT 190583                                       | REM KUIL OOI JT 160623                                         |
|           |                                                              | REM KUIL OOI JT 160293                                         |
|           |                                                              | AFL 16.3   ILP 348   EPI 157<br>Lambd 6   Lambs 12   Weaned 12 |
| JS 180860 | KINKO OOI JS 180860                                          | RHENOSTERBOSRUG RAM AP 160309                                  |
|           | AFL 20.2   ILP 357   EPI 103<br>Lambd 3   Lambs 5   Weaned 5 | KINKO EWE JS 150413                                            |
|           |                                                              | AFL 13.7   ILP 552   EPI 87<br>Lambd 3   Lambs 3   Weaned 2    |

 LOGIX  
GENOMIC ANALYSIS  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 110      | 91        | 119      | 115          | 114 | 101 | 104 |
| 59%      | 43%       | 56%      | 33%          | 47% | 33% | 26% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 116 |
| Growth Index       | 109 |
| Reproduction Index | 113 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3.9kg        |
| Wean Wt.   | 40.9kg (113) |
| Post-Wean  | 54.7kg (104) |
| Mature Wt. | -            |
| ADG Ind.   | 93           |
| FCR Ind.   | -            |
| Scrotum    | 30           |

## LOT 122 (M)



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240395

KINKO RAM JS 240395

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-19 |
| Age         | 1 years    |
| Inbreeding  | 11.15%     |
| Birth Stat. | 3          |
| Progeny     | None       |

|                    |                                                              |
|--------------------|--------------------------------------------------------------|
| JS 220122 (2)      | KINKO RAM JS220122                                           |
| Parentage Sire Dam |                                                              |
| DNA                |                                                              |
| Genomic            |                                                              |
| JS 220240 (2)      | KINKO OOI JS 220240                                          |
|                    | AFL 16.2   ILP 249   EPI 124<br>Lambd 3   Lambs 7   Weaned 6 |

|           |                                                               |                                                                |
|-----------|---------------------------------------------------------------|----------------------------------------------------------------|
| JS 200651 | KINKO RAM JS 200651                                           | KINKO RAM JS 180372                                            |
|           |                                                               | KINKO OOI JS 190171                                            |
|           |                                                               | AFL 17.2   ILP 297   EPI 108<br>Lambd 7   Lambs 12   Weaned 5  |
| JS 190365 | KINKO OOI JS 190365                                           | KINKO RAM JS 170305                                            |
|           | AFL 16.3   ILP 344   EPI 145<br>Lambd 5   Lambs 10   Weaned 7 | KINKO OOI JS 170302                                            |
|           |                                                               | AFL 16   ILP 247   EPI 115<br>Lambd 4   Lambs 6   Weaned 4     |
| JT 190583 | REM KUIL RAM JT 190583                                        | REM KUIL RAM JT 160623                                         |
|           |                                                               | REM KUIL OOI JT 160293                                         |
|           |                                                               | AFL 16.3   ILP 348   EPI 157<br>Lambd 6   Lambs 12   Weaned 12 |
| JS 200602 | KINKO OOI JS 200602                                           | KINKO RAM JS 180372                                            |
|           | AFL 13.6   ILP 258   EPI 113<br>Lambd 3   Lambs 7   Weaned 5  | KINKO OOI JS 190046                                            |
|           |                                                               | AFL 17.3   ILP -   EPI 90<br>Lambd 1   Lambs 2   Weaned 2      |

 LOGIX  
GENOMIC ANALYSIS  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 115      | 98        | 124      | 121          | 124 | 105 | 87  |
| 59%      | 46%       | 57%      | 31%          | 48% | 31% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 125 |
| Growth Index       | 117 |
| Reproduction Index | 124 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3.9kg        |
| Wean Wt.   | 36.1kg (100) |
| Post-Wean  | 48.9kg (93)  |
| Mature Wt. | -            |
| ADG Ind.   | 93           |
| FCR Ind.   | -            |
| Scrotum    | 30           |

## LOT 123 (M)



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240396

KINKO RAM JS 240396

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-19 |
| Age         | 1 years    |
| Inbreeding  | 11.15%     |
| Birth Stat. | 3          |
| Progeny     | None       |

|                    |                                                              |
|--------------------|--------------------------------------------------------------|
| JS 220122 (2)      | KINKO RAM JS220122                                           |
| Parentage Sire Dam |                                                              |
| DNA                |                                                              |
| Genomic            |                                                              |
| JS 220240 (2)      | KINKO OOI JS 220240                                          |
|                    | AFL 16.2   ILP 249   EPI 124<br>Lambd 3   Lambs 7   Weaned 6 |

|           |                                                               |                                                                |
|-----------|---------------------------------------------------------------|----------------------------------------------------------------|
| JS 200651 | KINKO RAM JS 200651                                           | KINKO RAM JS 180372                                            |
|           |                                                               | KINKO OOI JS 190171                                            |
|           |                                                               | AFL 17.2   ILP 297   EPI 108<br>Lambd 7   Lambs 12   Weaned 5  |
| JS 190365 | KINKO OOI JS 190365                                           | KINKO RAM JS 170305                                            |
|           | AFL 16.3   ILP 344   EPI 145<br>Lambd 5   Lambs 10   Weaned 7 | KINKO OOI JS 170302                                            |
|           |                                                               | AFL 16   ILP 247   EPI 115<br>Lambd 4   Lambs 6   Weaned 4     |
| JT 190583 | REM KUIL RAM JT 190583                                        | REM KUIL RAM JT 160623                                         |
|           |                                                               | REM KUIL OOI JT 160293                                         |
|           |                                                               | AFL 16.3   ILP 348   EPI 157<br>Lambd 6   Lambs 12   Weaned 12 |
| JS 200602 | KINKO OOI JS 200602                                           | KINKO RAM JS 180372                                            |
|           | AFL 13.6   ILP 258   EPI 113<br>Lambd 3   Lambs 7   Weaned 5  | KINKO OOI JS 190046                                            |
|           |                                                               | AFL 17.3   ILP -   EPI 90<br>Lambd 1   Lambs 2   Weaned 2      |

 LOGIX  
GENOMIC ANALYSIS  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 116      | 98        | 125      | 121          | 124 | 105 | 87  |
| 59%      | 46%       | 57%      | 31%          | 48% | 31% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 126 |
| Growth Index       | 118 |
| Reproduction Index | 124 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3.5kg        |
| Wean Wt.   | 36.2kg (100) |
| Post-Wean  | 50.9kg (97)  |
| Mature Wt. | -            |
| ADG Ind.   | 107          |
| FCR Ind.   | -            |
| Scrotum    | 30           |

## LOT 124 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240405

KINKO RAM JS 240405

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-20 |
| Oud.        | 1 jaar     |
| Inteling    | 5.45%      |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

JB 210188 (2)  
JOHANRI RAM JB210188

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 210777 (2)  
KINKO OOI JS 210777  
OEL 24.2 | ILP 250 | OPI 83  
Gelam 2 | Lammers 3 | Gespeen 1

JB 200092  
JOHANRI ANKER

BR 130209  
BENDRI OOI BR130209  
OEL 23.1 | ILP 435 | OPI 165  
Gelam 6 | Lammers 12 | Gespeen 10

JS 180021  
KINKO RAM JS 180021

JS 200003  
KINKO OOI JS 200003  
OEL 20.1 | ILP 252 | OPI 94  
Gelam 2 | Lammers 3 | Gespeen 3

JOHANRI KETTING

JOHANRI EWE JB180015  
OEL 23.3 | ILP - | OPI 93  
Gelam 1 | Lammers 3 | Gespeen 3

RHENOSTERBOSRUG RAM AP 100097  
KINKO OOI JS 080578  
OEL 25.6 | ILP 367 | OPI 103  
Gelam 4 | Lammers 6 | Gespeen 5

KINKO RAM JS 160855  
KINKO OOI JS 150201  
OEL 15.5 | ILP 285 | OPI 131  
Gelam 5 | Lammers 10 | Gespeen 9

NOVA BARLETTA RAM NB130090  
KINKO OOI JS180175  
OEL 20.1 | ILP 495 | OPI 92  
Gelam 2 | Lammers 3 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 113       | 89        | 98      | 106         | 108 | 101 | 87  |
| 61%       | 46%       | 55%     | 32%         | 49% | 31% | 24% |

LOGIX  
ANALISE 2025-07-18

VERKOPER OPMERKINGS:

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 112 |
| Groeï Indeks         | 111 |
| Reproduksie Indeks   | 103 |

|            |           |
|------------|-----------|
| Geb. Gew.  | 5.8kg     |
| Speen Gew. | 28kg (77) |
| Na-Speen   | 42kg (80) |
| Volw. Gew. | -         |
| GDT Ind.   | 82        |
| VOV Ind.   | -         |
| Skrotum    | 29        |

## LOT 125 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240407

KINKO RAM JS 240407

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-21 |
| Oud.        | 1 jaar     |
| Inteling    | 8.52%      |
| Geb. Status | 3          |
| Nageslag    |            |
| Geen        |            |

JS 220122 (2)  
KINKO RAM JS220122

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 220351 (2)  
KINKO OOI JS 220351  
OEL 16.2 | ILP 247 | OPI 130  
Gelam 3 | Lammers 6 | Gespeen 6

JS 200651  
KINKO RAM JS 200651

JS 190365  
KINKO OOI JS 190365  
OEL 16.3 | ILP 344 | OPI 145  
Gelam 5 | Lammers 10 | Gespeen 7

JS 210015  
KINKO RAM JS210015

JS 200808  
KINKO OOI JS 200808  
OEL 19.7 | ILP 362 | OPI 97  
Gelam 3 | Lammers 4 | Gespeen 4

KINKO RAM JS 180372

KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305  
KINKO OOI JS 170302  
OEL 16 | ILP 247 | OPI 115  
Gelam 4 | Lammers 6 | Gespeen 4

KINKO RAM JS 180159  
KINKO OOI JS 180082  
OEL 15.7 | ILP 279 | OPI 103  
Gelam 4 | Lammers 7 | Gespeen 5

KINKO RAM JS 180001  
KINKO OOI JS 170009  
OEL 16.8 | ILP 284 | OPI 117  
Gelam 4 | Lammers 8 | Gespeen 7

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 115       | 93        | 122     | 131         | 129 | 111 | 91  |
| 59%       | 46%       | 57%     | 30%         | 47% | 30% | 18% |

LOGIX  
ANALISE 2025-07-18

VERKOPER OPMERKINGS:

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 129 |
| Groeï Indeks         | 115 |
| Reproduksie Indeks   | 130 |

|            |             |
|------------|-------------|
| Geb. Gew.  | 2.8kg       |
| Speen Gew. | 33.4kg (92) |
| Na-Speen   | 51.9kg (99) |
| Volw. Gew. | -           |
| GDT Ind.   | 114         |
| VOV Ind.   | -           |
| Skrotum    | 29          |

## LOT 126 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240413

KINKO RAM JS 240413

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-21 |
| Oud.        | 1 jaar     |
| Inteling    | 3.87%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

T 190243 (2)  
2BROERS RAM T190243

|                    |
|--------------------|
| Ouerskap Vaar Moer |
| DNS                |
| Genomies           |

JS 220499 (2)  
KINKO OOI JS 220499  
OEL 15.5 | ILP 253 | OPI 93  
Gelam 2 | Lammers 4 | Gespeen 2

VE 130035  
HELDERHOEK RAM VE 130035

T 160060  
2BROERS OOI T 160060  
OEL 15.2 | ILP 504 | OPI 85  
Gelam 3 | Lammers 5 | Gespeen 5

JS 200391  
KINKO RAM JS 200391

JS 210066  
KINKO OOI JS 210066  
OEL 16.5 | ILP 237 | OPI 108  
Gelam 4 | Lammers 7 | Gespeen 4

DANELLA RAM VZ 080070

HELDERHOEK OOI VE 110038  
OEL 24.2 | ILP - | OPI 91  
Gelam 1 | Lammers 1 | Gespeen 1

JOHANRI BARNARD  
2BROERS OOI T 120055  
OEL 14.6 | ILP 410 | OPI 129  
Gelam 6 | Lammers 13 | Gespeen 13

KINKO RAM JS 180001  
KINKO OOI JS 170016  
OEL 17 | ILP 240 | OPI 129  
Gelam 4 | Lammers 8 | Gespeen 8

KINKO RAM JS 190010  
KINKO OOI JS 190669  
OEL 16.6 | ILP 239 | OPI 96  
Gelam 3 | Lammers 5 | Gespeen 3

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 113       | 106       | 121     | 99          | 109 | 121 | 100 |
| 61%       | 55%       | 57%     | 47%         | 55% | 46% | 38% |

LOGIX  
ANALISE 2025-07-18

VERKOPER OPMERKINGS:

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 120 |
| Groeï Indeks         | 119 |
| Reproduksie Indeks   | 116 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.5kg        |
| Speen Gew. | 44.9kg (124) |
| Na-Speen   | 57.7kg (110) |
| Volw. Gew. | -            |
| GDT Ind.   | 103          |
| VOV Ind.   | -            |
| Skrotum    | 27           |

## LOT 127 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240414

KINKO RAM JS 240414

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-21 |
| Age         | 1 years    |
| Inbreeding  | 3.87%      |
| Birth Stat. | 2          |
| Progeny     | None       |

T 190243 (2)  
2BROERS RAM T190243

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220499 (2)  
KINKO OOI JS 220499  
AFL 15.5 | ILP 253 | EPI 93  
Lambd 2 | Lambs 4 | Weaned 2

VE 130035  
HELDERHOEK RAM VE 130035  
DANELLA RAM VZ 080070  
HELDERHOEK OOI VE 110038  
AFL 24.2 | ILP - | EPI 91  
Lambd 1 | Lambs 1 | Weaned 1

T 160060  
2BROERS OOI T 160060  
AFL 15.2 | ILP 504 | EPI 85  
Lambd 3 | Lambs 5 | Weaned 5

JS 200391  
KINKO RAM JS 200391

JS 210066  
KINKO OOI JS 210066  
AFL 16.5 | ILP 237 | EPI 108  
Lambd 4 | Lambs 7 | Weaned 4

JOHANRI BARNARD  
2BROERS OOI T 120055  
AFL 14.6 | ILP 410 | EPI 129  
Lambd 6 | Lambs 13 | Weaned 13

KINKO RAM JS 180001  
KINKO OOI JS 170016  
AFL 17 | ILP 240 | EPI 129  
Lambd 4 | Lambs 8 | Weaned 8

KINKO RAM JS 190010  
KINKO OOI JS 190669  
AFL 16.6 | ILP 239 | EPI 96  
Lambd 3 | Lambs 5 | Weaned 3

LOGIX  
GENETICS  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 107      | 108       | 118      | 99           | 107 | 121 | 100 |
| 61%      | 55%       | 57%      | 47%          | 55% | 46% | 38% |

Logix Merit Index 116

Growth Index 114

Reproduction Index 116

|            |              |
|------------|--------------|
| Birth Wt.  | 5.3kg        |
| Wean Wt.   | 34.3kg (95)  |
| Post-Wean  | 54.6kg (104) |
| Mature Wt. | -            |
| ADG Ind.   | 100          |
| FCR Ind.   | -            |
| Scrotum    | 27           |

## LOT 128 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240430

KINKO RAM JS 240430

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-23 |
| Age         | 1 years    |
| Inbreeding  | 5.39%      |
| Birth Stat. | 1          |
| Progeny     | None       |

JB 210188 (2)  
JOHANRI RAM JB210188

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 210538 (3)  
KINKO OOI JS 210538  
AFL 23.9 | ILP 306 | EPI 95  
Lambd 3 | Lambs 3 | Weaned 2

JB 200092  
JOHANRI ANKER

BR 130209  
BENDRI OOI BR130209  
AFL 23.1 | ILP 435 | EPI 165  
Lambd 6 | Lambs 12 | Weaned 10

JS 180021  
KINKO RAM JS 180021

JS 190663  
KINKO OOI JS 190663  
AFL 21.5 | ILP - | EPI 90  
Lambd 1 | Lambs 3 | Weaned 2

JOHANRI KETTING  
JOHANRI EWE JB180015  
AFL 23.3 | ILP - | EPI 93  
Lambd 1 | Lambs 3 | Weaned 3

RHENOSTERBOSRUG RAM AP 100097  
KINKO OOI JS 080578  
AFL 25.6 | ILP 367 | EPI 103  
Lambd 4 | Lambs 6 | Weaned 5

KINKO RAM JS 160855  
KINKO OOI JS 150201  
AFL 15.5 | ILP 285 | EPI 131  
Lambd 5 | Lambs 10 | Weaned 9

KINKO RAM JS 170330  
KINKO OOI JS 160411  
AFL 23.5 | ILP 232 | EPI 112  
Lambd 3 | Lambs 4 | Weaned 4

LOGIX  
GENETICS  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 126      | 90        | 113      | 102          | 112 | 104 | 78  |
| 61%      | 46%       | 55%      | 31%          | 48% | 31% | 23% |

Logix Merit Index 120

Growth Index 124

Reproduction Index 103

|            |              |
|------------|--------------|
| Birth Wt.  | 7kg          |
| Wean Wt.   | 44.3kg (122) |
| Post-Wean  | 54.9kg (105) |
| Mature Wt. | -            |
| ADG Ind.   | 71           |
| FCR Ind.   | -            |
| Scrotum    | 31           |

## LOT 129 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

dormer



## JS 240434

KINKO RAM JS 240434

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-23 |
| Age         | 1 years    |
| Inbreeding  | 9.6%       |
| Birth Stat. | 2          |
| Progeny     | None       |

JS 220122 (2)  
KINKO RAM JS220122

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

JS 220364 (2)  
KINKO OOI JS 220364  
AFL 16.3 | ILP 276 | EPI 96  
Lambd 3 | Lambs 6 | Weaned 3

JS 200651  
KINKO RAM JS 200651

JS 190365  
KINKO OOI JS 190365  
AFL 16.3 | ILP 344 | EPI 145  
Lambd 5 | Lambs 10 | Weaned 7

JS 210094  
KINKO RAM JS 210094

JS 190752  
KINKO OOI JS 190752  
AFL 17.1 | ILP 375 | EPI 133  
Lambd 4 | Lambs 9 | Weaned 5

KINKO RAM JS 180372  
KINKO OOI JS 190171  
AFL 17.2 | ILP 297 | EPI 108  
Lambd 7 | Lambs 12 | Weaned 5

KINKO RAM JS 170305  
KINKO OOI JS 170302  
AFL 16 | ILP 247 | EPI 115  
Lambd 4 | Lambs 6 | Weaned 4

KINKO RAM JS 190729  
KINKO OOI JS 180297  
AFL 23.9 | ILP 237 | EPI 137  
Lambd 4 | Lambs 8 | Weaned 7

KINKO RAM JS 170341  
KINKO OOI JS 180616  
AFL 15.6 | ILP 308 | EPI 96  
Lambd 3 | Lambs 5 | Weaned 3

LOGIX  
GENETICS  
EBV Analysis 2025-07-18

SELLER REMARKS:

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 114      | 84        | 117      | 123          | 119 | 107 | 77  |
| 58%      | 43%       | 56%      | 29%          | 46% | 30% | 18% |

Logix Merit Index 118

Growth Index 108

Reproduction Index 115

|            |             |
|------------|-------------|
| Birth Wt.  | 3.4kg       |
| Wean Wt.   | 31.7kg (88) |
| Post-Wean  | 40.7kg (78) |
| Mature Wt. | -           |
| ADG Ind.   | 96          |
| FCR Ind.   | -           |
| Scrotum    | 26          |

## LOT 130 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



## JS 240436

KINKO RAM JS 240436

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-25 |
| Oud.        | 1 jaar     |
| Inteling    | 8.56%      |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

|                     |
|---------------------|
| JS 220168 (2)       |
| KINKO RAM JS 220168 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                 |
|---------------------------------|
| JS 230103 (2)                   |
| KINKO OOI JS 230103             |
| OEL 16.4   ILP 228   OPI 93     |
| Gelam 2   Lammers 3   Gespeen 1 |

|           |                                 |                                  |
|-----------|---------------------------------|----------------------------------|
| JS 210134 | KINKO RAM JS 210134             | KINKO RAM JS 180159              |
|           |                                 | KINKO OOI JS 180720              |
|           |                                 | OEL 20.4   ILP 243   OPI 98      |
|           |                                 | Gelam 3   Lammers 4   Gespeen 3  |
| JS 190077 | KINKO OOI JS 190077             | KINKO RAM JS 170299              |
|           | OEL 15.6   ILP 239   OPI 113    | KINKO OOI JS 170025              |
|           | Gelam 4   Lammers 7   Gespeen 6 | OEL 16.7   ILP 237   OPI 95      |
|           |                                 | Gelam 2   Lammers 3   Gespeen 3  |
| JS 210470 | KINKO RAM JS 210470             | REMKUIL RAM JT 190694            |
|           |                                 | KINKO OOI JS 190351              |
|           |                                 | OEL 16.4   ILP 340   OPI 116     |
|           |                                 | Gelam 5   Lammers 11   Gespeen 6 |
| JS 200664 | KINKO OOI JS 200664             | KINKO RAM JS 180001              |
|           | OEL 12.8   ILP 269   OPI 98     | KINKO OOI JS 180286              |
|           | Gelam 3   Lammers 7   Gespeen 3 | OEL 16.3   ILP 298   OPI 110     |
|           |                                 | Gelam 3   Lammers 4   Gespeen 4  |

LOGIX  
ANALISE 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 118       | 93        | 124     | 108         | 113 | 111 | 94  |
| 59%       | 40%       | 57%     | 26%         | 44% | 26% | 19% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 121 |
| Groeï Indeks         | 117 |
| Reproduksie Indeks   | 112 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.5kg        |
| Speen Gew. | 34.5kg (95)  |
| Na-Speen   | 53.4kg (102) |
| Volw. Gew. | -            |
| GDT Ind.   | 103          |
| VOV Ind.   | -            |
| Skrotum    | 30           |

## LOT 131 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



## JS 240445

KINKO RAM JS 240445

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-27 |
| Oud.        | 1 jaar     |
| Inteling    | 5.33%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

|                            |
|----------------------------|
| NB 210488 (1)              |
| NOVA BARLETTA RAM NB210488 |
| Ouerskap Vaar Moer         |
| DNS                        |
| Genomies                   |

|                                 |
|---------------------------------|
| JS 220164 (2)                   |
| KINKO OOI JS 220164             |
| OEL 16.4   ILP 253   OPI 142    |
| Gelam 3   Lammers 5   Gespeen 4 |

|           |                                 |                                   |
|-----------|---------------------------------|-----------------------------------|
| NB 190715 | NOVA BARLETTA BUZZ              | NOVA BARLETTA SPUTNIK             |
|           |                                 | NOVA BARLETTA EWE NB180185        |
|           |                                 | OEL 17.4   ILP 335   OPI 116      |
|           |                                 | Gelam 7   Lammers 10   Gespeen 7  |
| NB 180016 | NOVA BARLETTA EWE NB180016      | NOVA BARLETTA RAM NB130090        |
|           | OEL 16.7   ILP 317   OPI 95     | NOVA BARLETTA EWE NB120135        |
|           | Gelam 4   Lammers 6   Gespeen 6 | OEL 13.9   ILP 297   OPI 137      |
|           |                                 | Gelam 8   Lammers 14   Gespeen 11 |
| JS 210134 | KINKO RAM JS 210134             | KINKO RAM JS 180159               |
|           |                                 | KINKO OOI JS 180720               |
|           |                                 | OEL 20.4   ILP 243   OPI 98       |
|           |                                 | Gelam 3   Lammers 4   Gespeen 3   |
| JS 200047 | KINKO OOI JS 200047             | KINKO RAM JS 180661               |
|           | OEL 19.9   ILP 303   OPI 94     | KINKO OOI JS180522                |
|           | Gelam 5   Lammers 8   Gespeen 3 | OEL 20   ILP 238   OPI 110        |
|           |                                 | Gelam 3   Lammers 5   Gespeen 5   |

LOGIX  
ANALISE 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 120       | 91        | 130     | 120         | 123 | 104 | 123 |
| 59%       | 45%       | 55%     | 33%         | 48% | 31% | 24% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 129 |
| Groeï Indeks         | 118 |
| Reproduksie Indeks   | 122 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.7kg        |
| Speen Gew. | 45.3kg (125) |
| Na-Speen   | 63kg (120)   |
| Volw. Gew. | -            |
| GDT Ind.   | 110          |
| VOV Ind.   | -            |
| Skrotum    | 28           |

## LOT 132 (M)



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



## JS 240447

KINKO RAM JS 240447

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-07-28 |
| Oud.        | 1 jaar     |
| Inteling    | 8.32%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

|                     |
|---------------------|
| JS 220168 (2)       |
| KINKO RAM JS 220168 |
| Ouerskap Vaar Moer  |
| DNS                 |
| Genomies            |

|                                 |
|---------------------------------|
| JS 230012 (1)                   |
| KINKO OOI JS 230012             |
| OEL 17.2   ILP 233   OPI 114    |
| Gelam 2   Lammers 4   Gespeen 3 |

|           |                                 |                                 |
|-----------|---------------------------------|---------------------------------|
| JS 210134 | KINKO RAM JS 210134             | KINKO RAM JS 180159             |
|           |                                 | KINKO OOI JS 180720             |
|           |                                 | OEL 20.4   ILP 243   OPI 98     |
|           |                                 | Gelam 3   Lammers 4   Gespeen 3 |
| JS 190077 | KINKO OOI JS 190077             | KINKO RAM JS 170299             |
|           | OEL 15.6   ILP 239   OPI 113    | KINKO OOI JS 170025             |
|           | Gelam 4   Lammers 7   Gespeen 6 | OEL 16.7   ILP 237   OPI 95     |
|           |                                 | Gelam 2   Lammers 3   Gespeen 3 |
| JS 210589 | KINKO RAM JS 210589             | REMKUIL RAM JT 190694           |
|           |                                 | KINKO OOI JS 200283             |
|           |                                 | OEL 13.6   ILP 312   OPI 107    |
|           |                                 | Gelam 4   Lammers 6   Gespeen 3 |
| JS 200837 | KINKO OOI JS 200837             | KINKO RAM JS 180021             |
|           | OEL 19.8   ILP 234   OPI 86     | KINKO OOI JS 170675             |
|           | Gelam 3   Lammers 4   Gespeen 3 | OEL 16   ILP 247   OPI 132      |
|           |                                 | Gelam 4   Lammers 6   Gespeen 6 |

LOGIX  
ANALISE 2025-07-18

VERKOPER OPMERKINGS:

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 118       | 94        | 129     | 111         | 116 | 110 | 97  |
| 60%       | 42%       | 57%     | 27%         | 45% | 25% | 20% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 122 |
| Groeï Indeks         | 117 |
| Reproduksie Indeks   | 115 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 5.1kg        |
| Speen Gew. | 41.9kg (116) |
| Na-Speen   | 56.4kg (108) |
| Volw. Gew. | -            |
| GDT Ind.   | 110          |
| VOV Ind.   | -            |
| Skrotum    | 28           |

## LOT 133 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240451

KINKO RAM JS 240451

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-30 |
| Age         | 1 years    |
| Inbreeding  | 9.35%      |
| Birth Stat. | 2          |
| Progeny     | None       |

 JS 220017 (2)  
 KINKO RAM JS 220017

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 200736 (2)  
 KINKO OOI JS 200736  
 AFL 16.5 | ILP 275 | EPI 152  
 Lambed 5 | Lams 10 | Weaned 9

 JS 200651  
 KINKO RAM JS 200651

 JS 190442  
 KINKO OOI JS 190442  
 AFL 16.3 | ILP 278 | EPI 142  
 Lambed 7 | Lams 12 | Weaned 6

 JS 180001  
 KINKO RAM JS 180001

 JS 170922  
 KINKO OOI JS 170922  
 AFL 15.7 | ILP 301 | EPI 97  
 Lambed 3 | Lams 4 | Weaned 2

KINKO RAM JS 180372

 KINKO OOI JS 190171  
 AFL 17.2 | ILP 297 | EPI 108  
 Lambed 7 | Lams 12 | Weaned 5

KINKO RAM JS 170305

 KINKO OOI JS 160965  
 AFL 24.7 | ILP 288 | EPI 99  
 Lambed 3 | Lams 4 | Weaned 3

KINKO RAM JS 160855

 KINKO OOI JS 150312  
 AFL 15.4 | ILP 249 | EPI 132  
 Lambed 4 | Lams 8 | Weaned 8

KINKO RAM JS 150534

 KINKO OOI JS 160334  
 AFL 16.3 | ILP - | EPI 90  
 Lambed 1 | Lams 1 | Weaned 1

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 123      | 91        | 121      | 114          | 120 | 115 | 84  |
| 60%      | 46%       | 57%      | 32%          | 48% | 29% | 20% |

Logix Merit Index 126

Growth Index 121

Reproduction Index 117

|            |              |
|------------|--------------|
| Birth Wt.  | 4.5kg        |
| Wean Wt.   | 42.5kg (117) |
| Post-Wean  | 50.3kg (96)  |
| Mature Wt. | -            |
| ADG Ind.   | 71           |
| FCR Ind.   | -            |
| Scrotum    | 25           |

 LOGIX  
 GENETICS CHARTER  
 EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 134 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240457

KINKO RAM JS 240457

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-31 |
| Age         | 1 years    |
| Inbreeding  | 8.61%      |
| Birth Stat. | 1          |
| Progeny     | None       |

 JS 220168 (2)  
 KINKO RAM JS 220168

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 230020 (2)  
 KINKO OOI JS 230020  
 AFL 17.3 | ILP 240 | EPI 94  
 Lambed 2 | Lams 2 | Weaned 1

 JS 210134  
 KINKO RAM JS 210134

 JS 190077  
 KINKO OOI JS 190077  
 AFL 15.6 | ILP 239 | EPI 113  
 Lambed 4 | Lams 7 | Weaned 6

 JS 210341  
 KINKO RAM JS 210341

 JS 200734  
 KINKO OOI JS 200734  
 AFL 20.3 | ILP 241 | EPI 136  
 Lambed 5 | Lams 9 | Weaned 7

KINKO RAM JS 180159

 KINKO OOI JS 180720  
 AFL 20.4 | ILP 243 | EPI 98  
 Lambed 3 | Lams 4 | Weaned 3

KINKO RAM JS 170299

 KINKO OOI JS 170025  
 AFL 16.7 | ILP 237 | EPI 95  
 Lambed 2 | Lams 3 | Weaned 3

REMKUIL RAM JT 190694

 KINKO OOI JS 180492  
 AFL 20 | ILP 241 | EPI 112  
 Lambed 3 | Lams 5 | Weaned 5

KINKO RAM JS 180021

 KINKO OOI JS 170384  
 AFL 15.8 | ILP 245 | EPI 127  
 Lambed 4 | Lams 7 | Weaned 6

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 120      | 92        | 128      | 108          | 115 | 113 | 84  |
| 59%      | 39%       | 56%      | 26%          | 44% | 25% | 19% |

Logix Merit Index 121

Growth Index 119

Reproduction Index 112

|            |              |
|------------|--------------|
| Birth Wt.  | 4.4kg        |
| Wean Wt.   | 43.8kg (121) |
| Post-Wean  | 58.2kg (111) |
| Mature Wt. | -            |
| ADG Ind.   | 107          |
| FCR Ind.   | -            |
| Scrotum    | 31           |

 LOGIX  
 GENETICS CHARTER  
 EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 135 (M)



dormer



M.J. SWART

 Swellendam, Western Cape  
 0828260292  
 kinkodormer@vodamail.co.za

## JS 240458

KINKO DOMMJS 240458

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-31 |
| Age         | 1 years    |
| Inbreeding  | 9.81%      |
| Birth Stat. | 1          |
| Progeny     | None       |

 JS 220122 (2)  
 KINKO RAM JS 220122

|                    |
|--------------------|
| Parentage Sire Dam |
| DNA                |
| Genomic            |

 JS 220363 (3)  
 KINKO OOI JS 220363  
 AFL 24.6 | ILP 215 | EPI 101  
 Lambed 2 | Lams 3 | Weaned 3

 JS 200651  
 KINKO RAM JS 200651

 JS 190365  
 KINKO OOI JS 190365  
 AFL 16.3 | ILP 344 | EPI 145  
 Lambed 5 | Lams 10 | Weaned 7

 JS 210100  
 KINKO RAM JS 210100

 JS 200432  
 KINKO OOI JS 200432  
 AFL 16.3 | ILP 331 | EPI 120  
 Lambed 4 | Lams 11 | Weaned 5

KINKO RAM JS 180372

 KINKO OOI JS 190171  
 AFL 17.2 | ILP 297 | EPI 108  
 Lambed 7 | Lams 12 | Weaned 5

KINKO RAM JS 170305

 KINKO OOI JS 170302  
 AFL 16 | ILP 247 | EPI 115  
 Lambed 4 | Lams 6 | Weaned 4

KINKO RAM JS 190696

 KINKO EWE JS 180359  
 AFL 23.9 | ILP 328 | EPI 95  
 Lambed 2 | Lams 2 | Weaned 2

KINKO RAM JS 180001

 KINKO OOI JS 170133  
 AFL 16.6 | ILP 239 | EPI 122  
 Lambed 4 | Lams 8 | Weaned 7

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 120      | 93        | 127      | 131          | 131 | 106 | 93  |
| 58%      | 44%       | 56%      | 29%          | 46% | 30% | 19% |

Logix Merit Index 132

Growth Index 119

Reproduction Index 130

|            |              |
|------------|--------------|
| Birth Wt.  | 4kg          |
| Wean Wt.   | 41.1kg (114) |
| Post-Wean  | 57.2kg (109) |
| Mature Wt. | -            |
| ADG Ind.   | 107          |
| FCR Ind.   | -            |
| Scrotum    | 28           |

 LOGIX  
 GENETICS CHARTER  
 EBV Analysis 2025-07-18

SELLER REMARKS:

## LOT 136 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240461

KINKO RAM JS 240461

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-08-02 |
| Oud.        | 12 maande  |
| Inteling    | 9.14%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JS 220017 (2)  
KINKO RAM JS 220017

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200073 (1)  
KINKO OOI JS 200073  
OEL 27.5 | ILP 253 | OPI 141  
Gelam 4 | Lammers 10 | Gespeen 9

JS 200651  
KINKO RAM JS 200651

JS 190442  
KINKO OOI JS190442  
OEL 16.3 | ILP 278 | OPI 142  
Gelam 7 | Lammers 12 | Gespeen 6

JS 180661  
KINKO RAM JS 180661

JS 180531  
KINKO OOI JS180531  
OEL 20.1 | ILP 239 | OPI 103  
Gelam 3 | Lammers 5 | Gespeen 4

KINKO RAM JS 180372

KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305

KINKO OOI JS 160965  
OEL 24.7 | ILP 288 | OPI 99  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 160142  
KINKO OOI JS 160165  
OEL 16 | ILP 280 | OPI 136  
Gelam 4 | Lammers 8 | Gespeen 7

KINKO RAM JS 150423

KINKO OOI JS 140679  
OEL 19.3 | ILP 424 | OPI 105  
Gelam 3 | Lammers 6 | Gespeen 5

| Groei     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 111       | 83        | 115     | 131         | 123 | 109 | 91  |
| 60%       | 46%       | 57%     | 30%         | 48% | 28% | 19% |

Logix Meriete Indeks 122

Groei Indeks 106

Reproduksie Indeks 122

LOGIX  
GENETICS CENTRE  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.8kg        |
| Speen Gew. | 34.6kg (96)  |
| Na-Speen   | 59.1kg (113) |
| Volw. Gew. | -            |
| GDT Ind.   | 114          |
| VOV Ind.   | -            |
| Skrotum    | 26           |

## LOT 137 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240462

KINKO RAM JS 240462

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-08-02 |
| Oud.        | 12 maande  |
| Inteling    | 9.14%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

JS 220017 (2)  
KINKO RAM JS 220017

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 200073 (1)  
KINKO OOI JS 200073  
OEL 27.5 | ILP 253 | OPI 141  
Gelam 4 | Lammers 10 | Gespeen 9

JS 200651  
KINKO RAM JS 200651

JS 190442  
KINKO OOI JS190442  
OEL 16.3 | ILP 278 | OPI 142  
Gelam 7 | Lammers 12 | Gespeen 6

JS 180661  
KINKO RAM JS 180661

JS 180531  
KINKO OOI JS180531  
OEL 20.1 | ILP 239 | OPI 103  
Gelam 3 | Lammers 5 | Gespeen 4

KINKO RAM JS 180372

KINKO OOI JS 190171  
OEL 17.2 | ILP 297 | OPI 108  
Gelam 7 | Lammers 12 | Gespeen 5

KINKO RAM JS 170305

KINKO OOI JS 160965  
OEL 24.7 | ILP 288 | OPI 99  
Gelam 3 | Lammers 4 | Gespeen 3

KINKO RAM JS 160142  
KINKO OOI JS 160165  
OEL 16 | ILP 280 | OPI 136  
Gelam 4 | Lammers 8 | Gespeen 7

KINKO RAM JS 150423

KINKO OOI JS 140679  
OEL 19.3 | ILP 424 | OPI 105  
Gelam 3 | Lammers 6 | Gespeen 5

| Groei     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 110       | 83        | 112     | 131         | 122 | 109 | 91  |
| 60%       | 46%       | 57%     | 30%         | 48% | 28% | 19% |

Logix Meriete Indeks 120

Groei Indeks 104

Reproduksie Indeks 122

LOGIX  
GENETICS CENTRE  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

|            |              |
|------------|--------------|
| Geb. Gew.  | 4.6kg        |
| Speen Gew. | 32.5kg (90)  |
| Na-Speen   | 52.6kg (100) |
| Volw. Gew. | -            |
| GDT Ind.   | 107          |
| VOV Ind.   | -            |
| Skrotum    | 25           |

## LOT 138 (M)



dormer



M.J. SWART

Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240470

KINKO RAM JS 240470

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2024-08-03 |
| Oud.        | 12 maande  |
| Inteling    | 5.74%      |
| Geb. Status | 2          |
| Nageslag    |            |
| Geen        |            |

NL 210029 (2)  
NUWELAND RAM NL 210029

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 210821 (3)  
KINKO OOI JS 210821  
OEL 20 | ILP 309 | OPI 104  
Gelam 3 | Lammers 6 | Gespeen 4

NL 190188  
NUWELAND RAM NL 190188

NL 180048  
NUWELAND OOI NL 180048  
OEL 17.1 | ILP 251 | OPI 129  
Gelam 7 | Lammers 15 | Gespeen 12

JS 190729  
KINKO RAM JS 190729

JS 180297  
KINKO OOI JS 180297  
OEL 23.9 | ILP 237 | OPI 137  
Gelam 4 | Lammers 8 | Gespeen 7

RHENOSTERBOSRUG RAM AP 160078

NUWELAND OOI NL 180207  
OEL 16.8 | ILP 259 | OPI 88  
Gelam 4 | Lammers 7 | Gespeen 4

TOP 3 RAM ASJ 120435

NUWELAND OOI NL 150279  
OEL 23.3 | ILP 314 | OPI 124  
Gelam 6 | Lammers 11 | Gespeen 8

KINKO RAM JS 180231

KINKO OOI JS 160818  
OEL 20.4 | ILP 243 | OPI 116  
Gelam 4 | Lammers 8 | Gespeen 5

KINKO RAM JS 160105

KINKO OOI JS 160982  
OEL 19.9 | ILP 353 | OPI 92  
Gelam 3 | Lammers 6 | Gespeen 2

| Groei     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 104       | 103       | 118     | 135         | 130 | 99  | 89  |
| 60%       | 48%       | 56%     | 34%         | 49% | 33% | 23% |

Logix Meriete Indeks 124

Groei Indeks 108

Reproduksie Indeks 134

LOGIX  
GENETICS CENTRE  
EBV Analise 2025-07-18

VERKOPER OPMERKINGS:

|            |             |
|------------|-------------|
| Geb. Gew.  | 5kg         |
| Speen Gew. | 27.6kg (76) |
| Na-Speen   | 51.5kg (98) |
| Volw. Gew. | -           |
| GDT Ind.   | 96          |
| VOV Ind.   | -           |
| Skrotum    | 28          |

## LOT 139 (M)



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240478

KINKO RAM JS 240478

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-08-03 |
| Age         | 12 months  |
| Inbreeding  | 8.09%      |
| Birth Stat. | 2          |
| Progeny     | None       |

|                                                                                                      |
|------------------------------------------------------------------------------------------------------|
| JS 220168 (2)<br>KINKO RAM JS 220168                                                                 |
| Parentage Sire Dam                                                                                   |
| DNA                                                                                                  |
| Genomic                                                                                              |
| JS 230099 (2)<br>KINKO OOI JS 230099<br>AFL 16.8   ILP 231   EPI 112<br>Lambd 2   Lambs 3   Weaned 3 |

|                                                                                                  |                                                                                                              |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| JS 210134<br>KINKO RAM JS 210134                                                                 | KINKO RAM JS 180159<br>KINKO OOI JS 180720<br>AFL 20.4   ILP 243   EPI 98<br>Lambd 3   Lambs 4   Weaned 3    |
| JS 190077<br>KINKO OOI JS 190077<br>AFL 15.6   ILP 239   EPI 113<br>Lambd 4   Lambs 7   Weaned 6 | KINKO RAM JS 170299<br>KINKO OOI JS 170025<br>AFL 16.7   ILP 237   EPI 95<br>Lambd 2   Lambs 3   Weaned 3    |
| JS 210589<br>KINKO RAM JS 210589                                                                 | REMKUIL RAM JT 190694<br>KINKO OOI JS 200283<br>AFL 13.6   ILP 312   EPI 107<br>Lambd 4   Lambs 6   Weaned 3 |
| JS 200803<br>KINKO OOI JS 200803<br>AFL 19.7   ILP 244   EPI 106<br>Lambd 3   Lambs 5   Weaned 5 | KINKO RAM JS 180231<br>KINKO OOI JS 190345<br>AFL 16.4   ILP -   EPI 91<br>Lambd 1   Lambs 2   Weaned 2      |

 LOGIX  
GENETIC COLOUR  
EBV Analysis 2025-07-18

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 115      | 92        | 128      | 113          | 116 | 106 | 95  |
| 60%      | 42%       | 57%      | 27%          | 45% | 26% | 20% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 120 |
| Growth Index       | 114 |
| Reproduction Index | 114 |

|            |              |
|------------|--------------|
| Birth Wt.  | 3.8kg        |
| Wean Wt.   | 38.4kg (106) |
| Post-Wean  | 54.9kg (105) |
| Mature Wt. | -            |
| ADG Ind.   | 110          |
| FCR Ind.   | -            |
| Scrotum    | 28           |

SELLER REMARKS:

## LOT 140 (M)



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240487

KINKO RAM JS 240487

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-08-06 |
| Age         | 12 months  |
| Inbreeding  | 4.49%      |
| Birth Stat. | 1          |
| Progeny     | None       |

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| NL 210029 (2)<br>NUWELAND RAM NL 210029                                                             |
| Parentage Sire Dam                                                                                  |
| DNA                                                                                                 |
| Genomic                                                                                             |
| JS 210609 (1)<br>KINKO OOI JS 210609<br>AFL 21.8   ILP 388   EPI 93<br>Lambd 2   Lambs 3   Weaned 2 |

|                                                                                                       |                                                                                                                        |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| NL 190188<br>NUWELAND RAM NL 190188                                                                   | RHENOSTERBOSRUG RAM AP 160078<br>NUWELAND OOI NL 180207<br>AFL 16.8   ILP 259   EPI 88<br>Lambd 4   Lambs 7   Weaned 4 |
| NL 180048<br>NUWELAND OOI NL 180048<br>AFL 17.7   ILP 251   EPI 129<br>Lambd 7   Lambs 15   Weaned 12 | TOP 3 RAM ASJ 120435<br>NUWELAND OOI NL 150279<br>AFL 23.3   ILP 314   EPI 124<br>Lambd 6   Lambs 11   Weaned 8        |
| JT 190694<br>REMKUIL RAM JT 190694                                                                    | REMKUIL RAM JT 170622<br>REMKUIL OOI JT 170358<br>AFL 15.6   ILP 299   EPI 109<br>Lambd 3   Lambs 7   Weaned 7         |
| JS 190385<br>KINKO OOI JS 190385<br>AFL 26.3   ILP 315   EPI 111<br>Lambd 4   Lambs 5   Weaned 3      | KINKO RAM JS 170341<br>KINKO OOI JS 170434<br>AFL 24   ILP 246   EPI 99<br>Lambd 2   Lambs 4   Weaned 3                |

 LOGIX  
GENETIC COLOUR  
EBV Analysis 2025-07-18

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 107      | 101       | 119      | 101          | 105 | 97  | 91  |
| 59%      | 46%       | 56%      | 34%          | 48% | 33% | 24% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 108 |
| Growth Index       | 111 |
| Reproduction Index | 105 |

|            |              |
|------------|--------------|
| Birth Wt.  | 6.7kg        |
| Wean Wt.   | 40.6kg (112) |
| Post-Wean  | 55.4kg (106) |
| Mature Wt. | -            |
| ADG Ind.   | 85           |
| FCR Ind.   | -            |
| Scrotum    | 25           |

SELLER REMARKS:

## LOT 141 (M)



M.J. SWART

 Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za

## JS 240314

KINKO RAM JS 240314

|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2024-07-10 |
| Age         | 1.1 years  |
| Inbreeding  | 7.57%      |
| Birth Stat. | 2          |
| Progeny     | None       |

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| JS 220209 (1)<br>KINKO RAM JS220209                                                                 |
| Parentage Sire Dam                                                                                  |
| DNA                                                                                                 |
| Genomic                                                                                             |
| JS 210031 (2)<br>KINKO OOI JS210031<br>AFL 16.8   ILP 238   EPI 115<br>Lambd 4   Lambs 6   Weaned 4 |

|                                                                                                  |                                                                                                              |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| JS 210134<br>KINKO RAM JS 210134                                                                 | KINKO RAM JS 180159<br>KINKO OOI JS 180720<br>AFL 20.4   ILP 243   EPI 98<br>Lambd 3   Lambs 4   Weaned 3    |
| JS 190409<br>KINKO OOI JS 190409<br>AFL 27.7   ILP 231   EPI 101<br>Lambd 7   Lambs 4   Weaned 4 | KINKO RAM JS 170048<br>KINKO OOI JS 170420<br>AFL 24.1   ILP 261   EPI 98<br>Lambd 2   Lambs 3   Weaned 3    |
| JS 190696<br>KINKO RAM JS 190696                                                                 | KINKO RAM JS 180231<br>KINKO OOI JS 160302<br>AFL 16.5   ILP 245   EPI 208<br>Lambd 7   Lambs 16   Weaned 10 |
| JS 180516<br>KINKO OOI JS 180516<br>AFL 23.6   ILP 238   EPI 99<br>Lambd 3   Lambs 5   Weaned 3  | REMKUIL RAM JT 160588<br>KINKO OOI JS 160000<br>AFL 23.5   ILP -   EPI -<br>Lambd 1   Lambs 2   Weaned 2     |

 LOGIX  
GENETIC COLOUR  
EBV Analysis 2025-07-18

| Growth   |           |          | Reproduction |     |     |     |
|----------|-----------|----------|--------------|-----|-----|-----|
| Wn. Dir. | Wean Mat. | Post-Wn. | NLW          | TWW | AFL | ILP |
| 117      | 79        | 116      | 127          | 122 | 106 | 93  |
| 59%      | 44%       | 57%      | 30%          | 47% | 29% | 21% |

|                    |     |
|--------------------|-----|
| Logix Merit Index  | 122 |
| Growth Index       | 109 |
| Reproduction Index | 117 |

|            |             |
|------------|-------------|
| Birth Wt.  | 4.7kg       |
| Wean Wt.   | 34.1kg (94) |
| Post-Wean  | 48.8kg (93) |
| Mature Wt. | -           |
| ADG Ind.   | 103         |
| FCR Ind.   | -           |
| Scrotum    | 33          |

SELLER REMARKS:

LOT 142 (M)



M.J. SWART  
Swellendam, Western Cape  
0828260292  
kinkodormer@vodamail.co.za



JS 220195

KINKO RAM JS 220195

|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2022-06-23 |
| Oud.        | 3.1 jaar   |
| Inteling    | %          |
| Geb. Status | 1          |
| Nageslag    |            |
| Geen        |            |

JS 210134 (1)  
KINKO RAM JS 210134

|          |      |      |
|----------|------|------|
| Ouerskap | Vaar | Moer |
| DNS      |      |      |
| Genomies |      |      |

JS 190628 (2)  
KINKO OOI JS 190628  
OEL 17.2 | ILP 239 | OPI 106  
Gelam 3 | Lammers 4 | Gespeen 4

JS 180159  
KINKO RAM JS 180159

JS 180720  
KINKO OOI JS 180720  
OEL 20.4 | ILP 243 | OPI 98  
Gelam 3 | Lammers 4 | Gespeen 3

JS 170330  
KINKO RAM JS 170330

JS 180527  
KINKO OOI JS 180527  
OEL 14.4 | ILP - | OPI 86  
Gelam 1 | Lammers 2 | Gespeen -

RHENOSTERBOSRUG RAM AP 160309

KINKO OOI JS 160603  
OEL 23.1 | ILP 307 | OPI 98  
Gelam 3 | Lammers 5 | Gespeen 3

KINKO RAM JS 170338  
KINKO OOI JS 150396  
OEL 15.2 | ILP 251 | OPI 130  
Gelam 5 | Lammers 11 | Gespeen 9

KINKO RAM JS 150692  
KINKO OOI JS 140585  
OEL 24 | ILP 343 | OPI 98  
Gelam 2 | Lammers 3 | Gespeen 3

KINKO RAM JS 160934  
KINKO OOI JS 160697  
OEL 23.4 | ILP - | OPI 93  
Gelam 1 | Lammers 2 | Gespeen 2

| Groeï     |           |         | Reproduksie |     |     |     |
|-----------|-----------|---------|-------------|-----|-----|-----|
| Spn. Dir. | Spn. Mat. | Na-Spn. | GLS         | TWW | OEL | ILP |
| 114       | 98        | 116     | 103         | 109 | 110 | 102 |
| 57%       | 48%       | 46%     | 35%         | 48% | 32% | 24% |

|                      |     |
|----------------------|-----|
| Logix Meriete Indeks | 117 |
| Groeï Indeks         | 115 |
| Reproduksie Indeks   | 111 |

|            |              |
|------------|--------------|
| Geb. Gew.  | 6.6kg        |
| Speen Gew. | 36.6kg (102) |
| Na-Speen   | -            |
| Volw. Gew. | -            |
| GDT Ind.   | -            |
| VOV Ind.   | -            |
| Skrotum    | -            |

LOGIX  
GENETICS  
EBV Analyse 2025-07-18

VERKOPER OPMERKINGS:

## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                           |             |             |                                              |
|-------------------------------------------|-------------|-------------|----------------------------------------------|
| Lot Number                                | LOT         | LOT         | Lot Nommer                                   |
| Animal sex: M - Male, F - Female          | M / F       | M / V       | Dier geslag: M - Manlik, V - Vroulik         |
| Estimated breeding value                  | EBV         | EBV         | Beraamde teelwaarde                          |
| Animal identification number              | ID          | ID          | Dier se identifikasie nommer                 |
| Herd Book Section (SEC)                   | Herd Book   | Kuddeboek   | Kuddeboek Afdeling (SEC)                     |
| SEC: Pending Registration                 | PEN         | PEN         | SEC: Wag vir Registrasie                     |
| SEC: Not for Registration                 | NFR         | NFR         | SEC: Nie vir Registrasie                     |
| SEC: Foundation Generation                | FO          | FO          | SEC: Fondasie Generasie                      |
| SEC: Appendix A                           | A           | A           | SEC: Aanhangsel A                            |
| SEC: Appendix B                           | B           | B           | SEC: Aanhangsel B                            |
| SEC: Studbook Proper, a registered animal | SP          | SP          | SEC: Studbook Proper, 'n geregistreerde dier |
| Age in years                              | AGE         | OUD.        | Ouderdom in jaar                             |
| Animal is a singleton, Twin, Triplet etc. | Birth Stat. | Geb. Status | Dier is n enkeling, tweeling, drieling esv.  |
| Age at First Lambing                      | AFL         | OEL         | Ouderdom met Eerst Lamming                   |
| Inter-Lambing Period                      | ILP         | ILP         | Interlam Periode                             |
| Ewe Production Index                      | EPI         | OPI         | Ooi Produksie Indeks                         |
| Number of times lambed                    | Lambled     | Gelam       | Aantal keer gelam                            |
| Number of lambs born                      | Lambs       | Lammers     | Aantal lammers gebore                        |
| Number of lambs weaned                    | Weaned      | Gespeen     | Aantal lammers gespeen                       |
| Parentage verification                    | Parentage   | Ouerskap    | Ouerskap verifikasie                         |
| Microsatellite parentage verification     | DNA         | DNS         | Mikrosatelië ouerskap verifikasie            |
| Microsatellite parentage verification     | DNA         | DNS         | Mikrosatelië ouerskap verifikasie            |
| Genomic Testing via SNPs                  | Genomic     | Genomies    | Genetiese toetsing dmv SNPs                  |
| Genomically Tested                        | GT          | GT          | Genomies Getoets                             |
| Logix Merit Index                         | LMI         | LMI         | Logix Meriete Indeks                         |
| Growth Index                              | GI          | GI          | Groei Indeks                                 |
| Reproduction Index                        | RI          | RI          | Reproduksie Indeks                           |
| Wean Direct breeding value                | Wean Dir.   | Spn. Dir.   | Speen Direk teelwaarde                       |
| Wean Maternal breeding value              | Wean Mat.   | SPn. Mat.   | Speen Maternaal teelwaarde                   |
| Post-Wean breeding value                  | Post-Wn.    | Na-pn.      | Na-Speen teelwaarde                          |
| Number of Lambs Weaned breeding value     | NLW         | GLS         | Getal Lammers Gespeen teelwaarde             |
| Total Weight Weaned breeding value        | TWW         | TWW         | Totale Gewig Gespeen teelwaarde              |
| Average Daily Gain (g/day)                | ADG         | GDT         | Gemiddelde Daaglikse Toename                 |
| Feed Conversion Ratio (kg:kg)             | FCR         | VOV         | Voeromset Verhouding                         |