

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MOSDENE CATTLE RANCH

Silverlakes farm Hotel
09 August 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 25 July 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

SB 110001
 SUPERBULL SB 11 0100

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 140010
 SUPERBULL SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weighed 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES




LOT 3 (F)



MOS 220506

MOSDENE L'OREAL

Kuddeboek	SP
Geb. dtm	2022-12-15
Oud.	2j 8m
Inteling	0%
DNS	U11612U042



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
EBV Analyse 2025-07-21

KOEIWAARDE 104

92	Kalfgemak Waarde
91	Kalfgroei Waarde
96	Melk Waarde
120	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 83

KARKAS WAARDE 82

PRODUKSIE WAARDE 96

E 150072 SP

TAMBARAINE E150072

Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 170029 SP

TAMBARAINE E170029

Oud. 7j | OEK 31m | TKP 382d
Kalwers 4 | Geweeg 3 | Spn. Mat. 91
Gem. SI 96 | KKG - | KKS 66.7
Kalwings: 19-10, 20-11, 21-11, 22-12

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Spn Mat. 86

TLM 050044 SP

KETA TLM 05 44

Oud. 19j | OEK 27m | TKP -
Kalwers 16 | Geweeg 11 | Spn. Mat. 108
Gem. SI 99 | Spn. Mat. 108

E 080046 SP

TAMBARAINE E 08 46

Spn Mat. 86

E 110195 SP

TAMBARAINE 110195

Oud. 11j | OEK 31m | TKP 466d
Kalwers 8 | Geweeg 4 | Spn. Mat. 106
Gem. SI 110 | Spn. Mat. 106

25 SP

MARULA 25

KPO21 SP

OL PEJETA 21

Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN

GF2T D SP

GRASMER 2 T

Oud. 14j | Gem. SI 103
Kalwers 9 | Geweeg 2
TLM 020012 SP
KETA TLM 02 12

TLM 020017 SP

KETA TLM 02 17

Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 020012 SP
KETA TLM 02 12

B 070028 SP

BORGEN B 07 28

Oud. 18j | Gem. SI 106
Kalwers 14 | Geweeg 10

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	94	91	96	85	110	105	98
75%	60%	78%	61%	35%	55%	40%	54%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	83	78	81	78	87	93	79	98
56%	33%	26%	46%	35%	34%	33%	32%	31%

VERKOPER OPMERKINGS: L'oreal is a uniquely marked Ultimate heifer - going back to cows like B 02 28 (B 07 142), TLM 02 17, KP 021 and TLM 0544. 8 months in calf to MOS 20 70 Salvador a Bont bull. A must see!


LOT 4 (F)



MOS 230164

MOSDENE ILANA

Kuddeboek	SP
Geb. dtm	2023-03-30
Oud.	2j 4m
Inteling	5%
DNS	U12912U019



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
EBV Analyse 2025-07-21

KOEIWAARDE 110

107	Kalfgemak Waarde
100	Kalfgroei Waarde
91	Melk Waarde
106	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 95

PRODUKSIE WAARDE 107

MHB 040010 SP

MOLL'S-HOOP IMPIE

Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 160380 SP

CIRCLE H BH 160380

Oud. 8j | OEK 39m | TKP 371d
Kalwers 6 | Geweeg 5 | Spn. Mat. 79
Gem. SI 94 | KKG - | KKS 43.3
Kalwings: 20-02, 21-05, 22-04, 23-03, 24-03, 25-03

K6K1711 SP

MOGWOONI K6K1711

Spn Mat. 82

KPO615 SP

OL PEJETA 615

Oud. 31j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 104
Gem. SI - | Spn. Mat. 104

MHB 110030 SP

MOLL'S-HOOP SPARTAN

Spn Mat. 80

JH 100079 SP

MARONES MARION

Oud. 8j | OEK 28m | TKP 435d
Kalwers 6 | Geweeg 1 | Spn. Mat. 80
Gem. SI 102 | Spn. Mat. 80

K6K321

K6321

760

760

Oud. 43j | Gem. SI -
Kalwers - | Geweeg -
KPO1279 SP
OL PEJETA 1279

1634

1634

Oud. 43j | Gem. SI -
Kalwers - | Geweeg -
K6K3534 SP
MOGWOONI K6K3534

KPO1082 SP

OL PEJETA KPO 1082

Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
TLM 040505 SP
KETA TLM 04 505

CFH 060850 SP

ELANDSPRUIT CFH06850
Oud. 10j | Gem. SI 94
Kalwers 7 | Geweeg 4

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	93	100	91	80	98	117	99
73%	58%	76%	61%	47%	51%	34%	56%

Na-Speen Groei

Raam

Karkas


Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	93	91	95	96	96	82	106	101
53%	45%	14%	38%	48%	47%	45%	43%	42%

VERKOPER OPMERKINGS: Direct Impie daughter with added K6K3534 on dam side making her linebred back to 1711, 3 times. Her maternal brother is currently being used in the stud. 3 months in calf to MOS 20 114, MOS 20 86, MOS 20 70

LOT 5 (F)

E 180105
TAMBARAINE RAHA

Herd Book	SP
Birth date	2018-07-21
Age	7y 1m
Inbreeding	0%
DNA	U474738
AFC	31m
Calves	4
Weighed	2
Avg. WI	105
ICP	464d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 240809 (M)
Birth Date	2024-12-23
Sire ID	BH 210477

Calvings: 21-03, 23-01, 24-01, 24-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 106

106	Calving Ease Value
96	Calf Growth Value
95	Milk Value
126	Maintenance Value
88	Fertility Value

GROWTH VALUE 79

CARCASS VALUE 85

PRODUCTION VALUE 97

LOGIX
GENETICS
EBV Analysis 2025-07-21

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 090090 HH SP

TAMBARAINE 090090

Age 15y | AFC 41m | ICP -
Calves 12 | Weighed 10 | Wean Mat. 100
Avg. WI 101 | CCB - | CCW 47.3

Calvings: 13-05, 14-09, 15-07,
16-08, 17-08, 18-07, 19-08, 20-10,
21-11, 23-01, 24-06, 25-05

25 SP

MARULA 25

Wean Mat. 137

KPO21 SP

OL PEJETA 21

Age 38y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

Wean Mat. 119

E 070002 SP

TAMBARAINE E 07 02

Age 16y | AFC 27m | ICP -
Calves 12 | Weighed - | Wean Mat. 83
Avg. WI - | Wean Mat. 83

143 SP

143

23003

Age 35y | Avg. WI -
Calves - | Weighed -

25 SP

OL PEJETA 404

KPO1099 SP

OL PEJETA 1099

Age 45y | Avg. WI -
Calves 1 | Weighed -

HVT 980022 SP

OUTSPAN HVT980022

HVT 950023 SP

OUTSPAN HVT 95 23

Age 18y | Avg. WI -
Calves 11 | Weighed -

TLM 020012 SP

KETA TLM 02 12

TLM 030005 SP

KETA TLM 03 05

Age 13y | Avg. WI 94
Calves 11 | Weighed 7

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	100	96	95	69	100	83	96
79%	77%	80%	78%	53%	67%	53%	66%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	88	97	73	89	87	90	92	106
57%	51%	38%	54%	53%	52%	51%	50%	49%

SELLER REMARKS: A personal favourite. Direct Rustin daughter with Timmy and 02 12 on the dan side. Her bull calf MOS24 809 is a potential herd sire from BH21 477 - The first ever Rossi BH 21 477 progeny on offer. 5 m pregnant from M/S: PRB 18 15, QT 12 30.

LOT 6 (F)

BH 150290
CIRCLE H GOLDA

Herd Book	SP
Birth date	2015-12-03
Age	9y 8m
Inbreeding	0%
DNA	U311682
AFC	37m
Calves	5
Weighed	3
Avg. WI	97
ICP	532d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 240691 (M)
Birth Date	2024-11-13
Sire ID	MOS 200114

Calvings: 19-01, 20-06, 21-12, 23-01, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

103	Calving Ease Value
81	Calf Growth Value
134	Milk Value
101	Maintenance Value
122	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 101

PRODUCTION VALUE 111

NBOR060063 SP

NTABA NYONI MOPANI

Wean Mat. 150

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GF122U D SP

GOLDA

Age 19y | AFC - | ICP -
Calves 13 | Weighed 4 | Wean Mat. 119
Avg. WI 102 | CCB 7.06 | CCW 54.7

Calvings: 05-02, 06-10, 07-09,
08-08, 09-08, 10-08, 11-08,
12-08, 13-07, 14-12, 16-12, 18-01,
20-01

25 SP

MARULA 25

Wean Mat. 137

KPO999 SP

OL PEJETA 999

Age 27y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. 123
Avg. WI - | Wean Mat. 123

GF123M SP

GF 123M

Wean Mat. 100

GF33R

GRASMERE 33 R

Age 32y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. 114
Avg. WI - | Wean Mat. 114

143 SP

143

23003

Age 35y | Avg. WI -
Calves - | Weighed -

KPO1279 SP

OL PEJETA 1279

260 A

260

Age 33y | Avg. WI -
Calves 1 | Weighed -

GF14G

GRASMERE 14 G

GF110H

GRASMERE 110 H

Age 40y | Avg. WI -
Calves 1 | Weighed -

GF27M

GRASMERE 27 M

Age 33y | Avg. WI -
Calves 2 | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	87	81	134	91	121	121	99
74%	77%	70%	80%	31%	67%	46%	68%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	96	89	96	98	108	120	98	105
40%	29%	17%	44%	32%	31%	27%	25%	25%

SELLER REMARKS: Oldie but Goldie! Golda is out of the original Golda - GF 122U by Mopani who brings KPO 999! 4 months in calf to MS: E 18 111, AB 15 93, E 20 49, MOS 21 39

LOT 7 (F)

MOS 220494
MOSDENE PANDORA

Kuddeboek	SP
Geb. dtm	2022-12-10
Oud.	2j 8m
Inteling	1%
DNS	U11612U032



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 83

88	Kalfgemak Waarde
106	Kalfgroei Waarde
85	Melk Waarde
94	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 102

PRODUKSIE WAARDE 86

VERKOPER OPMERKINGS: This pedigree is not to be missed with cow lines, GF40 O, GF177S, MHB 05 08 and HVT 95 03. Pandora is 7mnts in calf to MS: MOS 20 114 or MOS 20 86

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	84	106	85	92	94	94	100
75%	54%	78%	53%	26%	51%	26%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	107	106	105	101	100	108	97	114
38%	24%	12%	29%	27%	26%	24%	22%	22%

HB 060004 SP

BB AGRI MUSCLES

Spn Mat. 88

CI 070109 SP

CIRCLE C PANDORA

Oud. 17j | OEK 27m | TKP -
Kalwers 11 | Geweeg - | Spn. Mat. 76
Gem. SI - | Spn. Mat. 76

VST 140067 SP

TRAP VST1467

Spn Mat. 103

E 170132 SP

TAMBARAINE E170132

Oud. 4j | OEK 33m | TKP 390d
Kalwers 2 | Geweeg 2 | Spn. Mat. 109
Gem. SI 107 | Spn. Mat. 109

HVT 000010 SP

OUTSPAN HVT000010

GF400 SP

GRASMERE 40 O
Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL

GF177S D SP

GRASMERE GF 177S
Oud. 18j | Gem. SI 100
Kalwers 11 | Geweeg 3

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 SP

TRAP JACKIE

Oud. 13j | Gem. SI 111

Kalwers 8 | Geweeg 7

E 110061 SP

TAMBARAINE 110061

E 130004 SP

TAMBARAINE E 130004


Oud. 6j | Gem. SI 101

Kalwers 3 | Geweeg 2

LOT 8 (F)

MOS 200066
MOSDENE ROMA

Kuddeboek	SP
Geb. dtm	2020-06-05
Oud.	5j 2m
Inteling	0%
DNS	U3238U068
OEK	29m
Kalwers	3
Geweeg	2
Gem. SI	93
TKP	412d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 111

91	Kalfgemak Waarde
105	Kalfgroei Waarde
99	Melk Waarde
94	Onderhoudswaarde
125	Vrugbaarheidswaarde

GROEI WAARDE 110

KARKAS WAARDE 109

PRODUKSIE WAARDE 113

VERKOPER OPMERKINGS: 3 in 1, B 05 98 linebred on sire side with added Cannon and TLM 02 12. Cow lines Bonus GF40T Hartjie. With a Bolt PRB160007(Lot 17) bull calf MOS 25 54 next to her. 3m preg from M/S: DLV 22 24 of PRB 16 07.

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	103	105	99	105	125	120	104
75%	67%	76%	71%	29%	59%	39%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	113	105	104	99	113	100	97	100
48%	27%	15%	42%	29%	29%	27%	25%	25%

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

Spn Mat. 107

B 110079 SP

BORGEN BROOKLYN

Oud. 13j | OEK 32m | TKP 539d
Kalwers 7 | Geweeg - | Spn. Mat. 102
Gem. SI - | Spn. Mat. 102

CI 110090 HH SP

CIRCLE C CANNON

Spn Mat. 112

E 090079 HH SP

TAMBARAINE ROMA

Oud. 12j | OEK 38m | TKP 524d
Kalwers 7 | Geweeg 3 | Spn. Mat. 108
Gem. SI 103 | Spn. Mat. 108

K6K2997 SP

MOGWONNI K6K2997

8334 SP

ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 050101 SP

BORGEN B05101

Oud. 6j | Gem. SI -

Kalwers 3 | Geweeg -

CI 080030 SP

CIRCLE C COJACK

KB13A DH SP

KETA KB 13 A

Oud. 12j | Gem. SI -

Kalwers 4 | Geweeg -

TLM 020012 SP

KETA TLM 02 12

GF40T D SP

GRASMERE GF 40T - HARTJIE

Oud. 19j | Gem. SI 104

Kalwers 11 | Geweeg 6

LOT 9 (F)

MOS 220408
MOSDENE OCTAVIA

Herd Book	SP
Birth date	2022-10-12
Age	2y 10m
Inbreeding	8%
DNA	U10846U030

E 180138 Pch SP
TAMBARAINE ODYSSEUS
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 190061 SP
TAMBARAINE E190061
Age 6y | AFC 42m | ICP 365d
Calves 3 | Weighed 3 | Wean Mat. 105
Avg. WI 112 | CCB - | CCW 57.4
Calvings: 22-10, 23-09, 24-10

VST 140067 SP
TRAP VST1467
Wean Mat. 103

E 150133 SP
TAMBARAINE E150133
Age 3y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 99
Avg. WI 101 | Wean Mat. 99

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

E 070031 SP
TAMBARAINE E 07 31
Age 17y | AFC 30m | ICP -
Calves 15 | Weighed 9 | Wean Mat. 98
Avg. WI 98 | Wean Mat. 98

MHB 040010 SP
MOLL'S-HOOP IMPIE
VST 120004 SP
TRAP JACKIE
Age 13y | Avg. WI 111
Calves 8 | Weighed 7
MHB 060030 SP
MOLL'S-HOOP RUSTIN
E 080044 SP
TAMBARAINE E 08 44
Age 16y | Avg. WI 98
Calves 13 | Weighed 11
25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
TLM 020012 SP
KETA TLM 02 12
GF4T D SP
GRASMERE GF 4T
Age 10y | Avg. WI 93
Calves 4 | Weighed 3

COW VALUE 106

93	Calving Ease Value
91	Calf Growth Value
107	Milk Value
124	Maintenance Value
99	Fertility Value

GROWTH VALUE 77

CARCASS VALUE 82

PRODUCTION VALUE 96

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	97	91	107	85	102	96	104
75%	52%	78%	54%	35%	45%	32%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	81	84	75	81	84	89	95	104
39%	33%	23%	37%	35%	34%	33%	32%	32%

SELLER REMARKS: Octavia is not to be missed. Her sire is being sold as Lot 10! On her dam side is KPO21 and GF4T! She is 4 months in calf to PRB 18 15, QT 12 30 or MOS 20 268!



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 10 (M)



E 180138 Pch
TAMBARAINE ODYSSEUS

Herd Book	SP
Birth date	2018-09-04
Age	6y 11m
Inbreeding	1%
DNA	U545533

VST 140067 SP
TRAP VST1467
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 150133 SP
TAMBARAINE E150133
Age 3y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 99
Avg. WI 101 | CCB - | CCW 53.3
Calvings: 18-09

MHB 040010 SP
MOLL'S-HOOP IMPIE
Wean Mat. 99

VST 120004 SP
TRAP JACKIE
Age 13y | AFC - | ICP 445d
Calves 8 | Weighed 7 | Wean Mat. 116
Avg. WI 111 | Wean Mat. 116

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

E 080044 SP
TAMBARAINE E 08 44
Age 16y | AFC 33m | ICP -
Calves 13 | Weighed 11 | Wean Mat. 114
Avg. WI 98 | Wean Mat. 114

K6K1711 SP
MOGWONNI K6K1711
KPO615 SP
OL PEJETA 615
Age 31y | Avg. WI -
Calves - | Weighed -
CI 080030 SP
CIRCLE C COJACK
MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
E 060012 SP
TAMBARAINE E 06 12
Age 6y | Avg. WI 93
Calves 5 | Weighed 1

COW VALUE 94

88	Calving Ease Value
76	Calf Growth Value
108	Milk Value
124	Maintenance Value
102	Fertility Value

GROWTH VALUE 74

CARCASS VALUE 75

PRODUCTION VALUE 84

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	83	76	108	82	120	86	107
96%	85%	96%	85%	81%	83%	79%	84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	73	73	75	83	78	77	106	106
82%	80%	78%	80%	81%	80%	80%	80%	80%

SELLER REMARKS: Deep bodied Boran Bull with a powerful head and smooth, effortless stride. A stand-out proven herd sire. This is a bull that you should've marked!! Retain semen share.



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

LOT 11 (F)

BH 190244
CIRCLE H MADISON

Kuddeboek	SP
Geb. dtm	2019-09-28
Oud.	5j 10m
Inteling	2%
DNS	U548432
OEK	30m
Kalwers	3
Geweeg	2
Gem. SI	121
TKP	482d

NBOR060063 SP
NTABA NYONI MOPANI
Spn Mat. 150

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EG 110033 SP
ADELSON TERRY

Oud. 11j | OEK 32m | TKP 482d
Kalwers 7 | Geweeg 4 | Spn. Mat. 119
Gem. SI 111 | KKG 6.08 | KKS 45.4
Kalwings: 14-06, 15-08, 16-08,
18-02, 19-09, 21-05, 22-05

25 SP
MARULA 25
Spn Mat. 137

KPO999 SP
OL PEJETA 999

Oud. 27j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 123
Gem. SI - | Spn. Mat. 123

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Spn Mat. 107

TLM 060030 SP
KETA TLM 06 30 TERRY

Oud. 19j | OEK 35m | TKP -
Kalwers 4 | Geweeg 1 | Spn. Mat. 101
Gem. SI 106 | Spn. Mat. 101

143 SP
143
23003
23003

Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
KPO1279 SP
OL PEJETA 1279

260 A
260

Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL

TLM 020017 SP
KETA TLM 02 17

Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 020011 SP
KETA TLM 02 11

GF16T SP
GRASMERE GF 16T

Oud. 21j | Gem. SI 94
Kalwers 9 | Geweeg 3

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240755 (M)
Geb. datum	2024-11-28
Vaar ID	MOS 200081

Kalwings: 22-04, 23-07, 24-11



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104

95	Kalfgemak Waarde
102	Kalfgroei Waarde
150	Melk Waarde
67	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 120

KARKAS WAARDE 120

PRODUKSIE WAARDE 111

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	92	102	150	112	109	113	96
69%	71%	66%	75%	37%	63%	44%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	118	108	138	103	114	128	104	96
37%	36%	23%	50%	38%	37%	33%	32%	31%

VERKOPER OPMERKINGS: A pedigree that speaks for itself KPO999, TLM 02 17, GF 16T. Values to top. Cow 101, milk 151, Fertility 112, Growth 121. 3 in 1 with potential herd sire MOS24 755 next to her by MOS 20 81 a juggernaut son! 5mths pregnant from E 18 111, AB 15 93, E 20 49, MOS 21 39.

LOT 12 (F)

MOS 210324
MOSDENE KITWE

Kuddeboek	SP
Geb. dtm	2021-11-21
Oud.	3j 9m
Inteling	3%
DNS	U7472U099
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

QT 120030 HH SP
MEYBOR QT1230
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 150136 SP
CIRCLE H BH 150136

Oud. 9j | OEK 38m | TKP 398d
Kalwers 6 | Geweeg 5 | Spn. Mat. 51
Gem. SI 80 | KKG - | KKS 48.9
Kalwings: 18-11, 19-11, 20-11, 21-11,
23-05, 24-05

CFH 060874 SP
ELANDSPRUIT CFH06874
Spn Mat. 92

QT 090007 SP
MEYBOR QT090007

Oud. 15j | OEK - | TKP -
Kalwers 9 | Geweeg 6 | Spn. Mat. 119
Gem. SI 106 | Spn. Mat. 119

B 080082 SP
BORGEN B08082 - GRANITE
Spn Mat. 67

KB9B SP
KB 9 B - KITWE

Oud. 14j | OEK - | TKP 408d
Kalwers 9 | Geweeg 3 | Spn. Mat. 74
Gem. SI 99 | Spn. Mat. 74

HVT 000010 SP
OUTSPAN HVT000010

GF400 SP
GRASMERE 40 O

Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -
CFH 060657 SP
ELANDSPRUIT 06 657

CFH 060760 SP
ELANDSPRUIT 06 760

Oud. 9j | Gem. SI 99
Kalwers 5 | Geweeg 3

KPO622 SP
OL PEJETA 622

KPO21 SP
OL PEJETA 21

Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -

PM14R SP
LILAYI PM14R

GF400 SP
GRASMERE 40 O

Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240454 (F)
Geb. datum	2024-10-02
Vaar ID	E 180138

Kalwings: 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 99

99	Kalfgemak Waarde
87	Kalfgroei Waarde
78	Melk Waarde
121	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 69

KARKAS WAARDE 70

PRODUKSIE WAARDE 87

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	90	87	78	74	115	102	95
74%	65%	78%	63%	29%	65%	35%	58%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	69	78	81	69	64	81	93	94
38%	26%	13%	42%	28%	28%	25%	23%	22%

VERKOPER OPMERKINGS: A Tarzan daughter to consider going back to Granite and Kitwe, GF40 O linebred. 4 months in calf to PRB 18 15, MOS 20 268.

LOT 13 (F)

E 180019
TAMBARAINE ROSLYN

Herd Book	SP
Birth date	2018-01-25
Age	7y 6m
Inbreeding	0%
DNA	U474706
AFC	35m
Calves	5
Weighed	2
Avg. WI	105
ICP	411d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 250426 (F)
Birth Date	2025-06-12
Sire ID	MOS 200081

Calvings: 20-12, 21-12, 22-12, 24-05, 25-06



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113

110	Calving Ease Value
116	Calf Growth Value
83	Milk Value
101	Maintenance Value
103	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 100

PRODUCTION VALUE 108

LOGIX
EBV Analysis 2025-07-21

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 140003 SP
TAMBARAINE 140003
Age 5y | AFC 34m | ICP 426d
Calves 3 | Weighed 2 | Wean Mat. 75
Avg. WI 95 | CCB - | CCW 46.1
Calvings: 16-11, 18-01, 19-03

25 SP
MARULA 25
Wean Mat. 137

KPO21 SP
OL PEJETA 21
Age 38y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. 80
Avg. WI - | Wean Mat. 80

CFH 080173 SP
ELANDSPRUIT CFH08173
Wean Mat. 72

E 110074 SP
TAMBARAINE 110074
Age 6y | AFC 31m | ICP 405d
Calves 4 | Weighed 3 | Wean Mat. 100
Avg. WI 103 | Wean Mat. 100

143 SP
143
23003
23003
Age 35y | Avg. WI -
Calves - | Weighed -
25 SP
OL PEJETA 404
KPO1099 SP
OL PEJETA 1099
Age 45y | Avg. WI -
Calves 1 | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
B 040020 SP
BORGEN B 04 20
Age 4y | Avg. WI -
Calves 1 | Weighed -
TLM 020012 SP
KETA TLM 02 12
TLM 040002 SP
KETA TLM 04 02
Age 12y | Avg. WI 102
Calves 9 | Weighed 4

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	113	116	83	98	98	110	93
78%	77%	78%	76%	52%	67%	53%	65%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	96	100	99	90	100	109	87	114
70%	51%	38%	57%	52%	52%	50%	49%	49%

SELLER REMARKS: A package to look at. Roslyn combines Rustin (Marula 25) with 717 and 02 12. Her heifer MOS25 426 is sired by MOS 20 81 (Juggernaut son) running with QT 12 30 and MOS 20 268.

LOT 14 (F)

MOS 220468
MOSDENE JULIA

Herd Book	SP
Birth date	2022-11-28
Age	2y 8m
Inbreeding	13%
DNA	U11941U001



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 92

102	Calving Ease Value
100	Calf Growth Value
112	Milk Value
88	Maintenance Value
93	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 98

PRODUCTION VALUE 92

GF 060010 SP
WALT GF0610
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HJ 150029 SP
HESSI HJ150029
Age 10y | AFC 41m | ICP 518d
Calves 6 | Weighed 3 | Wean Mat. 118
Avg. WI 110 | CCB - | CCW -
Calvings: 18-10, 20-05, 22-01, 22-12, 24-05, 25-05

HVT 990001 SP
OUTSPAN HVT 99 01
Wean Mat. 83

TLM 000007 SP
KETA TLM000007
Age 16y | AFC 35m | ICP -
Calves 10 | Weighed 1 | Wean Mat. 103
Avg. WI 91 | Wean Mat. 103

GF 100023 SP
WALT PICASSO
Wean Mat. 102

HJ 090051 SP
HESSI HJ090051
Age 12y | AFC 31m | ICP 454d
Calves 7 | Weighed - | Wean Mat. 121
Avg. WI - | Wean Mat. 121

HVT 950030 SP
OUTSPAN HVT 95 30
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
HVT 950003 SP
OUTSPAN HVT950003
B 950027 SP
BORGEN B95527
Age 20y | Avg. WI -
Calves 9 | Weighed -
GF 060010 SP
WALT GF0610
TLM 040022 SP
KETA SEGERA
Age 16y | Avg. WI 107
Calves 13 | Weighed 1
TLM 050526 HH SP
KETA TLM 05 526 - KONING
B 030017 SP
BORGEN B 03 017 - JULIA
Age 17y | Avg. WI 105
Calves 10 | Weighed 1

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	106	100	112	117	87	97	102
60%	57%	57%	54%	35%	52%	34%	57%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	100	96	111	91	91	96	117	112
36%	33%	21%	32%	35%	35%	28%	26%	26%

SELLER REMARKS: One of our highlights lots. Direct Rembrandt daughter out of a Picasso daughter with Julia B 03 17 on dam side. 6 months in calf to MOS 20 114 (Viking son) or MOS 20 86 (VST 14 67 son).

LOT 15A (F)

E 200101
TAMBARAINE JULIEANNA

Kuddeboek	SP
Geb. dtm	2020-07-17
Oud.	5j 1m
Inteling	4%
DNS	U2531U011
OEK	36m
Kalwers	2
Geweeg	1
Gem. SI	129
TKP	429d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240464 (F)
Geb. datum	2024-10-03
Vaar ID	PRB 160019

Kalwings: 23-08, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 116

81	Kalfgemak Waarde
138	Kalfgroei Waarde
122	Melk Waarde
90	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 128

KARKAS WAARDE 136

PRODUKSIE WAARDE 124

VERKOPER OPMERKINGS: One of the first Jumbos on offer today. With an outstanding Lexus PRB 16 19 daughter at foot. 2 m preg from MS: MOS 20 268, QT 12 30 or PRB 18 15

WZ 140052 HH SP
WILZAK JUMBO

Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 170153 SP

TAMBARAINE E170153

Oud. 7j | OEK 33m | TKP 504d
Kalwers 4 | Geweeg 4 | Spn. Mat. 114
Gem. SI 112 | KKG - | KKS 53.7
Kalwings: 20-07, 22-01, 23-05,
24-09

MHB 040027 SP

MOLL'S-HOOP KHAN

Spn Mat. 88

HOT 100024 SP

HOTSPOT JASMINE

Oud. 15j | OEK 37m | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111

E 110061 SP

TAMBARAINE 110061

Spn Mat. 92

E 080002 SP

TAMBARAINE E 08 02

Oud. 12j | OEK 31m | TKP 364d
Kalwers 11 | Geweeg 7 | Spn. Mat. 99
Gem. SI 102 | Spn. Mat. 99

KP0786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

TLM 050543 SP

KETA TLM050543

B 960615 SP

BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

E 070012 SP

TAMBARAINE E 07 12

Oud. 16j | Gem. SI 103

Kalwers 10 | Geweeg 5

TLM 020012 SP

KETA TLM 02 12

TLM 050044 SP

KETA TLM 05 44

Oud. 19j | Gem. SI 99

Kalwers 16 | Geweeg 11



EBV Analyse 2025-07-21

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
78	100	138	122	121	85	97	110
65%	63%	77%	69%	34%	65%	42%	57%

Na-Speen Groei

Raam


Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	135	123	108	121	131	122	110	105
62%	32%	22%	50%	34%	33%	32%	31%	30%

LOT 15B (F)

MOS 240464
MOSDENE MOS240464

Kuddeboek	SP
Geb. dtm	2024-10-03
Oud.	10 maande
Inteling	8%
DNS	U20230U011



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 111

80	Kalfgemak Waarde
146	Kalfgroei Waarde
100	Melk Waarde
79	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 137

KARKAS WAARDE 148

PRODUKSIE WAARDE 123

PRB 160019 SP

PEINKE PRB160019

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 200101 SP

TAMBARAINE JULIEANNA

Oud. 5j | OEK 36m | TKP 429d
Kalwers 2 | Geweeg 1 | Spn. Mat. 122
Gem. SI 129 | KKG - | KKS 60.1
Kalwings: 23-08, 24-10

MHB 040027 SP

MOLL'S-HOOP KHAN

Spn Mat. 88

BA 090113 SP

BA LATIKA

Oud. 12j | OEK - | TKP 399d
Kalwers 7 | Geweeg 3 | Spn. Mat. 107
Gem. SI 107 | Spn. Mat. 107

WZ 140052 HH SP

WILZAK JUMBO

Spn Mat. 105

E 170153 SP

TAMBARAINE E170153

Oud. 7j | OEK 33m | TKP 504d
Kalwers 4 | Geweeg 4 | Spn. Mat. 114
Gem. SI 112 | Spn. Mat. 114

KP0786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

HVT 950017 SP

OUTSPAN METUSALEG

BA 040014 SP

BA WEESKIND

Oud. 18j | Gem. SI 108

Kalwers 14 | Geweeg 2

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 100024 SP

HOTSPOT JASMINE

Oud. 15j | Gem. SI -

Kalwers 8 | Geweeg -

E 110061 SP

TAMBARAINE 110061

E 080002 SP

TAMBARAINE E 08 02

Oud. 12j | Gem. SI 102

Kalwers 11 | Geweeg 7



EBV Analyse 2025-07-21

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
77	101	147	100	129	90	105	108
73%	53%	78%	53%	35%	51%	34%	51%

Na-Speen Groei

Raam

Karkas


Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
132	147	133	125	136	142	128	115	97
46%	34%	24%	39%	35%	35%	33%	33%	32%

VERKOPER OPMERKINGS: Will be inspected when of age.

LOT 16 (F)

MOS 220338
MOSDENE BRIA

Herd Book	SP
Birth date	2022-07-18
Age	3y 1m
Inbreeding	1%
DNA	U9941U029



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81

91	Calving Ease Value
103	Calf Growth Value
82	Milk Value
99	Maintenance Value
89	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 94

PRODUCTION VALUE 80

SELLER REMARKS: Bria is a PRB 16 07 Bolt daughter being sold as LOT 17. On her dam side linebred 717! 8 months in calf to our TOP bont bull MOS 20 70 Salvador

PRB 160007 HH SP
PEINKE BOLT
Wean Mat. 110

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

E 180120 SP
TAMBARAINE E180120

Age 6y | AFC 31m | ICP 491d
Calves 4 | Weighed 3 | Wean Mat. 54
Avg. WI 86 | CCB - | CCW 44.5
Calvings: 21-03, 22-07, 23-07, 25-03

CI 080030 SP
CIRCLE C COJACK
Wean Mat. 106

BA 040011 SP
BA BRITNEY

Age 11y | AFC - | ICP 349d
Calves 8 | Weighed 2 | Wean Mat. 105
Avg. WI 108 | Wean Mat. 105

E 130066 SP
TAMBARAINE 130066
Wean Mat. 52

E 120185 HH SP
TAMBARAINE 120185

Age 12y | AFC 33m | ICP 546d
Calves 6 | Weighed 6 | Wean Mat. 98
Avg. WI 99 | Wean Mat. 98

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -

KP0786 SP
OL PEJETA 786

KP0725 SP
OL PEJETA 725

Age 30y | Avg. WI -
Calves - | Weighed -

CFH 080173 SP
ELANDSPRUIT CFH08173

E 090048 SP
TAMBARAINE E 09 48

Age 13y | Avg. WI 103
Calves 10 | Weighed 8

CFH 080173 SP
ELANDSPRUIT CFH08173

TLM 060029 SP
KETA TLM 06 29

Age 7y | Avg. WI 94
Calves 6 | Weighed 1

LOGIX
EBV Analysis 2025-07-21


Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	93	103	82	104	98	84	100
75%	56%	77%	57%	34%	47%	31%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	92	89	101	79	89	109	93	105
40%	32%	16%	39%	34%	34%	28%	27%	27%

LOT 17 (M)

PRB 160007 HH
PEINKE BOLT

Herd Book	SP
Birth date	2016-02-14
Age	9y 6m
Inbreeding	0%
DNA	USC036621



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

1 CO-USER(S)
USED IN HERD (34)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

COW VALUE 77

94	Calving Ease Value
110	Calf Growth Value
110	Milk Value
88	Maintenance Value
67	Fertility Value

GROWTH VALUE 108

CARCASS VALUE 113

PRODUCTION VALUE 83

SELLER REMARKS: Bolt is one of very few polled Bulls that exhibits this level of muscling - a true stand-out. A top tier sire that consistently breeds both ways and brings predictability to your program. A proven herd sire with the look and pedigree to back it up. Retain semen share.

LOGIX
EBV Analysis 2025-07-21

TLM 040507 DH SP
KETA TLM040507 - BUSTER
Wean Mat. 84

GF159U D SP
GRASMERE GF 159U

Age 15y | AFC - | ICP -
Calves 6 | Weighed - | Wean Mat. 123
Avg. WI - | Wean Mat. 123

KP0786 SP
OL PEJETA 786

Wean Mat. 84

KP0725 SP
OL PEJETA 725

Age 30y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

K6K2459 SP
MOGWOONII K6K2459

KP0961 SP
OL PEJETA KPO 961

Age 35y | Avg. WI -
Calves 1 | Weighed -

GF135M
GRASMERE 135M

GF74P D SP
GRASMERE GF 74P

Age 15y | Avg. WI 100
Calves 5 | Weighed 1

KP01279 SP
OL PEJETA 1279

KP021 SP
OL PEJETA 21

Age 38y | Avg. WI -
Calves 1 | Weighed -

KP01279 SP
OL PEJETA 1279


188
188

Age 43y | Avg. WI -
Calves - | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	98	110	110	120	78	62	102
98%	91%	98%	90%	87%	90%	86%	91%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	111	108	111	89	105	127	94	90
87%	86%	84%	87%	87%	87%	85%	85%	85%

LOT 18 (F)

BH 200037
CIRCLE H HILARY

Kuddeboek	SP
Geb. dtm	2020-01-09
Oud.	5j 7m
Inteling	2%
DNS	U3875U018
OEK	35m
Kalwers	3
Geweeg	1
Gem. SI	105
TKP	363d

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240774 (F)
Geb. datum	2024-12-05
Vaar ID	MULTIPLE SIREs

Kalwings: 22-12, 23-12, 24-12



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

BH 140041 SP
CIRCLE H ALADDIN
Spn Mat. 117

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ED 140031 SP
EDLYN HILARY

Oud. 10j | OEK 41m | TKP 439d
Kalwers 7 | Geweeg 5 | Spn. Mat. 112
Gem. SI 109 | KKG - | KKS 46.5
Kalwings: 18-03, 20-01, 21-06,
22-05, 23-04, 24-05, 25-05

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Spn Mat. 107NNR 060046 SP
NTABA NYONI ALECIA

Oud. 19j | OEK - | TKP -
Kalwers 11 | Geweeg 1 | Spn. Mat. 105
Gem. SI 101 | Spn. Mat. 105

BA 090111 HH SP
BA IMPOSSIBULLIT
Spn Mat. 58AVZ 080004 SP
MEANDER HILARY

Oud. 7j | OEK 33m | TKP 380d
Kalwers 5 | Geweeg 3 | Spn. Mat. 135
Gem. SI 109 | Spn. Mat. 135

K6K2997 SP
MOGWOONI K6K29978334 SP
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -359G SP
SOLIO 359 GKP0867 SP
OL PEJETA 867HVT 950017 SP
OUTSPAN METUSALEGBA 040007 SP
BA OUNOOI2812 SP
GIANNI 28124741 SP
OL PEJETA 4741Oud. 24j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 101

103	Kalfgemak Waarde
105	Kalfgroei Waarde
114	Melk Waarde
98	Onderhoudswaarde
88	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 106

PRODUKSIE WAARDE 102

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	111	105	114	106	70	101	102
63%	65%	58%	66%	34%	60%	39%	56%

Na-Speen Groei


Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	106	101	100	111	118	97	91	104
34%	33%	14%	48%	34%	34%	26%	24%	24%

VERKOPER OPMERKINGS: B05 98, Impossibulit, Gianni 2812 and cows like Alecia, Ounooi and Hillary. What more could you ask for? ICP of 363 days over 3 calves and only 5 yo. 5 months in calf to Bolt PRB 16 07 - LOT 17!!

LOT 19 (F)

MOS 220383
MOSDENE JULIA

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-09-28
Oud.	2j 10m
Inteling	2%
DNS	U10846U012

BH 150047 HH SP
CIRCLE H PEGASUS
Spn Mat. 68

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 200048 SP
MOSDENE MOS 200048

Oud. 5j | OEK 28m | TKP 632d
Kalwers 2 | Geweeg 2 | Spn. Mat. 92
Gem. SI 97 | KKG - | KKS -
Kalwings: 22-09, 24-06

HB 060004 SP
BB AGRI MUSCLES
Spn Mat. 88CI 070109 SP
CIRCLE C PANDORA

Oud. 17j | OEK 27m | TKP -
Kalwers 11 | Geweeg - | Spn. Mat. 76
Gem. SI - | Spn. Mat. 76

FN 100527 SP
FONTEINE FERRARI
Spn Mat. 77HJ 150029 SP
HESSI HJ150029

Oud. 10j | OEK 41m | TKP 518d
Kalwers 6 | Geweeg 3 | Spn. Mat. 118
Gem. SI 110 | Spn. Mat. 118

HVT 000010 SP
OUTSPAN HVT000010GF400 SP
GRASMERE 40 OOud. 21j | Gem. SI -
Kalwers 6 | Geweeg -TLM 020001 SP
KETA TLM020001 - BUFFELGF1775 D SP
GRASMERE GF 1775Oud. 18j | Gem. SI 100
Kalwers 11 | Geweeg 3HVT 970017 SP
OUTSPAN HVT970017FN 060092 SP
FONTEINE FN 06 0092Oud. 18j | Gem. SI 95
Kalwers 15 | Geweeg 2GF 100023 SP
WALT PICASSOHJ 090051 SP
HESSI HJ090051Oud. 12j | Gem. SI -
Kalwers 7 | Geweeg -

KOEIWAARDE 88

94	Kalfgemak Waarde
100	Kalfgroei Waarde
81	Melk Waarde
101	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 93

PRODUKSIE WAARDE 89

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	91	100	81	93	97	98	102
75%	54%	76%	53%	22%	51%	26%	50%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	98	94	98	84	87	101	102	121
31%	21%	12%	30%	22%	22%	19%	18%	18%

VERKOPER OPMERKINGS: Pegasus, Ferrari, Picasso, Pandora, Alzu 20, TLM 02 17 and Julia in this pedigree and it shows . 8 months in calf to Top Bont bull MOS 20 70 Salvador

LOT 20 (F)

E 180106
TAMBARAINE ODESSA

Herd Book	SP
Birth date	2018-07-21
Age	7y 1m
Inbreeding	1%
DNA	U474739
AFC	41m
Calves	4
Weighed	3
Avg. WI	95
ICP	355d

VST 140067 SP
TRAP VST1467
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 150128 SP
TAMBARAINE E150128Age 3y | AFC 36m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 87
Avg. WI 97 | CCB - | CCW 56.5
Calvings: 18-07MHB 040010 SP
MOLL'S-HOOP IMPIE
Wean Mat. 99VST 120004 SP
TRAP JACKIEAge 13y | AFC - | ICP 445d
Calves 8 | Weighed 7 | Wean Mat. 116
Avg. WI 111 | Wean Mat. 116MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86E 100049 HH SP
TAMBARAINE 100049Age 15y | AFC 33m | ICP -
Calves 11 | Weighed 10 | Wean Mat. 101
Avg. WI 103 | Wean Mat. 101K6K1711 SP
MOGWOONI K6K1711KPO615 SP
OL PEJETA 615
Age 31y | Avg. WI -
Calves - | Weighed -
CI 080030 SP
CIRCLE C COJACKMHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
25 SP

MARULA 25

KPO21 SP
OL PEJETA 21Age 38y | Avg. WI -
Calves 1 | Weighed -TLM 020012 SP
KETA TLM 02 12KB11W SP
KETA KB W 11
Age 14y | Avg. WI 99
Calves 10 | Weighed 6

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 240729 (F)
Birth Date	2024-11-19
Sire ID	PRB 210057

Calvings: 21-12, 22-12, 23-12, 24-11

COW VALUE 86

95	Calving Ease Value
92	Calf Growth Value
92	Milk Value
115	Maintenance Value
85	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 93

PRODUCTION VALUE 83

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	82	92	92	85	82	89	101
78%	73%	78%	78%	47%	63%	43%	59%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	91	93	88	92	93	96	102	100
54%	44%	25%	43%	47%	46%	44%	42%	42%

SELLER REMARKS: WOW a very special offering with this lot. Odessa is paternal sibling to Odysseus (LOT 10). Her heifer calf MOS24 729 is sired by PRB 21 57 a mottled Zinzan x Britney son his very first progeny on offer. 3 in 1 package 5 months in calf to MOS 21 73 Beu.

LOT 21 (F)

BH 160482
CIRCLE H TESCO

Herd Book	SP
Birth date	2016-12-29
Age	8y 7m
Inbreeding	0%
DNA	U368372
AFC	33m
Calves	6
Weighed	2
Avg. WI	108
ICP	385d

MHB 110030 SP
MOLL'S-HOOP SPARTAN
Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EP 130013 SP
EMBRIO PLUS EP 130013Age 4y | AFC 37m | ICP -
Calves 1 | Weighed - | Wean Mat. 115
Avg. WI - | CCB - | CCW -
Calvings: 16-12K6K3534 SP
MOGWOONI K6K3534
Wean Mat. 63KPO1082 SP
OL PEJETA KPO 1082Age 25y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 75
Avg. WI - | Wean Mat. 7565161192 SP
BORANA BB06024

Wean Mat. 116

08-0015BBN SP
TESCOAge 17y | AFC - | ICP -
Calves 11 | Weighed 1 | Wean Mat. 101
Avg. WI 98 | Wean Mat. 101K6K1711 SP
MOGWOONI K6K17112260
2260
Age 34y | Avg. WI -
Calves - | Weighed -855
OL PEJETA 855735
OL PEJETA 735Age 33y | Avg. WI -
Calves - | Weighed -25 SP
MARULA 25KPO303 SP
OL PEJETA KPO303Age 33y | Avg. WI -
Calves 1 | Weighed -KPO548 SP
SOLIO 548/SIKPO1083
OL PEJETA 1083Age 26y | Avg. WI -
Calves 2 | Weighed -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 240818 (M)
Birth Date	2024-12-26
Sire ID	BH 210477

Calvings: 19-09, 20-10, 21-11, 23-01, 24-01, 24-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 131

106	Calving Ease Value
109	Calf Growth Value
109	Milk Value
100	Maintenance Value
124	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 102

PRODUCTION VALUE 124

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	107	109	109	86	119	126	100
72%	76%	61%	72%	33%	62%	41%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	97	105	98	117	114	79	96	99
32%	29%	14%	33%	32%	31%	31%	29%	29%

SELLER REMARKS: A white Spartan daughter (3534) with added Marula 25, KPO548 and the cow KPO303. With an ICP of 385 days over 6 calves. 5 months in calf to Bolt PRB1607 - LOT 17!

LOT 22A (F)

PRB 190026
PEINKE IVY

Kuddeboek	SP
Geb. dtm	2019-03-08
Oud.	6j 5m
Inteling	1%
DNS	U483484
OEK	30m
Kalwers	3
Geweeg	3
Gem. SI	109
TKP	562d

SPJ 140108 SP
FRONTIER SPJ 140108
Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PRB 100018 SP
PEINKE PRB10018

Oud. 14j | OEK - | TKP 425d
Kalwers 10 | Geweeg 3 | Spn. Mat. 117
Gem. SI 108 | KKG 6.37 | KKS 39

Kalwings: 14-10, 15-09, 17-01,
18-03, 18-12, 20-09, 21-11, 22-10,
23-11, 24-10

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 81

SPJ 070007 SP
FRONTIER SPJ070007 - MARILYN

Oud. 17j | OEK 33m | TKP -
Kalwers 10 | Geweeg 4 | Spn. Mat. 124
Gem. SI 98 | Spn. Mat. 124

PRB 080001 SP
PEINKE ANGUS
Spn Mat. 104

XSX 090004 SP
CORMA XSX0904

Oud. 16j | OEK 23m | TKP -
Kalwers 12 | Geweeg 1 | Spn. Mat. 103
Gem. SI 94 | Spn. Mat. 103

6SEG096 SP
SEGERA 494

KPO303 SP
OL PEJETA KPO303
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
25 SP
MARULA 25

1736 SP
OL PEJETA 1736
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
B 040052 SP
BORG B04052

B 050079 SP
BORG B 05 79
Oud. 15j | Gem. SI 101
Kalwers 12 | Geweeg 4
B 030033 SP
BORG B 03 33

HVT 020010 SP
OUTSPAN HVT 02 10
Oud. 19j | Gem. SI 99
Kalwers 14 | Geweeg 2

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240506 (F)
Geb. datum	2024-10-12
Vaar ID	E 200069

Kalwings: 21-09, 23-04, 24-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 102

104	Kalfgemak Waarde
99	Kalfgroei Waarde
122	Melk Waarde
91	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 106

PRODUKSIE WAARDE 102

LOGIX
EBV Analise 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	105	99	122	93	106	91	102
71%	71%	69%	78%	47%	60%	35%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	102	96	106	104	115	110	98	135
48%	44%	17%	40%	48%	47%	42%	40%	39%

VERKOPER OPMERKINGS: Ivy is a lot to notice, her heifer calf speaks for herself sired by E 20 69 Jefferson (Jumbo son) 3 in 1. 3 months in calf to MS: PRB 18 15, QT 12 30 or MOS 20 268.

LOT 22B (F)

MOS 240506
MOSDENE MOS240506

Kuddeboek	SP
Geb. dtm	2024-10-12
Oud.	10 maande
Inteling	1%
DNS	U20387U006

E 200069 SP
TAMBARAINE JEFFERSON
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PRB 190026 SP
PEINKE IVY

Oud. 6j | OEK 30m | TKP 562d
Kalwers 3 | Geweeg 3 | Spn. Mat. 122
Gem. SI 109 | KKG 8.19 | KKS 50.2

Kalwings: 21-09, 23-04, 24-10

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105

E 100084 SP
TAMBARAINE 100084

Oud. 14j | OEK 33m | TKP 414d
Kalwers 11 | Geweeg 9 | Spn. Mat. 95
Gem. SI 101 | Spn. Mat. 95

SPJ 140108 SP
FRONTIER SPJ 140108

Spn Mat. 118

PRB 100018 SP
PEINKE PRB10018

Oud. 14j | OEK - | TKP 425d
Kalwers 10 | Geweeg 3 | Spn. Mat. 117
Gem. SI 108 | Spn. Mat. 117

MHB 040027 SP
MOLL'S-HOOP KHAN

HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

TLM 020012 SP
KETA TLM 02 12

TLM 040001 SP
KETA TLM 04 01
Oud. 21j | Gem. SI 102
Kalwers 16 | Geweeg 9

HVT 970017 SP
OUTSPAN HVT970017

SPJ 070007 SP
FRONTIER SPJ070007 - MARILYN
Oud. 17j | Gem. SI 98
Kalwers 10 | Geweeg 4

PRB 080001 SP
PEINKE ANGUS

XSX 090004 SP
CORMA XSX0904
Oud. 16j | Gem. SI 94
Kalwers 12 | Geweeg 1

LOGIX
EBV Analise 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	105	130	105	115	99	92	109
74%	52%	77%	53%	30%	42%	27%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	125	115	116	115	128	122	105	118
39%	28%	15%	31%	30%	30%	27%	26%	26%

VERKOPER OPMERKINGS: Will be inspected when of age

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 110

95	Kalfgemak Waarde
130	Kalfgroei Waarde
105	Melk Waarde
84	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 121


KARKAS WAARDE 127

PRODUKSIE WAARDE 116

LOT 23 (F)

MOS 230180
MOSDENE SYLVIE

Herd Book	SP
Birth date	2023-04-05
Age	2y 4m
Inbreeding	4%
DNA	U12912U033



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 127

91	Calving Ease Value
116	Calf Growth Value
105	Milk Value
107	Maintenance Value
120	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 112

PRODUCTION VALUE 127

SELLER REMARKS: Battle of the sisters. Lot 23 and Lot 24 are both Salvador daughters. Sylvie is linebred Jose FN 06 68 with added B98. 6 Months in calf to MS: MOS 20 114 or MOS 20 86.

MOS 200070 HH SP

MOSDENE MOS 200070

Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MOS 190020 SP

MOSDENE MOS 190020

Age 5y | AFC 32m | ICP 380d
Calves 4 | Weighed 3 | Wean Mat. 129
Avg. WI 117 | CCB - | CCW 56.5

Calvings: 22-04, 23-04, 24-04,
25-06

BH 160296 SP

CIRCLE H HORIZON

Wean Mat. 78

BH 170367 SP

CIRCLE H BH 170367

Age 7y | AFC 32m | ICP 467d
Calves 5 | Weighed 3 | Wean Mat. 87
Avg. WI 100 | Wean Mat. 87

FN 060068 SP

FONTEINE FN0668 - JOSE

Wean Mat. 106

BFT 160020 C

SHEEPRUN BFT160020

Age 8y | AFC 35m | ICP 386d
Calves 6 | Weighed 2 | Wean Mat. 110
Avg. WI 96 | Wean Mat. 110

BH 110020 SP

CIRCLE H HUBLLOT

CI 060015 SP

CIRCLE C HIBISCUS

Age 14y | Avg. WI -

Calves 9 | Weighed -

B 120155 SP

BORGEN B12155

ED 140045 SP

EDLYN ED140045

Age 5y | Avg. WI -

Calves 2 | Weighed -

25 SP

MARULA 25

PB/11032 SP

DELAMERE 542

Age 28y | Avg. WI -

Calves - | Weighed -

BH 110024 SP

CIRCLE H SIZA

BFT 110006 B

SHEEPRUN BFT110006

Age 7y | Avg. WI -

Calves 2 | Weighed -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21


Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	100	116	105	98	121	113	109
75%	51%	77%	51%	24%	41%	28%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	112	108	94	108	115	99	114	99
43%	23%	15%	26%	25%	24%	22%	21%	21%

LOT 24 (F)

MOS 230194
MOSDENE SKYLAR

Herd Book	SP
Birth date	2023-04-08
Age	2y 4m
Inbreeding	0%
DNA	U13217U011



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 116

93	Calving Ease Value
110	Calf Growth Value
94	Milk Value
104	Maintenance Value
119	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 99

PRODUCTION VALUE 113

MOS 200070 HH SP

MOSDENE MOS 200070

Wean Mat. 82

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 190143 SP

CIRCLE H BH 190143

Age 6y | AFC 34m | ICP 397d
Calves 4 | Weighed 2 | Wean Mat. 108
Avg. WI 109 | CCB - | CCW -

Calvings: 22-03, 23-04, 24-05,
25-07

BH 160296 SP

CIRCLE H HORIZON

Wean Mat. 78

BH 170367 SP

CIRCLE H BH 170367

Age 7y | AFC 32m | ICP 467d
Calves 5 | Weighed 3 | Wean Mat. 87
Avg. WI 100 | Wean Mat. 87

MHB 110042 SP

MOLL'S-HOOP VIKING

Wean Mat. 112

BH 140137 SP

CIRCLE H BH 140137

Age 10y | AFC 41m | ICP 424d
Calves 7 | Weighed 4 | Wean Mat. 79
Avg. WI 93 | Wean Mat. 79

BH 110020 SP

CIRCLE H HUBLLOT

CI 060015 SP

CIRCLE C HIBISCUS

Age 14y | Avg. WI -

Calves 9 | Weighed -

B 120155 SP

BORGEN B12155

ED 140045 SP

EDLYN ED140045

Age 5y | Avg. WI -

Calves 2 | Weighed -

K6K3534 SP

MOGWOOONI K6K3534

K6K2748 SP

MOGWOOONI K6K2748

Age 35y | Avg. WI -

Calves - | Weighed -

D 090009 SP

DELBOR D09009 - PHANTOM

NBOR060053 SP

NTABA NYONI 0653

Age 16y | Avg. WI -

Calves 10 | Weighed -


LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	107	110	94	103	114	114	112
75%	51%	76%	49%	21%	40%	26%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	101	102	95	98	102	95	101	96
28%	19%	11%	23%	21%	20%	18%	17%	17%

SELLER REMARKS: Battle of the sisters. Lot 24 and Lot 23 are both Salvador daughters. Skylar goes back to Viking (3534), Solio359 and KIM45. 7 Months in calf to MS: MOS 20 114 or MOS 20 86.

LOT 25 (F)

E 180174
TAMBARAINE RUTH

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250327 (F)
Geb. datum	2025-05-22
Vaar ID	E 200072

Kalwings: 22-01, 23-01, 24-04, 25-05



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-11-08
Oud.	6j 9m
Inteling	0%
DNS	U474700
OEK	38m
Kalwers	4
Geweeg	2
Gem. SI	104
TKP	412d

KOEIWAARDE 107

95	Kalfgemak Waarde
113	Kalfgroei Waarde
82	Melk Waarde
118	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 94

PRODUKSIE WAARDE 100

VERKOPER OPMERKINGS: Direct Rustin daughter with 02 12 and Timmy on dam side with the top cows like KP021, TLM 02 17 and TLM 06 24. Heifer calf MOS25 327 at foot sired by E 20 72 Nostos.

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

E 120175 SP

TAMBARAINE 120175

Oud. 6j | OEK 32m | TKP 407d
Kalwers 4 | Geweeg 4 | Spn. Mat. 86
Gem. SI 96 | KKG - | KKS 50.4

Kalwings: 15-07, 16-08, 17-10, 18-11

25 SP

MARULA 25

Spn Mat. 137

KPO21 SP

OL PEJETA 21

Oud. 38j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 80
Gem. SI - | Spn. Mat. 80

E 080046 SP

TAMBARAINE E 08 46

Spn Mat. 86

E 080022 SP

TAMBARAINE E 08 22

Oud. 15j | OEK 34m | TKP -
Kalwers 12 | Geweeg 9 | Spn. Mat. 95
Gem. SI 98 | Spn. Mat. 95

143 SP

143

23003

23003

Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

25 SP

OL PEJETA 404

KPO1099 SP

OL PEJETA 1099

Oud. 45j | Gem. SI -
Kalwers 1 | Geweeg -

E TLM 020012 SP

KETA TLM 02 12

TLM 020017 SP

KETA TLM 02 17

Oud. 12j | Gem. SI 103

Kalwers 9 | Geweeg 4

E HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

E TLM 060024 SP

KETA TLM 06 24

Oud. 11j | Gem. SI 99

Kalwers 9 | Geweeg 4




EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	99	113	82	86	87	102	97
78%	75%	78%	76%	52%	66%	52%	65%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	92	99	85	87	95	101	84	106
55%	50%	38%	54%	52%	51%	50%	49%	49%

LOT 26 (F)

MOS 210284
MOSDENE DARA

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240412 (F)
Geb. datum	2024-09-18
Vaar ID	E 180138

Kalwings: 24-09



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-11-17
Oud.	3j 9m
Inteling	1%
DNS	U7472U062
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

KOEIWAARDE 108

106	Kalfgemak Waarde
108	Kalfgroei Waarde
98	Melk Waarde
97	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 102

PRODUKSIE WAARDE 106

GB 140001 HH SP

KOLSKOOT GB 140001

Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 180039 SP

TAMBARAINE E180039

Oud. 7j | OEK 28m | TKP 448d
Kalwers 5 | Geweeg 3 | Spn. Mat. 99
Gem. SI 103 | KKG - | KKS 52.3

Kalwings: 20-06, 21-11, 22-12,
24-04, 25-05

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

Spn Mat. 76

HVT 110027 SP

HEAVITREE HVT 110027

Oud. 13j | OEK 27m | TKP 452d
Kalwers 10 | Geweeg 5 | Spn. Mat. 114
Gem. SI 102 | Spn. Mat. 114

E 150072 SP

TAMBARAINE E150072

Spn Mat. 93

B 070028 SP

BORGEN B 07 28

Oud. 18j | OEK - | TKP -
Kalwers 14 | Geweeg 10 | Spn. Mat. 111
Gem. SI 106 | Spn. Mat. 111

PM14R SP

LILAYI PM14R

B 020004 SP

BORGEN B 02 04

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

B 050075 SP

BORGEN B 05 75

HVT 080003 SP

HEAVITREE HVT0803

Oud. 16j | Gem. SI -

Kalwers 6 | Geweeg -

E MHB 060030 SP

MOLL'S-HOOP RUSTIN

E TLM 050044 SP

KETA TLM 05 44

Oud. 19j | Gem. SI 99

Kalwers 16 | Geweeg 11

E B 030029 SP

BORGEN B03029

B 010142 SP

BORGEN B 01 142

Oud. 11j | Gem. SI -

Kalwers 5 | Geweeg -



EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	110	108	98	95	108	100	97
75%	64%	78%	60%	47%	62%	33%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	98	89	101	105	113	126	92	81
47%	44%	19%	42%	47%	46%	44%	42%	41%


VERKOPER OPMERKINGS: Dara has some top cowlines in her pedigree like B 01 142, TLM 05 44 and HVT 08 03. Deep red cow with values to back. 6 Months incalf to MOS 22 218 Marcus.

LOT 27 (M)



MOS 200105 HH

MOSDENE JAYCE



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

USED IN HERD (27)



Myostatin

Q204X	Free
NT82I	Free
F94L	Free

Herd Book	SP
Birth date	2020-09-08
Age	4y 11m
Inbreeding	0%
DNA	WSC040825

COW VALUE 112

86	Calving Ease Value
137	Calf Growth Value
90	Milk Value
80	Maintenance Value
112	Fertility Value

GROWTH VALUE 123

CARCASS VALUE 135

PRODUCTION VALUE 118

SELLER REMARKS: Jayce speaks for himself. A Jumbo son out of a cow going back to 717 and 02 12. Cow value of 115, fertility of 114, growth 122, production 120. He has progeny on offer on lot 2 and lot 31. Retain semen share.

WZ 140052 HH SP

WILZAK JUMBO

Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

E 140045 HH SP

TAMBARAINE 140045

Age 11y | AFC 32m | ICP 462d
Calves 7 | Weighed 7 | Wean Mat. 90
Avg. WI 103 | CCB - | CCW 47.6

Calvings: 16-11, 18-07, 19-08,
20-09, 21-11, 23-02, 24-06

MHB 040027 SP

MOLL'S-HOOP KHAN

Wean Mat. 88

HOT 100024 SP

HOTSPOT JASMINE

Age 15y | AFC 37m | ICP -
Calves 8 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

CFH 080173 SP

ELANDSPRUIT CFH08173

Wean Mat. 72

E 080008 HH SP

TAMBARAINE E 08 08

Age 16y | AFC 33m | ICP -
Calves 10 | Weighed 8 | Wean Mat. 101
Avg. WI 99 | Wean Mat. 101

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Age 34y | Avg. WI -

Calves - | Weighed -

TLM 050543 SP

KETA TLM050543

B 960615 SP

BORGEN B 96 615

Age 20y | Avg. WI -

Calves 8 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

B 040020 SP

BORGEN B 04 20

Age 4y | Avg. WI -

Calves 1 | Weighed -

TLM 020012 SP

KETA TLM 02 12

TLM 020019 SP

KETA TLM 02 19

Age 13y | Avg. WI 102

Calves 7 | Weighed 5

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	95	137	90	125	104	109	117
92%	86%	90%	86%	82%	85%	82%	85%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
132	134	124	124	101	125	132	112	112
84%	82%	81%	84%	82%	82%	81%	81%	81%

LOT 28 (F)



MOS 230049

MOSDENE AMY



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-01-19
Age	2y 7m
Inbreeding	1%
DNA	UI2029U047

COW VALUE 103

96	Calving Ease Value
106	Calf Growth Value
111	Milk Value
89	Maintenance Value
106	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 106

PRODUCTION VALUE 103

SELLER REMARKS: A deep red heifer out of Nostos E 20 72 . Linebred back to KPO694 , GF46S and 1279. 4 months in calf to MS : PRB 18 15,QT 12 30 or MOS 20 268

E 200072 HH SP

TAMBARAINE NOSTOS

Wean Mat. 112

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

TDD 110009 SP

THE DIAMOND-D TDD110009

Age 12y | AFC 41m | ICP 472d
Calves 8 | Weighed 2 | Wean Mat. 102
Avg. WI 93 | CCB 8.76 | CCW 52.7

Calvings: 14-12, 16-05, 17-10,
18-10, 20-12, 21-12, 23-01, 24-01

WZ 140052 HH SP

WILZAK JUMBO

Wean Mat. 105

E 100050 SP

TAMBARAINE 100050

Age 15y | AFC 32m | ICP -
Calves 11 | Weighed 9 | Wean Mat. 135
Avg. WI 107 | Wean Mat. 135

TDD 070001 SP

THE DIAMOND-D TDD0701

Wean Mat. 92

TDD 070005 SP

THE DIAMOND-D AMY

Age 12y | AFC 33m | ICP 415d
Calves 9 | Weighed 1 | Wean Mat. 112
Avg. WI 93 | Wean Mat. 112

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 100024 SP

HOTSPOT JASMINE

Age 15y | Avg. WI -

Calves 8 | Weighed -

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

TLM 050056 SP

KETA TLM 05 56

Age 10y | Avg. WI 96

Calves 8 | Weighed 4

KB32X SP

KETA KB X 32

TLM 050004 SP

KETA TLM 05 04

Age 9y | Avg. WI -

Calves 6 | Weighed -

TLM 020018 SP

KETA TLM020018

8 R SP

KETA KB 18 R

Age 13y | Avg. WI -

Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	91	106	111	101	102	111	95
75%	54%	75%	51%	22%	38%	24%	47%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	103	103	110	97	103	107	97	107
33%	21%	15%	26%	22%	22%	19%	18%	18%

LOT 29 (F)

MOS 230117
MOSDENE EMMY

Kuddeboek	SP
Geb. dtm	2023-03-05
Oud.	2j 5m
Inteling	2%
DNS	UI2636U020

GF 060010 SP
WALT GF0610
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 200096 SP
TAMBARAINE E200096
Oud. 5j | OEK 32m | TKP 417d
Kalwers 3 | Geweeg 2 | Spn. Mat. 111
Gem. SI 107 | KKG - | KKS -
Kalwings: 23-03, 24-04, 25-06HVT 990001 SP
OUTSPAN HVT 99 01
Spn Mat. 83TLM 000007 SP
KETA TLM000007Oud. 16j | OEK 35m | TKP -
Kalwers 10 | Geweeg 1 | Spn. Mat. 103
Gem. SI 91 | Spn. Mat. 103WZ 140052 HH SP
WILZAK JUMBO

Spn Mat. 105

E 170152 SP
TAMBARAINE E170152Oud. 7j | OEK 33m | TKP 555d
Kalwers 4 | Geweeg 3 | Spn. Mat. 122
Gem. SI 111 | Spn. Mat. 122HVT 950030 SP
OUTSPAN HVT 95 30B 960615 SP
BORGES B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003B 950027 SP
BORGES B95527
Oud. 20j | Gem. SI -
Kalwers 9 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHANHOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -MHB 060030 SP
MOLL'S-HOOP RUSTINE 100064 HH SP
TAMBARAINE 100064
Oud. 15j | Gem. SI 109
Kalwers 11 | Geweeg 9

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

KOEIWAARDE 108

98	Kalfgemak Waarde
116	Kalfgroei Waarde
109	Melk Waarde
91	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 111

PRODUKSIE WAARDE 109

LOGIX
UNIVERSITY OF THE
WITWATERSRAND
EBV Analyse 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	110	116	109	116	98	97	108
74%	56%	77%	54%	36%	51%	35%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	109	105	107	99	104	105	116	107
44%	34%	23%	35%	36%	35%	30%	29%	28%

VERKOPER OPMERKINGS: Emmy combines 2 of the best bulls being a direct Rembrandt daughter out of a Jumbo daughter going back to Rustin. 8 Months in calf to our top Bont Bull MOS 20 70 Salvador.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 30 (F)

E 180029
TAMBARAINE RIVKA

Kuddeboek	SP
Geb. dtm	2018-02-06
Oud.	7j 6m
Inteling	2%
DNS	U474671
OEK	30m
Kalwers	5
Geweeg	3
Gem. SI	108
TKP	409d

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 120030 HH SP
TAMBARAINE 120030Oud. 13j | OEK 34m | TKP 393d
Kalwers 10 | Geweeg 8 | Spn. Mat. 78
Gem. SI 93 | KKG - | KKS 44.7
Kalwings: 15-03, 16-03, 17-03,
18-02, 19-01, 20-02, 21-02, 22-05,
23-08, 24-1125 SP
MARULA 25
Spn Mat. 137KPO21 SP
OL PEJETA 21
Oud. 38j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 80
Gem. SI - | Spn. Mat. 80TLM 020012 SP
KETA TLM 02 12
Spn Mat. 84TLM 050044 SP
KETA TLM 05 44Oud. 19j | OEK 27m | TKP -
Kalwers 16 | Geweeg 11 | Spn. Mat. 108
Gem. SI 99 | Spn. Mat. 108143 SP
14323003
23003
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -25 SP
OL PEJETA 404KPO1099 SP
OL PEJETA 1099
Oud. 45j | Gem. SI -
Kalwers 1 | Geweeg -K6K2459 SP
MOGWONNI K6K2459ZF3675 SP
SEGERA ZF 3675Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -MHB 040027 SP
MOLL'S-HOOP KHANGF2T D SP
GRASMER 2 T
Oud. 14j | Gem. SI 103
Kalwers 9 | Geweeg 2

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

KOEIWAARDE 104

102	Kalfgemak Waarde
111	Kalfgroei Waarde
96	Melk Waarde
101	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 98

PRODUKSIE WAARDE 99

LOGIX
UNIVERSITY OF THE
WITWATERSRAND
EBV Analyse 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	111	111	96	90	95	95	99
80%	77%	81%	81%	53%	68%	54%	67%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	95	97	98	90	101	106	87	104
72%	52%	40%	59%	53%	53%	52%	51%	51%

VERKOPER OPMERKINGS: An outstanding cow with a potential herd sire next to her sired by MOS 21 05. Rivka is 3 months in calf to either Bolt 16 07 Lot 17 or DLV 22 24 (white gold auction bull) first progeny.



Miostatien


Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 31A (F)



BH 190297

CIRCLE H FELICITY



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 240486 (M)
Birth Date	2024-10-09
Sire ID	MOS 200105

Calvings: 22-07, 23-07, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-10-05
Age	5y 10m
Inbreeding	4%
DNA	UA548466
AFC	33m
Calves	3
Weighed	3
Avg. WI	96
ICP	416d

GN 150081 SP
GREENBOR ARAGON
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 160211 SP
CIRCLE H BH 160211
Age 8y | AFC 36m | ICP 404d
Calves 6 | Weighed 4 | Wean Mat. 96
Avg. WI 100 | CCB - | CCW 47.6
Calvings: 19-10, 20-11, 22-04,
23-04, 24-04, 25-04

FN 100527 SP
FONTEINE FERRARI
Wean Mat. 77

FN 120444 SP
FONTEINE FN12444
Age 4y | AFC 27m | ICP 341d
Calves 2 | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106

FN 110103 SP
FONTEINE FN1103
Wean Mat. 91

FN 100909 SP
FONTEINE FELICITY
Age 14y | AFC 34m | ICP 407d
Calves 11 | Weighed 1 | Wean Mat. 102
Avg. WI 100 | Wean Mat. 102

HVT 970017 SP
OUTSPAN HVT970017
FN 060092 SP
FONTEINE FN 06 0092
Age 18y | Avg. WI 95
Calves 15 | Weighed 2
KB28W D SP
KETA KB 28 W
FN 090370 SP
FONTEINE AVA
Age 15y | Avg. WI 102
Calves 12 | Weighed 3
KB20B SP
KETA KB 20 B
Z 010035 SP
HLANZENI Z 01 35
Age 13y | Avg. WI -
Calves 7 | Weighed -
PM14R SP
LILAYI PM14R
FN 080263 SP
FONTEINE FN08263
Age 7y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 105

104	Calving Ease Value
90	Calf Growth Value
88	Milk Value
114	Maintenance Value
109	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 89

PRODUCTION VALUE 102

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	102	90	88	99	110	105	105
64%	67%	63%	76%	23%	58%	36%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	90	84	89	83	87	101	102	107
28%	22%	14%	39%	24%	23%	20%	19%	19%


SELLER REMARKS: Felicity is out of proven Fonteine lines, with a bull calf to show her ability to breed. She is 8 months in calf again to either MOS 20 70, E 20 69 or MOS 20 96.

LOT 31B (M)



MOS 240486

MOSDENE MOS240486



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2024-10-09
Age	10 months
Inbreeding	2%
DNA	U20230U028

MOS 200105 HH SP
MOSDENE JAYCE
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 190297 SP
CIRCLE H FELICITY
Age 5y | AFC 33m | ICP 416d
Calves 3 | Weighed 3 | Wean Mat. 88
Avg. WI 96 | CCB - | CCW 51.9
Calvings: 22-07, 23-07, 24-10

WZ 140052 HH SP
WILZAK JUMBO
Wean Mat. 105

E 140045 HH SP
TAMBARAINE 140045
Age 11y | AFC 32m | ICP 462d
Calves 7 | Weighed 7 | Wean Mat. 90
Avg. WI 103 | Wean Mat. 90

GN 150081 SP
GREENBOR ARAGON
Wean Mat. 89

BH 160211 SP
CIRCLE H BH 160211
Age 8y | AFC 36m | ICP 404d
Calves 6 | Weighed 4 | Wean Mat. 96
Avg. WI 100 | Wean Mat. 96

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Age 15y | Avg. WI -
Calves 8 | Weighed -
CFH 080173 SP
ELANDSPRUIT CFH08173
E 080008 HH SP
TAMBARAINE E 08 08
Age 16y | Avg. WI 99
Calves 10 | Weighed 8
FN 100527 SP
FONTEINE FERRARI
FN 120444 SP
FONTEINE FN12444
Age 4y | Avg. WI -
Calves 2 | Weighed -
FN 110103 SP
FONTEINE FN1103
FN 100909 SP
FONTEINE FELICITY
Age 14y | Avg. WI 100
Calves 11 | Weighed 1

COW VALUE 107

98	Calving Ease Value
116	Calf Growth Value
87	Milk Value
90	Maintenance Value
112	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 118

PRODUCTION VALUE 111

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	99	116	87	116	106	107	114
72%	47%	75%	50%	21%	41%	27%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	117	110	111	96	112	121	107	111
33%	20%	13%	32%	21%	21%	19%	18%	18%


SELLER REMARKS: Will be inspected when of age.

LOT 32 (F)



MOS 200280

MOSDENE LUNA



Kuddeboek	SP
Geb. dtm	2020-12-01
Oud.	4j 8m
Inteling	0%
DNS	U3238U101
OEK	39m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	449d

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250279 (M)
Geb. datum	2025-05-11
Vaar ID	E 180138

Kalwings: 24-02, 25-05



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

SS 140088 SP
SANDSONIA DYNAMO
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 140111 SP
CIRCLE H BH 140111

Oud. 11j | OEK 39m | TKP 437d
Kalwers 7 | Geweeg 4 | Spn. Mat. 85
Gem. SI 100 | KKG 9.43 | KKS 49.8
Kalwings: 17-10, 19-10, 20-12, 21-11,
23-01, 24-01, 24-12

SS 100201 SP
SANDSONIA SS10201
Spn Mat. 105

SS 060003 SP
SANDSONIA DIANNA
Oud. 17j | OEK 30m | TKP -
Kalwers 7 | Geweeg 1 | Spn. Mat. 100
Gem. SI 101 | Spn. Mat. 100

B 070199 SP
BORGEN B 070199 - MALLUTI
Spn Mat. 67

LW 110009 SP
NELLO LW 109
Oud. 9j | OEK 41m | TKP 612d
Kalwers 3 | Geweeg 1 | Spn. Mat. 103
Gem. SI 122 | Spn. Mat. 103

SS 070033 SP
SANDSONIA SS0733
CFH 070066 SP
ELANDSPRUIT 07 66
Oud. 12j | Gem. SI -
Kalwers 8 | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003
HVT 970015 SP
OUTSPAN HVT970015
Oud. 14j | Gem. SI 86
Kalwers 9 | Geweeg 1
KPO548 SP
SOLIO 548/SI
KIM45 SP
LOLOMARIK 45
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
KB208 SP
KETA KB 20 B
LW 090006 SP
NELLO CANDY
Oud. 16j | Gem. SI -
Kalwers 12 | Geweeg -

KOEIWAARDE 113

109	Kalfgemak Waarde
96	Kalfgroei Waarde
94	Melk Waarde
110	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 89

PRODUKSIE WAARDE 108

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	98	96	94	89	111	108	104
73%	64%	73%	47%	22%	58%	30%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	86	86	92	96	96	95	96	108
21%	20%	10%	25%	22%	21%	18%	17%	17%


VERKOPER OPMERKINGS: Luna has the values and pedigree to match, with HVT 95 03, Solio 548, KIM45, GF118U AND 3094. Bull calf MOS25 279 sired by E 18 138 (LOT 10) at foot.

LOT 33 (F)



MOS 220484

MOSDENE KATE



Kuddeboek	SP
Geb. dtm	2022-12-06
Oud.	2j 8m
Inteling	7%
DNS	U11612U026

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

E 150072 SP
TAMBARAINE E150072
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ED 130222 SP
EDLYN KATE

Oud. 11j | OEK 37m | TKP 418d
Kalwers 8 | Geweeg 4 | Spn. Mat. 97
Gem. SI 101 | KKG - | KKS 48.3
Kalwings: 16-11, 18-11, 19-11, 20-11,
22-01, 22-12, 23-12, 24-11

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 86

TLM 050044 SP
KETA TLM 05 44
Oud. 19j | OEK 27m | TKP -
Kalwers 16 | Geweeg 11 | Spn. Mat. 108
Gem. SI 99 | Spn. Mat. 108

MHB 060031 SP
MOLL'S-HOOP RHINO
Spn Mat. 117

CFH 080019 HH SP
ELANDSPRUIT KATE
Oud. 17j | OEK 32m | TKP -
Kalwers 13 | Geweeg 6 | Spn. Mat. 78
Gem. SI 93 | Spn. Mat. 78

25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN
GF2T D SP
GRASMERE 2 T
Oud. 14j | Gem. SI 103
Kalwers 9 | Geweeg 2
25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 990001 SP
OUTSPAN HVT 99 01
Z 980738 SP
HLANZENI Z 98 73
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 114

92	Kalfgemak Waarde
105	Kalfgroei Waarde
95	Melk Waarde
116	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 90

PRODUKSIE WAARDE 108

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	90	105	95	86	105	112	101
75%	61%	78%	62%	35%	54%	40%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	89	85	86	90	93	98	94	102
48%	33%	27%	42%	35%	34%	33%	32%	32%

VERKOPER OPMERKINGS: 2 Marula 25 brothers in this pedigree with Rustin and Rhino with added cow lines GF2TD and HVT 99 01. 6 Months in calf to MOS 20 114 or MOS 20 86.

LOT 34 (M)

MOS 200287
MOSDENE HEULLEUS

Herd Book	SP
Birth date	2020-12-07
Age	4y 8m
Inbreeding	0%
DNA	U4141U034

GN 150066 SP
GREENBOR HULK
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

D 120062 SP
DELBOR DI20062

Age 13y | AFC 28m | ICP 464d
Calves 9 | Weighed 4 | Wean Mat. 64
Avg. WI 93 | CCB 6.92 | CCW 53
Calvings: 14-09, 15-12, 16-12,
18-09, 19-10, 20-12, 22-04, 23-06,
24-11

FN 100527 SP
FONTEINE FERRARI
Wean Mat. 77FN 120440 SP
FONTEINE FN12440

Age 12y | AFC 37m | ICP 440d
Calves 9 | Weighed 2 | Wean Mat. 88
Avg. WI 78 | Wean Mat. 88

EP 080001 SP
EMBRIO PLUS EP0801
Wean Mat. 85D 090015 SP
DELBOR KIM

Age 13y | AFC - | ICP 487d
Calves 8 | Weighed - | Wean Mat. 75
Avg. WI - | Wean Mat. 75

HVT 970017 SP
OUTSPAN HVT970017FN 060092 SP
FONTEINE FN 06 0092

Age 18y | Avg. WI 95
Calves 15 | Weighed 2

KB28W D SP
KETA KB 28 WFN 070163 C
FONTEINE FN07163

Age 9y | Avg. WI -
Calves 4 | Weighed -

KPO1017 SP
OL PEJETA 1017PB/11271 SP
NDAKAINI 8N2

Age 26y | Avg. WI -
Calves 1 | Weighed -

K6K3534 SP
MOGWOONI K6K3534KIM45 SP
LOLOMARK 45

Age 28y | Avg. WI -
Calves - | Weighed -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

COW VALUE 98

101 Calving Ease Value

92 Calf Growth Value

75 Milk Value

119 Maintenance Value

102 Fertility Value

GROWTH VALUE 86

CARCASS VALUE 86

PRODUCTION VALUE 92

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	95	92	75	98	103	99	103
73%	55%	74%	53%	23%	46%	28%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	83	85	84	84	88	87	96	109
43%	21%	12%	29%	23%	22%	20%	19%	18%

SELLER REMARKS: Second last bull or auction. A Hulk son going back to 717, KB28W and 1017, 3534, Kim45 on dam side. Balanced and muscled a package in one! Retain semen share.



Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

LOT 35 (M)

MOS 200067
MOSDENE ZION

Herd Book	SP
Birth date	2020-06-06
Age	5y 2m
Inbreeding	3%
DNA	U8694U003

EP 140023 SP
EMBRIO PLUS ZENON
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EO 120283 HH SP
ELMECO EO12283

Age 12y | AFC 36m | ICP 534d
Calves 7 | Weighed 3 | Wean Mat. 89
Avg. WI 101 | CCB - | CCW 48.3
Calvings: 15-12, 16-10, 18-10,
20-06, 21-11, 22-12, 24-09

TLM 050543 SP
KETA TLM050543
Wean Mat. 104PRB 120010 SP
PEINKE PRB12010

Age 12y | AFC - | ICP 605d
Calves 6 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

TLM 010001 SP
KETA TLM010001 - NAPOLEON
Wean Mat. 78HJ 090053 HH SP
HESSI HJ090053

Age 15y | AFC - | ICP -
Calves 8 | Weighed - | Wean Mat. 110
Avg. WI - | Wean Mat. 110

TLM 020001 SP
KETA TLM020001 - BUFFELGF46S D DH SP
GRASMERE GF 46 S

Age 14y | Avg. WI 99
Calves 7 | Weighed 1

KB15A SP
KETA KB 15 AHVT 020010 SP
OUTSPAN HVT 02 10

Age 19y | Avg. WI 99
Calves 14 | Weighed 2

HVT 970017 SP
OUTSPAN HVT970017HVT 950013 SP
OUTSPAN HVT950013

Age 19y | Avg. WI -
Calves 9 | Weighed -

TLM 050526 HH SP
KETA TLM 05 526 - KONINGCFH 070049 SP
ELANDSPRUIT 07 49

Age 18y | Avg. WI -
Calves 3 | Weighed -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

COW VALUE 103

107 Calving Ease Value

108 Calf Growth Value

97 Milk Value

92 Maintenance Value

99 Fertility Value

GROWTH VALUE 105

CARCASS VALUE 107

PRODUCTION VALUE 104

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	93	108	97	100	100	95	105
67%	50%	46%	50%	32%	46%	32%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	107	95	107	95	104	99	116	116
34%	30%	22%	33%	33%	32%	28%	27%	26%

SELLER REMARKS: A well-muscled bull. Linebred to 494 and 1383. A powerhouse like this rarely comes available.




Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

LOT 36A (F)

MOS 220015
MOSDENE ULRIKE

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf

Kalf ID	MOS 240631 (F)
Geb. datum	2024-11-02
Vaar ID	MOS 210009

Kalwings: 24-11

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



Kuddeboek	SP
Geb. dtm	2022-01-11
Oud.	3j 7m
Inteling	0%
DNS	U8370U013
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

E 150072 SP
TAMBARAINE E150072
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 120134 HH SP
TAMBARAINE 120134

Oud. 12j | OEK 37m | TKP 377d
Kalwers 10 | Geweeg 9 | Spn. Mat. 61
Gem. SI 95 | KKG - | KKS 48.2
Kalwings: 15-10, 16-11, 17-10, 18-11,
19-10, 20-10, 22-01, 23-01, 24-01,
25-01

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 86

TLM 050044 SP
KETA TLM 05 44

Oud. 19j | OEK 27m | TKP -
Kalwers 16 | Geweeg 11 | Spn. Mat. 108
Gem. SI 99 | Spn. Mat. 108

CFH 080173 SP
ELANDSPRUIT CFH08173
Spn Mat. 72

TLM 050017 SP
KETA TLM 05 17

Oud. 17j | OEK 32m | TKP -
Kalwers 11 | Geweeg 6 | Spn. Mat. 86
Gem. SI 104 | Spn. Mat. 86

25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN
GF2T D SP
GRASMERE 2 T
Oud. 14j | Gem. SI 103
Kalwers 9 | Geweeg 2
HVT 970017 SP
OUTSPAN HVT970017
B 040020 SP
BORGES B 04 20
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL
FE97059 SP
FORRESTER FE97 059
Oud. 11j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE 110

95	Kalfgemak Waarde
100	Kalfgroei Waarde
77	Melk Waarde
116	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 80

PRODUKSIE WAARDE 101


LOGIX
GENOMICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	86	100	77	77	110	115	106
76%	67%	78%	64%	37%	64%	40%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	78	73	87	75	77	92	96	105
52%	35%	28%	46%	37%	37%	34%	33%	33%

VERKOPER OPMERKINGS: Another favourite on this auction. A deep red feminine cow out of Ultimate with a heifer calf next to her out of MOS 21 09 O'Nine a polled bull. 3 m pregnant from PRB 18 15, QT 12 30 and MOS 20 268.

LOT 36B (F)

MOS 240631
MOSDENE MOS240631

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Kuddeboek	SP
Geb. dtm	2024-11-02
Oud.	9 maande
Inteling	1%
DNS	U20586U041

MOS 210009 SP
MOSDENE MOS 210009
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 220015 SP
MOSDENE ULRIKE

Oud. 3j | OEK 34m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG - | KKS -
Kalwings: 24-11

VST 140067 SP
TRAP VST1467
Spn Mat. 103

E 110023 HH SP
TAMBARAINE 110023

Oud. 14j | OEK 30m | TKP 350d
Kalwers 13 | Geweeg 11 | Spn. Mat. 92
Gem. SI 101 | Spn. Mat. 92

E 150072 SP
TAMBARAINE E150072
Spn Mat. 93

E 120134 HH SP
TAMBARAINE 120134

Oud. 12j | OEK 37m | TKP 377d
Kalwers 10 | Geweeg 9 | Spn. Mat. 61
Gem. SI 95 | Spn. Mat. 61

MHB 040010 SP
MOLL'S-HOOP IMPIE
VST 120004 SP
TRAP JACKIE
Oud. 13j | Gem. SI 111
Kalwers 8 | Geweeg 7
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
E 070016 SP
TAMBARAINE E 07 16
Oud. 13j | Gem. SI 79
Kalwers 11 | Geweeg 5
MHB 060030 SP
MOLL'S-HOOP RUSTIN
TLM 050044 SP
KETA TLM 05 44
Oud. 19j | Gem. SI 99
Kalwers 16 | Geweeg 11
CFH 080173 SP
ELANDSPRUIT CFH08173
TLM 050017 SP
KETA TLM 05 17
Oud. 17j | Gem. SI 104
Kalwers 11 | Geweeg 6

KOEIWAARDE 103

88	Kalfgemak Waarde
97	Kalfgroei Waarde
89	Melk Waarde
111	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE 86

KARKAS WAARDE 86

PRODUKSIE WAARDE 97

LOGIX
GENOMICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	87	97	89	77	113	111	104
74%	48%	58%	46%	29%	42%	27%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	86	84	92	88	85	92	102	105
40%	27%	17%	32%	29%	28%	26%	25%	24%


VERKOPER OPMERKINGS: Receive inspection when of age .



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 37 (F)

MOS 210218
MOSDENE DONNA

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 240595 (M)
Birth Date	2024-10-25
Sire ID	MOS 210009

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-09-21
Age	3y 11m
Inbreeding	0%
DNA	U7472U006
AFC	37m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

COW VALUE 126

96	Calving Ease Value
120	Calf Growth Value
86	Milk Value
106	Maintenance Value
122	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 108

PRODUCTION VALUE 124

SELLER REMARKS: Derby daughter, the first derby daughter out of Tambaraine lines. Cow value of 130! Fertility 121, growth 105, production 126! 6 Months in calf to CP 18 22, PRB 18 15 or MOS 20 192.

FN 110229 HH SP

FONTEINE FN 110229

Wean Mat. 89

Parentage Sire Dam

DNA ✓ ✓

Genomic

E 180052 SP

TAMBARAINE E180052

Age 7y | AFC 28m | ICP 411d
Calves 5 | Weighed 4 | Wean Mat. 82
Avg. WI 100 | CCB 8.1 | CCW 30.4
Calvings: 20-07, 21-09, 22-09,
23-11, 25-01

FN 050028 SP

FONTEINE CHURCHILL FN0528

Wean Mat. 95

FN 040023 SP

FONTEINE FN 04 23

Age 14y | AFC 30m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Wean Mat. 86

E 150060 SP

TAMBARAINE E150060

Age 4y | AFC 35m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 88
Avg. WI 101 | Wean Mat. 88

NDA9 SP

NDAKAINI 8N9

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

K6K3094 SP

MOGWONI 3094 (BMK163)

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

25 SP

MARULA 25

KPO21 SP

OL PEJETA 21

Age 38y | Avg. WI -

Calves 1 | Weighed -

E 080046 SP

TAMBARAINE E 08 46

E 080077 SP

TAMBARAINE E 08 77

Age 16y | Avg. WI 99

Calves 12 | Weighed 9

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	103	120	86	110	104	130	105
75%	64%	78%	56%	42%	65%	41%	58%


Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	108	112	95	103	104	111	96	97
54%	41%	23%	39%	44%	43%	41%	39%	39%

LOT 38 (F)

MOS 230102
MOSDENE WRENLEE

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Herd Book	SP
Birth date	2023-02-19
Age	2y 6m
Inbreeding	4%
DNA	U12636U006

COW VALUE 111

90	Calving Ease Value
116	Calf Growth Value
92	Milk Value
99	Maintenance Value
112	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 108

PRODUCTION VALUE 111

SELLER REMARKS: Wrenlee is the first ever Wolff progeny on offer with cow lines like Jasmin, KPO21, GF2T and GF77R. 6 Months in calf to MS: MOS 20 114 or MOS 20 86.

E 200049 HH SP

TAMBARAINE E200049

Wean Mat. 95

Parentage Sire Dam

DNA ✓ ✓

Genomic

E 180086 SP

TAMBARAINE E180086

Age 7y | AFC 29m | ICP 410d
Calves 5 | Weighed 3 | Wean Mat. 93
Avg. WI 100 | CCB - | CCW -
Calvings: 20-11, 21-12, 23-02,
24-05, 25-05

WZ 140052 HH SP

WILZAK JUMBO

Wean Mat. 105

E 140200 HH SP

TAMBARAINE E140200

Age 9y | AFC 34m | ICP 443d
Calves 6 | Weighed 6 | Wean Mat. 99
Avg. WI 106 | Wean Mat. 99

E 150072 SP

TAMBARAINE E150072

Wean Mat. 93

E 110038 HH SP

TAMBARAINE 110038

Age 14y | AFC 30m | ICP 440d
Calves 10 | Weighed 9 | Wean Mat. 91
Avg. WI 100 | Wean Mat. 91

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 100024 SP

HOTSPOT JASMINE

Age 15y | Avg. WI -

Calves 8 | Weighed -

CFH 080173 SP

ELANDSPRUIT CFH08173

E 110002 SP

TAMBARAINE 110002

Age 8y | Avg. WI 102

Calves 5 | Weighed 5

MHB 060030 SP

MOLL'S-HOOP RUSTIN

TLM 050044 SP

KETA TLM 05 44

Age 19y | Avg. WI 99

Calves 16 | Weighed 11

TLM 020012 SP

KETA TLM 02 12

KB20W SP

KETA KB 20 W

Age 13y | Avg. WI 98

Calves 7 | Weighed 3

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	100	116	92	96	106	113	105
75%	52%	78%	53%	25%	44%	31%	46%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	106	100	100	98	106	107	104	102
42%	24%	18%	35%	25%	25%	23%	23%	23%



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


LOT 39 (F)



MOS 230016

MOSDENE TASSA

Kuddeboek	SP
Geb. dtm	2023-01-06
Oud.	2j 7m
Inteling	2%
DNS	UI2029U017



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 99	
89	Kalfgemak Waarde
109	Kalfgroei Waarde
105	Melk Waarde
94	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 105	
KARKAS WAARDE 104	
PRODUKSIE WAARDE 100	

VERKOPER OPMERKINGS: Tassa is a QT 12 30 Tarzan daughter going back to GF400, HVT 95 13 and Z95 18. 8 Months in calf to our Bont Bull MOS 20 70 - Salvador.

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	95	109	105	98	110	96	99
75%	59%	76%	58%	31%	54%	30%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	104	98	104	95	103	102	98	102
36%	27%	10%	39%	31%	30%	23%	21%	21%


LOT 40 (F)



E 190090

TAMBARAINE PIPPA

Kuddeboek	SP
Geb. dtm	2019-07-09
Oud.	6j 1m
Inteling	8%
DNS	U552983
OEK	35m
Kalwers	3
Geweeg	2
Gem. SI	100
TKP	449d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

KOEIWAARDE 101	
102	Kalfgemak Waarde
92	Kalfgroei Waarde
96	Melk Waarde
111	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 85	
KARKAS WAARDE 90	
PRODUKSIE WAARDE 95	

VERKOPER OPMERKINGS: Pippa is one of a few E 16 104 daughters that doesn't come available easy. 3 in 1 with a heifer calf MOS24 769 from E 20 49 Jefferson, 6 months in calf to MS: E 18 111, AB 15 93, E 20 49, MOS 21 39

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	91	92	96	74	102	106	95
78%	72%	80%	75%	34%	63%	42%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	92	100	91	100	95	92	92	110
46%	32%	21%	51%	34%	33%	30%	29%	29%




Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 41 (F)

MOS 230099
MOSDENE WAVERLY

Herd Book	SP
Birth date	2023-02-17
Age	2y 6m
Inbreeding	1%
DNA	UI2636U004



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

COW VALUE 124

95	Calving Ease Value
131	Calf Growth Value
92	Milk Value
93	Maintenance Value
116	Fertility Value

GROWTH VALUE 115

CARCASS VALUE 119

PRODUCTION VALUE 126

LOGIX
EBV Analysis 2025-07-21

E 200049 HH SP
TAMBARAINE E200049
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 160254 SP
CIRCLE H BH 160254

Age 8y | AFC 35m | ICP 416d
Calves 6 | Weighed 3 | Wean Mat. 96
Avg. WI 101 | CCB 9.12 | CCW -
Calvings: 19-09, 20-10, 21-11,
23-02, 24-02, 25-05

WZ 140052 HH SP
WILZAK JUMBO
Wean Mat. 105

E 140200 HH SP
TAMBARAINE E140200
Age 9y | AFC 34m | ICP 443d
Calves 6 | Weighed 6 | Wean Mat. 99
Avg. WI 106 | Wean Mat. 99

B 080082 SP
BORGEN B08082 - GRANITE
Wean Mat. 67

EP 130004 SP
EMBRIO PLUS EP 130004
Age 11y | AFC 37m | ICP 416d
Calves 8 | Weighed 2 | Wean Mat. 111
Avg. WI 111 | Wean Mat. 111

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Age 15y | Avg. WI -
Calves 8 | Weighed -
CFH 080173 SP
ELANDSPRUIT CFH08173
E 110002 SP
TAMBARAINE 110002
Age 8y | Avg. WI 102
Calves 5 | Weighed 5
KPO622 SP
OL PEJETA 622
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
09-0017KG SP
KG-BORAN LINJANTI
11-0011KG SP
KG-BORAN MISS BUSEZA (ET)
Age 14y | Avg. WI 96
Calves 10 | Weighed 1

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84	115	131	92	110	108	116	107
74%	52%	76%	52%	24%	43%	30%	46%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	121	119	106	112	117	109	103	106
34%	23%	14%	30%	24%	24%	21%	20%	20%

SELLER REMARKS: A white Wolff daughter out of a Granite daughter. Cow value of 123, fertility 112, growth 115, production 125. 6 Months in calf to MS: MOS 20 114 (Viking son) or MOS 20 86.

LOT 42 (F)

MOS 220343
MOSDENE DARCY

Herd Book	SP
Birth date	2022-08-17
Age	2y 12m
Inbreeding	0%
DNA	UI0594U006
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

COW VALUE 132

93	Calving Ease Value
119	Calf Growth Value
104	Milk Value
97	Maintenance Value
133	Fertility Value

GROWTH VALUE 123

CARCASS VALUE 122

PRODUCTION VALUE 136

LOGIX
EBV Analysis 2025-07-21

FN 110229 HH SP
FONTEINE FN 110229
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MOS 190006 SP
MOSDENE DARCY

Age 5y | AFC 34m | ICP 395d
Calves 3 | Weighed 3 | Wean Mat. 118
Avg. WI 110 | CCB - | CCW 52.4
Calvings: 22-08, 23-09, 24-10

FN 050028 SP
FONTEINE CHURCHILL FN0528
Wean Mat. 95

FN 040023 SP
FONTEINE FN 04 23
Age 14y | AFC 30m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

CI 120047 SP
CIRCLE C COURAGE
Wean Mat. 127

BFT 160058 C
SHEEPRUN BFT160058
Age 8y | AFC 36m | ICP 400d
Calves 6 | Weighed 4 | Wean Mat. 103
Avg. WI 99 | Wean Mat. 103

NDA9 SP
NDAKAINI 8N9
ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -
K6K3094 SP
MOGWONNI 3094 (BMK163)
ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -
CI 080030 SP
CIRCLE C COJACK
KB13A DH SP
KETA KB 13 A
Age 12y | Avg. WI -
Calves 4 | Weighed -
BH 110022 SP
CIRCLE H NITRITE
BFT 120040 B
SHEEPRUN BFT120040
Age 5y | Avg. WI 114
Calves 3 | Weighed 1

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	97	119	104	117	123	131	111
75%	63%	77%	56%	36%	64%	37%	55%

Post-Wean Growth


Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	123	119	101	117	119	124	109	104
47%	35%	14%	36%	39%	38%	35%	33%	33%

SELLER REMARKS: A feminine Derby daughter going back to Cojack and Nitrite. Her bull calf MOS25 215 is sired by Valentino BH 18 280 (Viking son).

LOT 43A (F)

E 200079
TAMBARAINE JAHZARA

Kuddeboek	SP
Geb. dtm	2020-06-21
Oud.	5j 2m
Inteling	1%
DNS	U2531U074
OEK	37m
Kalwers	2
Geweeg	1
Gem. SI	91
TKP	482d

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 160090 SP
TAMBARAINE E160090
Oud. 9j | OEK 33m | TKP 437d
Kalwers 6 | Geweeg 4 | Spn. Mat. 94
Gem. SI 100 | KKG - | KKS 48
Kalwings: 19-04, 20-06, 22-03,
23-03, 24-03, 25-04MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 88HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | OEK 37m | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111B 080097 SP
BORGEN B08097
Spn Mat. 108
E 130147 SP
TAMBARAINE E 130147
Oud. 10j | OEK 34m | TKP 454d
Kalwers 5 | Geweeg 3 | Spn. Mat. 93
Gem. SI 106 | Spn. Mat. 93KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
TLM 050543 SP
KETA TLM050543
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
HVT 010006 SP
OUTSPAN HVT0106
Oud. 13j | Gem. SI -
Kalwers 5 | Geweeg -
CFH 080173 SP
ELANDSPRUIT CFH08173
E 060018 SP
TAMBARAINE 06 0018
Oud. 10j | Gem. SI 106
Kalwers 9 | Geweeg 5

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240649 (F)
Geb. datum	2024-11-05
Vaar ID	E 200069

Kalwings: 23-07, 24-11



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 94

93	Kalfgemak Waarde
118	Kalfgroei Waarde
97	Melk Waarde
86	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 114

PRODUKSIE WAARDE 99


LOGIX
EBV Analise 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	104	118	97	113	85	94	110
77%	69%	77%	69%	33%	65%	39%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	112	106	115	97	108	106	107	96
62%	32%	22%	51%	33%	33%	32%	31%	30%

VERKOPER OPMERKINGS: Jumbo combined with B 05 98 and 717 with a heifer calf MOS24 649 linebred to Jumbo E20 69. 2m preg from MS: PRB 18 15, QT 12 30 and MOS 20 268.

LOT 43B (F)

MOS 240649
MOSDENE MOS240649

Kuddeboek	SP
Geb. dtm	2024-11-05
Oud.	9 maande
Inteling	13%
DNS	U20886U007

E 200069 SP
TAMBARAINE JEFFERSON
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 200079 SP
TAMBARAINE JAHZARA
Oud. 5j | OEK 37m | TKP 482d
Kalwers 2 | Geweeg 1 | Spn. Mat. 97
Gem. SI 91 | KKG - | KKS 44.5
Kalwings: 23-07, 24-11WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105E 100084 SP
TAMBARAINE 100084
Oud. 14j | OEK 33m | TKP 414d
Kalwers 11 | Geweeg 9 | Spn. Mat. 95
Gem. SI 101 | Spn. Mat. 95WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105
E 160090 SP
TAMBARAINE E160090
Oud. 9j | OEK 33m | TKP 437d
Kalwers 6 | Geweeg 4 | Spn. Mat. 94
Gem. SI 100 | Spn. Mat. 94MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 040001 SP
KETA TLM 04 01
Oud. 21j | Gem. SI 102
Kalwers 16 | Geweeg 9
MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
B 080097 SP
BORGEN B08097
E 130147 SP
TAMBARAINE E 130147
Oud. 10j | Gem. SI 106
Kalwers 5 | Geweeg 3

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 102

90	Kalfgemak Waarde
134	Kalfgroei Waarde
94	Melk Waarde
83	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 126

KARKAS WAARDE 129

PRODUKSIE WAARDE 111

LOGIX
EBV Analise 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	104	134	94	123	89	93	110
75%	51%	61%	49%	24%	43%	28%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	128	118	120	111	123	119	109	98
44%	24%	17%	35%	25%	25%	23%	23%	22%

VERKOPER OPMERKINGS: Will be inspected when of age

LOT 44 (F)

MOS 220428
MOSDENE VALERIE

Herd Book	SP
Birth date	2022-09-01
Age	2y 11m
Inbreeding	11%
DNA	U11495U015

E 180076 HH SP
TAMBARAINE E180076
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 190046 SP
TAMBARAINE E190046
Age 6y | AFC 42m | ICP 599d
Calves 2 | Weighed 2 | Wean Mat. 104
Avg. WI 109 | CCB - | CCW 46.7
Calvings: 22-09, 24-04

E 150072 SP
TAMBARAINE E150072
Wean Mat. 93

E 100042 SP
TAMBARAINE 100042

Age 10y | AFC 35m | ICP 378d
Calves 8 | Weighed 6 | Wean Mat. 108
Avg. WI 103 | Wean Mat. 108

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

E 100079 HH SP
TAMBARAINE 100079

Age 12y | AFC 31m | ICP 385d
Calves 10 | Weighed 9 | Wean Mat. 109
Avg. WI 102 | Wean Mat. 109

MHB 060030 SP
MOLL'S-HOOP RUSTIN
TLM 050044 SP
KETA TLM 05 44
Age 19y | Avg. WI 99
Calves 16 | Weighed 11
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY

E 070013 SP
TAMBARAINE E 07 13
Age 15y | Avg. WI 100
Calves 8 | Weighed 4
25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
E 060014 SP
TAMBARAINE E 06 14
Age 18y | Avg. WI 97
Calves 12 | Weighed 5

COW VALUE 103

96	Calving Ease Value
113	Calf Growth Value
97	Milk Value
94	Maintenance Value
102	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 105

PRODUCTION VALUE 102

LOGIX
GENOMICS
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	100	113	97	82	94	106	103
74%	50%	62%	50%	32%	45%	32%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	106	110	105	102	106	106	87	107
44%	31%	23%	37%	32%	32%	30%	30%	29%

SELLER REMARKS: Deep bodied feminine heifer out of E 18 76 (Ultimate son). 7 Months in calf to MOS 20 114 or MOS 20 86.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 45 (F)

MOS 230058
MOSDENE BELLATRIX

Herd Book	SP
Birth date	2023-01-21
Age	2y 7m
Inbreeding	2%
DNA	U12029U056

PRB 160007 HH SP
PEINKE BOLT
Wean Mat. 110

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 170174 SP
TAMBARAINE E170174
Age 6y | AFC 32m | ICP 488d
Calves 4 | Weighed 3 | Wean Mat. 83
Avg. WI 99 | CCB - | CCW -
Calvings: 20-06, 21-12, 23-01, 24-06

CI 080030 SP
CIRCLE C COJACK
Wean Mat. 106

BA 040011 SP
BA BRITNEY

Age 11y | AFC - | ICP 349d
Calves 8 | Weighed 2 | Wean Mat. 105
Avg. WI 108 | Wean Mat. 105

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

E 080032 HH SP
TAMBARAINE E 08 32

Age 17y | AFC 34m | ICP -
Calves 12 | Weighed 10 | Wean Mat. 87
Avg. WI 98 | Wean Mat. 87

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
KPO786 SP
OL PEJETA 786
KPO725 SP
OL PEJETA 725
Age 30y | Avg. WI -
Calves - | Weighed -
25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
TLM 050010 SP
KETA TLM 05 10
Age 16y | Avg. WI 98
Calves 12 | Weighed 7

COW VALUE 90

93	Calving Ease Value
107	Calf Growth Value
98	Milk Value
107	Maintenance Value
79	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 96

PRODUCTION VALUE 88

LOGIX
GENOMICS
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	98	107	98	91	85	79	97
75%	57%	78%	57%	41%	52%	37%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	95	99	94	88	92	104	99	101
48%	40%	24%	42%	42%	41%	36%	35%	35%

SELLER REMARKS: This is a heifer you should've marked. Bolt is sold as LOT 17! Cow lines like Britney, KPO 21, HVT 95 23 and TLM 05 10. 8mnts in calf to Bont bull MOS 20 70 Salvador.




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 46 (F)



MOS 200220

MOSDENE CORA



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf

Kalf ID	MOS 250415 (F)
Geb. datum	2025-06-07
Vaar ID	MOS 210052

Kalwings: 23-11, 25-06



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-11-06
Oud.	4j 9m
Inteling	1%
DNS	U3238U043
OEK	36m
Kalwers	2
Geweeg	1
Gem. SI	113
TKP	583d

CFH 120327 HH SP
ELANDSPRUIT POENA
Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 120019 HH SP
MARONES JH120019

Oud. 13j | OEK 31m | TKP 426d
Kalwers 10 | Geweeg 8 | Spn. Mat. 89
Gem. SI 96 | KKG - | KKS 50.5
Kalwings: 14-09, 16-05, 17-06,
18-07, 19-12, 20-11, 21-11, 22-12,
23-11, 25-03

CI 080034 HH SP
CIRCLE C CI080034
Spn Mat. 100

CFH 060873 SP
ELANDSPRUIT CFH06873
Oud. 13j | OEK 36m | TKP 374d
Kalwers 8 | Geweeg - | Spn. Mat. 84
Gem. SI - | Spn. Mat. 84

JH 060004 SP
MARONES JH060004

XSX 080001 SP
CORMA XSX 0801
Oud. 8j | OEK - | TKP 445d
Kalwers 5 | Geweeg 3 | Spn. Mat. 64
Gem. SI 100 | Spn. Mat. 64

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
HVT 990001 SP
OUTSPAN HVT 99 01
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
KB32X SP
KETA KB X 32
TLM 030059 SP
KETA TLM 03 59
Oud. 14j | Gem. SI 109
Kalwers 8 | Geweeg 5
TLM 030012 SP
KETA TLM030012
HVT 030012 SP
OUTSPAN MAMBRUI
Oud. 20j | Gem. SI 95
Kalwers 13 | Geweeg 3

KOEIWAARDE 105

111	Kalfgemak Waarde
94	Kalfgroei Waarde
111	Melk Waarde
119	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 87

PRODUKSIE WAARDE 102

LOGIX
GENETICS CENTRAL
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	111	94	111	72	74	87	106
77%	70%	79%	71%	51%	63%	41%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	83	78	81	92	89	92	97	97
39%	48%	31%	58%	51%	50%	44%	42%	41%


VERKOPER OPMERKINGS: Polled cow going back to Kookwater, HVT 99 01 and Knopkierie. With a heifer calf MOS25 415 at foot from MOS 21 52.

LOT 47 (F)



MOS 230109

MOSDENE WILLOW



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-03-01
Oud.	2j 5m
Inteling	1%
DNS	UI2636U012

E 200049 HH SP
TAMBARAINE E200049
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 160186 SP
CIRCLE H BH 160186

Oud. 8j | OEK 36m | TKP 444d
Kalwers 5 | Geweeg 3 | Spn. Mat. 124
Gem. SI 107 | KKG 8.85 | KKS -
Kalwings: 19-09, 20-10, 21-11,
23-03, 24-08

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105

E 140200 HH SP
TAMBARAINE E140200
Oud. 9j | OEK 34m | TKP 443d
Kalwers 6 | Geweeg 6 | Spn. Mat. 99
Gem. SI 106 | Spn. Mat. 99

KB28W D SP
KETA KB 28 W
Spn Mat. 123

JH 090053 SP
MARONES JH090053
Oud. 7j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 108
Gem. SI - | Spn. Mat. 108

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
CFH 080173 SP
ELANDSPRUIT CFH08173

E 110002 SP
TAMBARAINE 110002
Oud. 8j | Gem. SI 102
Kalwers 5 | Geweeg 5
PM14R SP
LILAYI PM14R

GF31R
GF31R
Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -

TLM 050526 HH SP
KETA TLM 05 526 - KONING
TLM 030051 SP
KETA TLM 03 51
Oud. 10j | Gem. SI 100
Kalwers 1 | Geweeg 1

KOEIWAARDE 108

99	Kalfgemak Waarde
104	Kalfgroei Waarde
112	Melk Waarde
93	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE 104

PRODUKSIE WAARDE 107

LOGIX
GENETICS CENTRAL
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	102	104	112	115	101	110	107
73%	50%	76%	52%	28%	43%	31%	47%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	101	101	105	94	96	105	103	93
35%	27%	17%	33%	28%	28%	25%	23%	23%

VERKOPER OPMERKINGS: Willow is one of the heifers you can't miss. A Wolff daughter going back to Jumbo, PM14R and Koning. 5 months in calf to MS: MOS 20 114 or MOS 20 86.

LOT 48 (F)

MOS 220415
MOSDENE DAKOTA

Herd Book	SP
Birth date	2022-10-24
Age	2y 9m
Inbreeding	0%
DNA	U11495U006
AFC	31m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 250401 (M)
Birth Date	2025-06-03
Sire ID	PRB 180015

Calvings: 25-06



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

89	Calving Ease Value
116	Calf Growth Value
83	Milk Value
105	Maintenance Value
118	Fertility Value

GROWTH VALUE 112

CARCASS VALUE 111

PRODUCTION VALUE 117

FN 110229 HH SP

FONTEINE FN 110229

Wean Mat. 89

Parentage Sire Dam

DNA ✓ ✓

Genomic

E 200005 SP

TAMBARAINE E200005

Age 5y | AFC 33m | ICP 721d
Calves 2 | Weighed 2 | Wean Mat. 77
Avg. WI 93 | CCB - | CCW 35.9

Calvings: 22-10, 24-10

FN 050028 SP

FONTEINE CHURCHILL FN0528

Wean Mat. 95

FN 040023 SP

FONTEINE FN 04 23

Age 14y | AFC 30m | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 113
Avg. WI - | Wean Mat. 113

VST 140067 SP

TRAP VST1467

Wean Mat. 103

E 170070 SP

TAMBARAINE E170070

Age 8y | AFC 31m | ICP 432d
Calves 5 | Weighed 2 | Wean Mat. 62
Avg. WI 86 | Wean Mat. 62

NDA9 SP

NDAKAINI 8N9

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

K6K3094 SP

MOGWONI 3094 (BMK163)

ISEG SP

SEGERA 3089

Age 34y | Avg. WI -

Calves 1 | Weighed -

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 SP

TRAP JACKIE

Age 13y | Avg. WI 111

Calves 8 | Weighed 7

E 130066 SP

TAMBARAINE 130066

TLM 050039 SP

KETA TLM 05 39

Age 14y | Avg. WI 98

Calves 12 | Weighed 7

LOGIX
GENETICS GERMANY
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	88	116	83	111	108	119	110
75%	63%	77%	54%	39%	64%	37%	55%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	111	109	95	111	107	111	108	102
58%	38%	15%	33%	42%	41%	38%	36%	35%

SELLER REMARKS: Mottled Derby daughter with Impie, Cojack, Jackie and E 13 66. AFC 31 months with cow value 122! Fertility 117, Growth 111, Production 122. With a white bull calf MOS25 401 from PRB18 15.

LOT 49 (F)

MOS 220089
MOSDENE TAMARA

Herd Book	SP
Birth date	2022-03-30
Age	3y 4m
Inbreeding	0%
DNA	U8694U024
AFC	33m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 240833 (F)
Birth Date	2024-12-31
Sire ID	MOS 210009

Calvings: 24-12



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 102

97	Calving Ease Value
126	Calf Growth Value
106	Milk Value
81	Maintenance Value
91	Fertility Value

GROWTH VALUE 123

CARCASS VALUE 128

PRODUCTION VALUE 110

E 180158 SP

TAMBARAINE E180158

Wean Mat. 94

Parentage Sire Dam

DNA ✓ ✓

Genomic

BH 170455 SP

CIRCLE H BH 170455

Age 7y | AFC 31m | ICP 553d
Calves 4 | Weighed 2 | Wean Mat. 121
Avg. WI 113 | CCB - | CCW 59

Calvings: 20-05, 22-03, 23-06,
24-11

VST 140067 SP

TRAP VST1467

Wean Mat. 103

E 160045 SP

TAMBARAINE E160045

Age 3y | AFC 30m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 95
Avg. WI 120 | Wean Mat. 95

BBN 060008 SP

BORANA BOERBULL

Wean Mat. 126

EP 080005 SP

EMBRIO PLUS TAMARA

Age 13y | AFC - | ICP 431d
Calves 9 | Weighed 2 | Wean Mat. 107
Avg. WI 103 | Wean Mat. 107

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 SP

TRAP JACKIE

Age 13y | Avg. WI 111

Calves 8 | Weighed 7

MHB 060030 SP

MOLL'S-HOOP RUSTIN

E 110091 SP

TAMBARAINE 110091

Age 9y | Avg. WI 98

Calves 6 | Weighed 5

K6K3094 SP

MOGWONI 3094 (BMK163)

841 SP

841

Age 29y | Avg. WI -

Calves 1 | Weighed -

KPO548 SP

SOLIO 548/SI

ADC8288 SP

ADC MUTARA 8288

Age 30y | Avg. WI -

Calves - | Weighed -


LOGIX
GENETICS GERMANY
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	92	126	106	121	99	88	100
72%	57%	76%	48%	28%	58%	28%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	127	119	121	123	132	128	96	113
33%	26%	14%	29%	29%	28%	25%	24%	24%

SELLER REMARKS: Deep, broad grey cow. Combining 1711, Marula 25, 3094 and KPO548. Tamara is 4mnts in calf to E 18 111, AB 15 93, E 20 49 or MOS 21 39.

LOT 50A (F)

MOS 190006
MOSDENE DARCY

Kuddeboek	SP
Geb. dtm	2019-10-12
Oud.	5j 10m
Inteling	1%
DNS	U6499U007
OEK	34m
Kalwers	3
Geweeg	3
Gem. SI	110
TKP	395d

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240522 (M)
Geb. datum	2024-10-14
Vaar ID	MOS 210039

Kalwings: 22-08, 23-09, 24-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105

95	Kalfgemak Waarde
109	Kalfgroei Waarde
118	Melk Waarde
94	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 119

PRODUKSIE WAARDE 108

VERKOPER OPMERKINGS: Darcy has 2 progenies on offer. Potential herd sire MOS24 522 next to her from (MOS21 39) Daraja and the 1st calver LOT 42! 8 mnts in calf with her 4th calf with an ICP of 395 days.

CI 080030 SP
CIRCLE C COJACK

Spn Mat. 106

KB13A DH SP
KETA KB 13 A

Oud. 12j | OEK - | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 118
Gem. SI - | Spn. Mat. 118

BH 110022 SP
CIRCLE H NITRITE

Spn Mat. 84

BFT 120040 B
SHEEPRUN BFT120040

Oud. 5j | OEK 36m | TKP 398d
Kalwers 3 | Geweeg 1 | Spn. Mat. 125
Gem. SI 114 | Spn. Mat. 125

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
PM05L SP
PM 05L

GF00031T SP
GRASMERE GF00031T
Oud. 13j | Gem. SI 100
Kalwers 10 | Geweeg 4

TLM 050503 SP
KETA TLM 05 503

JH 070009 SP
MARONES JH070009

Oud. 9j | Gem. SI -
Kalwers 3 | Geweeg -

B 070146 SP
BORGEN B070146

BFT 070011 A
SHEEPRUN BFT070011

Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -




EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	98	109	118	101	96	95	107
78%	71%	69%	78%	29%	63%	39%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	117	116	103	108	118	124	107	111
50%	28%	15%	48%	29%	29%	26%	25%	25%

LOT 50B (M)

MOS 240522
MOSDENE MOS240522

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2024-10-14
Oud.	10 maande
Inteling	1%
DNS	U20387U018

MOS 210039 SP
MOSDENE DARAJA

Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 190006 SP
MOSDENE DARCY

Oud. 5j | OEK 34m | TKP 395d
Kalwers 3 | Geweeg 3 | Spn. Mat. 118
Gem. SI 110 | KKG - | KKS 52.4
Kalwings: 22-08, 23-09, 24-10

E 160104 SP
TAMBARAINE E160104

Spn Mat. 88

E 180113 SP
TAMBARAINE E180113

Oud. 7j | OEK 31m | TKP 434d
Kalwers 4 | Geweeg 3 | Spn. Mat. 106
Gem. SI 106 | Spn. Mat. 106

CI 120047 SP
CIRCLE C COURAGE

Spn Mat. 127

BFT 160058 C
SHEEPRUN BFT160058

Oud. 8j | OEK 36m | TKP 400d
Kalwers 6 | Geweeg 4 | Spn. Mat. 103
Gem. SI 99 | Spn. Mat. 103

MHB 060030 SP
MOLLS-HOOP RUSTIN

E 080063 SP
TAMBARAINE E 08 63
Oud. 10j | Gem. SI 113
Kalwers 8 | Geweeg 6

E 150072 SP
TAMBARAINE E150072

E 090048 SP
TAMBARAINE E 09 48
Oud. 13j | Gem. SI 103
Kalwers 10 | Geweeg 8

CI 080030 SP
CIRCLE C COJACK

KB13A DH SP
KETA KB 13 A
Oud. 12j | Gem. SI -

Kalwers 4 | Geweeg -

BH 110022 SP
CIRCLE H NITRITE

BFT 120040 B
SHEEPRUN BFT120040

Oud. 5j | Gem. SI 114
Kalwers 3 | Geweeg 1



EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	97	129	103	111	89	108	105
74%	48%	76%	50%	22%	41%	27%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	139	132	126	127	140	138	102	119
33%	21%	14%	32%	22%	22%	20%	19%	19%

VERKOPER OPMERKINGS: Will be inspected when of age


LOT 51 (F)



MOS 230048

MOSDENE BECCA

Herd Book	SP
Birth date	2023-01-18
Age	2y 7m
Inbreeding	3%
DNA	U12029U046



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 86

95	Calving Ease Value
104	Calf Growth Value
104	Milk Value
100	Maintenance Value
78	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 99

PRODUCTION VALUE 87

PRB 160007 HH SP
PEINKE BOLT
Wean Mat. 110

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 100091 HH SP
TAMBARAINE 100091

Age 14y | AFC 33m | ICP 454d
Calves 10 | Weighed 10 | Wean Mat. 97
Avg. WI 101 | CCB - | CCW 47.2
Calvings: 13-08, 14-11, 15-11, 17-02,
18-05, 19-05, 20-07, 21-07, 23-01,
24-10

CI 080030 SP
CIRCLE C COJACK
Wean Mat. 106

BA 040011 SP
BA BRITNEY

Age 11y | AFC - | ICP 349d
Calves 8 | Weighed 2 | Wean Mat. 105
Avg. WI 108 | Wean Mat. 105

TLM 020012 SP
KETA TLM 02 12

Wean Mat. 84

TLM 020017 SP
KETA TLM 02 17

Age 12y | AFC 40m | ICP 358d
Calves 9 | Weighed 4 | Wean Mat. 108
Avg. WI 103 | Wean Mat. 108

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -

KP0786 SP
OL PEJETA 786

KP0725 SP
OL PEJETA 725
Age 30y | Avg. WI -
Calves - | Weighed -

K6K2459 SP
MOGWOONI K6K2459

ZF3675 SP
SEGERA ZF 3675
Age 32y | Avg. WI -
Calves 1 | Weighed -

KP0791 SP
OL PEJETA KPO 791

K6K2748 SP
MOGWOONI K6K2748
Age 35y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS CENTRAL
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	101	104	104	111	88	76	94
75%	60%	78%	61%	39%	54%	37%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	100	98	98	82	92	107	86	92
46%	37%	20%	47%	39%	39%	33%	32%	31%

SELLER REMARKS: Becca is another BOLT heifer on offer. Going back to TLM 02 12 (2748 mother of Eros, Viking and TLM 02 11). 7 months in calf to MOS 20 114 or MOS 20 86.


LOT 52A (F)



MOS 220082

MOSDENE ODELIA

Herd Book	SP
Birth date	2022-04-01
Age	3y 4m
Inbreeding	2%
DNA	U8694U017
AFC	31m
Calves	1
Weighed	1
Avg. WI	104
ICP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 95

89	Calving Ease Value
88	Calf Growth Value
100	Milk Value
114	Maintenance Value
104	Fertility Value

GROWTH VALUE 83

CARCASS VALUE 81

PRODUCTION VALUE 89

E 180138 Pch SP
TAMBARAINE ODYSSEUS
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 100009 HH SP
TAMBARAINE 100009

Age 15y | AFC 34m | ICP -
Calves 11 | Weighed 9 | Wean Mat. 83
Avg. WI 102 | CCB - | CCW 40.6

Calvings: 12-11, 13-12, 14-11, 15-11,
16-10, 17-11, 18-11, 19-11, 20-10,
22-04, 23-11

VST 140067 SP
TRAP VST1467
Wean Mat. 103

E 150133 SP
TAMBARAINE E150133

Age 3y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 99
Avg. WI 101 | Wean Mat. 99

TLM 020012 SP
KETA TLM 02 12

Wean Mat. 84

GF1290 SP
GRASMERE GF 129 0

Age 19y | AFC - | ICP -
Calves 9 | Weighed 3 | Wean Mat. 108
Avg. WI 98 | Wean Mat. 108

MHB 040010 SP
MOLL'S-HOOP IMPIE

VST 120004 SP
TRAP JACKIE

Age 13y | Avg. WI 111
Calves 8 | Weighed 7

MHB 060030 SP
MOLL'S-HOOP RUSTIN

E 080044 SP
TAMBARAINE E 08 44
Age 16y | Avg. WI 98
Calves 13 | Weighed 11

K6K2459 SP
MOGWOONI K6K2459

ZF3675 SP
SEGERA ZF 3675
Age 32y | Avg. WI -
Calves 1 | Weighed -

2K001C
2K 001C

GF85B
GRASMERE 85 B
Age 53y | Avg. WI -
Calves 2 | Weighed -

LOGIX
GENETICS CENTRAL
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	95	88	100	83	117	94	101
75%	61%	78%	67%	30%	59%	30%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	81	78	88	84	83	82	100	106
41%	28%	16%	38%	30%	30%	28%	26%	26%

SELLER REMARKS: A daughter of LOT 10 combined with TLM 02 12 and GF1290 with an outstanding heifer calf at foot MOS 24 549 by MOS 20 268 Da Vinci. 2m preg from MS: MOS 20 268, QT 12 30 of PRB 18 15


LOT 52B (F)



MOS 240549

MOSDENE MOS240549

Kuddeboek	SP
Geb. dtm	2024-10-17
Oud.	10 maande
Inteling	2%
DNS	U20387U042



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 99	
91	Kalfgemak Waarde
98	Kalfgroei Waarde
98	Melk Waarde
106	Onderhoudswaarde
103	Vrugbaarheidswaarde
GROEI WAARDE 95	
KARKAS WAARDE 90	
PRODUKSIE WAARDE 96	

VERKOPER OPMERKINGS: Will be inspected when of age

MOS 200268 HH SP
MOSDENE MOS 200268
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 220082 SP
MOSDENE ODELIA
Oud. 3j | OEK 31m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 100
Gem. SI 104 | KKG - | KKS -
Kalwings: 24-10

BH 150268 SP
CIRCLE H OAKLEY
Spn Mat. 84

FN 100109 SP
FONTEINE FN 10 109
Oud. 14j | OEK 36m | TKP 540d
Kalwers 8 | Geweeg 4 | Spn. Mat. 110
Gem. SI 110 | Spn. Mat. 110

E 180138 PcH SP
TAMBARAINE ODYSSEUS
Spn Mat. 108

E 100009 HH SP
TAMBARAINE 100009
Oud. 15j | OEK 34m | TKP -
Kalwers 11 | Geweeg 9 | Spn. Mat. 83
Gem. SI 102 | Spn. Mat. 83

B 080082 SP
BORGEN B08082 - GRANITE
MHB 050005 SP
MOLL'S-HOOP ODETTE
Oud. 16j | Gem. SI 103
Kalwers 9 | Geweeg 2
TLM 020004 SP
KETA TLM020004 CAESAR
FN 080266 SP
FONTEINE FN08266
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -
VST 140067 SP
TRAP VST1467
E 150133 SP
TAMBARAINE E150133
Oud. 3j | Gem. SI 101
Kalwers 1 | Geweeg 1
TLM 020012 SP
KETA TLM 02 12
GF1290 SP
GRASMER GF 129 0
Oud. 19j | Gem. SI 98
Kalwers 9 | Geweeg 3

LOGIX
GENETICS, GENOMICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	100	98	98	91	112	93	108
74%	44%	77%	45%	23%	36%	23%	40%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	93	96	94	91	87	93	104	97
32%	21%	13%	26%	23%	22%	21%	20%	20%


LOT 53 (F)



MOS 210428

MOSDENE BRIER

Kuddeboek	SP
Geb. dtm	2021-11-25
Oud.	3j 8m
Inteling	2%
DNS	U7471U063
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

KOEIWAARDE 72	
81	Kalfgemak Waarde
114	Kalfgroei Waarde
98	Melk Waarde
89	Onderhoudswaarde
71	Vrugbaarheidswaarde
GROEI WAARDE 111	
KARKAS WAARDE 110	
PRODUKSIE WAARDE 80	

VERKOPER OPMERKINGS: A package par excellence! This is the kind of offering that rarely comes around - a premium package you simply cannot afford to miss. Quality, pedigree, and potential all wrapped into one! Heifer calf MOS24 743 from MOS 20 268 Da Vinci

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EP 120004 HH SP
EMBRIO PLUS LEILA
Oud. 12j | OEK 34m | TKP 516d
Kalwers 7 | Geweeg 4 | Spn. Mat. 85
Gem. SI 98 | KKG 7.46 | KKS 36.5
Kalwings: 15-10, 17-10, 18-12, 19-11, 21-11, 23-01, 24-04

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 106

BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 105
Gem. SI 108 | Spn. Mat. 105

E 080007 SP
TAMBARAINE E 08 07
Spn Mat. 76

DOC 080006 SP
ASEEL LEILA
Oud. 6j | OEK - | TKP 331d
Kalwers 3 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMER GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
KPO786 SP
OL PEJETA 786
KPO725 SP
OL PEJETA 725
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 050046 SP
KETA TLM 05 46
Oud. 7j | Gem. SI 97
Kalwers 3 | Geweeg 2
TLM 020004 SP
KETA TLM020004 CAESAR
HMC 020003 SP
ALZU BA 02 0003
Oud. 14j | Gem. SI -
Kalwers 6 | Geweeg -

LOGIX
GENETICS, GENOMICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
80	97	114	98	113	87	66	96
75%	62%	60%	56%	36%	59%	32%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	114	110	111	99	107	115	95	93
38%	34%	18%	36%	36%	36%	30%	29%	29%




Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 54A (F)



MOS 200078

MOSDENE ZIVA



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 240392 (M)
Birth Date	2024-08-27
Sire ID	E 180076

Calvings: 23-03, 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-07-06
Age	5y 1m
Inbreeding	2%
DNA	U3238U072
AFC	33m
Calves	2
Weighed	2
Avg. WI	107
ICP	518d

COW VALUE 116

115	Calving Ease Value
102	Calf Growth Value
115	Milk Value
78	Maintenance Value
121	Fertility Value

GROWTH VALUE 120

CARCASS VALUE 124

PRODUCTION VALUE 120

SELLER REMARKS: Backed by bulls like Zenon, Ambassador, and Imossibullit, this cow brings outstanding genetic value to the table. If you're looking to elevate your herd with proven performance and top-tier bloodlines. 3 in 1, 8mnts in calf to RKHF 17 15. Bull calf MOS 24 392 from E 18 76

EP 140023 SP

EMBRIO PLUS ZENON

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

AH 150019 SP

BASHA CLOVER

Age 9y | AFC 38m | ICP 473d
Calves 6 | Weighed 4 | Wean Mat. 118
Avg. WI 106 | CCB - | CCW 43.8

Calvings: 18-11, 20-07, 22-01,
23-02, 24-01, 25-05

TLM 050543 SP

KETA TLM050543

Wean Mat. 104

PRB 120010 SP

PEINKE PRB12010

Age 12y | AFC - | ICP 605d
Calves 6 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Wean Mat. 111

AH 110008 SP

BASHA AH 110008

Age 13y | AFC 36m | ICP 430d
Calves 9 | Weighed 5 | Wean Mat. 106
Avg. WI 102 | Wean Mat. 106

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF465 D DH SP

GRASMERE GF 46 S

Age 14y | Avg. WI 99

Calves 7 | Weighed 1

KB15A SP

KETA KB 15 A

HVT 020010 SP

OUTSPAN HVT 02 10

Age 19y | Avg. WI 99

Calves 14 | Weighed 2

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

TLM 050015 DH SP

KETA KHATAJA

Age 11y | Avg. WI 100

Calves 6 | Weighed 1

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
117	98	102	115	118	122	116	106
74%	64%	75%	72%	33%	57%	33%	54%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	126	114	125	100	115	123	136	113
50%	31%	22%	42%	34%	33%	30%	28%	28%

LOT 54B (M)



MOS 240392

MOSDENE MOS240392



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2024-08-27
Age	11 months
Inbreeding	1%
DNA	U20179U013

COW VALUE 107

101	Calving Ease Value
118	Calf Growth Value
100	Milk Value
76	Maintenance Value
112	Fertility Value

GROWTH VALUE 123

CARCASS VALUE 127

PRODUCTION VALUE 114

E 180076 HH SP

TAMBARAINE E180076

Wean Mat. 90

Parentage Sire Dam

DNA ✓ ✓

Genomic

MOS 200078 SP

MOSDENE ZIVA

Age 5y | AFC 33m | ICP 518d
Calves 2 | Weighed 2 | Wean Mat. 115
Avg. WI 107 | CCB - | CCW 52.7

Calvings: 23-03, 24-08

E 150072 SP

TAMBARAINE E150072

Wean Mat. 93

E 100042 SP

TAMBARAINE 100042

Age 10y | AFC 35m | ICP 378d
Calves 8 | Weighed 6 | Wean Mat. 108
Avg. WI 103 | Wean Mat. 108

EP 140023 SP

EMBRIO PLUS ZENON

Wean Mat. 104

AH 150019 SP

BASHA CLOVER

Age 9y | AFC 38m | ICP 473d
Calves 6 | Weighed 4 | Wean Mat. 118
Avg. WI 106 | Wean Mat. 118

MHB 060030 SP

MOLL'S-HOOP RUSTIN

TLM 050044 SP

KETA TLM 05 44

Age 19y | Avg. WI 99

Calves 16 | Weighed 11

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

E 070013 SP

TAMBARAINE E 07 13

Age 15y | Avg. WI 100

Calves 8 | Weighed 4

TLM 050543 SP

KETA TLM050543

PRB 120010 SP

PEINKE PRB12010

Age 12y | Avg. WI -

Calves 6 | Weighed -

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

AH 110008 SP

BASHA AH 110008

Age 13y | Avg. WI 102

Calves 9 | Weighed 5

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	97	118	100	109	104	113	106
74%	47%	77%	51%	25%	41%	26%	44%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	130	120	129	110	122	124	109	110
42%	23%	17%	32%	25%	24%	23%	21%	21%


SELLER REMARKS: Will be inspected when of age.

LOT 55 (F)



MOS 220005

MOSDENE UDELLE



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 240827 (M)
Geb. datum	2024-12-28
Vaar ID	MOS 210009

Kalwings: 24-12



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-01-04
Oud.	3j 7m
Inteling	1%
DNS	U7471U067
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

KOEIWAARDE 101

94	Kalfgemak Waarde
103	Kalfgroei Waarde
92	Melk Waarde
113	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 92

PRODUKSIE WAARDE 97

E 150072 SP
TAMBARAINE E150072
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 080022 SP
TAMBARAINE E 08 22

Oud. 15j | OEK 34m | TKP -
Kalwers 12 | Geweeg 9 | Spn. Mat. 95
Gem. SI 98 | KKG - | KKS 46.5
Kalwings: 11-05, 12-11, 13-11, 14-10,
15-12, 16-11, 17-10, 18-09, 19-09,
20-09, 22-01, 23-01

LOGIX
GENOMICS
EBV Analise 2025-07-21

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 86

TLM 050044 SP
KETA TLM 05 44

Oud. 19j | OEK 27m | TKP -
Kalwers 16 | Geweeg 11 | Spn. Mat. 108
Gem. SI 99 | Spn. Mat. 108

HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
Spn Mat. 119

TLM 060024 SP
KETA TLM 06 24

Oud. 11j | OEK 29m | TKP 377d
Kalwers 9 | Geweeg 4 | Spn. Mat. 93
Gem. SI 99 | Spn. Mat. 93

25 SP
MARULA 25

KPO21 SP
OL PEJETA 21
Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN

GF2T D SP
GRASMERE 2 T
Oud. 14j | Gem. SI 103
Kalwers 9 | Geweeg 2
HVT 980022 SP
OUTSPAN HVT980022

HVT 950023 SP
OUTSPAN HVT 95 23
Oud. 18j | Gem. SI -
Kalwers 11 | Geweeg -
TLM 020001 SP
KETA TLM020001 - BUFFEL

GF29T SP
GRASMERE 29 T
Oud. 13j | Gem. SI 96
Kalwers 5 | Geweeg 3

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	88	103	92	76	92	99	103
75%	67%	79%	65%	38%	65%	41%	58%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	93	88	90	95	99	103	92	111
50%	36%	27%	45%	38%	38%	34%	33%	32%


VERKOPER OPMERKINGS: 3 in 1. With bull calf MOS24 827 from MOS21 09. 3m pregnant from MS: QT12 30, PRB18 15.

LOT 56 (F)



MOS 230070

MOSDENE DOROTHY



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Kuddeboek	SP
Geb. dtm	2023-01-30
Oud.	2j 6m
Inteling	3%
DNS	U12379U007

KOEIWAARDE 122

102	Kalfgemak Waarde
121	Kalfgroei Waarde
94	Melk Waarde
87	Onderhoudswaarde
123	Vrugbaarheidswaarde

GROEI WAARDE 110

KARKAS WAARDE 118

PRODUKSIE WAARDE 122

E 200072 HH SP
TAMBARAINE NOSTOS
Spn Mat. 112

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 170254 SP
CIRCLE H BH 170254

Oud. 8j | OEK 28m | TKP 373d
Kalwers 6 | Geweeg 2 | Spn. Mat. 76
Gem. SI 93 | KKG 8.6 | KKS 36.8
Kalwings: 19-11, 20-12, 22-03,
23-01, 24-01, 24-12

LOGIX
GENOMICS
EBV Analise 2025-07-21

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105

E 100050 SP
TAMBARAINE 100050

Oud. 15j | OEK 32m | TKP -
Kalwers 11 | Geweeg 9 | Spn. Mat. 135
Gem. SI 107 | Spn. Mat. 135

MHB 110030 SP
MOLL'S-HOOP SPARTAN
Spn Mat. 80

WZ 140120 SP
WILZAK DOROTHY

Oud. 10j | OEK 32m | TKP 389d
Kalwers 7 | Geweeg 2 | Spn. Mat. 82
Gem. SI 90 | Spn. Mat. 82

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 100024 SP

HOTSPOT JASMINE

Oud. 15j | Gem. SI -

Kalwers 8 | Geweeg -

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

TLM 050056 SP

KETA TLM 05 56

Oud. 10j | Gem. SI 96

Kalwers 8 | Geweeg 4

K6K3534 SP

MOGWONNI K6K3534

KPO1082 SP

OL PEJETA KPO 1082

Oud. 25j | Gem. SI -

Kalwers - | Geweeg -

MHB 040027 SP

MOLL'S-HOOP KHAN

WZ 110006 SP

WILZAK DOROTHY

Oud. 12j | Gem. SI -

Kalwers 7 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	104	121	94	105	110	126	106
74%	53%	76%	50%	26%	42%	30%	46%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	116	117	114	108	111	99	115	102
36%	25%	16%	29%	26%	26%	25%	24%	23%


VERKOPER OPMERKINGS: This exceptional young female traces back to Spartan (3534) and Dorothy (Khan) - a pedigree packed with performance and predictability. If you're looking for a heifer with presence, pedigree, and long-term potential, look no further. 5M incalf to MOs 20 114, MOS 20 86.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 57 (F)

MOS 200267
MOSDENE OLIVIA

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 240754 (M)
Birth Date	2024-11-28
Sire ID	MOS 210039

Calvings: 23-11, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-11-26
Age	4y 8m
Inbreeding	0%
DNA	U3238U099
AFC	35m
Calves	2
Weighed	0
Avg. WI	-
ICP	393d

COW VALUE 96

102	Calving Ease Value
94	Calf Growth Value
93	Milk Value
91	Maintenance Value
112	Fertility Value

GROWTH VALUE 114

CARCASS VALUE 104

PRODUCTION VALUE 101

BH 150268 SP
CIRCLE H OAKLEY
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

SS 100227 HH SP
SANDSONIA SS10227

Age 15y | AFC - | ICP -
Calves 13 | Weighed 7 | Wean Mat. 108
Avg. WI 95 | CCB 6.54 | CCW 37.7

Calvings: 12-12, 13-12, 15-02,
16-03, 16-12, 17-12, 18-12, 19-11,
20-11, 21-12, 23-01, 24-01, 25-05

B 080082 SP
BORGEN B08082 - GRANITE
Wean Mat. 67

MHB 050005 SP
MOLL'S-HOOP ODETTE
Age 16y | AFC - | ICP -
Calves 9 | Weighed 2 | Wean Mat. 105
Avg. WI 103 | Wean Mat. 105

FE 960075 SP
FORRESTER 96/75
Wean Mat. 131

HVT 970015 SP
OUTSPAN HVT970015
Age 14y | AFC - | ICP 385d
Calves 9 | Weighed 1 | Wean Mat. 94
Avg. WI 86 | Wean Mat. 94

KPO622 SP
OL PEJETA 622

KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
K6K3094 SP
MOGWONII 3094 (BMK163)

KPO1698 SP
OL PEJETA 1698
Age 36y | Avg. WI -
Calves - | Weighed -
93/84 SP
FORRESTER 93/84
93/20 SP
FORRESTER 93/20
Age 37y | Avg. WI -
Calves 1 | Weighed -
6SEG096 SP
SEGERA 494
ADC3746 SP
MUTARA ADC3746
Age 37y | Avg. WI -
Calves - | Weighed -


LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother					Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	94	94	93	100	109	112	102
73%	61%	75%	55%	32%	47%	38%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	110	106	108	105	103	111	108	107
34%	30%	14%	34%	32%	32%	28%	27%	26%

SELLER REMARKS: Very few Oakley progeny become available--this cow combines rare genetics with performance with an ICP 393 days, backed by FE 96 75, 3094 and 494 in her pedigree. 4 months in calf to PRB 18 15, QT 12 30, MOS 20 268.

LOT 58 (F)

E 200102
TAMBARAINE JANORA

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf

Calf ID	MOS 250038 (F)
Birth Date	2025-01-20
Sire ID	BH 150314

Calvings: 23-05, 25-01



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-07-18
Age	5y 1m
Inbreeding	2%
DNA	U2531U012
AFC	34m
Calves	2
Weighed	0
Avg. WI	-
ICP	616d

COW VALUE 111

93	Calving Ease Value
119	Calf Growth Value
95	Milk Value
101	Maintenance Value
104	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 112

PRODUCTION VALUE 110

WZ 140052 HH SP
WILZAK JUMBO
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 180015 SP
TAMBARAINE E180015

Age 7y | AFC 30m | ICP 386d
Calves 5 | Weighed 4 | Wean Mat. 86
Avg. WI 99 | CCB - | CCW 40.4
Calvings: 20-07, 21-10, 22-10,
23-09, 24-10

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 88

HOT 100024 SP
HOTSPOT JASMINE
Age 15y | AFC 37m | ICP -
Calves 8 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 86

E 080054 SP
TAMBARAINE E 08 54
Age 12y | AFC 36m | ICP 350d
Calves 11 | Weighed 8 | Wean Mat. 98
Avg. WI 99 | Wean Mat. 98

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
TLM 050543 SP
KETA TLM050543

B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Age 38y | Avg. WI -
Calves 1 | Weighed -
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY

GF2T D SP
GRASMERE 2 T
Age 14y | Avg. WI 103
Calves 9 | Weighed 2

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother					Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	97	119	95	94	104	101	107
68%	68%	78%	61%	38%	66%	44%	59%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	106	107	98	99	104	106	115	101
63%	37%	28%	44%	39%	38%	37%	36%	36%

SELLER REMARKS: Jumbo out of a Rustin daughter very few of these combinations available. Values that speak for themselves. Heifer calf at foot MOS 25 38 from BH 15 314 Gustav.

LOT 59 (F)

MOS 220568
MOSDENE BREE

Kuddeboek	SP
Geb. dtm	2022-12-28
Oud.	2j 7m
Inteling	2%
DNS	U11693U052



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 180019 SP
TAMBARAINE ROSLYN
Oud. 7j | OEK 35m | TKP 411d
Kalwers 5 | Geweeg 2 | Spn. Mat. 83
Gem. SI 105 | KKG - | KKS -
Kalwings: 20-12, 21-12, 22-12,
24-05, 25-06CI 080030 SP
CIRCLE C COJACK
Spn Mat. 106BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 105
Gem. SI 108 | Spn. Mat. 105MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 86E 140003 SP
TAMBARAINE 140003
Oud. 5j | OEK 34m | TKP 426d
Kalwers 3 | Geweeg 2 | Spn. Mat. 75
Gem. SI 95 | Spn. Mat. 75TLM 040507 DH SP
KETA TLM040507 - BUSTERGF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -KP0786 SP
OL PEJETA 786KP0725 SP
OL PEJETA 725
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -25 SP
MARULA 25KPO21 SP
OL PEJETA 21Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -CFH 080173 SP
ELANDSPRUIT CFH08173E 110074 SP
TAMBARAINE 110074
Oud. 6j | Gem. SI 103
Kalwers 4 | Geweeg 3

KOEIWAARDE 97

99	Kalfgemak Waarde
115	Kalfgroei Waarde
97	Melk Waarde
96	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE 103

PRODUKSIE WAARDE 96

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	106	115	97	107	88	86	99
75%	57%	78%	56%	41%	52%	37%	52%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	100	101	102	87	99	115	90	101
48%	39%	24%	42%	41%	40%	36%	35%	35%

VERKOPER OPMERKINGS: The Last Bolt daughter for the day. her dam is offered as LOT 13 with the bonus 8 months in calf to the TOP Bont bull MOS 20 70 Salvador.

LOT 60 (F)

E 200057
TAMBARAINE JENNIFER

Kuddeboek	SP
Geb. dtm	2020-04-21
Oud.	5j 4m
Inteling	1%
DNS	U2531U101
OEK	41m
Kalwers	2
Geweeg	2
Gem. SI	103
TKP	386d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Kalwings: 23-09, 24-10

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 130147 SP
TAMBARAINE E 130147
Oud. 10j | OEK 34m | TKP 454d
Kalwers 5 | Geweeg 3 | Spn. Mat. 93
Gem. SI 106 | KKG - | KKS 49.1
Kalwings: 16-07, 17-09, 18-11,
20-04, 21-06MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 88HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | OEK 37m | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 111
Gem. SI - | Spn. Mat. 111CFH 080173 SP
ELANDSPRUIT CFH08173
Spn Mat. 72E 060018 SP
TAMBARAINE 06 0018
Oud. 10j | OEK 25m | TKP 353d
Kalwers 9 | Geweeg 5 | Spn. Mat. 105
Gem. SI 106 | Spn. Mat. 105KP0786 SP
OL PEJETA 786ADC5761 SP
A.D.C. MUTARA 5761
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -TLM 050543 SP
KETA TLM050543B 960615 SP
BORGEB B 96 615Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -HVT 970017 SP
OUTSPAN HVT970017B 040020 SP
BORGEB B 04 20Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -KB32X SP
KETA KB X 32TLM 040003 SP
KETA TLM 04 03Oud. 16j | Gem. SI 96
Kalwers 13 | Geweeg 5

KOEIWAARDE 115

90	Kalfgemak Waarde
129	Kalfgroei Waarde
98	Melk Waarde
84	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 114

KARKAS WAARDE 120

PRODUKSIE WAARDE 118

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	103	129	98	118	95	121	112
76%	69%	69%	75%	34%	64%	42%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	116	109	118	94	109	117	117	110
53%	32%	23%	59%	34%	33%	31%	30%	30%

VERKOPER OPMERKINGS: Look at the values on this cow. A jumbo daughter going back to 717, GF46S and 2738. 6 months in calf to MOS 20 70, MOS 20 96, E 20 49.

LOT 61 (M)

FN 100786
FONTEINE LIMPOPO MAGIC

Herd Book	SP
Birth date	2010-08-18
Age	14y 12m
Inbreeding	0%
DNA	U5596U041

B 040001 SP
BORGEN B 04001
Wean Mat. 123

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 960615 SP
BORGEN B 96 615
Age 20y | AFC 35m | ICP -
Calves 8 | Weighed - | Wean Mat. 131
Avg. WI - | CCB - | CCW -
Calvings: 99-09, 00-10, 02-01,
02-12, 04-04, 05-04, 08-01, 11-06KPO1017 SP
OL PEJETA 1017
Wean Mat. 72Z7F2773 SP
WORAGUS Z7F 2773
Age 33y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 118
Avg. WI - | Wean Mat. 118K6K1383 SP
MOGWONI K6K1383
Wean Mat. 100PB8828 SP
MUTARA ADC 8828
Age 36y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 133
Avg. WI - | Wean Mat. 133KPO755
OL PEJETA KPO755
16
OL PEJETA 16
Age 43y | Avg. WI -
Calves - | Weighed -
1327
F9575
766
Age 43y | Avg. WI -
Calves - | Weighed -
831 SP
831
54D SP
54
Age 47y | Avg. WI -
Calves 1 | Weighed -
2280 SP
2280
12087 SP
ADC MUTARA 12087
Age 46y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 105

95	Calving Ease Value
107	Calf Growth Value
125	Milk Value
97	Maintenance Value
94	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 113

PRODUCTION VALUE 104

1 CO-USER(S)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 6 x Semen Strooitjes

LOGIX
GENETICS OFFICIAL
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	90	107	125	124	98	90	103
97%	89%	96%	87%	82%	84%	59%	87%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	95	91	99	122	119	119	77	95
72%	78%	67%	70%	83%	82%	79%	75%	74%

LOT 62 (M)

TLM 020012
KETA TLM 02 12

Herd Book	SP
Birth date	2002-06-03
Age	23y 2m
Inbreeding	0%
DNA	UA12860

K6K2459 SP
MOGWONI K6K2459
Wean Mat. 74

Parentage	Sire	Dam
DNA	✓	
Genomic		

ZF3675 SP
SEGERA ZF 3675
Age 32y | AFC - | ICP -
Calves 1 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -
Calvings: 02-06K6K1369
MOGWONI K6K1369
Wean Mat. 100K6K1894
MOGWONI K6K1894
Age 43y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86ZF725
ZF 725
Wean Mat. 105ZF3273
ZF 3273
Age 44y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 105
Avg. WI - | Wean Mat. 105

COW VALUE 70

92	Calving Ease Value
93	Calf Growth Value
84	Milk Value
114	Maintenance Value
67	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 84

PRODUCTION VALUE 68

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 2 x 6 Semen Strooitjes

LOGIX
GENETICS OFFICIAL
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	108	93	84	93	91	68	73
98%	98%	99%	98%	95%	98%	96%	99%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	90	86	89	87	87	79	70	90
96%	94%	94%	97%	95%	95%	94%	94%	94%

LOT 63 (M)



GF 060010

WALT GF0610

Kuddeboek	SP
Geb. dtm	2006-07-27
Oud.	19j
Inteling	0%
DNS	UA142256



BORAN

1 MEDE-GEbruiker(S)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

110 Kalfgemak Waarde

93 Kalfgroei Waarde

105 Melk Waarde

90 Onderhoudswaarde

96 Vrugaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 97

PRODUKSIE WAARDE 91

HVT 990001 SP

OUTSPAN HVT 99 01

Spn Mat. 83

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

TLM 000007 SP

KETA TLM000007

Oud. 16j | OEK 35m | TKP -
Kalwers 10 | Geweeg 1 | Spn. Mat. 103
Gem. SI 91 | KKG - | KKS 39.5

Kalwings: 02-12, 04-05, 08-04,
09-09, 10-09, 11-12, 12-11, 13-11,
14-11, 15-12

LOGIX
GENETICS
EBV Analyse 2025-07-21

HVT 950030 SP

OUTSPAN HVT 95 30

Spn Mat. 69

B 960615 SP

BORGEN B 96 615

Oud. 20j | OEK 35m | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 131
Gem. SI - | Spn. Mat. 131

HVT 950003 SP

OUTSPAN HVT950003

Spn Mat. 101

B 950027 SP

BORGEN B95527

Oud. 20j | OEK 35m | TKP -
Kalwers 9 | Geweeg - | Spn. Mat. 107
Gem. SI - | Spn. Mat. 107

1719 SP

OL PEJETA 1719

5509 SP

5509

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

K6K1383 SP

MOGWOOONI K6K1383

PB8828 SP

MUTARA ADC 8828

Oud. 36j | Gem. SI -

Kalwers - | Geweeg -

BP4570 SP

1603

1946 SP

1946

Oud. 39j | Gem. SI -

Kalwers - | Geweeg -

6SEGO96 SP

SEGERA 494

KPO611 SP

OL PEJETA KPO611

Oud. 21j | Gem. SI -

Kalwers 1 | Geweeg -

Kalf en Moeder

Vrugaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	114	93	105	119	90	102	99
95%	83%	92%	76%	60%	79%	54%	90%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	96	90	108	90	90	95	120	115
62%	55%	35%	54%	61%	59%	47%	44%	43%

VERKOPER OPMERKINGS: 6 x Semen Strooitjies

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.29	-0.15	1.5	0.7	3	4	-3		3.0	2.0	1.0						
Auction Average				29	180	-	51.9	-	-	0.55	-0.11	4.1	0.5	6	5	6	-2	3.1	1	3	101	-	100	101	6.0	87
1	MOS 230047	F	SP	29	166	-	-	-	-	0.34	-0.23	12.0	1.9	15.6	22.4	80	-72	15.3	16	23	108	-	125	99	5	94
2	E 190088	F	SP	28	203	-	40.2	-	-	0.02	0.02	-1.0	0.0	-3.3	-8.6	-43	46	-3.5	-8	-10	100	-	87	98	12	108
3	MOS 220506	F	SP	29	131	-	-	-	-	0.70	0.03	-1.3	-0.2	-4.1	-11.4	-48	65	-4.5	-11	-10	74	-	85	96	4	105
4	MOS 230164	F	SP	29	135	-	-	-	-	-0.38	0.06	1.5	-1.7	6.3	-0.2	-22	28	-7	-0	-3	86	-	80	94	6	104
5	E 180105	F	SP	27	216	-	48.2	-	-	-0.08	-0.15	0.3	-0.6	0.5	-17.8	-35	9	-12.2	-5	-10	100	-	69	101	12	102
6	BH 150290	F	SP	-	-	-	-	-	-	-0.33	0.23	-4.6	9.2	-6.8	0.8	-15	34	-1.3	0	7	-	-	91	102	13	103
7	MOS 220494	F	SP	29	161	-	-	-	-	0.57	0.33	3.5	-3.1	7.2	8.2	15	-19	-.9	3	1	96	-	92	101	3	104
8	MOS 200066	F	SP	29	182	-	-	-	-	1.10	-0.24	3.1	0.4	11.1	7.7	30	-14	5.6	2	11	103	-	105	99	3	90
9	MOS 220408	F	SP	29	178	-	-	-	-	0.74	-0.07	-1.3	2.5	-3.7	-16.1	-54	48	-4.6	-9	-13	106	-	85	112	3	93
10	E 180138	M	SP	27	214	-	53.3	-	-	0.56	0.36	-6.3	2.7	-8.6	-16.5	-74	80	-6.1	-8	-17	101	-	82	101	1	86
11	BH 190244	F	SP	-	-	-	-	-	-	0.44	0.07	2.1	13.4	3.4	35.1	44	-24	8.7	4	12	-	-	112	111	7	93
12	MOS 210324	F	SP	29	127	-	-	-	-	0.03	0.15	-2.6	-4.7	-0.1	-11.8	-85	65	-10.1	-17	-29	68	-	74	80	6	101
13	E 180019	F	SP	26	209	-	52.1	-	-	0.17	-0.55	6.6	-3.6	4.5	3.0	-14	1	1.9	-4	1	107	-	98	95	3	100
14	MOS 220468	F	SP	-	182	-	-	-	-	0.47	-0.32	1.5	3.6	6.4	13.3	-4	13	11.6	-4	-7	100	-	117	110	6	80
15A	E 200101	F	SP	-	213	-	-	-	-	1.71	-0.15	13.9	6.2	16.3	10.5	88	-68	13.3	15	26	125	-	121	112	4	90
15B	MOS 240464	F	SP	31	246	-	60.1	-	-	1.77	-0.17	16.6	0.8	21.5	24.6	120	-99	17.5	24	35	129	-	129	129	2	93
16	MOS 220338	F	SP	29	179	-	-	-	-	0.74	0.05	2.5	-3.9	3.9	4.6	-24	32	5.1	-11	-9	95	-	104	86	4	95
17	PRB 160007	M	SP	34	207	-	-	-	-	0.69	-0.09	4.8	3.3	8.4	13.2	25	-23	12.8	-4	5	100	-	120	108	8	118
18	BH 200037	F	SP	-	-	-	-	-	-	0.58	-0.49	3.1	4.3	7.8	3.8	13	-1	5.9	9	15	-	-	106	109	7	93
19	MOS 220383	F	SP	28	167	-	-	-	-	0.39	0.12	1.5	-4.1	3.4	2.7	-8	18	-.7	-8	-10	98	-	93	97	2	96
20	E 180106	F	SP	26	209	-	56.5	-	-	0.03	0.37	-1.1	-1.4	2.7	-6.1	-28	22	-4.6	-3	-5	97	-	85	97	1	90
21	BH 160482	F	SP	-	-	-	-	-	-	0.21	-0.35	4.6	3.1	2.2	2.2	-10	-16	-4	12	12	-	-	86		1	83
22A	PRB 190026	F	SP	29	187	-	-	-	-	0.28	-0.30	1.3	6.3	0.3	8.7	3	12	-.5	4	12	100	-	93	108	10	92
22B	MOS 240506	F	SP	29	217	-	50.2	-	-	0.88	-0.30	11.3	1.9	12.3	17.4	62	-45	10.2	11	23	113	-	115	109	3	91
23	MOS 230180	F	SP	29	172	-	-	-	-	1.01	-0.14	6.8	2.0	11.9	-0.9	29	-22	1.9	7	13	117	-	98	117	4	108

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.29	-0.15	1.5	0.7	3	4	-3		3.0	2.0	1.0						
Aanbod Gemiddeld				29	180	-	51.9	-	-	0.55	-0.11	4.1	0.5	6	5	6	-2	3.1	1	3	101	-	100	101	6.0	87
24	MOS 230194	V	SP	30	170	-	-	-	-	1.16	-0.37	4.7	-0.9	5.7	0.4	-1	-6	4.7	1	2	114	-	103	109	4	103
25	E 180174	V	SP	28	220	-	-	-	-	0.66	-0.13	5.6	-3.8	3.7	-8.6	-24	2	-3.7	-6	-4	107	-	86	96	4	105
26	MOS 210284	V	SP	29	176	-	-	-	-	0.36	-0.46	4.0	0.2	6.6	4.7	-8	32	.7	5	11	102	-	95	103	5	104
27	MOS 200105	M	SP	30	191	-	-	-	-	1.15	0.01	13.5	-1.8	21.3	24.2	86	-70	15.3	3	21	106	-	125	103	7	97
28	MOS 230049	V	SP	30	136	-	-	-	-	0.32	0.12	3.5	3.5	5.1	12.2	6	-10	3.2	0	3	83	-	101	93	8	87
29	MOS 230117	V	SP	28	157	-	-	-	-	0.87	-0.45	6.7	2.9	11.1	10.0	19	-14	11	1	4	105	-	116	107	3	104
30	E 180029	V	SP	29	204	-	44.9	-	-	0.64	-0.49	5.2	-0.4	3.5	2.4	-15	9	-1.9	-4	1	102	-	90	93	10	107
31A	BH 190297	V	SP	-	-	-	-	-	-	0.16	-0.22	-1.6	-2.4	-1.4	-5.2	-29	47	2.6	-8	-10	-	-	99	100	6	102
31B	MOS 240486	M	SP	29	213	-	52.5	-	-	0.47	-0.13	6.7	-2.5	10.8	12.7	42	-28	10.7	-0	10	103	-	116	96	3	102
32	MOS 200280	V	SP	26	165	-	-	-	-	-0.35	-0.09	0.2	-0.8	2.0	-2.2	-39	43	-2.6	-0	-3	96	-	89	100	7	95
33	MOS 220484	V	SP	29	159	-	-	-	-	0.54	0.15	3.1	-0.5	2.1	-7.5	-32	46	-4.1	-4	-5	95	-	86	101	8	100
34	MOS 200287	M	SP	29	177	-	-	-	-	0.11	0.00	-1.0	-5.5	-4.8	-9.2	-48	46	2.1	-8	-10	100	-	98	93	9	98
35	MOS 200067	M	SP	-	-	-	-	-	-	-0.44	0.07	4.1	-0.1	6.4	9.7	16	15	2.9	-1	4	-	-	100	101	7	81
36A	MOS 220015	V	SP	28	153	-	-	-	-	0.14	0.26	1.6	-5.0	0.5	-6.3	-60	79	-8.2	-13	-18	92	-	77	95	10	108
36B	MOS 240631	V	SP	29	-	-	-	-	-	0.67	0.25	0.6	-2.0	2.7	-2.7	-40	46	-8.5	-5	-11	-	-	77		1	98
37	MOS 210218	V	SP	28	170	-	-	-	-	0.77	-0.25	7.9	-2.9	10.4	-0.2	19	-34	7.7	4	4	94	-	110	100	5	109
38	MOS 230102	V	SP	29	163	-	-	-	-	1.02	-0.14	6.8	-1.3	7.0	3.8	12	-1	1.2	1	5	109	-	96	100	5	108
39	MOS 230016	V	SP	30	174	-	-	-	-	0.95	0.00	4.4	1.9	8.0	7.7	7	6	2	-1	3	105	-	98	102	5	105
40	E 190090	V	SP	29	202	-	58.6	-	-	-0.10	0.12	-1.2	-0.2	-1.5	-3.1	-23	1	-9.9	2	-4	100	-	74	98	13	111
41	MOS 230099	V	SP	29	172	-	-	-	-	1.31	-0.60	11.4	-1.3	14.8	9.0	52	-55	7.9	10	14	117	-	110	101	6	101
42	MOS 220343	V	SP	28	198	-	-	-	-	0.77	-0.08	7.5	1.8	13.7	5.0	58	-58	11.1	12	16	106	-	117	110	3	102
43A	E 200079	V	SP	29	170	-	-	-	-	1.02	-0.27	7.4	-0.1	12.8	16.4	29	-17	9.3	0	7	96	-	113	100	6	100
43B	MOS 240649	V	SP	29	-	-	-	-	-	1.19	-0.26	12.5	-0.9	16.4	20.2	70	-53	14.4	9	19	-	-	123	91	2	89
44	MOS 220428	V	SP	28	189	-	-	-	-	0.65	-0.16	5.6	0.0	6.0	8.2	12	-29	-5.8	3	6	100	-	82	109	2	70
45	MOS 230058	V	SP	30	144	-	-	-	-	0.77	-0.09	3.7	0.3	4.4	-0.9	-17	3	-1.6	-5	-6	90	-	91	99	4	94

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.29	-0.15	1.5	0.7	3	4	-3		3.0	2.0	1.0						
Auction Average				29	180	-	51.9	-	-	0.55	-0.11	4.1	0.5	6	5	6	-2	3.1	1	3	101	-	100	101	6.0	87
46	MOS 200220	F	SP	27	170	-	-	-	-	0.05	-0.49	-0.3	3.5	-2.5	-11.3	-47	67	-11	-3	-8	99	-	72	96	10	103
47	MOS 230109	F	SP	29	142	-	-	-	-	0.51	-0.21	2.9	3.7	3.9	8.3	-1	-2	10.5	-2	-3	92	-	115	107	5	95
48	MOS 220415	F	SP	29	176	-	-	-	-	0.64	0.22	6.7	-3.7	13.3	0.4	27	-25	8.4	8	6	98	-	111	93	2	80
49	MOS 220089	F	SP	28	197	-	-	-	-	0.29	0.08	9.8	2.2	15.0	21.4	68	-55	13.3	16	26	119	-	121	113	4	91
50A	MOS 190006	F	SP	27	-	-	-	-	-	0.62	-0.09	4.4	5.3	8.9	6.4	42	-46	3.6	7	15	-	-	101	99	6	103
50B	MOS 240522	M	SP	31	242	-	54	-	-	1.15	-0.07	10.7	1.4	13.9	25.2	100	-94	8.2	18	33	118	-	111	110	3	102
51	MOS 230048	F	SP	30	159	-	-	-	-	0.76	-0.18	2.8	1.6	4.0	2.3	-2	6	8.4	-9	-6	101	-	111	101	10	96
52A	MOS 220082	F	SP	30	164	-	-	-	-	0.96	0.00	-2.5	0.7	-3.2	-6.1	-52	66	-5.6	-8	-13	94	-	83	102	11	102
52B	MOS 240549	F	SP	28	201	-	-	-	-	1.03	-0.17	1.0	0.3	5.9	-0.5	-21	13	-1.3	-4	-10	104	-	91	104	1	107
53	MOS 210428	F	SP	30	-	-	-	-	-	1.55	-0.06	6.2	0.1	10.1	13.2	35	-29	9.6	2	6	-	-	113	98	7	86
54A	MOS 200078	F	SP	22	167	-	-	-	-	-0.77	-0.09	2.3	4.4	7.8	24.8	65	-41	12.1	2	13	103	-	118	106	6	90
54B	MOS 240392	M	SP	30	217	-	52.7	-	-	0.19	-0.07	7.2	0.8	10.6	27.7	77	-61	7.6	8	19	105	-	109	107	2	95
55	MOS 220005	F	SP	29	171	-	-	-	-	0.32	0.21	2.5	-1.3	2.4	-4.4	-23	36	-8.8	-1	0	105	-	76	98	12	108
56	MOS 230070	F	SP	29	153	-	-	-	-	0.39	-0.29	8.4	-0.9	10.1	15.4	40	-49	5.4	7	9	97	-	105	93	6	115
57	MOS 200267	F	SP	26	167	-	-	-	-	-0.03	0.03	-0.5	-1.2	2.5	10.6	24	-16	3.1	5	3	94	-	100	95	13	112
58	E 200102	F	SP	-	194	-	-	-	-	0.76	-0.06	7.6	-0.6	9.5	2.4	14	-22	0	1	4	109	-	94	99	5	111
59	MOS 220568	F	SP	29	162	-	-	-	-	0.65	-0.33	6.4	-0.1	7.4	5.9	-4	-3	6.2	-6	0	97	-	107	105	5	102
60	E 200057	F	SP	29	-	-	-	-	-	1.14	-0.23	10.7	0.2	15.4	18.6	39	-28	12	-2	8	-	-	118	106	5	79
61	FN 100786	M	SP	-	-	-	-	-	-	0.32	0.15	3.7	7.1	11.5	3.7	-15	27	14.8	16	16	-	-	124		8	37
62	TLM 020012	M	SP	-	-	-	-	-	-	1.20	-0.38	-0.8	-3.4	-4.5	-5.1	-29	40	-5	-6	-10	-	-	93		1	-627
63	GF 060010	M	SP	29	-	-	-	-	-	0.19	-0.58	-0.6	1.9	5.4	10.8	-14	28	12.6	-4	-8	-	-	119	91	10	100

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik