

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

NU-ALCADE BONSMARA GROEP

Veilingsdatum / Auction Date:
25 September 2025

Data soos op / Data as on:
26 August 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♂GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♂GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♂GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 L♂GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
THINUS MARITZ BOERDERY


TMB 220291 HH(c)
2022-08-28
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


TMB 190444 HH(c)
TMB 190134
AGE/CALV. 5/4
AVG. Wt/CALV. 113/4
ICP 371

CEF 160333 HH(c)
TMB 150509
AGE/CALV. 10/8
AVG. Wt/CALV. 104/7
ICP 393
BBM 140034 HH(c)
HJS 110161
AGE/CALV. 11/9
AVG. Wt/CALV. 104/9
ICP 401

CEF 130441
CEF 120141
AGE/CALV. 13/9
AVG. Wt/CALV. 106/7
MMJ 080086
HJS 000153
AGE/CALV. 15/13
AVG. Wt/CALV. 99/12
BBM 080070
JRB 030026
AGE/CALV. 18/15
AVG. Wt/CALV. 109/14
HJS 070115
HJS 030273
AGE/CALV. 10/8
AVG. Wt/CALV. 95/9

Calving Ease Value
126
Weaner Calf Value
113
Fertility Value
74
Maintenance Value
109
Cow Value
103
Growth Value
105
Carcass Value
116

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	105	91	66	86	68	106	101	96	75	90	80	82	99	118	114

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	-	-	110	-	331	1.28

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Sterk bul, vol voorkwart. Besondere sprong van rib. Breed in kop, nek, skof- dik in lyf. Sterk bene and kloue. Geskik vir uitgetroeide verse. Sterk Tw's. Gebruik in kudde. SC:380

LOGIX EBV Analysis: 2025-08-17

LOT 2
INTERSWART INGDIENSTE EDMS BPK


FDS 220142
2022-09-28
SP
Parentage Sire Dam
DNA ☒ ☒
Genomic ☒


ABB 160024 HH(c)
FDS 110084
AGE/CALV. 13/11
AVG. Wt/CALV. 102/10
ICP 378
ABB 090366
ABB 130114
AGE/CALV. 10/8
AVG. Wt/CALV. 99/8
ICP 372
AEK 040007
FDS 070067
AGE/CALV. 13/11
AVG. Wt/CALV. 98/10
ICP 363

HDE 050160
ABB 070256
AGE/CALV. 3/1
AVG. Wt/CALV. 106/1
KAN 090003
ABB 090216
AGE/CALV. 5/3
AVG. Wt/CALV. 100/3
AG 960059
AEK 010164
AGE/CALV. 13/12
AVG. Wt/CALV. 108/8
NFS 020136
FDS 980101
AGE/CALV. 13/5
AVG. Wt/CALV. 89/5

Calving Ease Value
102
Weaner Calf Value
105
Fertility Value
90
Maintenance Value
91
Cow Value
101
Growth Value
107
Carcass Value
105

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	105	105	99	83	98	101	111	111	108	108	96	97	101	91	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	119	-	364	1.27

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Goed aangepaste bul met sterk donker nek and skof. Goeie kapasiteit. Vol lende en goeie stert aanhegting. Bene, kloue en hieldiepte vertoon goed. Geskik vir verse. Sterk Tw's.

LOGIX EBV Analysis: 2025-08-17

LOT 3
J.A. BENEKE


JAB 210123
2021-10-25
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


SBJ 180023
JAB 150144
AGE/CALV. 9/7
AVG. Wt/CALV. 107/7
ICP 371
BBM 070055 HH(c)
FDS 130123
AGE/CALV. 10/8
AVG. Wt/CALV. 97/7
ICP 388
LAR 100078
JAB 080065
AGE/CALV. 9/7
AVG. Wt/CALV. 95/7
ICP 384

JRB 000116
JRB 030026
AGE/CALV. 18/15
AVG. Wt/CALV. 109/14
FDS 090090
FDS 080047
AGE/CALV. 8/6
AVG. Wt/CALV. 99/6
LAR 050350
LAR 060095
AGE/CALV. 5/3
AVG. Wt/CALV. 98/3
TBR 040544
JAB 970025
AGE/CALV. 13/10
AVG. Wt/CALV. 100/8

Calving Ease Value
102
Weaner Calf Value
108
Fertility Value
110
Maintenance Value
94
Cow Value
113
Growth Value
113
Carcass Value
118

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	107	104	121	95	109	113	106	109	108	105	106	103	99	114	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	101	-	394	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: n Goed bevelesde bul met vol borsvloer en skoon onderlyn. Sterk verdonkering. Gebruik op koeie. In kudde gebruik. Merkwaaardige Tw's.

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 4

THINUS MARITZ BOERDERY

TMB 220169 HH(c)
2022-07-30
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓

TMB 200324
OUD/KALW. 5/3
GEM. SI/KALW. 111/2
TKP 377

TMB 190231 HH(c)

TMB 170208
OUD/KALW. 7/5
GEM. SI/KALW. 93/5
TKP 372

MMJ 070144

TMB 140690
OUD/KALW. 10/9
GEM. SI/KALW. 101/9
TKP 365

DAJ 150086 HH(c)

TOR 070049

DAJ 120094
OUD/KALW. 8/5
GEM. SI/KALW. 105/5

TMB 130363 HH(c)

TMB 150700
OUD/KALW. 3/2
GEM. SI/KALW. 105/1

BHE 030083

MMJ 000221
OUD/KALW. 9/7
GEM. SI/KALW. 113/7

CEF 100516

TMB 110252
OUD/KALW. 5/3
GEM. SI/KALW. 108/3Geboortegemak
Waarde
112Speenkalv
Waarde
119Vrugbaarheids-
waarde
118Onderhouds-
waarde
102Koeiwaarde
129Groei-
waarde
107Karkas-
waarde
127

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	105	117	115	114	104	124	103	107	104	95	84	99	115	143	142

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
112	-	-	104	-	382	1.30

Miostation

Q204X	0
NT821	0
F94L	0

OPMERKINGS: Baie om te waardeer. Kop, bek, oogbanke, nek, skof, lyne, aansluiting van ledemate, bene and kloue baie goed. Gebruik in kudde. "Kurwe Knakker" status! SC:400

LOGIX EBV Analise: 2025-08-17

LOT 5

THINUS MARITZ BOERDERY

TMB 220072 HH(c)
2022-03-06
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓

TMB 170558
OUD/KALW. 6/4
GEM. SI/KALW. 112/4
TKP 424

TMB 160299 HH(c)

CEF 130028
OUD/KALW. 12/10
GEM. SI/KALW. 100/11
TKP 390

CEF 100418

MMJ 120061
OUD/KALW. 7/6
GEM. SI/KALW. 101/6
TKP 371

HJS 140016

CSW 080019

HJS 110388
OUD/KALW. 5/3
GEM. SI/KALW. 105/3

AG 070480

CEF 020109
OUD/KALW. 16/14
GEM. SI/KALW. 103/15

CEF 080460

CEF 080018
OUD/KALW. 7/4
GEM. SI/KALW. 92/4

MMJ 090050

MMJ 090223
OUD/KALW. 7/4
GEM. SI/KALW. 113/4Geboortegemak
Waarde
92Speenkalv
Waarde
118Vrugbaarheids-
waarde
79Onderhouds-
waarde
100Koeiwaarde
102Groei-
waarde
112Karkas-
waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	117	99	87	95	68	108	119	109	99	99	90	111	115	83	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
124	-	-	119	-	342	1.28

Miostation

Q204X	0
NT821	0
F94L	0

OPMERKINGS: Die bul is lank, diep and breed. Gewensde agterkwart. Sterk bene, goeie kote en kloue, vol borsvloer. Struktureel korrek. Gebruik op koeie. SC:400. Gebruik in kudde.

LOGIX EBV Analise: 2025-08-17

LOT 6

BESTRINA TRUST BOERDERY

BTB 220099
2022-10-13
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓

HAS 160022
OUD/KALW. 9/7
GEM. SI/KALW. 101/6
TKP 397

CEF 170475

CEF 150565

CEF 150073
OUD/KALW. 10/7
GEM. SI/KALW. 104/7
TKP 409

ADV 100321 HH(c)

KVB 090133
OUD/KALW. 11/7
GEM. SI/KALW. 104/6
TKP 466

CEF 120399

CEF 100170
OUD/KALW. 14/9
GEM. SI/KALW. 98/9

CEF 120399

CEF 110227
OUD/KALW. 4/3
GEM. SI/KALW. 105/2

ADV 070005

ADV 070052
OUD/KALW. 7/5
GEM. SI/KALW. 106/4

EI 940339

KVB 030099
OUD/KALW. 15/13
GEM. SI/KALW. 102/13Geboortegemak
Waarde
107Speenkalv
Waarde
101Vrugbaarheids-
waarde
93Onderhouds-
waarde
116Koeiwaarde
97Groei-
waarde
102Karkas-
waarde
87

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	103	80	79	107	90	96	99	105	98	86	96	94	97	72	76

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
90	-	-	91	-	349	1.21

Miostation

Q204X	0
NT821	0
F94L	0

OPMERKINGS: Fenotopies voldoen hierdie bul aan al die eienskappe van n volwaardige stoet bul! Hy beskryf homself...Fenotopies merkwaardig. Geskik vir verse. SC:420

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 7



JAB 210013
2021-05-28
SP

Parentage Sire Dam

DNA
Genomic

J.A. BENEKE

KBS 150104



JAB 170021
AGE/CALV. 8/6
AVG. Wt/CALV. 106/5
ICP 414

CEF 100304 HH(c) WJK 090043 AGE/CALV. 14/10 AVG. Wt/CALV. 102/9 ICP 399 AG 120050 JAB 110090 AGE/CALV. 8/6 AVG. Wt/CALV. 97/6 ICP 368	CEF 080025 CEF 070151 AGE/CALV. 15/13 AVG. Wt/CALV. 101/12 CEF 030351 CEF 070036 AGE/CALV. 8/3 AVG. Wt/CALV. 110/3 AG 060160 CEF 020007 AGE/CALV. 16/12 AVG. Wt/CALV. 99/10 WJP 060012 JAB 060006 AGE/CALV. 7/5 AVG. Wt/CALV. 105/3
--	--

Calving Ease Value 124	Weaner Calf Value 114	Fertility Value 100	Maintenance Value 133	Cow Value 119	Growth Value 92	Carcass Value 105
----------------------------------	---------------------------------	-------------------------------	---------------------------------	-------------------------	---------------------------	-----------------------------

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	92	111	102	116	86	108	86	100	107	71	104	102	106	143	112

Wean Index 105	365D Index -	540D Index -	ADG Index 111	FCR Index -	Scrotum 373	LH 1.19
--------------------------	-----------------	-----------------	-------------------------	----------------	-----------------------	-------------------

REMARKS: Manlike bul: sterk kop, bek and oogbanke. Vol aansluiting van nek na blad. Goeie oogspier, lende en kruis lengte. In kudde gebruik. Geskik vir verse. "Kurwe knakker"

Myostatin	
Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2025-08-17

LOT 8 **INTERSWART INGDIENSTE EDMS BPK**

@interswart

FDS 220158
2022-10-06
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		

FDS 200013
AGE/CALV. 5/3
AVG. Wt/CALV. 100/2
ICP 482

TMB 160668 **AG 120043**
AGE/CALV. 4/3
AVG. Wt/CALV. 102/2

FDS 160098 **NFS 110196**
AGE/CALV. 9/6
AVG. Wt/CALV. 105/6
ICP 403

ABB 160024 HH(c) **FDS 080096**
AGE/CALV. 16/15
AVG. Wt/CALV. 104/13

ABB 090366 **ABB 130114**
AGE/CALV. 10/8
AVG. Wt/CALV. 99/8

FDS 170143 **NFS 140132**
AGE/CALV. 7/6
AVG. Wt/CALV. 99/4
ICP 373

FDS 150227 **FDS 150227**
AGE/CALV. 2/1
AVG. Wt/CALV. 119/1

Calving Ease Value 112	Weaner Calf Value 104	Fertility Value 92	Maintenance Value 95	Cow Value 102	Growth Value 102	Carcass Value 99
---	--	-------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	-----------------------------------

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	104	98	111	93	95	98	105	109	108	103	92	99	116	80	85

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
105	-	-	101	-	381	1.27

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Sterk kop, nek en skof met goeie balans. Baie vleis op toplyn, goeie kruis en stert aanhegting. Geskik vir verse.

LOGIX EBV Analysis: 2025-08-17

 BTB 220123 2022-12-27 SP	LOT 9	BESTRINA TRUST BOERDERY	
	CEP 170545 		CEP 130548 HH(c) AGE/CALV. 14/11 AVG. WI/CALV. 104/11
	BPJ 090043 AGE/CALV. 14/12 AVG. WI/CALV. 109/9 ICP 394		CEP 100170 AGE/CALV. 14/9 AVG. WI/CALV. 98/9 ICP 386
	BHE 000031 AGE/CALV. 13/11 AVG. WI/CALV. 97/11 ICP 366		FCT 000065 AGE/CALV. 12/9 AVG. WI/CALV. 105/9

Parentage Sire Dam	
DNA ✓	
Genomic	

GJN 100238	CEP 110046 AGE/CALV. 14/11 AVG. WI/CALV. 104/11	CEP 080338	CEP 070013 AGE/CALV. 12/10 AVG. WI/CALV. 100/10	BG 950063	FCT 960053 AGE/CALV. 12/9 AVG. WI/CALV. 105/9	AG J 0008	BHE 940110 AGE/CALV. 8/7 AVG. WI/CALV. 104/6
-------------------	--	-------------------	--	------------------	--	------------------	---

Calving Ease Value 107	Weaner Calf Value 118	Fertility Value 114	Maintenance Value 96	Cow Value 123	Growth Value 116	Carcass Value 126
---	--	--------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	115	97	91	131	106	95	119	116	109	103	103	115	122	100	103

Wean Index 113	365D Index -	540D Index -	ADG Index 108	FCR Index -	Scrotum 344	LH 1.27
--------------------------	-----------------	-----------------	-------------------------	----------------	-----------------------	-------------------

REMARKS: Jong wakker bul: gewensde lyne, uitstekende agterkwart spierlengte. Netjiese kruis, stert aanhegting, skoon onderlyn. Sterk bene. Gebruik op koeie. Top Tw's. SC:410

Myostatin	
Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 10 INTERSWART INGDIENTE EDM'S
BPK

@interswart

FDS 220155
2022-10-05
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

ABB 160024 HH(c)

FDS 190023
OUD/KALW. 6/4
GEM. SI/KALW. 118/2
TKP 422

ABB 090366

ABB 130114
OUD/KALW. 10/8
GEM. SI/KALW. 99/8
TKP 372

TMB 160668

FDS 140158
OUD/KALW. 10/9
GEM. SI/KALW. 107/7
TKP 365

HDE 050160

ABB 070256
OUD/KALW. 3/1
GEM. SI/KALW. 106/1

KAN 090003

ABB 090216
OUD/KALW. 5/3
GEM. SI/KALW. 100/3

AG 120043

TMB 140350
OUD/KALW. 4/3
GEM. SI/KALW. 102/2

NFS 080186

FDS 100028
OUD/KALW. 10/8
GEM. SI/KALW. 108/6Geboortegemak
Waarde
105Speenkalf
Waarde
119Vrugbaarheids-
waarde
98Onderhouds-
waarde
100Koeiwaarde
118Groei-
waarde
89Karkas-
waarde
103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	108	118	117	93	95	114	107	89	84	98	101	98	112	94	84

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
124	-	-	90	-	388	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Sanga-tipe Bonsmara bul! Goeie ribsprong en kapasiteit, breed oor die toplyn, sitbene en deur die dye. Teel van vervangingsverse. Geskik vir verse. Sterk Tw's.

LOGIX EBV Analise: 2025-08-17

LOT 11 OUHOUDT BONSMARAS

OUH 230063
2023-03-29
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

CEF 190471

LAR 120198
OUD/KALW. 12/9
GEM. SI/KALW. 95/9
TKP 396

CEF 150315

CEF 150112
OUD/KALW. 10/7
GEM. SI/KALW. 103/6
TKP 391

AG 070457

LAR 040157
OUD/KALW. 15/12
GEM. SI/KALW. 91/12
TKP 405

CEF 100304 HH(c)

CEF 050121
OUD/KALW. 12/10
GEM. SI/KALW. 99/10

CEF 130437

CEF 130057
OUD/KALW. 4/2
GEM. SI/KALW. 102/1

AG 040077

HJB 020092
OUD/KALW. 11/7
GEM. SI/KALW. 102/5

RCO 000281

LAR 970205
OUD/KALW. 14/8
GEM. SI/KALW. 104/7Geboortegemak
Waarde
88Speenkalf
Waarde
98Vrugbaarheids-
waarde
99Onderhouds-
waarde
103Koeiwaarde
92Groei-
waarde
108Karkas-
waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	110	76	87	105	98	100	106	109	104	96	91	102	96	106	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	-	-	106	-	338	1.28

Miostatien	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: Jong bul met sterk toplyn en ribsprong. Netjiese testes, naelvel en skede. Bul wat goeie bouwvorm potensiaal wys. Gebruik op koeie.

LOGIX EBV Analise: 2025-08-17

LOT 12 THINUS MARITZ BOERDERY

Thinus Maritz
Boerdery

TMB 220329 HH(c)

2022-09-01
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies ✓

TMB 180135 HH(c)

TMB 170425
OUD/KALW. 8/6
GEM. SI/KALW. 104/5
TKP 376

CEF 100304 HH(c)

JDB 140035
OUD/KALW. 11/9
GEM. SI/KALW. 99/9
TKP 393

HJS 110365

HJS 080058
OUD/KALW. 14/12
GEM. SI/KALW. 106/11
TKP 362

CEF 080025

CEF 070151
OUD/KALW. 15/13
GEM. SI/KALW. 101/12

JDB 100004

JDB 100059
OUD/KALW. 7/6
GEM. SI/KALW. 96/5

HJS 080243

HJS 060016
OUD/KALW. 14/12
GEM. SI/KALW. 109/12

CEF 030417

HJS 030129
OUD/KALW. 10/8
GEM. SI/KALW. 101/8Geboortegemak
Waarde
105Speenkalf
Waarde
110Vrugbaarheids-
waarde
94Onderhouds-
waarde
117Koeiwaarde
109Groei-
waarde
119Karkas-
waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	96	120	114	82	92	121	93	116	105	85	93	105	106	100	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	106	-	369	1.30

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Vleisdraer! Vol voor, middel, agter. Netjiese kruis en stert aanhegting. Teel sterk vervangingsverse en swaar speenkalwers. Gebruik op verse en koeie in kudde.SC:420.

LOGIX EBV Analise: 2025-08-17

BULLS

LOT 13 *THINUS MARITZ BOERDERY*


TMB 220435 HH(c)
2022-09-19
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


TMB 170222
AGE/CALV. 8/6
AVG. Wt/CALV. 104/6
ICP 361

CEF 110301 HH(c)
CEF 130317 HH(c)
CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7
ICP 387
HJS 080115
TMB 150347
AGE/CALV. 3/2
AVG. Wt/CALV. 105/1
ICP 439

CEF 080338
CEF 080218
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6
HOT 060054
CEF 020218
AGE/CALV. 11/7
AVG. Wt/CALV. 91/8
RCO 980037
HJS 010038
AGE/CALV. 18/14
AVG. Wt/CALV. 103/13
CEF 100516
TMB 120224
AGE/CALV. 11/10
AVG. Wt/CALV. 96/9

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
101	121	125	92	130	133	139

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	121	94	133	115	118	120	124	129	116	108	96	108	108	136	144

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	117	-	371	1.30

REMARKS: Waar feno- en genotipe bymekaar kom. Strukturele korrektheid. Kop, bek, nek, skof, algehele balans...Alles in plek! Geskik vir uitgetroeide verse. In kudde gebruik. SC:420

Myostatin	
Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2025-08-17

LOT 14 *J.A. BENEKE*


JAB 220078
2022-10-02
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


JAB 150160
AGE/CALV. 9/7
AVG. Wt/CALV. 94/5
ICP 359

JCV 140106
OLI 140006
AGE/CALV. 10/8
AVG. Wt/CALV. 99/7
ICP 411
LAR 100078
JAB 090086
AGE/CALV. 9/6
AVG. Wt/CALV. 100/6
ICP 405

GJS 070072 HH(c)
JCV 070133
AGE/CALV. 9/7
AVG. Wt/CALV. 100/7
BBN 090020
OLI 090404
AGE/CALV. 11/8
AVG. Wt/CALV. 103/8
LAR 050350
LAR 060095
AGE/CALV. 5/3
AVG. Wt/CALV. 98/3
JAB 060042
JAB 070023
AGE/CALV. 9/6
AVG. Wt/CALV. 111/5

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
108	92	108	108	98	92	88

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	99	80	118	96	113	106	96	98	102	92	95	93	94	65	90

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	-	-	99	-	402	1.23

REMARKS: Donker rooi bul met duidelike verdonkering. Goeie kop, skof en netjiese lyne. Vol borsvloer. Geskik vir verse.

Myostatin	
Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2025-08-17

LOT 15 *J.A. BENEKE*


JAB 220023
2022-06-09
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


JAB 120099
AGE/CALV. 12/10
AVG. Wt/CALV. 98/10
ICP 367

JCV 140106
OLI 140006
AGE/CALV. 10/8
AVG. Wt/CALV. 99/7
ICP 411
BEI 090115
JAB 040057
AGE/CALV. 15/12
AVG. Wt/CALV. 95/11
ICP 407

GJS 070072 HH(c)
JCV 070133
AGE/CALV. 9/7
AVG. Wt/CALV. 100/7
BBN 090020
OLI 090404
AGE/CALV. 11/8
AVG. Wt/CALV. 103/8
BEI 020134
BEI 000035
AGE/CALV. 13/11
AVG. Wt/CALV. 99/11
TBR 970772
JAB 980006
AGE/CALV. 9/5
AVG. Wt/CALV. 90/5

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
137	90	119	123	109	100	87

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
133	86	78	112	115	117	103	86	105	115	82	109	98	96	90	93

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
90	-	-	101	-	375	1.20

REMARKS: Bul met netjiese balans, sterk skof, oogspier en lende op toplyn. Lang kruis lengte met netjiese kruis en stert aanhegting. Geskik vir verse.

Myostatin	
Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 16 THINUS MARITZ BOERDERY

 **CEM** TMB 220203 HH(c)
2022-08-13
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

CEM 180450



TMB 200329
OUD/KALW. 2/1
GEM. SI/KALW. 110/1
TKP -

CEM 110059
OUD/KALW. 9/7
GEM. SI/KALW. 93/7
TKP 366

CEM 150418 HH(c)

TMB 160431
OUD/KALW. 8/7
GEM. SI/KALW. 105/8
TKP 370

GJN 100238

CEM 110046
OUD/KALW. 14/11
GEM. SI/KALW. 104/11

CEM 070487

CEM 020206
OUD/KALW. 13/11
GEM. SI/KALW. 98/11

CEM 100304 HH(c)

CEM 090070 HH(c)
OUD/KALW. 11/8
GEM. SI/KALW. 106/7

AG 100384

CJ 100056
OUD/KALW. 8/7
GEM. SI/KALW. 112/7

Geboortegemak Waarde 107	Speenkalf Waarde 120	Vrugbaarheids- waarde 111	Onderhouds- waarde 93	Koeiwaarde 124	Groei- waarde 99	Karkas- waarde 123
---------------------------------------	-----------------------------------	--	------------------------------------	--------------------------	-------------------------------	---------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	113	107	67	125	101	97	114	91	90	106	95	103	122	139	101

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	-	-	102	-	325	1.27

OPMERKINGS: Goeie top- en skoon onderlyn. Vol lies, sterk bene, goeie balans. Let op korrelasie tussen vrugbaarheid en vet. Geskik vir verse. Sterk Tw's. In kudde gebruik.SC:380

LOGIX EBV Analise: 2025-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

LOT 17 THINUS MARITZ BOERDERY

 **CEM** TMB 210376 HH(c)
2021-09-04
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies ✓

CEM 160299 HH(c)



AG 080005
OUD/KALW. 14/12
GEM. SI/KALW. 107/12
TKP 364

CEM 130028
OUD/KALW. 12/10
GEM. SI/KALW. 100/11
TKP 390

AG 040193

AG 980061
OUD/KALW. 16/13
GEM. SI/KALW. 103/11
TKP 381

CSW 080019

HJS 110388
OUD/KALW. 5/3
GEM. SI/KALW. 105/3

AG 070480

CEM 020109
OUD/KALW. 16/14
GEM. SI/KALW. 103/15

AG 990104

AG 960075
OUD/KALW. 17/13
GEM. SI/KALW. 103/12

RCO 930012

AG 920076
OUD/KALW. 21/18
GEM. SI/KALW. 103/18

Geboortegemak Waarde 120	Speenkalf Waarde 89	Vrugbaarheids- waarde 89	Onderhouds- waarde 130	Koeiwaarde 92	Groei- waarde 94	Karkas- waarde 80
---------------------------------------	----------------------------------	---------------------------------------	-------------------------------------	-------------------------	-------------------------------	--------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
146	81	98	84	99	75	119	87	92	91	74	70	66	80	102	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
109	-	-	103	-	349	1.28

OPMERKINGS: Sterk bespierung, goeie breedte. Bree kop, goeie oogbanke en sterk skof ontwikkeling. Geskik vir uitgegroeide verse. In kudde gebruik. SC:440

LOGIX EBV Analise: 2025-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

LOT 18 BESTRINA TRUST BOERDERY

 **HJS** 220236
2022-10-20
SP

Ouerskap Vaar Moer

DNS

Genomies

HJS 190277



HJS 160061
OUD/KALW. 9/7
GEM. SI/KALW. 101/7
TKP 379

HJS 160313
OUD/KALW. 5/2
GEM. SI/KALW. 107/2
TKP 448

LEL 080010

HJS 090081
OUD/KALW. 7/5
GEM. SI/KALW. 100/5
TKP 396

FCT 080118

BBM 100027 HH(c)
OUD/KALW. 15/13
GEM. SI/KALW. 107/12

HJS 120250

HJS 120252
OUD/KALW. 12/10
GEM. SI/KALW. 100/7

BG 050035

LEL 050101
OUD/KALW. 11/9
GEM. SI/KALW. 112/7

HJS 060126

HJS 040260
OUD/KALW. 13/11
GEM. SI/KALW. 96/10

Geboortegemak Waarde 114	Speenkalf Waarde 103	Vrugbaarheids- waarde 99	Onderhouds- waarde 97	Koeiwaarde 103	Groei- waarde 99	Karkas- waarde 100
---------------------------------------	-----------------------------------	---------------------------------------	------------------------------------	--------------------------	-------------------------------	---------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	105	87	108	104	98	103	104	96	93	102	78	87	107	85	91

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	-	-	97	-	383	1.28

OPMERKINGS: Sterk manlike bul! Diep nek, goeie skofplasing, verdonkering, vol agterkwart. Skoon onderlyn, korrekte skrotum, naelvel en skede. Gebruik op koeie. SC:420

LOGIX EBV Analise: 2025-08-17

Miostation	
Q204X	1
NT821	0
F94L	0

BULLS

LOT 19

J.A. BENEKE



JAB 220073
2022-08-11
SP

Parentage Sire Dam

DNA ✓ ✓

Genomic

JAB 190003



JAB 170059
AGE/CALV. 6/3
AVG. Wt/CALV. 98/2
ICP 406

HVD 140007

JAB 120099
AGE/CALV. 12/10
AVG. Wt/CALV. 98/10
ICP 367

JAB 140054

JAB 100047
AGE/CALV. 11/9
AVG. Wt/CALV. 94/7
ICP 405

BBN 090176
SYF 080182
AGE/CALV. 14/12
AVG. Wt/CALV. 94/12

BEI 090115
JAB 040057
AGE/CALV. 15/12
AVG. Wt/CALV. 95/11

LAR 100078

JAB 090123
AGE/CALV. 7/4
AVG. Wt/CALV. 111/3

JAB 060034

JAB 000133
AGE/CALV. 13/9
AVG. Wt/CALV. 105/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
136	92	100	123	102	98	97

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
133	83	90	96	105	101	92	85	99	89	81	91	85	84	115	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
94	-	-	100	-	357	1.22

Myostatin

Q204X 0

NT821 0

F94L 0

REMARKS: Bul met sterk kop, bek, nek en skof. Verdonkering op bul, beklemtoon sy sterk manlikheid. Vroeg ontwikkelde bul. Geskik vir verse.

LOGIX EBV Analysis: 2025-08-17

LOT 20

Parentage

Sire	Dam
DNA ✔	
Genomic ✔	

THINUS MARITZ BOERDERY

TMB 190572
AGE/CALV. 5/4
AVG. Wt/CALV. 102/4
ICP 371

AG 160402 AGE/CALV. 11/9 AVG. Wt/CALV. 101/9 AG 080090 AGE/CALV. 13/11 AVG. Wt/CALV. 105/11 ICP 370 CEF 130317 HH(c) AGE/CALV. 13/9 AVG. Wt/CALV. 103/7 JDB 080063 AGE/CALV. 12/11 AVG. Wt/CALV. 103/10 ICP 366	CEW 110234 AGE/CALV. 11/9 AVG. Wt/CALV. 101/9 AG 040158 HTC 010028 AGE/CALV. 15/10 AVG. Wt/CALV. 110/10 CEF 110301 HH(c) CEF 100161 AGE/CALV. 13/9 AVG. Wt/CALV. 103/7 AG 020251 JDB 030010 AGE/CALV. 9/5 AVG. Wt/CALV. 97/5	Calving Ease Value 92 Weaner Calf Value 111 Fertility Value 117 Maintenance Value 90 Cow Value 114 Growth Value 123 Carcass Value 120
---	---	---

Calf and Mother

Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	117	89	94	107	119	109

Fertility

Post Wean	ADG	FCR
117	119	107

Post-Wean Growth

Mature Weight	Height	Length
111	100	106

Frame

EMA	Fat	Mar
106	107	118

Carcass

Myostatin
Q204X 0
NT821 0
F94L 0

Wear Index
107

365D Index
-

540D Index
-

ADG Index
120

FCR Index
-

Scrotum
327

LH
1.31

REMARKS: Goeie lyne bo, agter en onder verseker gewensde lang spierlengtes. Goeie nek en skof ontwikkeling met diepte in middelstuk. Gebruik in kudde op koeie.SC:400

LOGIX EBV Analysis: 2025-08-17

LOT 21 INTERSWART INGDIENSTE EDMS <i>BPK</i> FDS 220093 2022-05-01 SP	ABB 160024 HH(c) WSS 120121 AGE/CALV. 13/9 AVG. Wt/CALV. 96/9 ICP 459	ABB 090366 AGE/CALV. 10/8 AVG. Wt/CALV. 99/8 ICP 372 HFN 080139 P WSS 090336 AGE/CALV. 4/2 AVG. Wt/CALV. 103/1 ICP 389	HDE 050160 ABB 070256 AGE/CALV. 3/1 AVG. Wt/CALV. 106/1 KAN 090003 ABB 090216 AGE/CALV. 5/3 AVG. Wt/CALV. 100/3 NFS 960350 HFN 040139 AGE/CALV. 13/10 AVG. Wt/CALV. 101/10 KHB 010012 KHB 970085 AGE/CALV. 12/11 AVG. Wt/CALV. 103/10	Calving Ease Value 122 Weaner Calf Value 106 Fertility Value 91 Maintenance Value 106 Cow Value 106 Growth Value 92 Carcass Value 95	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr style="background-color: #f2f2f2;"> <th colspan="3">Calf and Mother</th> <th colspan="4">Fertility</th> <th colspan="3">Post-Wean Growth</th> <th colspan="3">Frame</th> <th colspan="3">Carcass</th> </tr> <tr> <th>Birth Dir.</th> <th>Wean Dir.</th> <th>Wean Mat.</th> <th>Scr. Circ.</th> <th>Heifer Fert.</th> <th>Cow Fert.</th> <th>Longev.</th> <th>Post Wean</th> <th>ADG</th> <th>FCR</th> <th>Mature Weight</th> <th>Height</th> <th>Length</th> <th>EMA</th> <th>Fat</th> <th>Mar</th> </tr> </thead> <tbody> <tr> <td>117</td> <td>98</td> <td>101</td> <td>94</td> <td>94</td> <td>92</td> <td>100</td> <td>100</td> <td>96</td> <td>100</td> <td>92</td> <td>112</td> <td>99</td> <td>110</td> <td>116</td> <td>99</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr style="background-color: #f2f2f2;"> <th>Wean Index</th> <th>365D Index</th> <th>540D Index</th> <th>ADG Index</th> <th>FCR Index</th> <th>Scrotum</th> <th>LH</th> <th colspan="2">Myostatin</th> </tr> </thead> <tbody> <tr> <td>105</td> <td>-</td> <td>-</td> <td>101</td> <td>-</td> <td>344</td> <td>1.20</td> <td>Q204X</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>NT821</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>F94L</td> <td>0</td> </tr> </tbody> </table>	Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass			Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar	117	98	101	94	94	92	100	100	96	100	92	112	99	110	116	99	Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH	Myostatin		105	-	-	101	-	344	1.20	Q204X	0								NT821	0								F94L	0
Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass																																																																												
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar																																																																										
117	98	101	94	94	92	100	100	96	100	92	112	99	110	116	99																																																																										
Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH	Myostatin																																																																																		
105	-	-	101	-	344	1.20	Q204X	0																																																																																	
							NT821	0																																																																																	
							F94L	0																																																																																	

REMARKS: Gewensde lende, kruis en stert aanhegting. Skoon onderlyn, netjiese skrotum, goeie kloue en kote. Geskik vir verse.

LOGIX EBV Analysis: 2025-08-17

BULLE

LOT 22 **INI-BOS BONSMARA**

FKB 200013
2020-04-11
SP

Ouerskap **Vaar** **Moer**

DNS ✓

Genomies



SYF 160015

FKB 160040
OUD/KALW. 8/7
GEM. SI/KALW. 108/5
TKP 389

GEL 100113

SYF 130320
OUD/KALW. 11/6
GEM. SI/KALW. 101/6
TKP 500

ADV 080210

FKB 110020
OUD/KALW. 7/6
GEM. SI/KALW. 98/4
TKP 390

GEL 060132

GEL 050008
OUD/KALW. 7/5
GEM. SI/KALW. 105/5

ADV 100328

SYF 070182
OUD/KALW. 16/13
GEM. SI/KALW. 106/12

ADV 040182

ADV 030008
OUD/KALW. 16/13
GEM. SI/KALW. 107/11

TBR 060505

TBR 030062
OUD/KALW. 11/7
GEM. SI/KALW. 104/7

Geboortegemak Waarde
118

Speenkalf Waarde
101

Vrugbaarheids-waarde
85

Onderhouds-waarde
122

Koeiwaarde
99

Groei-waarde
87

Karkas-waarde
91

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	92	99	96	96	77	106	90	85	77	82	76	80	93	83	88

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
106	-	-	98	-	344	1.21

OPMERKINGS: Goeie balans, sterk nek en skof. Vol onderlyn, netjiese skrotum en testes. Sterk bene en kloue. Gebruik op koeie. In kudde gebruik.

LOGIX EBV Analise: 2025-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

LOT 23 **BESTRINA TRUST BOERDERY**

**CEF 210359**
2021-03-23
SP

Ouerskap **Vaar** **Moer**

DNS ✓

Genomies



GJN 160214 HH(c)

CEF 160181
OUD/KALW. 9/6
GEM. SI/KALW. 108/6
TKP 372

GJN 120203 HH(c)

GJN 140028
OUD/KALW. 6/2
GEM. SI/KALW. 117/2
TKP 490

ADV 100068

CEF 100198
OUD/KALW. 7/5
GEM. SI/KALW. 100/4
TKP 405

GJN 080021

GJN 100057
OUD/KALW. 15/12
GEM. SI/KALW. 98/10

AG 100384

GJN 090213
OUD/KALW. 8/5
GEM. SI/KALW. 106/5

SYF 070036

ADV 070142
OUD/KALW. 5/3
GEM. SI/KALW. 98/3

CEF 070473

CEF 030055
OUD/KALW. 12/8
GEM. SI/KALW. 107/7

Geboortegemak Waarde
103

Speenkalf Waarde
126

Vrugbaarheids-waarde
100

Onderhouds-waarde
92

Koeiwaarde
123

Groei-waarde
124

Karkas-waarde
133

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	119	107	106	107	91	110	123	124	122	108	124	133	107	103	144

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
113	-	-	118	-	356	1.26

OPMERKINGS: Goeie diepte, toplyn en kruislengte. Vol borsvloer, skoon naelvel en skede. Gebruik op koeie. In kudde gebruik. Merkwaardige Tw's. SC:410

LOGIX EBV Analise: 2025-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	244	6.62	47.5	1.25	360	0.98 -0.09	-0.29 -0.54	14.5 16.4	3.7 3.0	24 32	22 14	78 95	-36 -37	12.5 12.5	-3.0 -7	13.0 12	105	105	100	105	6.0	111
1	TMB 220291	M	SP	30	308	5.89	54.9	1.28	331	-1.37	-1.30	17.2	0.8	30.3	7.4	61	3	-7.4	-18	-2	112	110	66	113	4	116
2	FDS 220142	M	SP	36	229	5.63	39.1	1.27	364	0.51	0.03	17.5	5.2	39.2	33.7	117	-50	12.2	-6	11	104	119	99	102	11	111
3	JAB 210123	M	SP	36	207	-	47.2	1.22	394	0.44	0.25	18.5	5.0	32.8	29.4	111	-50	24.9	2	16	100	101	121	107	7	108
4	TMB 220169	M	SP	29	306	6.86	58.3	1.30	382	-0.19	-0.47	17.3	9.0	30.8	14.1	103	-44	21.3	-15	12	112	104	115	111	3	121
5	TMB 220072	M	SP	34	310	6.54	59.2	1.28	342	1.83	-0.30	24.0	3.2	46.7	19.9	112	-34	5.1	-11	23	124	119	87	112	4	113
6	BTB 220099	M	SP	38	195	7.22	37.7	1.21	349	0.62	-0.89	15.9	-2.5	26.3	0.6	98	-34	.6	-6	8	90	91	79	101	7	108
7	JAB 210013	M	SP	28	227	-	53.8	1.19	373	-1.45	-0.50	10.0	7.1	14.6	-21.0	78	-48	13.5	0	16	105	111	102	106	6	108
8	FDS 220158	M	SP	27	223	5.83	46.5	1.27	381	-0.45	-0.03	16.5	3.0	33.3	26.9	110	-49	18.8	-9	13	105	101	111	100	3	99
9	BTB 220123	M	SP	37	218	5.9	27.9	1.27	344	0.56	-1.45	22.5	2.8	48.2	25.9	136	-51	7.2	-1	27	113	108	91	109	12	109
10	FDS 220155	M	SP	39	270	8.16	56.8	1.22	388	0.07	0.34	18.9	9.1	34.2	18.2	37	-11	22.3	-2	12	124	90	117	118	4	106
11	OUH 230063	M	SP	39	192	7.94	46.6	1.28	338	2.68	-0.95	20.0	-3.7	33.0	15.9	110	-43	4.9	-10	15	110	106	87	95	9	106
12	TMB 220329	M	SP	37	276	5.54	40.7	1.30	369	0.20	0.19	12.1	9.8	19.4	-1.0	136	-45	20.7	-8	18	97	106	114	104	6	119
13	TMB 220435	M	SP	41	281	7.99	64	1.30	371	0.94	-0.43	26.0	2.0	51.4	33.8	186	-62	31.7	-6	21	104	117	133	104	6	119
14	JAB 220078	M	SP	34	186	-	40.9	1.23	402	0.12	-0.28	13.8	-2.5	23.5	9.4	72	-40	23.2	-6	8	93	99	118	94	7	110
15	JAB 220023	M	SP	28	188	-	48.4	1.20	375	-2.49	-1.00	6.9	-3.2	15.0	-5.4	95	-60	19.5	5	12	90	101	112	98	10	113
16	TMB 220203	M	SP	32	303	7.31	53.1	1.27	325	0.73	-0.97	21.8	5.9	43.2	30.9	43	-20	-6.6	-7	16	110	102	67	110	1	129
17	TMB 210376	M	SP	29	283	5.98	56.1	1.28	349	-3.82	0.28	4.1	3.1	15.0	-16.6	49	-22	3.2	-26	-17	109	103	84	107	12	114
18	HJS 220236	M	SP	36	211	-	34.5	1.28	383	-0.01	-1.17	17.0	-0.3	32.8	24.7	64	-25	17.1	-20	2	95	97	108	101	7	111
19	JAB 220073	M	SP	26	210	-	36.9	1.22	357	-2.51	-0.73	5.4	0.6	13.4	-6.0	72	-19	10.3	-10	0	94	100	96	98	3	93
20	TMB 220318	M	SP	35	300	7.4	55.1	1.31	327	2.34	-1.17	24.0	0.4	45.2	37.4	147	-48	9.2	-3	18	107	120	94	102	4	122
21	FDS 220093	M	SP	36	193	5.73	36.5	1.20	344	-0.79	-1.06	13.3	3.9	29.0	9.7	61	-36	8.9	6	12	105	101	94	96	9	98
22	FKB 200013	M	SP	33	242	6.76	49.4	1.21	344	-0.97	-0.20	10.2	3.3	18.2	-5.5	20	1	10.3	-22	-4	106	98	96	108	7	114
23	CEF 210359	M	SP	32	256	5.93	47.9	1.26	356	0.91	-0.68	25.1	5.9	51.9	33.0	168	-73	15.8	16	43	113	118	106	108	6	109

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OUD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik