

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

JERAS AUCTION

Vlakfontein, Derby

26 July 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 20 July 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

14

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

SB 110001

SUPERBULL SB 11 0100

6

Herd Book **SP**

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

9 (& 10)

Parentage **Sire** **Dam**

DNA ✓

Genomic ✓

11

SB 140007

SUPERBULL SB 140007 Pp(c)

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

8

Town, Province

078 737 2855

super_bull@webmail.com

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 3 (F)



JRS 180120

JERAS JRS180120



Kuddeboek	SP
Geb. dtm	2018-08-15
Oud.	6j 11m
Inteling	3%
DNS	U23478U011
OEK	38m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	383d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240279 (M)
Geb. datum	2024-11-28
Vaar ID	JRS 200308

Kalwings: 21-10, 22-10, 23-12, 24-11



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
GENETICS
EBV Analise 2025-07-21

KOEIWAARDE 109

92	Kalfgemak Waarde
119	Kalfgroei Waarde
93	Melk Waarde
100	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 121

KARKAS WAARDE 113

PRODUKSIE WAARDE 115

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-14, JRS22-123, Kroom. Doelgerigte teling uit Waragus 108. Stoetbulle word gereeld uit hierdie koeifamilie geteel.

B 080109 SP
BORGEN B08109

Spn Mat. 102

FN 070185 SP
FONTEINE FN07185Oud. 15j | OEK 32m | TKP 521d
Kalwers 5 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82WG 110010 HH SP
UP ONE ZULU

Spn Mat. 75

B 080214 SP
BORGEN B08214Oud. 14j | OEK 31m | TKP 423d
Kalwers 10 | Geweeg - | Spn. Mat. 108
Gem. SI - | Spn. Mat. 108B 050098 SP
BORGEN B05098 - NINETY-EIGHTHVT 010006 SP
OUTSPAN HVT0106
Oud. 13j | Gem. SI -
Kalwers 5 | Geweeg -
KETA TLM010001 - NAPOLEONZ 981048 SP
HLANZENI Z 98 1048
Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -
K6K3460 SP
MOGWOONI K6K3460KPO2493 SP
OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
B 050098 SP
BORGEN B05098 - NINETY-EIGHTB 040074 SP
BORGEN B 04 74
Oud. 13j | Gem. SI -
Kalwers 1 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	126	119	93	106	101	101	104
74%	58%	46%	43%	22%	65%	40%	59%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	118	113	98	108	111	107	87	101
24%	20%	12%	28%	22%	22%	20%	19%	18%

LOT 4 (F)



JRS 180062

JERAS JRS180062



Kuddeboek	SP
Geb. dtm	2018-02-24
Oud.	7j 5m
Inteling	3%
DNS	U23478U009
OEK	31m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	356d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240115 (M)
Geb. datum	2024-08-30
Vaar ID	WJ 200282

Kalwings: 20-10, 21-10, 22-11, 23-08, 24-08



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
GENETICS
EBV Analise 2025-07-21

KOEIWAARDE 86

86	Kalfgemak Waarde
108	Kalfgroei Waarde
77	Melk Waarde
98	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 98

PRODUKSIE WAARDE 89

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : JRS20-14, JRS22-123, Kroom (JRS20-251). Die koei familie (HVT 9610) het nog altyd goed in my kudde maar ook in baie ander kuddes gedoen.

WG 110010 HH SP
UP ONE ZULU

Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

RN 130406 SP
RANKIN BEEF RN13406Oud. 8j | OEK 36m | TKP 372d
Kalwers 4 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG - | KKS -
Kalwings: 16-01, 17-01, 18-02, 19-02K6K3460 SP
MOGWOONI K6K3460

Spn Mat. 51

KPO2493 SP
OL PEJETA 2493Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96TLM 020004 SP
KETA TLM020004 CAESAR

Spn Mat. 90

JH 070009 SP
MARONES JH070009Oud. 9j | OEK - | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 60
Gem. SI - | Spn. Mat. 60K6K2459 SP
MOGWOONI K6K24592039
2039
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -K6K2459 SP
MOGWOONI K6K2459KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -TLM 040505 SP
KETA TLM 04 505
B 010020 SP
OUTSPAN B 01 020
Oud. 18j | Gem. SI -
Kalwers 4 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	95	108	77	87	87	103	102
76%	65%	41%	42%	34%	66%	48%	65%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	100	103	102	91	86	103	107	87
34%	31%	20%	33%	33%	33%	30%	28%	28%

LOT 5 (M)



JRS 200147

JERAS JRS200147

Herd Book	SP
Birth date	2020-10-08
Age	4y 10m
Inbreeding	0%
DNA	U22447U005



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

USED IN HERD (2)



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

WG 110018 SP
UP ONE IMPIE
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 170021 SP
JERAS JRS170021Age 7y | AFC 35m | ICP 458d
Calves 4 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-10, 23-07, 24-07K6K3460 SP
MOGWOONI K6K3460
Wean Mat. 51KPO2493 SP
OL PEJETA 2493Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96JRS 140015 SP
JERAS KOMPAS
Wean Mat. 99AE 130049 SP
AFRICAN ELITE GUESSAge 11y | AFC 37m | ICP 374d
Calves 9 | Weighed - | Wean Mat. 102
Avg. WI - | Wean Mat. 102K6K2459 SP
MOGWOONI K6K2459
2039
2039
Age 45y | Avg. WI -
Calves - | Weighed -TLM 000005 SP
KETA TLM 00 5
FN 100730 SP
FONTEINE FN 100730
Age 15y | Avg. WI -
Calves 10 | Weighed -
B 050081 SP
BORGAN B 05 81
DVB 050005 SP
DIAMANT-V DVB 05 05
Age 16y | Avg. WI 100
Calves 7 | Weighed 2

COW VALUE 108

108	Calving Ease Value
101	Calf Growth Value
88	Milk Value
101	Maintenance Value
110	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 93

PRODUCTION VALUE 105

LOGIX
GENETIC GENIUS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	122	101	88	95	95	110	121
65%	48%	41%	33%	27%	52%	33%	57%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	90	91	98	97	91	95	95	101
30%	22%	10%	23%	26%	25%	23%	21%	21%

SELLER REMARKS: Hierdie bul is die tipe wat onder drukkeweiding werk. Breed, dik en altyd in goeie kondisie.

LOT 6 (F)



JRS 170064

JERAS JRS170064

Herd Book	SP
Birth date	2017-12-16
Age	7y 7m
Inbreeding	0%
DNA	U23478U007
AFC	35m
Calves	5
Weighed	0
Avg. WI	-
ICP	355d



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf

Calf ID	JRS 240128 (M)
Birth Date	2024-10-18
Sire ID	WJ 200282

Calvings: 20-11, 21-11, 22-11, 23-11, 24-11



Myostatin

Q204X	Not Tested
NT82I	Not Tested
F94L	Not Tested

B 120105 SP
BORGAN VREDE
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 120012 SP
JERAS JRS 120012Age 12y | AFC 35m | ICP 415d
Calves 9 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-11, 17-12, 19-09, 20-10, 21-10, 22-10, 23-11, 24-11B 050098 SP
BORGAN B05098 - NINETY-EIGHT
Wean Mat. 107B 040048 SP
BORGAN B04048Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 109
Avg. WI - | Wean Mat. 109TLM 000005 SP
KETA TLM 00 5
Wean Mat. 96FN 090635 SP
FONTEINE FN 090635Age 7y | AFC 38m | ICP -
Calves 1 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90K6K2997 SP
MOGWOONI K6K29978334 SP
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -NDA9 SP
NDAKAINI 8N9K6K2327 SP
MOGWOONI 2327
Age 33y | Avg. WI -
Calves - | Weighed -
HVT 950020 SP
OUTSPAN HVT950020HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESARCFH 060879 SP
ELANDSPRUIT CFH060879
Age 10y | Avg. WI -
Calves 5 | Weighed -

COW VALUE 112

101	Calving Ease Value
112	Calf Growth Value
98	Milk Value
90	Maintenance Value
114	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 113

PRODUCTION VALUE 114

LOGIX
GENETIC GENIUS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	111	112	98	103	103	116	110
74%	62%	43%	36%	27%	65%	45%	62%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	115	110	109	106	113	96	98	97
34%	26%	15%	28%	28%	27%	25%	24%	23%

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-14, JRS22-123, Kroom (JRS20-251). HVT 9513 wat die koei was wat loshande die meeste stoetbulle geteel het.

LOT 7 (F)



WJ 190031

JANSON WJ190031



Kuddeboek	SP
Geb. dtm	2019-02-06
Oud.	6j 6m
Inteling	0%
DNS	U23478U016
OEK	40m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	391d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240044 (F)
Geb. datum	2024-07-24
Vaar ID	B 120105

Kalwings: 22-06, 23-06, 24-07



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 88

111	Kalfgemak Waarde
100	Kalfgroei Waarde
81	Melk Waarde
111	Onderhoudswaarde
76	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 92

PRODUKSIE WAARDE 90

WG 110010 HH SP
UP ONE ZULU
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MHB 040021 SP
MOLL'S-HOOP CINDYOud. 15j | OEK 32m | TKP 495d
Kalwers 8 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -Kalwings: 07-03, 08-05, 09-11,
13-10, 15-01, 16-02, 18-01, 19-02K6K3460 SP
MOGWOONI K6K3460
Spn Mat. 51KPO2493 SP
OL PEJETA 2493Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96KPO786 SP
OL PEJETA 786

Spn Mat. 84

K6K2184 SP
MOGWOONI 2184Oud. 34j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95K6K2459 SP
MOGWOONI K6K2459
2039
2039
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -KPO1279 SP
OL PEJETA 1279KPO21 SP
OL PEJETA 21Oud. 38j | Gem. SI -
Kalwers 1 | Geweeg -1140 SP
11401479
1479Oud. 43j | Gem. SI -
Kalwers - | Geweeg -LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
102	115	100	81	92	71	78	106	
75%	61%	40%	41%	33%	67%	47%	64%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	90	86	92	97	90	98	97	95
32%	30%	19%	31%	32%	31%	30%	29%	28%

VERKOPER OPMERKINGS: 6 Maande dragtig van Jock (WJ20-146). Koei wat n "Alles-in-een" pukket bied

LOT 8 (F)



CCL 190005

LUKA CCL 190005



Kuddeboek	SP
Geb. dtm	2019-07-20
Oud.	6j
Inteling	2%
DNS	U23478U003
OEK	39m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	683d

LUKA STUD (PTY) LTD

Machadodorp, Mpumalanga
0822221202
civanrhynv50@gmail.com

P.O. BOX 3901, WHITE RIVER, 1240

Laaste Kalf	
Kalf ID	CCL 240078 (M)
Geb. datum	2024-08-17
Vaar ID	MULTIPLE SIRES

Kalwings: 22-10, 24-08



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 83

102	Kalfgemak Waarde
98	Kalfgroei Waarde
84	Melk Waarde
106	Onderhoudswaarde
81	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 97

PRODUKSIE WAARDE 83

JRS 150001 SP
JERAS JRS 150001

Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CCL 160001 SP
LUKA CCL 160001Oud. 8j | OEK 39m | TKP 399d
Kalwers 4 | Geweeg - | Spn. Mat. 86
Gem. SI - | KKG - | KKS -Kalwings: 19-07, 20-09, 21-11,
22-10WG 110010 HH SP
UP ONE ZULU
Spn Mat. 75TLM 040004 SP
KETA TLM040004Oud. 13j | OEK 34m | TKP 573d
Kalwers 6 | Geweeg - | Spn. Mat. 91
Gem. SI - | Spn. Mat. 91CFH 110097 SP
ELANDSPRUIT CFH110097

Spn Mat. 89

MHB 120001 SP
MOLL'S-HOOP GINGEROud. 12j | OEK 39m | TKP 405d
Kalwers 8 | Geweeg 2 | Spn. Mat. 82
Gem. SI 85 | Spn. Mat. 82K6K3460 SP
MOGWOONI K6K3460KPO2493 SP
OL PEJETA 2493Oud. 30j | Gem. SI -
Kalwers - | Geweeg -K6K2588 SP
MOGWOONI K6K2588K6K2355 SP
MOGWOONI K6K2355Oud. 35j | Gem. SI -
Kalwers - | Geweeg -TLM 030021 SP
KETA TLM030021CFH 080363 SP
ELANDSPRUIT CFH 080363Oud. 17j | Gem. SI -
Kalwers 11 | Geweeg -MHB 040027 SP
MOLL'S-HOOP KHANMHB 060048 SP
MOLL'S-HOOP GINGEROud. 15j | Gem. SI 91
Kalwers 10 | Geweeg 1LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
103	97	98	84	97	77	81	108	
48%	40%	30%	31%	23%	58%	31%	54%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	95	96	95	104	97	97	100	102
23%	21%	13%	22%	22%	22%	20%	19%	19%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-19, JRS20-115, Bomdia (WJ20-208). Uit n koeifamilie wat geen bekendstelling nodig het nie.

LOT 9 (F)



WG 170158

UP ONE WG170158



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf

Calf ID	JRS 240111 (M)
Birth Date	2024-08-25
Sire ID	WJ 200282

Calvings: 19-12, 20-11, 22-05, 23-07, 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2017-02-22
Age	8y 5m
Inbreeding	2%
DNA	U365984
AFC	34m
Calves	5
Weighed	0
Avg. WI	-
ICP	428d

COW VALUE 92

110	Calving Ease Value
80	Calf Growth Value
102	Milk Value
98	Maintenance Value
102	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 91

PRODUCTION VALUE 90

SELLER REMARKS: 7 Maande dragtig van MS : JRS21-146, WJ17-64. Die koei B96 615 vorm basis van verskeie kuddes se teelprogramme, hier is 'n geleentheid om 'n koei uit die besondere koei familie te bekom.

WG 110007 SP

UP ONE WG110007

Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WG 100005 SP

UP ONE WINNIE

Age 15y | AFC 33m | ICP 468d
Calves 10 | Weighed 1 | Wean Mat. 106
Avg. WI 91 | CCB 5.23 | CCW 38.8Calvings: 13-01, 14-07, 15-10,
17-02, 18-11, 19-12, 21-01, 21-11,
22-12, 24-05

TLM 060506 SP

KETA TLM 6 506

Wean Mat. 88

B 030027 SP

BORGEB B 03 27

Age 8y | AFC 36m | ICP 334d
Calves 3 | Weighed - | Wean Mat. 82
Avg. WI - | Wean Mat. 82

HVT 970712 SP

OUTSPAN HVT 97 712

Wean Mat. 76

B 960615 SP

BORGEB B 96 615

Age 20y | AFC 35m | ICP 400d
Calves 8 | Weighed - | Wean Mat. 131
Avg. WI - | Wean Mat. 131

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000010 SP

KETA TLM 00 10

Age 15y | Avg. WI 94

Calves 11 | Weighed 4

HVT 950024 SP

OUTSPAN HVT950024

B 960009 SP

OUTSPAN B 96 09

Age 13y | Avg. WI -

Calves 3 | Weighed -

6SEG096 SP

SEGERA 494

06 SP

06

Age 34y | Avg. WI -

Calves - | Weighed -

K6K1383 SP

MOGWOONI K6K1383

PB8828 SP

MUTARA ADC 8828

Age 36y | Avg. WI -

Calves - | Weighed -

LOGIX
EBV Analysis 2025-07-21

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	100	80	102	102	100	98	113
64%	68%	46%	48%	38%	61%	40%	60%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	91	82	100	100	90	92	107	92
36%	36%	23%	33%	38%	38%	33%	31%	31%

Frame

Carcass

LOT 10 (M)



JRS 200251

JERAS KROOM



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

3 CO-USER(S)

USED IN HERD (7)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-28
Age	4y 9m
Inbreeding	0%
DNA	U12435U041

COW VALUE 110

96	Calving Ease Value
103	Calf Growth Value
96	Milk Value
102	Maintenance Value
114	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 104

PRODUCTION VALUE 107

JRS 150046 SP

JERAS 46

Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MOU 160157 SP

CHROME CHROME BORANE

Age 8y | AFC 35m | ICP 382d
Calves 6 | Weighed - | Wean Mat. 103
Avg. WI - | CCB - | CCW -Calvings: 19-09, 20-10, 21-11,
22-11, 23-11, 24-11

WG 110010 HH SP

UP ONE ZULU

Wean Mat. 75

JRS 110041 SP

JERAS JRS 110041

Age 13y | AFC 34m | ICP 452d
Calves 8 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

MHB 040027 SP

MOLL'S-HOOP KHAN

Wean Mat. 88

MOU 080015 SP

CHROME MOU0815

Age 16y | AFC - | ICP 479d
Calves 7 | Weighed - | Wean Mat. 114
Avg. WI - | Wean Mat. 114

K6K3460 SP

MOGWOONI K6K3460

KPO2493 SP

OL PEJETA 2493

Age 30y | Avg. WI -

Calves - | Weighed -

HVT 950022 SP

OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Age 17y | Avg. WI -

Calves 14 | Weighed -

KPO786 SP

OL PEJETA 786

ADC5761 SP

A.D.C. MUTARA 5761

Age 34y | Avg. WI -

Calves - | Weighed -

2812 SP

GIANNI 2812

K6K080 SP

MOGWOONI 080

Age 30y | Avg. WI -

Calves - | Weighed -

LOGIX
EBV Analysis 2025-07-21

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	98	103	96	102	105	108	123
71%	49%	39%	34%	36%	49%	32%	56%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	100	105	96	88	89	105	108	99
33%	33%	26%	28%	36%	35%	31%	30%	29%

Frame

Carcass

SELLER REMARKS: Klipharde bul wat besonderse verse teel.

LOT 11 (F)



JRS 180154

JERAS JRS180154



Kuddeboek	SP
Geb. dtm	2018-12-23
Oud.	6j 7m
Inteling	0%
DNS	U23478U012
OEK	22m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	366d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240135 (M)
Geb. datum	2024-10-18
Vaar ID	JRS 200147

Kalwings: 20-10, 21-10, 22-12, 23-11, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 116

103	Kalfgemak Waarde
98	Kalfgroei Waarde
84	Melk Waarde
109	Onderhoudswaarde
124	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 92

PRODUKSIE WAARDE 112

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS21-146, WJ17-64. Koeie met ñ baie goeie TKP van 366 het en so ook haar ma met TKP van 341 op 6 kalwers.

WG 110010 HH SP
UP ONE ZULU
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 120023 SP
JERAS JRS 120023

Oud. 10j | OEK 38m | TKP 341d
Kalwers 6 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 16-02, 17-01, 18-01,
18-12, 19-10, 20-10

K6K3460 SP
MOGWONI K6K3460
Spn Mat. 51

KPO2493 SP
OL PEJETA 2493

Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

TLM 000005 SP
KETA TLM 00 5
Spn Mat. 96

Z 030008 SP
HLANZENI Z030008
Oud. 17j | OEK 35m | TKP 425d
Kalwers 12 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

K6K2459 SP
MOGWONI K6K2459
2039
2039
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -

HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
Z 960033 SP
HLANZENI 336
Z 000022 SP
HLANZENI Z000022
Oud. 14j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	103	98	84	94	118	126	100
74%	65%	37%	36%	25%	65%	46%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	92	89	94	94	89	98	105	105
26%	21%	13%	23%	24%	23%	21%	20%	19%

LOT 12 (F)



JRS 180162

JERAS JRS180162



Kuddeboek	SP
Geb. dtm	2018-11-07
Oud.	6j 9m
Inteling	0%
DNS	U13762U004
OEK	35m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	368d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240140 (M)
Geb. datum	2024-10-24
Vaar ID	JRS 200147

Kalwings: 21-10, 22-11, 23-11, 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104

99	Kalfgemak Waarde
104	Kalfgroei Waarde
94	Melk Waarde
98	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 110

KARKAS WAARDE 104

PRODUKSIE WAARDE 107

VERKOPER OPMERKINGS: 7 Maande dragtig van Jock (WJ20-146)

JRS 140015 SP
JERAS KOMPAS

Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 090028 SP
JERAS JRS0928

Oud. 11j | OEK 37m | TKP 418d
Kalwers 7 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -
Kalwings: 12-12, 14-07, 15-10,
16-10, 17-11, 18-11, 19-11

TLM 000005 SP
KETA TLM 00 5
Spn Mat. 96

FN 100730 SP
FONTEINE FN 100730

Oud. 15j | OEK 29m | TKP 476d
Kalwers 10 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 90

JRS 050013 SP
JERAS GRACE

Oud. 20j | OEK 29m | TKP 388d
Kalwers 9 | Geweeg 2 | Spn. Mat. 86
Gem. SI 97 | Spn. Mat. 86

HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070001 DH SP
CIRCLE C CI070001
Z 981048 SP
HLANZENI Z 98 1048
Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -
K6K2459 SP
MOGWONI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
HVT 950002 SP
OUTSPAN HVT 95 02
Z 99 308 SP
HLANZENI Z 99 308
Oud. 12j | Gem. SI -
Kalwers 6 | Geweeg -

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	96	104	94	106	98	111	107
75%	64%	43%	40%	30%	66%	44%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	107	104	100	101	99	102	100	95
30%	28%	16%	28%	30%	30%	26%	25%	24%

LOT 13 (F)



WJ 190155

JANSON WJ190155

Herd Book	SP
Birth date	2019-10-06
Age	5y 10m
Inbreeding	2%
DNA	U23478U017
AFC	36m
Calves	3
Weighed	0
Avg. WI	-
ICP	398d



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240287 (M)
Birth Date	2024-11-30
Sire ID	JRS 200308

Calvings: 22-09, 23-12, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 101

103	Calving Ease Value
101	Calf Growth Value
94	Milk Value
95	Maintenance Value
107	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 101

PRODUCTION VALUE 102

JRS 130037 SP

JERAS VUURSLAG

Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WJ 120070 SP

JANSON LILLY

Age 12y | AFC 38m | ICP 414d
Calves 9 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -Calvings: 15-11, 16-10, 17-11, 18-10,
19-10, 20-08, 21-10, 23-12, 24-11

EBV Analysis 2025-07-21

FN 090063 SP

FONTEINE FN 09 63

Wean Mat. 93

B 070017 SP

BORGEN B 07 0017

Age 16y | AFC 32m | ICP 483d
Calves 10 | Weighed - | Wean Mat. 103
Avg. WI - | Wean Mat. 103

MHB 060017 SP

MOLL'S-HOOP CALVYN

Wean Mat. 91

MHB 050024 SP

MOLL'S-HOOP LILLY

Age 10y | AFC - | ICP 365d
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | Wean Mat. 94

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

B 040010 SP

BORGEN B 04 10

B 040016 SP

BORGEN B 04 16

Age 11y | Avg. WI 97

Calves 6 | Weighed 2

TLM 020003 SP

KETA VOORSLAG

MHB 040004 SP

MOLL'S-HOOP CINDY

Age 21y | Avg. WI 93

Calves 9 | Weighed 2

K6K1711 SP

MOGWOONI K6K1711

KPO2430 SP

OL PEJETA 2430

Age 13y | Avg. WI -

Calves - | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	105	101	94	92	100	110	101
75%	61%	48%	33%	42%	63%	38%	59%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	105	106	104	97	95	97	88	96
40%	39%	36%	23%	42%	41%	37%	34%	34%

SELLER REMARKS: 7 Maande dragtig van MS : JRS21-146, WJ17-64. Beslis een van my gunsteling vroulike diere op die veiling, kom uit ñ baie spesiale koeie familie Lilly.

LOT 14 (F)



JRS 190249

JERAS JRS190249

Herd Book	SP
Birth date	2019-11-06
Age	5y 9m
Inbreeding	0%
DNA	U23478U015
AFC	36m
Calves	3
Weighed	0
Avg. WI	-
ICP	376d



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240278 (M)
Birth Date	2024-11-28
Sire ID	JRS 200014

Calvings: 22-11, 23-12, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 106

105	Calving Ease Value
94	Calf Growth Value
77	Milk Value
116	Maintenance Value
110	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 85

PRODUCTION VALUE 102

JRS 140015 SP

JERAS KOMPAS

Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 090609 SP

BORGEN 09609

Age 13y | AFC 31m | ICP 374d
Calves 10 | Weighed - | Wean Mat. 59
Avg. WI - | CCB - | CCW -Calvings: 12-08, 13-08, 14-07,
15-07, 16-10, 17-11, 18-11, 19-11,
20-10, 21-10

TLM 000005 SP

KETA TLM 00 5

Wean Mat. 96

FN 100730 SP

FONTEINE FN 100730

Age 15y | AFC 29m | ICP 476d
Calves 10 | Weighed - | Wean Mat. 95
Avg. WI - | Wean Mat. 95

K6K3460 SP

MOGWOONI K6K3460

Wean Mat. 51

V7Y9315 SP

KISIMA V7Y 9315

Age 28y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 72
Avg. WI - | Wean Mat. 72

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT95037

Age 20y | Avg. WI -

Calves 8 | Weighed -

CI 070001 DH SP

CIRCLE C CI070001

Z 981048 SP

HLANZENI Z 98 1048

Age 14y | Avg. WI -

Calves 7 | Weighed -

K6K2459 SP

MOGWOONI K6K2459

2039

2039

Age 45y | Avg. WI -

Calves - | Weighed -

1879

1879

5929

KISIMA 5929

Age 65y | Avg. WI -

Calves - | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	95	94	77	94	98	114	107
76%	64%	39%	37%	24%	65%	41%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	85	79	87	88	83	95	104	98
25%	20%	11%	23%	22%	21%	20%	18%	18%

SELLER REMARKS: 7 Maande dragtig van Jock (WJ20-146). Hierdie is skaars genetica uit Kisima 9315 wat baie vrugbaar is en vir my tot nou toe nog baie goed geteel het.

LOT 15 (M)



JRS 200153

JERAS JRS200153

Kuddeboek	SP
Geb. dtm	2020-10-09
Oud.	4j 9m
Inteling	0%
DNS	U22447U006

WG 110010 HH SP
UP ONE ZULU
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 160005 SP
JERAS JRS 160005
Oud. 8j | OEK 24m | TKP 387d
Kalwers 7 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 18-08, 19-11, 20-10,
21-11, 22-10, 24-01, 24-12

K6K3460 SP
MOGWOONI K6K3460
Spn Mat. 51

K6K2459 SP
MOGWOONI K6K2459
2039
2039
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -

KPO2493 SP
OL PEJETA 2493
Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

TLM 000005 SP
KETA TLM 00 5
Spn Mat. 96

HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
B 040010 SP
BORGEN B 04 10
B 040016 SP
BORGEN B 04 16
Oud. 11j | Gem. SI 97
Kalwers 6 | Geweeg 2

B 070017 SP
BORGEN B 07 0017
Oud. 16j | OEK 32m | TKP 483d
Kalwers 10 | Geweeg - | Spn. Mat. 103
Gem. SI - | Spn. Mat. 103

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

3 MEDE-GEWUIGER(S)



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100

91	Kalfgemak Waarde
102	Kalfgroei Waarde
88	Melk Waarde
108	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 93

PRODUKSIE WAARDE 99

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	96	102	88	89	107	107	94
62%	57%	37%	36%	26%	56%	40%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	93	89	94	94	89	97	102	105
28%	22%	16%	23%	25%	24%	23%	21%	21%

VERKOPER OPMERKINGS: Die bul vanwee sy vermoë om onder drukkeweidning te presteer ook in die stoet te gebruik.

LOT 16 (F)



JRS 180161

JERAS JRS180161

Kuddeboek	SP
Geb. dtm	2018-12-19
Oud.	6j 7m
Inteling	0%
DNS	U23478U013
OEK	34m
Kalwers	4
Geweeg	0
Gem. SI	-
TKP	376d

JRS 140015 SP
JERAS KOMPAS
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 080002 SP
JERAS 082
Oud. 17j | OEK 22m | TKP 391d
Kalwers 14 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -
Kalwings: 10-03, 11-01, 12-12, 13-12,
14-11, 15-12, 16-10, 17-09, 18-12,
19-12, 21-01, 22-12, 23-12, 24-12

TLM 000005 SP
KETA TLM 00 5
Spn Mat. 96

HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070001 DH SP
CIRCLE C C1070001
Z 981048 SP
HLANZENI Z 98 1048
Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
NDA9 SP
NDKAKINI 8N9
1SEG038 SP
SEGERA 3057
Oud. 17j | Gem. SI -
Kalwers - | Geweeg -

FN 100730 SP
FONTEINE FN 100730
Oud. 15j | OEK 29m | TKP 476d
Kalwers 10 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 90

JRS 050005 SP
JERAS JRS 05 0005
Oud. 15j | OEK - | TKP 410d
Kalwers 11 | Geweeg - | Spn. Mat. 100
Gem. SI - | Spn. Mat. 100

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf

Kalf ID	JRS 240295 (F)
Geb. datum	2024-12-03
Vaar ID	MULTIPLE SIRES

Kalwings: 21-11, 22-11, 23-12, 24-12



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 112

121	Kalfgemak Waarde
100	Kalfgroei Waarde
95	Melk Waarde
93	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 110

KARKAS WAARDE 109

PRODUKSIE WAARDE 113

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	113	100	95	108	99	116	102
75%	65%	40%	36%	29%	66%	44%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	110	110	105	100	100	104	106	95
30%	27%	17%	28%	29%	29%	25%	24%	24%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-14, JRS22-123, Kroom (JRS20-251). JRS0802 is steeds in my kudde, familie met goeie lanklewendheid.

LOT 17 (F)



JRS 170077

JERAS JRS170077



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240091 (F)
Birth Date	2024-08-13
Sire ID	MULTIPLE SIRES

Calvings: 20-10, 21-10, 23-07, 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2017-12-12
Age	7y 7m
Inbreeding	0%
DNA	U23478U008
AFC	34m
Calves	4
Weighed	0
Avg. WI	-
ICP	467d

COW VALUE 108

111	Calving Ease Value
103	Calf Growth Value
91	Milk Value
110	Maintenance Value
95	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 99

PRODUCTION VALUE 108

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-19, JRS20-115, Bomdia (WJ20-208). Volsuster van JRS1634 wat met welslae in Philip van Wyk (Namibië) gebruik word.

WG 110010 HH SP
UP ONE ZULU
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 080214 SP
BORGEN B08214Age 14y | AFC 31m | ICP 423d
Calves 10 | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW -
Calvings: 11-01, 12-06, 13-07,
14-09, 15-10, 16-10, 17-12, 18-12,
20-02, 21-06K6K3460 SP
MOGWONNI K6K3460
Wean Mat. 51KPO2493 SP
OL PEJETA 2493Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Wean Mat. 107B 040074 SP
BORGEN B 04 74Age 13y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 106
Avg. WI - | Wean Mat. 106K6K2459 SP
MOGWONNI K6K2459
2039
Age 45y | Avg. WI -
Calves - | Weighed -K6K2997 SP
MOGWONNI K6K2997
8334 SP
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
KPO786 SP
OL PEJETA 786
Z7F108 SP
WORAGUS 108
Age 34y | Avg. WI -
Calves 1 | Weighed -LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	117	103	91	95	88	103	94
75%	61%	41%	42%	32%	67%	47%	65%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	100	102	92	99	96	93	93	95
32%	28%	18%	31%	31%	30%	29%	27%	27%

LOT 18 (F)



JRS 180082

JERAS JRS180082



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240021 (F)
Birth Date	2024-07-02
Sire ID	WJ 200282

Calvings: 21-10, 23-07, 24-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-11-26
Age	6y 8m
Inbreeding	5%
DNA	U23478U010
AFC	35m
Calves	3
Weighed	0
Avg. WI	-
ICP	491d

COW VALUE 110

103	Calving Ease Value
118	Calf Growth Value
98	Milk Value
88	Maintenance Value
105	Fertility Value

GROWTH VALUE 117

CARCASS VALUE 123

PRODUCTION VALUE 114

SELLER REMARKS: 7 Maande dragtig van MS : JRS21-146, WJ17-64.

B 120105 SP
BORGEN VREDE
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 100031 SP
JERAS JRS 100031Age 14y | AFC 35m | ICP 400d
Calves 11 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -
Calvings: 13-11, 14-11, 15-10, 16-10,
17-12, 18-11, 19-10, 20-11, 21-11,
22-12, 24-11B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Wean Mat. 107B 040048 SP
BORGEN B04048Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 109
Avg. WI - | Wean Mat. 109JRS 080005 SP
JERAS 085

Wean Mat. 77

JRS 060002 SP
JERAS JRS 06 0002Age 10y | AFC - | ICP 548d
Calves 5 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104K6K2997 SP
MOGWONNI K6K2997
8334 SP
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9
K6K2327 SP
MOGWONNI 2327
Age 33y | Avg. WI -
Calves - | Weighed -
B 040039 SP
BORGEN B 04 39
JRS 050011 SP
JERAS JRS 05 0011
Age 14y | Avg. WI -
Calves 9 | Weighed -
NDA9 SP
NDAKAINI 8N9
PB/9831 SP
DELAMERE 304
Age 32y | Avg. WI -
Calves - | Weighed -LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	110	118	98	101	94	112	101
73%	58%	42%	35%	28%	66%	43%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	121	119	112	112	123	96	94	103
34%	26%	15%	27%	28%	27%	25%	24%	24%

LOT 19 (F)

CCL 170015
LUKA CCL 170015

Kuddeboek	SP
Geb. dtm	2017-12-28
Oud.	7j 7m
Inteling	2%
DNS	U23478U002
OEK	34m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	372d

LUKA STUD (PTY) LTD

Machadodorp, Mpumalanga
0822221202
cjvanrhynv50@gmail.com

P.O. BOX 3901, WHITE RIVER, 1240

Laaste Kalf	
Kalf ID	CCL 240234 (M)
Geb. datum	2024-11-14
Vaar ID	WJ 200282

Kalwings: 20-10, 21-10, 22-10, 23-11, 24-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 101

101	Kalfgemak Waarde
95	Kalfgroei Waarde
98	Melk Waarde
100	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 100

PRODUKSIE WAARDE 100

CFH 110097 SP

ELANDSPRUIT CFH110097

Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CFH 110225 SP

ELANDSPRUIT CFH110225

Oud. 13j | OEK 37m | TKP 469d
Kalwers 8 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG 7.04 | KKS -

Kalwings: 14-12, 16-09, 17-12,
18-12, 20-02, 21-11, 22-11, 23-12

TLM 030021 SP

KETA TLM030021

Spn Mat. 74

CFH 080363 SP

ELANDSPRUIT CFH 080363

Oud. 17j | OEK - | TKP 440d
Kalwers 11 | Geweeg - | Spn. Mat. 103
Gem. SI - | Spn. Mat. 103

KB56X SP

KETA KB 56 X

Spn Mat. 97

CFH 060464 SP

ELANDSPRUIT 06 464

Oud. 11j | OEK 31m | TKP (donor)
Kalwers 2 | Geweeg - | Spn. Mat. 120
Gem. SI - | Spn. Mat. 120

K6K2588 SP

MOGWONNI K6K2588

KPO961 SP

OL PEJETA KPO 961

Oud. 35j | Gem. SI -

Kalwers 1 | Geweeg -

HVT 950021 SP

OUTSPAN HVT950021

GF250 SP

GRASMERE 25 O

Oud. 21j | Gem. SI -

Kalwers 3 | Geweeg -

PM14R SP

LILAYI PM14R

GF26PSZ SP

GRASMERE 26 P

Oud. 13j | Gem. SI -

Kalwers 3 | Geweeg -

FE 960075 SP

FORRESTER 96/75

HVT 000001 SP

OUTSPAN HVT000001

Oud. 15j | Gem. SI -

Kalwers 2 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	96	95	98	100	109	105	104
59%	57%	40%	39%	31%	61%	37%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	101	99	98	107	101	109	99	94
32%	29%	16%	31%	31%	30%	23%	22%	21%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-19, JRS20-115, Bomdia (WJ20-208). Dateer terug na die koei HVT 9513 wat as stammoeder van verskeie bullyne gebruik is.

LOT 20 (M)

WJ 200282
JANSON RAKA

Kuddeboek	SP
Geb. dtm	2020-02-15
Oud.	5j 5m
Inteling	1%
DNS	UI2435U039

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

3 MEDE-GEWUIGER(S)
GEWUIG IN KUDDE (54)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 110

101	Kalfgemak Waarde
112	Kalfgroei Waarde
89	Melk Waarde
92	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 103

PRODUKSIE WAARDE 110

JRS 150046 SP

JERAS 46

Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WJ 170034 SP

JANSON WJ170034

Oud. 7j | OEK 28m | TKP 412d
Kalwers 5 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

Kalwings: 20-02, 21-06, 22-07,
23-07, 24-08

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 75

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

B 120105 SP

BORGEN VREDE

Spn Mat. 106

WJ 130017 SP

JANSON JACKIE

Oud. 12j | OEK 32m | TKP 526d
Kalwers 6 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82

K6K3460 SP

MOGWONNI K6K3460

KPO2493 SP

OL PEJETA 2493

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

HVT 950022 SP

OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Oud. 17j | Gem. SI -

Kalwers 14 | Geweeg -

⚡ B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Oud. 16j | Gem. SI -

Kalwers 2 | Geweeg -

⚡ RKB 070002 SP

MARIOS YUKA

MHB 050031 SP

MOLL'S-HOOP JACKIE

Oud. 14j | Gem. SI -

Kalwers 5 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	107	112	89	108	114	114	101
76%	47%	36%	28%	30%	51%	32%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	107	107	108	99	97	103	91	98
28%	26%	20%	21%	30%	29%	24%	22%	21%

VERKOPER OPMERKINGS: Raka het reeds merk in my kudde gelaat met ongeveer 50 verse. Die bul is uiters vrugbaar met n genetiese erfdwang soos min. Raka is n beproefde kuddevaar wat ek sterk kan aanbeveel. Semen word terug gehou vir eie gebruik.

LOT 21 (F)



JRS 150064

JERAS JRS 150064



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf

Calf ID	JRS 240289 (M)
Birth Date	2024-11-30
Sire ID	MULTIPLE SIRES

Calvings: 18-09, 19-10, 20-10, 21-10, 22-10, 23-11, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2015-08-17
Age	9y 11m
Inbreeding	0%
DNA	U23478U004
AFC	37m
Calves	7
Weighed	0
Avg. WI	-
ICP	380d

FN 110011 SP
FONTEINE FN1111
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 120209 SP
FONTEINE FN120209Age 12y | AFC 35m | ICP 471d
Calves 8 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -
Calvings: 15-08, 16-12, 18-04,
19-10, 20-09, 21-08, 22-09, 24-08TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 90FN 040017 SP
FONTEINE FN 04 17Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 114
Avg. WI 115 | Wean Mat. 114KB28W D SP
KETA KB 28 W
Wean Mat. 123HMC 990020 SP
ALZU BA 20Age 15y | AFC 40m | ICP 379d
Calves 8 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97K6K2459 SP
MOGWOONI K6K2459KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
K6K3094 SP
MOGWOONI 3094 (BMK163)ISEG SP
SEGERA 3089
Age 34y | Avg. WI -
Calves 1 | Weighed -
PM14R SP
LILAYI PM14RGF31R
GF31R
Age 44y | Avg. WI -
Calves 1 | Weighed -
Z 950022 SP
HLANZENI Z950022Z 950017 SP
HLANZENI Z950017
Age 4y | Avg. WI -
Calves 1 | Weighed -

COW VALUE 104

89	Calving Ease Value
109	Calf Growth Value
110	Milk Value
89	Maintenance Value
109	Fertility Value

GROWTH VALUE 128

CARCASS VALUE 121

PRODUCTION VALUE 113

LOGIX
GENOMICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	92	109	110	128	118	96	113
77%	71%	48%	47%	37%	66%	46%	65%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	123	118	110	102	107	131	104	86
38%	35%	21%	38%	37%	37%	32%	30%	30%

SELLER REMARKS: 7 Maande dragtig van Jock (WJ20-146)

LOT 23 (F)



JRS 150086

JERAS JRS 150086



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf

Calf ID	JRS 240121 (M)
Birth Date	2024-09-08
Sire ID	WJ 200146

Calvings: 18-08, 19-11, 20-11, 21-10, 22-11, 23-11, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2015-12-02
Age	9y 8m
Inbreeding	0%
DNA	U23478U005
AFC	32m
Calves	7
Weighed	0
Avg. WI	-
ICP	371d

HA 110002 SP
SILWER
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 080002 SP
JERAS 082Age 17y | AFC 22m | ICP 391d
Calves 14 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -
Calvings: 10-03, 11-01, 12-12, 13-12,
14-11, 15-12, 16-10, 17-09, 18-12,
19-12, 21-01, 22-12, 23-12, 24-12K6K3534 SP
MOGWOONI K6K3534
Wean Mat. 634197 SP
OL PEJETA 4197Age 28y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 116
Avg. WI - | Wean Mat. 116TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 90JRS 050005 SP
JERAS JRS 05 0005Age 15y | AFC - | ICP 410d
Calves 11 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100K6K1711 SP
MOGWOONI K6K17112260
2260
Age 34y | Avg. WI -
Calves - | Weighed -K6K2459 SP
MOGWOONI K6K2459KPO898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9ISEG038 SP
SEGERA 3057
Age 17y | Avg. WI -
Calves - | Weighed -

COW VALUE 102

109	Calving Ease Value
111	Calf Growth Value
89	Milk Value
91	Maintenance Value
98	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 106

PRODUCTION VALUE 101

LOGIX
GENOMICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	112	111	89	103	93	101	102
78%	72%	45%	41%	32%	66%	47%	67%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	104	113	108	106	105	89	101	90
32%	30%	19%	32%	32%	31%	30%	29%	29%

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-14, JRS22-123, Kroom (JRS20-251). Koeie in hierdie stamboom word baie oud en is uiters vrugbaar tot op 'n gevorderde leeftyd. Let op JRS05-05 - 11 kalwers en JRS08-02 met 14 kalwings en 'n besondere kalfinterval van die koeie.

LOT 24 (M)



JRS 200014

JERAS JRS200014

Kuddeboek	SP
Geb. dtm	2020-01-28
Oud.	5j 6m
Inteling	2%
DNS	U22447U003



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

3 MEDE-GEBRUIKER(S)
GEBRUIK IN KUDDE (1)

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 150046 SP

JERAS 46

Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 180072 SP

JERAS JRS180072

Oud. 4j | OEK 24m | TKP 494d
Kalwers 2 | Geweeg - | Spn. Mat. 102
Gem. SI - | KKG - | KKS -
Kalwings: 20-01, 21-06

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 75

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

B 120105 SP

BORGEN VREDE

Spn Mat. 106

SF 140025 SP

AMWA GRACE

Oud. 3j | OEK 40m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

K6K3460 SP

MOGWONNI K6K3460

KPO2493 SP

OL PEJETA 2493

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

HVT 950022 SP

OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Oud. 17j | Gem. SI -

Kalwers 14 | Geweeg -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Oud. 16j | Gem. SI -

Kalwers 2 | Geweeg -

B 050074 SP

BORGEN B 05 74

FN 080052 SP

FONTEINE GRACE

Oud. 9j | Gem. SI 104

Kalwers 6 | Geweeg 2

KOEIWAARDE 114

89	Kalfgemak Waarde
118	Kalfgroei Waarde
96	Melk Waarde
93	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 110

KARKAS WAARDE 109

PRODUKSIE WAARDE 115

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
83	106	118	96	103	112	111	119
73%	47%	36%	28%	30%	50%	29%	55%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	111	110	105	102	102	107	101	99
28%	26%	20%	20%	30%	29%	23%	22%	21%

VERKOPER OPMERKINGS: Hierdie is ñ bul wat sy staal by Gideon Oosthuisen onder ultradruk beweidings gewys het. Uiters korrek en ñ toonbeeld van ons ras.

LOT 25 (F)



JRS 160046

JERAS JRS 160046

Kuddeboek	SP
Geb. dtm	2016-12-16
Oud.	8j 7m
Inteling	0%
DNS	U23478U006
OEK	33m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	473d



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf

Kalf ID	JRS 240308 (M)
Geb. datum	2024-11-06
Vaar ID	MULTIPLE SIREs

Kalwings: 19-09, 20-09, 21-08, 22-12, 24-11



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOGIX
EBV Analyse 2025-07-21

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 120209 SP

FONTEINE FNI20209

Oud. 12j | OEK 35m | TKP 471d
Kalwers 8 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -Kalwings: 15-08, 16-12, 18-04,
19-10, 20-09, 21-08, 22-09, 24-08

K6K3460 SP

MOGWONNI K6K3460

Spn Mat. 51

KPO2493 SP

OL PEJETA 2493

Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

KB28W D SP

KETA KB 28 W

Spn Mat. 123

HMC 990020 SP

ALZU BA 20

Oud. 15j | OEK 40m | TKP 379d
Kalwers 8 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

K6K2459 SP

MOGWONNI K6K2459

2039

2039

Oud. 45j | Gem. SI -

Kalwers - | Geweeg -

PM14R SP

LILAYI PM14R

GF31R

Oud. 44j | Gem. SI -

Kalwers 1 | Geweeg -

Z 950022 SP

HLANZENI Z950022

Z 950017 SP

HLANZENI Z950017

Oud. 4j | Gem. SI -

Kalwers 1 | Geweeg -

KOEIWAARDE 90

104	Kalfgemak Waarde
100	Kalfgroei Waarde
93	Melk Waarde
101	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE 109

KARKAS WAARDE 102

PRODUKSIE WAARDE 94

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	97	100	93	101	95	84	95
77%	69%	42%	43%	32%	67%	48%	66%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	98	94	98	98	94	113	99	89
32%	27%	16%	31%	31%	30%	26%	24%	23%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS21-146, WJ17-64.

LOT 26 (F)



JRS 210010

JERAS JRS210010

Herd Book	SP
Birth date	2021-06-05
Age	4y 2m
Inbreeding	0%
DNA	U23478U018
AFC	38m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240094 (M)
Birth Date	2024-08-14
Sire ID	MULTIPLE SIRES

Calvings: 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 102

104	Calving Ease Value
98	Calf Growth Value
90	Milk Value
103	Maintenance Value
105	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 95

PRODUCTION VALUE 99

TLM 000005 SP

KETA TLM 00 5

Wean Mat. 96

Parentage Sire Dam

DNA ✓

Genomic

JRS 160045 SP

JERAS JRS160045

Age 8y | AFC 37m | ICP 454d
Calves 4 | Weighed - | Wean Mat. 83
Avg. WI - | CCB - | CCW -
Calvings: 19-10, 21-06, 22-06, 23-06

HVT 950020 SP

OUTSPAN HVT950020

Wean Mat. 98

HVT 950037 SP

OUTSPAN HVT95037

Age 20y | AFC 34m | ICP 575d
Calves 8 | Weighed - | Wean Mat. 86
Avg. WI - | Wean Mat. 86

WG 110010 HH SP

UP ONE ZULU

Wean Mat. 75

D 120065 SP

DELBOR D12065

Age 13y | AFC 39m | ICP 442d
Calves 7 | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

6SEG096 SP

SEGERA 494

ADC3746 SP

MUTARA ADC3746

Age 37y | Avg. WI -

Calves - | Weighed -

BP4570 SP

1603

2147 SP

2147

Age 39y | Avg. WI -

Calves - | Weighed -

K6K3460 SP

MOGWOOONI K6K3460

KPO2493 SP

OL PEJETA 2493

Age 30y | Avg. WI -

Calves - | Weighed -

D 090001 SP

DELBOR D09001

EP 080005 SP

EMBRIO PLUS TAMARA

Age 13y | Avg. WI 103

Calves 9 | Weighed 2

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	96	98	90	95	96	113	96
60%	54%	39%	34%	22%	64%	38%	59%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	96	95	96	96	94	95	103	104
28%	19%	10%	22%	21%	21%	18%	17%	16%

SELLER REMARKS: 6 Maande dragtig van MS : Raka (WJ20-282), JRS19-256. Kombinasie van drie Mutara koeie en KPO2493

LOT 27 (F)



JRS 210076

JERAS JRS210076

Herd Book	SP
Birth date	2021-09-29
Age	3y 10m
Inbreeding	7%
DNA	U23478U021
AFC	34m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240058 (M)
Birth Date	2024-08-10
Sire ID	WJ 200282

Calvings: 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 105

96	Calving Ease Value
103	Calf Growth Value
80	Milk Value
109	Maintenance Value
111	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 87

PRODUCTION VALUE 101

WG 110018 SP

UP ONE IMPIE

Wean Mat. 75

Parentage Sire Dam

DNA ✓ ✓

Genomic

JRS 170069 SP

JERAS JRS170069

Age 7y | AFC 33m | ICP 369d
Calves 5 | Weighed - | Wean Mat. 83
Avg. WI - | CCB - | CCW -
Calvings: 20-09, 21-09, 22-09, 23-08, 24-10

K6K3460 SP

MOGWOOONI K6K3460

Wean Mat. 51

KPO2493 SP

OL PEJETA 2493

Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96

JRS 140013 SP

JERAS GERMMEGERMER

Wean Mat. 87

JRS 140040 SP

JERAS JRS 140040

Age 10y | AFC 36m | ICP 496d
Calves 6 | Weighed - | Wean Mat. 78
Avg. WI - | Wean Mat. 78

K6K2459 SP

MOGWOOONI K6K2459

2039

2039

Age 45y | Avg. WI -

Calves - | Weighed -

TLM 000005 SP

KETA TLM 00 5

B 070178 SP

BORGEN B070178

Age 8y | Avg. WI -

Calves 4 | Weighed -

WG 110010 HH SP

UP ONE ZULU

JRS 090032 SP

JERAS JRS0932

Age 11y | Avg. WI -

Calves 8 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	106	103	80	82	104	111	107
63%	58%	40%	33%	27%	63%	33%	55%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	85	89	93	89	81	91	101	100
30%	22%	11%	24%	26%	25%	24%	22%	22%

SELLER REMARKS: 6 Maande dragtig van MS : Raka (WJ20-282), JRS19-256. Hierdie is ñ besonderse jong koei wat baie potensiaal wys.

LOT 28 (F)



JRS 210222

JERAS JRS210222



Kuddeboek	SP
Geb. dtm	2021-11-08
Oud.	3j 9m
Inteling	0%
DNS	U23478U024
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240112 (F)
Geb. datum	2024-08-25
Vaar ID	MULTIPLE SIRES

Kalwings: 24-08



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 160100 HH SP
JERAS GILFRED

Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WJ 150137 SP
JANSON WJ 150137Oud. 9j | OEK 32m | TKP 385d
Kalwers 5 | Geweeg - | Spn. Mat. 76
Gem. SI - | KKG - | KKS -
Kalwings: 18-08, 19-11, 20-10,
21-11, 22-11

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR
Spn Mat. 111B 040057 SP
BORGEN B04057Oud. 18j | OEK 31m | TKP 372d
Kalwers 12 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97WJ 090005 SP
JANSON SCHALK

Spn Mat. 81

WJ 090013 SP
JANSON JACKIEOud. 15j | OEK 36m | TKP 467d
Kalwers 10 | Geweeg 1 | Spn. Mat. 72
Gem. SI 79 | Spn. Mat. 72TLM 020004 SP
KETA TLM020004 CAESARFN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
K6K3094 SP
MOGWONNI 3094 (BMK163)ZIP7771 SP
KISIMA 7771Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
MHB 030006 SP
MOLL'S-HOOP CHICOCFH 060878 SP
ELANDSPRUIT SNOW WHITE
Oud. 18j | Gem. SI 99
Kalwers 14 | Geweeg 1MHB 040027 SP
MOLL'S-HOOP KHANMHB 050031 SP
MOLL'S-HOOP JACKIE
Oud. 14j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 110

93	Kalfgemak Waarde
106	Kalfgroei Waarde
92	Melk Waarde
101	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 113

PRODUKSIE WAARDE 114

LOGIX
GENOMICS COMPANY
EBV Analise 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	103	106	92	132	112	111	118
60%	50%	48%	40%	31%	62%	31%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	114	110	98	106	107	116	105	93
41%	29%	17%	31%	31%	31%	29%	28%	27%

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : Raka (WJ20-282), JRS19-256. n Jong koeie uit die Jacky koei familie met baie goeie diepte, breedte, vroulikheid en wig.

LOT 29 (F)



JRS 210026

JERAS JRS210026



Kuddeboek	SP
Geb. dtm	2021-06-14
Oud.	4j 1m
Inteling	0%
DNS	U23478U019
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240098 (F)
Geb. datum	2024-08-14
Vaar ID	MULTIPLE SIRES

Kalwings: 24-08



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 140015 SP
JERAS KOMPAS

Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 150014 SP
JERAS JRS 150014Oud. 9j | OEK 34m | TKP 446d
Kalwers 6 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -
Kalwings: 18-07, 20-01, 21-06,
22-06, 23-07, 24-08TLM 000005 SP
KETA TLM 00 5

Spn Mat. 96

FN 100730 SP
FONTEINE FN 100730Oud. 15j | OEK 29m | TKP 476d
Kalwers 10 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95WG 110010 HH SP
UP ONE ZULU

Spn Mat. 75

BOS 090141 SP
BOS-BLANCO BOS 090141Oud. 15j | OEK 42m | TKP 461d
Kalwers 9 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97HVT 950020 SP
OUTSPAN HVT950020HVT 950037 SP
OUTSPAN HVT95037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070001 DH SP
CIRCLE C C1070001Z 981048 SP
HLANZENI Z 98 1048
Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -
K6K3460 SP
MOGWONNI K6K3460KPO2493 SP
OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 020003 SP
KETA VOORSLAGB 040040 SP
BORGEN LADY IN WHITE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 99

95	Kalfgemak Waarde
106	Kalfgroei Waarde
93	Melk Waarde
104	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 100

PRODUKSIE WAARDE 101

LOGIX
GENOMICS COMPANY
EBV Analise 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	99	106	93	97	89	100	106
61%	54%	36%	32%	23%	65%	36%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	103	104	96	101	93	97	100	97
24%	20%	10%	21%	22%	22%	18%	17%	17%

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : Raka (WJ20-282), JRS19-256. Jong koei wat terug dateer na die koei Mutara 8334 wat ook die moeder was van die 2004 nasionale kampioen vroulike dier op Nairobi skou.

LOT 30 (F)



JRS 210208

JERAS JRS210208

Herd Book	SP
Birth date	2021-11-05
Age	3y 9m
Inbreeding	7%
DNA	U23478U023
AFC	34m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf	
Calf ID	JRS 240110 (F)
Birth Date	2024-08-27
Sire ID	Z 060051

Calvings: 24-08



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 107

86	Calving Ease Value
114	Calf Growth Value
94	Milk Value
95	Maintenance Value
115	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 110

PRODUCTION VALUE 108

JRS 140013 SP

JERAS GERMMERGEMMER

Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 180088 SP

JERAS JRS180088

Age 6y | AFC 35m | ICP 513d
Calves 3 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -
Calvings: 21-11, 22-10, 24-08

TLM 000005 SP

KETA TLM 00 5

Wean Mat. 96

B 070178 SP

BORGEN B070178

Age 8y | AFC 40m | ICP 427d
Calves 4 | Weighed - | Wean Mat. 81
Avg. WI - | Wean Mat. 81

B 120105 SP

BORGEN VREDE

Wean Mat. 106

JRS 130019 SP

JERAS JRS 130019

Age 11y | AFC 29m | ICP 387d
Calves 9 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT95037

Age 20y | Avg. WI -

Calves 8 | Weighed -

KP0548 SP

SOLIO 548/SI

KP021 SP

OL PEJETA 21

Age 38y | Avg. WI -

Calves 1 | Weighed -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Age 16y | Avg. WI -

Calves 2 | Weighed -

TLM 000005 SP

KETA TLM 00 5

JRS 050005 SP

JERAS JRS 05 0005

Age 15y | Avg. WI -

Calves 11 | Weighed -



EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	83	114	94	99	109	115	106
59%	46%	35%	31%	21%	62%	31%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	111	112	104	103	109	99	99	107
24%	19%	10%	22%	21%	21%	19%	18%	17%

SELLER REMARKS: 6 Maande dragtig van MS : Raka (WJ20-282), JRS19-256.

LOT 31 (M)



WJ 200146

JANSON JOCK

Herd Book	SP
Birth date	2020-10-08
Age	4y 10m
Inbreeding	0%
DNA	U12435U037



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

1 CO-OWNER(S)
2 CO-USER(S)
USED IN HERD (19)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 87

71	Calving Ease Value
111	Calf Growth Value
96	Milk Value
102	Maintenance Value
94	Fertility Value

GROWTH VALUE 116

CARCASS VALUE 111

PRODUCTION VALUE 94

JRS 160100 HH SP

JERAS GILFRED

Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WJ 130171 SP

JANSON JACKIE

Age 10y | AFC 59m | ICP 443d
Calves 5 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -
Calvings: 18-10, 20-10, 21-08, 22-07, 23-08

FN 090433 SP

FONTENE FN090433 - AMBASSADOR

Wean Mat. 111

B 040057 SP

BORGEN B04057

Age 18y | AFC 31m | ICP 372d
Calves 12 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

CI 080219 SP

CIRCLE C C1080219

Wean Mat. 97

WJ 090013 SP

JANSON JACKIE

Age 15y | AFC 36m | ICP 467d
Calves 10 | Weighed 1 | Wean Mat. 72
Avg. WI 79 | Wean Mat. 72

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTENE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

K6K3094 SP

MOGWONNI 3094 (BMK163)

ZIP7771 SP

KISIMA 7771

Age 31y | Avg. WI -

Calves - | Weighed -

HVT 950021 SP

OUTSPAN HVT950021

KB27X D SP

KETA KB 27 X

Age 15y | Avg. WI 100

Calves 8 | Weighed 3

MHB 040027 SP

MOLL'S-HOOP KHAN

MHB 050031 SP

MOLL'S-HOOP JACKIE

Age 14y | Avg. WI -

Calves 5 | Weighed -



EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
71	92	111	96	142	90	94	107
69%	51%	48%	40%	32%	51%	31%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	116	112	97	100	104	118	112	98
40%	30%	16%	31%	32%	31%	29%	28%	27%

SELLER REMARKS: Top stoetbul. Nageslag is al teen baie goeie pryse verkoop. Stamboom wat sinmaak en lyn geteel na K6k 3094.

LOT 32 (F)



JRS 210071

JERAS JRS210071

Kuddeboek	SP
Geb. dtm	2021-09-28
Oud.	3j 10m
Inteling	0%
DNS	U23478U020
OEK	33m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240003 (F)
Geb. datum	2024-06-21
Vaar ID	WJ 200208

Kalwings: 24-06



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 126

115	Kalfgemak Waarde
103	Kalfgroei Waarde
89	Melk Waarde
102	Onderhoudswaarde
128	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 99

PRODUKSIE WAARDE 123

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : Raka (WJ20-282), JRS19-256. Hierdie is ñ alles in een pakket, besonderse koei MHB11-18 wat 11 kalwers in 14 jaar met ñ TKP van 370 gelewer het. Sy is ook die volsuster van MHB11-55 (Xavier) wat met groot sukses in ons kudde gerbuik is. Dieselfde koei familie as Zulu hierdi

JRS 140015 SP

JERAS KOMPAS

Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MHB 110018 SP

MOLL'S-HOOP MHB110018 - XANY

Oud. 14j | OEK 28m | TKP 370d
Kalwers 11 | Geweeg - | Spn. Mat. 79
Gem. SI - | KKG 9.09 | KKS -Kalwings: 13-10, 14-09, 15-10,
16-11, 17-09, 19-01, 19-12, 20-10,
21-09, 22-09, 23-11

EBV Analise 2025-07-21

TLM 000005 SP

KETA TLM 00 5

Spn Mat. 96

FN 100730 SP

FONTEINE FN 100730

Oud. 15j | OEK 29m | TKP 476d
Kalwers 10 | Geweeg - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

K6K3534 SP

MOGWOONI K6K3534

Spn Mat. 63

KPO2493 SP

OL PEJETA 2493

Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT95037

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

CI 070001 DH SP

CIRCLE C C1070001

Z 981048 SP

HLANZENI Z 98 1048

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -

K6K1711 SP

MOGWOONI K6K1711

2260

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	118	103	89	107	124	125	105
61%	58%	40%	37%	26%	66%	37%	59%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	100	104	97	106	101	90	92	97
27%	23%	12%	24%	26%	25%	22%	21%	21%

LOT 33 (F)



WG 220046

UP ONE WG220046

Kuddeboek	SP
Geb. dtm	2022-06-29
Oud.	3j 1m
Inteling	3%
DNS	U22447U046



UP ONE FARMING

Derby, North West
0823763766
johan@jeras.co.zaP/A WALLY GEVERS, POS-
BUS 121, GREYTOWN, 3250

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 94

78	Kalfgemak Waarde
107	Kalfgroei Waarde
91	Melk Waarde
103	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 100

PRODUKSIE WAARDE 95

JRS 140013 SP

JERAS GERMMEGER

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WG 150115 SP

UP ONE WG150115

Oud. 10j | OEK 40m | TKP 445d
Kalwers 6 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -Kalwings: 18-08, 19-10, 20-11,
22-06, 23-09, 24-09

TLM 000005 SP

KETA TLM 00 5

Spn Mat. 96

B 070178 SP

BORGEN B070178

Oud. 8j | OEK 40m | TKP 427d
Kalwers 4 | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

WG 110005 SP

UP ONE WG110005

Spn Mat. 87

VB 110015 SP

VELD BEEF VB11015

Oud. 13j | OEK 42m | TKP 500d
Kalwers 8 | Geweeg - | Spn. Mat. 104
Gem. SI - | Spn. Mat. 104

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT95037

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

KPO548 SP

SOLIO 548/SI

KPO21 SP

OL PEJETA 21

Oud. 38j | Gem. SI -

Kalwers 1 | Geweeg -

TLM 060506 SP

KETA TLM 6 506

B 030027 SP

BORGEN B 03 27

Oud. 8j | Gem. SI -

Kalwers 3 | Geweeg -

EP 060008 SP

EMBRIO PLUS EP 060008

B 080144 SP

BORGEN B 080144

Oud. 12j | Gem. SI -

Kalwers 9 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	76	107	91	97	102	110	93
54%	46%	34%	32%	22%	49%	30%	50%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	104	107	97	99	97	97	100	100
23%	21%	10%	23%	22%	22%	20%	19%	18%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 34 (F)



JRS 220054

JERAS JRS220054

Herd Book	SP
Birth date	2022-07-10
Age	3y
Inbreeding	2%
DNA	U22447U053



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97

88	Calving Ease Value
118	Calf Growth Value
98	Milk Value
89	Maintenance Value
98	Fertility Value

GROWTH VALUE 129

CARCASS VALUE 126

PRODUCTION VALUE 108

JRS 160100 HH SP

JERAS GILFRED

Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 110055 SP

JERAS BORFJRS110055

Age 14y | AFC 35m | ICP 429d
Calves 10 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -
Calvings: 14-01, 15-02, 16-02,
17-06, 18-08, 20-02, 21-06, 22-07,
23-06, 24-08

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Wean Mat. 111

B 040057 SP

BORGEN B04057

Age 18y | AFC 31m | ICP 372d
Calves 12 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

JRS 080005 SP

JERAS 085

Wean Mat. 77

JRS 090443 SP

JERAS JRS 090443

Age 12y | AFC 24m | ICP 473d
Calves 7 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Age 14y | Avg. WI 115

Calves 7 | Weighed 1

K6K3094 SP

MOGWONII 3094 (8MK163)

ZIP7771 SP

KISIMA 7771

Age 31y | Avg. WI -

Calves - | Weighed -

B 040039 SP

BORGEN B 04 39

JRS 050011 SP

JERAS JRS 05 0011

Age 14y | Avg. WI -

Calves 9 | Weighed -

KP0786 SP

OL PEJETA 786

ADC531 SP

ADC MUTARA 531

Age 23y | Avg. WI -

Calves - | Weighed -



EBV Analysis 2025-07-21

Calf and Mother					Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
85	101	118	98	140	93	98	108
59%	55%	47%	36%	30%	51%	32%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	129	127	110	116	119	123	99	90
40%	28%	15%	29%	30%	29%	27%	26%	26%

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308. ñ Vers met baie breedte, diepte en kom uit die besondere Mutara koei familie Mutara 531 let op haar syfers.

LOT 35 (F)



JRS 210174

JERAS JRS 210174

Herd Book	SP
Birth date	2021-10-20
Age	3y 9m
Inbreeding	8%
DNA	U23478U022
AFC	34m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 109

82	Calving Ease Value
111	Calf Growth Value
96	Milk Value
99	Maintenance Value
119	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 105

PRODUCTION VALUE 110

JRS 140013 SP

JERAS GERMMERGEMMER

Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WJ 180177 SP

JANSON WJ180177

Age 6y | AFC 36m | ICP 359d
Calves 4 | Weighed 2 | Wean Mat. 104
Avg. WI 105 | CCB 8.94 | CCW 62.8
Calvings: 21-10, 22-09, 23-06,
24-10

TLM 000005 SP

KETA TLM 00 5

Wean Mat. 96

B 070178 SP

BORGEN B070178

Age 8y | AFC 40m | ICP 427d
Calves 4 | Weighed - | Wean Mat. 81
Avg. WI - | Wean Mat. 81

JRS 140015 SP

JERAS KOMPAS

Wean Mat. 99

WJ 120047 SP

JANSON WJ 120047

Age 8y | AFC 39m | ICP 450d
Calves 5 | Weighed - | Wean Mat. 92
Avg. WI - | Wean Mat. 92

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT95037

Age 20y | Avg. WI -

Calves 8 | Weighed -

KP0548 SP

SOLIO 548/SI

KP021 SP

OL PEJETA 21

Age 38y | Avg. WI -

Calves 1 | Weighed -

TLM 000005 SP

KETA TLM 00 5

FN 100730 SP

FONTEINE FN 100730

Age 15y | Avg. WI -

Calves 10 | Weighed -

FS 090005 SP

KROMSPRUIT FS 090005

WJ 090007 SP

JANSON SAVANNA

Age 11y | Avg. WI -

Calves 5 | Weighed -



EBV Analysis 2025-07-21

Calf and Mother					Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	79	111	96	103	114	118	105
60%	49%	39%	42%	26%	62%	30%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	107	109	99	100	99	102	100	105
24%	23%	9%	21%	26%	25%	17%	16%	16%

SELLER REMARKS: 5 Maande dragtig van MS : Raka (WJ20-282), JRS19-256.

LOT 36 (F)



JRS 220130

JERAS JRS220130

Kuddeboek	SP
Geb. dtm	2022-10-24
Oud.	2j 9m
Inteling	2%
DNS	U22447U063

JRS 170045 SP

JERAS SUID

Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 110050 SP

JERAS JRS 110050

Oud. 13j | OEK 34m | TKP 368d
Kalwers 9 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -

Kalwings: 14-10, 15-10, 16-11, 17-11,
18-11, 19-09, 20-12, 21-11, 22-10

JRS 140015 SP

JERAS KOMPAS

Spn Mat. 99

JRS 110031 SP

JERAS JRS 110031

Oud. 13j | OEK 33m | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

TLM 020004 SP

KETA TLM020004 CAESAR

Spn Mat. 90

JRS 060002 SP

JERAS JRS 06 0002

Oud. 10j | OEK - | TKP 548d
Kalwers 5 | Geweeg - | Spn. Mat. 104
Gem. SI - | Spn. Mat. 104

TLM 000005 SP

KETA TLM 00 5

FN 100730 SP

FONTEINE FN 100730

Oud. 15j | Gem. SI -

Kalwers 10 | Geweeg -

JRS 080005 SP

JERAS 085

JRS 090006 SP

JERAS 0906

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -

K6K2459 SP

MOGWONNI K6K2459

KPO898 SP

OL PEJETA KPO 898

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

NDA9 SP

NDAKAINI 8N9

PB/9831 SP

DELAMERE 304

Oud. 32j | Gem. SI -

Kalwers - | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

KOEIWAARDE 98

89	Kalfgemak Waarde
117	Kalfgroei Waarde
97	Melk Waarde
92	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 113

PRODUKSIE WAARDE 102

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
88	99	117	97	101	95	94	105	
52%	50%	33%	32%	27%	49%	34%	50%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	113	121	107	106	104	98	99	94
28%	26%	17%	27%	28%	27%	25%	24%	24%

VERKOPER OPMERKINGS: 5 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 37 (F)



JRS 220082

JERAS JRS220082

Kuddeboek	SP
Geb. dtm	2022-10-03
Oud.	2j 10m
Inteling	0%
DNS	U22447U055

JRS 160100 HH SP

JERAS GILFRED

Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 120010 SP

JERAS JRS 120010

Oud. 12j | OEK 34m | TKP 420d
Kalwers 9 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -

Kalwings: 15-09, 16-09, 17-11,
18-10, 19-10, 21-06, 22-10, 23-10,
24-11

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Spn Mat. 111

B 040057 SP

BORGEN B04057

Oud. 18j | OEK 31m | TKP 372d
Kalwers 12 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

TLM 000005 SP

KETA TLM 00 5

Spn Mat. 96

JRS 090032 SP

JERAS JRS0932

Oud. 11j | OEK 23m | TKP 370d
Kalwers 8 | Geweeg - | Spn. Mat. 82
Gem. SI - | Spn. Mat. 82

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | Gem. SI 115

Kalwers 7 | Geweeg 1

K6K3094 SP

MOGWONNI 3094 (8MK163)

ZIP7771 SP

KISIMA 7771

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT95037

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

HVT 970017 SP

OUTSPAN HVT970017

TLM 050016 SP

KETA TLM050016

Oud. 11j | Gem. SI -

Kalwers 8 | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

KOEIWAARDE 101

89	Kalfgemak Waarde
99	Kalfgroei Waarde
98	Melk Waarde
98	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 113

KARKAS WAARDE 108

PRODUKSIE WAARDE 106

LOGIX
GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
92	92	99	98	129	109	113	109	
59%	54%	48%	37%	29%	52%	33%	53%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	113	107	100	99	102	115	110	109
40%	27%	15%	29%	29%	29%	27%	25%	25%

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308. Lyngeteelde Segera 494 aan moederskant en lynteling met Mogwooni 3094 aan vaderskant.

LOT 38 (F)



JRS 220071

JERAS JRS220071

Herd Book	SP
Birth date	2022-09-27
Age	2y 10m
Inbreeding	0%
DNA	U22447U054

WG 110010 HH SP
UP ONE ZULU
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

FN 120209 SP
FONTEINE FNI20209
Age 12y | AFC 35m | ICP 471d
Calves 8 | Weighed - | Wean Mat. 111
Avg. WI - | CCB - | CCW -
Calvings: 15-08, 16-12, 18-04,
19-10, 20-09, 21-08, 22-09, 24-08

K6K3460 SP
MOGWONI K6K3460
Wean Mat. 51

KPO2493 SP
OL PEJETA 2493
Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96

KB28W D SP
KETA KB 28 W
Wean Mat. 123

HMC 990020 SP
ALZU BA 20
Age 15y | AFC 40m | ICP 379d
Calves 8 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

K6K2459 SP
MOGWONI K6K2459
2039
Age 45y | Avg. WI -
Calves - | Weighed -

PM14R SP
LILAYI PM14R
GF31R
Age 44y | Avg. WI -
Calves 1 | Weighed -
Z 950022 SP
HLANZENI Z950022
Z 950017 SP
HLANZENI Z950017
Age 4y | Avg. WI -
Calves 1 | Weighed -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

COW VALUE 91

107	Calving Ease Value
99	Calf Growth Value
93	Milk Value
101	Maintenance Value
85	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 102

PRODUCTION VALUE 95

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	100	99	93	101	94	85	92
62%	59%	42%	43%	32%	59%	43%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	98	94	98	98	94	113	99	89
32%	27%	16%	31%	31%	30%	26%	24%	23%

SELLER REMARKS: 5 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 39 (F)



CCL 220063

LUKA CCL 220063

Herd Book	SP
Birth date	2022-08-26
Age	2y 11m
Inbreeding	1%
DNA	U16302U002

JRS 160100 HH SP
JERAS GILFRED
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 110061 SP
ELANDSPRUIT CFH110061
Age 12y | AFC 39m | ICP 491d
Calves 7 | Weighed - | Wean Mat. 123
Avg. WI - | CCB - | CCW -
Calvings: 14-08, 16-08, 17-07,
18-07, 19-12, 21-07, 22-08

FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
Wean Mat. 111

B 040057 SP
BORGEN B04057
Age 18y | AFC 31m | ICP 372d
Calves 12 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

E 060005 HH SP
TAMBARAINE E 06 05
Wean Mat. 112

CFH 060646 SP
ELANDSPRUIT 06 646
Age 9y | AFC 32m | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 135
Avg. WI - | Wean Mat. 135

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
K6K3094 SP
MOGWONI 3094 (BMK163)

ZIP7771 SP
KISIMA 7771
Age 31y | Avg. WI -
Calves - | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL

TLM 000014 SP
KETA TLM 00 14
Age 15y | Avg. WI 111
Calves 12 | Weighed 6
FE 960075 SP
FORRESTER 96/75
HVT 000001 SP
OUTSPAN HVT000001
Age 15y | Avg. WI -
Calves 2 | Weighed -



LUKA STUD (PTY) LTD

Machadodorp, Mpumalanga
0822221202
civanrhynv50@gmail.com

P.O. BOX 3901, WHITE RIVER, 1240

COW VALUE 90

85	Calving Ease Value
95	Calf Growth Value
116	Milk Value
97	Maintenance Value
98	Fertility Value

GROWTH VALUE 124

CARCASS VALUE 115

PRODUCTION VALUE 100

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	87	95	116	127	104	95	99
57%	50%	52%	43%	33%	51%	34%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	120	114	100	112	109	120	110	99
43%	31%	17%	35%	34%	33%	30%	29%	28%

SELLER REMARKS: 5 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 40 (F)



JRS 220037

JERAS JRS220037

Kuddeboek	SP
Geb. dtm	2022-06-14
Oud.	3j 1m
Inteling	0%
DNS	U22447U051
OEK	29m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 240159 (F)
Geb. datum	2024-10-29
Vaar ID	JRS 210165

Kalwings: 24-10



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

B 120105 SP
BORGEN VREDE
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 180070 SP
JERAS JRS180070Oud. 7j | OEK 38m | TKP 448d
Kalwers 4 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 21-03, 22-06, 23-06, 24-11B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Spn Mat. 107B 040048 SP
BORGEN B04048
Oud. 16j | OEK - | TKP (donor)
Kalwers 2 | Geweeg - | Spn. Mat. 109
Gem. SI - | Spn. Mat. 109HA 110002 SP
SILWER
Spn Mat. 89PB 070016 SP
PALMYRA PB0716
Oud. 15j | OEK - | TKP 443d
Kalwers 10 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99K6K2997 SP
MOGWOONI K6K2997
8334 SP
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
NDA9 SP
NDAKAINI 8N9
K6K2327 SP
MOGWOONI 2327
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
K6K3534 SP
MOGWOONI K6K3534
4197 SP
OL PEJETA 4197
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
B 030006 SP
BORGEN B 03 06
HVT 950037 SP
OUTSPAN HVT95037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 105

84	Kalfgemak Waarde
122	Kalfgroei Waarde
101	Melk Waarde
89	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 113

PRODUKSIE WAARDE 107

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	99	122	101	103	95	107	109
64%	60%	43%	35%	26%	64%	38%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	114	113	111	109	118	92	93	101
32%	24%	14%	26%	26%	26%	24%	23%	23%

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 41 (F)



JRS 220039

JERAS JRS220039

Kuddeboek	SP
Geb. dtm	2022-06-18
Oud.	3j 1m
Inteling	3%
DNS	U22447U052



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 160100 HH SP
JERAS GILFRED
Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BOS 090141 SP
BOS-BLANCO BOS 090141
Oud. 15j | OEK 42m | TKP 461d
Kalwers 9 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 13-05, 14-05, 15-09, 16-11, 18-01, 19-01, 21-05, 22-06, 23-06FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
Spn Mat. 111B 040057 SP
BORGEN B04057
Oud. 18j | OEK 31m | TKP 372d
Kalwers 12 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97TLM 020003 SP
KETA VOORSLAG
Spn Mat. 100
B 040040 SP
BORGEN LADY IN WHITE
Oud. 15j | OEK 47m | TKP 476d
Kalwers 8 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90TLM 020004 SP
KETA TLM020004 CAESAR
FN 040017 SP
FONTEINE FN 04 17
Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
K6K3094 SP
MOGWOONI 3094 (BMK163)
ZIP7771 SP
KISIMA 7771
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
KPO786 SP
OL PEJETA 786
8334 SP
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	97	107	102	123	86	96	106
59%	54%	52%	43%	36%	53%	36%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	120	120	102	109	107	109	107	94
44%	34%	18%	36%	36%	36%	34%	32%	32%

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 42 (F)



JRS 220212

JERAS JRS220212

Herd Book	SP
Birth date	2022-12-13
Age	2y 7m
Inbreeding	6%
DNA	U22447U043

MHB 110055 SP
MOLL'S-HOOP XAVIER
Wean Mat. 67

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 180113 SP
JERAS JRS180113
Age 6y | AFC 35m | ICP 371d
Calves 4 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -
Calvings: 21-10, 22-12, 23-11, 24-10

K6K3534 SP
MOGWOONI K6K3534
Wean Mat. 63

KPO2493 SP
OL PEJETA 2493

Age 30y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 96
Avg. WI - | Wean Mat. 96

HA 110002 SP
SILWER
Wean Mat. 89

JRS 120002 SP
JERAS JRS 120002
Age 13y | AFC 32m | ICP 368d
Calves 8 | Weighed - | Wean Mat. 100
Avg. WI - | Wean Mat. 100

K6K1711 SP
MOGWOONI K6K1711
2260
Age 34y | Avg. WI -
Calves - | Weighed -

K6K3534 SP
MOGWOONI K6K3534
4197 SP
OL PEJETA 4197
Age 28y | Avg. WI -
Calves 1 | Weighed -
FN 060064 SP
FONTEINE FN0664
JRS 090013 SP
JERAS JRS0913
Age 15y | Avg. WI -
Calves 13 | Weighed -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

COW VALUE 103

109	Calving Ease Value
102	Calf Growth Value
80	Milk Value
104	Maintenance Value
103	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 94

PRODUCTION VALUE 99

LOGIX
EBV Analysis 2025-07-21

Calf and Mother					Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
109	133	102	80	95	100	107	96	
61%	52%	42%	39%	30%	55%	37%	54%	

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	90	98	96	109	103	74	89	109
30%	27%	13%	27%	30%	29%	28%	26%	26%

SELLER REMARKS: 6 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 43 (F)



JRS 220155

JERAS JRS220155

Herd Book	SP
Birth date	2022-11-07
Age	2y 9m
Inbreeding	2%
DNA	U22447U040

JRS 150046 SP
JERAS 46
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 170064 SP
JERAS JRS170064
Age 7y | AFC 35m | ICP 355d
Calves 5 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -
Calvings: 20-11, 21-11, 22-11, 23-11, 24-10

WG 110010 HH SP
UP ONE ZULU
Wean Mat. 75

JRS 110041 SP
JERAS JRS 110041

Age 13y | AFC 34m | ICP 452d
Calves 8 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

B 120105 SP
BORGEN VREDE
Wean Mat. 106

JRS 120012 SP
JERAS JRS 120012
Age 12y | AFC 35m | ICP 415d
Calves 9 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

K6K3460 SP
MOGWOONI K6K3460

KPO2493 SP
OL PEJETA 2493
Age 30y | Avg. WI -
Calves - | Weighed -
HVT 950022 SP
OUTSPAN HVT950022

JRS 080002 SP
JERAS 082
Age 17y | Avg. WI -
Calves 14 | Weighed -
B 050098 SP
BORGEN B05098 - NINETY-EIGHT

B 040048 SP
BORGEN B04048
Age 16y | Avg. WI -
Calves 2 | Weighed -
TLM 000005 SP
KETA TLM 00 5
FN 090635 SP
FONTEINE FN 090635
Age 7y | Avg. WI -
Calves 1 | Weighed -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

COW VALUE 112

103	Calving Ease Value
109	Calf Growth Value
94	Milk Value
94	Maintenance Value
115	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 106

PRODUCTION VALUE 111

LOGIX
EBV Analysis 2025-07-21

Calf and Mother					Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	
94	113	109	94	101	107	116	106	
58%	46%	35%	26%	29%	51%	32%	50%	

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	107	106	105	95	96	103	101	96
28%	25%	19%	19%	29%	28%	22%	21%	20%

SELLER REMARKS: 6 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 44 (F)



JRS 220160

JERAS JRS220160

Kuddeboek	SP
Geb. dtm	2022-11-14
Oud.	2j 8m
Inteling	5%
DNS	U22447U041

JRS 170045 SP

JERAS SUID

Spn Mat. 95

Ouerskap Vaar Moer

DNS

Genomies

JRS 160008 SP

JERAS JRS 160008

Oud. 8j | OEK 36m | TKP 368d
Kalwers 6 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -

Kalwings: 19-10, 20-11, 21-10,
22-11, 23-11, 24-11

JRS 140015 SP

JERAS KOMPAS

Spn Mat. 99

JRS 110031 SP

JERAS JRS 110031

Oud. 13j | OEK 33m | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 90
Gem. SI - | Spn. Mat. 90

B 120105 SP

BORGEN VREDE

Spn Mat. 106

JRS 130010 SP

JERAS JRS 130010

Oud. 11j | OEK 39m | TKP 371d
Kalwers 9 | Geweeg - | Spn. Mat. 97
Gem. SI - | Spn. Mat. 97

TLM 000005 SP

KETA TLM 00 5

FN 100730 SP

FONTEINE FN 100730

Oud. 15j | Gem. SI -

Kalwers 10 | Geweeg -

JRS 080005 SP

JERAS 085

JRS 090006 SP

JERAS 0906

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Oud. 16j | Gem. SI -

Kalwers 2 | Geweeg -

TLM 000005 SP

KETA TLM 00 5

JRS 100005 SP

JERAS JRS 100005

Oud. 6j | Gem. SI -

Kalwers 2 | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

KOEIWAARDE 106

86	Kalfgemak Waarde
120	Kalfgroei Waarde
98	Melk Waarde
91	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 116

PRODUKSIE WAARDE -

LOGIX
GENOMICS COMPANY
EBV Analise 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	97	120	98	110	99	110	109
53%	45%	28%	23%	17%	44%	28%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	119	116	108	109	114	104	95	98
20%	16%	9%	16%	17%	17%	15%	14%	14%

VERKOPER OPMERKINGS: 5 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 45 (F)



JRS 220116

JERAS JRS220116

Kuddeboek	SP
Geb. dtm	2022-10-18
Oud.	2j 9m
Inteling	0%
DNS	U22447U060

MHB 110055 SP

MOLL'S-HOOP XAVIER

Spn Mat. 67

Ouerskap Vaar Moer

DNS

Genomies

JRS 180172 SP

JERAS JRS180172

Oud. 6j | OEK 35m | TKP 385d
Kalwers 4 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

Kalwings: 21-10, 22-10, 23-10,
24-11

K6K3534 SP

MOGWOOONI K6K3534

Spn Mat. 63

KPO2493 SP

OL PEJETA 2493

Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

JRS 140015 SP

JERAS KOMPAS

Spn Mat. 99

TLM 050025 SP

KETA TLM050025

Oud. 15j | OEK - | TKP 410d
Kalwers 11 | Geweeg 3 | Spn. Mat. 66
Gem. SI 89 | Spn. Mat. 66

K6K1711 SP

MOGWOOONI K6K1711

2260

2260

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

TLM 000005 SP

KETA TLM 00 5

FN 100730 SP

FONTEINE FN 100730

Oud. 15j | Gem. SI -

Kalwers 10 | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF39T D SP

GRASMERE GF 39T

Oud. 18j | Gem. SI -

Kalwers 9 | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

KOEIWAARDE 99

110	Kalfgemak Waarde
95	Kalfgroei Waarde
75	Melk Waarde
104	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 91

PRODUKSIE WAARDE 97

LOGIX
GENOMICS COMPANY
EBV Analise 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	131	95	75	95	104	110	98
62%	52%	43%	41%	30%	56%	37%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	92	95	97	104	94	85	90	96
31%	27%	13%	29%	30%	29%	27%	25%	25%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 46 (F)



JRS 220114

JERAS JRS220114

Herd Book	SP
Birth date	2022-10-18
Age	2y 9m
Inbreeding	5%
DNA	U22447U059
AFC	24m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240149 (F)
Birth Date	2024-10-26
Sire ID	JRS 210165

Calvings: 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 116

104	Calving Ease Value
103	Calf Growth Value
94	Milk Value
96	Maintenance Value
124	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 101

PRODUCTION VALUE 114

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

JRS 150046 SP

JERAS 46

Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 120021 SP

JERAS JRS120021

Age 12y | AFC 37m | ICP 407d
Calves 8 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -
Calvings: 16-01, 17-02, 18-01,
19-01, 20-09, 21-10, 22-10, 23-11

WG 110010 HH SP

UP ONE ZULU

Wean Mat. 75

JRS 110041 SP

JERAS JRS 110041

Age 13y | AFC 34m | ICP 452d
Calves 8 | Weighed - | Wean Mat. 101
Avg. WI - | Wean Mat. 101

TLM 000005 SP

KETA TLM 00 5

Wean Mat. 96

JRS 100011 SP

JERAS BORFJRS100011

Age 11y | AFC 33m | ICP 355d
Calves 6 | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99

K6K3460 SP

MOGWONNI K6K3460

KPO2493 SP

OL PEJETA 2493

Age 30y | Avg. WI -

Calves - | Weighed -

HVT 950022 SP

OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Age 17y | Avg. WI -

Calves 14 | Weighed -

HVT 950020 SP

OUTSPAN HVT950020

HVT 950037 SP

OUTSPAN HVT950037

Age 20y | Avg. WI -

Calves 8 | Weighed -

CI 070001 DH SP

CIRCLE C CI070001

JRS 080002 SP

JERAS 082

Age 17y | Avg. WI -

Calves 14 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	110	103	94	105	109	123	118
62%	58%	34%	26%	28%	62%	32%	54%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	101	102	102	89	88	107	106	95
26%	24%	19%	19%	28%	27%	21%	20%	19%

LOT 47 (F)



JRS 220213

JERAS JRS220213

Herd Book	SP
Birth date	2022-12-13
Age	2y 7m
Inbreeding	0%
DNA	U22447U044



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 105

104	Calving Ease Value
101	Calf Growth Value
91	Milk Value
103	Maintenance Value
105	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 98

PRODUCTION VALUE 102

JRS 190256 SP

JERAS JRS190256

Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	
Genomic		

WJ 180106 SP

JANSON WJ180106

Age 6y | AFC 39m | ICP 370d
Calves 3 | Weighed - | Wean Mat. 77
Avg. WI - | CCB - | CCW -
Calvings: 21-11, 22-12, 23-11

B 120105 SP

BORGEN VREDE

Wean Mat. 106

CFH 120039 SP

ELANDSPRUIT CFH120039

Age 13y | AFC 34m | ICP 418d
Calves 7 | Weighed - | Wean Mat. 104
Avg. WI - | Wean Mat. 104

MHB 110055 SP

MOLL'S-HOOP XAVIER

Wean Mat. 67

AJB 130012 SP

MOTSWIRI AJB13012

Age 7y | AFC 39m | ICP 481d
Calves 4 | Weighed - | Wean Mat. 87
Avg. WI - | Wean Mat. 87

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Age 16y | Avg. WI -

Calves 2 | Weighed -

PM14R SP

LILAYI PM14R

B 980004 SP

BORGEN B980004

Age 20y | Avg. WI -

Calves 6 | Weighed -

K6K3534 SP

MOGWONNI K6K3534

KPO2493 SP

OL PEJETA 2493

Age 30y | Avg. WI -

Calves - | Weighed -

AJB 080026 SP

MOTSWIRI AJB08026

TLM 050023 SP

KETA TLM050023

Age 14y | Avg. WI -

Calves 12 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	118	101	91	97	99	106	108
55%	40%	33%	30%	24%	42%	30%	44%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	99	102	97	104	101	88	97	91
26%	22%	13%	23%	24%	23%	21%	20%	20%

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 48 (F)



JRS 220126

JERAS JRS220126

Kuddeboek	SP
Geb. dtm	2022-10-20
Oud.	2j 9m
Inteling	1%
DNS	U22447U062

JRS 150046 SP

JERAS 46

Spn Mat. 90

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WJ 150030 SP

JANSON WJ 150030

Oud. 10j | OEK 40m | TKP 372d
Kalwers 7 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -

Kalwings: 18-10, 19-10, 20-11, 21-11,
22-10, 23-12, 24-11

WG 110010 HH SP
UP ONE ZULU

Spn Mat. 75

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 101
Gem. SI - | Spn. Mat. 101

NNR 060047 SP

NTABA NYONI NNR0647

Spn Mat. 98

WJ 120018 SP

JANSON WJ 120018

Oud. 13j | OEK 36m | TKP 482d
Kalwers 8 | Geweeg - | Spn. Mat. 81
Gem. SI - | Spn. Mat. 81

K6K3460 SP
MOGWONI K6K3460

KPO2493 SP
OL PEJETA 2493

Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

HVT 950022 SP
OUTSPAN HVT950022

JRS 080002 SP
JERAS 082

Oud. 17j | Gem. SI -
Kalwers 14 | Geweeg -

359G SP
SOLIO 359 G

KPO867 SP
OL PEJETA 867

Oud. 34j | Gem. SI -
Kalwers - | Geweeg -

HVT 950509 SP
OUTSPAN 509

JDH 090001 C
HEBSEBA FORTUNA

Oud. 12j | Gem. SI -
Kalwers 5 | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 102

93	Kalfgemak Waarde
102	Kalfgroei Waarde
89	Melk Waarde
94	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 93

PRODUKSIE WAARDE 101

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	96	102	89	96	109	121	104
59%	49%	34%	29%	32%	50%	29%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	92	86	105	89	86	102	100	98
25%	27%	18%	18%	32%	31%	21%	19%	19%

VERKOPER OPMERKINGS: 6 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 49 (F)



JRS 220107

JERAS JRS220107

Kuddeboek	SP
Geb. dtm	2022-10-17
Oud.	2j 9m
Inteling	0%
DNS	U22447U058

WG 110010 HH SP
UP ONE ZULU

Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 180071 SP

JERAS JRS180071

Oud. 7j | OEK 34m | TKP 356d
Kalwers 5 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -

Kalwings: 20-11, 21-10, 22-10,
23-11, 24-10

K6K3460 SP
MOGWONI K6K3460

Spn Mat. 51

KPO2493 SP
OL PEJETA 2493

Oud. 30j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | Spn. Mat. 96

B 120105 SP
BORGEN VREDE

Spn Mat. 106

RN 130421 SP
RANKIN BEEF RN13421

Oud. 10j | OEK 34m | TKP 444d
Kalwers 6 | Geweeg - | Spn. Mat. 99
Gem. SI - | Spn. Mat. 99

K6K2459 SP
MOGWONI K6K2459

2039

2039

Oud. 45j | Gem. SI -
Kalwers - | Geweeg -

B 050098 SP
BORGEN B05098 - NINETY-EIGHT

B 040048 SP
BORGEN B04048

Oud. 16j | Gem. SI -
Kalwers 2 | Geweeg -

KB28W D SP
KETA KB 28 W

CFH 070343 SP
ELANDSPRUIT CFH070343

Oud. 9j | Gem. SI -
Kalwers 3 | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 98

108	Kalfgemak Waarde
99	Kalfgroei Waarde
88	Melk Waarde
99	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 98

PRODUKSIE WAARDE 98

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	107	99	88	99	91	106	98
62%	54%	38%	36%	27%	57%	41%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	96	94	100	92	92	101	98	93
28%	23%	15%	25%	25%	25%	24%	22%	22%

VERKOPER OPMERKINGS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

LOT 50 (F)

CCL 220092
LUKA CCL 220092

Herd Book	SP
Birth date	2022-10-07
Age	2y 10m
Inbreeding	0%
DNA	U22447U049
AFC	26m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

LUKA STUD (PTY) LTD

Machadodorp, Mpumalanga
0822221202
cjvanrhyn50@gmail.com

P.O. BOX 3901, WHITE RIVER, 1240

Last Calf	
Calf ID	CCL 240316 (M)
Birth Date	2024-12-12
Sire ID	MULTIPLE SIRE

Calvings: 24-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113

112	Calving Ease Value
96	Calf Growth Value
107	Milk Value
97	Maintenance Value
113	Fertility Value

GROWTH VALUE 108

CARCASS VALUE 105

PRODUCTION VALUE 114

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

KPO794 SP
OL PEJETA 794

Wean Mat. 94

K6K2386 SP
MOGWOONI 2386

Age 32y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 129
Avg. WI - | Wean Mat. 129

JRS 150001 SP
JERAS JRS 150001

Wean Mat. 81

CFH 120116 SP
ELANDSPRUIT CFH120116

Age 13y | AFC 33m | ICP 443d
Calves 9 | Weighed - | Wean Mat. 111
Avg. WI - | Wean Mat. 111

KPO1279 SP
OL PEJETA 1279

Age 65y | Avg. WI -
Calves - | Weighed -

1600 SP
OL PEJETA 1600

Age 65y | Avg. WI -
Calves - | Weighed -

2669
2669

Age 43y | Avg. WI -
Calves - | Weighed -

WG 110010 HH SP
UP ONE ZULU

Age 13y | Avg. WI -
Calves 6 | Weighed -

CI 080034 HH SP
CIRCLE C C1080034

Age 11y | Avg. WI -
Calves 2 | Weighed -

CFH 060464 SP
ELANDSPRUIT 06 464

Age 11y | Avg. WI -
Calves 2 | Weighed -

Z 060051 SP

HLANZENI 20651 - MR MILLION

Wean Mat. 122

Parentage Sire Dam

DNA ✓

Genomic

CCL 190013 SP
LUKA CCL 190013

Age 5y | AFC 34m | ICP 680d
Calves 2 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -
Calvings: 22-10, 24-08

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	100	96	107	93	95	122	105
59%	61%	51%	52%	46%	66%	47%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	109	107	101	121	113	100	86	118
46%	44%	31%	46%	46%	46%	43%	41%	40%

LOT 51 (F)

JRS 220141
JERAS JRS220141

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91

82	Calving Ease Value
114	Calf Growth Value
99	Milk Value
92	Maintenance Value
96	Fertility Value

GROWTH VALUE 116

CARCASS VALUE 115

PRODUCTION VALUE 98

SELLER REMARKS: 7 Maande dragtig van MS : JRS20-05, JRS20-153, JRS20-308.

JRS 160100 HH SP

JERAS GILFRED

Wean Mat. 108

Parentage Sire Dam

DNA ✓

Genomic

JRS 150030 SP
JERAS JRS 150030

Age 9y | AFC 40m | ICP 445d
Calves 5 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -
Calvings: 19-02, 20-11, 21-11, 22-10, 23-12

FN 090433 SP

FONTENE FN090433 - AMBASSADOR

Wean Mat. 111

B 040057 SP
BORGEN B04057

Age 18y | AFC 31m | ICP 372d
Calves 12 | Weighed - | Wean Mat. 97
Avg. WI - | Wean Mat. 97

HA 110002 SP
SILWER

Wean Mat. 89

JRS 120012 SP
JERAS JRS 120012

Age 12y | AFC 35m | ICP 415d
Calves 9 | Weighed - | Wean Mat. 90
Avg. WI - | Wean Mat. 90

TLM 020004 SP
KETA TLM020004 CAESAR

Age 14y | Avg. WI 115
Calves 7 | Weighed 1

FN 040017 SP
FONTENE FN 04 17

Age 14y | Avg. WI 115
Calves 7 | Weighed 1

K6K3094 SP
MOGWOONI 3094 (BMK163)

Age 14y | Avg. WI -
Calves - | Weighed -

ZIP7771 SP
KISIMA 7771

Age 31y | Avg. WI -
Calves 1 | Weighed -

K6K3534 SP
MOGWOONI K6K3534

Age 28y | Avg. WI -
Calves 1 | Weighed -

4197 SP
OL PEJETA 4197

Age 28y | Avg. WI -
Calves 1 | Weighed -

TLM 000005 SP
KETA TLM 00 5

Age 7y | Avg. WI -
Calves 1 | Weighed -

FN 090635 SP
FONTENE FN 090635

Age 7y | Avg. WI -
Calves 1 | Weighed -

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
81	97	114	99	135	91	95	109
60%	50%	48%	36%	28%	52%	32%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	117	116	107	111	111	114	103	95
38%	26%	14%	28%	28%	27%	26%	25%	24%

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.29	-0.15	1.5	0.7	3	4	-3		3.0	2.0	1.0						
Auction Average				30	-	-	-	-	-	0.56	-0.21	3.2	-1.1	6	5	9	-12	5.0	3	-	-	-	104	100	7.0	98
1	WG 190158	F	SP	28	-	-	-	-	-	0.51	0.50	2.4	-1.3	3.0	3.2	-3	-10	2.2	3	-2	-	-	98		5	101
2	JRS 180164	F	SP	30	-	-	-	-	-	0.51	0.29	4.0	0.9	8.1	7.1	19	-42	3.2	3	-1	-	-	101		9	99
3	JRS 180120	F	SP	31	-	-	-	-	-	1.23	-0.93	7.7	-1.1	15.5	2.8	45	-39	5.9	7	9	-	-	106	103	3	99
4	JRS 180062	F	SP	29	-	-	-	-	-	1.15	-0.01	4.2	-5.0	9.5	5.6	-4	-10	-3.7	-3	-11	-	-	87		4	87
5	JRS 200147	M	SP	-	-	-	-	-	-	0.22	-0.81	1.8	-2.3	3.1	2.5	-29	27	.5	0	-7	-	-	95		4	95
6	JRS 170064	F	SP	29	-	-	-	-	-	0.70	-0.47	5.3	0.2	11.5	11.5	36	-31	4.2	5	11	-	-	103		9	102
7	WJ 190031	F	SP	29	-	-	-	-	-	0.19	-0.61	1.4	-4.0	4.9	-2.7	-30	42	-1.1	0	-8	-	-	92		8	91
8	CCL 190005	F	SP	-	-	-	-	-	-	0.12	-0.05	0.9	-3.4	2.4	0.0	-18	13	1.7	4	-2	-	-	97		4	84
9	WG 170158	F	SP	-	-	-	-	-	-	-0.37	-0.17	-4.9	1.1	-6.0	3.8	-26	53	4.1	2	-8	-	-	102	91	10	94
10	JRS 200251	M	SP	-	-	-	-	-	-	0.56	-0.09	2.6	-0.4	5.3	1.2	-4	-14	4	-5	-9	-	-	102		6	107
11	JRS 180154	F	SP	30	-	-	-	-	-	0.27	-0.25	1.0	-3.2	4.1	-1.2	-25	32	.3	-2	-9	-	-	94		6	94
12	JRS 180162	F	SP	30	-	-	-	-	-	0.27	-0.04	2.8	-0.7	7.7	4.4	15	-13	6	2	-0	-	-	106		7	95
13	WJ 190155	F	SP	28	-	-	-	-	-	0.38	-0.31	1.7	-0.7	4.1	7.1	9	-17	-.7	-0	-3	-	-	92		9	100
14	JRS 190249	F	SP	28	-	-	-	-	-	-0.20	-0.01	-0.4	-5.1	1.7	-6.4	-42	61	-.2	-5	-14	-	-	94		10	108
15	JRS 200153	M	SP	-	-	-	-	-	-	0.80	-0.03	2.1	-2.4	5.8	-0.8	-21	32	-2.3	-1	-9	-	-	89		7	115
16	JRS 180161	F	SP	28	-	-	-	-	-	-0.61	-0.54	1.5	-0.7	5.9	8.5	24	-30	6.7	2	0	-	-	108		14	114
17	JRS 170077	F	SP	29	-	-	-	-	-	0.21	-0.65	2.6	-1.5	7.7	-2.3	-2	-6	.3	1	-3	-	-	95		10	98
18	JRS 180082	F	SP	29	-	-	-	-	-	0.53	-0.44	7.3	0.2	12.2	14.0	52	-56	3.7	9	19	-	-	101		11	105
19	CCL 170015	F	SP	-	-	-	-	-	-	0.19	-0.05	-0.1	0.1	0.3	2.5	0	2	2.8	6	2	-	-	100		8	88
20	WJ 200282	M	SP	-	-	-	-	-	-	0.52	-0.36	5.3	-2.1	9.5	10.6	15	-22	7.2	2	-2	-	-	108		5	109
21	JRS 150064	F	SP	33	-	-	-	-	-	0.84	0.08	4.5	3.1	10.6	12.1	58	-53	16.7	3	6	-	-	128		8	92
23	JRS 150086	F	SP	30	-	-	-	-	-	0.16	-0.50	5.1	-2.0	5.6	10.9	6	-38	4.2	5	4	-	-	103		14	114
24	JRS 200014	M	SP	33	-	-	-	-	-	1.38	-0.32	7.3	-0.2	12.8	8.3	25	-29	4.5	3	2	-	-	103		2	112
25	JRS 160046	F	SP	33	-	-	-	-	-	-0.05	-0.07	1.5	-1.0	5.7	2.2	-8	19	3.5	1	-4	-	-	101		8	92
26	JRS 210010	F	SP	-	-	-	-	-	-	-0.11	-0.02	1.0	-1.9	3.2	1.1	-14	14	.7	-0	-4	-	-	95		4	83

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.29	-0.15	1.5	0.7	3	4	-3		3.0	2.0	1.0						
Aanbod Gemiddeld				30	-	-	-	-	-	0.56	-0.21	3.2	-1.1	6	5	9	-12	5.0	3	-	-	-	104	100	7.0	98
27	JRS 210076	V	SP	-	-	-	-	-	-	0.87	-0.33	2.5	-4.4	3.3	-1.4	-44	32	-6	-5	-15	-	-	82		5	109
28	JRS 210222	V	SP	-	-	-	-	-	-	1.02	-0.25	3.5	-1.3	4.2	2.6	34	-31	18.7	6	6	-	-	132		5	90
29	JRS 210026	V	SP	-	-	-	-	-	-	0.71	-0.13	3.4	-1.0	8.0	0.6	4	-11	1.6	2	-5	-	-	97		6	98
30	JRS 210208	V	SP	-	-	-	-	-	-	0.68	0.36	6.1	-0.8	10.8	7.4	26	-34	2.3	4	8	-	-	99		3	88
31	WJ 200146	M	SP	-	-	-	-	-	-	2.14	0.09	5.1	-0.3	6.1	1.8	39	-36	23.9	2	4	-	-	142		5	70
32	JRS 210071	V	SP	-	-	-	-	-	-	-0.10	-0.70	2.5	-2.1	2.7	2.0	-3	-10	6.5	5	1	-	-	107		11	111
33	WG 220046	V	SP	-	-	-	-	-	-	1.01	0.57	3.8	-1.5	6.3	1.3	8	-21	1.4	2	-2	-	-	97		6	91
34	JRS 220054	V	SP	-	-	-	-	-	-	1.24	-0.17	7.3	0.1	8.1	12.4	73	-79	22.8	12	16	-	-	140		10	100
35	JRS 210174	V	SP	-	-	-	-	-	-	0.86	0.46	5.0	-0.4	8.7	3.6	15	-25	4.3	2	0	-	-	103	105	4	106
36	JRS 220130	V	SP	-	-	-	-	-	-	1.05	-0.11	7.1	0.0	11.6	9.8	32	-63	3.7	6	4	-	-	101		9	99
37	JRS 220082	V	SP	-	-	-	-	-	-	0.81	0.08	1.3	0.2	0.6	4.4	32	-19	17.2	1	2	-	-	129		9	102
38	JRS 220071	V	SP	-	-	-	-	-	-	-0.15	-0.16	1.3	-1.1	5.4	2.2	-8	19	3.5	1	-4	-	-	101		8	92
39	CCL 220063	V	SP	-	-	-	-	-	-	0.94	0.23	-0.2	4.7	-0.6	4.1	48	-41	16.1	10	8	-	-	127		7	86
40	JRS 220037	V	SP	-	-	-	-	-	-	1.43	-0.13	8.7	1.0	14.0	12.9	34	-38	4.4	8	16	-	-	103		4	92
41	JRS 220039	V	SP	-	-	-	-	-	-	1.53	-0.05	3.9	1.3	5.1	6.0	50	-61	14.3	8	6	-	-	123		9	84
42	JRS 220212	V	SP	-	-	-	-	-	-	-0.28	-1.13	2.2	-4.2	-1.1	1.0	-30	7	.6	7	3	-	-	95		4	106
43	JRS 220155	V	SP	-	-	-	-	-	-	0.65	-0.54	4.4	-0.8	9.1	8.4	14	-18	3.5	-1	-3	-	-	101		5	109
44	JRS 220160	V	SP	-	-	-	-	-	-	1.26	-0.06	7.9	0.3	13.9	10.8	46	-48	7.8	8	12	-	-	110		6	108
45	JRS 220116	V	SP	-	-	-	-	-	-	-0.23	-1.07	-0.1	-5.6	-1.0	1.3	-23	14	.7	5	-4	-	-	95		4	104
46	JRS 220114	V	SP	-	-	-	-	-	-	0.45	-0.45	2.6	-0.9	6.0	6.0	0	-7	5.6	-5	-10	-	-	105		8	97
47	JRS 220213	V	SP	-	-	-	-	-	-	0.71	-0.69	2.0	-1.6	3.4	1.3	-5	-6	1.6	5	2	-	-	97		3	90
48	JRS 220126	V	SP	-	-	-	-	-	-	0.73	-0.05	2.3	-2.0	5.7	8.0	-25	41	.8	-5	-11	-	-	96		7	105
49	JRS 220107	V	SP	-	-	-	-	-	-	0.02	-0.35	1.2	-2.3	5.0	3.8	-14	18	2.6	-3	-6	-	-	99		5	110
50	CCL 220092	V	SP	-	-	-	-	-	-	-0.51	-0.17	0.1	2.5	1.0	4.8	20	-21	-.6	15	11	-	-	93		2	81
51	JRS 220141	V	SP	-	-	-	-	-	-	1.52	-0.05	5.9	0.4	5.3	10.1	42	-48	20.2	8	10	-	-	135		5	88

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik