

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ROCKY KOMMERSIEEL

VILLIERS
29 July 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 21 July 2025



DROUGHTMASTER SA[®]



SA STAMBOEK
STUD BOOK




ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



6

7

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001

SUPERBULL SB 11 0100

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

 Town, Province

078 737 2855

super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



CSA 200048 P
CONSIDERATA SA 20-0048CSA

Herd Book	SP
Birth date	2020-09-04
Age	4y 11m
Inbreeding	0%
DNA	U7628U004

CSA 170062
CONSIDERATA SA 17-0062CSA
Wean Mat. 128

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CSA 180073
CONSIDERATA SA 18-0073CSA
Age 4y | AFC 24m | ICP 392d
Calves 2 | Weighed 1 | Wean Mat. 82
Avg. WI 97 | CCB - | CCW 47.5
Calvings: 20-09, 21-10

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Wean Mat. 118

C 090032
LADY GORGEOUS
Age 16y | AFC 24m | ICP (donor)
Calves 13 | Weighed 6 | Wean Mat. 95
Avg. WI 99 | Wean Mat. 95

GLENLANDS QUARTERMASS
GLENLANDS QUARTERMASTER (ET)
Wean Mat. 81

DO 060067
06-0067DO
Age 13y | AFC - | ICP (donor)
Calves 13 | Weighed 10 | Wean Mat. 95
Avg. WI 106 | Wean Mat. 95

+SERSEMAPT
SERSEMA PTOLEMY (P) D5

+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Age 35y | Avg. WI -
Calves - | Weighed -

DO 050021
05-0021DO

DO 060083
06-0083DO
Age 12y | Avg. WI 109
Calves 3 | Weighed 2

+RSD2134

GLENLANDS D HADLEIGH

+U9C4231
GLENLANDS JUSTINE (P)
Age 18y | Avg. WI -
Calves - | Weighed -

DO 022013
02-2013DO

DO 022100
02-2100DO
Age 16y | Avg. WI 89
Calves 6 | Weighed 1

OPTIMUM FARMING ENTERPRIZES

COW VALUE 133

120	Calving Ease Value
138	Calf Growth Value
95	Milk Value
70	Maintenance Value
100	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	89	138	95	-	96	107	109
81%	58%	70%	54%		49%	31%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
149	-	-	136	-	-	-	-	-
48%			45%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	-	447kg 107 (58)	-	-	-	- (B1)	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 2 (M)



TOP 210150 P
ON TOP 21-0150TOP



Herd Book	SP
Birth date	2021-08-14
Age	3y 12m
Inbreeding	6%
DNA	U5907U033

TOP 170235 PcH
ON TOP SILVER BULLET
Wean Mat. 57

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TOP 180114
ON TOP 18-0114TOP
Age 7y | AFC 30m | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 70
Avg. WI 96 | CCB - | CCW 47.7
Calvings: 20-08, 21-08, 22-09, 23-09, 24-08

C 130303
C 13-0303C
Wean Mat. 107

C 070001
DONOR COW-07-0001C
Age 18y | AFC - | ICP (donor)
Calves 9 | Weighed 3 | Wean Mat. 81
Avg. WI 97 | Wean Mat. 81

DO 050021
05-0021DO
Wean Mat. 79

OW 130393
MODEL 13-0393OW
Age 11y | AFC 25m | ICP (donor)
Calves 7 | Weighed - | Wean Mat. 84
Avg. WI - | Wean Mat. 84

C 100021
10-0021C

DO 060185
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4

DO 050029
05-0029DO

DO 033060
03-3060DO
Age 15y | Avg. WI 103
Calves 5 | Weighed 3

DO 022008
02-2008DO

DO 020056
02-0056DO-DONOR
Age 16y | Avg. WI 109
Calves 7 | Weighed 2

C 110505
11-0505C-EMBRIO CALVE

C 100083
10-0083C
Age 14y | Avg. WI 109
Calves 12 | Weighed 3

H2 AGRI BESIGHEDE PTY LTD

COW VALUE 81

97	Calving Ease Value
94	Calf Growth Value
59	Milk Value
120	Maintenance Value
115	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
141	105	94	59	-	112	99	124
68%	59%	66%	58%		53%	31%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	-	-	83	-	-	-	-	-
62%			42%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
24kg	211kg 102 (21)	349kg 88 (10)	490kg 96 (9)	-	-	- (B2)	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 3 (M)



AGO 220017 P
ROCKY 22-0017AGO

Kuddeboek	SP
Geb. dtm	2022-05-15
Oud.	3j 3m
Inteling	2%
DNS	U1192IU010

CSA 180194 PcPc
CONSIDERATA SA 18-0194CSA
Spn Mat. 126

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AGO 190040
ROCKY 19-0040AGO
Oud. 6j | OEK 35m | TKP 560d
Kalwers 3 | Geweeg 2 | Spn. Mat. 78
Gem. SI 93 | KKG - | KKS 51.6
Kalwings: 22-05, 23-08, 25-06

CSA 160056
CONSIDERATA SA 16-0056CSA
Spn Mat. 125

CTM 150023 PcH
CHAN-TE-MAR 15-0023CTM
Oud. 10j | OEK 31m | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 79
Gem. SI 103 | Spn. Mat. 79

AGO 160206
ROCKY 16-0206AGO
Spn Mat. 82

AGO 160099
ROCKY 16-0099AGO
Oud. 8j | OEK 30m | TKP 398d
Kalwers 4 | Geweeg 4 | Spn. Mat. 89
Gem. SI 142 | Spn. Mat. 89

C 110505
11-0505CEMBRIO CALVE
C 070001
DONOR COW-07-0001C
Oud. 18j | Gem. SI 97
Kalwers 9 | Geweeg 3
DO 050029
05-0029DO
C 110507
11-0507CEMBRIO CALVE
Oud. 11j | Gem. SI 103
Kalwers 5 | Geweeg 2
384969
SWAN EAGLE HAWK (P) D5
FXF 010278
ROCKY 01-0278FXF
Oud. 23j | Gem. SI 87
Kalwers 3 | Geweeg 1
AGO 140002
ROCKY 14-0002AGO
FXF 080756
ROCKY 08-0756FXF
Oud. 9j | Gem. SI 99
Kalwers 5 | Geweeg 1

KOEIWAARDE	117
100	Kalfgemak Waarde
121	Kalfgroei Waarde
104	Melk Waarde
113	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	104	121	104	-	95	99	108
55%	47%	63%	50%		44%	23%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	-	-	88	-	-	-	-	-
52%			42%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	250kg 97 (4)	-	471kg 101 (10)	-	-	- (B2)	-



Miostation	
Q204X	Skoon
NT821	Draer
F94L	Skoon

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										-0.04	-0.07	1.3	-0.1	1						-	-					
Auction Average				32	230	-	58.5	-	-	-1.49	-0.05	8.7	-3.9	15	2	-	-	-	-	-	100	-	-	95	3.0	102
1	CSA 200048	M	SP	40	-	-	-	-	-	-1.40	0.27	17.0	-1.4	29.7	30.0	0	0		0	0	-	-	-	97	2	109
2	TOP 210150	M	SP	24	211	-	58.2	-	-	-3.17	-0.22	-1.0	-11.3	2.0	-14.6	0	0		0	0	102	-	-	96	5	114
3	AGO 220017	M	SP	-	250	-	58.9	-	-	0.09	-0.20	10.1	0.9	13.4	-10.5	0	0		0	0	97	-	-	93	3	84

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik