



AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# WLA SPEENKALF VEILING BONSMARAS

**Hochfeld**  
**30 July 2025**

*All Pedigree- and Performance Data is as recorded on LOGIX on 29 July 2025*






- Lot Number & sex (mixed lots)
- Animal Identification
  - GT - animal is genomically tested
  - Animal Identification Number
  - Polled Status
  - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
  - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
- QR Code - This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.
- Myostatin Results
  - Free - free from double muscling genes
  - Carrier - heterozygotic / carrier of one double muscling gene
  - D. Muscled - homozygotic / double muscled
  - Not Tested
- Owner
- Animal's information
  - Herd book section, Birth date, Growth Test
- Additional information (Females)
  - Age at first calving, Average wean index, Intercalving Period, Number of calves bornx
- Sire Information
  - Maternal wean index
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
- Dam information
  - Age, Age at first calving and Average Wean Index, Intercalving Period and Number of Calves, Cow award (bronze, silver or gold), Maternal Wean Index, Cow-Calf Wean Index
- Four (4) generation pedigree

## LOGIX SELECTION VALUES


| Calving Ease Value | Weaner Calf Value | Maintenance Value | Fertility Value | Cow Value | Growth Value | Carcass Value | Production Value |
|--------------------|-------------------|-------------------|-----------------|-----------|--------------|---------------|------------------|
| 119                | 109               | 98                | 124             | 125       | 108          | 107           | 125              |
| 2                  | 7                 | 5                 | 6               | 1         | 8            | 9             | 10               |



### 1 L♂ GIX Cow Value

Selection for:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves



### 7 L♂ GIX Weaner Calf Value

Heavier weaning weights, with more milk, but restricted birth weight



### 8 L♂ GIX Growth Value

Selection for efficient growers on veld & in the feedlot



### 9 L♂ GIX Carcass Value

Selection for higher meat yield on carcass



### 10 L♂ GIX Production Value

Selection for easy-care, Profitable cattle


- 80% Cow Value
- 20% Growth Value

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120   |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High               |     |        |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light              |     |        |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less               |     |        |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High               |     |        | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low                |     |        |      | High   |
|                  | 7 Weaner Calf Value        | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 8 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss               |     |        |      | Profit |
|                  | 9 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less               |     |        |      | More   |
|                  | 10 Production Value        | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss               |     |        |      | Profit |
| Cow & Heifer     | 11 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      | Light  |
|                  | 12 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      | Light  |
|                  | 13 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      | Heavy  |
|                  | 14 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      | Good   |
|                  | 23 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     | *      | *    | Heavy  |
| Fertility        | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      | High   |
|                  | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      | High   |
|                  | 15 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      | More   |
|                  | 16 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      | More   |
| Growth & Frame   | 17 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      | More   |
|                  | 18 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      | Good   |
|                  | 19 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        | *    | High   |
|                  | 20 Average Daily Gain      | Average daily gain (g)                                                                        | Good growth              | Poor               |     |        |      | Good   |
|                  | 21 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | 22 Kleiber Ratio           | Average daily gain (g) / Metabolic weight (kg)                                                | Feed efficiency          | Poor               |     |        |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        | *    | Heavy  |
|                  | 24 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      | Tall   |
| Carcass          | 25 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      | Long   |
|                  | 26 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      | >1     |
|                  | 27 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      | Big    |
|                  | 28 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      | Thick  |
|                  | 29 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | KLB | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 113 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |
| 11              | 12         | 13        | 14        | 17         | 15           | 16        | 18      | 19               | 20  | 22  | 23            | 24     | 25     | 27      | 28  | 29  |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

## PHENOTYPIC VALUES

| Birth Weight | 205D Weight | 205D Index | 365D Index | 540D Index | ADG Index | FCR Index | KLB Index | Scrotum | LHR  | Length: 1520 |
|--------------|-------------|------------|------------|------------|-----------|-----------|-----------|---------|------|--------------|
| 37kg         | 284kg       | 106        | 103        | 97         | 91        | 92        | 120       | 353mm   | 1.21 | Height: 1260 |
| 11           | 13          |            |            | 20         | 21        | 22        | 17        | 26      |      | 24, 25       |

- Wean, 365D, 504D, ADG, FCR and Kleiber Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test
- LH, Length en Height - the animal's length to height ratio, as well as the Length and Height, as measured at the end of the growth test

**LOT 301 (M)**
**HOCHFELDSTREEK BONSMARAS**
**HMB 220100**


|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2022-10-24 |
| Growth Test | B2         |


**Myostatin**

|       |      |
|-------|------|
| Q204X | Free |
| NT821 | Free |
| F94L  | Free |

**HMB 170012 HH(c)**  
Wean Mat. 94

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**HMB 130128**  
Age 10y | AFC 30 | Avg. WI 114  
ICP 474 | Calves 7  
Wean Mat. 130 | CCW 48.7

**HMB 100143**  
Wean Mat. 97

**HMB 080059**  
Age 10y | AFC 36 | Avg. WI 105  
ICP 474 | Calves 6  
Wean Mat. 113

**HART080141**  
Wean Mat. 115

**HMB 070102**  
Age 10y | AFC 35 | Avg. WI 106  
ICP 380 | Calves 8  
Wean Mat. 115

**AEJ 060107**

**HMB 020086**  
Age 10 | Avg. WI 103  
ICP - | Calves 8

**EI 970177**

**HMB 990072**  
Age 11 | Avg. WI 110  
ICP 370 | Calves 9

**AG 040427**

**BHE 050084**  
Age 5 | Avg. WI 116  
ICP 356 | Calves 3

**BG 040040**

**HMB 980141**  
Age 11 | Avg. WI 97  
ICP 370 | Calves 9

**LOGIX**  
Genomic Breeding Value  
Analysis 2025-07-20

| Calving Ease Value | Weaner Calf Value | Maintenance Value | Fertility Value | Cow Value  | Growth Value | Carcass Value | Production Value |
|--------------------|-------------------|-------------------|-----------------|------------|--------------|---------------|------------------|
| <b>88</b>          | <b>118</b>        | <b>76</b>         | <b>87</b>       | <b>103</b> | <b>119</b>   | <b>113</b>    | <b>106</b>       |

| Calf and Mother |            |            | Fertility  |              |           |            | Post-Wean Growth |            |           | Frame         |            |            | Carcass    |           |            |
|-----------------|------------|------------|------------|--------------|-----------|------------|------------------|------------|-----------|---------------|------------|------------|------------|-----------|------------|
| Birth Dir.      | Wean Dir.  | Wean Mat.  | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev.    | Post Wean        | ADG        | KLB       | Mature Weight | Height     | Length     | EMA        | Fat       | Mar        |
| <b>91</b>       | <b>119</b> | <b>109</b> | <b>117</b> | <b>91</b>    | <b>80</b> | <b>111</b> | <b>117</b>       | <b>109</b> | <b>98</b> | <b>129</b>    | <b>114</b> | <b>115</b> | <b>114</b> | <b>99</b> | <b>104</b> |
| 73%             | 70%        | 54%        | 72%        | 40%          | 24%       | 54%        | 72%              | 42%        | 42%       | 53%           | 47%        | 44%        | 20%        | 22%       | 20%        |

| Birth Weight | 205D Weight  | 205D Index | 365D Index | 540D Index | ADG Index | FCR Index | KLB Index | Scrotum      | LHR | Length: | Height: |
|--------------|--------------|------------|------------|------------|-----------|-----------|-----------|--------------|-----|---------|---------|
| <b>37kg</b>  | <b>281kg</b> | <b>115</b> | <b>115</b> | <b>111</b> | -         | -         | -         | <b>338mm</b> | -   |         |         |

SELLER REMARKS:

**LOT 305 (M)**
**EMOK BONSMARASTOET**
**ERH 220075**


|             |            |
|-------------|------------|
| Herd Book   | SP         |
| Birth date  | 2022-07-08 |
| Growth Test | D1         |


**Myostatin**

|       |      |
|-------|------|
| Q204X | Free |
| NT821 | Free |
| F94L  | Free |

**ERH 180223**  
Wean Mat. 85

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**ERH 180193**  
Age 6y | AFC 32 | Avg. WI 85  
ICP 351 | Calves 5  
Wean Mat. 75 | CCW 38.6

**NFS 140056**  
Wean Mat. 76

**ERH 140048**  
Age 10y | AFC 30 | Avg. WI 97  
ICP 406 | Calves 6  
Wean Mat. 90

**LMR 120260**  
Wean Mat. 85

**ERH 110079**  
Age 14y | AFC 29 | Avg. WI 97  
ICP 375 | Calves 12  
Wean Mat. 77

**NFS 110101**  
**NFS 100230 HH(c)**  
Age 14 | Avg. WI 96  
ICP - | Calves 11

**HART070027**

**ERH 040035**  
Age 15 | Avg. WI 101  
ICP 423 | Calves 11

**AG 100008**

**LMR 090301**  
Age 4 | Avg. WI 109  
ICP - | Calves 1

**HART060074**

**ERH 060100**  
Age 9 | Avg. WI 102  
ICP 377 | Calves 7

**LOGIX**  
Genomic Breeding Value  
Analysis 2025-07-21

| Calving Ease Value | Weaner Calf Value | Maintenance Value | Fertility Value | Cow Value | Growth Value | Carcass Value | Production Value |
|--------------------|-------------------|-------------------|-----------------|-----------|--------------|---------------|------------------|
| <b>84</b>          | <b>94</b>         | <b>80</b>         | <b>99</b>       | <b>86</b> | <b>142</b>   | <b>121</b>    | <b>96</b>        |

| Calf and Mother |            |           | Fertility  |              |            |           | Post-Wean Growth |            |            | Frame         |            |            | Carcass    |            |            |
|-----------------|------------|-----------|------------|--------------|------------|-----------|------------------|------------|------------|---------------|------------|------------|------------|------------|------------|
| Birth Dir.      | Wean Dir.  | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert.  | Longev.   | Post Wean        | ADG        | KLB        | Mature Weight | Height     | Length     | EMA        | Fat        | Mar        |
| <b>88</b>       | <b>113</b> | <b>80</b> | <b>124</b> | <b>89</b>    | <b>107</b> | <b>99</b> | <b>122</b>       | <b>118</b> | <b>109</b> | <b>126</b>    | <b>121</b> | <b>118</b> | <b>129</b> | <b>105</b> | <b>108</b> |
| 72%             | 68%        | 49%       | 71%        | 37%          | 22%        | 46%       | 62%              | 57%        | 57%        | 47%           | 67%        | 59%        | 32%        | 34%        | 32%        |

| Birth Weight | 205D Weight  | 205D Index | 365D Index | 540D Index | ADG Index  | FCR Index | KLB Index  | Scrotum      | LHR         | Length:     | Height:     |
|--------------|--------------|------------|------------|------------|------------|-----------|------------|--------------|-------------|-------------|-------------|
| <b>38kg</b>  | <b>246kg</b> | <b>104</b> | -          | -          | <b>132</b> | -         | <b>123</b> | <b>356mm</b> | <b>1.17</b> | <b>1490</b> | <b>1270</b> |

SELLER REMARKS:

**LOT 308 (M)**
**EMOK BONSMARASTOET**
**ERH 220087**


|             |            |
|-------------|------------|
| Kuddeboek   | SP         |
| Geb. dtm    | 2022-08-01 |
| Groei Toets | D1         |


**Miostation**

|       |       |
|-------|-------|
| Q204X | Skoon |
| NT821 | Skoon |
| F94L  | Skoon |

**HART180175 HH(c)**  
Spn. Mat. 130

**Ouerskap Vaar Moer**

|          |   |
|----------|---|
| DNS      | ✓ |
| Genomies |   |

**ERH 170003**

Oud. 8j | OEK 29 | Gem. SI 98  
TKP 373 | Kalwers 6  
Speen Mat. 91 | KKS 40.2

**HART110186**  
Spn. Mat. 125

**HART130002 HH(c)**  
Oud. 11j | OEK 24 | Gem. SI 111  
TKP 404 | Kalwers 9  
Speen Mat. 136

**HART110121**  
Spn. Mat. 103

**ERH 050038**  
Oud. 15j | OEK 29 | Gem. SI 100  
TKP 374 | Kalwers 12  
Speen Mat. 89

**HJS 030016**
**NGO 000069**  
Oud. 15 | Gem. SI 103  
TKP - | Kalwers 12

**LAR 060224**
**HART060052 HH(c)**  
Oud. 11 | Gem. SI 96  
TKP 376 | Kalwers 9

**AG 030029 HH(c)**
**HART070012**  
Oud. 10 | Gem. SI 100  
TKP 383 | Kalwers 8

**AG 010051**
**ERH 000029**  
Oud. 11 | Gem. SI 99  
TKP 365 | Kalwers 10

**LOGIX**  
Genomiese Teelwaarde  
Analise 2025-07-21

**Geboortegemak  
Waarde**  
**87**
**Speenkalf  
Waarde**  
**100**
**Onderhouds-  
waarde**  
**97**
**Vrugbaarheids-  
waarde**  
**95**
**Koeiwaarde**  
**97**
**Groei-waarde**  
**103**
**Karkas-  
waarde**  
**98**
**Produksie-  
waarde**  
**97**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | KLB | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 102       | 111       | 99           | 94          | 98          | 99     | 102            | 104 | 104 | 101         | 112    | 103    | 83     | 101 | 103 |
| 73%            | 71%       | 54%       | 73%          | 41%         | 24%         | 50%    | 66%            | 62% | 62% | 49%         | 71%    | 64%    | 44%    | 47% | 44% |

|            |            |             |             |             |            |            |            |         |      |              |
|------------|------------|-------------|-------------|-------------|------------|------------|------------|---------|------|--------------|
| Geb. Gewig | 205D Gewig | 205D Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | KLB Indeks | Skrotum | LHV  | Lengte: 1380 |
| 40kg       | 237kg      | 98          | -           | -           | 93         | -          | 96         | 334mm   | 1.12 | Hoogte: 1230 |

**VERKOPER OPMERKINGS:**

| Dier Info                     |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |            |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | KLB (g/kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 38            | 255          | -         | 50.6      | 1.15                | 343             | 0.98 2.02                | -0.30 0.36     | 14.5 20.7     | 3.6 3.6       | 24 41          | 22 49               | 77 116    | 42 51      | 12.5 20.1       | -3 10        | 13 24       | 106  | 112 | 113        | 99              | 6.0        | 107         |
| 301                           | HMB 220100 | M   | SP  | 37            | 281          | -         | 55.3      | -                   | 338             | 1.94                     | 0.27           | 24.9          | 6.5           | 44.8           | 64.7                | 112       | 38.5       | 22              | 8            | 26          | 115  | -   | 117        | 114             | 7          | 96          |
| 305                           | ERH 220075 | M   | SP  | 38            | 246          | -         | 55.6      | 1.17                | 356             | 2.28                     | 0.28           | 21.4          | -2.7          | 48.0           | 59.6                | 145       | 63.3       | 26.3            | 14           | 29          | 104  | 132 | 124        | 85              | 5          | 113         |
| 308                           | ERH 220087 | M   | SP  | 40            | 237          | -         | 40.8      | 1.12                | 334             | 1.85                     | 0.52           | 15.8          | 7.0           | 28.9           | 22.6                | 92        | 52.3       | 11.9            | 7            | 16          | 98   | 93  | 99         | 98              | 6          | 113         |

## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OUK.         | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weaned                                 | Weaned       | Gespeen      | Aantal kalwers gespeen                                      |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | Spn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugh.  | Vers Vrughbaarheid                                          |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugh.  | Koei Vrughbaarheid                                          |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight (kg)                                      | Mat. Wt.     | Volw. Gewig  | Volwasse gewig (kg)                                         |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Kleiber Ratio (g/kg)                                    | KLB          | KLB          | Kleiber Verhouding (g/kg)                                   |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness (mm)                                  | Fat          | Vet          | Rugvet Diepte (mm)                                          |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight (kg)                                | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig (kg)                                |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Weight Ratio                             | CCG          | KKG          | Koei-Kalf Geboorte Gewig Verhouding                         |
| Cow-Calf Wean Weight Ratio                              | CCW          | KKS          | Koei-Kalf Speen Gewig Verhouding                            |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |