

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# KTB PRODUCTION - BOTTERFONTEIN ESTATE

Veilingsdatum / Auction Date:  
**02 October 2025**

Data soos op / Data as on:  
**23 September 2025**



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**
**1**

**THE RED CATTLE FARM**
**2**

3

**ABC 150029**
**4**

2015-02-03
**5**

SP
**6**

Parentage Sire Dam

DNA

✓

Genomic

✓

**DEF 100066 P**

**DEF 050022**
**7**

**GHI 070076 HH(c)**
**8**

AGE/CALV. 14/10  
AVG. Wt/CALV. 92/10  
ICP 395

**JKL 000077 P**

**MNO 030002**
**12**

AGE/CALV. 19/10  
AVG. Wt/CALV. 109/10  
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period

## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

### 5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



### 6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                     |                         |                              | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |      |      |        |
|------------------|---------------------|-------------------------|------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|------|------|--------|
|                  |                     |                         |                              |                                                                                               |                           | <80                | <90 | 90-110 | >110 | >120 |        |
| Selection Values | 5                   | Cow Value               | CV                           | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |      |      | Profit |
|                  | 1                   | Calving Ease Value      | CEV                          | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |      |      | Low    |
|                  |                     | Calf Growth Value       | CGrV                         | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |      |      | Heavy  |
|                  |                     | Milk Value              | MlkV                         | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |      |      | More   |
|                  | 4                   | Maintenance Value       | MntV                         | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        |      | *    | Low    |
|                  | 3                   | Fertility Value         | FertV                        | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |      |      | High   |
|                  | 2                   | Weaner Calf Value       | WnCV                         | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |      |      | Heavy  |
|                  | 6                   | Growth Value            | GV                           | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |      |      | Profit |
| Cow & Heifer     | 7                   | Carcass Value           | VarcV                        | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |      |      | More   |
|                  |                     | Production Value        | PV                           | Combination of Cow- and Growth values (Rand-value)                                            | Profitable animals        | Loss               |     |        |      |      | Profit |
|                  | 8                   | Birth Weight Direct     | BD                           | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |      |      | Light  |
|                  |                     | Birth Weight Maternal   | BM                           | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |      |      | Light  |
|                  | 9                   | Weaning Weight Direct   | WD                           | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |      |      | Heavy  |
|                  | 10                  | Weaning Weight Maternal | WM                           | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |      |      | Good   |
|                  | 18                  | Mature Cow Weight       | MW                           | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *    | *    | Heavy  |
|                  |                     | Cow-Calf Birth          | CCB                          | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        |      |      | High   |
| Fertility        |                     | Cow-Calf Wean           | CCW                          | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio       | Low                |     |        |      |      | High   |
|                  | 12                  | Heifer Fertility        | HF                           | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |      |      | More   |
|                  | 13                  | Cow Fertility           | CFE                          | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |      |      | More   |
|                  | 11                  | Scrotal Circumference   | SC                           | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |      |      | More   |
| Growth & Frame   | 14                  | Longevity               | LG                           | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |      |      | Good   |
|                  | 15                  | Post-Wean Weight        | PWn                          | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |      | *    | High   |
|                  | 16                  | Average Daily Gain      | ADG                          | Average daily gain                                                                            | Good growth               | Poor               |     |        |      |      | Good   |
|                  | 17                  | Feed Conversion Ratio   | FCR                          | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |      |      | Good   |
|                  |                     | Final Test Weight       | FW                           | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |      | *    | Heavy  |
|                  | 19                  | Height                  | H                            | Shoulder height in growth test                                                                | Average height            | Short              |     |        |      |      | Tall   |
|                  | 20                  | Length                  | L                            | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |      |      | Long   |
| Carcass          | 24                  | Length-Height Ratio     | LH                           | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |      |      | >1     |
|                  | 21                  | Eye Muscle Area         | EMA                          | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |      |      | Big    |
|                  | 22                  | Fat Thickness           | Fat                          | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |      |      | Thick  |
|                  | 23                  | Marbling                | Mar                          | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |      |      | High   |
|                  | Dressing Percentage | D%                      | Carcass weight / Live weight | High dressing percentage                                                                      | Low                       |                    |     |        |      | High |        |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8    9    10    11    12    13    14    15    16    17    18    19    20    21    22    23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16                      17                      11                      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

LOGIX EBV Analysis: 2025-09-17

## BULLE

## LOT 4

ZIKALI FARMING

EKO 220015 HH(c)  
2022-10-18  
SP

Ouerskap Vaar Moer

DNS  
Genomies ✓ ✓EKO 190056 HH(c)  
OUD/KALW. 5/3  
GEM. SI/KALW. 103/3  
TKP 392

JL 120172

EKO 140027  
OUD/KALW. 5/2  
GEM. SI/KALW. 91/2  
TKP 417

TOR 100161

EKO 130002 HH(c)  
OUD/KALW. 12/8  
GEM. SI/KALW. 98/8  
TKP 386

LAR 070037

JL 090361  
OUD/KALW. 12/9  
GEM. SI/KALW. 106/8

TOR 100161

EKO 100023  
OUD/KALW. 5/2  
GEM. SI/KALW. 96/2  
MMJ 030164TOR 060039  
OUD/KALW. 11/8  
GEM. SI/KALW. 114/8

TOR 080094

EKO 020009  
OUD/KALW. 15/6  
GEM. SI/KALW. 97/5Geboortegemak  
Waarde  
112Speenkalv  
Waarde  
97Vrugbaarheids-  
waarde  
128Onderhouds-  
waarde  
87Koeiwaarde  
114Groei-  
waarde  
110Karkas-  
waarde  
109

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 110            | 99        | 101       | 99           | 93          | 130         | 135    | 106            | 109 | 106 | 114         | 105    | 102    | 96     | 116 | 112 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 96          | 110         | 109         | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 5

ZIKALI FARMING

EKO 220061 Pp(c)  
2022-12-17  
SP

Ouerskap Vaar Moer

DNS  
GenomiesEKO 150049  
OUD/KALW. 7/5  
GEM. SI/KALW. 102/5  
TKP 381

JL 120172

JMP 050428  
OUD/KALW. 14/11  
GEM. SI/KALW. 103/10  
TKP 388

TOR 100197

WSS 110091 P  
OUD/KALW. 5/2  
GEM. SI/KALW. 112/1  
TKP 690

LAR 070037

JL 090361  
OUD/KALW. 12/9  
GEM. SI/KALW. 106/8

GBS 020067

RCO 020008  
OUD/KALW. 5/3  
GEM. SI/KALW. 107/2  
FCT 050127TOR 030013  
OUD/KALW. 8/6  
GEM. SI/KALW. 99/6

WSS 070014 P

MCM 990032  
OUD/KALW. 13/11  
GEM. SI/KALW. 97/9Geboortegemak  
Waarde  
74Speenkalv  
Waarde  
111Vrugbaarheids-  
waarde  
102Onderhouds-  
waarde  
74Koeiwaarde  
99Groei-  
waarde  
123Karkas-  
waarde  
123

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 79             | 122       | 95        | 123          | 85          | 109         | 112    | 129            | 124 | 132 | 133         | 137    | 135    | 111    | 94  | 106 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 113         | 126         | 122         | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 6

BOTTERFONTEIN ESTATES CC

KTB 230191  
2023-10-20  
SP

Ouerskap Vaar Moer

DNS ✓  
GenomiesKTB 180092  
OUD/KALW. 6/4  
GEM. SI/KALW. 104/4  
TKP 369

KTB 140044

KTB 110090  
OUD/KALW. 13/9  
GEM. SI/KALW. 104/8  
TKP 472

KTB 120040

KTB 100029  
OUD/KALW. 13/8  
GEM. SI/KALW. 102/7  
TKP 441

JRP 100044

KTB 030087  
OUD/KALW. 12/8  
GEM. SI/KALW. 106/8

NPT 080235

KTB 030157  
OUD/KALW. 12/8  
GEM. SI/KALW. 97/7

KVB 040101

KTB 040218  
OUD/KALW. 9/5  
GEM. SI/KALW. 102/3

GCD 060108

KTB 990047  
OUD/KALW. 13/8  
GEM. SI/KALW. 99/7Geboortegemak  
Waarde  
79Speenkalv  
Waarde  
124Vrugbaarheids-  
waarde  
113Onderhouds-  
waarde  
72Koeiwaarde  
117Groei-  
waarde  
-Karkas-  
waarde  
110

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 77             | 124       | 111       | 111          | 97          | 113         | 119    | 129            | 112 | 119 | 134         | 123    | 124    | 106    | 89  | 105 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 106         | 105         | 109         | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 1 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## BULLS

## LOT 7 BOTTERFONTEIN ESTATES CC

KTB 230050  
2023-04-28  
SP

Parentage Sire Dam

DNA ✓

Genomic

KTB 170081



KTB 170137

AGE/CALV. 7/5  
AVG. Wt/CALV. 93/4  
ICP 433

KTB 140044

KTB 100183

AGE/CALV. 8/4  
AVG. Wt/CALV. 103/2  
ICP 466

KTB 140209

KTB 140195

AGE/CALV. 10/7  
AVG. Wt/CALV. 111/7  
ICP 427

JRP 100044

KTB 030087

AGE/CALV. 12/8  
AVG. Wt/CALV. 106/8

JRP 000028

KTB 030140

AGE/CALV. 10/6  
AVG. Wt/CALV. 111/6

NPT 110099

KTB 110104

AGE/CALV. 6/2  
AVG. Wt/CALV. 108/2

KTB 050060

KTB 120006

AGE/CALV. 10/7  
AVG. Wt/CALV. 99/7Calving Ease  
Value  
91Weaner Calf  
Value  
113Fertility  
Value  
109Maintenance  
Value  
99Cow Value  
113Growth  
Value  
-Carcass  
Value  
104

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 90              | 112       | 102       | 100        | 107          | 99        | 117     | 111              | 100 | 102 | 99            | 102    | 104    | 103     | 95  | 104 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 92         | 101        | 97         | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-09-17

## LOT 8 BOTTERFONTEIN ESTATES CC

KTB 230047  
2023-04-20  
SP

Parentage Sire Dam

DNA ✓

Genomic

KTB 170081



KTB 150138

AGE/CALV. 9/5  
AVG. Wt/CALV. 97/5  
ICP 526

KTB 140044

KTB 100183

AGE/CALV. 8/4  
AVG. Wt/CALV. 103/2  
ICP 466

JRP 100044

KTB 100040

AGE/CALV. 10/5  
AVG. Wt/CALV. 106/5  
ICP 569

JRP 100044

KTB 030087

AGE/CALV. 12/8  
AVG. Wt/CALV. 106/8

JRP 000028

KTB 030140

AGE/CALV. 10/6  
AVG. Wt/CALV. 111/6

LAR 070055

JRP 040007

AGE/CALV. 14/10  
AVG. Wt/CALV. 106/11

NPT 040079

KTB 070123

AGE/CALV. 13/10  
AVG. Wt/CALV. 86/5Calving Ease  
Value  
93Weaner Calf  
Value  
107Fertility  
Value  
98Maintenance  
Value  
91Cow Value  
101Growth  
Value  
104Carcass  
Value  
109

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 90              | 117       | 84        | 101        | 103          | 91        | 107     | 116              | 103 | 108 | 110           | 106    | 108    | 109     | 92  | 107 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 94         | 101        | 93         | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 1 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-09-17

## LOT 9 BOTTERFONTEIN ESTATES CC

KTB 230165  
2023-10-10  
SP

Parentage Sire Dam

DNA ✓

Genomic

NPT 190086



KTB 140168

AGE/CALV. 10/7  
AVG. Wt/CALV. 99/7  
ICP 428

NPT 160050

NPT 150122

AGE/CALV. 9/6  
AVG. Wt/CALV. 103/7  
ICP 369

JRP 100044

KTB 090036

AGE/CALV. 13/7  
AVG. Wt/CALV. 103/7  
ICP 515

JOY 120020

NPT 070295

AGE/CALV. 11/7  
AVG. Wt/CALV. 102/7

JPL 090108

NPT 120296

AGE/CALV. 4/2  
AVG. Wt/CALV. 88/2

LAR 070055

JRP 040007

AGE/CALV. 14/10  
AVG. Wt/CALV. 106/11

NPT 040079

KTB 060147

AGE/CALV. 9/4  
AVG. Wt/CALV. 96/3Calving Ease  
Value  
86Weaner Calf  
Value  
107Fertility  
Value  
95Maintenance  
Value  
86Cow Value  
98Growth  
Value  
117Carcass  
Value  
111

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 84              | 117       | 90        | 106        | 88           | 94        | 111     | 128              | 113 | 123 | 116           | 110    | 112    | 111     | 95  | 115 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 100        | 111        | 115        | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 1 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-09-17

## BULLE

## LOT 10 BOTTERFONTEIN ESTATES CC

KTB 230060  
2023-05-13  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

KTB 170081



KTB 140035

OUD/KALW. 11/7  
GEM. SI/KALW. 96/7  
TKP 477

KTB 140044

KTB 100183  
OUD/KALW. 8/4  
GEM. SI/KALW. 103/2  
TKP 466

KTB 050060

KTB 060132

OUD/KALW. 9/6  
GEM. SI/KALW. 101/6  
TKP 408

JRP 100044

KTB 030087  
OUD/KALW. 12/8  
GEM. SI/KALW. 106/8

JRP 000028

KTB 030140  
OUD/KALW. 10/6  
GEM. SI/KALW. 111/6

CEF 010393

KTB 010126  
OUD/KALW. 14/10  
GEM. SI/KALW. 101/10

SHU 030026

KTB 030133  
OUD/KALW. 5/1  
GEM. SI/KALW. 114/1

|                               |           |                            |              |                                 |             |                             |                |                   |     |                         |        |                          |        |                    |     |                 |  |                 |  |              |  |         |  |
|-------------------------------|-----------|----------------------------|--------------|---------------------------------|-------------|-----------------------------|----------------|-------------------|-----|-------------------------|--------|--------------------------|--------|--------------------|-----|-----------------|--|-----------------|--|--------------|--|---------|--|
| Geboortegemak<br>Waarde<br>98 |           | Speenkalf<br>Waarde<br>106 |              | Vrugbaarheids-<br>waarde<br>105 |             | Onderhouds-<br>waarde<br>93 |                | Koeiwaarde<br>107 |     | Groei-<br>waarde<br>104 |        | Karkas-<br>waarde<br>102 |        |                    |     |                 |  |                 |  |              |  |         |  |
| Kalf en Moeder                |           |                            | Vrugbaarheid |                                 |             |                             | Na-Speen Groei |                   |     | Raam                    |        |                          | Karkas |                    |     |                 |  |                 |  |              |  |         |  |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat.                  | Skr. Omtr.   | Vers Vrugb.                     | Koei Vrugb. | Lankl.                      | Na-Speen       | GDT               | VOV | Volw. Gewig             | Hoogte | Lengte                   | OSO    | Vet                | Mar |                 |  |                 |  |              |  |         |  |
| 99                            | 109       | 98                         | 107          | 107                             | 97          | 109                         | 115            | 105               | 111 | 106                     | 109    | 109                      | 98     | 97                 | 108 |                 |  |                 |  |              |  |         |  |
| Spn. Indeks<br>93             |           |                            |              |                                 |             |                             |                |                   |     |                         |        | 365D Indeks<br>107       |        | 540D Indeks<br>103 |     | GDT Indeks<br>- |  | VOV Indeks<br>- |  | Skrotum<br>- |  | LH<br>- |  |
|                               |           |                            |              |                                 |             |                             |                |                   |     |                         |        |                          |        | Miostatien         |     |                 |  |                 |  |              |  |         |  |
|                               |           |                            |              |                                 |             |                             |                |                   |     |                         |        |                          |        | Q204X              |     | 0               |  |                 |  |              |  |         |  |
|                               |           |                            |              |                                 |             |                             |                |                   |     |                         |        |                          |        | NT821              |     | 0               |  |                 |  |              |  |         |  |
|                               |           |                            |              |                                 |             |                             |                |                   |     |                         |        |                          |        | F94L               |     | 0               |  |                 |  |              |  |         |  |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 11 ZIKALI FARMING

EKO 220057 HH(c)

2022-12-10  
SP

Ouerskap Vaar Moer

DNS

Genomies ✓

EKO 180024 HH(c)  
OUD/KALW. 6/4  
GEM. SI/KALW. 102/3  
TKP 372

JL 120172

EKO 140027  
OUD/KALW. 5/2  
GEM. SI/KALW. 91/2  
TKP 417

JL 120172

JMP 120153

OUD/KALW. 6/4  
GEM. SI/KALW. 101/3  
TKP 361

LAR 070037

JL 090361  
OUD/KALW. 12/9  
GEM. SI/KALW. 106/8

TOR 100161

EKO 100023  
OUD/KALW. 5/2  
GEM. SI/KALW. 96/2

LAR 070037

JL 090361  
OUD/KALW. 12/9  
GEM. SI/KALW. 106/8

NFS 080032

JMP 080042  
OUD/KALW. 10/8  
GEM. SI/KALW. 98/7

|                               |           |           |                            |             |                                |        |                             |     |                  |             |                        |                    |                          |                   |     |                 |  |                 |  |              |  |         |  |            |  |  |
|-------------------------------|-----------|-----------|----------------------------|-------------|--------------------------------|--------|-----------------------------|-----|------------------|-------------|------------------------|--------------------|--------------------------|-------------------|-----|-----------------|--|-----------------|--|--------------|--|---------|--|------------|--|--|
| Geboortegemak<br>Waarde<br>97 |           |           | Speenkalf<br>Waarde<br>101 |             | Vrugbaarheids-<br>waarde<br>92 |        | Onderhouds-<br>waarde<br>91 |     | Koeiwaarde<br>98 |             | Groei-<br>waarde<br>99 |                    | Karkas-<br>waarde<br>102 |                   |     |                 |  |                 |  |              |  |         |  |            |  |  |
| Kalf en Moeder                |           |           | Vrugbaarheid               |             |                                |        | Na-Speen Groei              |     |                  | Raam        |                        |                    | Karkas                   |                   |     |                 |  |                 |  |              |  |         |  |            |  |  |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat. | Skr. Omtr.                 | Vers Vrugb. | Koei Vrugb.                    | Lankl. | Na-Speen                    | GDT | VOV              | Volw. Gewig | Hoogte                 | Lengte             | OSO                      | Vet               | Mar |                 |  |                 |  |              |  |         |  |            |  |  |
| 94                            | 97        | 121       | 107                        | 75          | 95                             | 120    | 99                          | 98  | 98               | 107         | 97                     | 101                | 87                       | 99                | 94  |                 |  |                 |  |              |  |         |  |            |  |  |
| Spn. Indeks<br>106            |           |           |                            |             |                                |        |                             |     |                  |             |                        | 365D Indeks<br>101 |                          | 540D Indeks<br>99 |     | GDT Indeks<br>- |  | VOV Indeks<br>- |  | Skrotum<br>- |  | LH<br>- |  | Miostatien |  |  |
|                               |           |           |                            |             |                                |        |                             |     |                  |             |                        |                    |                          |                   |     |                 |  |                 |  |              |  | Q204X   |  | 0          |  |  |
|                               |           |           |                            |             |                                |        |                             |     |                  |             |                        |                    |                          |                   |     |                 |  |                 |  |              |  | NT821   |  | 0          |  |  |
|                               |           |           |                            |             |                                |        |                             |     |                  |             |                        |                    |                          |                   |     |                 |  |                 |  |              |  | F94L    |  | 0          |  |  |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 12 ZIKALI FARMING

EKO 220038 HH(c)

2022-11-14  
SP

Ouerskap Vaar Moer

DNS

Genomies

EKO 190026

EKO 140004 HH(c)  
OUD/KALW. 11/8  
GEM. SI/KALW. 99/8  
TKP 378

TOR 050247

EKO 140036  
OUD/KALW. 10/8  
GEM. SI/KALW. 102/8  
TKP 364

TOR 100161

JMP 050428

OUD/KALW. 14/11  
GEM. SI/KALW. 103/10  
TKP 388

RAI 990034

RAI 990014  
OUD/KALW. 7/5  
GEM. SI/KALW. 103/5

TOR 100161

EKO 100038  
OUD/KALW. 13/9  
GEM. SI/KALW. 103/9

MMJ 030164

TOR 060039  
OUD/KALW. 11/8  
GEM. SI/KALW. 114/8

GBS 020067

RCO 020008  
OUD/KALW. 5/3  
GEM. SI/KALW. 107/2

|                               |           |                   |                           |                   |                                 |                 |                              |     |                   |             |                        |            |                         |     |     |
|-------------------------------|-----------|-------------------|---------------------------|-------------------|---------------------------------|-----------------|------------------------------|-----|-------------------|-------------|------------------------|------------|-------------------------|-----|-----|
| Geboortegemak<br>Waarde<br>95 |           |                   | Speenkalf<br>Waarde<br>87 |                   | Vrugbaarheids-<br>waarde<br>126 |                 | Onderhouds-<br>waarde<br>111 |     | Koeiwaarde<br>100 |             | Groei-<br>waarde<br>80 |            | Karkas-<br>waarde<br>96 |     |     |
| Kalf en Moeder                |           |                   | Vrugbaarheid              |                   |                                 |                 | Na-Speen Groei               |     |                   | Raam        |                        |            | Karkas                  |     |     |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat.         | Skr. Omtr.                | Vers Vrugb.       | Koei Vrugb.                     | Lankl.          | Na-Speen                     | GDT | VOV               | Volw. Gewig | Hoogte                 | Lengte     | OSO                     | Vet | Mar |
| 95                            | 96        | 84                | 102                       | 105               | 123                             | 125             | 93                           | 83  | 79                | 88          | 96                     | 92         | 63                      | 105 | 90  |
| Spn. Indeks<br>94             |           | 365D Indeks<br>92 |                           | 540D Indeks<br>92 |                                 | GDT Indeks<br>- | VOV Indeks<br>-              |     | Skrotum<br>-      | LH<br>-     |                        | Miostatien |                         |     |     |
|                               |           |                   |                           |                   |                                 |                 |                              |     |                   |             |                        | Q204X      | 0                       |     |     |
|                               |           |                   |                           |                   |                                 |                 |                              |     |                   |             |                        | NT821      | 0                       |     |     |
|                               |           |                   |                           |                   |                                 |                 |                              |     |                   |             |                        | F94L       | 0                       |     |     |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## BULLS

## LOT 13 BOTTERFONTEIN ESTATES CC

KTB 230111  
2023-08-25  
SP

Parentage Sire Dam

DNA ✓

Genomic

KTB 150029



KTB 150037

AGE/CALV. 10/6  
AVG. Wt/CALV. 104/6  
ICP 509

NPT 110168

KTB 120190  
AGE/CALV. 12/10  
AVG. Wt/CALV. 99/10  
ICP 397

NPT 110168

KTB 120068  
AGE/CALV. 4/2  
AVG. Wt/CALV. 118/2  
ICP 556

NPT 060011

NPT 050252  
AGE/CALV. 7/4  
AVG. Wt/CALV. 101/4

KTB 060199

KTB 060134  
AGE/CALV. 9/6  
AVG. Wt/CALV. 99/6

NPT 060011

NPT 050252  
AGE/CALV. 7/4  
AVG. Wt/CALV. 101/4

SHU 030026

KTB 020120  
AGE/CALV. 13/9  
AVG. Wt/CALV. 106/8Calving Ease  
Value  
90Weaner Calf  
Value  
110Fertility  
Value  
100Maintenance  
Value  
82Cow Value  
103Growth  
Value  
119Carcass  
Value  
112

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 87              | 116       | 97        | 98         | 85           | 108       | 108     | 120              | 118 | 111 | 120           | 103    | 115    | 96      | 101 | 115 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 102        | 102        | 93         | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-09-17

## LOT 14 BOTTERFONTEIN ESTATES CC

KTB 230126  
2023-09-15  
SP

Parentage Sire Dam

DNA ✓

Genomic

GFM 200191



KTB 190206

AGE/CALV. 5/2  
AVG. Wt/CALV. 115/2  
ICP 571

GCD 150113 HH(c)

BBN 090001  
AGE/CALV. 12/9  
AVG. Wt/CALV. 98/9  
ICP 413

KTB 170085

KTB 140169  
AGE/CALV. 10/7  
AVG. Wt/CALV. 102/7  
ICP 425

LAR 070090

GCD 110040  
AGE/CALV. 11/8  
AVG. Wt/CALV. 112/7

JRB 030021

BBN 030090  
AGE/CALV. 8/6  
AVG. Wt/CALV. 98/5

KTB 140044

KTB 060092  
AGE/CALV. 13/8  
AVG. Wt/CALV. 102/8

NPT 110168

KTB 100048  
AGE/CALV. 5/2  
AVG. Wt/CALV. 102/2Calving Ease  
Value  
93Weaner Calf  
Value  
113Fertility  
Value  
96Maintenance  
Value  
85Cow Value  
105Growth  
Value  
106Carcass  
Value  
104

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 91              | 117       | 98        | 98         | 100          | 94        | 100     | 118              | 108 | 118 | 117           | 118    | 116    | 100     | 95  | 103 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 118        | 123        | 117        | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-09-17

## LOT 15 BOTTERFONTEIN ESTATES CC

KTB 230152  
2023-10-10  
SP

Parentage Sire Dam

DNA ✓

Genomic

DAJ 150071



KTB 140038

AGE/CALV. 11/8  
AVG. Wt/CALV. 103/8  
ICP 424

TOR 070049

DAJ 120117  
AGE/CALV. 8/5  
AVG. Wt/CALV. 99/5  
ICP 387

KTB 050060

KTB 100033  
AGE/CALV. 6/3  
AVG. Wt/CALV. 108/3  
ICP 438

FCT 000065

RAI 000032  
AGE/CALV. 7/6  
AVG. Wt/CALV. 103/6

CEF 990287

DAJ 060120  
AGE/CALV. 8/6  
AVG. Wt/CALV. 104/6

CEF 010393

KTB 010126  
AGE/CALV. 14/10  
AVG. Wt/CALV. 101/10

GCD 060108

KTB 980078  
AGE/CALV. 17/13  
AVG. Wt/CALV. 95/13Calving Ease  
Value  
102Weaner Calf  
Value  
108Fertility  
Value  
105Maintenance  
Value  
92Cow Value  
112Growth  
Value  
95Carcass  
Value  
94

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 103             | 103       | 118       | 106        | 106          | 95        | 116     | 114              | 97  | 107 | 107           | 98     | 98     | 93      | 100 | 101 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 98         | 113        | 107        | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2025-09-17

## BULLE

## LOT 16 BOTTERFONTEIN ESTATES CC

KTB 230100  
2023-08-03  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

KTB 170054

KTB 150096  
OUD/KALW. 9/6  
GEM. SI/KALW. 105/5  
TKP 443

KTB 140044

KTB 110090  
OUD/KALW. 13/9  
GEM. SI/KALW. 104/8  
TKP 472

NPT 110168

KTB 110078  
OUD/KALW. 7/3  
GEM. SI/KALW. 98/3  
TKP 409

JRP 100044

KTB 030087  
OUD/KALW. 12/8  
GEM. SI/KALW. 106/8

NPT 080235

KTB 030157  
OUD/KALW. 12/8  
GEM. SI/KALW. 97/7

NPT 060011

NPT 050252  
OUD/KALW. 7/4  
GEM. SI/KALW. 101/4

NPT 040079

KTB 070133  
OUD/KALW. 11/6  
GEM. SI/KALW. 100/6

|                               |           |                   |                            |                    |                                 |                 |                             |     |                   |             |                         |            |                          |     |     |
|-------------------------------|-----------|-------------------|----------------------------|--------------------|---------------------------------|-----------------|-----------------------------|-----|-------------------|-------------|-------------------------|------------|--------------------------|-----|-----|
| Geboortegemak<br>Waarde<br>81 |           |                   | Speenkalf<br>Waarde<br>130 |                    | Vrugbaarheids-<br>waarde<br>110 |                 | Onderhouds-<br>waarde<br>84 |     | Koeiwaarde<br>125 |             | Groei-<br>waarde<br>121 |            | Karkas-<br>waarde<br>117 |     |     |
| Kalf en Moeder                |           |                   | Vrugbaarheid               |                    |                                 |                 | Na-Speen Groei              |     |                   | Raam        |                         |            | Karkas                   |     |     |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat.         | Skr. Omtr.                 | Vers Vrugb.        | Koei Vrugb.                     | Lankl.          | Na-Speen                    | GDT | VOV               | Volw. Gewig | Hoogte                  | Lengte     | OSO                      | Vet | Mar |
| 78                            | 126       | 116               | 117                        | 99                 | 105                             | 122             | 128                         | 121 | 125               | 117         | 122                     | 132        | 110                      | 95  | 109 |
| Spn. Indeks<br>90             |           | 365D Indeks<br>94 |                            | 540D Indeks<br>105 |                                 | GDT Indeks<br>- | VOV Indeks<br>-             |     | Skrotum<br>-      | LH<br>-     |                         | Miostatien |                          |     |     |
|                               |           |                   |                            |                    |                                 |                 |                             |     |                   |             |                         | Q204X      |                          | 0   |     |
|                               |           |                   |                            |                    |                                 |                 |                             |     |                   |             |                         | NT821      |                          | 0   |     |
|                               |           |                   |                            |                    |                                 |                 |                             |     |                   |             |                         | F94L       |                          | 0   |     |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 17 BOTTERFONTEIN ESTATES CC

KTB 230096  
2023-06-18  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

JOY 190050

KTB 200119  
OUD/KALW. 5/2  
GEM. SI/KALW. 115/1  
TKP 381

JOY 130002

JOY 150066  
OUD/KALW. 10/7  
GEM. SI/KALW. 103/7  
TKP 414

JOY 170066

KTB 170112  
OUD/KALW. 7/4  
GEM. SI/KALW. 107/4  
TKP 498

GCD 090175

JOY 100107  
OUD/KALW. 14/13  
GEM. SI/KALW. 99/13

JRP 070022

LAR 020360  
OUD/KALW. 13/10  
GEM. SI/KALW. 110/9

KTB 130110

JOY 120111  
OUD/KALW. 13/11  
GEM. SI/KALW. 102/10

KTB 140044

KTB 100060  
OUD/KALW. 11/7  
GEM. SI/KALW. 109/7

|                               |           |                            |              |                                 |             |                             |                 |                   |              |                       |        |                          |        |     |     |
|-------------------------------|-----------|----------------------------|--------------|---------------------------------|-------------|-----------------------------|-----------------|-------------------|--------------|-----------------------|--------|--------------------------|--------|-----|-----|
| Geboortegemak<br>Waarde<br>86 |           | Speenkalf<br>Waarde<br>121 |              | Vrugbaarheids-<br>waarde<br>105 |             | Onderhouds-<br>waarde<br>77 |                 | Koeiwaarde<br>112 |              | Groei-<br>waarde<br>- |        | Karkas-<br>waarde<br>114 |        |     |     |
| Kalf en Moeder                |           |                            | Vrugbaarheid |                                 |             |                             | Na-Speen Groei  |                   |              | Raam                  |        |                          | Karkas |     |     |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat.                  | Skr. Omtr.   | Vers Vrugb.                     | Koei Vrugb. | Lankl.                      | Na-Speen        | GDT               | VOV          | Volw. Gewig           | Hoogte | Lengte                   | OSO    | Vet | Mar |
| 85                            | 126       | 97                         | 109          | 92                              | 103         | 119                         | 116             | 106               | 105          | 128                   | 112    | 115                      | 117    | 87  | 98  |
| Spn. Indeks<br>115            |           | 365D Indeks<br>106         |              | 540D Indeks<br>93               |             | GDT Indeks<br>-             | VOV Indeks<br>- |                   | Skrotum<br>- | LH<br>-               |        | Miostatien               |        |     |     |
|                               |           |                            |              |                                 |             |                             |                 |                   |              |                       |        | Q204X                    |        | 1   |     |
|                               |           |                            |              |                                 |             |                             |                 |                   |              |                       |        | NT82I                    |        | 0   |     |
|                               |           |                            |              |                                 |             |                             |                 |                   |              |                       |        | F94L                     |        | 0   |     |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 18 BOTTERFONTEIN ESTATES CC

KTB 230262  
2023-11-04  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

KTB 150182

KTB 120090  
OUD/KALW. 13/10  
GEM. SI/KALW. 100/10  
TKP 393

NPT 110168

KTB 120006  
OUD/KALW. 10/7  
GEM. SI/KALW. 99/7  
TKP 417

DAJ 090086

KTB 100013  
OUD/KALW. 5/1  
GEM. SI/KALW. 96/1  
TKP -

NPT 060011

NPT 050252  
OUD/KALW. 7/4  
GEM. SI/KALW. 101/4

NPT 040079

KTB 040071  
OUD/KALW. 11/6  
GEM. SI/KALW. 97/4

CEF 990287

DAJ 030002  
OUD/KALW. 17/15  
GEM. SI/KALW. 99/15

KTB 050060

KTB 070126  
OUD/KALW. 8/1  
GEM. SI/KALW. 110/1

|                               |           |                            |              |                                 |             |                             |                 |                   |              |                         |         |                          |                   |     |     |
|-------------------------------|-----------|----------------------------|--------------|---------------------------------|-------------|-----------------------------|-----------------|-------------------|--------------|-------------------------|---------|--------------------------|-------------------|-----|-----|
| Geboortegemak<br>Waarde<br>99 |           | Speenkalf<br>Waarde<br>115 |              | Vrugbaarheids-<br>waarde<br>112 |             | Onderhouds-<br>waarde<br>81 |                 | Koeiwaarde<br>116 |              | Groei-<br>waarde<br>104 |         | Karkas-<br>waarde<br>113 |                   |     |     |
| Kalf en Moeder                |           |                            | Vrugbaarheid |                                 |             |                             | Na-Speen Groei  |                   |              | Raam                    |         |                          | Karkas            |     |     |
| Geb. Dir.                     | Spn. Dir. | Spn. Mat.                  | Skr. Omtr.   | Vers Vrugb.                     | Koei Vrugb. | Lankl.                      | Na-Speen        | GDT               | VOV          | Volw. Gewig             | Hoogte  | Lengte                   | OSO               | Vet | Mar |
| 98                            | 117       | 98                         | 110          | 102                             | 113         | 107                         | 110             | 109               | 104          | 122                     | 113     | 117                      | 106               | 94  | 110 |
| Spn. Indeks<br>122            |           | 365D Indeks<br>112         |              | 540D Indeks<br>102              |             | GDT Indeks<br>-             | VOV Indeks<br>- |                   | Skrotum<br>- |                         | LH<br>- |                          | Miostatien        |     |     |
|                               |           |                            |              |                                 |             |                             |                 |                   |              |                         |         |                          | Q204X Nie Getoets |     |     |
|                               |           |                            |              |                                 |             |                             |                 |                   |              |                         |         |                          | NT821 Nie Getoets |     |     |
|                               |           |                            |              |                                 |             |                             |                 |                   |              |                         |         |                          | F94L Nie Getoets  |     |     |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## BULLS

**LOT 19**
**BOTTERFONTEIN ESTATES CC**



**KTB 230101**  
2023-08-01  
SP

Parentage Sire Dam

DNA ☒

Genomic ☒



**WAT 170326**

**KTB 150130**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 108/6  
ICP 419

**KTB 100049**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 106/2  
ICP 411

**WAT 140330**

**WAT 120234**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 108/9  
ICP 407

**JRP 070067**

**KTB 040213**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 109/8

**LAR 050008**

**JRP 030043**  
AGE/CALV. 13/11  
AVG. Wt/CALV. 108/10

**KTB 040235**

**KTB 030161**  
AGE/CALV. 12/7  
AVG. Wt/CALV. 104/8

**WAT 070353**

**WAT 080090**  
AGE/CALV. 11/10  
AVG. Wt/CALV. 90/10

**WAT 070134**

|                                 |                                 |                              |                                |                         |                            |                             |
|---------------------------------|---------------------------------|------------------------------|--------------------------------|-------------------------|----------------------------|-----------------------------|
| Calving Ease Value<br><b>84</b> | Weaner Calf Value<br><b>140</b> | Fertility Value<br><b>99</b> | Maintenance Value<br><b>77</b> | Cow Value<br><b>124</b> | Growth Value<br><b>116</b> | Carcass Value<br><b>113</b> |
|---------------------------------|---------------------------------|------------------------------|--------------------------------|-------------------------|----------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 66              | 139       | 99        | 123        | 93           | 102       | 107     | 134              | 120 | 130 | 127           | 132    | 132    | 113     | 95  | 87  |

|                          |                          |                          |                       |                       |                     |                |
|--------------------------|--------------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------|
| Wean Index<br><b>106</b> | 365D Index<br><b>102</b> | 540D Index<br><b>117</b> | ADG Index<br><b>-</b> | FCR Index<br><b>-</b> | Scrotum<br><b>-</b> | LH<br><b>-</b> |
|--------------------------|--------------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------|

| Myostatin |   |
|-----------|---|
| Q204X     | 1 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

**LOGIX** EBV Analysis: 2025-09-17

**LOT 20**
**BOTTERFONTEIN ESTATES CC**



**KTB 230177**  
2023-10-25  
SP

Parentage Sire Dam

DNA ☒

Genomic ☒



**KTB 170054**

**KTB 180019**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 110/3  
ICP 378

**KTB 130199**  
AGE/CALV. 6/2  
AVG. Wt/CALV. 102/1  
ICP 388

**KTB 140044**

**KTB 110090**  
AGE/CALV. 13/9  
AVG. Wt/CALV. 104/8  
ICP 472

**KTB 140101**

**KTB 130199**  
AGE/CALV. 6/2  
AVG. Wt/CALV. 102/1  
ICP 388

**JRP 100044**

**KTB 030087**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 106/8

**NPT 080235**

**KTB 030157**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 97/7

**NPT 110168**

**KTB 100105**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 94/11

**NPT 040079**

**KTB 070194**  
AGE/CALV. 8/3  
AVG. Wt/CALV. 110/3

|                                 |                                 |                               |                                |                         |                          |                             |
|---------------------------------|---------------------------------|-------------------------------|--------------------------------|-------------------------|--------------------------|-----------------------------|
| Calving Ease Value<br><b>85</b> | Weaner Calf Value<br><b>126</b> | Fertility Value<br><b>110</b> | Maintenance Value<br><b>81</b> | Cow Value<br><b>120</b> | Growth Value<br><b>-</b> | Carcass Value<br><b>112</b> |
|---------------------------------|---------------------------------|-------------------------------|--------------------------------|-------------------------|--------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 82              | 126       | 104       | 103        | 101          | 107       | 115     | 128              | 110 | 112 | 122           | 115    | 121    | 108     | 92  | 104 |

|                         |                         |                          |                       |                       |                     |                |
|-------------------------|-------------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------|
| Wean Index<br><b>96</b> | 365D Index<br><b>95</b> | 540D Index<br><b>101</b> | ADG Index<br><b>-</b> | FCR Index<br><b>-</b> | Scrotum<br><b>-</b> | LH<br><b>-</b> |
|-------------------------|-------------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------|

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

**LOGIX** EBV Analysis: 2025-09-17

**LOT 21**
**BOTTERFONTEIN ESTATES CC**



**KTB 230220**  
2023-10-24  
SP

Parentage Sire Dam

DNA ☒

Genomic ☒



**KTB 140209**

**KTB 120047**  
AGE/CALV. 13/9  
AVG. Wt/CALV. 101/7  
ICP 456

**KTB 010094**  
AGE/CALV. 14/10  
AVG. Wt/CALV. 112/9  
ICP 408

**NPT 110099**

**KTB 110104**  
AGE/CALV. 6/2  
AVG. Wt/CALV. 108/2  
ICP 625

**KVB 040101**

**KTB 010094**  
AGE/CALV. 14/10  
AVG. Wt/CALV. 112/9  
ICP 408

**LDW 060093**

**NPT 080178**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 97/7

**NPT 080235**

**KTB 010170**  
AGE/CALV. 14/10  
AVG. Wt/CALV. 94/10

**KVB 020012**

**KVB 980008**  
AGE/CALV. 13/11  
AVG. Wt/CALV. 106/9

**KTB 960069**

**KTB 960065**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 96/8

|                                 |                                 |                               |                                |                         |                            |                             |
|---------------------------------|---------------------------------|-------------------------------|--------------------------------|-------------------------|----------------------------|-----------------------------|
| Calving Ease Value<br><b>93</b> | Weaner Calf Value<br><b>120</b> | Fertility Value<br><b>105</b> | Maintenance Value<br><b>88</b> | Cow Value<br><b>117</b> | Growth Value<br><b>102</b> | Carcass Value<br><b>110</b> |
|---------------------------------|---------------------------------|-------------------------------|--------------------------------|-------------------------|----------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92              | 120       | 104       | 94         | 94           | 110       | 104     | 110              | 101 | 100 | 112           | 101    | 106    | 105     | 96  | 107 |

|                          |                          |                          |                       |                       |                     |                |
|--------------------------|--------------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------|
| Wean Index<br><b>120</b> | 365D Index<br><b>110</b> | 540D Index<br><b>117</b> | ADG Index<br><b>-</b> | FCR Index<br><b>-</b> | Scrotum<br><b>-</b> | LH<br><b>-</b> |
|--------------------------|--------------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------|

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

**LOGIX** EBV Analysis: 2025-09-17

## BULLE

## LOT 22 BOTTERFONTEIN ESTATES CC

KTB 230206  
2023-10-18  
SP

Ouerskap Vaar Moer

DNS

Genomies

KTB 140209

KTB 120237  
OUD/KALW. 12/10  
GEM. SI/KALW. 111/10  
TKP 395

NPT 110099

KTB 110104  
OUD/KALW. 6/2  
GEM. SI/KALW. 108/2  
TKP 625

KVB 040101

KTB 010162  
OUD/KALW. 12/8  
GEM. SI/KALW. 105/7  
TKP 455

LDW 060093

NPT 080178  
OUD/KALW. 9/7  
GEM. SI/KALW. 97/7

NPT 080235

KTB 010170  
OUD/KALW. 14/10  
GEM. SI/KALW. 94/10

KVB 020012

KVB 980008  
OUD/KALW. 13/11  
GEM. SI/KALW. 106/9

KTB 960113

KTB 960127  
OUD/KALW. 8/3  
GEM. SI/KALW. 89/2Geboortegemak  
Waarde  
85Speenkalv  
Waarde  
133Vrugbaarheids-  
waarde  
105Onderhouds-  
waarde  
86Koeiwaarde  
125Groei-  
waarde  
101Karkas-  
waarde  
111

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 80             | 130       | 109       | 91           | 85          | 114         | 110    | 117            | 102 | 97  | 115         | 107    | 111    | 110    | 92  | 107 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 134         | 114         | 112         | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 23 BOTTERFONTEIN ESTATES CC

KTB 230098  
2023-07-27  
SP

Ouerskap Vaar Moer

DNS

Genomies

KTB 170081

KTB 150143  
OUD/KALW. 9/6  
GEM. SI/KALW. 100/6  
TKP 422

KTB 140044

KTB 100183  
OUD/KALW. 8/4  
GEM. SI/KALW. 103/2  
TKP 466

KTB 090045

KTB 110006  
OUD/KALW. 12/8  
GEM. SI/KALW. 99/8  
TKP 478

JRP 100044

KTB 030087  
OUD/KALW. 12/8  
GEM. SI/KALW. 106/8

JRP 000028

KTB 030140  
OUD/KALW. 10/6  
GEM. SI/KALW. 111/6

NPT 040079

KTB 060057  
OUD/KALW. 7/3  
GEM. SI/KALW. 107/3

MULTIPLE SIRES

KTB 060159  
OUD/KALW. 7/3  
GEM. SI/KALW. 101/3Geboortegemak  
Waarde  
95Speenkalv  
Waarde  
103Vrugbaarheids-  
waarde  
114Onderhouds-  
waarde  
92Koeiwaarde  
108Groei-  
waarde  
-Karkas-  
waarde  
103

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 108       | 97        | 112          | 118         | 106         | 105    | 110            | 104 | 113 | 107         | 104    | 105    | 98     | 101 | 109 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 94          | 102         | 99          | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

## LOT 24 BOTTERFONTEIN ESTATES CC

KTB 230254  
2023-11-03  
B

Ouerskap Vaar Moer

DNS

Genomies

KTB 140209

KTB 190187  
OUD/KALW. 5/2  
GEM. SI/KALW. 100/1  
TKP 389

NPT 110099

KTB 110104  
OUD/KALW. 6/2  
GEM. SI/KALW. 108/2  
TKP 625

MULTIPLE SIRES

KTB 060153  
OUD/KALW. 10/9  
GEM. SI/KALW. 107/9  
TKP 418

LDW 060093

NPT 080178  
OUD/KALW. 9/7  
GEM. SI/KALW. 97/7

NPT 080235

KTB 010170  
OUD/KALW. 14/10  
GEM. SI/KALW. 94/10

CEF 010393

KTB 000128  
OUD/KALW. 10/6  
GEM. SI/KALW. 98/6Geboortegemak  
Waarde  
96Speenkalv  
Waarde  
105Vrugbaarheids-  
waarde  
93Onderhouds-  
waarde  
89Koeiwaarde  
100Groei-  
waarde  
87Karkas-  
waarde  
97

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 97             | 108       | 105       | 87           | 79          | 101         | 105    | 101            | 88  | 82  | 111         | 92     | 94     | 96     | 91  | 97  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 100         | 100         | 100         | -          | -          | -       | -  |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

**BULLS**

**LOT 25 BOTTERFONTEIN ESTATES CC**



**KTB 230278**  
2023-10-20  
B

Parentage Sire Dam

DNA ✓

Genomic

**KTB 150029**



**KTB 170166**

AGE/CALV. 8/4  
AVG. Wt/CALV. 109/4  
ICP 487

**NPT 110168**

**KTB 120190**

AGE/CALV. 12/10  
AVG. Wt/CALV. 99/10  
ICP 397

**KTB 130017**

**KTB 110022**

AGE/CALV. 11/6  
AVG. Wt/CALV. 94/5  
ICP 455

**NPT 060011**

**NPT 050252**

AGE/CALV. 7/4  
AVG. Wt/CALV. 101/4

**KTB 060199**

**KTB 060134**

AGE/CALV. 9/6  
AVG. Wt/CALV. 99/6

**DAJ 090086**

**KTB 090009**

AGE/CALV. 9/6  
AVG. Wt/CALV. 95/6

**KTB 060199**

Calving Ease  
Value  
**86**

Weaner Calf  
Value  
**96**

Fertility  
Value  
**102**

Maintenance  
Value  
**89**

Cow Value  
**95**

Growth  
Value  
**-**

Carcass  
Value  
**96**

| Calf and Mother |           |            | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |           |
|-----------------|-----------|------------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----------|
| Birth Dir.      | Wean Dir. | Wean Mat.  | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar       |
| 85              | 104       | 103        | 93         | 90           | 110       | 107     | 109              | 103 | 103 | 111           | 104    | 105    | 85      | 95  | 110       |
| Wean Index      |           | 365D Index | 540D Index | ADG Index    | FCR Index | Scrotum | LH               |     |     |               |        |        |         |     | Myostatin |
| 101             |           | 101        | 105        | -            | -         | -       | -                |     |     |               |        |        |         |     | Q204X 1   |
|                 |           |            |            |              |           |         |                  |     |     |               |        |        |         |     | NT821 0   |
|                 |           |            |            |              |           |         |                  |     |     |               |        |        |         |     | F94L 0    |

REMARKS:

**LOGIX** EBV Analysis: 2025-09-17

| Dier Info                     |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 37            | 250          | 7.91      | 53.2      | -                   | -               | 1.00 2.21                | -0.30 -0.56    | 14.7 23.7     | 3.6 3.8       | 24 44          | 22 45               | 78 103    | -37 -50     | 12.6 15.5       | -3.0 5       | 13.0 25     | 106  | -   | 105        | 105             | 5.0        | 99          |
| 1                             | KTB 230040 | M   | B   | 37            | 252          | 7.03      | 62.9      | -                   | -               | 1.41                     | -0.74          | 19.4          | 3.0           | 36.9           | 32.1                | 61        | -33         | 12.6            | 0            | 17          | 95   | -   | 100        | 101             | 4          | 85          |
| 2                             | KTB 230016 | M   | SP  | 36            | 356          | 8.98      | 73.7      | -                   | -               | 3.17                     | -0.92          | 37.7          | 0.9           | 60.6           | 76.5                | 138       | -55         | 20.5            | 13           | 39          | 132  | -   | 114        | 132             | 2          | 104         |
| 3                             | KTB 230039 | M   | SP  | 39            | 384          | 8.35      | 72.2      | -                   | -               | 2.97                     | -1.43          | 33.7          | 3.1           | 57.5           | 58.4                | 149       | -62         | 20.9            | 13           | 41          | 142  | -   | 114        | 110             | 5          | 83          |
| 4                             | EKO 220015 | M   | SP  | 29            | 198          | 7.13      | 47.1      | -                   | -               | -0.08                    | -0.61          | 14.1          | 3.9           | 33.4           | 42.6                | 111       | -46         | 12.1            | 2            | 15          | 96   | -   | 99         | 103             | 3          | 102         |
| 5                             | EKO 220061 | M   | SP  | 36            | 235          | 8.45      | 45.6      | -                   | -               | 3.16                     | 0.67           | 26.7          | 2.1           | 54.0           | 70.1                | 170       | -89         | 25.8            | 26           | 45          | 113  | -   | 123        | 102             | 5          | 107         |
| 6                             | KTB 230191 | M   | SP  | 40            | 216          | 8         | 50.8      | -                   | -               | 3.36                     | -0.36          | 27.8          | 7.1           | 57.2           | 72.2                | 124       | -67         | 18.8            | 15           | 35          | 106  | -   | 111        | 104             | 4          | 105         |
| 7                             | KTB 230050 | M   | SP  | 39            | 248          | 9.03      | 69.8      | -                   | -               | 2.04                     | -0.49          | 21.3          | 4.3           | 39.2           | 20.9                | 77        | -40         | 12.4            | -1           | 17          | 92   | -   | 100        | 93              | 5          | 98          |
| 8                             | KTB 230047 | M   | SP  | 36            | 250          | 7.05      | 58.7      | -                   | -               | 2.06                     | -0.71          | 23.7          | -1.3          | 44.1           | 36.3                | 88        | -49         | 13.1            | 2            | 21          | 94   | -   | 101        | 97              | 5          | 84          |
| 9                             | KTB 230165 | M   | SP  | 40            | 249          | 8.33      | 40.4      | -                   | -               | 2.69                     | -0.56          | 24.1          | 0.7           | 55.4           | 46.1                | 128       | -75         | 16.2            | 5            | 24          | 100  | -   | 106        | 99              | 7          | 100         |
| 10                            | KTB 230060 | M   | SP  | 37            | 249          | 7.01      | 55.1      | -                   | -               | 1.10                     | -0.12          | 19.8          | 2.8           | 42.6           | 30.5                | 98        | -55         | 16.4            | 4            | 22          | 93   | -   | 107        | 96              | 7          | 95          |
| 11                            | EKO 220057 | M   | SP  | 35            | 222          | 7.53      | 41.8      | -                   | -               | 1.64                     | -0.71          | 13.1          | 10.0          | 26.7           | 31.8                | 70        | -34         | 16.7            | -5           | 14          | 106  | -   | 107        | 102             | 4          | 105         |
| 12                            | EKO 220038 | M   | SP  | 32            | 198          | 6.4       | 37.1      | -                   | -               | 1.50                     | -0.21          | 12.3          | -1.4          | 20.0           | 4.4                 | 13        | -3          | 13.6            | -6           | 7           | 94   | -   | 102        | 99              | 8          | 106         |
| 13                            | KTB 230111 | M   | SP  | 38            | 252          | 8.07      | 52.8      | -                   | -               | 2.32                     | -0.66          | 23.1          | 2.8           | 48.6           | 52.1                | 147       | -54         | 11.4            | -0           | 26          | 102  | -   | 98         | 104             | 6          | 91          |
| 14                            | KTB 230126 | M   | SP  | 35            | 282          | 8.66      | 52.6      | -                   | -               | 1.90                     | -0.57          | 23.7          | 2.9           | 47.0           | 46.5                | 108       | -66         | 11.7            | 11           | 28          | 118  | -   | 98         | 115             | 2          | 90          |
| 15                            | KTB 230152 | M   | SP  | 38            | 242          | 8.72      | 45.2      | -                   | -               | 0.65                     | -0.11          | 16.2          | 9.0           | 42.2           | 31.8                | 68        | -47         | 16.1            | -4           | 11          | 98   | -   | 106        | 103             | 8          | 105         |
| 16                            | KTB 230100 | M   | SP  | 38            | 227          | 7.93      | 48.6      | -                   | -               | 3.30                     | -0.71          | 28.6          | 8.5           | 56.5           | 46.4                | 156       | -77         | 22.4            | 15           | 42          | 90   | -   | 117        | 105             | 6          | 96          |
| 17                            | KTB 230096 | M   | SP  | 35            | 296          | 7.34      | 54.7      | -                   | -               | 2.58                     | -0.38          | 28.7          | 2.5           | 43.1           | 62.8                | 100       | -44         | 17.6            | 6            | 27          | 115  | -   | 109        | 115             | 2          | 102         |
| 18                            | KTB 230262 | M   | SP  | 36            | 239          | 6.67      | 47.5      | -                   | -               | 1.23                     | -0.49          | 24.0          | 3.1           | 37.3           | 54.1                | 110       | -44         | 18.5            | 7            | 29          | 122  | -   | 110        | 100             | 10         | 108         |
| 19                            | KTB 230101 | M   | SP  | 42            | 263          | 8.62      | 51.7      | -                   | -               | 4.54                     | -1.16          | 35.6          | 3.3           | 62.5           | 62.3                | 152       | -85         | 25.6            | 22           | 42          | 106  | -   | 123        | 108             | 6          | 100         |
| 20                            | KTB 230177 | M   | SP  | 39            | 198          | 8.28      | 47        | -                   | -               | 2.93                     | -0.80          | 28.9          | 4.8           | 56.2           | 54.2                | 114       | -56         | 14.1            | 9            | 32          | 96   | -   | 103        | 110             | 4          | 114         |
| 21                            | KTB 230220 | M   | SP  | 39            | 238          | 7.88      | 48.8      | -                   | -               | 1.87                     | -0.49          | 25.5          | 4.7           | 38.6           | 40.0                | 83        | -36         | 9.2             | -2           | 19          | 120  | -   | 94         | 101             | 9          | 97          |
| 22                            | KTB 230206 | M   | SP  | 39            | 261          | 8.21      | 59.8      | -                   | -               | 3.08                     | -1.23          | 30.6          | 6.4           | 46.0           | 44.1                | 87        | -31         | 7.2             | 3            | 23          | 134  | -   | 91         | 111             | 10         | 111         |
| 23                            | KTB 230098 | M   | SP  | 39            | 235          | 9.31      | 56.1      | -                   | -               | 1.79                     | -0.63          | 19.0          | 2.8           | 38.5           | 32.5                | 93        | -57         | 19.8            | 1            | 18          | 94   | -   | 112        | 100             | 6          | 103         |
| 24                            | KTB 230254 | M   | B   | 36            | 257          | 6.79      | 54.8      | -                   | -               | 1.34                     | -0.19          | 18.8          | 5.2           | 28.6           | 37.8                | 33        | -8          | 5.1             | -9           | 8           | 100  | -   | 87         | 100             | 2          | 87          |
| 25                            | KTB 230278 | M   | B   | 43            | 210          | 8.04      | 55.4      | -                   | -               | 2.59                     | -0.49          | 16.6          | 4.7           | 37.0           | 37.5                | 90        | -42         | 8.5             | 0            | 18          | 101  | -   | 93         | 109             | 4          | 86          |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |                 |                  |                                                             |
|---------------------------------------------------------|-----------------|------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT              | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV              | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap         | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.     | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.   | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID               | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD              | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN              | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR              | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO               | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP               | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT               | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)            | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)            | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)            | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP              | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir         | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.        | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.        | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.        | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.      | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.      | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.           | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig      | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT              | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV              | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO              | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet              | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar              | Marmering (binne-spijse vet)                                |
| 365-day weight index                                    | 365D Index      | 365D Indeks      | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks      | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH               | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig       | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig       | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG              | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS              | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.      | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks     | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V            | Dier geslag: M - Manlik, V - Vroulik                        |