

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ROAN VAN TONDER

Afridome Parys

16 August 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 31 July 2025



DROUGHTMASTER SA[®]





SA STAMBOEK
STUD BOOK



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)


SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

SB 140007
SUPERBULL SB 140007 Pp(c)

Age 7 AFC 27 ICP 366
Calves 6 Weighed 2
Avg. WI 89 Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001
SUPERBULL SB 11 0100
SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80
SB 110001
SUPERBULL SB 110400
SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)

CSA 180159
CONSIDERATA SA 18-0159CSA

RO'AN VAN TONDER

Potchefstroom, North West
roan.soetvelde@gmail.comPOSBUS 32 HOLTZHAUSEN,
POTCHEFSTROOM,,2520

Last Calf

Calf ID	RVT 240059 (M)
Birth Date	2024-09-02
Sire ID	C 130565

Calvings: 20-10, 22-02, 22-12, 24-09



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-11-15
Age	6y 9m
Inbreeding	0%
DNA	U550750
AFC	23m
Calves	4
ICP	donor

GLENLANDS PEDERSON (E)
GLENLANDS PEDERSON (ET)(AI)
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

C 100033
10-0033CAge 9y | AFC - | ICP (donor)
Calves 7 | Weighed 4 | Wean Mat. 101
Avg. WI 100 | CCB - | CCW 45.8Calvings: 12-09, 13-09, 14-09,
15-10, 16-09, 17-10, 19-06+U9C034340
GLENLANDS IMPARJA (P)
Wean Mat. 95+U9C055112
GLENLANDS 5112 (D)
Age 1y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 99
Avg. WI - | Wean Mat. 99C 070361
CONSIDERATA07-0361C
Wean Mat. 79C 070119
07-0119C
Age 11y | AFC - | ICP 370d
Calves 2 | Weighed 1 | Wean Mat. 119
Avg. WI 105 | Wean Mat. 119+97750
GARTHOWEN FEDERAL 2ND (D) KAD9+DDM98259
COORAMBULLA FANTASIA (P) DDM98
Age 23y | Avg. WI -
Calves - | Weighed -+IPC99107
YARALLA APOLLO (D) IPC99107M D+U9C992326
GLENLANDS 2326 (D) U9C992326F
Age 23y | Avg. WI -
Calves 1 | Weighed -DO 050021
05-0021DO
DO 020273
02-0273DO-DONOR COW
Age 16y | Avg. WI 124
Calves 6 | Weighed 2DO 022187
02-2187DO
Age 16y | Avg. WI 99
Calves 8 | Weighed 3

COW VALUE 103

107	Calving Ease Value
101	Calf Growth Value
98	Milk Value
86	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	103	101	98	-	107	89	102
68%	69%	58%	59%		65%	38%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	-	-	113	-	-	-	-	-
38%			52%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
42kg	-	405kg 101 (54)	-	-	-	-(B1)	-

SELLER REMARKS:

LOT 2 (F)

CSA 180187
CONSIDERATA SA 18-0187CSA

RO'AN VAN TONDER

Potchefstroom, North West
roan.soetvelde@gmail.comPOSBUS 32 HOLTZHAUSEN,
POTCHEFSTROOM,,2520

Last Calf

Calf ID	RVT 250007 (F)
Birth Date	2025-03-21
Sire ID	CSA 210003

Calvings: 21-01, 22-02, 23-03, 24-03, 25-03



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-12-28
Age	6y 8m
Inbreeding	5%
DNA	UA550734
AFC	24m
Calves	5
ICP	donor

CSA 160056
CONSIDERATA SA 16-0056CSA
Wean Mat. 125

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CSA 150068 Pch
CONSIDERATA SA SWAN EAGLE HAWKAge 9y | AFC 23m | ICP (donor)
Calves 7 | Weighed 4 | Wean Mat. 113
Avg. WI 95 | CCB - | CCW -Calvings: 17-10, 18-10, 19-09,
20-10, 21-11, 23-02, 24-04C 110505
11-0505C-EMBRIO CALVE
Wean Mat. 125C 070001
DONOR COW-07-0001C
Age 18y | AFC - | ICP (donor)
Calves 9 | Weighed 3 | Wean Mat. 81
Avg. WI 97 | Wean Mat. 81384969
SWAN EAGLE HAWK (P) D5
Wean Mat. 98C 080249
CONSIDERATA08-0249C
Age 15y | AFC - | ICP (donor)
Calves 13 | Weighed 8 | Wean Mat. 102
Avg. WI 101 | Wean Mat. 102C 080469
CONSIDERATA08-0469CDO 060185
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4

COW VALUE 121

113	Calving Ease Value
109	Calf Growth Value
121	Milk Value
100	Maintenance Value
91	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	101	109	121	-	90	87	107
70%	70%	60%	64%		66%	41%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	-	-	100	-	-	-	-	-
45%			57%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	-	-	-	-	-	-	-

SELLER REMARKS:

LOT 3 (F)



CSA 220028
CONSIDERATA SA 22-0028CSA

Kuddeboek	SP
Geb. dtm	2022-02-15
Oud.	3j 6m
Inteling	14%
DNS	U8623U021
OEK	
Kalwers	1
TKP	donor



RO'AN VAN TONDER

Potchefstroom, North West
roan.soetvelde@gmail.com

POSBUS 32 HOLTZHAUSEN,
POTCHEFSTROOM,,2520

Laaste Kalf	
Kalf ID	RVT 250001 (M)
Geb. datum	2025-01-14
Vaar ID	VOVA200039

Kalwings: 25-01



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

CSA 190055

CONSIDERATA SA 19-0055CSA

Spn Mat. 77

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CSA 180159

CONSIDERATA SA 18-0159CSA

Oud. 6j | OEK 23m | TKP (donor)
Kalwers 4 | Geweeg 1 | Spn. Mat. 98
Gem. SI 100 | KKG 3.51 | KKS -
Kalwings: 20-10, 22-02, 22-12,
24-09

GLENLANDS PEDERSON (

GLENLANDS PEDERSON (ET)(AI)

Spn Mat. 91

CTM 150023 PcH

CHAN-TE-MAR 15-0023CTM

Oud. 10j | OEK 31m | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 79
Gem. SI 103 | Spn. Mat. 79

GLENLANDS PEDERSON (

GLENLANDS PEDERSON (ET)(AI)

Spn Mat. 91

C 100033

10-0033C

Oud. 9j | OEK - | TKP (donor)
Kalwers 7 | Geweeg 4 | Spn. Mat. 101
Gem. SI 100 | Spn. Mat. 101

+U9C034340

GLENLANDS IMPARJA (P)

+U9C055112

GLENLANDS 5112 (D)

Oud. 1j | Gem. SI -

Kalwers - | Geweeg -

DO 050029

05-0029DO

C 110507

11-0507CEMBRIO CALVE

Oud. 11j | Gem. SI 103

Kalwers 5 | Geweeg 2

+U9C034340

GLENLANDS IMPARJA (P)

+U9C055112

GLENLANDS 5112 (D)

Oud. 1j | Gem. SI -

Kalwers - | Geweeg -

C 070361

CONSIDERATA07-0361C

C 070119

07-0119C

Oud. 11j | Gem. SI 105

Kalwers 2 | Geweeg 1

KOEIWAARDE 109

112	Kalfgemak Waarde
111	Kalfgroei Waarde
89	Melk Waarde
89	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS GENETICS
EBV Analyse 2025-07-21

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
108	105	111	89	-	106	95	102	
66%	53%	49%	41%		44%	25%	48%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	-	-	110	-	-	-	-	-
32%			36%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
46kg	-	-	-	-	-	-	-

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										-0.04	-0.07	1.3	-0.1	1					-	-						
Auction Average				42	-	-	-	-	-	-0.62	-0.17	4.2	0.7	5	6	-	-	-	-	-	-	-	-	98	6.0	118
1	CSA 180159	F	SP	42	-	-	-	-	-	-0.39	-0.17	1.8	-0.6	1.6	10.7	0	0		0	0	-	-	-	100	7	108
2	CSA 180187	F	SP	39	-	-	-	-	-	-0.78	-0.12	5.1	5.6	6.6	-0.7	0	0		0	0	-	-	-	95	7	117
3	CSA 220028	F	SP	46	-	-	-	-	-	-0.68	-0.21	5.7	-3.0	6.7	8.2	0	0		0	0	-	-	-	100	4	129

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik