

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

WESTBOURN BONSMARAS - FEMALE

Veilingsdatum / Auction Date:
28 August 2025

Data soos op / Data as on:
25 August 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 ♀ GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS WITH CALVES

LOT 24 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 180037
2018-11-19
SP
AGE/CALV. 6/4
AVG. WI/CALV. 98/3
ICP 451

Parentage Sire Dam
DNA
Genomic



AVW 130071
AGE/CALV. 10/6
AVG. WI/CALV. 101/6
ICP 466

AG 020251
AGE/CALV. 17/13
AVG. WI/CALV. 109/11

AEJ 050149
AGE/CALV. 10/8
AVG. WI/CALV. 100/8
ICP 393

CRV 090233
AGE/CALV. 7/4
AVG. WI/CALV. 101/4

WCS 080024
AGE/CALV. 11/7
AVG. WI/CALV. 99/6
ICP 433

AG 980338
AGE/CALV. 17/13
AVG. WI/CALV. 109/11

AEJ 020065
AGE/CALV. 4/1
AVG. WI/CALV. 99/1

WVZ 020072
AGE/CALV. 7/4
AVG. WI/CALV. 101/4

GCD 050136
AGE/CALV. 10/8
AVG. WI/CALV. 96/7

Calving Ease Value
102

Weaner Calf Value
95

Fertility Value
94

Maintenance Value
125

Cow Value
94

Growth Value
93

Carcass Value
87

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	94	91	110	107	89	99	93	94	114	80	94	87	84	97	108

Wean Index						Last Calf						Myostatin		
365D Index	540D Index	ADG Index	FCR Index	LH		Calf ID	Birth Date	Sire ID	Q204X	NT821	F94L			
93	96	99	-	-	-	FJK 240063 (M)	2024-12-18	LAR 190330	0	0	0			

REMARKS: 6 maande dragtig. KI LAR 20-385 opvolg bulle LAR 21-535 en LAR 19-330

LOGIX EBV Analysis: 2025-08-17

LOT 25 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 190030
2019-11-03
SP
AGE/CALV. 5/3
AVG. WI/CALV. 94/3
ICP 529

Parentage Sire Dam
DNA
Genomic



AVW 090036
AGE/CALV. 13/9
AVG. WI/CALV. 105/8
ICP 410

FCT 100167
AGE/CALV. 14/12
AVG. WI/CALV. 102/8
ICP 399

WCS 050009
AGE/CALV. 9/7
AVG. WI/CALV. 99/7
ICP 368

FCT 080118
AGE/CALV. 5/2
AVG. WI/CALV. 104/2

FCT 080128
AGE/CALV. 7/4
AVG. WI/CALV. 109/4

WCS 000126
AGE/CALV. 8/3
AVG. WI/CALV. 107/3

MCH 980198
AGE/CALV. 4/2
AVG. WI/CALV. 98/2

Calving Ease Value
106

Weaner Calf Value
93

Fertility Value
73

Maintenance Value
96

Cow Value
81

Growth Value
95

Carcass Value
92

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	99	90	91	81	71	106	99	101	113	103	107	107	100	107	94

Wean Index						Last Calf						Myostatin		
365D Index	540D Index	ADG Index	FCR Index	LH		Calf ID	Birth Date	Sire ID	Q204X	NT821	F94L			
102	-	103	-	-	-	FJK 24-049			0	0	0			

REMARKS: 6 maande dragtig. KI LAR 20-385 opvolg bulle LAR 21-535 en LAR 19-330. Laaste kalf is FJK 24-049 met LAR 19-330 as vaar geverifieer.

LOGIX EBV Analysis: 2025-08-17

LOT 26 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 200042
2020-11-15
SP
AGE/CALV. 4/3
AVG. WI/CALV. 95/2
ICP 410

Parentage Sire Dam
DNA
Genomic



AVW 110081
AGE/CALV. 9/6
AVG. WI/CALV. 106/5
ICP 433

AEJ 110111
AGE/CALV. 9/7
AVG. WI/CALV. 98/7
ICP 431

RGR 030114
AGE/CALV. 11/8
AVG. WI/CALV. 108/5
ICP 425

AEJ 090005
AGE/CALV. 12/10
AVG. WI/CALV. 100/9

AG 980025
AGE/CALV. 15/9
AVG. WI/CALV. 101/9

MCH 980198
AGE/CALV. 11/8
AVG. WI/CALV. 95/8

Calving Ease Value
98

Weaner Calf Value
103

Fertility Value
81

Maintenance Value
94

Cow Value
92

Growth Value
116

Carcass Value
110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	104	103	107	87	78	107	111	119	114	105	107	111	94	111	109

Wean Index						Last Calf						Myostatin		
365D Index	540D Index	ADG Index	FCR Index	LH		Calf ID	Birth Date	Sire ID	Q204X	NT821	F94L			
103	111	-	-	-	-	FJK 250003 (M)	2025-01-17	SYF 160237	0	0	0			

REMARKS: 5 maande dragtig. KI LAR 20-385 opvolg bulle LAR 21-535 en LAR 19-330

LOGIX EBV Analysis: 2025-08-17

KOEIE MET KALWERS

LOT 27 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 210040
2021-10-24
SP
OUD/KALW. 3/1
GEM. SI/KALW. 99/1
TKP -

Ouerskap **Vaar** **Moer**
DNS
Genomies



AVW 180031
BRB 180055
JPL 120053

CRV 090233
AVW 130061
BRB 120144
JPL 120053

WVZ 020072
KAN 030033
AEJ 100008
AVW 070038
EZ 100117
BRB 060059
WAT 080047
JPL 100021

Geboortegemak
Waarde
101

Speenkalf
Waarde
101

Vrugbaarheids-
waarde
86

Onderhouds-
waarde
91

Koeiwaarde
93

Groei-
waarde
99

Karkas-
waarde
101

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	107	93	107	90	92	93	100	95	99	110	96	93	83	106	121

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
102	99	99	-	-	-

Miostation	
Q204X	0
NT82I	0
F94L	0

OPMERKINGS: 6.5 maande dragtig. KI LAR 20-385 opvolg bulle LAR 21-535 en LAR 19-330. Laaste kalf is FJK 24-035 met SYF 20-126 as vaar geverifieer.

LOGIX EBV Analise: 2025-08-17

DRAGTIGE KOEIE

LOT 28 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 210068
2021-11-29
SP
OUD/KALW. 3/1
GEM. SI/KALW. -/-
TKP -

Ouerskap **Vaar** **Moer**
DNS
Genomies



AVW 180016
AVW 160028
AVW 130018

CRV 090233
WCS 050009
WCS 060041
FCT 080118
FCT 070146
BPJ 090028
WCS 060030

AVW 150018
AVW 090042
FCT 100167
AVW 130018

Geboortegemak
Waarde
86

Speenkalf
Waarde
90

Vrugbaarheids-
waarde
89

Onderhouds-
waarde
112

Koeiwaarde
83

Groei-
waarde
91

Karkas-
waarde
84

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	98	93	86	91	89	104	95	96	106	88	98	93	96	97	85

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
96	96	92	-	-	-

Laaste Kalf		Miostation	
Kalf ID	FJK 240053 (F)	Q204X	0
Geb. dtm.	2024-11-26	NT82I	0
Vaar ID	AVW 210032	F94L	0

OPMERKINGS: 5.5 maande dragtig. KI LAR 20-385 opvolg bulle LAR 21-535 en LAR 19-330

LOGIX EBV Analise: 2025-08-17

LOT 29 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 170077
2017-11-30
SP
OUD/KALW. 7/5
GEM. SI/KALW. 97/4
TKP 444

Ouerskap **Vaar** **Moer**
DNS
Genomies



AEJ 100008
AVW 140071
AVW 100043

AG 020251
AEJ 050149
CRV 090233

AG 980338
AG 950206
AEJ 020065
AEJ 020129
WVZ 020072
KAN 030033
HC 020033
AVW 040015

Geboortegemak
Waarde
113

Speenkalf
Waarde
95

Vrugbaarheids-
waarde
89

Onderhouds-
waarde
117

Koeiwaarde
93

Groei-
waarde
90

Karkas-
waarde
85

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	92	94	106	110	82	93	89	94	113	85	88	83	81	112	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
106	99	-	-	-	-

Miostation	
Q204X	0
NT82I	0
F94L	0

OPMERKINGS: 5.5 maande dragtig. Geloopt by AVW 22-009 and FJK 22-007

LOGIX EBV Analise: 2025-08-17

PREGNANT COWS

LOT 30 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 190017
2019-10-17
B
AGE/CALV. 5/3
AVG. WI/CALV. 113/3
ICP 378

Parentage Sire Dam
DNA
Genomic



AVW 170004

AVW 090094
AGE/CALV. 10/7
AVG. WI/CALV. 97/6
ICP 424

FCT 100167
AGE/CALV. 5/2
AVG. WI/CALV. 102/8
ICP 399
AG 050306

AVW 040022
AGE/CALV. 8/5
AVG. WI/CALV. 108/4
ICP 381

FCT 080118
FCT 070146
AGE/CALV. 5/2
AVG. WI/CALV. 104/2
FCT 080128
FCT 070179
AGE/CALV. 7/4
AVG. WI/CALV. 109/4
AG 990104
AG 970045
AGE/CALV. 16/13
AVG. WI/CALV. 103/13

Calving Ease Value
88

Weaner Calf Value
109

Fertility Value
74

Maintenance Value
79

Cow Value
90

Growth Value
97

Carcass Value
103

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	108	118	111	75	77	105	111	100	111	123	119	118	103	100	94

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
98	-	116	-	-	-

Myostatin	
Q204X	0
NT82I	0
F94L	0

REMARKS: 5.5 maande dragtig. KI LAR 20-385 opvolg bulle LAR 21-535 en LAR 19-330

LOGIX
EBV Analysis: 2025-08-17

LOT 31 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 190053
2019-11-19
SP
AGE/CALV. 5/2
AVG. WI/CALV. 97/2
ICP 352

Parentage Sire Dam
DNA
Genomic



AVW 170030

AVW 170076
AGE/CALV. 2/1
AVG. WI/CALV. 111/1
ICP -

FCT 100167
AGE/CALV. 5/2
AVG. WI/CALV. 104/2
VV 060414
AVW 090095
AGE/CALV. 11/9
AVG. WI/CALV. 94/9
AG 020251
AEJ 050149
AGE/CALV. 10/8
AVG. WI/CALV. 100/8
BPJ 090028
AVW 100081
AGE/CALV. 9/5
AVG. WI/CALV. 108/5

Calving Ease Value
113

Weaner Calf Value
105

Fertility Value
78

Maintenance Value
134

Cow Value
96

Growth Value
79

Carcass Value
88

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	98	84	76	88	79	99	92	75	82	71	83	83	90	102	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
111	-	99	-	-	-

Myostatin	
Q204X	0
NT82I	0
F94L	0

REMARKS: 5 maande dragtig. Geloopt by AVW 22-009 and FJK 22-007

LOGIX
EBV Analysis: 2025-08-17

LOT 32 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 190029
2019-11-02
SP
AGE/CALV. 5/2
AVG. WI/CALV. 101/2
ICP 419

Parentage Sire Dam
DNA
Genomic



FCT 100167

AVW 110045
AGE/CALV. 11/7
AVG. WI/CALV. 102/6
ICP 428

FCT 080118
FCT 070146
AGE/CALV. 5/2
AVG. WI/CALV. 104/2
ICP 382
RGR 040153
AVW 080068
AGE/CALV. 7/5
AVG. WI/CALV. 97/4
ICP 386

Calving Ease Value
105

Weaner Calf Value
97

Fertility Value
67

Maintenance Value
104

Cow Value
82

Growth Value
93

Carcass Value
89

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	97	100	98	66	79	96	94	97	110	94	114	105	97	90	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
102	-	102	-	-	-

Myostatin	
Q204X	1
NT82I	0
F94L	0

REMARKS: 6 maande dragtig. Geloopt by AVW 22-009 and FJK 22-007

LOGIX
EBV Analysis: 2025-08-17

DRAGTIGE KOEIE

LOT 33 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

FJK 220005
2022-10-11
SP

Ouerskap Vaar Moer

DNS

Genomies



FJK 190008
OUD/KALW. 5/2
GEM. SI/KALW. 107/2
TKP 388

SYF 140247
—

ADV 080048
OUD/KALW. 12/10
GEM. SI/KALW. 100/8
TKP 409

AEJ 160061
—

FCT 090205
OUD/KALW. 12/8
GEM. SI/KALW. 104/8
TKP 375

GEL 100113
—

SYF 100071
OUD/KALW. 11/9
GEM. SI/KALW. 110/9

ADV 040182
—

ADV 050196
OUD/KALW. 6/4
GEM. SI/KALW. 102/4

AEJ 110111
—

AEJ 110268
OUD/KALW. 9/7
GEM. SI/KALW. 98/7

FCT 050127
—

FCT 040221
OUD/KALW. 6/4
GEM. SI/KALW. 97/4

Geboortegemak
Waarde
82

Speenkalf
Waarde
109

Vrugbaarheids-
waarde
86

Onderhouds-
waarde
91

Koeiwaarde
94

Groei-
waarde
107

Karkas-
waarde
110

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	117	93	111	85	88	102	113	109	104	109	96	103	113	111	89

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
110	111	108	-	-	-

OPMERKINGS: 6.5 maande dragtig. Geloopt by SYF 20-126 and EZI 22-48

LOGIX
EBV Analyse: 2025-08-17

Miostation	
Q204X	1
NT82I	0
F94L	0

DRAGTIGE VERSE

LOT 34 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 230006
2023-01-29
SP

Ouerskap Vaar Moer

DNS

Genomies



AVW 120030
OUD/KALW. 12/9
GEM. SI/KALW. 101/9
TKP 376

SYF 130047
—

SYF 050040
OUD/KALW. 14/12
GEM. SI/KALW. 105/12
TKP 380

AVW 100092
—

AVW 070038
OUD/KALW. 8/6
GEM. SI/KALW. 98/6
TKP 407

SYF 090010
—

SYF 090132
OUD/KALW. 9/5
GEM. SI/KALW. 106/3

SYF 020097
—

SYF 020046
OUD/KALW. 7/5
GEM. SI/KALW. 101/4

VV 060414
—

DZT 050085
OUD/KALW. 13/11
GEM. SI/KALW. 108/11

RGR 030114
—

AVW 040021
OUD/KALW. 8/6
GEM. SI/KALW. 97/5

Geboortegemak
Waarde
113

Speenkalf
Waarde
92

Vrugbaarheids-
waarde
96

Onderhouds-
waarde
107

Koeiwaarde
96

Groei-
waarde
77

Karkas-
waarde
86

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	90	101	90	88	115	82	90	80	78	91	95	91	84	99	102

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
106	103	-	-	-	-

OPMERKINGS: 7 maande dragtig. Geloopt by SYF 20-126 and EZI 22-48

LOGIX
EBV Analyse: 2025-08-17

Miostation	
Q204X	0
NT82I	0
F94L	0

LOT 35 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 230011
2023-03-21
SP

Ouerskap Vaar Moer

DNS

Genomies



AVW 140016
OUD/KALW. 10/8
GEM. SI/KALW. 107/7
TKP 388

SYF 140247
—

ADV 080048
OUD/KALW. 12/10
GEM. SI/KALW. 100/8
TKP 409

BPJ 090028
—

AVW 090089
OUD/KALW. 11/7
GEM. SI/KALW. 98/5
TKP 429

GEL 100113
—

SYF 100071
OUD/KALW. 11/9
GEM. SI/KALW. 110/9

ADV 040182
—

ADV 050196
OUD/KALW. 6/4
GEM. SI/KALW. 102/4

FCT 000065
—

BHE 030013
OUD/KALW. 7/4
GEM. SI/KALW. 96/3

AG 050306
—

AVW 040004
OUD/KALW. 8/6
GEM. SI/KALW. 108/6

Geboortegemak
Waarde
100

Speenkalf
Waarde
93

Vrugbaarheids-
waarde
96

Onderhouds-
waarde
90

Koeiwaarde
92

Groei-
waarde
82

Karkas-
waarde
96

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	98	101	95	92	111	83	95	86	80	109	104	99	94	101	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
110	-	92	-	-	-

OPMERKINGS: 7 maande dragtig. Geloopt by SYF 20-126 and EZI 22-48

LOGIX
EBV Analyse: 2025-08-17

Miostation	
Q204X	1
NT82I	0
F94L	0

PREGNANT HEIFERS

LOT 36 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 230012
2023-04-03
SP

Parentage Sire Dam

DNA ☒

Genomic



AVW 130061
AGE/CALV. 11/8
AVG. Wt/CALV. 99/8
ICP 387

SYF 130047

SYF 050040
AGE/CALV. 14/12
AVG. Wt/CALV. 105/12
ICP 380

AEJ 100008

AVW 070038
AGE/CALV. 8/6
AVG. Wt/CALV. 98/6
ICP 407

SYF 090010
SYF 090132
AGE/CALV. 9/5
AVG. Wt/CALV. 106/3

SYF 020097
SYF 020046
AGE/CALV. 7/5
AVG. Wt/CALV. 101/4

AG 020251
AEJ 050149
AGE/CALV. 10/8
AVG. Wt/CALV. 100/8

RGR 030114
AVW 040021
AGE/CALV. 8/6
AVG. Wt/CALV. 97/5

Calving Ease Value
91

Weaner Calf Value
95

Fertility Value
105

Maintenance Value
101

Cow Value
93

Growth Value
101

Carcass Value
97

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	109	73	86	102	107	101	106	99	98	98	85	92	110	88	122

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
105	-	101	-	-	-

REMARKS: 7.5 maande dragtig. Geloopt by SYF 20-126 and EZI 22-48

LOGIX
LIVESTOCK GENOMICS

EBV Analysis: 2025-08-17

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 37 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 220019
2022-09-29
SP

Parentage Sire Dam

DNA

Genomic



HP 180255
AGE/CALV. 6/3
AVG. Wt/CALV. 106/3
ICP 466

AEJ 160061

FCT 120260
AGE/CALV. 8/4
AVG. Wt/CALV. 103/4
ICP 493

V 120268

HP 110013
AGE/CALV. 12/8
AVG. Wt/CALV. 100/8
ICP 478

AEJ 110111
AEJ 110268
AGE/CALV. 9/7
AVG. Wt/CALV. 98/7

FCT 080201
FCT 100058
AGE/CALV. 6/3
AVG. Wt/CALV. 121/3

V 090260
V 050051
AGE/CALV. 11/9
AVG. Wt/CALV. 103/10

AG 930210
HP 030012
AGE/CALV. 12/10
AVG. Wt/CALV. 104/10

Calving Ease Value
85

Weaner Calf Value
106

Fertility Value
88

Maintenance Value
89

Cow Value
95

Growth Value
100

Carcass Value
113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	111	104	116	92	81	108	112	101	96	112	90	107	102	106	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
107	113	-	-	-	-

REMARKS: 6 maande dragtig. Geloopt by SYF 20-126 and EZI 22-48

LOGIX
LIVESTOCK GENOMICS

EBV Analysis: 2025-08-17

Myostatin	
Q204X	0
NT821	0
F94L	0

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				31	226	6.48	45.5	-	-	0.98 1.30	-0.29 -0.55	14.5 15.4	3.7 2.2	24 28	22 19	78 63	-36 -39	12.5 12.1	-3.0 -4	13.0 12	104	-	99	103	6.0	100
24	AVW 180037	F	SP	30	219	7.87	52.6	-	-	0.51	0.12	11.2	1.0	20.3	-8.4	56	-60	18.2	-8	2	93	-	110	101	6	92
25	AVW 190030	F	SP	33	258	6.3	41.1	-	-	0.71	-0.84	14.1	0.4	26.8	26.0	81	-57	7.3	3	19	102	-	91	105	9	101
26	AVW 200042	F	SP	32	234	6.74	-	-	-	1.30	-0.39	17.0	4.5	38.7	29.0	148	-59	16.9	3	23	103	-	107	106	6	96
27	AVW 210040	F	SP	30	186	-	-	-	-	1.21	-0.74	18.3	1.4	28.9	35.9	59	-35	16.4	-6	7	102	-	107	99	3	74
28	AVW 210068	F	SP	35	185	7.17	43.2	-	-	2.14	0.18	13.1	1.6	21.5	3.7	61	-47	4.5	-4	7	96	-	86	98	5	106
29	AVW 170077	F	SP	30	252	7.67	44.1	-	-	0.16	-1.08	10.0	1.8	17.5	-0.2	56	-57	16	-12	-2	106	-	106	106	3	103
30	AVW 190017	F	B	31	249	4.86	37.8	-	-	2.49	-0.58	19.1	9.1	38.7	56.6	78	-54	19	12	29	98	-	111	97	7	101
31	AVW 190053	F	SP	27	238	8.06	46.8	-	-	-0.08	-0.74	13.4	-1.4	20.2	-21.6	-15	-8	-1.4	-16	-2	111	-	76	111	1	128
32	AVW 190029	F	SP	33	259	6.29	43.1	-	-	0.71	-0.63	12.8	3.5	22.8	13.3	67	-53	11.2	9	18	102	-	98	102	7	97
33	FJK 220005	F	SP	31	225	6.74	48.5	-	-	3.15	-0.73	23.8	1.4	40.7	34.6	113	-43	19.1	-6	16	110	-	111	107	2	86
34	AVW 230006	F	SP	30	145	5.57	-	-	-	-0.34	-0.33	8.9	4.1	17.7	8.3	3	-1	6.7	-6	6	106	-	90	101	9	105
35	AVW 230011	F	SP	30	256	4.81	-	-	-	0.88	-0.19	13.6	3.9	22.6	35.7	24	-4	9.8	0	13	110	-	95	107	8	106
36	AVW 230012	F	SP	32	245	5.57	49.7	-	-	2.31	-0.85	19.4	-4.7	34.4	19.1	75	-34	4.1	-15	6	105	-	86	99	8	104
37	AVW 220019	F	SP	31	214	6.53	47.6	-	-	2.99	-0.91	20.4	4.9	40.2	38.9	80	-30	21.9	-11	20	107	-	116	106	3	95

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OUD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik