

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

CENTRAL SELECT AUCTION

Namibia
02 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 05 August 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

9 (& 10)

Age 7 AFC 27 ICP 366
Calves 6 Weaned 2
Avg. WI 89 Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

8

Town, Province
078 737 2855
super_bull@webmail.com

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 22 (M)



WRSZ220015
DANCEL NILS FALKO



Herd Book	SP
Birth date	2022-02-15
Age	3y 7m
Inbreeding	1%

WRSZ140018
DANCEL FALKO BERGVELD
Wean Mat. 112

Parentage	Sire	Dam
DNA		
Genomic		

WRSZ180044
DANCEL Janita Agathe 2nd
Age 7y | AFC 35m | ICP 346d
Calves 3 | Weaned 3 | Wean Mat. 74
Avg. WI 93 | CCB 8.1 | CCW 53.8
Calvings: 21-02, 22-02, 22-12

SW 060088
BERGVELD 06 0088
Wean Mat. 126

WRSZ090023
DANCEL BEATRIX
Age 9y | AFC 31m | ICP 526d
Calves 5 | Weaned 5 | Wean Mat. 82
Avg. WI 98 | Wean Mat. 82

WRSZ120007
DANCEL DIEGO
Wean Mat. 79

WRSZ130026
DANCEL EVI AGATHE 1ST
Age 6y | AFC 33m | ICP 391d
Calves 4 | Weaned 2 | Wean Mat. 91
Avg. WI 99 | Wean Mat. 91

JA 030025
ALMAJA ANDROMEDA NIXON
SW 020805
BERGVELD 02 805
Age 11y | Avg. WI 99
Calves 4 | Weaned 4
TL 040050
STOTTERHEIM TL 0450
GA 060143
MAMPUDI CASSANDRA 39TH
Age 4y | Avg. WI 100
Calves 1 | Weaned 1
MSS 040073
MASIS SIR CONSENT 73
GA 060068
MAMPUDI MARIELA 37TH
Age 8y | Avg. WI 110
Calves 6 | Weaned 5
TL 050064
STOTTERHEIM TL0564
WRSZ080003
DANCEL AGATHE
Age 14y | Avg. WI 98
Calves 10 | Weaned 8

DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA.-

COW VALUE 104

104	Calving Ease Value
105	Calf Growth Value
93	Milk Value
105	Maintenance Value
106	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	103	105	93	100	102	107	100
74%	46%	67%	45%	14%	39%	21%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	100	-	95	98	98	-	-	-
59%	12%		26%	15%	14%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	196kg 92 (4)	305kg 98 (9)	358kg 95 (13)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Traceability no: 9156/2066. Get fertility back into your herd, Nils Falko has a very fertile mother line, ICP of 346 calving with ease

LOT 23 (M)



WRSZ220031
DANCEL NEO JENS SPEEDY



Herd Book	SP
Birth date	2022-03-31
Age	3y 5m
Inbreeding	1%

WRSZ180049
DANCEL Jens Speedy
Wean Mat. 105

Parentage	Sire	Dam
DNA		
Genomic		

WRSZ140070
DANCEL FISKA EDITH
Age 8y | AFC 23m | ICP 459d
Calves 6 | Weaned 4 | Wean Mat. 76
Avg. WI 93 | CCB 9.55 | CCW 54
Calvings: 16-10, 18-04, 19-06, 21-03, 22-03, 23-02

WRSZ140043
DANCEL FREDERIC SPEEDY KLAU
Wean Mat. 104

WRSZ140031
DANCEL FLORIA ALIDA 2ND
Age 6y | AFC 29m | ICP 439d
Calves 3 | Weaned 2 | Wean Mat. 104
Avg. WI 102 | Wean Mat. 104

WRSZ090018
DANCEL BERTRAM
Wean Mat. 64

WRSZ120056
DANCEL EDITH
Age 8y | AFC 24m | ICP 402d
Calves 4 | Weaned 4 | Wean Mat. 85
Avg. WI 104 | Wean Mat. 85

JRE 100057
HUNTERSVELEI SPEEDY 3RD
JRE 110060
HUNTERSVELEI SENORITA 126
Age 6y | Avg. WI 92
Calves 1 | Weaned 1
SW 060088
BERGVELD 06 0088
WRSZ080007
DANCEL ALIDA
Age 9y | Avg. WI 99
Calves 6 | Weaned 5
AJS 040018
PLATDRIF GAUTENG 4DE
GA 060095
MAMPUDI CASSANDRA 37TH
Age 11y | Avg. WI 96
Calves 7 | Weaned 7
TL 050064
STOTTERHEIM TL0564
WRSZ090014
DANCEL BIRGIT
Age 6y | Avg. WI 103
Calves 4 | Weaned 4

DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA.-

COW VALUE 99

114	Calving Ease Value
94	Calf Growth Value
93	Milk Value
111	Maintenance Value
98	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	94	94	93	97	108	96	101
73%	42%	67%	39%	15%	33%	15%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	96	-	89	89	91	-	-	-
57%	12%		19%	16%	15%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	202kg 96 (6)	317kg 112 (10)	435kg 114 (13)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Traceability no: 9156/2090. Neo Jens Speedy is a compact bull, gives calving ease and add value to your weaners and ox production

LOT 42 (M)



WRSZ220032
DANCEL NIELS FALKO



Lot 42 WRSZ220032



DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA,-

Kuddeboek	SP
Geb. dtm	2022-03-26
Oud.	3j 5m
Inteling	1%

WRSZ140018
DANCEL FALKO BERGVELD
Spn Mat. 112

Ouerskap	Vaar	Moer
DNS		
Genomies		

WRSZ180091
DANCEL Juwel Violet 3rd
Oud. 7j | OEK 33m | TKP 391d
Kalwers 4 | Gespeen 3 | Spn. Mat. 95
Gem. SI 107 | KKG - | KKS 55.4
Kalwings: 21-03, 22-03, 23-05, 24-05

SW 060088
BERGVELD 06 0088
Spn Mat. 126

WRSZ090023
DANCEL BEATRIX
Oud. 9j | OEK 31m | TKP 526d
Kalwers 5 | Gespeen 5 | Spn. Mat. 82
Gem. SI 98 | Spn. Mat. 82

WRSZ120007
DANCEL DIEGO
Spn Mat. 79

JRE 100130
HUNTERSVEI VIOLET 105
Oud. 10j | OEK 34m | TKP 417d
Kalwers 6 | Gespeen 4 | Spn. Mat. 101
Gem. SI 96 | Spn. Mat. 101

JA 030025
ALMAJA ANDROMEDA NIXON
SW 020805
BERGVELD 02 805
Oud. 11j | Gem. SI 99
Kalwers 4 | Gespeen 4
TL 040050
STOTTERHEIM TL 0450
GA 060143
MAMPUDI CASSANDRA 39TH
Oud. 4j | Gem. SI 100
Kalwers 1 | Gespeen 1
MSS 040073
MASIS SIR CONSENT 73
GA 060068
MAMPUDI MARIELA 37TH
Oud. 8j | Gem. SI 110
Kalwers 6 | Gespeen 5
CN 050115 P
EVERSAR DRUGS 15TE
JRE 040164
HUNTERSVEI VIOLET 85TH
Oud. 13j | Gem. SI 103
Kalwers 10 | Gespeen 10

KOEIWAARDE 103

106	Kalfgemak Waarde
103	Kalfgroei Waarde
100	Melk Waarde
86	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2025-07-21

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	102	103	100	111	102	111	100
75%	47%	69%	45%	19%	40%	25%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	109	-	114	112	110	-	-	-
60%	17%		28%	19%	19%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	222kg 107 (6)	280kg 102 (10)	382kg 102 (13)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Traceability no: 9156/2116. Niels Falko is also from a productive fertile line and will have an impact on your meat quality



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.19	0.43	15.3	6.3	29	25	109	-82	13.2	19.0	32.0						
Auction Average				37	207	-	55.4	-	-	0.54	0.46	15.7	4.8	35	25	117	-	14.4	18	31	98	-	103	98	4.0	98
22	WRSZ220015	M	SP	38	196	-	53.3	-	-	0.91	0.32	17.7	4.0	36.9	20.0	110	0	13.3	17	30	92	-	100	93	3	83
23	WRSZ220031	M	SP	36	202	-	57.5	-	-	-0.05	0.70	12.4	4.0	34.3	13.0	87	0	11.5	10	20	96	-	97	93	6	106
42	WRSZ220032	M	SP	37	222	-	55.4	-	-	0.75	0.35	16.9	6.3	34.9	40.6	155	0	18.4	28	44	107	-	111	107	4	105

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik