

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

NAUDE BEEFMASTERS

MAKWASSIE

04 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 14 August 2025



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140007
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

9 (& 10)
12

13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value
Low birth weight calves

Calf Growth Value
Heavy weaner calves

Milk Value
Good mothering ability

Maintenance Value
Low cow weight

Fertility Value
Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal


INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



NB 222062 Pch



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2022-09-28
Age	2y 11m
Inbreeding	0%
DNA	USC044520

AL 140792 Pch
Wean Mat. 97

Parentage	Sire	Dam
DNA		
Genomic	✓	

HU 160182
Age 8y | AFC 25m | ICP 428d
Calves 6 | Weaned 5 | Wean Mat. 100
Avg. WI 101 | CCB 9.33 | CCW 45.8
Calvings: 18-11, 20-06, 21-10,
22-09, 23-09, 24-10

AL 100348
Wean Mat. 101

AL 120488
Age 13y | AFC 31m | ICP 384d
Calves 11 | Weaned 10 | Wean Mat. 116
Avg. WI 105 | Wean Mat. 116

HU 130071
Wean Mat. 91

HU 100024
Age 11y | AFC 28m | ICP 372d
Calves 8 | Weaned 7 | Wean Mat. 108
Avg. WI 108 | Wean Mat. 108

BOS 055045

AL 070769
Age 10y | Avg. WI 99
Calves 9 | Weaned 8

AL 070824

AL 020276
Age 12y | Avg. WI 105
Calves 10 | Weaned 9

HU 100308

HU 100099
Age 9y | Avg. WI 96
Calves 4 | Weaned 4

WO 040262

HU 066695
Age 5y | Avg. WI 117
Calves 1 | Weaned 1

COW VALUE 120

94	Calving Ease Value
119	Calf Growth Value
101	Milk Value
92	Maintenance Value
115	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 116

PRODUCTION VALUE 117

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	101	119	101	122	108	120	108
84%	81%	85%	83%	79%	81%	79%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	116	114	106	123	116	117	96	108
82%	79%	77%	79%	79%	79%	78%	77%	77%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
41kg	273kg 99 (24)	285kg 100 (43)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 2 (M)



NB 222097 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	SP
Birth date	2022-10-08
Age	2y 11m
Inbreeding	0%
DNA	USC05170

BOS 099241 HH
Wean Mat. 78

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

BA 162122
Age 7y | AFC 25m | ICP 362d
Calves 6 | Weaned 6 | Wean Mat. 156
Avg. WI 116 | CCB - | CCW 54
Calvings: 18-10, 19-09, 20-10,
21-09, 22-10, 23-09

WO 030042 HH
Wean Mat. 58

BOS 066200
Age 15y | AFC 24m | ICP 368d
Calves 13 | Weaned 11 | Wean Mat. 82
Avg. WI 101 | Wean Mat. 82

BA 130131
Wean Mat. 131

BA 140166
Age 2y | AFC 24m | ICP -
Calves 1 | Weaned 1 | Wean Mat. 129
Avg. WI 100 | Wean Mat. 129

WO 980062

WO 940136
Age 13y | Avg. WI 92
Calves 11 | Weaned 3

BOS 033421

BOS 033405
Age 8y | Avg. WI 95
Calves 6 | Weaned 5

8121LH

MAJ 070537
Age 8y | Avg. WI 103
Calves 7 | Weaned 6

BA 090431

MAJ 030276
Age 12y | Avg. WI 108
Calves 10 | Weaned 10

COW VALUE 119

94	Calving Ease Value
117	Calf Growth Value
111	Milk Value
74	Maintenance Value
119	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 120

PRODUCTION VALUE 115

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	110	117	111	96	121	110	113
85%	82%	85%	83%	81%	82%	80%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	114	102	130	121	132	119	99	110
83%	80%	78%	80%	81%	80%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	320kg 120 (24)	352kg 128 (43)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 3 (M)



NB 222077 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

..Makwassie, 2650



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-09-30
Oud.	2j 11m
Inteling	1%
DNS	USC044519

BOS 155064 HH
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

WO 150850
Oud. 8j | OEK 35m | TKP 486d
Kalwers 4 | Gespeen 3 | Spn. Mat. 117
Gem. SI 111 | KKG - | KKS 52.8
Kalwings: 18-10, 20-03, 21-07, 22-09

BOS 099197
Spn Mat. 97

BOS 033214
Oud. 20j | OEK 32m | TKP 418d
Kalwers 10 | Gespeen 9 | Spn. Mat. 101
Gem. SI 103 | Spn. Mat. 101

WO 130069
Spn Mat. 93

WO 110032
Oud. 10j | OEK 25m | TKP 365d
Kalwers 9 | Gespeen 8 | Spn. Mat. 115
Gem. SI 105 | Spn. Mat. 115

BOS 055045

BOS 044276
Oud. 14j | Gem. SI 103
Kalwers 10 | Gespeen 6

BOS 988252

BOS 977124
Oud. 11j | Gem. SI 101
Kalwers 9 | Gespeen 6

WO 110045

WO 070214
Oud. 17j | Gem. SI 102
Kalwers 15 | Gespeen 14

WO 090106

WO 080019
Oud. 15j | Gem. SI 104
Kalwers 14 | Gespeen 13

KOEIWAARDE 95	
110	Kalfgemak Waarde
110	Kalfgroei Waarde
104	Melk Waarde
90	Onderhoudswaarde
83	Vrugbaarheidswaarde

GROEI WAARDE 96
KARKAS WAARDE 106
PRODUKSIE WAARDE 90

LOGIX
Genomiese Teelwaarde
Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	115	110	104	116	68	85	109
85%	83%	86%	83%	81%	82%	80%	83%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	106	101	109	102	112	106	118	103
84%	80%	79%	81%	81%	80%	79%	79%	79%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	289kg 108 (24)	307kg 111 (43)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 4 (M)



MZ 230003



M. WOLFAARDT



Hoopstad, Free State
0829295004
maritz@zipplink.co.za

POSBUS 263,,HOOPSTAD, 9479



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	B
Geb. dtm	2023-01-26
Oud.	2j 7m
Inteling	0%
DNS	U13506U069

BOS 177262
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

MZ 180033
Oud. 6j | OEK - | TKP 444d
Kalwers 3 | Gespeen 3 | Spn. Mat. 104
Gem. SI 97 | KKG - | KKS 38.9
Kalwings: 22-02, 23-01, 24-07

BOS 144309 HH
Spn Mat. 113

BOS 133384
Oud. 11j | OEK 34m | TKP 373d
Kalwers 8 | Gespeen 5 | Spn. Mat. 111
Gem. SI 100 | Spn. Mat. 111

BOS 111313 HH

BOS 111170
Oud. 3j | Gem. SI 101
Kalwers 1 | Gespeen 1

BOS 099106

BOS 033637
Oud. 12j | Gem. SI 102
Kalwers 7 | Gespeen 6

KOEIWAARDE 116	
91	Kalfgemak Waarde
104	Kalfgroei Waarde
107	Melk Waarde
109	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE -
KARKAS WAARDE 87
PRODUKSIE WAARDE -

LOGIX
EBV Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	103	104	107	94	103	110	112
60%	40%	61%	48%	21%	40%	19%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	87	89	92	89	91	91	85	73
46%	18%	17%	23%	22%	21%	16%	14%	14%


Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
46kg	246kg 100 (9)	-	575kg 109 (3)	-	-	- (B2)	-

VERKOPER OPMERKINGS:

LOT 5 (M)



NB 222018 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za
..Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2022-05-07
Age	3y 4m
Inbreeding	1%
DNA	USC044514

COW VALUE	109
96	Calving Ease Value
120	Calf Growth Value
83	Milk Value
91	Maintenance Value
115	Fertility Value
GROWTH VALUE	103
CARCASS VALUE	113
PRODUCTION VALUE	105

OKT 180013 PcH
Wean Mat. 84

Parentage	Sire	Dam
DNA		
Genomic	✓	

BOS 166362
Age 7y | AFC 34m | ICP 445d
Calves 4 | Weaned 4 | Wean Mat. 77
Avg. WI 102 | CCB - | CCW 43.2
Calvings: 19-09, 20-12, 22-05, 23-05

MULTIPLE SIRES
Wean Mat. -

OKT 160003
Age 9y | AFC 24m | ICP 380d
Calves 8 | Weaned 6 | Wean Mat. 110
Avg. WI 103 | Wean Mat. 110

OKT 130031

OKT 100017
Age 13y | Avg. WI 100
Calves 10 | Weaned 10

BOS 022109

BOS 033011
Age 13y | Avg. WI 107
Calves 9 | Weaned 7

BOS 011090

BOS 000588
Age 13y | Avg. WI 101
Calves 10 | Weaned 9

BOS 088471 HH
Wean Mat. 87

BOS 055168
Age 13y | AFC 25m | ICP 362d
Calves 11 | Weaned 11 | Wean Mat. 56
Avg. WI 101 | Wean Mat. 56

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	98	120	83	110	110	112	113
84%	80%	84%	81%	79%	80%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	112	109	108	107	110	114	112	110
80%	78%	78%	79%	79%	78%	78%	78%	78%


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	254kg 104 (7)	-	346kg 100 (1)	-	-	- (B2)	-

SELLER REMARKS:

LOT 6 (M)



NB 222155 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za
..Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	B
Birth date	2022-12-09
Age	2y 9m
Inbreeding	0%
DNA	U23895U010

COW VALUE	106
94	Calving Ease Value
121	Calf Growth Value
99	Milk Value
82	Maintenance Value
101	Fertility Value
GROWTH VALUE	117
CARCASS VALUE	117
PRODUCTION VALUE	105

SCH 140028
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	
Genomic		

MSB 110406
Age 13y | AFC - | ICP 389d
Calves 6 | Weaned 4 | Wean Mat. 114
Avg. WI 107 | CCB - | CCW 41.3
Calvings: 18-07, 19-10, 20-08, 21-10, 22-12, 23-11

SCH 110242
Wean Mat. 99

SCH 120516
Age 2y | AFC - | ICP -
Calves 1 | Weaned 1 | Wean Mat. 115
Avg. WI 118 | Wean Mat. 115

WO 070223

PEN 090044
Age 3y | Avg. WI 100
Calves 2 | Weaned 2

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	89	121	99	107	96	103	106
82%	78%	81%	78%	77%	77%	75%	79%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	119	112	120	118	116	115	101	112
78%	76%	75%	76%	77%	77%	75%	75%	75%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	243kg 104 (12)	-	344kg 110 (11)	-	-	- (B2)	-

SELLER REMARKS:

LOT 7 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

MZ 220115



M. WOLFAARDT



Hoopstad, Free State
0829295004
maritz@zipplink.co.za

POSBUS 263, HOOPSTAD, 9479

Kuddeboek	C
Geb. dtm	2022-11-24
Oud.	2j 9m
Inteling	0%
DNS	U13506U036

BOS 177341 HH
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BA 200036 P
Oud. 5j | OEK 27m | TKP 359d
Kalwers 3 | Gespeen 1 | Spn. Mat. 105
Gem. SI 105 | KKG - | KKS -
Kalwings: 22-11, 23-10, 24-11

BOS 122163
Spn Mat. 84

BOS 077214
Oud. 12j | OEK 23m | TKP 367d
Kalwers 10 | Gespeen 5 | Spn. Mat. 99
Gem. SI 99 | Spn. Mat. 99

MULTIPLE SIRES
Spn Mat. -

BA 182105
Oud. 6j | OEK - | TKP 375d
Kalwers 5 | Gespeen 3 | Spn. Mat. 91
Gem. SI 104 | Spn. Mat. 91

BOS 055045

BOS 088537
Oud. 12j | Gem. SI 100
Kalwers 9 | Gespeen 7

BOS 022099

BOS 000127
Oud. 12j | Gem. SI 107
Kalwers 10 | Gespeen 8

MULTIPLE SIRES

BA 160395
Oud. 5j | Gem. SI 120
Kalwers 3 | Gespeen 3

KOEIWAARDE 106

96	Kalfgemak Waarde
96	Kalfgroei Waarde
102	Melk Waarde
112	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 82

PRODUKSIE WAARDE -

LOGIX
GENETICS GENETICS
EBV Analyse 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	113	96	102	91	102	107	109
64%	48%	62%	41%	22%	35%	21%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	88	90	90	98	89	85	93	74
50%	21%	7%	18%	22%	21%	12%	11%	10%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	251kg 105 (14)	-	507kg 115 (10)	-	-	- (B2)	-



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 8 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

NB 222090 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650

Kuddeboek	C
Geb. dtm	2022-10-05
Oud.	2j 11m
Inteling	0%
DNS	USC055174

17/557 HH
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

BA 190077
Oud. 6j | OEK 24m | TKP 383d
Kalwers 4 | Gespeen 4 | Spn. Mat. 82
Gem. SI 98 | KKG - | KKS 51.2
Kalwings: 21-08, 22-10, 23-09, 24-10

C798779
Spn Mat. 102

C915230
Oud. 21j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

BA 160255
Spn Mat. 85

BA 170443
Oud. 7j | OEK 22m | TKP 374d
Kalwers 5 | Gespeen 4 | Spn. Mat. 108
Gem. SI 104 | Spn. Mat. 108

C587901

S19005
Oud. 35j | Gem. SI -
Kalwers - | Gespeen -

3018K10

C782032
Oud. 35j | Gem. SI -
Kalwers - | Gespeen -

BA 130486

BA 130701
Oud. 11j | Gem. SI 94
Kalwers 9 | Gespeen 7

MULTIPLE SIRES

BA 120286
Oud. 13j | Gem. SI 107
Kalwers 10 | Gespeen 8

KOEIWAARDE 109

117	Kalfgemak Waarde
114	Kalfgroei Waarde
81	Melk Waarde
99	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 105

KARKAS WAARDE 109

PRODUKSIE WAARDE 105

LOGIX
GENETICS GENETICS
Genomiese Teelwaarde
Analyse 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
116	96	114	81	105	112	110	104
82%	78%	82%	79%	77%	77%	77%	79%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	109	105	99	114	107	104	113	108
79%	77%	77%	77%	77%	77%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	281kg 106 (14)	263kg 99 (43)	-	-	-	- (B1)	-



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 9 (M)



NB 222134 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

..Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2022-10-25
Age	2y 10m
Inbreeding	0%
DNA	USC044512

BA 130454 HH
Wean Mat. 82

Parentage	Sire	Dam
DNA		
Genomic	✓	

MSB 190069
Age 5y | AFC 24m | ICP 358d
Calves 4 | Weaned 4 | Wean Mat. 112
Avg. WI 107 | CCB - | CCW 44.1
Calvings: 21-10, 22-10, 23-09, 24-10

BA 090780
Wean Mat. 75

BA 090320
Age 9y | AFC 24m | ICP 358d
Calves 8 | Weaned 8 | Wean Mat. 109
Avg. WI 102 | Wean Mat. 109

SCH 150234 PcH
Wean Mat. 93

MSB 150038
Age 6y | AFC - | ICP 395d
Calves 2 | Weaned 2 | Wean Mat. 118
Avg. WI 116 | Wean Mat. 118

YP 060067

MAJ 030657
Age 7y | Avg. WI 97
Calves 5 | Weaned 4

4248

MAJ 050527
Age 8y | Avg. WI 104
Calves 7 | Weaned 7

SCH 120253

PEN 100011
Age 10y | Avg. WI 111
Calves 8 | Weaned 8

COW VALUE 104

90	Calving Ease Value
120	Calf Growth Value
98	Milk Value
76	Maintenance Value
105	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 119

PRODUCTION VALUE 101

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	124	120	98	119	92	123	102
84%	82%	84%	82%	80%	81%	79%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	119	113	128	118	120	119	109	119
82%	79%	77%	81%	80%	80%	77%	77%	77%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	303kg 114 (14)	283kg 106 (43)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 10 (M)



NB 222052 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

..Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2022-09-26
Age	2y 11m
Inbreeding	0%
DNA	USC057182

JAN 191905 HH
Wean Mat. 79

Parentage	Sire	Dam
DNA		
Genomic	✓	

MSB 200075
Age 3y | AFC 25m | ICP 410d
Calves 2 | Weaned 2 | Wean Mat. 107
Avg. WI 105 | CCB - | CCW 53.3
Calvings: 22-09, 23-11

BOS 033210
Wean Mat. 93

BOS 100179 HH
Age 14y | AFC 38m | ICP 418d
Calves 10 | Weaned 8 | Wean Mat. 73
Avg. WI 106 | Wean Mat. 73

BA 130454 HH
Wean Mat. 82

HU 100738
Age 11y | AFC - | ICP 360d
Calves 9 | Weaned 6 | Wean Mat. 130
Avg. WI 102 | Wean Mat. 130

1175

BOS 000537
Age 13y | Avg. WI 96
Calves 10 | Weaned 8

WO 030042 HH

BOS 066200
Age 15y | Avg. WI 101
Calves 13 | Weaned 11

BA 090780

BA 090320
Age 9y | Avg. WI 102
Calves 8 | Weaned 8

MULTIPLE SIRES

COW VALUE 94

77	Calving Ease Value
113	Calf Growth Value
99	Milk Value
81	Maintenance Value
100	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 108

PRODUCTION VALUE 91

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
71	116	113	99	104	106	86	107
84%	81%	84%	81%	80%	81%	79%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	116	113	120	122	116	109	86	112
82%	80%	78%	80%	80%	80%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
42kg	270kg 97 (10)	244kg 92 (43)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 11 (M) BEEFMASTER NB 222074



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

..Makwassie, 2650



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	B
Geb. dtm	2022-09-30
Oud.	2j 11m
Inteling	0%
DNS	U23895U011

BOS 155064 HH
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

MSB 110259
Oud. 12j | OEK - | TKP 372d
Kalwers 6 | Gespeen 5 | Spn. Mat. 100
Gem. SI 97 | KKG - | KKS 40.2
Kalwings: 18-09, 19-09, 20-08,
21-09, 22-09, 23-10

BOS 099197
Spn Mat. 97

BOS 033214
Oud. 20j | OEK 32m | TKP 418d
Kalwers 10 | Gespeen 9 | Spn. Mat. 101
Gem. SI 103 | Spn. Mat. 101

BOS 055045

BOS 044276
Oud. 14j | Gem. SI 103
Kalwers 10 | Gespeen 6

BOS 988252

BOS 977124
Oud. 11j | Gem. SI 101
Kalwers 9 | Gespeen 6

KOEIWAARDE 96	
114	Kalfgemak Waarde
98	Kalfgroei Waarde
97	Melk Waarde
89	Onderhoudswaarde
106	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 86	
PRODUKSIE WAARDE -	

LOGIX
GENETICS GENETICS
EBV Analyse 2025-07-22


Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	111	98	97	92	98	104	112
64%	51%	64%	55%	26%	43%	25%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	88	95	110	91	92	89	87	86
51%	24%	9%	33%	26%	25%	14%	13%	13%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	268kg 99 (24)	277kg 100 (43)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 12 (M) BEEFMASTER NB 222056 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

..Makwassie, 2650



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-09-27
Oud.	2j 11m
Inteling	0%
DNS	USC057175

C988569 PcH
Spn Mat. 59

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

MSB 190042
Oud. 5j | OEK 25m | TKP 360d
Kalwers 4 | Gespeen 4 | Spn. Mat. 95
Gem. SI 100 | KKG - | KKS 51.5
Kalwings: 21-10, 22-09, 23-09,
24-09

C935662
Spn Mat. 81

C928492
Oud. 13j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 76
Gem. SI - | Spn. Mat. 76

BA 130454 HH
Spn Mat. 82

HU 110083
Oud. 9j | OEK 37m | TKP 428d
Kalwers 6 | Gespeen 3 | Spn. Mat. 92
Gem. SI 96 | Spn. Mat. 92

C872425

C900262
Oud. 17j | Gem. SI -
Kalwers - | Gespeen -

C818452

C652499
Oud. 25j | Gem. SI -
Kalwers - | Gespeen -

BA 090780

BA 090320
Oud. 9j | Gem. SI 102
Kalwers 8 | Gespeen 8

HU 088172

HU 088180
Oud. 6j | Gem. SI 110
Kalwers 4 | Gespeen 2

KOEIWAARDE 107	
95	Kalfgemak Waarde
125	Kalfgroei Waarde
77	Melk Waarde
91	Onderhoudswaarde
111	Vrugbaarheidswaarde
GROEI WAARDE 103	
KARKAS WAARDE 114	
PRODUKSIE WAARDE 103	

LOGIX
GENETICS GENETICS
Genomiese Teelwaarde
Analyse 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	110	125	77	106	109	111	108
83%	80%	83%	80%	78%	80%	78%	80%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	110	108	109	122	114	108	125	112
80%	78%	77%	79%	78%	78%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	289kg 110 (14)	290kg 110 (43)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 13 (M)



NB 222082 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2022-10-02
Age	2y 11m
Inbreeding	0%
DNA	USC057172

COW VALUE	97
103	Calving Ease Value
95	Calf Growth Value
96	Milk Value
91	Maintenance Value
116	Fertility Value
GROWTH VALUE	65
CARCASS VALUE	74
PRODUCTION VALUE	86

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	264kg 97 (24)	278kg 99 (43)	-	-	-	- (B1)	-



BOS 099241 HH
Wean Mat. 78

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

BA 150557
Age 8y | AFC 23m | ICP 367d
Calves 7 | Weaned 6 | Wean Mat. 114
Avg. WI 101 | CCB - | CCW 47

WO 030042 HH
Wean Mat. 58

BOS 066200
Age 15y | AFC 24m | ICP 368d
Calves 13 | Weaned 11 | Wean Mat. 82
Avg. WI 101 | Wean Mat. 82

BA 110136
Wean Mat. 118

BA 120101
Age 4y | AFC 26m | ICP 354d
Calves 3 | Weaned 3 | Wean Mat. 92
Avg. WI 101 | Wean Mat. 92

WO 980062

WO 940136
Age 13y | Avg. WI 92
Calves 11 | Weaned 3

BOS 033421

BOS 033405
Age 8y | Avg. WI 95
Calves 6 | Weaned 5

MAJ 070230

MAJ 070059
Age 10y | Avg. WI 103
Calves 7 | Weaned 7

MAJ 060263

MAJ 040183
Age 9y | Avg. WI 99
Calves 7 | Weaned 6

LOGIX
Genomic Breeding Value
Analysis 2025-07-22


Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	109	95	96	73	125	104	107
85%	83%	85%	84%	81%	83%	81%	83%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	74	67	108	88	85	82	84	93
83%	81%	79%	82%	81%	81%	79%	79%	79%

LOT 14 (M)



NB 222086 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2022-10-04
Age	2y 11m
Inbreeding	0%
DNA	USC044521

COW VALUE	103
103	Calving Ease Value
110	Calf Growth Value
92	Milk Value
85	Maintenance Value
113	Fertility Value
GROWTH VALUE	81
CARCASS VALUE	95
PRODUCTION VALUE	94

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	290kg 108 (24)	286kg 102 (43)	-	-	-	- (B1)	-

BOS 099241 HH
Wean Mat. 78

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

BA 160250
Age 8y | AFC 24m | ICP 371d
Calves 7 | Weaned 7 | Wean Mat. 116
Avg. WI 106 | CCB - | CCW 52.5
Calvings: 18-08, 19-07, 20-09, 21-09, 22-10, 23-09, 24-10

WO 030042 HH
Wean Mat. 58

BOS 066200
Age 15y | AFC 24m | ICP 368d
Calves 13 | Weaned 11 | Wean Mat. 82
Avg. WI 101 | Wean Mat. 82

BA 110273
Wean Mat. 102



BA 090341
Age 10y | AFC 25m | ICP 365d
Calves 9 | Weaned 8 | Wean Mat. 115
Avg. WI 106 | Wean Mat. 115

WO 980062

WO 940136
Age 13y | Avg. WI 92
Calves 11 | Weaned 3

BOS 033421

BOS 033405
Age 8y | Avg. WI 95
Calves 6 | Weaned 5

MAJ 070230

MAJ 070061
Age 6y | Avg. WI 99
Calves 4 | Weaned 4

YP 040085

MAJ 070588
Age 3y | Avg. WI 106
Calves 2 | Weaned 2

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	113	110	92	85	117	103	110
85%	83%	85%	84%	82%	83%	81%	83%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	91	83	116	99	107	97	99	104
84%	81%	79%	81%	81%	81%	79%	79%	79%

SELLER REMARKS:

LOT 15 (M) BEEFMASTER MZ 220112



M. WOLFAARDT



Hoopstad, Free State
0829295004
maritz@zipplink.co.za

POSBUS 263, HOOPSTAD, 9479

Kuddeboek	B
Geb. dtm	2022-11-20
Oud.	2j 9m
Inteling	2%
DNS	U13506U033

BOS 188313
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MZ 177294
Oud. 6j | OEK - | TKP 395d
Kalwers 2 | Gespeen 2 | Spn. Mat. 116
Gem. SI 110 | KKG - | KKS -
Kalwings: 21-10, 22-11

BOS 144090
Spn Mat. 109

BOS 144274
Oud. 10j | OEK 35m | TKP 376d
Kalwers 6 | Gespeen 6 | Spn. Mat. 96
Gem. SI 98 | Spn. Mat. 96

BOS 133078
Spn Mat. 110

BOS 100432 HH
BOS 066082
Oud. 14j | Gem. SI 99
Kalwers 13 | Gespeen 14
BOS 033069 PcH
BOS 099438
Oud. 7j | Gem. SI 101
Kalwers 4 | Gespeen 3
WO 100126
BOS 099142
Oud. 15j | Gem. SI 101
Kalwers 11 | Gespeen 9

KOEIWAARDE 109

104	Kalfgemak Waarde
92	Kalfgroei Waarde
114	Melk Waarde
94	Onderhoudswaarde
117	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 94

PRODUKSIE WAARDE -

LOGIX
GENOMICS CENTRE
EBV Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	99	92	114	96	118	99	121
61%	41%	61%	43%	27%	38%	24%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	100	95	104	93	96	97	93	75
48%	25%	10%	23%	26%	26%	16%	14%	14%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	232kg 96 (14)	-	428kg 91 (10)	-	-	- (B2)	-



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 16 (M) BEEFMASTER NB 222044 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650

Kuddeboek	SP
Geb. dtm	2022-09-25
Oud.	2j 11m
Inteling	0%
DNS	USC044518

BOS 099241 HH
Spn Mat. 78

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

BA 120153
Oud. 13j | OEK 26m | TKP 369d
Kalwers 11 | Gespeen 11 | Spn. Mat. 121
Gem. SI 105 | KKG - | KKS 51.5
Kalwings: 14-10, 15-09, 16-09, 17-08, 18-08, 19-07, 20-08, 21-09, 22-09, 23-10, 24-11

WO 030042 HH
Spn Mat. 58

BOS 066200
Oud. 15j | OEK 24m | TKP 368d
Kalwers 13 | Gespeen 11 | Spn. Mat. 82
Gem. SI 101 | Spn. Mat. 82

MAJ 080264
Spn Mat. 111

MAJ 010489
Oud. 11j | OEK 42m | TKP 386d
Kalwers 8 | Gespeen 8 | Spn. Mat. 124
Gem. SI 108 | Spn. Mat. 124

WO 980062
WO 940136
Oud. 13j | Gem. SI 92
Kalwers 11 | Gespeen 3
BOS 033421
BOS 033405
Oud. 8j | Gem. SI 95
Kalwers 6 | Gespeen 5
FRENZEL313
MAJ 010194
Oud. 11j | Gem. SI 107
Kalwers 9 | Gespeen 8
MAJ 970581
Oud. 5j | Gem. SI 99
Kalwers 3 | Gespeen 2

KOEIWAARDE 112

108	Kalfgemak Waarde
111	Kalfgroei Waarde
101	Melk Waarde
82	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 81

KARKAS WAARDE 97

PRODUKSIE WAARDE 102

LOGIX
GENOMICS CENTRE
Genomiese Toelawaarde
Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	105	111	101	90	120	98	115
85%	83%	86%	84%	81%	83%	81%	83%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	89	83	119	97	106	97	100	112
83%	81%	79%	82%	81%	81%	79%	79%	79%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	292kg 109 (24)	315kg 114 (43)	-	-	-	- (B1)	-



Miostatien	
Q204X	Skoon
NT821	Draer
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 17 (M)



NB 222124 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	SP
Birth date	2022-10-19
Age	2y 11m
Inbreeding	1%
DNA	USC044513

BOS 188183 HH
Wean Mat. 89

Parentage	Sire	Dam
DNA		
Genomic	✓	

MSB 190004
Age 6y | AFC 29m | ICP 363d
Calves 3 | Weaned 3 | Wean Mat. 88
Avg. WI 100 | CCB - | CCW 48.4
Calvings: 21-10, 22-10, 23-10

BOS 133078
Wean Mat. 110

BOS 111280
Age 13y | AFC 35m | ICP 375d
Calves 10 | Weaned 11 | Wean Mat. 98
Avg. WI 100 | Wean Mat. 98

BA 130454 HH
Wean Mat. 82

HU 100279
Age 13y | AFC 35m | ICP 411d
Calves 10 | Weaned 7 | Wean Mat. 87
Avg. WI 96 | Wean Mat. 87

WO 100126

BOS 099142
Age 15y | Avg. WI 101
Calves 11 | Weaned 9

WO 050269

BOS 033619
Age 10y | Avg. WI 100
Calves 5 | Weaned 5

BA 090780

BA 090320
Age 9y | Avg. WI 102
Calves 8 | Weaned 8

WO 040262

WO 040226
Age 7y | Avg. WI 103
Calves 6 | Weaned 5

COW VALUE 98

99	Calving Ease Value
108	Calf Growth Value
93	Milk Value
89	Maintenance Value
105	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 104

PRODUCTION VALUE 93

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	93	108	93	110	104	104	104
84%	80%	84%	81%	79%	80%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	104	98	111	89	101	105	112	104
81%	79%	77%	79%	79%	79%	77%	77%	77%


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	283kg 107 (14)	261kg 96 (43)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 18 (M)



NB 222092 HH



A.J. NAUDE



Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2022-10-07
Age	2y 11m
Inbreeding	0%
DNA	USC057180

C988569 PcH
Wean Mat. 59

Parentage	Sire	Dam
DNA		
Genomic	✓	

BA 190090
Age 6y | AFC 25m | ICP 373d
Calves 4 | Weaned 3 | Wean Mat. 106
Avg. WI 102 | CCB - | CCW 48.6
Calvings: 21-08, 22-10, 23-09, 24-09

C935662
Wean Mat. 81

C928492
Age 13y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 76
Avg. WI - | Wean Mat. 76

BA 150334
Wean Mat. 111

BA 100571
Age 14y | AFC - | ICP 367d
Calves 13 | Weaned 11 | Wean Mat. 90
Avg. WI 95 | Wean Mat. 90

C872425

C900262
Age 17y | Avg. WI -
Calves - | Weaned -

C818452

C652499
Age 25y | Avg. WI -
Calves - | Weaned -

BA 110136

BA 130290
Age 3y | Avg. WI 94
Calves 2 | Weaned 1

MAJ 070622

MAJ 070525
Age 4y | Avg. WI 93
Calves 3 | Weaned 2

COW VALUE 106

98	Calving Ease Value
127	Calf Growth Value
80	Milk Value
86	Maintenance Value
106	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 118

PRODUCTION VALUE 102

LOGIX
Genomic Breeding Value
Analysis 2025-07-22

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	115	127	80	97	101	103	110
83%	79%	83%	79%	78%	79%	77%	79%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
124	117	117	116	117	118	117	107	108
79%	77%	77%	78%	78%	77%	77%	77%	77%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	287kg 108 (14)	278kg 105 (43)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 19 (M)



NB 222072 HH



A.J. NAUDE

Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2022-09-30
Oud.	2j 11m
Inteling	0%
DNS	USC057177

17/557 HH
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

MSB 200058
Oud. 5j | OEK 27m | TKP 362d
Kalwers 3 | Gespeen 3 | Spn. Mat. 93
Gem. SI 101 | KKG - | KKS 49
Kalwings: 22-09, 23-09, 24-09

C798779
Spn Mat. 102

C915230
Oud. 21j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

BA 150287
Spn Mat. 98

MSB 150009
Oud. 10j | OEK - | TKP 389d
Kalwers 7 | Gespeen 6 | Spn. Mat. 96
Gem. SI 104 | Spn. Mat. 96

C587901

S19005
Oud. 35j | Gem. SI -
Kalwers - | Gespeen -

3018K10

C782032
Oud. 35j | Gem. SI -
Kalwers - | Gespeen -

BA 110273

BA 091024
Oud. 9j | Gem. SI 103
Kalwers 7 | Gespeen 7

KOEIWAARDE 117

107	Kalfgemak Waarde
105	Kalfgroei Waarde
98	Melk Waarde
103	Onderhoudswaarde
120	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 100

PRODUKSIE WAARDE 110

LOGIX
Genomiese Teelwaarde
Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	112	105	98	106	123	122	103
82%	79%	82%	79%	77%	78%	77%	79%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	101	95	96	100	100	100	100	101
79%	77%	76%	78%	77%	77%	77%	76%	76%


Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	267kg 97 (10)	245kg 94 (43)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 20 (M)



NB 222075 HH



A.J. NAUDE

Makwassie, North West
0836551534
info@naudebeef.co.za

„Makwassie, 2650



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2022-09-30
Oud.	2j 11m
Inteling	0%
DNS	USC057178

17/557 HH
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

MSB 200090 HH
Oud. 4j | OEK 25m | TKP 369d
Kalwers 3 | Gespeen 3 | Spn. Mat. 115
Gem. SI 106 | KKG - | KKS 44.5
Kalwings: 22-09, 23-09, 24-10

C798779
Spn Mat. 102

C915230
Oud. 21j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 95
Gem. SI - | Spn. Mat. 95

BA 150287
Spn Mat. 98

MSB 150032
Oud. 9j | OEK - | TKP 453d
Kalwers 5 | Gespeen 4 | Spn. Mat. 144
Gem. SI 123 | Spn. Mat. 144

C587901

S19005
Oud. 35j | Gem. SI -
Kalwers - | Gespeen -

3018K10

C782032
Oud. 35j | Gem. SI -
Kalwers - | Gespeen -

BA 110273

BA 091024
Oud. 9j | Gem. SI 103
Kalwers 7 | Gespeen 7

KOEIWAARDE 120

108	Kalfgemak Waarde
107	Kalfgroei Waarde
110	Melk Waarde
94	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 102

PRODUKSIE WAARDE 112

LOGIX
Genomiese Teelwaarde
Analise 2025-07-22

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	118	107	110	105	113	120	102
82%	79%	82%	79%	77%	78%	77%	79%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	99	93	104	100	103	103	99	101
79%	77%	77%	78%	77%	77%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	268kg 99 (10)	241kg 93 (43)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.33	-0.06	11.6	-1.5	18	7	66	-38	10.3	1.0	12.0						
Auction Average				39	274	-	51.3	-	-	0.49	-0.34	17.5	-2.3	25	18	77	-38	11.0	5	19	104	-	101	104	5.0	112
1	NB 222062	M	SP	41	273	-	49.8	-	-	0.81	-0.10	22.0	-1.3	31.2	13.9	123	-54	23	14	27	99	-	122	101	6	109
2	NB 222097	M	SP	40	320	-	66.4	-	-	0.97	-0.42	21.3	1.5	30.8	40.8	116	-41	7.9	13	42	120	-	96	116	6	119
3	NB 222077	M	SP	36	289	-	52.8	-	-	-0.11	-0.62	17.3	-0.5	29.0	17.5	89	-40	19.4	3	24	108	-	116	111	4	89
4	MZ 230003	M	B	46	246	-	-	-	-	1.05	-0.18	13.7	0.5	23.4	-2.0	18	-26	6.6	-5	4	100	-	94	97	3	98
5	NB 222018	M	C	40	254	-	-	-	-	0.62	0.01	22.7	-6.3	30.2	16.4	109	-49	16.2	5	22	104	-	110	102	4	97
6	NB 222155	M	B	39	243	-	38	-	-	0.61	0.34	23.2	-1.9	37.4	29.5	134	-52	14.4	12	28	104	-	107	107	6	107
7	MZ 220115	M	C	40	251	-	-	-	-	0.87	-0.55	9.3	-0.9	16.9	-4.0	23	-28	5.3	-0	2	105	-	91	105	3	118
8	NB 222090	M	C	37	281	-	55.2	-	-	-0.95	0.08	19.6	-6.9	28.9	6.5	98	-44	13.1	9	19	106	-	105	98	4	118
9	NB 222134	M	C	40	303	-	47.2	-	-	1.23	-0.96	22.8	-2.2	33.9	39.0	135	-52	20.9	12	32	114	-	119	107	4	122
10	NB 222052	M	C	42	270	-	53.6	-	-	2.70	-0.67	19.0	-1.8	28.3	30.3	123	-53	12.6	14	27	97	-	104	105	2	119
11	NB 222074	M	B	36	268	-	44.4	-	-	-0.52	-0.48	10.4	-2.3	14.7	18.8	24	-33	5.8	-4	5	99	-	92	97	6	115
12	NB 222056	M	SP	37	289	-	57.8	-	-	0.89	-0.45	25.7	-8.0	36.6	17.7	102	-47	13.5	14	25	110	-	106	100	4	120
13	NB 222082	M	SP	38	264	-	47.1	-	-	0.30	-0.39	8.7	-2.7	9.6	15.9	-29	-2	-5.1	-6	-2	97	-	73	101	7	120
14	NB 222086	M	SP	38	290	-	55.6	-	-	0.36	-0.56	17.0	-3.9	19.9	25.0	35	-20	1.6	0	19	108	-	85	106	7	118
15	MZ 220112	M	B	40	232	-	-	-	-	0.00	-0.02	6.9	2.4	12.5	11.2	66	-33	8.3	-3	9	96	-	96	110	2	98
16	NB 222044	M	SP	38	292	-	54.4	-	-	-0.17	-0.25	17.8	-1.1	25.3	29.0	28	-19	4.9	-1	18	109	-	90	105	11	116
17	NB 222124	M	SP	38	283	-	50.6	-	-	0.30	0.18	16.1	-3.5	22.3	19.3	81	-36	15.8	-5	13	107	-	110	100	3	101
18	NB 222092	M	SP	38	287	-	51.9	-	-	0.73	-0.64	26.8	-7.0	38.9	25.3	128	-57	8.5	11	29	108	-	97	102	4	119
19	NB 222072	M	C	38	267	-	50.9	-	-	0.03	-0.50	14.3	-2.2	19.0	2.5	69	-33	13.6	2	13	97	-	106	101	3	118
20	NB 222075	M	C	35	268	-	45.6	-	-	0.07	-0.72	15.5	1.3	20.8	11.3	63	-31	13.3	1	16	99	-	105	106	3	120

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik