


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

STOFFBERG BORAN GROUP 7TH PRODUCTION AUCTION

Mellow Stream, Stoffberg

24 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 09 September 2025





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.

1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:

- 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
- 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
- 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
- 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
- 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
- 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
- 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.

1.3 The Society will approve any production sale of registered Boran cattle provided that:

- 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
- 1.3.2 Both the Sellers and the Society will sign a written agreement
- 1.3.3 The Seller adheres to the requirements detailed further in this document.
- 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.

- 2.3 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.5 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.6 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.7 Only one auction under the auspices of the society can be held on any one day
- 2.8 No other sale may be held three (3) weeks prior to the National sale.
- 2.9 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.10 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.11 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than nine months of age at the date of sale.
- 3.1.8 If the calf is younger than nine months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.
- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.

3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twentyfour (24) months and older, must:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twentyeight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
 - 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
 - 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 9 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days
 - 4.1.1.2.2 have calved before 42 months
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.
 - 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
 - 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
 - 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.

- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twentyone) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
 - 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
 - 4.1.11.2 Pregnancy must be recorded in months.
 - 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
 - 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
 - 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
 - 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
 - 5.1.1 to verify the identification of the animals on offer
 - 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:

- 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
- 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 9 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 Sellers are encouraged to DNA all Boran on offer to verify the stated parentage and avoid possible parentage disputes after the sale.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multisires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix
- 10.5 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macroand microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society.

Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

11

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001

SUPERBULL SB 11 0100

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province **8**

078 737 2855

super_bull@webmail.com

1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
- Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

- Herd book section
- Birth date
- Animal's age
- Animal's inbreeding percentage
- DNA Number - if available

10 Additional information (only females)

- Age at first calving
- Number of calves born
- Number of calves weighed at weaning
- Average Wean Index
- Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

- Age and Number of Calvings
- Average Wean Index and Number of Calves Weaned
- Age at First Calving and Intercalving Period
- Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)

LE 210007
AMAZING LE210007

Herd Book	SP
Birth date	2021-03-10
Age	4y 6m
Inbreeding	1%
DNA	U5053U003
AFC	41m
Calves	2
Weighed	0
Avg. WI	-
ICP	382d

AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Last Calf	
Calf ID	LE 250016 (F)
Birth Date	2025-09-07
Sire ID	MULTIPLE SIRE

Calvings: 24-08, 25-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOGIX
EBV Analysis 2025-08-19

COW VALUE 86	
93	Calving Ease Value
109	Calf Growth Value
108	Milk Value
87	Maintenance Value
83	Fertility Value
GROWTH VALUE 113	
CARCASS VALUE 108	
PRODUCTION VALUE 92	

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	97	109	108	98	83	84	105
45%	44%	38%	39%	28%	61%	31%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	111	107	113	106	104	100	107	100
26%	27%	14%	29%	29%	28%	23%	22%	21%

SELLER REMARKS: This young cow, with heifer calf LE25-16, out of M/S EMD17-33/LE18-25, is a granddaughter of the 'beef machine' DVB04-03. She is bred out of tried and tested bloodlines with bulls such as 786, Koning, HVT95-21, B04-01, Buffel and Marula 25.

LOT 2 (F)

BAS 210376
BOTHASBERG BAS 210376

Herd Book	SP
Birth date	2021-04-14
Age	4y 5m
Inbreeding	2%
DNA	U13468U051
AFC	39m
Calves	1
Weighed	1
Avg. WI	102
ICP	-

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 240688 (F)
Birth Date	2024-07-26
Sire ID	FPL 130156

Calvings: 24-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOGIX
EBV Analysis 2025-08-19

COW VALUE 90	
71	Calving Ease Value
120	Calf Growth Value
104	Milk Value
81	Maintenance Value
101	Fertility Value
GROWTH VALUE 98	
CARCASS VALUE 107	
PRODUCTION VALUE 90	

BWS 140004 SP BRENAISSANCE BWS 140004 Wean Mat. 93				MHB 040027 SP MOLL'S-HOOP KHAN Wean Mat. 87			
W 130335 SP MODEL W130335 Age 11y AFC 32m ICP 418d Calves 8 Weighed 4 Wean Mat. 114 Avg. WI 114 CCB - CCW 44.2 Calvings: 16-08, 17-11, 18-10, 20-04, 21-04, 22-07, 23-08, 24-08				TULP100031 SP TULPIESKRAAL TULP1031 Age 9y AFC 26m ICP 407d Calves 6 Weighed - Wean Mat. 98 Avg. WI - CCB - CCW 44.2			
B 090491 SP BORGEN B09491 Age 14y AFC - ICP 525d Calves 8 Weighed - Wean Mat. 80 Avg. WI - CCB - CCW 44.2				NBOR060065 SP NTABA NYONI 0665 Wean Mat. 126			
KPO786 SP OL PEJETA 786 Age 29y Avg. WI - Calves - Weighed - TLM 050526 HH SP KETA TLM 05 526 - KONING				ADC5761 SP A.D.C. MUTARA 5761 Age 34y Avg. WI - Calves - Weighed - TLM 040508 SP KETA TLM040508 - INKUNZI			
CFH 040458 SP ELANDSPRUIT CFH 04 458 Age 13y Avg. WI 99 Calves 9 Weighed 5				CI 080058 SP CIRCLE C CI080058 Age 7y Avg. WI - Calves 1 Weighed -			
HVT 950021 SP OUTSPAN HVT950021				25 SP MARULA 25			
CFH 070170 SP ELANDSPRUIT CFH07170 Age 17y Avg. WI 85 Calves 11 Weighed 1				KPO999 SP OL PEJETA 999 Age 27y Avg. WI - Calves 1 Weighed -			
B 040001 SP BORGEN B 040001				B 030029 SP BORGEN B03029			
Z 060019 SP HLANZENI Z0619 Age 13y Avg. WI 123 Calves 8 Weighed 2				B 050017 SP BORGEN B05017 Age 15y Avg. WI - Calves 5 Weighed -			

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
70	91	120	104	101	97	99	111
54%	48%	78%	67%	43%	61%	34%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	102	108	121	93	101	120	93	93
42%	40%	23%	49%	44%	43%	40%	38%	37%

SELLER REMARKS: Khan, Inkunzi, Kijivu and the Kisima line are sure to make something to look at. 6 Months in calf to FN 2004 / BAS 19 261.

LOT 3 (F)



EMD 220104
OOSTENWAL CHANTE



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 250091 (M)
Geb. datum	2025-06-23
Vaar ID	BR 180102

Kalwings: 25-06

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-08-31
Oud.	3j 1m
Inteling	0%
DNS	ZOCA2022-39637
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

KOEIWAARDE 94

81	Kalfgemak Waarde
108	Kalfgroei Waarde
117	Melk Waarde
91	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 115

KARKAS WAARDE 120

PRODUKSIE WAARDE 100

CTM 110012 SP
CHAN-TE-MAR REDBULL
Spn Mat. 125

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 190026 SP
OOSTENWAL EMD 190026
Oud. 6j | OEK 39m | TKP 385d
Kalwers 3 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG - | KKS -
Kalwings: 22-08, 23-08, 24-10

KB60X SP
KETA KB X 60 - BEEFMAKER
Spn Mat. 117

CFH 080098 SP
ELANDSPRUIT BEENTJIE

Oud. 15j | OEK - | TKP -
Kalwers 10 | Geweeg 3 | Spn. Mat. 105
Gem. SI 93 | KKG - | KKS -

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 106

EMD 140022 SP
OOSTENWAL EMD 140022
Oud. 10j | OEK 24m | TKP 409d
Kalwers 7 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -

PM14R SP
LILAYI PM14R

GF1130 SP
GRASMERE GF 113 O
Oud. 19j | Gem. SI 64
Kalwers 8 | Geweeg 2
TLM 020004 SP
KETA TLM020004 CAESAR

B 980004 SP
BORGEN B980004
Oud. 20j | Gem. SI -
Kalwers 6 | Geweeg -
Z 040061 SP
HLANZENI Z 04 61
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
FN 080217 SP
FONTEINE FN08217
EMD 110008 SP
OOSTENWAL LEVINIA
Oud. 12j | Gem. SI -
Kalwers 9 | Geweeg -

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	79	108	117	109	90	105	96
53%	47%	48%	44%	24%	64%	35%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	120	115	107	114	121	117	106	103
31%	23%	14%	31%	25%	24%	22%	20%	20%

VERKOPER OPMERKINGS: A young cow with strong genetics, combining 2459 and PM14R on the sire's side with 717 and Napoleon. She carries a beautiful udder and sells with an exceptional bull calf EMD250091 at foot sired by BR180102.

LOT 4 (F)



JVG 200026
JANVOS JVG 200026



JANVOS LANDGOED

Davel, Mpumalanga
0823068524
janvosfarm@gmail.com
POSBUS 46, DAVEL, 2320

Laaste Kalf	
Kalf ID	JVG 250018 (F)
Geb. datum	2025-06-09
Vaar ID	QT 190069

Kalwings: 22-10, 23-09, 25-06

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-03-09
Oud.	5j 6m
Inteling	1%
DNS	U690U061
OEK	31m
Kalwers	3
Geweeg	1
Gem. SI	97
TKP	486d

KOEIWAARDE 106

90	Kalfgemak Waarde
108	Kalfgroei Waarde
98	Melk Waarde
103	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 105

PRODUKSIE WAARDE 111

JVG 140060 HH SP
JANVOS JVG 140060
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JVG 130020 SP
JANVOS JVG13020
Oud. 8j | OEK 35m | TKP 420d
Kalwers 5 | Geweeg 2 | Spn. Mat. 114
Gem. SI 93 | KKG - | KKS 34.9
Kalwings: 16-08, 17-11, 18-10, 20-03, 21-03

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Spn Mat. 87

CFH 100095 SP
ELANDSPRUIT CFH100095

Oud. 15j | OEK - | TKP -
Kalwers 11 | Geweeg 4 | Spn. Mat. 109
Gem. SI 108 | KKG - | KKS 34.9

FN 080417 SP
FONTEINE FN080417 - REMUS
Spn Mat. 100

CFH 080229 SP
ELANDSPRUIT CFH08229

Oud. 13j | OEK 24m | TKP 395d
Kalwers 10 | Geweeg 2 | Spn. Mat. 111
Gem. SI 92 | KKG - | KKS 34.9

25 SP
MARULA 25
KPO21 SP
OL PEJETA 21
Oud. 39j | Gem. SI -
Kalwers 1 | Geweeg -
CFH 060874 SP
ELANDSPRUIT CFH06874

Z 980010 SP
HLANZENI Z 98 10
Oud. 20j | Gem. SI -
Kalwers 6 | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
FN 060053 SP
FONTEINE FN0653
Oud. 17j | Gem. SI 109
Kalwers 12 | Geweeg 2
FE 960075 SP
FORRESTER 96/75
FN 030002 SP
FONTEINE FN 03 02
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	89	108	98	95	108	107	96
77%	71%	62%	67%	55%	62%	38%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	103	96	96	101	102	110	100	121
48%	52%	25%	54%	55%	54%	40%	37%	37%

VERKOPER OPMERKINGS: Thick bodied cow with very good EBVs and proven genetics: Linebred to HVT 97-17 together with Rustin, FE 96/75, CFH 06-874 and Fontaine dam lines. Heifer calf JVG25-018 is sired by QT19-69 a white bull going back to the unfamiliar K6K3178.

LOT 5 (F)



MOS 210279

MOSDENE TARA



Herd Book	SP
Birth date	2021-11-17
Age	3y 10m
Inbreeding	0%
DNA	U7472U057
AFC	36m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 240674 (M)
Birth Date	2024-11-09
Sire ID	MOS 210009

Calvings: 24-11

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 92

100	Calving Ease Value
107	Calf Growth Value
92	Milk Value
102	Maintenance Value
85	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 92

PRODUCTION VALUE 90

SELLER REMARKS: A Tarzan daughter with added bonus of B 05 122 (786) and TLM 03 12 Knopkierie . 6 mths in calf to PRB18 15 / MOS20 268 / QT12 30

QT 120030 HH SP

MEYBOR QT1230

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

MC 150139 SP

MCS MC15139

Age 9y | AFC 38m | ICP 456d
Calves 6 | Weighed 3 | Wean Mat. 81
Avg. WI 96 | CCB - | CCW 47

Calvings: 18-12, 20-05, 21-11,
23-02, 24-03, 25-03

CFH 060874 SP

ELANDSPRUIT CFH06874

Wean Mat. 92

QT 090007 SP

MEYBOR QT090007

Age 16y | AFC - | ICP -
Calves 9 | Weighed 6 | Wean Mat. 118
Avg. WI 106 | CCB - | CCW 47

B 050122 SP

BORGEN B 05 122

Wean Mat. 95

MC 130029 SP

MCS MC1329

Age 12y | AFC 32m | ICP 360d
Calves 11 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW 47

HVT 000010 SP

OUTSPAN HVT000010

GF400 SP

GRASMERE 40 O

Age 21y | Avg. WI -

Calves 6 | Weighed -

CFH 060657 SP

ELANDSPRUIT 06 657

CFH 060760 SP

ELANDSPRUIT 06 760

Age 9y | Avg. WI 99

Calves 5 | Weighed 3

KP0786 SP

OL PEJETA 786

KP0867 SP

OL PEJETA 867

Age 34y | Avg. WI -

Calves - | Weighed -

TLM 030012 SP

KETA TLM030012

NAB 060004 SP

UPPER ELLERSLIE CORNFELD

Age 6y | Avg. WI -

Calves 3 | Weighed -



EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	91	107	92	91	85	88	97
74%	65%	77%	60%	27%	64%	33%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	88	90	97	86	90	95	91	98
36%	23%	11%	41%	26%	25%	22%	21%	20%

LOT 6 (F)



KW 220146

KWANARE KW 22 146



Herd Book	SP
Birth date	2022-10-01
Age	2y 12m
Inbreeding	0%
DNA	U13415U108

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056

COW VALUE 111

119	Calving Ease Value
87	Calf Growth Value
86	Milk Value
127	Maintenance Value
99	Fertility Value

GROWTH VALUE 67

CARCASS VALUE 88

PRODUCTION VALUE 97

SELLER REMARKS: Our first self-bred cow to come on auction! Sire is deep thick Bont bull. Maternal line has top longevity as D, DD and DDD still active in our herd. 8m ICT M/S EMD 16 078/DBC 15 043

BU 180144 SP

BOSIU IMPOSSIBONT

Wean Mat. 87

Parentage Sire Dam

DNA ✓ ✓

Genomic

LUD 180284 SP

LUD 18-284

Age 6y | AFC 23m | ICP 562d
Calves 3 | Weighed 3 | Wean Mat. 86
Avg. WI 96 | CCB - | CCW 49.2

Calvings: 20-11, 22-10, 23-12

BA 090111 HH SP

BA IMPOSSIBULLIT

Wean Mat. 60

GF 100024 HH SP

WALT CHAMPIE

Age 15y | AFC - | ICP -
Calves 10 | Weighed 8 | Wean Mat. 115
Avg. WI 102 | CCB - | CCW 49.2

LUD 120052 SP

LUD RAMBO

Wean Mat. 94

LUD 130571 SP

LUD LUD130571

Age 11y | AFC 35m | ICP 445d
Calves 8 | Weighed 3 | Wean Mat. 91
Avg. WI 100 | CCB - | CCW 49.2

HVT 950017 SP

OUTSPAN METUSALEG

BA 040007 SP

BA OUNOOI

Age 15y | Avg. WI -

Calves 13 | Weighed -

GF 060010 SP

WALT GF0610

GF 070013 C

WALT GF0713

Age 7y | Avg. WI 102

Calves 5 | Weighed 2

CI 080030 SP

CIRCLE C COJACK

CI 090100 SP

CIRCLE C CI090100

Age 10y | Avg. WI -

Calves 7 | Weighed -

KMF 090010 SP

MAXIMUS

KMF 110028 SP

JONAZELL KMF110028

Age 14y | Avg. WI 85

Calves 10 | Weighed 1



EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	100	87	86	98	107	90	109
74%	50%	74%	49%	42%	42%	27%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	92	103	72	80	85	97	106	100
34%	39%	12%	39%	43%	42%	24%	23%	23%



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 7 (M)



EMD 200112

OOSTENWAL EMD 200112



Kuddeboek	SP
Geb. dtm	2020-09-11
Oud.	5j
Inteling	1%
DNS	Z2595U107

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 108	
90	Kalfgemak Waarde
102	Kalfgroei Waarde
114	Melk Waarde
102	Onderhoudswaarde
108	Vrugbaarheidswaarde
GROEI WAARDE 110	
KARKAS WAARDE 112	
PRODUKSIE WAARDE 111	

VERKOPER OPMERKINGS: A powerfully built, well-balanced bull with strong masculinity and structural correctness. Backed by proven genetics from Giani 2812, KBX 60, and Solio 359 - a reliable choice to add growth, muscling, and quality to any herd.

CTM 110012 SP CHAN-TE-MAR REDBULL Spn Mat. 125			KB60X SP KETA KB X 60 - BEEFMAKER Spn Mat. 117			PM14R SP LILAYI PM14R GF1130 SP GRASMERE GF 113 O Oud. 19j Gem. SI 64 Kalwers 8 Geweeg 2 TLM 020004 SP KETA TLM020004 CAESAR		
Ouerskap Vaar Moer			CFH 080098 SP ELANDSPRUIT BEENTJIE Oud. 15j OEK - TKP - Kalwers 10 Geweeg 3 Spn. Mat. 105 Gem. SI 93 KKG - KKS -			B 980004 SP BORGEN B980004 Oud. 20j Gem. SI - Kalwers 6 Geweeg -		
DNS ✓ ✓			NBOR060093 SP NTABA NYONI 0693 Spn Mat. 114			2812 SP GIANNI 2812 KPO999 SP OL PEJETA 999 Oud. 27j Gem. SI - Kalwers 1 Geweeg - DVB 050002 SP DIAMANT-V DVB 05 02		
Genomies			EMD 120013 SP OOSTENWAL EMD120013 Oud. 11j OEK 29m TKP 407d Kalwers 6 Geweeg - Spn. Mat. 91 Gem. SI - KKG - KKS -			FN 090698 SP FONTEINE FN090698 Oud. 9j Gem. SI - Kalwers 2 Geweeg -		
EMD 170015 SP OOSTENWAL EMD 170015 Oud. 8j OEK 41m TKP 355d Kalwers 4 Geweeg - Spn. Mat. 103 Gem. SI - KKG - KKS - Kalwings: 20-09, 21-09, 22-09, 23-08								

LOGIX

GENOMICS

EBV Analise 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	83	102	114	106	102	118	88
51%	45%	47%	44%	27%	54%	36%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	113	110	96	106	110	113	109	103
29%	25%	16%	33%	28%	27%	24%	23%	23%

LOT 8 (M)



KW 200517

KWANARE KW 20 517



Kuddeboek	SP
Geb. dtm	2020-10-07
Oud.	4j 12m
Inteling	2%
DNS	U18584U001

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 100	
110	Kalfgemak Waarde
90	Kalfgroei Waarde
110	Melk Waarde
95	Onderhoudswaarde
103	Vrugbaarheidswaarde
GROEI WAARDE 91	
KARKAS WAARDE 97	
PRODUKSIE WAARDE 96	

VERKOPER OPMERKINGS: Thick, long and strong bull combining good milk with good growth!

LOGIX ENTRIES CHAIRMAN EBV Analise 2025-08-19	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 DLV 080002 SP DE LA VIDA RED BULL DLV 0802 Spn Mat. 109	 B 050098 SP BORGEN B05098 - NINETY-EIGHT	
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 E 090020 SP TAMBARAINE E 09 20 Oud. 11j OEK 29m TKP 411d Kalwers 7 Geweeg - Spn. Mat. 113 Gem. SI - KKG - KKS 45.5	 B 050097 HH SP BORGEN BIG MAMA CYBELE Oud. 19j Gem. SI 98 Kalwers 10 Geweeg 5	 TLM 020012 SP KETA TLM 02 12
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 080001 SP MEYBOR QT0801 Spn Mat. 83	 B 040042 SP BORGEN B 04 42	 B 040064 SP BORGEN WASABI Oud. 15j Gem. SI 100 Kalwers 8 Geweeg 3
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 100024 SP MEYBOR BROOKS ULTIMATE Oud. 14j OEK 35m TKP 369d Kalwers 12 Geweeg 12 Spn. Mat. 123 Gem. SI 102 KKG - KKS 45.5	 Z 040061 SP HLANZENI Z 04 61	 Z 950018 SP HLANZENI Z 95 18 Oud. 21j Gem. SI - Kalwers 7 Geweeg -
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 080001 SP MEYBOR QT0801 Spn Mat. 83	 B 040042 SP BORGEN B 04 42	 B 040064 SP BORGEN WASABI Oud. 15j Gem. SI 100 Kalwers 8 Geweeg 3
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 100024 SP MEYBOR BROOKS ULTIMATE Oud. 14j OEK 35m TKP 369d Kalwers 12 Geweeg 12 Spn. Mat. 123 Gem. SI 102 KKG - KKS 45.5	 Z 040061 SP HLANZENI Z 04 61	 Z 950018 SP HLANZENI Z 95 18 Oud. 21j Gem. SI - Kalwers 7 Geweeg -
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 080001 SP MEYBOR QT0801 Spn Mat. 83	 B 040042 SP BORGEN B 04 42	 B 040064 SP BORGEN WASABI Oud. 15j Gem. SI 100 Kalwers 8 Geweeg 3
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 100024 SP MEYBOR BROOKS ULTIMATE Oud. 14j OEK 35m TKP 369d Kalwers 12 Geweeg 12 Spn. Mat. 123 Gem. SI 102 KKG - KKS 45.5	 Z 040061 SP HLANZENI Z 04 61	 Z 950018 SP HLANZENI Z 95 18 Oud. 21j Gem. SI - Kalwers 7 Geweeg -
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 080001 SP MEYBOR QT0801 Spn Mat. 83	 B 040042 SP BORGEN B 04 42	 B 040064 SP BORGEN WASABI Oud. 15j Gem. SI 100 Kalwers 8 Geweeg 3
	 DBC 150043 HH SP NIEKERKSHK DBC 150043 Spn Mat. 117	 QT 100024 SP MEYBOR BROOKS ULTIMATE Oud. 14j OEK 35m TKP 369d Kalwers 12 Geweeg 12 Spn. Mat. 123 Gem. SI 102 KKG - KKS 45.5	 Z 040061 SP HLANZENI Z 04 61	 Z 950018 SP HLANZENI Z 95 18 Oud. 21j Gem. SI - Kalwers 7 Geweeg -

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	106	90	110	93	103	99	106
74%	52%	77%	48%	71%	43%	28%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	104	105	102	104	112	113	71	108
47%	61%	15%	38%	73%	69%	63%	57%	55%

LOT 9 (M)



BAS 210395

BOTHASBERG BAS 210395



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Herd Book	SP
Birth date	2021-06-01
Age	4y 4m
Inbreeding	4%
DNA	U23873U003

BWS 140004 SP
BRENAISSANCE BWS 140004
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 090414 SP
BORGEN B09414

Age 16y | AFC 31m | ICP -
Calves 13 | Weighed 4 | Wean Mat. 99
Avg. WI 101 | CCB - | CCW 40.7
Calvings: 11-11, 13-05, 14-07, 15-08,
16-07, 17-06, 18-05, 19-05, 20-07,
21-06, 22-08, 23-07, 25-05

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 87

TULP100031 SP
TULPIESKRAAL TULP1031
Age 9y | AFC 26m | ICP 407d
Calves 6 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW 40.7

B 040042 SP
BORGEN B 04 42
Wean Mat. 85

B 040057 SP
BORGEN B04057
Age 18y | AFC 31m | ICP -
Calves 12 | Weighed - | Wean Mat. 99
Avg. WI - | CCB - | CCW 40.7

KP0786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
TLM 040508 SP
KETA TLM040508 - INKUNZI

CI 080058 SP
CIRCLE C C1080058
Age 7y | Avg. WI -
Calves 1 | Weighed -
KP0786 SP
OL PEJETA 786

8334 SP
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
K6K3094 SP
MOGWOONI 3094 (BMK163)

ZIP7771 SP
KISIMA 7771
Age 31y | Avg. WI -
Calves - | Weighed -

COW VALUE 109

79	Calving Ease Value
132	Calf Growth Value
94	Milk Value
85	Maintenance Value
110	Fertility Value

GROWTH VALUE 124

CARCASS VALUE 126

PRODUCTION VALUE 116

LOGIX
GENETICS COMPANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
68	106	132	94	130	116	101	108
57%	54%	77%	57%	42%	54%	35%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	126	125	116	113	118	132	96	86
42%	40%	23%	41%	43%	42%	39%	37%	36%

SELLER REMARKS: This bull blends performance genetics with maternal strength. His dam line carries both the Kisima herd and Mogwooni K6k 3094. A young sire that combines modern performance with proven lines.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 10 (F)



LE 190124

AMAZING LE 190124



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Herd Book	SP
Birth date	2019-11-06
Age	5y 11m
Inbreeding	1%
DNA	U548245
AFC	37m
Calves	2
Weighed	0
Avg. WI	-
ICP	536d

LE 120003 SP
AMAZING LE120003
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

LE 160021 SP
AMAZING LE 160021

Age 8y | AFC - | ICP 453d
Calves 5 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -
Calvings: 19-11, 21-11, 22-11, 23-10,
24-10

TLM 020004 SP
KETA TLM020004 CAESAR
Wean Mat. 89

JH 070005 SP
MARONES JH070005
Age 18y | AFC - | ICP -
Calves 11 | Weighed 2 | Wean Mat. 92
Avg. WI 102 | CCB - | CCW -

NJS 090022 SP
MASUNISO NJS090022
Wean Mat. 88

JH 100068 SP
MARONES JH100068
Age 15y | AFC - | ICP -
Calves 11 | Weighed 2 | Wean Mat. 94
Avg. WI 103 | CCB - | CCW -

K6K2459 SP
MOGWOONI K6K2459

KP0898 SP
OL PEJETA KPO 898
Age 35y | Avg. WI -
Calves - | Weighed -
CFH 040452 SP
ELANDSPRUIT CFH040452

TLM 030057 SP
KETA TLM 03 57
Age 5y | Avg. WI -
Calves 3 | Weighed -
TLM 050526 HH SP
KETA TLM 05 526 - KONING

CFH 060755 SP
ELANDSPRUIT 06 755
Age 13y | Avg. WI 78
Calves 7 | Weighed 1

JH 060004 SP
MARONES JH060004
JH 070024 SP
MARONES JH070024
Age 5y | Avg. WI 97
Calves 2 | Weighed 2

COW VALUE 96

109	Calving Ease Value
93	Calf Growth Value
87	Milk Value
97	Maintenance Value
106	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 91

PRODUCTION VALUE 96

LOGIX
GENETICS COMPANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	111	93	87	96	105	103	106
48%	46%	47%	40%	34%	56%	34%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	96	99	102	80	81	94	102	96
30%	32%	20%	32%	34%	33%	28%	26%	26%

SELLER REMARKS: A Caesar granddaughter, 7months in calf to M/S EMD17-33 or LE18-25. She goes back to B01-20 which has truly left a mark on the breed. Bulls in her pedigree consist of 2459, Koning, HVT 95-03, HVT 98-14, TLM 04-505, with a little Zambian influence by means of Buffel and KB32X.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Calvings: 22-11, 24-05

LOT 11 (F)



LE 220026
AMAZING LE220026



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Kuddeboek	SP
Geb. dtm	2022-11-28
Oud.	2j 10m
Inteling	0%
DNS	U12632U011

LE 170050 SP
AMAZING LE170050
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 100517 SP
FONTEINE FN100517

Oud. 15j | OEK 30m | TKP -
Kalwers 10 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG 6.43 | KKS -
Kalwings: 12-07, 14-06, 15-09,
16-09, 18-08, 19-08, 20-07, 21-09,
22-11, 24-05

MB 090301 SP
MON-BIJOU SMALDEEL MARIUS
Spn Mat. 81

NJS 110047 SP
MASUNISO NJS110047
Oud. 6j | OEK - | TKP 655d
Kalwers 3 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG 6.43 | KKS -

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 89

FN 060047 SP
FONTEINE FN 060047
Oud. 18j | OEK - | TKP -
Kalwers 14 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG 6.43 | KKS -

HVT 950021 SP
OUTSPAN HVT950021
CFH 070170 SP
ELANDSPRUIT CFH07170
Oud. 17j | Gem. SI 85
Kalwers 11 | Geweeg 1
Z 060017 SP
HLANZENI Z0617
B 050062 SP
BORGEN B 05 62
Oud. 12j | Gem. SI -
Kalwers 6 | Geweeg -
K6K2459 SP
MOGWOONI K6K2459
KPO898 SP
OL PEJETA KPO 898
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
KPO622 SP
OL PEJETA 622
Z7F4055 SP
WORAGUS 4055
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE	77
108	Kalfgemak Waarde
90	Kalfgroei Waarde
88	Melk Waarde
97	Onderhoudswaarde
82	Vrugbaarheidswaarde
GROEI WAARDE	100
KARKAS WAARDE	95
PRODUKSIE WAARDE	80

LOGIX
EBV Analise 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	100	90	88	97	85	82	98
51%	46%	37%	37%	28%	41%	30%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	98	99	102	98	94	95	106	91
29%	27%	16%	30%	29%	28%	25%	24%	24%

VERKOPER OPMERKINGS: This first-time calf cow is a Caesar granddaughter; she is 6 months in calf to M/S EMD17-33 or LE18-25. She is bred out of tried and tested bloodlines such as HVT95-21, 2459, KPO622 and FE96-75.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 12 (F)



BAS 220532
BOTHASBERG BAS 220532



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Kuddeboek	SP
Geb. dtm	2022-12-20
Oud.	2j 9m
Inteling	1%
DNS	U13468U109

ECC 180020 SP
AFRI-BOR ECC180020
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BAS 150111 SP
BOTHASBERG DULSIE

Oud. 10j | OEK 37m | TKP 385d
Kalwers 6 | Geweeg 2 | Spn. Mat. 135
Gem. SI 114 | KKG - | KKS 37.1
Kalwings: 18-07, 19-12, 20-11, 21-11,
22-12, 23-11

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 106

ECC 130005 SP
AFRI-BOR ECC 1305
Oud. 12j | OEK 60m | TKP 583d
Kalwers 5 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS 37.1

SWR 090028 SP
ASHREE BOBBY 090028
Spn Mat. 142

BAS 100027 SP
BOTHASBERG WITDULSIE
Oud. 14j | OEK 32m | TKP 432d
Kalwers 11 | Geweeg 2 | Spn. Mat. 94
Gem. SI 90 | KKG - | KKS 37.1

Z 040061 SP
HLANZENI Z 04 61
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
B 040042 SP
BORGEN B 04 42
CFH 050560 SP
ELANDSPRUIT CFH 05 560
Oud. 19j | Gem. SI 100
Kalwers 9 | Geweeg 1
HVT 980022 SP
OUTSPAN HVT980022
BA 050031 SP
BA OLIFANT
Oud. 5j | Gem. SI -
Kalwers 4 | Geweeg -
HVT 980001 HH SP
OUTSPAN HVT980001
BAS 080004 SP
BOTHASBERG 0804
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE	87
75	Kalfgemak Waarde
123	Kalfgroei Waarde
109	Melk Waarde
75	Onderhoudswaarde
94	Vrugbaarheidswaarde
GROEI WAARDE	125
KARKAS WAARDE	119
PRODUKSIE WAARDE	98

LOGIX
EBV Analise 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	84	123	109	101	86	103	96
45%	34%	71%	47%	30%	48%	29%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
125	124	116	130	130	126	111	93	105
32%	27%	10%	25%	30%	29%	24%	23%	22%

VERKOPER OPMERKINGS: Lots of growth on the sire side and HVT 9801 on the dam side. 6 Months in calf to FN 20 04 / BAS 19 261 make her something to look at.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 13 (F)



BAS 220461
BOTHASBERG BAS 220461



Herd Book	SP
Birth date	2022-05-18
Age	3y 4m
Inbreeding	1%
DNA	U13468U080
AFC	37m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

FPL 130156 HH SP
BLOODLINE BRAVO
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 170169 SP
BOTHASBERG DULSIE

Age 8y | AFC 40m | ICP 457d
Calves 4 | Weighed 2 | Wean Mat. 95
Avg. WI 95 | CCB - | CCW 44.7
Calvings: 20-11, 22-05, 23-07, 24-08

FN 060064 SP
FONTEINE FN0664
Wean Mat. 110

FN 090397 SP
FONTEINE FN09397

Age 5y | AFC - | ICP (donor)
Calves 2 | Weighed 1 | Wean Mat. 105
Avg. WI 99 | CCB - | CCW 44.7

NJS 090020 SP
MASUNISO NJS090020 - THE BEAST
Wean Mat. 99

BAS 100027 SP
BOTHASBERG WITDULSIE

Age 14y | AFC 32m | ICP 432d
Calves 11 | Weighed 2 | Wean Mat. 94
Avg. WI 90 | CCB - | CCW 44.7

2812 SP
GIANNI 2812
PB/9831 SP

DELAMERE 304
Age 32y | Avg. WI -
Calves - | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP
FONTEINE FN 04 23
Age 14y | Avg. WI -
Calves 4 | Weighed -

TLM 050526 HH SP
KETA TLM 05 526 - KONING

CFH 070060 SP
ELANDSPRUIT 07 60
Age 10y | Avg. WI -
Calves 3 | Weighed -

HVT 980001 HH SP
OUTSPAN HVT980001

BAS 080004 SP
BOTHASBERG 0804
Age 10y | Avg. WI -
Calves 4 | Weighed -

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 250777 (M)
Birth Date	2025-06-25
Sire ID	BAS 160151

Calvings: 25-06

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81

95	Calving Ease Value
96	Calf Growth Value
100	Milk Value
101	Maintenance Value
81	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 89

PRODUCTION VALUE 83

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	90	96	100	81	75	84	109
51%	42%	59%	49%	47%	60%	30%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	92	97	98	92	83	92	94	99
41%	44%	16%	33%	48%	46%	42%	39%	39%

SELLER REMARKS: First calf heifer by FPL 13 156 "Bravo" traces to Gianni 2812, segra 3089, 3094 and the influential VID 304. Blending fertility adaptability and maternal strength. With HVT 9801 further back. Bul calf BAS 25 777 sired by BAS 161 (half brother to Mufasa).

LOT 14 (F)



BAS 220537
BOTHASBERG BAS 220537



Herd Book	SP
Birth date	2022-12-03
Age	2y 10m
Inbreeding	0%
DNA	U13468U110

ECC 180020 SP
AFRI-BOR ECC180020
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 050059 SP
BORGEN B 05 59

Age 20y | AFC 31m | ICP -
Calves 17 | Weighed 3 | Wean Mat. 101
Avg. WI 88 | CCB - | CCW 37.8

Calvings: 08-01, 08-12, 09-11, 10-09, 11-10, 12-09, 13-09, 14-09, 15-08, 16-10, 17-09, 18-08, 19-08, 20-08, 21-09, 22-12, 24-05

CFH 070279 SP
ELANDSPRUIT CFH07279
Wean Mat. 106

ECC 130005 SP
AFRI-BOR ECC 1305

Age 12y | AFC 60m | ICP 583d
Calves 5 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW 37.8

359G SP
SOLIO 359 G
Wean Mat. 106

ZIP7923 SP
KISIMA 7923

Age 31y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW 37.8

Z 040061 SP
HLANZENI Z 04 61

Z 980105 SP
HLANZENI Z 98 105
Age 17y | Avg. WI -
Calves 4 | Weighed -

B 040042 SP
BORGEN B 04 42

CFH 050560 SP
ELANDSPRUIT CFH 05 560
Age 19y | Avg. WI 100
Calves 9 | Weighed 1

2646
SOLIO 2646

444K
SOLIO 444K
Age 37y | Avg. WI -
Calves - | Weighed -

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 80

81	Calving Ease Value
100	Calf Growth Value
96	Milk Value
95	Maintenance Value
94	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 98

PRODUCTION VALUE 83

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	82	100	96	103	93	98	94
46%	38%	76%	49%	34%	47%	28%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	100	106	103	107	100	86	86	102
32%	31%	10%	29%	34%	33%	26%	24%	24%

SELLER REMARKS: ECC 18 20 with proven B 05 59 on the maternal line which traces back to 359 G and Kisima lines, known for maternal depth and consistency. 5 Months in calf to FN 20 04 / BAS 19 261.

LOT 15 (F)



EMD 190042

OOSTENWAL EMD 190042



Kuddeboek	SP
Geb. dtm	2019-07-22
Oud.	6j 2m
Inteling	1%
DNS	ZA542062
OEK	35m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	424d

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 240179 (M)
Geb. datum	2024-10-18
Vaar ID	ECC 180020

Kalwings: 22-06, 23-09, 24-10



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

DVB 100032 SP
DIAMANT-V 1032
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 130044 SP
OOSTENWAL EMD1344
Oud. 11j | OEK 36m | TKP 443d
Kalwers 8 | Geweeg 1 | Spn. Mat. 107
Gem. SI 106 | KKG - | KKS 41.7
Kalwings: 16-12, 18-04, 19-07,
20-06, 22-05, 23-05, 24-04,
25-06

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Spn Mat. 110

TLM 040017 SP
KETA TLM 04 17
Oud. 11j | OEK 33m | TKP 385d
Kalwers 8 | Geweeg 1 | Spn. Mat. 85
Gem. SI 100 | KKG - | KKS 41.7

B 080109 SP
BORGEN B08109
Spn Mat. 105

EMD 100007 SP
OOSTENWAL EMD100007
Oud. 8j | OEK 25m | TKP 396d
Kalwers 5 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG - | KKS 41.7

TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 000011 SP
KETA TLM000011
TLM 010003 SP
KETA TLM 01 3
Oud. 18j | Gem. SI 101
Kalwers 10 | Geweeg 3
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
HVT 010006 SP
OUTSPAN HVT0106
Oud. 13j | Gem. SI -
Kalwers 5 | Geweeg -
HVT 070010 SP
HEAVITREE HVT0710
CFH 070215 SP
ELANDSPRUIT CFH07215
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

KOEIWAARDE 99	
100	Kalfgemak Waarde
115	Kalfgroei Waarde
104	Melk Waarde
94	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE 111	
KARKAS WAARDE 108	
PRODUKSIE WAARDE 103	

LOGIX
GENOMICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	108	115	104	110	77	93	104
43%	42%	51%	49%	43%	66%	41%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	115	114	104	108	103	94	100	100
34%	40%	18%	33%	44%	43%	40%	38%	37%

VERKOPER OPMERKINGS: A full sister to Lot 42. This cow combines Ninety-Eight with the famous Koning. Her offspring have already proven themselves in our herd, delivering both consistency and quality for future breeding. 5 Months in calf to FN 20 04 / BAS 19 261.

LOT 16 (F)



EMD 210009

OOSTENWAL EMD 210009



Kuddeboek	SP
Geb. dtm	2021-01-19
Oud.	4j 8m
Inteling	0%
DNS	ZOCA2021-13964
OEK	29m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	387d

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 250150 (F)
Geb. datum	2025-07-24
Vaar ID	FN 200108

Kalwings: 23-06, 24-06, 25-07



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

ECC 180004 HH SP
AFRI-BOR ECC180004
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 170014 SP
AFRI-BOR ECC170014
Oud. 8j | OEK 28m | TKP 457d
Kalwers 5 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG - | KKS -
Kalwings: 19-09, 20-05, 21-01,
23-01, 24-10

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 106

ECC 130021 SP
AFRI-BOR ECC1321
Oud. 6j | OEK 39m | TKP 406d
Kalwers 3 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -

MOU 090039 SP
CHROME MOU0939
Spn Mat. 130

ECC 100003 SP
AFRI-BOR ECC100003
Oud. 14j | OEK 36m | TKP 617d
Kalwers 6 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -

Z 040061 SP
HLANZENI Z 04 61
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
BA 040015 SP
BA BA 04 15
ECC 100017 SP
AFRI-BOR 1017
Oud. 9j | Gem. SI -
Kalwers 2 | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021
Z 060018 SP
HLANZENI RONEL
Oud. 19j | Gem. SI 115
Kalwers 12 | Geweeg 8
B 040042 SP
BORGEN B 04 42
CFH 050023 SP
ELANDSPRUIT CFH 05 23
Oud. 9j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE 104	
90	Kalfgemak Waarde
116	Kalfgroei Waarde
105	Melk Waarde
85	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 122	
KARKAS WAARDE 119	
PRODUKSIE WAARDE 111	

LOGIX
GENOMICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	102	116	105	109	110	104	101
35%	31%	37%	31%	21%	59%	31%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	123	115	115	121	124	114	102	106
28%	20%	9%	22%	22%	21%	17%	16%	16%

VERKOPER OPMERKINGS: Top-performing deep wedge Boran cow with excellent structure and maternal traits. High Growth (122), Calf Growth (116), Fertility (107), and Milk (105) values. Offered with a quality heifer calf EMD250150 at foot FN 20108.

LOT 17 (F)



EMD 220153

OOSTENWAL EMD 220153



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 250092 (F)
Birth Date	2025-05-24
Sire ID	EMD 170011

Calvings: 25-05



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-09-27
Age	2y 12m
Inbreeding	1%
DNA	ZOCA2022-39108
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

COW VALUE 101

81	Calving Ease Value
108	Calf Growth Value
128	Milk Value
93	Maintenance Value
99	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 119

PRODUCTION VALUE 104

CTM 110012 SP
CHAN-TE-MAR REDBULL
Wean Mat. 125

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EMD 200004 SP
OOSTENWAL EMD 200004
Age 5y | AFC 32m | ICP 570d
Calves 2 | Weighed - | Wean Mat. 130
Avg. WI - | CCB - | CCW -
Calvings: 22-09, 24-04

KB60X SP
KETA KB X 60 - BEEFMAKER
Wean Mat. 117

CFH 080098 SP
ELANDSPRUIT BEENTJIE
Age 15y | AFC - | ICP -
Calves 10 | Weighed 3 | Wean Mat. 105
Avg. WI 93 | CCB - | CCW -

LEA 090001 SP
LEANJO LEA090001
Wean Mat. 137

CFH 090175 SP
ELANDSPRUIT CFH090175
Age 14y | AFC 34m | ICP 400d
Calves 8 | Weighed 3 | Wean Mat. 124
Avg. WI 110 | CCB - | CCW -

PM14R SP
LILAYI PM14R
GF1130 SP
GRASMERE GF 113 0
Age 19y | Avg. WI 64
Calves 8 | Weighed 2
TLM 020004 SP
KETA TLM020004 CAESAR
B 980004 SP
BORGEN B980004
Age 20y | Avg. WI -
Calves 6 | Weighed -
B 040001 SP
BORGEN B 040001
B 040064 SP
BORGEN WASABI
Age 15y | Avg. WI 100
Calves 8 | Weighed 3
E 060005 HH SP
TAMBARAINE E 06 05
CFH 030502 SP
ELANDSPRUIT CFH 03 502
Age 15y | Avg. WI -
Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	78	108	128	112	106	93	102
51%	46%	48%	46%	28%	63%	35%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	118	118	104	114	116	116	106	100
30%	26%	17%	35%	28%	27%	25%	24%	23%

SELLER REMARKS: Combines growth, milk, and fertility into a balanced package. A true herd-building heifer with genetics to pass on strong maternal and beef traits. Heifer calf EMD250092 sired by EMD 170011.

LOT 18 (F)



JVG 210043

JANVOS JVG 210043



JANVOS LANDGOED

Davel, Mpumalanga
0823068524
janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

Last Calf	
Calf ID	JVG 250036 (F)
Birth Date	2025-08-21
Sire ID	AH 120023

Calvings: 24-09, 25-08



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2021-08-15
Age	4y 1m
Inbreeding	5%
DNA	U17159U021
AFC	37m
Calves	2
Weighed	0
Avg. WI	-
ICP	353d

COW VALUE 104

89	Calving Ease Value
105	Calf Growth Value
87	Milk Value
122	Maintenance Value
98	Fertility Value

GROWTH VALUE 80

CARCASS VALUE 92

PRODUCTION VALUE 95

E 130031 HH SP
TAMBARAINE 130031
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JVG 130069 SP
JANVOS TAFELKOP
Age 11y | AFC 35m | ICP 388d
Calves 8 | Weighed 5 | Wean Mat. 86
Avg. WI 97 | CCB 8.05 | CCW 52.6
Calvings: 16-10, 17-08, 18-06, 19-08, 20-07, 21-08, 22-10, 24-03

CFH 080173 SP
ELANDSPRUIT CFH08173
Wean Mat. 71

E 080008 HH SP
TAMBARAINE E 08 08
Age 16y | AFC 33m | ICP -
Calves 10 | Weighed 8 | Wean Mat. 101
Avg. WI 99 | CCB 8.05 | CCW 52.6

TLM 050503 SP
KETA TLM 05 503
Wean Mat. 101

CFH 080072 SP
ELANDSPRUIT CFH 08 0072
Age 9y | AFC 31m | ICP 386d
Calves 3 | Weighed - | Wean Mat. 72
Avg. WI - | CCB 8.05 | CCW 52.6

HVT 970017 SP
OUTSPAN HVT970017
B 040020 SP
BORGEN B 04 20
Age 4y | Avg. WI -
Calves 1 | Weighed -
TLM 020012 SP
KETA TLM 02 12
TLM 020019 SP
KETA TLM 02 19
Age 13y | Avg. WI 102
Calves 7 | Weighed 5
K6K2459 SP
MOGWONNI K6K2459
KPO1680 SP
OL PEJETA 1680
Age 33y | Avg. WI -
Calves - | Weighed -
HVT 980014 SP
OUTSPAN HVT980014
TLM 020051 SP
KETA TLM 02 51
Age 16y | Avg. WI -
Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	91	105	87	99	104	101	84
75%	63%	75%	58%	54%	62%	35%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	89	82	80	70	87	97	111	130
48%	50%	18%	42%	55%	54%	29%	27%	26%

SELLER REMARKS: Young long bodied red cow. She has TLM02-12, HVT98-14, Nitro and HVT 97-17 in her breeding. Beautiful red heifer calf JVG25-36 at foot, sired by MS: AH 12-23/JVG 21-26.

LOT 19 (F)



MOS 210064

MOSDENE MOS 210064



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250427 (F)
Geb. datum	2025-06-12
Vaar ID	MOS 210052

Kalwings: 23-11, 25-06



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-05-12
Oud.	4j 4m
Inteling	0%
DNS	ZOCA2021-18055
OEK	30m
Kalwers	2
Geweeg	1
Gem. SI	82
TKP	585d

KOEIWAARDE 104

118	Kalfgemak Waarde
80	Kalfgroei Waarde
72	Melk Waarde
112	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 80

KARKAS WAARDE 76

PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: Samson and phebe combination . Marula 25 and Sunshine out of a direct Kenyan embryo cow Phebe with values to match . Heifer calf MOS250427 at foot sired by MOS 21 52.

WZ 130051 SP
WILZAK SAMSON
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

D 120090 SP
DELBOR PHEBE

Oud. 13j | OEK 27m | TKP 514d
Kalwers 8 | Geweeg 4 | Spn. Mat. 60
Gem. SI 89 | KKG 8.77 | KKS 47
Kalwings: 14-09, 16-05, 17-10, 18-12, 21-05, 22-06, 23-06, 24-07

CFH 070065 SP
ELANDSPRUIT AMARULA
Spn Mat. 131

N 080022 SP
EERSTEGELUK-BAAS SUNSHINE

Oud. 14j | OEK - | TKP 378d
Kalwers 9 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG 8.77 | KKS 47

KPO622 SP
OL PEJETA 622
Spn Mat. 76

KPO925 SP
OL PEJETA KPO 925

Oud. 28j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG 8.77 | KKS 47

25 SP
MARULA 25

4238 SP
OL PEJETA 4238
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -

TLM 020038 SP
KETA TLM020038
BA 040016 SP
BA BA 04 16
Oud. 11j | Gem. SI -
Kalwers 6 | Geweeg -

1607
1607
4566
4566
Oud. 43j | Gem. SI -
Kalwers - | Geweeg -
KPO 1485 SP
OL PEJETA 1485
KPO277
OL PEJETA KPO 277
Oud. 40j | Gem. SI -
Kalwers - | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
119	99	80	72	85	126	109	104
76%	66%	77%	65%	31%	62%	36%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	80	73	92	85	84	91	91	83
30%	28%	21%	42%	31%	30%	26%	24%	24%

LOT 20 (F)



MOS 220122

MOSDENE MOS220122



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-04-24
Oud.	3j 5m
Inteling	1%
DNS	U9396U016

KOEIWAARDE 103

98	Kalfgemak Waarde
127	Kalfgroei Waarde
98	Melk Waarde
84	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 117

KARKAS WAARDE 121

PRODUKSIE WAARDE 109

VERKOPER OPMERKINGS: on sire side going back 3 times to the cow 4203 (Mother of Buffel) on the dam side Jumbo , Boerboel and 3534! 9 Months in calf to PRB 18 15 ,E 20 49 or MOS 20 192

MC 180088 HH SP
MCS MC1888
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 190192 SP
CIRCLE H BH 190192

Oud. 6j | OEK 32m | TKP 472d
Kalwers 3 | Geweeg 2 | Spn. Mat. 120
Gem. SI 124 | KKG - | KKS 48.5
Kalwings: 22-04, 23-06, 24-11

MC 120224 HH SP
MCS MC12224
Spn Mat. 98

MC 150006 SP
MCS MC15006

Oud. 10j | OEK 33m | TKP 440d
Kalwers 7 | Geweeg - | Spn. Mat. 86
Gem. SI - | KKG - | KKS 48.5

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 104

BH 140054 SP
CIRCLE H BH 140054

Oud. 11j | OEK 40m | TKP 450d
Kalwers 7 | Geweeg 5 | Spn. Mat. 103
Gem. SI 110 | KKG - | KKS 48.5

CI 080047 DH SP
CIRCLE C CI080047

FN 090627 SP
FONTEINE FN 09 627
Oud. 3j | Gem. SI -
Kalwers - | Geweeg -
MXM100454 SP
MAMBUSHI 10-0454MXM

CI 070099 DH SP
CIRCLE C CI070099
Oud. 16j | Gem. SI -
Kalwers 9 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN

HOT 100024 SP
HOTSPOT JASMINE
Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -
BBN 060008 SP
BORANA BOERBULL

09-0013KG SP
KIM
Oud. 15j | Gem. SI 92
Kalwers 11 | Geweeg 1

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	101	127	98	116	86	94	109
73%	48%	75%	44%	24%	46%	27%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	128	126	117	110	115	118	113	97
28%	23%	13%	28%	25%	24%	22%	21%	21%

LOT 21 (F)



KW 220272

KWANARE KW 22 272



Herd Book	SP
Birth date	2022-12-31
Age	2y 9m
Inbreeding	6%
DNA	U13415U138

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100	
113	Calving Ease Value
92	Calf Growth Value
91	Milk Value
118	Maintenance Value
88	Fertility Value
GROWTH VALUE 90	
CARCASS VALUE 93	
PRODUCTION VALUE 96	

EMD 160078 HH SP
OOSTENWAL EMD 160078
Wean Mat. 70

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

LUD 120053 SP
LUD LUD12053
Age 11y | AFC 34m | ICP 373d
Calves 8 | Weighed 2 | Wean Mat. 113
Avg. WI 113 | CCB - | CCW 58.3
Calvings: 15-11, 16-12, 17-10, 18-10, 19-09, 20-10, 22-02, 22-12

FS 090005 SP
KROMSPRUIT FS 090005
Wean Mat. 86

EMD 120008 SP
OOSTENWAL EMD120008
Age 13y | AFC 41m | ICP 363d
Calves 10 | Weighed 1 | Wean Mat. 85
Avg. WI 104 | CCB - | CCW 58.3

KMF 090010 SP
MAXIMUS
Wean Mat. 102
CFH 070193 SP
ELANDSPRUIT CFH07193
Age 12y | AFC - | ICP 360d
Calves 9 | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW 58.3

B 040050 SP
BORGEN B 04 50
HVT 950012 SP
OUTSPAN HVT950012
Age 21y | Avg. WI -
Calves 8 | Weighed -
TLM 000011 SP
KETA TLM000011
CFH 070215 SP
ELANDSPRUIT CFH07215
Age 15y | Avg. WI -
Calves 8 | Weighed -
B 040001 SP
BORGEN B 04001
CFH 060501 SP
ELANDSPRUIT CFH060501
Age 17y | Avg. WI -
Calves 13 | Weighed -
B 040001 SP
BORGEN B 04001
HVT 010030 SP
OUTSPAN HVT 01 30
Age 17y | Avg. WI -
Calves 3 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	101	92	91	94	93	87	99
73%	50%	41%	44%	32%	43%	31%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	93	91	84	98	95	82	132	113
30%	29%	15%	26%	32%	31%	27%	25%	25%

SELLER REMARKS: First EMD 16 078 daughter to come on auction from Kwanare. Unsurpassed fertility in all the cows in her background! Linebred Ramaphosa. 6m ICT M/S EMD 16 078/DBC 15 043

LOT 22 (F)



KW 210616

KWANARE KW 21 616



Herd Book	SP
Birth date	2021-04-08
Age	4y 6m
Inbreeding	0%
DNA	U13415U062
AFC	41m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056



Last Calf	
Calf ID	KW 240749 (M)
Birth Date	2024-08-30
Sire ID	DBC 150043

Calvings: 24-08

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 94	
89	Calving Ease Value
108	Calf Growth Value
69	Milk Value
103	Maintenance Value
107	Fertility Value
GROWTH VALUE 94	
CARCASS VALUE 98	
PRODUCTION VALUE 92	

D 140139 SP
DELBOR D14139 VIKING
Wean Mat. 53

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

KMF 110028 SP
JONAZELL KMF110028
Age 14y | AFC 31m | ICP 435d
Calves 10 | Weighed 1 | Wean Mat. 81
Avg. WI 85 | CCB - | CCW 38.9
Calvings: 13-12, 14-11, 15-11, 16-10, 17-10, 19-01, 19-12, 21-04, 23-02, 24-09

1831LXIX SP
OL PEJETA KPO 1294
Wean Mat. 95

F/17780 SP
OL PEJETA KPO 1299
Age 22y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 67
Avg. WI - | CCB - | CCW 38.9

MHB 030006 SP
MOLL'S-HOOP CHICO
Wean Mat. 90
KMF 080004 SP
KMF0804
Age 14y | AFC - | ICP 375d
Calves 11 | Weighed 3 | Wean Mat. 97
Avg. WI 108 | CCB - | CCW 38.9

PB/12106
MOGWONNI 3375
PB/12711 SP
OL PEJETA KPO 1211
Age 23y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9
KPO0764
OL PEJETA KPO 764
Age 29y | Avg. WI -
Calves - | Weighed -
KPO786 SP
OL PEJETA 786
K6K2184 SP
MOGWONNI 2184
Age 34y | Avg. WI -
Calves - | Weighed -
MHB 040023 SP
MOLL'S-HOOP KING
CFH 060495 SP
ELANDSPRUIT CFH 06 495
Age 15y | Avg. WI -
Calves 11 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	100	108	69	88	98	110	104
77%	66%	76%	56%	41%	64%	30%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	99	104	97	113	103	92	95	96
42%	37%	20%	41%	42%	40%	36%	33%	32%

SELLER REMARKS: Daughter of the Bont, polled Viking. 6m ICT M/S EMD 16 078/DBC 15 043.

LOT 24 (M)



LE 180025 HH

AMAZING LE180025



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

GEbruik in KUDDE (27)



Miostatien

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2018-09-28
Oud.	6j 12m
Inteling	0%
DNS	USC036454

Z 060051 SP

HLANZENI 20651 - MR MILLION
Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

LE 130022 SP

AMAZING LE 130022

Oud. 11j | OEK 37m | TKP 393d
Kalwers 7 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG 7.22 | KKS -
Kalwings: 16-12, 18-08, 19-12,
20-10, 21-09, 22-12, 24-04

KPO794 SP

OL PEJETA 794

Spn Mat. 94

K6K2386 SP

MOGWONI 2386

Oud. 32j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 130
Gem. SI - | KKG 7.22 | KKS -

TLM 020004 SP

KETA TLM020004 CAESAR

Spn Mat. 89

JH 100068 SP

MARONES JH100068

Oud. 15j | OEK - | TKP -
Kalwers 11 | Geweeg 2 | Spn. Mat. 94
Gem. SI 103 | KKG 7.22 | KKS -

KPO1279 SP

OL PEJETA 1279

1600 SP

OL PEJETA 1600

Oud. 65j | Gem. SI -

Kalwers - | Geweeg -

2669

2669

722

Oud. 43j | Gem. SI -

Kalwers - | Geweeg -

K6K2459 SP

MOGWONI K6K2459

KPO898 SP

OL PEJETA KPO 898

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

JH 060004 SP

MARONES JH060004

JH 070024 SP

MARONES JH070024

Oud. 5j | Gem. SI 97

Kalwers 2 | Geweeg 2

KOEIWAARDE 107

119	Kalfgemak Waarde
99	Kalfgroei Waarde
103	Melk Waarde
80	Onderhoudswaarde
113	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 103

PRODUKSIE WAARDE 108



EBV Analise 2025-08-19

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
111	115	99	103	97	94	122	107	
89%	88%	88%	88%	87%	88%	87%	89%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	112	118	123	112	105	99	86	121
87%	87%	85%	87%	87%	87%	86%	86%	86%

VERKOPER OPMERKINGS: A Mr Million son and a Caesar grandson in one bull!!! He is bred out of tried and tested bloodlines such as 2459, TLM04-505 and a touch of 794 Kenya influence and KB32X Zambian influence.

LOT 25 (M)



BAS 210447

BOTHASBERG BAS 210447



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Kuddeboek	SP
Geb. dtm	2021-10-09
Oud.	3j 12m
Inteling	1%
DNS	U23873U004

ECC 180020 SP

AFRI-BOR ECC180020

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BAS 180198 SP

BOTHASBERG MOLLIE

Oud. 7j | OEK 27m | TKP 460d
Kalwers 5 | Geweeg 2 | Spn. Mat. 122
Gem. SI 109 | KKG - | KKS 51.9
Kalwings: 20-08, 21-10, 22-09,
23-09, 25-08

CFH 070279 SP

ELANDSPRUIT CFH07279

Spn Mat. 106

ECC 130005 SP

AFRI-BOR ECC 1305

Oud. 12j | OEK 60m | TKP 583d
Kalwers 5 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS 51.9

ECC 100020 SP

AFRI-BOR 1020

Spn Mat. 117

BAS 130085 SP

BOTHASBERG MOLLIE

Oud. 11j | OEK 34m | TKP 459d
Kalwers 5 | Geweeg 1 | Spn. Mat. 122
Gem. SI 89 | KKG - | KKS 51.9

Z 040061 SP

HLANZENI Z 04 61

Z 980105 SP

HLANZENI Z 98 105

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

B 040042 SP

BORGEN B 04 42

CFH 050560 SP

ELANDSPRUIT CFH 05 560

Oud. 19j | Gem. SI 100

Kalwers 9 | Geweeg 1

N 040003 SP

EERSTEGELUK-BAS N 04 03 -YSTE

B 020013 SP

BORGEN B 02 13

Oud. 10j | Gem. SI -

Kalwers 7 | Geweeg -

B 060126 SP

BORGEN B060126

B 040003 SP

BORGEN B 04 03

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -

KOEIWAARDE 94

85	Kalfgemak Waarde
131	Kalfgroei Waarde
103	Melk Waarde
71	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 122

KARKAS WAARDE 129

PRODUKSIE WAARDE 103



EBV Analise 2025-08-19

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
81	102	131	103	118	92	102	91	
42%	34%	71%	47%	30%	48%	29%	48%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
129	130	123	136	127	132	115	105	110
30%	28%	10%	33%	30%	29%	26%	25%	24%

VERKOPER OPMERKINGS: This young bull blends proven Boran genetics, tracing back to Segera 494, 1603 and KPO 622, sires. Known for adaptability, structure and maternal quality with a touch of KPO 786 his pedigree is anchored in consistency.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 26 (M)



EMD 200150

OOSTENWAL EMD 200150



Herd Book	SP
Birth date	2020-11-27
Age	4y 10m
Inbreeding	1%
DNA	ZOCA2021-13053

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

USED IN HERD (19)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 97

97	Calving Ease Value
109	Calf Growth Value
106	Milk Value
79	Maintenance Value
103	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 108

PRODUCTION VALUE 101



EBV Analysis 2025-08-19

BAS 150121 SP
BOTHASBERG ROBOT
Wean Mat. 128

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ECC 150001 SP
AFRI-BOR ECC150001
Age 6y | AFC 50m | ICP 623d
Calves 2 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -
Calvings: 19-03, 20-11

SWR 090028 SP
ASHREE BOBBY 090028
Wean Mat. 142

BAS 120059 SP
BOTHASBERG VOORSTEL
Age 12y | AFC 34m | ICP 465d
Calves 8 | Weighed 2 | Wean Mat. 109
Avg. WI 106 | CCB - | CCW -

B 040042 SP
BORGEB B 04 42
Wean Mat. 85

ECC 080007 SP
AFRI-BOR ECC08007
Age 16y | AFC 25m | ICP -
Calves 10 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

HVT 980022 SP
OUTSPAN HVT980022

BA 050031 SP
BA OLIFANT
Age 5y | Avg. WI -
Calves 4 | Weighed -
B 050100 SP
BORGEB B 05 100
BAS 100022 SP
BOTHASBERG VOORKOMS
Age 13y | Avg. WI 94
Calves 9 | Weighed 2
KP0786 SP
OL PEJETA 786
8334 SP
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
N 040003 SP
EERSTEGELUK-BAS N 04 03 -YSTE
BA 040002 SP
BA BA 04 02
Age 15y | Avg. WI -
Calves 8 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	100	109	106	97	95	104	110
44%	38%	43%	40%	42%	49%	32%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	107	104	124	124	117	107	96	99
34%	40%	14%	31%	44%	43%	40%	37%	36%

SELLER REMARKS: A powerful, meat-carrying bull - hard as a rock with excellent muscling and depth. From the rare Mutara 6829 line, out of the beautiful white cow Mutara 8334.

LOT 27 (M)



KW 200524

KWANARE KW 20 524



Herd Book	SP
Birth date	2020-10-21
Age	4y 11m
Inbreeding	1%
DNA	U18584U002

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 95

94	Calving Ease Value
108	Calf Growth Value
73	Milk Value
96	Maintenance Value
107	Fertility Value

GROWTH VALUE 84

CARCASS VALUE 101

PRODUCTION VALUE 89



EBV Analysis 2025-08-19

D 140139 SP
DELBOR D14139 VIKING
Wean Mat. 53

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

LUD 130571 SP
LUD LUD130571
Age 11y | AFC 35m | ICP 445d
Calves 8 | Weighed 3 | Wean Mat. 91
Avg. WI 100 | CCB - | CCW 50.9
Calvings: 16-10, 17-11, 18-12, 19-11, 20-10, 22-06, 23-12, 25-05

1831LXIX SP
OL PEJETA KPO 1294
Wean Mat. 95

F/17780 SP
OL PEJETA KPO 1299
Age 22y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 67
Avg. WI - | CCB - | CCW 50.9

KMF 090010 SP
MAXIMUS
Wean Mat. 102

KMF 110028 SP
JONAZELL KMF110028
Age 14y | AFC 31m | ICP 435d
Calves 10 | Weighed 1 | Wean Mat. 81
Avg. WI 85 | CCB - | CCW 50.9

PB/12106
MOGWONNI 3375
PB/12711 SP
OL PEJETA KPO 1211
Age 23y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9
KPO0764
OL PEJETA KPO 764
Age 29y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEB B 040001
CFH 060501 SP
ELANDSPRUIT CFH060501
Age 17y | Avg. WI -
Calves 13 | Weighed -
MHB 030006 SP
MOLL'S-HOOP CHICO
KMF 080004 SP
KMF0804
Age 14y | Avg. WI 108
Calves 11 | Weighed 3

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	94	108	73	102	100	109	106
76%	61%	76%	57%	71%	54%	27%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	110	126	103	108	101	106	92	89
52%	60%	20%	39%	73%	69%	63%	56%	54%

SELLER REMARKS: Masculine polled bull out of Bont polled sire, and one of our most fertile and long lived mother lines

LOT 28 (F)



LE 220019

AMAZING LE220019

Kuddeboek	SP
Geb. dtm	2022-11-21
Oud.	2j 10m
Inteling	3%
DNS	UI2632U006



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

KOEIWAARDE	83
100	Kalfgemak Waarde
89	Kalfgroei Waarde
99	Melk Waarde
95	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE	104
KARKAS WAARDE	96
PRODUKSIE WAARDE	87



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: This first-time calf cow is a Granddaughter of the 'beef machine' DVB04-03, she is 6 months in calf to M/S EMD17-33 or LE18-25. She is bred out of tried and tested bloodlines with bulls such as HVT95-21, E06-05, KP0786, Koning, and Buffel.

LE 170050 SP
AMAZING LE170050
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

LE 190129 SP
AMAZING LE 190129
Oud. 4j | OEK 37m | TKP 566d
Kalwers 2 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG - | KKS -
Kalwings: 22-11, 24-06

MB 090301 SP
MON-BIJOU SMALDEEL MARIUS
Spn Mat. 81

NJS 110047 SP
MASUNISO NJS110047
Oud. 6j | OEK - | TKP 655d
Kalwers 3 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

LE 120011 SP
AMAZING LE120011
Spn Mat. 105

LE 140004 SP
AMAZING LE 140004
Oud. 6j | OEK 30m | TKP 554d
Kalwers 3 | Geweeg 1 | Spn. Mat. 109
Gem. SI 110 | KKG - | KKS -

HVT 950021 SP
OUTSPAN HVT950021
CFH 070170 SP
ELANDSPRUIT CFH07170
Oud. 17j | Gem. SI 85
Kalwers 11 | Geweeg 1
Z 060017 SP
HLANZENI Z0617
B 050062 SP
BORGES B 05 62
Oud. 12j | Gem. SI -
Kalwers 6 | Geweeg -
DVB 040003 SP
DIAMANT-V 0403
JH 090064 SP
MARONES JH090064
Oud. 15j | Gem. SI 130
Kalwers 9 | Geweeg 1
E 060005 HH SP
TAMBARINE E 06 05
NJS 110082 SP
MASUNISO NJS 110082
Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -

LOGIX
GENETICS CHINA
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	90	89	99	96	99	93	101
44%	36%	31%	31%	20%	40%	25%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	100	93	104	98	95	97	110	103
20%	19%	9%	23%	21%	20%	16%	15%	15%

LOT 29 (F)



LE 160017

AMAZING LE 160017

Kuddeboek	SP
Geb. dtm	2016-09-23
Oud.	9j
Inteling	1%
DNS	U347490
OEK	37m
Kalwers	7
Geweeg	0
Gem. SI	-
TKP	353d



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

KOEIWAARDE	82
112	Kalfgemak Waarde
85	Kalfgroei Waarde
96	Melk Waarde
93	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE	98
KARKAS WAARDE	85
PRODUKSIE WAARDE	83



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kalwings: 19-10, 21-02, 21-12, 22-12, 23-11, 24-09, 25-08

CI 070034 SP
CIRCLE C CI070034- JUNIOR
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JH 100068 SP
MARONES JH100068
Oud. 15j | OEK - | TKP -
Kalwers 11 | Geweeg 2 | Spn. Mat. 94
Gem. SI 103 | KKG 6.75 | KKS 46.3
Kalwings: 14-08, 15-10, 16-10,
17-09, 18-09, 19-08, 20-07, 21-11,
22-11, 23-10, 24-09

TLM 020001 SP
KETA TLM020001 - BUFFEL
Spn Mat. 93

GF39T D SP
GRASMERE GF 39T
Oud. 18j | OEK - | TKP -
Kalwers 9 | Geweeg - | Spn. Mat. 74
Gem. SI - | KKG 6.75 | KKS 46.3

JH 060004 SP
MARONES JH060004
Spn Mat. 125

JH 070024 SP
MARONES JH070024
Oud. 5j | OEK 33m | TKP (donor)
Kalwers 2 | Geweeg 2 | Spn. Mat. 57
Gem. SI 97 | KKG 6.75 | KKS 46.3

K6K2459 SP
MOGWONNI K6K2459
KPO4203 SP
OL PEJETA KPO 4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -
GF13L
GRASMERE 13L
GF72M
GRASMERE 72 M
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
KB32X SP
KETA KB X 32
TLM 030059 SP
KETA TLM 03 59
Oud. 14j | Gem. SI 109
Kalwers 8 | Geweeg 5
TLM 040505 SP
KETA TLM 04 505
B 010020 SP
OUTSPAN B 01 020
Oud. 18j | Gem. SI -
Kalwers 4 | Geweeg -

LOGIX
GENETICS CHINA
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	118	85	96	71	90	89	108
63%	61%	61%	60%	44%	59%	45%	68%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	95	98	106	96	84	95	86	100
50%	41%	27%	48%	44%	43%	36%	34%	33%

VERKOPER OPMERKINGS: A Junior daughter, with bull calf LE25-06 sired by M/S EMD17-33/ LE18-25. She boasts with an ICP of 353 over 7. She goes back to B01-20, which has truly left a mark on the breed. Bulls in her pedigree consist of 2459, TLM04-505, HVT96-18, and some Zambian influence through Buffel and KB 32 X.

LOT 30 (F)



BAS 230615
BOTHASBERG BAS 230615



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Herd Book	SP
Birth date	2023-10-05
Age	1y 12m
Inbreeding	0%
DNA	U19245U057

FN 190062 HH SP
FONTEINE FN190062
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 200289 SP
BOTHASBERG KISIMA
Age 5y | AFC 42m | ICP 562d
Calves 2 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW -
Calvings: 23-10, 25-04

FN 110229 HH SP
FONTEINE FN 110229
Wean Mat. 90

FN 140080 SP
FONTEINE FN 14 80
Age 8y | AFC 37m | ICP 430d
Calves 4 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -

AAA 080045 SP
TRIPLE A AAA 080045
Wean Mat. 70

BAS 090016 SP
BOTHASBERG BAS 090016
Age 15y | AFC 33m | ICP -
Calves 13 | Weighed 2 | Wean Mat. 87
Avg. WI 85 | CCB - | CCW -

FN 050028 SP
FONTEINE CHURCHILL FN0528
FN 040023 SP
FONTEINE FN 04 23
Age 14y | Avg. WI -
Calves 4 | Weighed -
CI 070115 HH SP
CIRCLE C C1070115 - ATILLA
FN 090039 SP
FONTEINE FN0939
Age 15y | Avg. WI 109
Calves 11 | Weighed 2
KP0548 SP
SOLIO 548/SI
V7Y7653 SP
KISIMA V7Y7653
Age 31y | Avg. WI -
Calves 1 | Weighed -
HVT 980001 HH SP
OUTSPAN HVT980001
B 050059 SP
BORGEN B 05 59
Age 20y | Avg. WI 88
Calves 17 | Weighed 3

COW VALUE 109

85	Calving Ease Value
116	Calf Growth Value
86	Milk Value
96	Maintenance Value
118	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 113

PRODUCTION VALUE 115

LOGIX
GENETICS CENTRAL
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	84	116	86	111	107	118	112
48%	37%	47%	37%	32%	42%	26%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	115	110	103	118	115	115	100	110
30%	31%	10%	26%	33%	33%	29%	28%	27%

SELLER REMARKS: An open heifer backed by the strength of B 05 59 and HVT 98 01, with her sire line tracing to 3094 and Segera 3089. A functional female offering fertility, adaptability, and the proven maternal depth of cornerstone Boran Genetics.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 31 (F)



BAS 230586
BOTHASBERG BAS 230586



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Herd Book	SP
Birth date	2023-08-05
Age	2y 2m
Inbreeding	0%
DNA	U19245U035

FN 190062 HH SP
FONTEINE FN190062
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 200292 SP
BOTHASBERG ROSIE
Age 5y | AFC 39m | ICP 634d
Calves 2 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -
Calvings: 23-08, 25-04

FN 110229 HH SP
FONTEINE FN 110229
Wean Mat. 90

FN 140080 SP
FONTEINE FN 14 80
Age 8y | AFC 37m | ICP 430d
Calves 4 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -

AAA 080045 SP
TRIPLE A AAA 080045
Wean Mat. 70

BAS 150118 SP
BOTHASBERG ROSIE
Age 10y | AFC 37m | ICP 491d
Calves 6 | Weighed 2 | Wean Mat. 118
Avg. WI 95 | CCB - | CCW -

FN 050028 SP
FONTEINE CHURCHILL FN0528
FN 040023 SP
FONTEINE FN 04 23
Age 14y | Avg. WI -
Calves 4 | Weighed -
CI 070115 HH SP
CIRCLE C C1070115 - ATILLA
FN 090039 SP
FONTEINE FN0939
Age 15y | Avg. WI 109
Calves 11 | Weighed 2
KP0548 SP
SOLIO 548/SI
V7Y7653 SP
KISIMA V7Y7653
Age 31y | Avg. WI -
Calves 1 | Weighed -
SWR 090028 SP
ASHREE BOBBY 090028
CFH 060500 SP
ELANDSPRUIT CFH060500
Age 10y | Avg. WI -
Calves 7 | Weighed -

COW VALUE 107

85	Calving Ease Value
116	Calf Growth Value
94	Milk Value
85	Maintenance Value
121	Fertility Value

GROWTH VALUE 122

CARCASS VALUE 118

PRODUCTION VALUE 114

LOGIX
GENETICS CENTRAL
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	84	116	94	105	112	120	113
47%	36%	46%	37%	31%	42%	26%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	120	113	116	118	118	123	104	111
30%	29%	9%	25%	32%	31%	28%	26%	26%

SELLER REMARKS: 6 Months in calf to FN 20 04 / BAS 19 261. Sired from lines tracing to 3094 and Segera 3089, out of a dam that carries the rare influence of Solio 548. A functional heifer combining proven fertility and growth with uncommon depth of pedigree.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 32 (F)



BAS 220521

BOTHASBERG BAS 220521



Kuddeboek	SP
Geb. dtm	2022-10-15
Oud.	2j 11m
Inteling	1%
DNS	U22142U063
OEK	32m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Laaste Kalf	
Kalf ID	BAS 250778 (F)
Geb. datum	2025-06-24
Vaar ID	BAS 160151

Kalwings: 25-06

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



ECC 180020 SP
AFRI-BOR ECC180020
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BAS 150130 SP
BOTHASBERG PRUIM

Oud. 9j | OEK 34m | TKP 471d
Kalwers 6 | Geweeg 1 | Spn. Mat. 89
Gem. SI 100 | KKG - | KKS -
Kalwings: 18-09, 19-11, 21-10,
22-10, 23-11, 25-02

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 106

ECC 130005 SP
AFRI-BOR ECC 1305
Oud. 12j | OEK 60m | TKP 583d
Kalwers 5 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS -

B 050023 SP
BORGEB B 05 23
Spn Mat. 78

BAS 120056 SP
BOTHASBERG BAS 120056

Oud. 10j | OEK 36m | TKP 495d
Kalwers 5 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG - | KKS -

Z 040061 SP
HLANZENI Z 04 61
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
B 040042 SP
BORGEB B 04 42
CFH 050560 SP
ELANDSPRUIT CFH 05 560
Oud. 19j | Gem. SI 100
Kalwers 9 | Geweeg 1
HVT 980001 HH SP
OUTSPAN HVT980001
B 010004 SP
BORGEB B 01 04
Oud. 17j | Gem. SI -
Kalwers 1 | Geweeg -
B 050100 SP
BORGEB B 05 100
CFH 060810 SP
ELANDSPRUIT CFH06810
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 83

82	Kalfgemak Waarde
115	Kalfgroei Waarde
88	Melk Waarde
89	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 110

PRODUKSIE WAARDE 89

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
80	98	115	88	111	90	94	98
42%	33%	49%	36%	27%	47%	27%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	113	108	112	109	109	103	102	99
28%	24%	10%	24%	27%	26%	23%	21%	21%

VERKOPER OPMERKINGS: Combines Borgen B 05 23 and B 05 100 and is uniquely the only descendant of ADC Mutara 6829. With functional type and adaptability she sells with heifer calf BAS 25 778 at foot from BAS160151 offering pedigree depth and rare genetic value.

LOT 33 (F)



EMD 200075

OOSTENWAL EMD 200075



Kuddeboek	SP
Geb. dtm	2020-08-05
Oud.	5j 2m
Inteling	3%
DNS	Z2595U078
OEK	42m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 240103 (M)
Geb. datum	2024-02-01
Vaar ID	EMD 170011

Kalwings: 24-02

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



DVB 100032 SP
DIAMANT-V 1032
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 140023 SP
OOSTENWAL EMD 140023

Oud. 10j | OEK 41m | TKP 463d
Kalwers 6 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 18-04, 19-07, 20-08,
21-10, 22-10, 24-08

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Spn Mat. 110

TLM 040017 SP
KETA TLM 04 17

Oud. 11j | OEK 33m | TKP 385d
Kalwers 8 | Geweeg 1 | Spn. Mat. 85
Gem. SI 100 | KKG - | KKS -

FN 080217 SP
FONTEINE FN08217
Spn Mat. 108

EMD 120002 SP
OOSTENWAL EMD120002

Oud. 11j | OEK 34m | TKP 1056d
Kalwers 3 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 000011 SP
KETA TLM000011
TLM 010003 SP
KETA TLM 01 3
Oud. 18j | Gem. SI 101
Kalwers 10 | Geweeg 3
TLM 010001 SP
KETA TLM010001 - NAPOLEON
Z 970043 SP
HLANZENI Z970043
Oud. 15j | Gem. SI -
Kalwers 7 | Geweeg -
DVB 050002 SP
DIAMANT-V DVB 05 02
CFH 080020 SP
ELANDSPRUIT CFH 08 0020
Oud. 15j | Gem. SI -
Kalwers 10 | Geweeg -

KOEIWAARDE 85

99	Kalfgemak Waarde
108	Kalfgroei Waarde
98	Melk Waarde
101	Onderhoudswaarde
71	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 99

PRODUKSIE WAARDE 88

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	99	108	98	110	70	76	101
45%	43%	49%	46%	44%	66%	37%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	107	105	97	97	94	92	108	108
34%	41%	18%	34%	44%	43%	40%	38%	37%

VERKOPER OPMERKINGS: A deep red cow carrying the strength of proven old genetics. Backed by Segera 494 and Napoleon 9717, she offers heritage quality with lasting production value. 9 mths in calf to EMD 19117 / NCT 1911 / BWS 19111 / FN 20 0108.

LOT 34 (F)



EMD 190061

OOSTENWAL EMD 190061



Herd Book	SP
Birth date	2019-08-29
Age	6y 1m
Inbreeding	2%
DNA	UA542077
AFC	33m
Calves	3
Weighed	0
Avg. WI	-
ICP	543d

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 250035 (F)
Birth Date	2025-05-23
Sire ID	EMD 170011

Calvings: 22-06, 23-10, 25-05



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 101	
100	Calving Ease Value
111	Calf Growth Value
108	Milk Value
95	Maintenance Value
89	Fertility Value
GROWTH VALUE 115	
CARCASS VALUE 110	
PRODUCTION VALUE 106	

SELLER REMARKS: Deep-sided, clean-fronted, and beautifully feminine – EMD 1961 is the kind that builds herds. She sells with a standout heifer calf EMD250035 by EMD 1711 (Kortman), combining the proven genetics of TLM0011, Moll's-Hoop Cindy, and Forrester.

DVB 100032 SP
DIAMANT-V 1032
Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EMD 130018 SP
OOSTENWAL EMD1318

Age 12y | AFC 35m | ICP 481d
Calves 7 | Weighed - | Wean Mat. 114
Avg. WI - | CCB - | CCW -
Calvings: 16-07, 17-07, 18-09,
19-08, 20-08, 22-07, 24-05

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Wean Mat. 110

TLM 040017 SP
KETA TLM 04 17
Age 11y | AFC 33m | ICP 385d
Calves 8 | Weighed 1 | Wean Mat. 85
Avg. WI 100 | CCB - | CCW -

WJ 100064 SP
JANSON WJ100064
Wean Mat. 116

EMD 110002 SP
OOSTENWAL EMD110002
Age 12y | AFC 26m | ICP 481d
Calves 6 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -

TLM 020001 SP
KETA TLM020001 - BUFFEL

TLM 020017 SP
KETA TLM 02 17
Age 12y | Avg. WI 103
Calves 9 | Weighed 4

TLM 000011 SP
KETA TLM000011

TLM 010003 SP
KETA TLM 01 3
Age 18y | Avg. WI 101
Calves 10 | Weighed 3

E 060005 HH SP
TAMBARAINE E 06 05

MHB 070003 SP
MOLL'S-HOOP CINDY
Age 14y | Avg. WI -
Calves 8 | Weighed -

B 050106 SP
BORGEN B 05 106

CFH 080374 SP
ELANDSPRUIT CFH08374
Age 16y | Avg. WI 89
Calves 12 | Weighed 1

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	105	111	108	117	97	87	94
45%	46%	49%	45%	46%	65%	41%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	117	116	102	111	105	94	109	96
35%	42%	18%	33%	46%	45%	42%	39%	38%

LOT 35 (F)



EMD 220155

OOSTENWAL MARIAANA



Herd Book	SP
Birth date	2022-10-17
Age	2y 11m
Inbreeding	0%
DNA	ZOCA2022-39110
AFC	32m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 250053 (M)
Birth Date	2025-06-08
Sire ID	BR 180102

Calvings: 25-06



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100	
91	Calving Ease Value
107	Calf Growth Value
99	Milk Value
94	Maintenance Value
106	Fertility Value
GROWTH VALUE 112	
CARCASS VALUE 110	
PRODUCTION VALUE 105	

SELLER REMARKS: A quality cow backed by industry greats - Loreal, Napoleon, Solio 460, and Yster. She sells with a strong bull calf EMD250053 at foot, sired by BR18102.

ECC 180004 HH SP
AFRI-BOR ECC180004
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EMD 170057 SP
OOSTENWAL EMD 170057
Age 7y | AFC 32m | ICP 387d
Calves 5 | Weighed - | Wean Mat. 99
Avg. WI - | CCB - | CCW -
Calvings: 20-06, 21-07, 22-10,
23-08, 24-09

CFH 070279 SP
ELANDSPRUIT CFH07279
Wean Mat. 106

ECC 130021 SP
AFRI-BOR ECC1321
Age 6y | AFC 39m | ICP 406d
Calves 3 | Weighed - | Wean Mat. 99
Avg. WI - | CCB - | CCW -

CI 110141 SP
CIRCLE C CI110141
Wean Mat. 103

EMD 150023 SP
OOSTENWAL EMD 150023
Age 10y | AFC 28m | ICP 497d
Calves 6 | Weighed 2 | Wean Mat. 95
Avg. WI 99 | CCB - | CCW -

Z 040061 SP
HLANZENI Z 04 61

Z 980105 SP
HLANZENI Z 98 105
Age 17y | Avg. WI -
Calves 4 | Weighed -

BA 040015 SP
BA BA 04 15

ECC 100017 SP
AFRI-BOR 1017
Age 9y | Avg. WI -
Calves 2 | Weighed -

TLM 020001 SP
KETA TLM020001 - BUFFEL

HOT 070008 HH SP
HOTSPOT BIANCA
Age 18y | Avg. WI 97
Calves 13 | Weighed 7

FN 080217 SP
FONTEINE FN08217

EMD 110005 SP
OOSTENWAL EMD 110005
Age 14y | Avg. WI 89
Calves 10 | Weighed 1

LOGIX
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	92	107	99	102	98	108	107
38%	33%	38%	32%	20%	59%	27%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	114	108	105	109	111	106	109	111
29%	19%	10%	21%	21%	20%	17%	16%	16%

LOT 36 (F)



MOS 230390

MOSDENE MOS230390



Kuddeboek	SP
Geb. dtm	2023-07-19
Oud.	2j 2m
Inteling	2%
DNS	U14522U022

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 180144 SP
TAMBARAINE E180144
Oud. 7j | OEK 33m | TKP 453d
Kalwers 4 | Geweeg 3 | Spn. Mat. 95
Gem. SI 99 | KKG - | KKS 52.9
Kalwings: 21-06, 22-07, 23-07, 25-03

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 106

BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 106
Gem. SI 108 | KKG - | KKS 52.9

E 150072 SP
TAMBARAINE E150072
Spn Mat. 94

E 160015 SP
TAMBARAINE E160015
Oud. 3j | OEK 31m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 98
Gem. SI 109 | KKG - | KKS 52.9

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

KP0786 SP
OL PEJETA 786

KP0725 SP
OL PEJETA 725

Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

MHB 060030 SP
MOLLS-HOOP RUSTIN

TLM 050044 SP
KETA TLM 05 44

Oud. 19j | Gem. SI 99
Kalwers 16 | Geweeg 11

B 080097 SP
BORGEN B08097

E 130065 HH SP
TAMBARAINE 130065

Oud. 11j | Gem. SI 98
Kalwers 8 | Geweeg 8

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

KOEIWAARDE 88

91	Kalfgemak Waarde
111	Kalfgroei Waarde
103	Melk Waarde
94	Onderhoudswaarde
83	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 106

PRODUKSIE WAARDE 91

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	91	111	103	107	87	81	102
75%	56%	78%	56%	36%	52%	34%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	104	99	104	95	108	116	86	94
42%	34%	19%	39%	36%	35%	31%	29%	29%

VERKOPER OPMERKINGS: Open heifer by Bolt (who sold for R700 000 on the Mosdene Production Auction) out of an ultimate daughter .

LOT 37 (F)



MOS 230297

MOSDENE MOS230297



Kuddeboek	SP
Geb. dtm	2023-06-05
Oud.	2j 4m
Inteling	0%
DNS	U13755U019

BH 180280 HH SP
CIRCLE H VALENTINO
Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 200091 SP
TAMBARAINE E200091
Oud. 5j | OEK 35m | TKP 581d
Kalwers 2 | Geweeg 2 | Spn. Mat. 90
Gem. SI 108 | KKG - | KKS 55.3
Kalwings: 23-06, 25-01

MHB 110042 SP
MOLLS-HOOP VIKING
Spn Mat. 112

BH 120056 SP
CIRCLE H VICTORIA
Oud. 12j | OEK 35m | TKP 499d
Kalwers 8 | Geweeg 3 | Spn. Mat. 110
Gem. SI 100 | KKG - | KKS 55.3

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 104

E 160206 SP
TAMBARAINE E160206
Oud. 8j | OEK 30m | TKP 457d
Kalwers 6 | Geweeg 5 | Spn. Mat. 79
Gem. SI 95 | KKG - | KKS 55.3

K6K3534 SP
MOGWOOINI K6K3534

K6K2748 SP
MOGWOOINI K6K2748

Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

NBOR060065 SP
NTABA NYONI 0665

NBOR090013 SP
NTABA NYONI 09 013

Oud. 15j | Gem. SI 99
Kalwers 10 | Geweeg 3

MHB 040027 SP
MOLLS-HOOP KHAN

HOT 100024 SP
HOTSPOT JASMINE

Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

B 080097 SP
BORGEN B08097

E 140008 SP
TAMBARAINE 140008

Oud. 5j | Gem. SI 91
Kalwers 3 | Geweeg 3

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

KOEIWAARDE 119

91	Kalfgemak Waarde
112	Kalfgroei Waarde
104	Melk Waarde
111	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 100

PRODUKSIE WAARDE 113

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	101	112	104	105	115	103	103
73%	48%	77%	48%	25%	42%	28%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	93	93	91	95	101	101	96	95
40%	23%	15%	32%	25%	25%	23%	22%	22%

VERKOPER OPMERKINGS: Open heifer by Valentino (Viking son) out of a Jumbo Daughter going back to B 08 97.

LOT 38 (F)

KW 220220
KWANARE KW 22 220

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056

Last Calf	
Calf ID	KW 240351 (M)
Birth Date	2024-11-21
Sire ID	DBC 190039

Calvings: 24-11



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-11-13
Age	2y 10m
Inbreeding	0%
DNA	U13415U131
AFC	24m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

COW VALUE 97

122	Calving Ease Value
106	Calf Growth Value
74	Milk Value
86	Maintenance Value
98	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 110

PRODUCTION VALUE 100

D 140139 SP
DELBOR D14139 VIKING
Wean Mat. 53

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BS 150035 SP
MOUNTAIN VIEW 1535

Age 10y | AFC 31m | ICP 361d
Calves 8 | Weighed 3 | Wean Mat. 98
Avg. WI 101 | CCB - | CCW 50
Calvings: 17-11, 18-11, 19-09,
20-08, 21-09, 22-11, 23-12, 24-10

1831LXIX SP
OL PEJETA KPO 1294
Wean Mat. 95

F/17780 SP
OL PEJETA KPO 1299

Age 22y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 67
Avg. WI - | CCB - | CCW 50

BS 080010 SP
MOUNTAIN VIEW 0810
Wean Mat. 91

BS 110003 SP
MOUNTAIN VIEW 1103
Age 14y | AFC - | ICP 472d
Calves 8 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW 50

PB/12106
MOGWONI 3375
PB/12711 SP
OL PEJETA KPO 1211
Age 23y | Avg. WI -
Calves - | Weighed -
NDA9 SP
NDAKAINI 8N9

KPO0764
OL PEJETA KPO 764
Age 29y | Avg. WI -
Calves - | Weighed -
N 040003 SP
EERSTEGELUK-BAS N 04 03 -YSTE

Z 010203 SP
HLANZENI Z 01 203
Age 16y | Avg. WI -
Calves 9 | Weighed -
TLM 050526 HH SP
KETA TLM 05 526 - KONING
BS 080014 SP
MOUNTAIN VIEW BELINDA
Age 16y | Avg. WI 88
Calves 10 | Weighed 1

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
122	102	106	74	105	80	109	106
75%	58%	57%	54%	38%	50%	25%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	116	119	116	119	112	100	95	96
42%	34%	19%	41%	39%	38%	33%	30%	29%

SELLER REMARKS: Selling our best! Calved at 24m and on course to calf again within the year! Calf unfortunately passed away due to predation. 6m ICT M/S EMD 16 078/DBC 15 043

LOT 39 (F)

KW 200466
KWANARE KW 20 466

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056

Last Calf	
Calf ID	KW 240913 (F)
Birth Date	2024-11-23
Sire ID	EMD 180036

Calvings: 23-09, 24-11



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-06-06
Age	5y 4m
Inbreeding	2%
DNA	U13415U048
AFC	39m
Calves	2
Weighed	0
Avg. WI	-
ICP	433d

COW VALUE 87

106	Calving Ease Value
72	Calf Growth Value
98	Milk Value
116	Maintenance Value
95	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 80

PRODUCTION VALUE 83

BS 140050 SP
MOUNTAIN VIEW BS1450
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MCS 170126 SP
MAFRED MCS 170126

Age 7y | AFC 29m | ICP 515d
Calves 4 | Weighed 1 | Wean Mat. 88
Avg. WI 90 | CCB - | CCW 35.5
Calvings: 20-06, 21-10, 23-05,
24-08

CI 070127 SP
CIRCLE C 070127 - MAGNUM
Wean Mat. 111

Z 010203 SP
HLANZENI Z 01 203
Age 16y | AFC 38m | ICP -
Calves 9 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW 35.5

FN 120540 SP
FONTEINE FN120540
Wean Mat. 99

FN 100848 SP
FONTEINE FN100848
Age 8y | AFC 36m | ICP 500d
Calves 4 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW 35.5

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
Z 950015 SP
HLANZENI Z 95 15
Z 960034 SP
HLANZENI Z960034
Age 21y | Avg. WI -
Calves 8 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP
FONTEINE FN 04 23
Age 14y | Avg. WI -
Calves 4 | Weighed -
DVB 040003 SP
DIAMANT-V 0403
Z 010035 SP
HLANZENI Z 01 35
Age 13y | Avg. WI -
Calves 7 | Weighed -

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	110	72	98	108	99	86	113
75%	64%	74%	45%	37%	60%	35%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	86	87	86	78	75	85	104	88
65%	33%	14%	35%	38%	36%	33%	31%	30%

SELLER REMARKS: Possible 3-in-1. R/W Bont Zip 19 090. Heifer calf KW240913 from EMD180036 combines 3094 and 359G with 494, the combo of the future!

LOT 40 (F)



KW 230348
KWANARE KW 23 348



KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Kuddeboek	SP
Geb. dtm	2023-05-30
Oud.	2j 4m
Inteling	1%
DNS	U24021U003

FN 120092 SP
FONTEINE FN120092
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VST 130127 SP
TRAP ODETTE

Oud. 11j | OEK 34m | TKP 412d
Kalwers 8 | Geweeg 6 | Spn. Mat. 87
Gem. SI 96 | KKG 8.05 | KKS 43.5
Kalwings: 16-10, 17-10, 18-09,
19-08, 20-09, 21-10, 23-05, 24-09

HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 78

FN 070189 SP
FONTEINE FN07189

Oud. 15j | OEK - | TKP -
Kalwers 11 | Geweeg 2 | Spn. Mat. 107
Gem. SI 93 | KKG 8.05 | KKS 43.5

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 87

MHB 050017 SP
MOLL'S-HOOP ODETTE

Oud. 15j | OEK - | TKP -
Kalwers 11 | Geweeg 5 | Spn. Mat. 106
Gem. SI 97 | KKG 8.05 | KKS 43.5

6SEG096 SP
SEGERA 494

KPO303 SP
OL PEJETA KPO303
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

TLM 010002 SP
KETA TLM010002
Oud. 21j | Gem. SI -
Kalwers 10 | Geweeg -

KPO786 SP
OL PEJETA 786

ADC5761 SP
A.D.C. MUTARA 5761
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
K6K3094 SP
MOGWOONI 3094 (BMK163)

KPO1698 SP
OL PEJETA 1698
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE	88
85	Kalfgemak Waarde
103	Kalfgroei Waarde
87	Melk Waarde
110	Onderhoudswaarde
90	Vrugbaarheidswaarde

GROEI WAARDE	106
KARKAS WAARDE	103
PRODUKSIE WAARDE	91

LOGIX
ANALISE 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	101	103	87	99	86	91	107
75%	60%	56%	58%	43%	57%	41%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	100	93	92	84	94	101	120	115
44%	41%	25%	45%	43%	42%	40%	39%	39%

VERKOPER OPMERKINGS: One of the Keiler daughters on offer from Kwanare - a top bull from Fonteine. R/W Bont Zip 19 090, pregnancy will be done before the auction.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 41 (M)



BAS 200354
BOTHASBERG BAS200354



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Kuddeboek	SP
Geb. dtm	2020-12-19
Oud.	4j 9m
Inteling	1%
DNS	U23873U005

BAS 150121 SP
BOTHASBERG ROBOT
Spn Mat. 128

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 100023 SP
AFRI-BOR 1023

Oud. 14j | OEK 39m | TKP 634d
Kalwers 7 | Geweeg 2 | Spn. Mat. 81
Gem. SI 99 | KKG - | KKS 33.5
Kalwings: 14-02, 18-05, 19-10,
20-12, 22-05, 23-07, 24-07

SWR 090028 SP
ASHREE BOBBY 090028
Spn Mat. 142

BAS 120059 SP
BOTHASBERG VOORSTEL

Oud. 12j | OEK 34m | TKP 465d
Kalwers 8 | Geweeg 2 | Spn. Mat. 109
Gem. SI 106 | KKG - | KKS 33.5

B 040042 SP
BORGEN B 04 42
Spn Mat. 85

CFH 070152 SP
ELANDSPRUIT CFH07152

Oud. 16j | OEK 29m | TKP -
Kalwers 9 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG - | KKS 33.5

HVT 980022 SP
OUTSPAN HVT980022

BA 050031 SP
BA OLIFANT
Oud. 5j | Gem. SI -
Kalwers 4 | Geweeg -
B 050100 SP
BORGEN B 05 100

BAS 100022 SP
BOTHASBERG VOORKOMS
Oud. 13j | Gem. SI 94
Kalwers 9 | Geweeg 2

KPO786 SP
OL PEJETA 786

8334 SP
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

MHB 040014 SP
MOLL'S-HOOP ESRA
HVT 010030 SP
OUTSPAN HVT 01 30
Oud. 17j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE	84
100	Kalfgemak Waarde
102	Kalfgroei Waarde
104	Melk Waarde
84	Onderhoudswaarde
87	Vrugbaarheidswaarde

GROEI WAARDE	99
KARKAS WAARDE	97
PRODUKSIE WAARDE	86

LOGIX
ANALISE 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	104	102	104	85	84	96	90
44%	39%	46%	46%	41%	49%	30%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	95	94	116	116	107	98	94	101
34%	39%	13%	30%	43%	42%	39%	36%	36%

VERKOPER OPMERKINGS: Out of the drought stricken herd out of Namibia a strong bull with proven lines like KPO 786, ADC 8334 and to top it off B 05 100.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 42 (M)



EMD 200046

OOSTENWAL EMD 200046



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

USED IN HERD (3)



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-06-10
Age	5y 3m
Inbreeding	1%
DNA	Z2595U060

DVB 100032 SP
DIAMANT-V 1032
Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EMD 130044 SP
OOSTENWAL EMD1344
Age 11y | AFC 36m | ICP 443d
Calves 8 | Weighed 1 | Wean Mat. 107
Avg. WI 106 | CCB - | CCW 41.7
Calvings: 16-12, 18-04, 19-07,
20-06, 22-05, 23-05, 24-04,
25-06

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Wean Mat. 110

TLM 040017 SP
KETA TLM 04 17
Age 11y | AFC 33m | ICP 385d
Calves 8 | Weighed 1 | Wean Mat. 85
Avg. WI 100 | CCB - | CCW 41.7

B 080109 SP
BORGEN B08109
Wean Mat. 105

EMD 100007 SP
OOSTENWAL EMD100007
Age 8y | AFC 25m | ICP 396d
Calves 5 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW 41.7

TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 020017 SP
KETA TLM 02 17
Age 12y | Avg. WI 103
Calves 9 | Weighed 4
TLM 000011 SP
KETA TLM000011
TLM 010003 SP
KETA TLM 01 3
Age 18y | Avg. WI 101
Calves 10 | Weighed 3
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
HVT 010006 SP
OUTSPAN HVT0106
Age 13y | Avg. WI -
Calves 5 | Weighed -
HVT 070010 SP
HEAVITREE HVT0710
CFH 070215 SP
ELANDSPRUIT CFH07215
Age 15y | Avg. WI -
Calves 8 | Weighed -

COW VALUE 97

98	Calving Ease Value
118	Calf Growth Value
104	Milk Value
91	Maintenance Value
84	Fertility Value

GROWTH VALUE 114

CARCASS VALUE 112

PRODUCTION VALUE 103

LOGIX
GENOMICS, GERMANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	109	118	104	113	75	87	113
43%	42%	74%	50%	43%	57%	37%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	119	117	108	111	107	97	100	102
34%	40%	18%	33%	44%	43%	40%	38%	37%

SELLER REMARKS: Powerful, Well-Muscled Bull Strong, masculine bull with excellent meat capacity and balance. Out of the beautiful EMD 1344 (now at Iminathi Ranch). Proven pedigree: BO 0598 x DVB 1032 x TLM 0011.

LOT 43A (F)



B 050018

BORGEN B 05 18



Herd Book	SP
Birth date	2005-02-06
Age	20y 8m
Inbreeding	0%
DNA	UA28619
AFC	35m
Calves	3
Weighed	0
Avg. WI	-
ICP	-

K6K3094 SP
MOGWONI 3094 (BMK163)
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

K6K2228 SP
MOGWONI 2228
Age 34y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW -
Calvings:

KPO414
OL PEJETA KPO414
Wean Mat. 110

K6K2001
2001
Age 43y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -

1327
1327
Wean Mat. 99

1730
1730
Age 43y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

151 A
151
9573
764
Age 47y | Avg. WI -
Calves - | Weighed -

COW VALUE 81

81	Calving Ease Value
103	Calf Growth Value
88	Milk Value
111	Maintenance Value
84	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 101

PRODUCTION VALUE 86

LOGIX
GENOMICS, GERMANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	67	103	88	115	103	79	85
79%	81%	73%	74%	60%	73%	53%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	108	109	92	113	104	111	93	95
56%	56%	30%	59%	60%	59%	53%	50%	50%

SELLER REMARKS:



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Calvings: 07-12, 09-10, 12-05

Last Calf	
Calf ID	13-0008T (F)
Birth Date	2013-01-01
Sire ID	B 0442RE

LOT 43B (M)



TLM 030021

KETA TLM030021



Kuddeboek	SP
Geb. dtm	2003-02-17
Oud.	22j 7m
Inteling	0%
DNS	UA39471

K6K2588 SP
MOGWONI K6K2588
Spn Mat. 95

Ouerskap Vaar Moer

DNS

Genomies

KPO961 SP
OL PEJETA KPO 961

Oud. 35j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 80
Gem. SI - | KKG - | KKS -
Kalwings: 03-01

KPO414
OL PEJETA KPO414
Spn Mat. 110

KPO1620
OL PEJETA KPO1620

Oud. 37j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

KPO1485
KPO 1485
Spn Mat. 95

KPO323
KPO 323

Oud. 39j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -

KOEIWAARDE 64

73	Kalfgemak Waarde
117	Kalfgroei Waarde
76	Melk Waarde
83	Onderhoudswaarde
82	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 106

PRODUKSIE WAARDE 70

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
72	95	117	76	128	79	94	83
98%	96%	91%	92%	74%	95%	77%	98%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	110	104	120	133	121	122	79	108
74%	68%	46%	74%	75%	73%	58%	54%	53%

VERKOPER OPMERKINGS: 6 x Grade 2 embryos: TLM 03-21 (by 2588) CE B 05-18 (Lot 43A)(direct K6K 3094 and K6K 2228 daughter). Doubles up on 414, sire of both 3094 and 2588. Rare chance at tightly line-bred legacy genetics.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 43C (M)



B 040042

BORGEN B 04 42



Kuddeboek	SP
Geb. dtm	2004-09-12
Oud.	21j
Inteling	0%
DNS	UA20625

KPO786 SP
OL PEJETA 786
Spn Mat. 83

Ouerskap Vaar Moer

DNS

Genomies

8334 SP
ADC MUTARA 8334

Oud. 30j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -
Kalwings:

KPO1279 SP
OL PEJETA 1279
Spn Mat. 104

KPO21 SP
OL PEJETA 21

Oud. 39j | OEK - | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 80
Gem. SI - | KKG - | KKS -

KPO2247 SP
OL PEJETA 2247

KPO279
OL PEJETA 279
Oud. 45j | Gem. SI -
Kalwers - | Geweeg -
25 SP
OL PEJETA 404
KPO1099 SP
OL PEJETA 1099
Oud. 45j | Gem. SI -
Kalwers 1 | Geweeg -

892
892

Oud. 43j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -

KOEIWAARDE 83

93	Kalfgemak Waarde
123	Kalfgroei Waarde
85	Melk Waarde
71	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 134

KARKAS WAARDE 125

PRODUKSIE WAARDE 99

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
84	111	123	85	122	86	102	90
97%	97%	95%	95%	88%	96%	80%	98%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	124	123	139	137	124	107	96	77
84%	83%	49%	86%	87%	86%	78%	74%	73%

VERKOPER OPMERKINGS: 6 x Grade 2 embryos: B 04-42 (KPO 786 and Mutara 8334) CE B 05-18 (Lot 43A), a direct daughter of K6K 3094 and K6K 2228 (Jackie line matriarch). Proven legacy genetics. Stored at Embryo Plus



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 46 (F)



BAS 190278
BOTHASBERG MOLLEVL



Herd Book	SP
Birth date	2019-12-05
Age	5y 10m
Inbreeding	0%
DNA	U9220U069
AFC	32m
Calves	4
Weighed	2
Avg. WI	109
ICP	355d

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 250795 (M)
Birth Date	2025-07-15
Sire ID	FPL 130156

Calvings: 22-08, 23-08, 24-07, 25-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108

92	Calving Ease Value
120	Calf Growth Value
126	Milk Value
66	Maintenance Value
111	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 115

PRODUCTION VALUE 107

ECC 100020 SP
AFRI-BOR 1020
Wean Mat. 117

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 150115 SP
BOTHASBERG MOLLIE

Age 8y | AFC 39m | ICP 438d
Calves 4 | Weighed 1 | Wean Mat. 120
Avg. WI 101 | CCB - | CCW 45.3
Calvings: 18-10, 19-12, 21-04, 22-05

N 040003 SP
EERSTEGELUK-BAAS N 04 03 -YSTE
Wean Mat. 82

B 020013 SP
BORGEB B 02 13

Age 10y | AFC 30m | ICP 398d
Calves 7 | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW 45.3

SWR 090028 SP
ASHREE BOBBY 090028
Wean Mat. 142

BAS 080005 SP
BOTHASBERG 0805

Age 15y | AFC 33m | ICP -
Calves 9 | Weighed 2 | Wean Mat. 94
Avg. WI 105 | CCB - | CCW 45.3

KPO622 SP
OL PEJETA 622

K6K2228 SP
MOGWONNI 2228
Age 34y | Avg. WI -
Calves - | Weighed -
HVT 980014 SP
OUTSPAN HVT980014

HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
HVT 980022 SP
OUTSPAN HVT980022

BA 050031 SP
BA OLIFANT

Age 5y | Avg. WI -
Calves 4 | Weighed -

B 050100 SP
BORGEB B 05 100

CFH 060488 SP
ELANDSPRUIT CFH060488
Age 12y | Avg. WI 94
Calves 10 | Weighed 1



EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	97	120	126	102	99	119	99
51%	46%	62%	73%	49%	64%	41%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	113	113	142	129	125	107	105	117
39%	46%	11%	55%	49%	48%	43%	40%	40%

SELLER REMARKS: Proven female from a dam line tracing B 05100 back to Mutara 6289. With 4 calves, ICP of 355 days and bull calf BAS 25 795 sired by FPL 13 156 at foot, she blends fertility production and rare maternal depth.

LOT 47 (F)



BAS 190258
BOTHASBERG ROOSMARYN



Herd Book	C
Birth date	2019-08-30
Age	6y 1m
Inbreeding	2%
DNA	U9220U064
AFC	37m
Calves	3
Weighed	2
Avg. WI	106
ICP	500d

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 250787 (M)
Birth Date	2025-06-20
Sire ID	CFH 130315

Calvings: 22-09, 24-05, 25-06



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111

87	Calving Ease Value
116	Calf Growth Value
107	Milk Value
93	Maintenance Value
111	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 111

PRODUCTION VALUE 110

E 130031 HH SP
TAMBARAINE 130031
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 160159 SP
BOTHASBERG ROOSMARYN

Age 8y | AFC 34m | ICP 416d
Calves 6 | Weighed 2 | Wean Mat. 106
Avg. WI 96 | CCB - | CCW 50.1
Calvings: 19-08, 20-10, 21-10, 22-09, 23-09, 25-05

CFH 080173 SP
ELANDSPRUIT CFH08173
Wean Mat. 71

E 080008 HH SP
TAMBARAINE E 08 08

Age 16y | AFC 33m | ICP -
Calves 10 | Weighed 8 | Wean Mat. 101
Avg. WI 99 | CCB - | CCW 50.1

V 100001 SP
HILLOCK BREAKER

Wean Mat. 92

BAS 110047 SP
BOTHASBERG BAS 110047

Age 10y | AFC - | ICP 463d
Calves 6 | Weighed 2 | Wean Mat. 95
Avg. WI 91 | CCB - | CCW 50.1

HVT 970017 SP
OUTSPAN HVT970017

B 040020 SP
BORGEB B 04 20

Age 4y | Avg. WI -
Calves 1 | Weighed -

TLM 020012 SP
KETA TLM 02 12

TLM 020019 SP
KETA TLM 02 19

Age 13y | Avg. WI 102
Calves 7 | Weighed 5

B 040042 SP
BORGEB B 04 42

V 040003 SP
HILLOCK SEXY

Age 11y | Avg. WI 99
Calves 8 | Weighed 3

B 050100 SP
BORGEB B 05 100

CFH 060488 SP
ELANDSPRUIT CFH060488
Age 12y | Avg. WI 94
Calves 10 | Weighed 1



EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	96	116	107	135	107	108	109
56%	53%	59%	65%	46%	58%	26%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	110	101	105	90	109	112	92	118
42%	43%	12%	33%	47%	46%	19%	18%	18%

SELLER REMARKS: Cow value of 111 and HVT 97 17, TLM 212 and B 05 100 in her pedigree, she is a hard worker that shouldn't be underestimated. With bull calf BAS 25 787 out of Hercules CFH 13 315.

LOT 48 (F)



BAS 220516

BOTHASBERG BAS 220516



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Kuddeboek	SP
Geb. dtm	2022-10-06
Oud.	2j 12m
Inteling	3%
DNS	U13468U102

ECC 180020 SP
AFRI-BOR ECC180020
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BAS 130078 SP
BOTHASBERG MELKUIJS
Oud. 11j | OEK 36m | TKP 425d
Kalwers 8 | Geweeg 3 | Spn. Mat. 109
Gem. SI 110 | KKG - | KKS 57.9
Kalwings: 16-10, 18-05, 19-08,
20-07, 21-08, 22-10, 23-11, 24-12

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 106

ECC 130005 SP
AFRI-BOR ECC 1305
Oud. 12j | OEK 60m | TKP 583d
Kalwers 5 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS 57.9

B 060126 SP
BORGEN B060126
Spn Mat. 128

CFH 060488 SP
ELANDSPRUIT CFH060488
Oud. 12j | OEK 26m | TKP 364d
Kalwers 10 | Geweeg 1 | Spn. Mat. 86
Gem. SI 94 | KKG - | KKS 57.9

Z 040061 SP
HLANZENI Z 04 61
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
B 040042 SP
BORGEN B 04 42
CFH 050560 SP
ELANDSPRUIT CFH 05 560
Oud. 19j | Gem. SI 100
Kalwers 9 | Geweeg 1
KPO786 SP
OL PEJETA 786
ADC8288 SP
ADC MUTARA 8288
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 020006 SP
KETA TLM020006 - LOBASE
Z 980026 SP
HLANZENI Z980026
Oud. 16j | Gem. SI 110
Kalwers 5 | Geweeg 1

KOEIWAARDE	95
97	Kalfgemak Waarde
110	Kalfgroei Waarde
98	Melk Waarde
84	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE	109
KARKAS WAARDE	109
PRODUKSIE WAARDE	99

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	108	110	98	106	100	103	94
42%	35%	53%	44%	29%	49%	30%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	112	109	117	93	102	101	94	101
30%	27%	12%	28%	30%	29%	26%	24%	23%

VERKOPER OPMERKINGS: Going back to NDA 9, KPO 786 and K6K 2459, is a well known and proven mix. 5 months in calf to FN 20 04 / BAS 19 26.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 49 (F)



EMD 170009

OOSTENWAL EMD 170009



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Kuddeboek	SP
Geb. dtm	2017-03-04
Oud.	8j 7m
Inteling	2%
DNS	ZOCA2024-74946
OEK	33m
Kalwers	6
Geweeg	0
Gem. SI	-
TKP	408d

FS 090005 SP
KROMSPRUIT FS 090005
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CFH 080079 SP
ELANDSPRUIT CFH 08 0079
Oud. 17j | OEK 32m | TKP -
Kalwers 12 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 10-09, 11-11, 12-11, 13-12,
14-11, 15-10, 17-03, 18-06, 19-05,
20-08, 21-10, 23-08

B 040050 SP
BORGEN B 04 50
Spn Mat. 93

HVT 950012 SP
OUTSPAN HVT950012
Oud. 21j | OEK - | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

HVT 990001 SP
OUTSPAN HVT 99 01
Spn Mat. 81

Z 980738 SP
HLANZENI Z 98 73
Oud. 20j | OEK 33m | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 102
Gem. SI - | KKG - | KKS -

359G SP
SOLIO 359 G
K6K2258 SP
MOGWOONI 2258
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
6SEG096 SP
SEGERA 494
ADC3746 SP
MUTARA ADC3746
Oud. 37j | Gem. SI -
Kalwers - | Geweeg -
HVT 950030 SP
OUTSPAN HVT 95 30
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
Z 950026 SP
HLANZENI Z950026
Z 950018 SP
HLANZENI Z 95 18
Oud. 21j | Gem. SI -
Kalwers 7 | Geweeg -

KOEIWAARDE	113
106	Kalfgemak Waarde
91	Kalfgroei Waarde
91	Melk Waarde
115	Onderhoudswaarde
116	Vrugbaarheidswaarde

GROEI WAARDE	90
KARKAS WAARDE	89
PRODUKSIE WAARDE	107

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	111	91	91	100	110	120	96
60%	58%	49%	49%	43%	70%	49%	68%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	93	90	88	86	86	83	111	105
38%	38%	16%	34%	43%	42%	34%	31%	31%

VERKOPER OPMERKINGS: This line-bred Segera 494 cow combines the power of Solio 359 and Bont bull HVT 9901. With a strong cow value of 113, fertility of 116, and maintenance of 115, she's built for performance. Her heifer's pedigree includes FN 0417 and B040, ensuring top-quality offspring. Calf EMD250076 from FN200108



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 50 (F)



EMD 220119

OOSTENWAL CHANTE



Herd Book	SP
Birth date	2022-09-09
Age	3y
Inbreeding	0%
DNA	ZOCA202239078DC
AFC	30m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

CTM 110012 SP

CHAN-TE-MAR REDBULL

Wean Mat. 125

Parentage Sire Dam

DNA ✓ ✓

Genomic

EMD 190067 SP

OOSTENWAL EMD 190067

Age 6y | AFC 36m | ICP 616d

Calves 2 | Weighed - | Wean Mat. 98

Avg. WI - | CCB - | CCW -

Calvings: 22-09, 24-05

KB60X SP

KETA KB X 60 - BEEFMAKER

Wean Mat. 117

CFH 080098 SP

ELANDSPRUIT BEENTJIE

Age 15y | AFC - | ICP -

Calves 10 | Weighed 3 | Wean Mat. 105

Avg. WI 93 | CCB - | CCW -

CFH 070279 SP

ELANDSPRUIT CFH07279

Wean Mat. 106

EMD 140017 SP

OOSTENWAL EMD 140017

Age 8y | AFC 26m | ICP 570d

Calves 4 | Weighed - | Wean Mat. 91

Avg. WI - | CCB - | CCW -

PM14R SP

LILAYI PM14R

GF1130 SP

GRASMERE GF 113 0

Age 19y | Avg. WI 64

Calves 8 | Weighed 2

TLM 020004 SP

KETA TLM020004 CAESAR

B 980004 SP

BORGEN B980004

Age 20y | Avg. WI -

Calves 6 | Weighed -

Z 040061 SP

HLANZENI Z 04 61

Z 980105 SP

HLANZENI Z 98 105

Age 17y | Avg. WI -

Calves 4 | Weighed -

FS 090005 SP

KROMSPRUIT FS 090005

EMD 110018 SP

OOSTENWAL EMD110018

Age 12y | Avg. WI -

Calves 7 | Weighed -

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga

0828709574

kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 250043 (M)
Birth Date	2025-03-19
Sire ID	BR 180102

Calvings: 25-03

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 111

85 Calving Ease Value

106 Calf Growth Value

112 Milk Value

93 Maintenance Value

120 Fertility Value

GROWTH VALUE 111

CARCASS VALUE 118

PRODUCTION VALUE 113

LOGIX
GENETICS CENTRA
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	84	106	112	109	131	110	100
52%	45%	48%	43%	25%	64%	35%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	120	118	105	110	115	113	108	98
31%	23%	14%	31%	25%	24%	22%	20%	20%

SELLER REMARKS: A functional cow with a well-balanced bull calf at foot. The calf EMD25 43 is sired by BR18102, a son of KPO 303 and Khan. On the dam side, strength comes through the proven meat bull Jasper and Zambian genetics like PM14R - combining carcass, balance, and growth in one package.

LOT 51 (F)



MOS 230593

MOSDENE MOS230593



Herd Book	SP
Birth date	2023-11-02
Age	1y 11m
Inbreeding	0%
DNA	U15969U058

AB 150093 HH SP

ABBA AB 150093

Wean Mat. 122

Parentage Sire Dam

DNA ✓ ✓

Genomic

MOS 200220 SP

MOSDENE CORA

Age 4y | AFC 36m | ICP 583d

Calves 2 | Weighed 1 | Wean Mat. 112

Avg. WI 113 | CCB - | CCW 58.2

Calvings: 23-11, 25-06

FN 060068 SP

FONTAINE FN0668 - JOSE

Wean Mat. 105

EO 110093 SP

ELMECO EO11093

Age 11y | AFC 40m | ICP 362d

Calves 8 | Weighed - | Wean Mat. 115

Avg. WI - | CCB - | CCW 58.2

CFH 120327 HH SP

ELANDSPRUIT POENA

Wean Mat. 125

JH 120019 HH SP

MARONES JH120019

Age 13y | AFC 31m | ICP 426d

Calves 10 | Weighed 8 | Wean Mat. 88

Avg. WI 96 | CCB - | CCW 58.2

25 SP

MARULA 25

PB/11032 SP

DELAMERE 542

Age 28y | Avg. WI -

Calves - | Weighed -

PM14R SP

LILAYI PM14R

FN 080422 SP

FONTAINE ALICIA

Age 17y | Avg. WI -

Calves 9 | Weighed -

CI 080034 HH SP

CIRCLE C CI080034

CFH 060873 SP

ELANDSPRUIT CFH06873

Age 13y | Avg. WI -

Calves 8 | Weighed -

JH 060004 SP

MARONES JH060004

XSX 080001 SP

CORMA XSX 0801

Age 8y | Avg. WI 100

Calves 5 | Weighed 3

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo

0764894769

mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

COW VALUE 111

101 Calving Ease Value

112 Calf Growth Value

115 Milk Value

100 Maintenance Value

94 Fertility Value

GROWTH VALUE 111

CARCASS VALUE 111

PRODUCTION VALUE 113

LOGIX
GENETICS CENTRA
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	104	112	115	90	87	99	101
74%	49%	72%	47%	34%	43%	31%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	103	97	98	107	109	110	116	85
30%	32%	22%	37%	35%	34%	31%	29%	28%

SELLER REMARKS: Open Heifer . Combining Jose , PM14R , Kookwater , KB32x , 2738 and 494 with values to match.

LOT 52 (F)



PG 170052

PG'S 170052



KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Laaste Kalf	
Kalf ID	KW 240772 (M)
Geb. datum	2024-09-11
Vaar ID	EMD 180036

Kalwings: 20-02, 21-03, 22-06, 23-06, 24-09



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2017-05-24
Oud.	8j 4m
Inteling	0%
DNS	ZOBOS19-05051
OEK	33m
Kalwers	5
Geweeg	3
Gem. SI	103
TKP	418d

KOEIWAARDE 126

119	Kalfgemak Waarde
87	Kalfgroei Waarde
95	Melk Waarde
108	Onderhoudswaarde
131	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 98

PRODUKSIE WAARDE 123

VERKOPER OPMERKINGS: Sire is full sibling to our most prominent flush cow! On course to improve her ICP. 9m ICT M/S EMD 16 078/DBC 15 043.

B 120072 SP
BORGEN B12072
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PG 130075 C
PG'S PG130075

Oud. 5j | OEK 33m | TKP 373d
Kalwers 2 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG 6.77 | KKS -
Kalwings: 16-05, 17-05

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Spn Mat. 106

B 040070 SP
BORGEN B04070

Oud. 16j | OEK 38m | TKP -
Kalwers 8 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG 6.77 | KKS -

PRB 100011 SP
PEINKE PRB10011
Spn Mat. 91

PG 100400 B
PG'S 100400

Oud. 6j | OEK 37m | TKP 573d
Kalwers 3 | Geweeg - | Spn. Mat. 106
Gem. SI - | KKG 6.77 | KKS -

K6K2997 SP
MOGWOONI K6K2997

8334 SP
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

K6K3094 SP
MOGWOONI 3094 (8MK163)

K6K2357 SP
MOGWOONI 2357
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

TLM 020006 SP
KETA TLM020006 - LOBASE

BA 050030 SP
BA SHAKIRA
Oud. 16j | Gem. SI 99
Kalwers 9 | Geweeg 2

Z 960036 SP
HLANZENI Z960036

PG 070065 A
PG'S PG070065
Oud. 7j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
130	142	87	95	106	131	124	109
77%	76%	62%	76%	32%	65%	40%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	112	110	94	95	98	94	80	110
42%	30%	25%	54%	33%	32%	30%	28%	27%

LOT 53 (F)



NCT 180023

THUYNSMA CAMELLIA



KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Laaste Kalf	
Kalf ID	KW 250062 (F)
Geb. datum	2025-05-08
Vaar ID	EMD 180036

Kalwings: 20-12, 22-08, 23-12, 25-05



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2018-07-06
Oud.	7j 3m
Inteling	2%
DNS	U55U003
OEK	30m
Kalwers	4
Geweeg	2
Gem. SI	105
TKP	530d

KOEIWAARDE 98

80	Kalfgemak Waarde
87	Kalfgroei Waarde
121	Melk Waarde
121	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 86

PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: Possible 3-in-1. Unbelievable milk value! Calf KW25062 sired by CFH 11 279/EMD 18 036. R/W Bont Zip 19 090

CI 080130 SP
CIRCLE C C1080130
Spn Mat. 124

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NCT 150103 C
THUYNSMA NCT 150103

Oud. 9j | OEK 31m | TKP 383d
Kalwers 7 | Geweeg 6 | Spn. Mat. 94
Gem. SI 99 | KKG 8 | KKS 45.6
Kalwings: 18-07, 19-08, 20-09, 21-08, 22-09, 23-11, 24-10

KB12B SP
KETA KB 12 B - VULCAN
Spn Mat. 107

GF74P D SP
GRASMERE GF 74P

Oud. 15j | OEK - | TKP -
Kalwers 5 | Geweeg 1 | Spn. Mat. 114
Gem. SI 100 | KKG 8 | KKS 45.6

ELS 110042 SP
ELS ELS1142
Spn Mat. 51

NCT 130049 B
THUYNSMA NCT 130049

Oud. 3j | OEK 24m | TKP 345d
Kalwers 2 | Geweeg 2 | Spn. Mat. 116
Gem. SI 102 | KKG 8 | KKS 45.6

PM14R SP
LILAYI PM14R

GF460SZ SP
GRASMERE O46
Oud. 21j | Gem. SI -
Kalwers 8 | Geweeg -

GF92181J
GRASMERE GF92181J

GF057A
GF057A
Oud. 45j | Gem. SI -
Kalwers 1 | Geweeg -

CI 080112 SP
CIRCLE C C1080112

CI 070123 SP
CIRCLE C C1070123
Oud. 17j | Gem. SI 100
Kalwers 12 | Geweeg 5

CI 090072 SP
CIRCLE C C1090072

NCT 110003 A
THUYNSMA NEL110003
Oud. 4j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	48	87	121	105	101	98	97
78%	72%	79%	76%	45%	51%	35%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	87	91	78	87	75	99	108	89
63%	40%	11%	64%	45%	44%	41%	38%	37%

LOT 54 (M)



BAS 210419

BOTHASBERG BAS 210419



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Herd Book	SP
Birth date	2021-10-25
Age	3y 11m
Inbreeding	1%
DNA	U23873U002

BWS 140004 SP
BRENAISSANCE BWS 140004
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 110045 SP
BOTHASBERG BAS 110045

Age 13y | AFC 33m | ICP 381d
Calves 11 | Weighed 4 | Wean Mat. 75
Avg. WI 92 | CCB - | CCW 38.5
Calvings: 14-09, 15-09, 16-09,
17-07, 18-05, 19-05, 20-04, 21-10,
22-11, 23-09, 25-02

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 87

TULP100031 SP
TULPIESKRAAL TULP1031
Age 9y | AFC 26m | ICP 407d
Calves 6 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW 38.5

B 050100 SP
BORGEN B 05 100
Wean Mat. 105

CFH 060505 B
ELANDSPRUIT CFH 06 505
Age 6y | AFC 28m | ICP 361d
Calves 4 | Weighed - | Wean Mat. 75
Avg. WI - | CCB - | CCW 38.5

KPO786 SP
OL PEJETA 786
ADC5761 SP
A.D.C. MUTARA 5761
Age 34y | Avg. WI -
Calves - | Weighed -
TLM 040508 SP
KETA TLM040508 - INKUNZI
CI 080058 SP
CIRCLE C CI080058
Age 7y | Avg. WI -
Calves 1 | Weighed -
K6K2997 SP
MOGWOONI K6K2997
F14676 SP
A.D.C. MUTARA 6829
Age 40y | Avg. WI -
Calves - | Weighed -
TLM 020038 SP
KETA TLM020038
CFH 000022 A
CFH 00 0022
Age 12y | Avg. WI -
Calves 4 | Weighed -

COW VALUE 101

92	Calving Ease Value
109	Calf Growth Value
84	Milk Value
97	Maintenance Value
111	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 103

PRODUCTION VALUE 97

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	103	109	84	96	122	102	100
47%	39%	73%	56%	40%	49%	30%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	92	97	102	77	92	111	95	92
39%	39%	20%	35%	43%	42%	37%	35%	34%

SELLER REMARKS: His dam is an outstanding producer (BAS 11 45) together with Khan on sire side sure makes this young bull something to look at.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 55 (M)



EMD 210048

OOSTENWAL EMD 210048



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Herd Book	SP
Birth date	2021-06-11
Age	4y 3m
Inbreeding	1%
DNA	ZOCA2021-20060

EMD 140025 SP
OOSTENWAL EMD 140025
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	
Genomic		

GF 100049 SP
WALT GF100049

Age 14y | AFC 35m | ICP 395d
Calves 11 | Weighed 1 | Wean Mat. 72
Avg. WI 83 | CCB - | CCW 42
Calvings: 13-10, 15-01, 15-12, 17-04,
18-05, 19-05, 20-04, 21-06,
22-05, 23-06, 24-07

FN 080217 SP
FONTEINE FN08217
Wean Mat. 108

HJ 110004 SP
HESSI HJ110004
Age 8y | AFC 35m | ICP 425d
Calves 4 | Weighed - | Wean Mat. 100
Avg. WI - | CCB - | CCW 42

TLM 030012 SP
KETA TLM030012
Wean Mat. 63

CFH 060839 SP
ELANDSPRUIT SERA
Age 17y | AFC 34m | ICP -
Calves 10 | Weighed 1 | Wean Mat. 99
Avg. WI 114 | CCB - | CCW 42

TLM 010001 SP
KETA TLM010001 - NAPOLEON
Z 970043 SP
HLANZENI Z970043
Age 15y | Avg. WI -
Calves 7 | Weighed -
KB19X D SP
KETA KB X 19
HJ 080014 SP
HESSI HJ0814
Age 16y | Avg. WI -
Calves 12 | Weighed -
K6K2738 SP
MOGWOONI K6K2738
KPO4202 SP
OL PEJETA KPO 4202
Age 35y | Avg. WI -
Calves - | Weighed -
PM14R SP
LILAYI PM14R
Z 950025 SP
HLANZENI Z 95 25
Age 17y | Avg. WI 104
Calves 6 | Weighed 1

COW VALUE 86

110	Calving Ease Value
90	Calf Growth Value
88	Milk Value
110	Maintenance Value
81	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 89

PRODUCTION VALUE 83

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	98	90	88	105	91	80	92
45%	39%	42%	40%	25%	49%	31%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	88	87	92	85	90	100	102	100
25%	23%	12%	27%	25%	24%	20%	19%	18%

SELLER REMARKS: A young bull a strong frame and balance. From the renowned Sera cow line, combined with rare paternal genetics of Segera 494 and HVT 9717. Expected to sire fast-growing, high-quality calves for the beef industry.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 56 (M)



B 060012

BORGEN B 06 12



Kuddeboek	SP
Geb. dtm	2006-01-28
Oud.	19j 8m
Inteling	0%
DNS	UA41866

K6K3094 SP
MOGWONI 3094 (BMK163)
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

F3243 SP
SEGERA 3243
Oud. 32j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -
Kalwings:

KPO414
OL PEJETA KPO414
Spn Mat. 110

K6K2001
2001
Oud. 43j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG - | KKS -

MBN54
ADC MUTARA 54
Spn Mat. 90

1752
1752
Oud. 43j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -

MBN1876
ADC MUTARA 1876

MBN1322
ADC MUTARA MBN1322
Oud. 51j | Gem. SI -
Kalwers - | Geweeg -

242
242
3310
3310
Oud. 47j | Gem. SI -
Kalwers - | Geweeg -

2 MEDE-GEbruiker(s)



Miostatien
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

KOEIWAARDE	109
112	Kalngemak Waarde
96	Kalngroei Waarde
109	Melk Waarde
113	Onderhoudswaarde
91	Vrugbaarheidswaarde
GROEI WAARDE	124
KARKAS WAARDE	104
PRODUKSIE WAARDE	116

LOGIX
GENETICS CONSULTING
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	125	96	109	144	92	96	91
93%	83%	80%	79%	67%	76%	46%	87%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	115	97	89	118	118	135	77	101
64%	63%	48%	59%	70%	68%	64%	60%	58%

VERKOPER OPMERKINGS: Two lots of 5 straws from B 06-12, a direct K6K 3094 son out of Segera 3243. Quarantine tapped, stored at Embryo Plus. Rare chance to secure proven 3094 genetics.

LOT 58 (F)



EMD 190021

OOSTENWAL EMD 190021



Kuddeboek	SP
Geb. dtm	2019-05-04
Oud.	6j 5m
Inteling	2%
DNS	U542044
OEK	38m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	407d

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

QT 120006 SP
MEYBOR QT1206
Oud. 13j | OEK 33m | TKP 489d
Kalwers 9 | Geweeg 1 | Spn. Mat. 88
Gem. SI 101 | KKG - | KKS 59.1
Kalwings: 14-10, 16-07, 17-08, 19-05, 20-06, 21-07, 22-09, 23-08, 25-07

Z 040061 SP
HLANZENI Z 04 61
Spn Mat. 132

Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | OEK 38m | TKP -
Kalwers 4 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS 59.1

CFH 060664 SP
ELANDSPRUIT 06 664
Spn Mat. 68

NAB 070011 SP
UPPER ELLERSLIE NOVAH
Oud. 14j | OEK 18m | TKP 334d
Kalwers 9 | Geweeg 2 | Spn. Mat. 108
Gem. SI 99 | KKG - | KKS 59.1

NDA9 SP
NDAKAINI 8N9

K6K2245 SP
LOLOMARIK 2245
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -

Z 950022 SP
HLANZENI Z950022

Z 950018 SP
HLANZENI Z 95 18
Oud. 21j | Gem. SI -
Kalwers 7 | Geweeg -

HVT 980014 SP
OUTSPAN HVT980014

Z 980076 SP
HLANZENI Z 98 76
Oud. 21j | Gem. SI -
Kalwers 10 | Geweeg -

25 SP
MARULA 25

1736 SP
OL PEJETA 1736
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 240154 (M)
Geb. datum	2024-09-14
Vaar ID	EMD 190056

Kalwings: 22-06, 23-09, 24-09



Miostatien
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

KOEIWAARDE	90
78	Kalngemak Waarde
108	Kalngroei Waarde
97	Melk Waarde
91	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE	113
KARKAS WAARDE	114
PRODUKSIE WAARDE	96

LOGIX
GENETICS CONSULTING
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	79	108	97	95	108	100	101
55%	51%	54%	49%	24%	65%	40%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	113	108	108	109	114	107	99	109
42%	23%	12%	33%	25%	24%	20%	19%	19%

VERKOPER OPMERKINGS: A large-framed red cow with depth and presence. Her pedigree combines the Ndakaini 8n9 Bont bull on the sire's side with Marula 25 and Segera 494 on the dam line - genetics built on strength and reliability. 8 mths in calf to EMD 19117 / NCT 1911 / BWS 19111 / FN 20 0108.

LOT 59 (F)



EMD 220037

OOSTENWAL ROBOTINA



Herd Book	SP
Birth date	2022-04-16
Age	3y 5m
Inbreeding	0%
DNA ZOCA20223373	
AFC	38m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 250088 (M)
Birth Date	2025-06-29
Sire ID	EMD 170011

Calvings: 25-06



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 83

94	Calving Ease Value
101	Calf Growth Value
115	Milk Value
77	Maintenance Value
92	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 105

PRODUCTION VALUE 88

SELLER REMARKS: A pretty, feminine cow with great hair quality. She sells with a strong bull calf EMD250088 at foot sired by BAS170011, adding value and growth to the package.

SWR 090028 SP

ASHREE BOBBY 090028
Wean Mat. 142

BAS 120059 SP

BOTHASBERG VOORSTEL
Age 12y | AFC 34m | ICP 465d
Calves 8 | Weighed 2 | Wean Mat. 109
Avg. WI 106 | CCB - | CCW -

CFH 060874 SP

ELANDSPRUIT CFH06874
Wean Mat. 92

Z 980105 SP

HLANZENI Z 98 105
Age 17y | AFC 38m | ICP -
Calves 4 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -

HVT 980022 SP

OUTSPAN HVT980022
BA 050031 SP

BA OLIFANT
Age 5y | Avg. WI -
Calves 4 | Weighed -

B 050100 SP
BORGEN B 05 100

BAS 100022 SP
BOTHASBERG VOORKOMS
Age 13y | Avg. WI 94
Calves 9 | Weighed 2

HVT 000010 SP
OUTSPAN HVT000010

GF400 SP
GRASMERIE 40 O
Age 21y | Avg. WI -
Calves 6 | Weighed -

Z 950022 SP
HLANZENI Z950022

Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 100242 SP

ELANDSPRUIT CFH 100242
Age 14y | AFC 39m | ICP 431d
Calves 8 | Weighed - | Wean Mat. 103
Avg. WI - | CCB - | CCW -
Calvings: 14-01, 14-12, 15-10, 17-02,
18-10, 19-09, 20-08, 22-04



EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	90	101	115	86	80	104	97
47%	42%	44%	41%	43%	61%	30%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	108	104	126	109	109	117	87	106
32%	39%	9%	29%	45%	43%	40%	37%	36%

LOT 60 (F)



BD 170406

ZOUTPANSBERG BD 170406



Herd Book	SP
Birth date	2017-10-15
Age	7y 11m
Inbreeding	4%
DNA U13415U006	
AFC	34m
Calves	4
Weighed	1
Avg. WI	105
ICP	497d

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Last Calf	
Calf ID	KW 240818 (M)
Birth Date	2024-09-30
Sire ID	EMD 180036

Calvings: 20-08, 21-07, 22-11, 24-09



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 114

102	Calving Ease Value
103	Calf Growth Value
112	Milk Value
87	Maintenance Value
119	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 102

PRODUCTION VALUE 114

SELLER REMARKS: Long cow on course to improve her ICP! 6m ICT M/S EMD 16 078/DBC 15 043.

HB 140016 SP

HYPER BEEF BRUNO
Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	
Genomic		

BD 140308 SP

ZOUTPANSBERG BD 140308
Age 5y | AFC 36m | ICP 489d
Calves 3 | Weighed 3 | Wean Mat. 110
Avg. WI 101 | CCB - | CCW 46.4
Calvings: 17-10, 19-04, 20-06



EBV Analysis 2025-08-19

Z 060051 SP

HLANZENI Z0651 - MR MILLION
Wean Mat. 122

W 100006 SP

MODEL W100006
Age 14y | AFC - | ICP 437d
Calves 9 | Weighed 3 | Wean Mat. 106
Avg. WI 107 | CCB - | CCW 46.4

AJB 100056 SP

MOTSWIRI AJB10056
Wean Mat. 112

BD 120244 HH SP

ZOUTPANSBERG BD 120244
Age 13y | AFC 29m | ICP 430d
Calves 10 | Weighed 5 | Wean Mat. 110
Avg. WI 106 | CCB - | CCW 46.4

KP0794 SP
OL PEJETA 794

K6K2386 SP
MOGWONI 2386
Age 32y | Avg. WI -
Calves - | Weighed -

B 050116 SP
BORGEN B 05 116

AAA 080008 SP
TRIPLE A MIA
Age 15y | Avg. WI -
Calves 10 | Weighed -

B 050116 SP
BORGEN B 05 116

TLM 040064 SP
KETA TLM040064
Age 11y | Avg. WI -
Calves 6 | Weighed -

AJB 030125 SP
MOTSWIRI AJB 03 125

B 050084 SP
BORGEN B 05 84
Age 10y | Avg. WI -
Calves 1 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	110	103	112	103	109	124	101
63%	67%	73%	65%	35%	40%	37%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	105	105	111	106	104	99	96	107
30%	32%	19%	46%	36%	35%	31%	29%	28%

LOT 61 (F)



BD 150322
ZOUTPANSBERG BD 150322



Kuddeboek	SP
Geb. dtm	2015-01-15
Oud.	10j 8m
Inteling	1%
DNS	U13415U003
OEK	33m
Kalwers	7
Geweeg	4
Gem. SI	113
TKP	475d

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Laaste Kalf	
Kalf ID	KW 250131 (F)
Geb. datum	2025-07-30
Vaar ID	EMD 160078

Kalwings: 17-10, 19-04, 20-05, 21-09, 22-09, 24-02, 25-07



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

AJB 100056 SP

MOTSWIRI AJB10056

Spn Mat. 112

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BD 120241 SP

ZOUTPANSBERG BD 120241

Oud. 11j | OEK 36m | TKP 389d
Kalwers 7 | Geweeg 5 | Spn. Mat. 93
Gem. SI 97 | KKG - | KKS 45.1

Kalwings: 15-01, 16-10, 17-10,
18-09, 19-08, 20-07, 21-06

B 050116 SP

BORGEN B 05 116

Spn Mat. 115

TLM 040064 SP

KETA TLM040064

Oud. 11j | OEK 28m | TKP 323d
Kalwers 6 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS 45.1

AJB 030125 SP

MOTSWIRI AJB 03 125

Spn Mat. 100

B 050084 SP

BORGEN B 05 84

Oud. 10j | OEK 30m | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS 45.1

359G SP

SOLIO 359 G

3615 SP
SEGERA 3615
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
K6K2738 SP
MOGWOOONI K6K2738

K6K2748 SP
MOGWOOONI K6K2748
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
KP0786 SP
OL PEJETA 786

K6K2105 SP
MOGWOOONI K6K2105
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
K6K3094 SP
MOGWOOONI 3094 (8MK163)

ZIP6782 SP
KISIMA 6782
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE 104

101	Kalfgemak Waarde
107	Kalfgroei Waarde
116	Melk Waarde
84	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 109

PRODUKSIE WAARDE 108

LOGIX
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	139	107	116	122	97	105	104
79%	77%	67%	78%	40%	43%	26%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	114	114	116	108	113	112	90	98
43%	36%	15%	36%	41%	39%	31%	28%	28%

VERKOPER OPMERKINGS: Milk machine, Just look at that udder! Calf KW25 131 sired by M/S MXM 19 656/CFH 11 279/EMD 16 078/EMD 18 036. R/W Bont Zip 19 090

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.31	-0.16	1.7	0.6	4	4	-3		3.1	2.0	-						
Auction Average				28	190	6.77	47.5	1.17	285	0.58	-0.11	3.4	0.3	8	8	15	-16	5.1	5	4	100	72	104	101	6.0	80
1	LE 210007	F	SP	-	-	-	-	-	-	0.73	-0.06	4.6	2.7	9.0	13.3	26	-21	2.1	6	4	-	-	98		1	101
2	BAS 210376	F	SP	-	193	-	49.3	-	-	2.27	0.10	8.1	1.7	12.9	19.6	2	-23	3.7	-2	1	106	-	101	114	8	103
3	EMD 220104	F	SP	-	-	-	-	-	-	0.91	0.47	4.4	4.9	10.6	9.1	52	-46	7.4	11	18	-	-	109		3	95
4	JVG 200026	F	SP	30	-	-	-	-	-	0.67	0.16	4.2	0.2	10.0	0.6	6	11	.8	3	2	-	-	95	93	5	100
5	MOS 210279	F	SP	27	166	-	-	-	-	0.04	0.11	3.8	-1.5	7.5	1.4	-36	30	-1.4	-7	-8	97	-	91	96	6	92
6	KW 220146	F	SP	23	138	-	47.1	-	-	-1.00	-0.15	-2.6	-3.0	-2.0	-17.9	-25	-9	2	-10	-12	100	-	98	96	3	93
7	EMD 200112	M	SP	-	-	-	-	-	-	0.43	0.34	2.3	4.2	9.4	0.4	33	-30	6	6	9	-	-	106		4	88
8	KW 200517	M	SP	29	199	-	45.5	1.19	270	-0.11	-0.33	-1.7	3.1	-2.4	5.2	8	-14	-.5	4	10	108	79	93	108	4	80
9	BAS 210395	M	SP	-	223	-	-	-	-	2.38	-0.34	12.2	-0.8	18.4	15.7	66	-74	18.1	10	16	103	-	130	101	13	108
10	LE 190124	F	SP	-	-	-	-	-	-	0.12	-0.48	-0.7	-2.7	2.7	5.4	-13	3	1	-10	-15	-	-	96		5	93
11	LE 220026	F	SP	-	-	-	-	-	-	-0.19	-0.16	-1.5	-2.5	1.9	4.9	-7	3	1.4	1	-4	-	-	97		10	104
12	BAS 220532	F	SP	-	183	-	38.7	-	-	1.53	0.31	9.2	3.0	17.3	26.6	62	-48	3.7	21	22	115	-	101	114	6	96
13	BAS 220461	F	SP	-	429	-	-	-	-	0.36	0.12	0.4	0.6	1.0	1.9	-25	10	-6.5	-3	-14	96	-	81	95	4	87
14	BAS 220537	F	SP	-	124	-	34.6	-	-	1.04	0.37	1.6	-0.5	4.7	5.9	-2	-18	4.4	6	0	71	-	103	88	17	113
15	EMD 190042	F	SP	-	-	-	-	-	-	0.70	-0.40	6.4	1.7	13.3	7.0	37	-43	8.2	7	3	-	-	110	106	8	96
16	EMD 210009	F	SP	-	-	-	-	-	-	1.19	-0.23	7.0	1.8	13.5	15.6	58	-45	7.3	15	20	-	-	109		5	102
17	EMD 220153	F	SP	-	-	-	-	-	-	0.85	0.49	4.2	7.7	12.4	6.3	46	-55	8.8	11	14	-	-	112		2	91
18	JVG 210043	F	SP	28	191	-	53.9	-	-	0.82	0.10	3.3	-2.7	9.4	-12.2	-32	54	2.5	-16	-10	107	-	99	97	8	106
19	MOS 210064	F	SP	25	144	-	-	-	-	-0.91	-0.15	-4.8	-6.5	-2.4	-2.8	-57	80	-4.3	-7	-13	82	-	85	89	8	91
20	MOS 220122	F	SP	28	218	-	-	-	-	0.56	-0.18	10.4	0.1	14.8	17.1	71	-76	11.1	8	13	134	-	116	124	3	97
21	KW 220272	F	SP	23	-	-	-	-	-	-0.52	-0.19	-0.8	-1.6	1.7	-8.5	-22	27	.3	1	-4	-	-	94	113	8	107
22	KW 210616	F	SP	34	131	-	38.9	-	-	1.19	-0.17	4.3	-7.2	5.0	1.5	-6	-14	-2.9	10	3	85	-	88	85	10	101
24	LE 180025	M	SP	-	-	-	-	-	-	-0.37	-0.61	1.3	1.4	4.8	21.4	29	-56	1.8	10	4	-	-	97		7	99
25	BAS 210447	M	SP	-	207	-	57.9	-	-	1.53	-0.23	11.5	1.3	20.0	31.7	76	-70	12.2	18	27	117	-	118	109	5	103
26	EMD 200150	M	SP	-	-	-	-	-	-	0.63	-0.18	4.7	2.2	12.1	21.9	16	-14	1.6	17	15	-	-	97		2	51

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.31	-0.16	1.7	0.6	4	4	-3		3.1	2.0	-						
Aanbod Gemiddeld				28	190	6.77	47.5	1.17	285	0.58	-0.11	3.4	0.3	8	8	15	-16	5.1	5	4	100	72	104	101	6.0	80
27	KW 200524	M	SP	31	188	-	54.4	1.15	300	0.55	0.02	4.3	-6.4	3.2	6.3	23	-78	4.3	7	1	103	64	102	100	8	97
28	LE 220019	V	SP	-	-	-	-	-	-	0.03	0.12	-2.0	0.3	1.1	6.3	-4	20	.9	1	-4	-	-	96		2	83
29	LE 160017	V	SP	24	152	-	-	-	-	0.09	-0.70	-3.3	-0.4	-3.1	8.4	-17	6	-11.1	-0	-13	100	-	71	103	11	103
30	BAS 230615	V	SP	-	-	-	-	-	-	0.82	0.32	7.0	-2.9	11.1	5.6	38	-30	8.4	13	13	-	-	111		2	73
31	BAS 230586	V	SP	-	-	-	-	-	-	0.80	0.31	7.0	-1.0	12.2	16.2	51	-40	5.5	13	15	-	-	105		2	73
32	BAS 220521	V	SP	-	194	-	-	-	-	1.60	-0.11	6.5	-2.5	12.5	12.7	32	-23	8.5	8	8	100	-	111	100	6	93
33	EMD 200075	V	SP	-	-	-	-	-	-	0.44	-0.14	4.3	0.2	9.5	1.5	15	-16	8.2	0	-5	-	-	110		6	88
34	EMD 190061	V	SP	-	-	-	-	-	-	0.57	-0.32	5.4	2.6	11.3	5.5	43	-47	11.8	9	5	-	-	117		7	91
35	EMD 220155	V	SP	-	-	-	-	-	-	0.69	0.08	4.0	0.4	8.4	7.1	34	-24	4.1	8	10	-	-	102		5	108
36	MOS 230390	V	SP	29	210	-	52.9	-	-	0.71	0.09	5.1	1.4	7.7	6.5	8	4	6.4	-1	7	91	-	107	99	4	97
37	MOS 230297	V	SP	29	197	-	55.3	-	-	1.02	-0.19	5.4	1.6	5.7	-3.5	-20	21	5.6	-1	1	100	-	105	108	2	85
38	KW 220220	V	SP	20	-	-	-	-	-	-1.13	-0.21	3.5	-6.0	3.3	16.0	39	-58	5.7	14	11	-	-	105	101	8	114
39	KW 200466	V	SP	28	142	-	35.5	-	-	0.29	-0.45	-7.4	0.0	-8.2	-7.4	-39	39	7	-11	-20	90	-	108	90	4	94
40	KW 230348	V	SP	32	-	-	-	-	-	1.50	-0.20	2.7	-2.7	7.1	-2.4	-4	21	2.8	-8	-5	-	-	99	96	8	103
41	BAS 200354	M	SP	-	-	-	-	-	-	0.50	-0.27	2.4	1.7	7.6	16.1	-15	17	-4.1	12	7	-	-	85	99	7	62
42	EMD 200046	M	SP	-	190	-	41.7	-	-	0.83	-0.41	7.5	1.5	14.7	9.4	48	-52	9.6	9	6	106	-	113	106	8	96
43A	B 050018	V	SP	32	-	-	-	-	-	0.45	0.82	2.5	-2.5	5.1	-2.7	19	-27	10.4	10	4	-	-	115		0	-
43B	TLM 030021	M	SP	-	-	-	-	-	-	2.14	-0.02	7.1	-5.6	15.2	19.3	23	-12	17.3	22	18	-	-	128		1	-706
43C	B 040042	M	SP	35	-	-	-	-	-	1.31	-0.48	9.1	-3.2	17.1	33.5	61	-69	13.9	25	20	-	-	122		0	-
46	BAS 190278	V	SP	-	-	-	-	-	-	0.83	-0.07	8.1	7.1	17.3	36.3	31	-40	4.1	20	22	-	-	102	101	4	82
47	BAS 190258	V	C	-	-	-	-	-	-	1.14	-0.05	7.0	2.3	14.9	7.5	24	-4	20.4	-4	8	-	-	135	96	6	102
48	BAS 220516	V	SP	-	196	-	57	-	-	0.91	-0.39	5.0	0.1	10.2	17.0	29	-28	6.2	-2	2	100	-	106	110	8	99
49	EMD 170009	V	SP	-	-	-	-	-	-	0.38	-0.49	-1.1	-1.6	-0.3	-6.0	-21	28	3	-6	-12	-	-	100		12	98
50	EMD 220119	V	SP	-	-	-	-	-	-	0.85	0.30	3.7	3.6	9.1	7.2	50	-56	7.5	8	13	-	-	109		2	82
51	MOS 230593	V	SP	28	206	-	58.2	-	-	0.47	-0.29	5.5	4.3	8.5	2.0	7	9	-2	6	8	113	-	90	113	2	84

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.31	-0.16	1.7	0.6	4	4	-3		3.1	2.0	-						
Auction Average				28	190	6.77	47.5	1.17	285	0.58	-0.11	3.4	0.3	8	8	15	-16	5.1	5	4	100	72	104	101	6.0	80
52	PG 170052	F	SP	27	-	6.77	-	-	-	-1.66	-1.40	-2.5	-0.6	1.2	-1.2	29	-30	5.9	-1	-1	-	-	106		2	86
53	NCT 180023	F	SP	27	160	-	41.7	-	-	0.28	1.37	-2.5	6.0	-5.1	-13.9	-37	28	5.8	-6	-20	76	-	105	99	7	111
54	BAS 210419	M	SP	-	182	-	39.2	-	-	1.05	-0.25	4.5	-3.5	6.6	5.0	-23	7	1.3	-12	-6	100	-	96	92	11	110
55	EMD 210048	M	SP	-	-	-	-	-	-	-0.43	-0.10	-1.5	-2.4	-2.1	-2.6	-34	37	5.5	-7	-8	-	-	105	83	11	106
56	B 060012	M	SP	31	-	-	-	-	-	-0.18	-0.91	0.4	3.0	3.3	-5.1	37	8	25	13	15	-	-	144		0	-
58	EMD 190021	F	SP	-	-	-	-	-	-	1.13	0.45	4.4	-0.2	7.7	9.4	33	-25	.7	8	12	-	-	95	101	9	90
59	EMD 220037	F	SP	-	-	-	-	-	-	0.41	0.12	2.0	4.5	9.2	23.9	18	-12	-3.8	8	8	-	-	86		8	79
60	BD 170406	F	SP	-	181	-	52.6	-	-	0.62	-0.47	2.8	3.7	7.7	12.4	10	-14	4.4	6	3	98	-	103	101	3	90
61	BD 150322	F	SP	24	-	-	-	-	-	0.13	-1.31	4.0	4.7	9.2	16.1	35	-44	14.3	7	11	-	-	122	97	7	97

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik