

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

PROGEN SUSSEX GROUP - ADDENDUM

Afridome Parys

28 August 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 18 August 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 110001

SUPERBULL SB 110001

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

1. Lot Number & sex (mixed lots)

2. Breed's logo

3. GT - animal is genomically tested

4. Animal Identification Number and Name

5. Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6. Animal's photo, or Herd's logo

7. Herd's logo

8. Owner's information

9. Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10. Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12. Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*		Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 13A (M)



PSX 233784 HH

POTHOU JACK DANIELS 7TH



POTHOU BK

Vredefort, Free State
0724972008
pothoubk@gmail.com

POSBUS 211, VILJOENSKROON, 9520

Herd Book	SP
Birth date	2023-03-10
Age	2y 6m
Inbreeding	1%
DNA	WSC040945

PSS 188302 HH
POTHOU Charles 9 th
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

PSS 166046
POTHOU P55166046
Age 9y | AFC 36m | ICP 365d
Calves 7 | Weaned 6 | Wean Mat. 122
Avg. WI 113 | CCB 7.87 | CCW 37
Calvings: 19-03, 20-03, 21-02,
22-03, 23-03, 24-03, 25-03

PSS 144817
POTHOU P55144817
Wean Mat. 104

PSS 133795
POTHOU P55133795
Age 11y | AFC 31m | ICP 447d
Calves 7 | Weaned 6 | Wean Mat. 79
Avg. WI 105 | Wean Mat. 79

JRE 120030
HUNTERSVEI SKIPPER 4TH
Wean Mat. 113

PSS 122623
POTHOU P55122623
Age 10y | AFC 31m | ICP 398d
Calves 8 | Weaned 6 | Wean Mat. 115
Avg. WI 100 | Wean Mat. 115

CN 100002
EVERSAR CHARLES
PSS 090343
POTHOU P55090343
Age 15y | Avg. WI 111
Calves 4 | Weaned 1
JA 100018
ALMAJA MEAT LOAF 345TE
PSS 100444
POTHOU P55100444
Age 10y | Avg. WI 99
Calves 8 | Weaned 5
09-1018-P-C
MAYFIELD POLL CAPTAIN 2ND
JRE 090036
HUNTERSVEI CATHLEEN 37TH
Age 9y | Avg. WI 106
Calves 4 | Weaned 4
CN 090031
EVERSAR SUN DOWNS 2DE
PSS 099362
POTHOU P55099362
Age 7y | Avg. WI 92
Calves 4 | Weaned 2

COW VALUE 105

82	Calving Ease Value
111	Calf Growth Value
107	Milk Value
94	Maintenance Value
103	Fertility Value

GROWTH VALUE 115

CARCASS VALUE -

PRODUCTION VALUE 107

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
85	76	111	107	125	97	105	101
74%	46%	69%	46%	41%	34%	18%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	119	-	106	113	116	114	-	-
37%	35%	-	19%	42%	40%	5%	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
49kg	174kg 98 (9)	310kg 97 (2)	-	-	-	- (B1)	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Inentings: Knopvel, Slenkdalkoors, 3 Dae Stywe siekte, Respirivax, Vibrin, Spons-, Milt- en Lamsiekte. Toetse: Vrugbaarheid, Trichomoniasis, Vibriose en BM. 'n Bul met goeie lengte, diepte en breedte. Hy het ook 'n sterk kop, goeie toplyn en skoon onderlyn.

LOT 13B (M)



PSX 233792 HH

POTHOU JACK DANIELS 9TH



POTHOU BK

Vredefort, Free State
0724972008
pothoubk@gmail.com

POSBUS 211, VILJOENSKROON, 9520

Herd Book	SP
Birth date	2023-03-25
Age	2y 5m
Inbreeding	1%
DNA	WSC040944

PSS 188302 HH
POTHOU Charles 9 th
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

PSS 188267
POTHOU Royal 2 nd
Age 5y | AFC 40m | ICP 473d
Calves 2 | Weaned 2 | Wean Mat. 117
Avg. WI 110 | CCB 9.2 | CCW 40.8
Calvings: 21-12, 23-03

PSS 144817
POTHOU P55144817
Wean Mat. 104

PSS 133795
POTHOU P55133795
Age 11y | AFC 31m | ICP 447d
Calves 7 | Weaned 6 | Wean Mat. 79
Avg. WI 105 | Wean Mat. 79

PSS 144900 HH
POTHOU Mr Sparks
Wean Mat. 119

PSS 155974
POTHOU P55155974
Age 6y | AFC 35m | ICP 442d
Calves 2 | Weaned 2 | Wean Mat. 116
Avg. WI 102 | Wean Mat. 116

CN 100002
EVERSAR CHARLES
PSS 090343
POTHOU P55090343
Age 15y | Avg. WI 111
Calves 4 | Weaned 1
JA 100018
ALMAJA MEAT LOAF 345TE
PSS 100444
POTHOU P55100444
Age 10y | Avg. WI 99
Calves 8 | Weaned 5
DSS 100059
DARGAVEL LIGHTNING 35TH
PSS 111503
POTHOU P55111503
Age 6y | Avg. WI 102
Calves 3 | Weaned 3
JRE 120030
HUNTERSVEI SKIPPER 4TH
PSS 111546
POTHOU P55111546
Age 4y | Avg. WI 126
Calves 2 | Weaned 2

COW VALUE 110

89	Calving Ease Value
115	Calf Growth Value
105	Milk Value
97	Maintenance Value
94	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 119

PRODUCTION VALUE 112

LOGIX
EBV Analysis 2025-07-21

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	96	115	105	122	99	94	97
73%	40%	68%	40%	41%	33%	16%	38%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	120	-	103	118	122	119	113	113
42%	35%	-	23%	41%	40%	10%	6%	5%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
46kg	183kg 108 (9)	243kg 107 (7)	-	-	-	- (B1)	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Inentings: Knopvel, Slenkdalkoors, 3 Dae Stywe siekte, Respirivax, Vibrin, Spons-, Milt- en Lamsiekte. Toetse: Vrugbaarheid, Trichomoniasis, Vibriose en BM. 'n Bul met goeie lengte, diepte en toplyn.



PROGEN SUSSEX GROUP - ADDENDUM
Afridome Parys 28 August 2025



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.19	0.43	15.3	6.3	29	25	109	-82	13.2	19.0	32.0						
Auction Average				48	178	10.52	35.9	-	-	2.30	1.01	21.6	8.2	44	30	211	-	24.9	30	54	103	-	124	112	4.0	96
13A	PSX 233784	M	SP	49	174	10.94	35.1	-	-	2.51	1.43	20.5	8.6	43.4	31.2	209	0	25.6	28	51	98	-	125	113	7	109
13B	PSX 233792	M	SP	46	183	10.09	36.6	-	-	2.09	0.60	22.6	7.9	44.5	28.6	213	0	24.1	32	58	108	-	122	110	2	83

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik