

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# HJW PRODUKSIEVEILING

**WOLMARANSSTAD**

**13 September 2025**

*All Pedigree- and Performance Data is as recorded on LOGIX on 04 September 2025*



**BEEFMASTER**  
CATTLE BREEDERS' SOCIETY OF SA  
BEESTELERSGENOOTSAP VAN SA



**SA** STAMBOEK  
STUD BOOK



## AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

## ANIMAL, OWNER AND PEDIGREE INFORMATION


1 **LOT 1 (M)**

2 **Breed Logo**

3 **GT**

4 **SB 200201 PP(c)**

5

6 

7

8 **SUPERBULL BREEDERS**

Town, Province  
078 737 2855  
super\_bull@webmail.com

9 (& 10)

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2020-01-01 |
| Age        | 2y 7m      |
| Inbreeding | 1%         |
| DNA        | ABC001234  |

11

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   | ✓    |     |

12

**SB 140007**

**SB 140010**  
Age 7 | AFC 27 | ICP 366  
Calves 6 | Weaned 2  
Avg. WI 89 | Wean Mat. 93  
Calvings: 16-11, 17-10, 18-10,  
20-03, 21-03, 22-04, 23-04

**SB 110001**

**SB 110012 P**  
Age 10 | AFC 32 | ICP 475  
Calves 5 | Weaned -  
Avg. WI - | Wean Mat. 80

**SB 110001**

**SB 060004 PcH**  
Age 13 | AFC 72 | ICP 360  
Calves 8 | Weaned 7  
Avg. WI 105 | Wean Mat. 110

13

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
  - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
  - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
  - Herd book section
  - Birth date
  - Animal's age
  - Animal's inbreeding percentage
  - DNA Number - if available
10. Additional information (only females)
  - Age at first calving
  - Number of calves born
  - Number of calves weaned
  - Average Wean Index
  - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Age at First Calving and Intercalving Period
  - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

**QR Code**  
This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where additional information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

**Myostatin Results**

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


## PHENOTYPIC VALUES

| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES

| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

### Calving Ease Value

Low birth weight calves

### Calf Growth Value

Heavy weaner calves

### Milk Value

Good mothering ability

### Maintenance Value

Low cow weight

### Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



### Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



### Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



### Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

## HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

### AVERAGE ANIMALS

(NO GROWTH EXTREMES)

| COW VALUE 112        |                    |
|----------------------|--------------------|
| 99                   | Calving Ease Value |
| 109                  | Calf Growth Value  |
| 108                  | Milk Value         |
| 95                   | Maintenance Value  |
| 104                  | Fertility Value    |
| GROWTH VALUE 108     |                    |
| CARCASS VALUE 109    |                    |
| PRODUCTION VALUE 109 |                    |

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

### GROWERS

(GOOD ENVIRONMENT)

| COW VALUE 112        |                    |
|----------------------|--------------------|
| 99                   | Calving Ease Value |
| 109                  | Calf Growth Value  |
| 108                  | Milk Value         |
| 95                   | Maintenance Value  |
| 104                  | Fertility Value    |
| GROWTH VALUE 108     |                    |
| CARCASS VALUE 109    |                    |
| PRODUCTION VALUE 109 |                    |

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

| COW VALUE 112        |                    |
|----------------------|--------------------|
| 99                   | Calving Ease Value |
| 109                  | Calf Growth Value  |
| 108                  | Milk Value         |
| 95                   | Maintenance Value  |
| 104                  | Fertility Value    |
| GROWTH VALUE 108     |                    |
| CARCASS VALUE 109    |                    |
| PRODUCTION VALUE 109 |                    |

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120 |        |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High               |     |        |      |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light              |     |        |      |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less               |     |        |      |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High               |     |        |      | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low                |     |        |      |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss               |     |        |      |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less               |     |        |      |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss               |     |        |      |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      |      | More   |
|                  | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      |      | More   |
| Growth & Frame   | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | *    | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        |      | *    | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      |      | Long   |
|                  | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      |      | >1     |
| Carcass          | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES



**LOT 11 (M) BEEFMASTER R 220806**



**RHIND BEEFMASTER**

Senekal, Free State  
0833050950  
riaan@pcpalace.co.za

POSBUS 61666, PIERRE VAN RYNEVELD, 0045

|            |            |
|------------|------------|
| Herd Book  | C          |
| Birth date | 2022-10-09 |
| Age        | 2y 11m     |
| Inbreeding | 0%         |
| DNA        | U21926U049 |

**BOS 177316 HH**  
Wean Mat. 109

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**R 180117**  
Age 6y | AFC 35m | ICP 370d  
Calves 5 | Weaned 3 | Wean Mat. 121  
Avg. WI 110 | CCB - | CCW 49.5  
Calvings: 21-08, 22-10, 23-10,  
24-08, 25-08

**BOS 099122**  
Wean Mat. 98

**BOS 133056**  
Age 12y | AFC 38m | ICP 401d  
Calves 9 | Weaned 8 | Wean Mat. 88  
Avg. WI 95 | CCB - | CCW 49.5

**R 140966**  
Wean Mat. 81

**R 090032**  
Age 12y | AFC - | ICP 458d  
Calves 8 | Weaned 7 | Wean Mat. 126  
Avg. WI 105 | CCB - | CCW 49.5

**WO 030042 HH**

**BOS 022110**  
Age 9y | Avg. WI 108  
Calves 5 | Weaned 4

**BOS 099241 HH**

**BOS 044074**  
Age 13y | Avg. WI 99  
Calves 11 | Weaned 10

**HU 077330**

**QR 080028**  
Age 11y | Avg. WI 104  
Calves 7 | Weaned 4

**COW VALUE 117**

|     |                    |
|-----|--------------------|
| 83  | Calving Ease Value |
| 114 | Calf Growth Value  |
| 114 | Milk Value         |
| 92  | Maintenance Value  |
| 107 | Fertility Value    |

**GROWTH VALUE 94**

**CARCASS VALUE 103**

**PRODUCTION VALUE 110**

**LOGIX**  
EBV Analysis 2025-08-21

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 84              | 103        | 114       | 114       | 87         | 102          | 102       | 113     |
| 66%             | 49%        | 63%       | 49%       | 29%        | 42%          | 24%       | 48%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 110              | 102 | 103 | 106           | 111    | 109    | 99      | 96  | 98  |
| 52%              | 28% | 10% | 34%           | 29%    | 29%    | 17%     | 16% | 15% |

| Birth Weight | 205D Weight     | 365D Weight      | 540D Weight     | Avg. Carcass Weight |
|--------------|-----------------|------------------|-----------------|---------------------|
| 37kg         | 260kg   110 (4) | 279kg   115 (10) | 377kg   115 (7) | 0                   |



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

SELLER REMARKS: Skrotum: 38cm

**LOT 12 (M) BEEFMASTER R 220804**



**RHIND BEEFMASTER**

Senekal, Free State  
0833050950  
riaan@pcpalace.co.za

POSBUS 61666, PIERRE VAN RYNEVELD, 0045

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2022-10-06 |
| Age        | 2y 11m     |
| Inbreeding | 1%         |
| DNA        | U21926U050 |

**BOS 177316 HH**  
Wean Mat. 109

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

**R 160095**  
Age 9y | AFC 39m | ICP 461d  
Calves 5 | Weaned 4 | Wean Mat. 105  
Avg. WI 103 | CCB - | CCW 41.2  
Calvings: 19-11, 21-08, 22-10,  
23-10, 24-12

**BOS 099122**  
Wean Mat. 98

**BOS 133056**  
Age 12y | AFC 38m | ICP 401d  
Calves 9 | Weaned 8 | Wean Mat. 88  
Avg. WI 95 | CCB - | CCW 41.2

**HU 120154**  
Wean Mat. 106

**QR 080031**  
Age 11y | AFC 37m | ICP 422d  
Calves 8 | Weaned 7 | Wean Mat. 110  
Avg. WI 105 | CCB - | CCW 41.2

**WO 030042 HH**

**BOS 022110**  
Age 9y | Avg. WI 108  
Calves 5 | Weaned 4

**BOS 099241 HH**

**BOS 044074**  
Age 13y | Avg. WI 99  
Calves 11 | Weaned 10

**WE 080218**

**HU 088282**  
Age 6y | Avg. WI 115  
Calves 4 | Weaned 3

**WO 020127**

**KRG 030020**  
Age 6y | Avg. WI 102  
Calves 4 | Weaned 4

**COW VALUE 105**

|     |                    |
|-----|--------------------|
| 93  | Calving Ease Value |
| 103 | Calf Growth Value  |
| 107 | Milk Value         |
| 99  | Maintenance Value  |
| 103 | Fertility Value    |

**GROWTH VALUE 88**

**CARCASS VALUE 90**

**PRODUCTION VALUE 98**

**LOGIX**  
EBV Analysis 2025-08-21

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 95              | 96         | 103       | 107       | 79         | 100          | 100       | 107     |
| 58%             | 49%        | 56%       | 48%       | 34%        | 42%          | 25%       | 50%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 101              | 92  | 83  | 99            | 94     | 95     | 90      | 98  | 102 |
| 47%              | 32% | 11% | 32%           | 35%    | 34%    | 17%     | 15% | 14% |

| Birth Weight | 205D Weight     | 365D Weight     | 540D Weight    | Avg. Carcass Weight |
|--------------|-----------------|-----------------|----------------|---------------------|
| -            | 256kg   106 (2) | 250kg   98 (10) | 337kg   99 (7) | 0                   |



| Myostatin |      |
|-----------|------|
| Q204X     | Free |
| NT821     | Free |
| F94L      | Free |

SELLER REMARKS: Skrotum: 38cm

**LOT 26 (M) BEEFMASTER R 220808**



**RHIND BEEFMASTER**

Senekal, Free State  
0833050950  
riaan@pcpalace.co.za

POSBUS 61666, PIERRE VAN RYNEVELD, 0045

|           |            |
|-----------|------------|
| Kuddeboek | C          |
| Geb. dtm  | 2022-10-13 |
| Oud.      | 2j 11m     |
| Inteling  | 0%         |
| DNS       | U12377U003 |

| Ouerskap | Vaar | Moer |
|----------|------|------|
| DNS      | ✓    | ✓    |
| Genomies |      |      |

**BOS 144131**  
Spn Mat. 46

**BOS 099315**  
Spn Mat. 72

**BOS 066188**  
**BOS 999555**  
Oud. 13j | Gem. SI 90  
Kalwers 11 | Gespeen 8

**BOS 100155**  
Oud. 12j | OEK 24m | TKP 369d  
Kalwers 11 | Gespeen 11 | Spn. Mat. 63  
Gem. SI 100 | KKG - | KKS 45.2

**WO 050269**  
**BOS 022512**  
Oud. 10j | Gem. SI 100  
Kalwers 5 | Gespeen 5

**QR 090012 SC**  
Spn Mat. 106

**KRG 040018**  
**KRG 030038**  
Oud. 8j | Gem. SI 102  
Kalwers 6 | Gespeen 5

**QR 140081**  
Oud. 10j | OEK 33m | TKP 371d  
Kalwers 8 | Gespeen 7 | Spn. Mat. 107  
Gem. SI 98 | KKG - | KKS 45.2  
Kalwings: 17-08, 18-09, 19-09,  
20-09, 21-10, 22-10, 23-09, 24-09

**QR 10029Q**  
Oud. 6j | OEK - | TKP 375d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 100  
Gem. SI 99 | KKG - | KKS 45.2

| KOEIWAARDE 89 |                     |
|---------------|---------------------|
| 119           | Kalfgemak Waarde    |
| 104           | Kalfgroei Waarde    |
| 67            | Melk Waarde         |
| 95            | Onderhoudswaarde    |
| 110           | Vrugbaarheidswaarde |

|                  |     |
|------------------|-----|
| GROEI WAARDE     | 127 |
| KARKAS WAARDE    | 106 |
| PRODUKSIE WAARDE | 91  |

**LOGIX**  
GENETICS GENETICA  
EBV Analyse 2025-08-21

| Kalf en Moeder |           |           |           | Vrugbaarheid |             |             |          |
|----------------|-----------|-----------|-----------|--------------|-------------|-------------|----------|
| Geb. Dir.      | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lanklew. |
| 115            | 110       | 104       | 67        | 119          | 105         | 95          | 123      |
| 68%            | 55%       | 66%       | 58%       | 53%          | 49%         | 29%         | 52%      |

| Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 108            | 115 | 96  | 105         | 113    | 115    | 106    | 88  | 97  |
| 56%            | 49% | 12% | 47%         | 54%    | 53%    | 12%    | 11% | 11% |

| Geb. Gewig | 205D Gewig     | 365D Gewig      | 540D Gewig      | Gem. Karkas Gewig |
|------------|----------------|-----------------|-----------------|-------------------|
| 33kg       | 216kg   90 (4) | 246kg   98 (10) | 360kg   108 (7) | 0                 |



| Miostatien |       |
|------------|-------|
| Q204X      | Skoon |
| NT821      | Skoon |
| F94L       | Skoon |

VERKOPER OPMERKINGS: Skrotum: 41cm

| Dier Info       |           |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-----------------|-----------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |           |     |     |               |              |           |           |                     |                 | 0.35                     | -0.08          | 11.7          | -1.5          | 18             | 8                   | 68        | -38         | 10.6            | 2.0          | 13.0        |      |     |            |                 |            |             |
| Auction Average |           |     |     | 35            | 244          | -         | 43.9      | -                   | -               | 0.52                     | -0.19          | 15.7          | -2.6          | 25             | 11                  | 80        | -32         | 7.7             | 5            | 19          | 102  | -   | 95         | 104             | 6.0        | 103         |
| 11              | R 220806  | M   | C   | 37            | 260          | -         | 49.5      | -                   | -               | 1.63                     | -0.17          | 19.8          | 2.2           | 28.3           | 14.4                | 77        | -42         | 3.3             | 8            | 21          | 110  | -   | 87         | 110             | 5          | 108         |
| 12              | R 220804  | M   | SP  | -             | 256          | -         | 45.5      | -                   | -               | 0.78                     | 0.07           | 13.6          | 0.5           | 19.9           | 6.4                 | 41        | -19         | -1.6            | -2           | 8           | 106  | -   | 79         | 103             | 5          | 90          |
| 26              | R 220808  | M   | C   | 33            | 216          | -         | 36.7      | -                   | -               | -0.84                    | -0.46          | 13.7          | -10.6         | 25.9           | 13.0                | 122       | -34         | 21.3            | 9            | 27          | 90   | -   | 119        | 98              | 8          | 111         |



## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OU.D.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weaned                                 | Weaned       | Gespeen      | Aantal kalwers gespeen                                      |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugb.  | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugb.  | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiersse vet)                              |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |