

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

KEVLYNN HEREFORD

Table Hill
16 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 05 September 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

G

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

12

SB 140007
SUPERBULL SB 140007 Pp(c)

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

11

SB 110001
SUPERBULL SB 110001

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110001

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 11 (M)

KC 230030 P_{CH}

KEVLYNN BOLSTER 330

Herd Book	SP
Birth date	2023-12-09
Age	1y 9m
Inbreeding	5%
DNA	WSC051496

KC 200006 P_{CH}
KEVLYNN BOLTER 006
Wean Mat. 101

Parentage	Sire	Dam
DNA		
Genomic	✓	

KC 190026
KEVLYNN ROSEBUD 926
Age 5y | AFC 34m | ICP 450d
Calves 2 | Weaned 2 | Wean Mat. 93
Avg. WI 107 | CCB - | CCW 45
Calvings: 22-09, 23-12

652D P
MCM 6964 BOLT 652D
Wean Mat. 78

KC 160020 P
KEVLYNN ROSEBUD 620
Age 8y | AFC 34m | ICP 371d
Calves 6 | Weaned 5 | Wean Mat. 104
Avg. WI 98 | CCB - | CCW 45

WDW 130120 P
LOCHEIM KEYPAD
Wean Mat. 78

KC 140028
KEVLYNN ROSEBUD 428
Age 9y | AFC 33m | ICP 379d
Calves 7 | Weaned 5 | Wean Mat. 106
Avg. WI 111 | CCB - | CCW 45

6964 P
RLEADER 6964
4138 P
MCM028X MARLIE 4138
Age 2ly | Avg. WI -
Calves - | Weaned -
WDW 100067 P
LOCHEIM SIDE BET
KC 100016 P
KEVLYNN ROSEBUD 016
Age 8y | Avg. WI 108
Calves 5 | Weaned 5
BMH 090075 SC
BM SUPER PRIDE 05-45
WDW 100062 P
LOCHEIM SUPER MODEL
Age 6y | Avg. WI 103
Calves 4 | Weaned 4
WDW 100067 P
LOCHEIM SIDE BET
KC 090007 P
KEVLYNN ROSEBUD 907
Age 8y | Avg. WI 109
Calves 6 | Weaned 6



K.P. MILES

Dordrecht, Eastern Cape
0733305579
carl.miles@hotmail.com

P.O. BOX 131, DORDRECHT, 5435



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 91	
80	Calving Ease Value
120	Calf Growth Value
97	Milk Value
95	Maintenance Value
110	Fertility Value
GROWTH VALUE 110	
CARCASS VALUE 115	
PRODUCTION VALUE 93	

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	69	120	97	108	106	108	112
86%	79%	85%	80%	78%	78%	77%	80%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	112	106	105	112	115	114	98	127
60%	77%	77%	78%	78%	78%	77%	77%	77%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	221kg 98 (3)	-	404kg 104 (6)	-	-	- (B2)	-

SELLER REMARKS: The first Hereford bull is the youngest on offer and shows great promise at only 21 months of age. A well balanced bull with great width right through. Polled

LOT 12 (M)

KC 230022 P_{CH}

KEVLYNN FRONTLINE 322

Herd Book	SP
Birth date	2023-10-25
Age	1y 11m
Inbreeding	0%
DNA	WSC043395

174E
TH FRONTIER 174E ET
Wean Mat. 127

Parentage	Sire	Dam
DNA		
Genomic		

KC 150028 P
KEVLYNN BUTTERFLY 528
Age 8y | AFC 33m | ICP 373d
Calves 6 | Weaned 5 | Wean Mat. 87
Avg. WI 103 | CCB - | CCW 41.7
Calvings: 18-09, 19-12, 20-10, 21-11, 22-11, 23-10

TH 403A475Z358C
TH 403A 475Z PIONEER 358C ET
Wean Mat. 108

FTF 312A
FTF TRUSTING LADY 312A ET
Age 11y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 97
Avg. WI - | CCB - | CCW 41.7

WDW 100067 P
LOCHEIM SIDE BET
Wean Mat. 78

KC 080044 P
KEVLYNN BUTTERFLY 844
Age 9y | AFC 36m | ICP 366d
Calves 7 | Weaned 5 | Wean Mat. 84
Avg. WI 98 | CCB - | CCW 41.7

TH 89T 755T475Z
TH 89T 755T STOCKMAN 475Z ET
TH 71U17Y403A
TH 71U 17Y RITA 403A ET
Age 15y | Avg. WI -
Calves - | Weaned -
NJW 73SM326100W
NJW 73S M326 TRUST 100W ET

FTF 821IU
FTF BOOM AND BLOOM 821IU ET
Age 15y | Avg. WI -
Calves - | Weaned -
WDW 070079 PP
LOCHEIM VICTOR
WDW 040079
LOCHEIM CATALINA
Age 10y | Avg. WI 102
Calves 8 | Weaned 6
JBS 050148 P
V.I.P. 05 0148
KC 970010
KEVLYNN BUTTERFLY 9710
Age 15y | Avg. WI 109
Calves 12 | Weaned 10



K.P. MILES

Dordrecht, Eastern Cape
0733305579
carl.miles@hotmail.com

P.O. BOX 131, DORDRECHT, 5435



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 105	
87	Calving Ease Value
118	Calf Growth Value
116	Milk Value
89	Maintenance Value
116	Fertility Value
GROWTH VALUE 117	
CARCASS VALUE 124	
PRODUCTION VALUE 107	

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	75	118	116	115	113	109	123
87%	81%	83%	81%	80%	79%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	121	117	110	112	119	108	118	126
61%	80%	78%	79%	80%	80%	80%	79%	79%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	-	-	406kg 103 (6)	-	-	- (B2)	-

SELLER REMARKS: A well balanced bull with good length and thickness. Scur

LOT 13 (M)



KC 230014 PcPc

KEVLYNN KC 230014

Kuddeboek	SP
Geb. dtm	2023-10-12
Oud.	1j 11m
Inteling	4%
DNS	WSC051498



K.P. MILES

Dordrecht, Eastern Cape
0733305579
carl.miles@hotmail.com

P.O. BOX 131, DORDRECHT, 5435



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

KC 200006 PcPc
KEVLYNN BOLTER 006
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

KC 190027
KEVLYNN MINUTE MAID 927
Oud. 5j | OEK 34m | TKP 388d
Kalwers 3 | Gespeen 2 | Spn. Mat. 75
Gem. SI 95 | KKG - | KKS 38.3
Kalwings: 22-09, 23-10, 24-11652D P
MCM 6964 BOLT 652D
Spn Mat. 78KC 160020 P
KEVLYNN ROSEBUD 620
Oud. 8j | OEK 34m | TKP 371d
Kalwers 6 | Gespeen 5 | Spn. Mat. 104
Gem. SI 98 | KKG - | KKS 38.3WDW 130120 P
LOCHEIM KEYPAD
Spn Mat. 78KC 140002
KEVLYNN MINUTE MAID 402
Oud. 5j | OEK 36m | TKP 397d
Kalwers 3 | Gespeen 3 | Spn. Mat. 82
Gem. SI 94 | KKG - | KKS 38.36964 P
RLEADER 6964
4138 P
MCM028X MARLIE 4138
Oud. 21j | Gem. SI -
Kalwers - | Gespeen -
WDW 100067 P
LOCHEIM SIDE BET
KC 100016 P
KEVLYNN ROSEBUD 016
Oud. 8j | Gem. SI 108
Kalwers 5 | Gespeen 5
BMH 090075 SC
BM SUPER PRIDE 05-45
WDW 100062 P
LOCHEIM SUPER MODEL
Oud. 6j | Gem. SI 103
Kalwers 4 | Gespeen 4
WDW 100067 P
LOCHEIM SIDE BET
KC 070003
KEVLYNN MINUTE MAID 703
Oud. 11j | Gem. SI 97
Kalwers 9 | Gespeen 8

KOEIWAARDE 88	
82	Kalfgemak Waarde
123	Kalfgroei Waarde
87	Melk Waarde
97	Onderhoudswaarde
126	Vrugbaarheidswaarde
GROEI WAARDE 115	
KARKAS WAARDE 119	
PRODUKSIE WAARDE 92	

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	79	123	87	111	103	132	128
86%	79%	82%	80%	77%	78%	77%	80%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	118	114	104	112	114	111	106	119
60%	77%	77%	78%	78%	77%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
34kg	230kg 100 (1)	-	385kg 99 (6)	-	-	- (B2)	-

VERKOPER OPMERKINGS: COMMERCIAL. A bull with good length, width and bone. He sells as a 'commercial' bull. Homozygous polled

LOT 31 (M)



KC 230006 PcPc

KEVLYNN BOLD RULER 306

Kuddeboek	SP
Geb. dtm	2023-09-21
Oud.	1j 12m
Inteling	0%
DNS	WSC043393



K.P. MILES

Dordrecht, Eastern Cape
0733305579
carl.miles@hotmail.com

P.O. BOX 131, DORDRECHT, 5435



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

KC 200006 PcPc
KEVLYNN BOLTER 006
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

KC 200009
KEVLYNN BUTTERFLY 009
Oud. 4j | OEK 36m | TKP 406d
Kalwers 2 | Gespeen 2 | Spn. Mat. 95
Gem. SI 106 | KKG - | KKS 52.9
Kalwings: 23-09, 24-10652D P
MCM 6964 BOLT 652D
Spn Mat. 78KC 160020 P
KEVLYNN ROSEBUD 620
Oud. 8j | OEK 34m | TKP 371d
Kalwers 6 | Gespeen 5 | Spn. Mat. 104
Gem. SI 98 | KKG - | KKS 52.9WDW 170016 P
LOCHEIM Locheim Heimat
Spn Mat. 94KC 170021 P
KEVLYNN BUTTERFLY 721
Oud. 6j | OEK 35m | TKP 386d
Kalwers 3 | Gespeen 2 | Spn. Mat. 96
Gem. SI 106 | KKG - | KKS 52.96964 P
RLEADER 6964
4138 P
MCM028X MARLIE 4138
Oud. 21j | Gem. SI -
Kalwers - | Gespeen -
WDW 100067 P
LOCHEIM SIDE BET
KC 100016 P
KEVLYNN ROSEBUD 016
Oud. 8j | Gem. SI 108
Kalwers 5 | Gespeen 5
BMH 140075 P
BM BM ROMMEL 12-05
WDW 080029 PP
LOCHEIM ROCK SOLID
Oud. 10j | Gem. SI 96
Kalwers 8 | Gespeen 8
WDW 130120 P
LOCHEIM KEYPAD
KC 090019 P
KEVLYNN BUTTERFLY 919
Oud. 11j | Gem. SI 105
Kalwers 9 | Gespeen 9

KOEIWAARDE 89	
85	Kalfgemak Waarde
118	Kalfgroei Waarde
93	Melk Waarde
102	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE 117	
KARKAS WAARDE 118	
PRODUKSIE WAARDE 92	

LOGIX
GENETICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	79	118	93	113	100	98	132
86%	79%	85%	80%	78%	79%	77%	80%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	119	120	97	115	115	111	102	116
62%	78%	77%	79%	78%	78%	78%	78%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
31kg	235kg 100 (1)	-	391kg 104 (6)	-	-	- (B2)	-

VERKOPER OPMERKINGS: A heifers first calf that weaned at 50% of his dams weight. Homozygous polled

LOT 32 (M)



KC 230026 PcPc

KEVLYNN BOLD FONT 326

Herd Book	SP
Birth date	2023-11-26
Age	1y 10m
Inbreeding	4%
DNA	WSC043396



K.P. MILES

Dordrecht, Eastern Cape
0733305579
carl.miles@hotmail.com

P.O. BOX 131, DORDRECHT, 5435



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 86	
91	Calving Ease Value
122	Calf Growth Value
90	Milk Value
87	Maintenance Value
95	Fertility Value

GROWTH VALUE	120
CARCASS VALUE	123
PRODUCTION VALUE	90

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	227kg 108 (2)	-	367kg 94 (6)	-	-	- (B2)	-

KC 200006 PcPc
KEVLYNN BOLTER 006
Wean Mat. 101

Parentage	Sire	Dam
DNA		
Genomic	✓	

KC 130026
KEVLYNN MINUTE MAID 326
Age 11y | AFC 36m | ICP 366d
Calves 9 | Weaned 9 | Wean Mat. 103
Avg. WI 101 | CCB - | CCW 40.5
Calvings: 16-11, 17-10, 18-10, 19-10,
20-10, 21-10, 22-11, 23-11, 24-11LOGIX
GENETICS GERMANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	73	122	90	117	86	98	125
87%	81%	85%	81%	78%	79%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	121	116	114	122	125	114	96	117
60%	78%	77%	79%	78%	78%	78%	78%	78%

652D P
MCM 6964 BOLT 652D
Wean Mat. 78KC 160020 P
KEVLYNN ROSEBUD 620
Age 8y | AFC 34m | ICP 371d
Calves 6 | Weaned 5 | Wean Mat. 104
Avg. WI 98 | CCB - | CCW 40.5KC 070017 P
KEVLYNN VIC 717
Wean Mat. 118KC 020006 P
KEVLYNN MINUTE MAID 206
Age 12y | AFC 37m | ICP 369d
Calves 10 | Weaned 9 | Wean Mat. 108
Avg. WI 101 | CCB - | CCW 40.56964 P
RLEADER 6964
4138 P
MCM028X MARLIE 4138
Age 21y | Avg. WI -
Calves - | Weaned -
WDW 100067 P
LOCHEIM SIDE BET
KC 100016 P
KEVLYNN ROSEBUD 016
Age 8y | Avg. WI 108
Calves 5 | Weaned 5
P42069623
ANHINGA VIC S84 K16
KC 980023
KEVLYNN PIXIE 9823
Age 12y | Avg. WI 106
Calves 10 | Weaned 10
WDW 970076
LOCHEIM EMOTION 97
KC 990003
KEVLYNN MINUTE MAID 993
Age 12y | Avg. WI 116
Calves 10 | Weaned 8

SELLER REMARKS: The last Hereford on offer is backed by an incredible maternal line. Dam and granddam boast 19 calves at 368 days. Homozygous polled

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.88	0.48	17.6	9.0	34	36	140	-75	15.9	24.0	34.0						
Auction Average				35	228	-	42.7	-	-	1.38	1.61	27.9	7.7	60	44	226	-98	23.9	37	57	102	-	113	102	4.0	103
11	KC 230030	M	SP	37	221	-	44.9	-	-	1.83	1.86	27.9	7.8	59.4	42.3	195	-85	21	35	54	98	-	108	107	2	96
12	KC 230022	M	SP	34	-	-	-	-	-	1.19	1.61	26.6	15.2	60.3	48.9	236	-101	25.3	35	58	-	-	115	103	6	109
13	KC 230014	M	SP	34	230	-	-	-	-	1.61	1.43	29.3	4.0	62.6	40.6	226	-97	22.7	35	52	100	-	111	95	3	103
31	KC 230006	M	SP	31	235	-	48.3	-	-	1.39	1.43	26.6	6.5	58.2	32.6	231	-106	23.7	38	53	100	-	113	106	2	96
32	KC 230026	M	SP	37	227	-	34.8	-	-	0.88	1.72	29.0	5.2	61.2	54.2	240	-100	26.6	44	66	108	-	117	101	9	110

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik