

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

2025 EASTERN CAPE MULTIBREED PRODUCTION SALE

Cathcart

27 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 15 September 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS
 Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

SB 110001
SUPERBULL SB 11 0100

SP
Birth date 2020-01-01
Age 2y 7m
Inbreeding 1%
DNA ABC001234
9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SB 140010
SUPERBULL SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04
12

SB 060004 PpH
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110
13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES





LOT 28 (M)

A 220415
AUCDEEN A 220415

Herd Book	SP
Birth date	2022-07-14
Age	3y 3m
Inbreeding	0%
DNA	ZOCA2025-93705

A 190945
AUCDEEN A 190945
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	
Genomic		

A 190950
AUCDEEN A 190950
Age 4y | AFC 33m | ICP -
Calves 1 | Weaned 1 | Wean Mat. 71
Avg. WI 100 | CCB - | CCW -
Calvings: 22-07

195D
RED U2 MALBEC 195D
Wean Mat. 109

A 110514
AUCDEEN PRIDE 9
Age 9y | AFC 37m | ICP 454d
Calves 5 | Weaned 5 | Wean Mat. 98
Avg. WI 96 | CCB - | CCW -

A163
3SCC DOMAIN A163
Wean Mat. 67

A 130290
AUCDEEN LUNA 2
Age 9y | AFC 36m | ICP 440d
Calves 6 | Weaned 5 | Wean Mat. 80
Avg. WI 98 | CCB - | CCW -

DUA149A
RED U2 RECKONING 149A
DUA 90A
RED U-2 MABEL 60A
Age 18y | Avg. WI -
Calves - | Weaned -
A 050217
AUCDEEN PETER 2
A 050212
AUCDEEN PRIDE 5
Age 10y | Avg. WI 100
Calves 8 | Weaned 7
T122 Z1
BECKTON DOMINOR T122 Z1
X723
3SCC EUCLA X723
Age 22y | Avg. WI -
Calves - | Weaned -
WB 090235
MEQUATLING CANNONBALL
DPM 040009
TARASVALE 0409
Age 13y | Avg. WI 95
Calves 8 | Weaned 7

LAD BOERDERY (PTY) LTD

Molteno, Eastern Cape
0761748154
erasmusdirkie8@gmail.com

FARM RETREAT, MOLTENO, 5500

COW VALUE 96

102	Calving Ease Value
90	Calf Growth Value
84	Milk Value
123	Maintenance Value
116	Fertility Value

GROWTH VALUE -

CARCASS VALUE 87

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	105	90	84	96	118	93	123
63%	41%	49%	39%	27%	42%	21%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	86	90	78	83	87	93	102	85
44%	26%	8%	26%	28%	27%	24%	23%	22%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
35kg	255kg 100 (1)	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 29 (M)

LAD 230110
RETREAT LAD 230110

Herd Book	SP
Birth date	2023-10-01
Age	1y 12m
Inbreeding	1%
DNA	U22953U003

RFC 200005 PcPc
BENEDETTO LEONARD 5
Wean Mat. 112

Parentage	Sire	Dam
DNA	✓	
Genomic		

A 190969
AUCDEEN A 190969
Age 5y | AFC 32m | ICP 441d
Calves 2 | Weaned 2 | Wean Mat. 86
Avg. WI 96 | CCB - | CCW 54
Calvings: 22-07, 23-10

RCM 170016
ROECHAMA LEONARD
Wean Mat. 111

RFC 150050
BENEDETTO RFC 150050
Age 9y | AFC 28m | ICP 397d
Calves 7 | Weaned 7 | Wean Mat. 110
Avg. WI 99 | CCB - | CCW 54

A 170517
AUCDEEN ACE
Wean Mat. 93

A 160507
AUCDEEN VIC WILMA
Age 8y | AFC 37m | ICP 371d
Calves 6 | Weaned 6 | Wean Mat. 87
Avg. WI 103 | CCB - | CCW 54

RCM 130008
ROECHAMA RCM 130008
RCM 140169
ROECHAMA RCM 140169
Age 6y | Avg. WI 101
Calves 3 | Weaned 3
GBL1113U
RED GOLD-BAR UNIQUE J W 1113U
WAF 100050
WATERVAL WAF100050
Age 10y | Avg. WI 100
Calves 5 | Weaned 4
A 150352
AUCDEEN OPTIMUS PRIME
DPM 080016
TARASVALE 0816
Age 11y | Avg. WI 90
Calves 7 | Weaned 7
WB 110385
MEQUATLING COACH
CP 106299
VEEJAY 10 6299
Age 13y | Avg. WI 94
Calves 8 | Weaned 7

LAD BOERDERY (PTY) LTD

Molteno, Eastern Cape
0761748154
erasmusdirkie8@gmail.com

FARM RETREAT, MOLTENO, 5500

COW VALUE 102

106	Calving Ease Value
98	Calf Growth Value
99	Milk Value
90	Maintenance Value
111	Fertility Value

GROWTH VALUE 91

CARCASS VALUE 94

PRODUCTION VALUE 98

LOGIX
GENETICS
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	109	98	99	101	104	116	104
54%	39%	51%	38%	30%	38%	20%	38%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	91	87	110	101	102	99	92	86
36%	29%	12%	20%	30%	30%	28%	27%	27%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	266kg 92 (2)	291kg 100 (1)	-	-	-	- (B1)	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:



LOT 30 (M)

LAD 230211
RETREAT LAD 230211

LAD BOERDERY (PTY) LTD

Molteno, Eastern Cape
0761748154
erasmusdirkie8@gmail.com

FARM RETREAT, MOLTENO, 5500

Kuddeboek	SP
Geb. dtm	2023-11-18
Oud.	1j 10m
Inteling	1%
DNS	U22953U004

KOEIWAARDE 90	
105	Kalfgemak Waarde
93	Kalfgroei Waarde
102	Melk Waarde
97	Onderhoudswaarde
90	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 89	
PRODUKSIE WAARDE -	



Miostation	
Q204X	Skoon
NT821	Draer
F94L	Skoon

MLR 190834 PcPc
VICTORIO (SHR/735) 834
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

MLR 120571
VICTORIO LULU (WK/47) 571
Oud. 13j | OEK 36m | TKP 450d
Kalwers 8 | Gespeen 7 | Spn. Mat. 107
Gem. SI 103 | KKG - | KKS 42.1
Kalwings: 15-04, 16-12, 17-12,
18-12, 19-12, 20-12, 22-03, 23-11

MLR 150712 PcPc
VICTORIO SHREK 712
Spn Mat. 100

MLR 170735
VICTORIO SUZIE 589 678 735
Oud. 7j | OEK 34m | TKP 382d
Kalwers 4 | Gespeen 2 | Spn. Mat. 103
Gem. SI 108 | KKG - | KKS 42.1

PJB 070116
BONHAVEN WELLS KING 07116
Spn Mat. 93
A 010047
AUCDEEN LULU 0147
Oud. 16j | OEK 34m | TKP 510d
Kalwers 10 | Gespeen 6 | Spn. Mat. 118
Gem. SI 109 | KKG - | KKS 42.1

MLR 060395
VICTORIO (ZZ) 395
MLR 090513 PcPc
VICTORIO W-UDDER 513
Oud. 14j | Gem. SI 105
Kalwers 9 | Gespeen 3
MLR 140678
VICTORIO EVEREST 678
MLR 120589
VICTORIO BELINDA (RR/350) 58
Oud. 6j | Gem. SI 104
Kalwers 3 | Gespeen 2
WB 030175
MEQUATLING CHIEF RUNNING BULL
CP 003104
VEEJAY DIXIE 00 3104
Oud. 10j | Gem. SI 91
Kalwers 7 | Gespeen 6
A 970452
AUCDEEN MC CURREY 4
A 970487
AUCDEEN H LULU 15
Oud. 27j | Gem. SI 101
Kalwers 6 | Gespeen 5

LOGIX
ANALYTICS
EBV Analyse 2025-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	103	93	102	95	76	100	106
58%	43%	47%	43%	27%	31%	18%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	87	88	102	104	99	82	88	96
36%	24%	11%	22%	28%	26%	21%	19%	18%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
39kg	306kg 108 (2)	285kg 100 (1)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:



2025 EASTERN CAPE MULTIBREED PRODUCTION SALE
Cathcart 27 September 2025



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.58	0.36	27.6	5.8	52	39	209	-81	22.3	-	45.0						
Auction Average				37	276	-	51.4	-	-	1.69	0.12	24.3	4.4	53	35	155	-56	21.1	-1	41	100	-	97	100	4.0	88
28	A 220415	M	SP	35	255	-	-	-	-	1.93	0.13	22.4	1.1	51.9	12.8	145	-60	20.5	-1	32	100	-	96	100	1	85
29	LAD 230110	M	SP	38	266	-	54	-	-	1.74	-0.01	26.6	5.5	55.3	50.7	168	-54	22.9	0	48	92	-	101	96	2	86
30	LAD 230211	M	SP	39	306	-	48.8	-	-	1.40	0.24	23.8	6.5	51.4	41.7	152	-55	20	0	44	108	-	95	103	8	92

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik