

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

COLESBERG MULTIRAS VEILING 2025

Colesberg
10 September 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 02 September 2025



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

11

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight

EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight

EBVs: Weaning weight Direct

Measurement: Weaning weight

EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight

EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention

EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



KJA 220006

LEMOENVLEI PONTIUS

Herd Book	SP
Birth date	2022-10-25
Age	2y 11m
Inbreeding	2%

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape
0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

SLM 140006 HH
SYFERPAN 406
Wean Mat. 107

Parentage	Sire	Dam
DNA		
Genomic		

KJA 150010 HH
LEMOENVLEI DORA 510Age 8y | AFC 41m | ICP 363d
Calves 6 | Weaned 5 | Wean Mat. 126
Avg. WI 106 | CCB 7.49 | CCW 46.5
Calvings: 18-10, 19-10, 20-11, 21-11,
22-10, 23-1043092364
CHURCHILL SENSATION 028X
Wean Mat. 117SLM 050006
SYFERPAN CAROLINE 196 THAge 16y | AFC 37m | ICP 365d
Calves 11 | Weaned 8 | Wean Mat. 99
Avg. WI 103 | CCB 7.49 | CCW 46.5KJA 110057
LEMOENVLEI CAMPBELL 157K
Wean Mat. 131

KJA 110043

LEMOENVLEI DORA 143

Age 6y | AFC 30m | ICP 416d
Calves 4 | Weaned 2 | Wean Mat. 108
Avg. WI 100 | CCB 7.49 | CCW 46.542426386
UPS DOMINO 302742856776
CHURCHILL LADY 7202T
Age 18y | Avg. WI -
Calves - | Weaned -
RLBE0004
BADLINGHAMBOSSY RLB E4 101 HHBSLM 010001
SYFERPAN CAROLINE 148TH
Age 9y | Avg. WI 103
Calves 7 | Weaned 7KJA 080016
LEMOENVLEI WICKETS 816KJA 040415
LEMOENVLEI KLEINGELD 415 K
Age 8y | Avg. WI 100
Calves 5 | Weaned 5SLM 070035
SYFERPAN NEONKJA 070016
LEMOENVLEI DORA 716
Age 9y | Avg. WI 96
Calves 6 | Weaned 5

COW VALUE 129

132	Calving Ease Value
90	Calf Growth Value
116	Milk Value
98	Maintenance Value
111	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 110

PRODUCTION VALUE 128

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
29kg	239kg 118 (22)	-	-	1159g/d 107 (16)	-	398mm (D1)	1.16

LOGIX
ANALYTICS COMPANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
132	102	90	116	133	109	107	110
77%	60%	73%	61%	75%	54%	32%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	105	96	100	102	109	125	107	113
56%	67%	9%	48%	76%	73%	50%	48%	47%

LOT 2 (M)



KJA 220019

LEMOENVLEI PROFEET

Herd Book	SP
Birth date	2022-11-03
Age	2y 10m
Inbreeding	1%

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape
0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

SLM 140006 HH
SYFERPAN 406
Wean Mat. 107

Parentage	Sire	Dam
DNA		
Genomic		

KJA 140008

LEMOENVLEI DALEEN

Age 9y | AFC 37m | ICP 391d
Calves 6 | Weaned 6 | Wean Mat. 103
Avg. WI 106 | CCB 7.37 | CCW 47.2
Calvings: 17-06, 18-10, 19-10,
20-11, 21-11, 22-1143092364
CHURCHILL SENSATION 028X
Wean Mat. 117SLM 050006
SYFERPAN CAROLINE 196 THAge 16y | AFC 37m | ICP 365d
Calves 11 | Weaned 8 | Wean Mat. 99
Avg. WI 103 | CCB 7.37 | CCW 47.2KV J 0019
BLINKSAAD JOE DOLON
Wean Mat. 94

KJA 110032

LEMOENVLEI DALEEN 132

Age 6y | AFC 31m | ICP 427d
Calves 4 | Weaned 4 | Wean Mat. 108
Avg. WI 87 | CCB 7.37 | CCW 47.242426386
UPS DOMINO 302742856776
CHURCHILL LADY 7202T
Age 18y | Avg. WI -
Calves - | Weaned -
RLBE0004
BADLINGHAMBOSSY RLB E4 101 HHBSLM 010001
SYFERPAN CAROLINE 148TH
Age 9y | Avg. WI 103
Calves 7 | Weaned 7SLM Z 0032
SYFERPAN ZOOMKV Z 0007
BLINKSAAD COLETTE Z7
Age 12y | Avg. WI 107
Calves 7 | Weaned 5KJA 080016
LEMOENVLEI WICKETS 816KJA 050028
LEMOENVLEI DALEEN 528
Age 8y | Avg. WI 115
Calves 6 | Weaned 6

COW VALUE 122

131	Calving Ease Value
88	Calf Growth Value
105	Milk Value
104	Maintenance Value
100	Fertility Value

GROWTH VALUE 95

CARCASS VALUE 104

PRODUCTION VALUE 120

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	217kg 102 (22)	-	-	1035g/d 96 (16)	-	360mm (D1)	1.13

LOGIX
ANALYTICS COMPANY
EBV Analysis 2025-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
128	110	88	105	107	108	92	103
77%	60%	73%	62%	75%	54%	35%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	106	108	94	102	104	112	116	107
58%	68%	17%	52%	76%	74%	51%	48%	48%

LOT 3 (M)



KJA 220014

LEMOENVLEI PATAT

Kuddeboek	SP
Geb. dtm	2022-10-30
Oud.	2j 10m
Inteling	4%



J.F.L. KRUGER

Colesberg, Northern Cape
0833241535
wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

SLM 140006 HH
SYFERPAN 406
Spn. Mat. 107

Ouerskap	Vaar	Moer
DNS		
Genomies		

KJA 140041
LEMOENVLEI DALEEN
Oud. 9j | OEK 33m | TKP 386d
Kalwers 6 | Gespeen 6 | Spn. Mat. 101
Gem. SI 95 | KKG 7.53 | KKS 43.8
Kalwings: 17-07, 18-11, 19-11, 20-11,
21-11, 22-10

43092364
CHURCHILL SENSATION 028X
Spn. Mat. 117

SLM 050006
SYFERPAN CAROLINE 196 TH

Oud. 16j | OEK 37m | TKP 365d
Kalwers 11 | Gespeen 8 | Spn. Mat. 99
Gem. SI 103 | KKG 7.53 | KKS 43.8

SLM 090019
SYFERPAN 919
Spn. Mat. 116

KJA 080037
LEMOENVLEI DALEEN 837
Oud. 8j | OEK 29m | TKP 414d
Kalwers 5 | Gespeen 4 | Spn. Mat. 102
Gem. SI 99 | KKG 7.53 | KKS 43.8

42426386
UPS DOMINO 3027
42856776
CHURCHILL LADY 7202T
Oud. 18j | Gem. SI -
Kalwers - | Gespeen -
RLBE0004
BADLINGHAMBOSSY RLB E4 101 HHB

SLM 010001
SYFERPAN CAROLINE 148TH
Oud. 9j | Gem. SI 103
Kalwers 7 | Gespeen 7

HC02827131
GH NEON 17N
SLM 010001
SYFERPAN CAROLINE 148TH
Oud. 9j | Gem. SI 103
Kalwers 7 | Gespeen 7
KJA 050022
LEMOENVLEI TROMP
KJA 010113
LEMOENVLEI DALEEN 113
Oud. 10j | Gem. SI 106
Kalwers 6 | Gespeen 6

KOEIWAARDE 127

134	Kalfgemak Waarde
79	Kalfgroei Waarde
105	Melk Waarde
110	Onderhoudswaarde
124	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 96

PRODUKSIE WAARDE 126

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
32kg	203kg 96 (22)	-	-	1257g/d 116 (16)	-	375mm (D1)	1.17

LOGIX
ANALISE
EBV Analise 2025-08-19

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
133	103	79	105	111	128	113	103
77%	61%	74%	62%	74%	54%	34%	55%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	92	78	88	94	98	101	115	110
56%	66%	9%	51%	75%	72%	46%	44%	44%

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.88	0.48	17.6	9.0	34	36	140	-75	15.9	24.0	34.0						
Auction Average				32	220	7.28	49.9	1.15	355	-1.77	0.27	10.3	12.4	35	28	146	-66	26.5	24	38	105	106	117	102	6.0	105

Dier Info				Actual Values					Expected Breeding Values												Dam					
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Carcass Weight kg	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	12m Weight (kg)	12m Weight (kg)	Mature Weight. (kg)	IMF (%)	Carcas Weight (kg)	EMA (cm2)	Rib Fat. (mm)	Fineness	Avg. Carc Index	Nr. Calves	Repr. Index			
Breed Average									0.88	0.48	17.6	9.0	27.5	42.2	36			0.0	-	-						
Auction Average				32	220	7.28	49.9	-	-1.77	0.27	10.3	12.4	22.1	35	28	-	-	-	-	-	-	6.0	105			
1	KJA 220006	M	SP	29	239	6.58	53.4	1.16	380	-1.84	0.40	12.6	15.3	38.3	35.5	164	-69	36.4	26	45	118	107	133	106	6	104
2	KJA 220019	M	SP	36	217	7.32	48.5	1.13	340	-1.49	0.04	11.4	10.9	36.8	28.7	170	-87	20.4	26	39	102	96	107	106	6	103
3	KJA 220014	M	SP	32	203	7.94	47.8	1.17	345	-1.99	0.36	7.0	10.9	29.5	21.3	103	-41	22.6	20	31	96	116	111	95	6	107

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik