

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

SUID KAAP BONSMARA KLUBS

Veilingsdatum / Auction Date:
25 September 2025

Data soos op / Data as on:
18 September 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage Sire Dam

DNA

Genomic

DEF 100066 P

DEF 050022

GHI 070076 HH(c)

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

TM 220018 HH(c)
2022-10-16
SP

Parentage Sire Dam
DNA
Genomic ✓


AG 110065
AGE/CALV. 14/12
AVG. Wt/CALV. 103/12
ICP 367

LAR 140106

LAR 080168
AGE/CALV. 16/11
AVG. Wt/CALV. 104/10
ICP 396

AG 060027

AG 990135
AGE/CALV. 14/12
AVG. Wt/CALV. 101/10
ICP 392

AG 070457
LAR 110029
AGE/CALV. 6/3
AVG. Wt/CALV. 105/3

AG 040374
LAR 050151
AGE/CALV. 20/15
AVG. Wt/CALV. 102/15

LAR 010176
AG 020147
AGE/CALV. 15/11
AVG. Wt/CALV. 110/11

AG 920046
AG N 0045
AGE/CALV. 17/12
AVG. Wt/CALV. 106/12

Calving Ease Value
83

Weaner Calf Value
124

Fertility Value
119

Maintenance Value
87

Cow Value
124

Growth Value
119

Carcass Value
126

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
67	128	98	129	91	126	121	128	114	112	114	89	115	103	99	115

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
105	103	102	-	-	-	-

Myostatin
Q204X 0
NT821 0
F94L 0

REMARKS: Gratis aflewering van hierdie stoet bul op eienaar se risiko

LOGIX EBV Analysis: 2025-09-17

LOT 2
JUBILEE BONSMARAS

FJB 220025 HH(c)
2022-10-13
SP

Parentage Sire Dam
DNA ✓
Genomic


FJB 170085
AGE/CALV. 8/4
AVG. Wt/CALV. 91/2
ICP 532

CSW 090137 Pp(c)

JSM 120048
AGE/CALV. 9/5
AVG. Wt/CALV. 108/5
ICP 525

KVB 140113

AT 140019
AGE/CALV. 9/5
AVG. Wt/CALV. 92/2
ICP 653

CSW 050024
CSW 040029
AGE/CALV. 14/11
AVG. Wt/CALV. 97/11

CSW 080044
JSM 080046
AGE/CALV. 11/7
AVG. Wt/CALV. 95/7

KVB 080103
KVB 090061
AGE/CALV. 6/3
AVG. Wt/CALV. 100/3

LAR 080193
AT 080152
AGE/CALV. 9/5
AVG. Wt/CALV. 105/4

Calving Ease Value
105

Weaner Calf Value
91

Fertility Value
88

Maintenance Value
103

Cow Value
87

Growth Value
91

Carcass Value
96

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	94	95	81	96	79	104	89	96	94	96	92	89	100	102	84

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
96	91	90	-	-	-	-

Myostatin
Q204X 1
NT821 Not Tested
F94L Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-09-17

LOT 3
TAMBARAINE PTY LTD


TM 220026
2022-12-14
SP

Parentage Sire Dam
DNA
Genomic


NFS 190183
AGE/CALV. 4/2
AVG. Wt/CALV. 101/2
ICP 560

LAR 140106

LAR 080168
AGE/CALV. 16/11
AVG. Wt/CALV. 104/10
ICP 396

PAD 150196 HH(c)

NFS 100144
AGE/CALV. 13/10
AVG. Wt/CALV. 102/10
ICP 409

AG 070457
LAR 110029
AGE/CALV. 6/3
AVG. Wt/CALV. 105/3

AG 040374
LAR 050151
AGE/CALV. 20/15
AVG. Wt/CALV. 102/15

JRP 120013
PAD 080087
AGE/CALV. 10/6
AVG. Wt/CALV. 103/5

NFS 060243
NFS 070026
AGE/CALV. 4/2
AVG. Wt/CALV. 98/2

Calving Ease Value
84

Weaner Calf Value
119

Fertility Value
101

Maintenance Value
93

Cow Value
110

Growth Value
103

Carcass Value
110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
67	126	86	125	96	99	111	120	102	110	107	98	105	100	93	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	100	100	-	-	-	-

Myostatin
Q204X 0
NT821 0
F94L 0

REMARKS:

LOGIX EBV Analysis: 2025-09-17

BULLE

LOT 4

JUBILEE BONSMARAS

FJB 220002

2022-04-10
SP

Ouerskap Vaar Moer

DNS

Genomies

DAJ 150244



GCD 110042

OUD/KALW. 14/10
GEM. SI/KALW. 99/8
TKP 381

MMJ 060226

JRP 110002

OUD/KALW. 7/5
GEM. SI/KALW. 96/5
TKP 390

GCD 050148

GCD 020052

OUD/KALW. 16/14
GEM. SI/KALW. 99/13
TKP 368

MMJ 030164

MMJ 020249
OUD/KALW. 11/7
GEM. SI/KALW. 105/7

LAR 070055

JRP 080037
OUD/KALW. 13/8
GEM. SI/KALW. 103/7

EI 940339

GCD 960035
OUD/KALW. 12/10
GEM. SI/KALW. 103/10

BP 950047

GCD 970013
OUD/KALW. 12/10
GEM. SI/KALW. 99/10Geboortegemak
Waarde
87Speenkalv
Waarde
96Vrugbaarheids-
waarde
90Onderhouds-
waarde
112Koeiwaarde
89Groei-
waarde
87Karkas-
waarde
88

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	99	99	93	92	96	94	96	89	91	87	91	92	100	88	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	99	100	-	-	-	-

Miostation	
Q204X	0
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

LOT 5

TAMBARAINE PTY LTD



TM 230003

2023-06-02
SP

Ouerskap Vaar Moer

DNS

Genomies

LAR 170339 HH(c)



CRV 140375 HH(c)

OUD/KALW. 10/8
GEM. SI/KALW. 103/7
TKP 370

LAR 140106

LAR 080168

OUD/KALW. 16/11
GEM. SI/KALW. 104/10
TKP 396

NFS 110048

BHE 040117

OUD/KALW. 16/12
GEM. SI/KALW. 98/12
TKP 406

AG 070457

LAR 110029
OUD/KALW. 6/3
GEM. SI/KALW. 105/3

AG 040374

LAR 050151
OUD/KALW. 20/15
GEM. SI/KALW. 102/15

NFS 080032

NFS 050126
OUD/KALW. 12/9
GEM. SI/KALW. 102/9

RCO 980037

BHE 950125
OUD/KALW. 13/11
GEM. SI/KALW. 101/10Geboortegemak
Waarde
81Speenkalv
Waarde
120Vrugbaarheids-
waarde
110Onderhouds-
waarde
92Koeiwaarde
115Groei-
waarde
107Karkas-
waarde
115

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
69	125	93	121	98	112	111	123	105	111	108	95	107	100	97	87

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
108	102	108	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

LOT 6

JUBILEE BONSMARAS

FJB 220019

2022-09-15
SP

Ouerskap Vaar Moer

DNS

Genomies

JSM 170041



AT 140005

OUD/KALW. 10/5
GEM. SI/KALW. 106/2
TKP 572

CSW 090137 Pp(c)

JSM 120048

OUD/KALW. 9/5
GEM. SI/KALW. 108/5
TKP 525

LAR 080193

AT 100002

OUD/KALW. 7/2
GEM. SI/KALW. 91/2
TKP 685

CSW 050024

CSW 040029
OUD/KALW. 14/11
GEM. SI/KALW. 97/11

CSW 080044

JSM 080046
OUD/KALW. 11/7
GEM. SI/KALW. 95/7

LAR 030059

LAR 010322
OUD/KALW. 12/9
GEM. SI/KALW. 95/8

AG 050173

AT 060060
OUD/KALW. 4/3
GEM. SI/KALW. 100/2Geboortegemak
Waarde
105Speenkalv
Waarde
99Vrugbaarheids-
waarde
77Onderhouds-
waarde
100Koeiwaarde
90Groei-
waarde
98Karkas-
waarde
98

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	97	107	93	80	78	98	92	102	101	98	100	96	100	105	86

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	102	105	-	-	-	-

Miostation	
Q204X	0
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

BULLS

LOT 7

TAMBARAINE PTY LTD



TM 230007
2023-07-09
SP

Parentage	Sire	Dam
DNA		
Genomic		

LAR 170339 HH(c)



LAR 170300
AGE/CALV. 7/4
AVG. Wt/CALV. 102/4
ICP 464

LAR 140106

LAR 080168
AGE/CALV. 16/11
AVG. Wt/CALV. 104/10
ICP 396

LAR 140173 HH(c)

LAR 080121
AGE/CALV. 13/10
AVG. Wt/CALV. 101/10
ICP 376

AG 070457

LAR 110029
AGE/CALV. 6/3
AVG. Wt/CALV. 105/3

AG 040374

LAR 050151
AGE/CALV. 20/15
AVG. Wt/CALV. 102/15

LAR 120033 HH(c)

LAR 100159
AGE/CALV. 15/11
AVG. Wt/CALV. 105/11

LAR 050186

LAR 030140
AGE/CALV. 5/3
AVG. Wt/CALV. 95/3

Calving Ease Value 82	Weaner Calf Value 135	Fertility Value 108	Maintenance Value 79	Cow Value 123	Growth Value 121	Carcass Value 127
--	--	--------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
69	139	90	129	104	97	121	136	118	121	126	94	119	127	89	90

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	100	97	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2025-09-17

LOT 8

JUBILEE BONSMARAS

FJB 220013
2022-09-01
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AG 150288



FJB 170088
AGE/CALV. 7/3
AVG. Wt/CALV. 98/3
ICP 595

AG 120225

AG 120300
AGE/CALV. 12/8
AVG. Wt/CALV. 99/8
ICP 475

PAD 140371

PAD 120051
AGE/CALV. 13/9
AVG. Wt/CALV. 110/5
ICP 446

LAR 060034

AG 040141
AGE/CALV. 15/12
AVG. Wt/CALV. 102/12

AG 070176

AG 070706
AGE/CALV. 6/4
AVG. Wt/CALV. 102/3

PAD 100014

PAD 070117
AGE/CALV. 10/5
AVG. Wt/CALV. 104/5

PAD 060050

AEK 040005
AGE/CALV. 13/10
AVG. Wt/CALV. 101/10

Calving Ease Value 117	Weaner Calf Value 105	Fertility Value 96	Maintenance Value 109	Cow Value 106	Growth Value 92	Carcass Value 99
---	--	-------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	97	101	101	98	98	102	98	91	90	90	100	94	95	97	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	100	100	-	-	-	-

Myostatin	
Q204X	0
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2025-09-17

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	251	-	50.6	-	-	1.00 2.56	-0.30 -0.74	14.7 21.7	3.6 2.4	24 38	22 26	78 86	-37 -43	12.6 17.8	-3.0 -7	13.0 15	102	-	109	100	6.0	95
1	TM 220018	M	SP	38	323	-	45.1	-	-	4.42	-1.23	29.5	2.9	55.7	42.3	132	-56	29.5	-12	27	105	-	129	103	12	114
2	FJB 220025	M	SP	34	174	-	-	-	-	0.71	-0.60	11.6	2.2	16.9	15.3	62	-27	1.4	-9	4	96	-	81	91	4	83
3	TM 220026	M	SP	38	331	-	55	-	-	4.40	-1.10	28.8	-0.6	48.3	31.9	86	-53	27.3	-4	18	104	-	125	101	2	109
4	FJB 220002	M	SP	41	183	-	-	-	-	2.22	-0.04	14.1	3.2	22.6	2.9	36	-22	8.3	-10	7	100	-	93	99	10	104
5	TM 230003	M	SP	39	362	-	58.5	-	-	4.26	-0.67	28.4	1.4	50.9	33.1	97	-55	24.6	-7	19	108	-	121	103	8	111
6	FJB 220019	M	SP	38	184	-	-	-	-	0.49	-0.37	12.9	5.8	20.7	18.3	87	-38	8.7	-3	10	100	-	93	106	5	74
7	TM 230007	M	SP	36	330	-	43.8	-	-	4.23	-0.84	35.5	0.6	63.7	60.4	145	-71	29.5	-8	30	100	-	129	102	4	93
8	FJB 220013	M	SP	28	119	-	-	-	-	-0.26	-1.10	13.1	3.8	26.8	6.4	43	-20	13.4	-3	8	100	-	101	98	3	74

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik