

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

KRUGER & LEEUWHEUVEL - VROULIK

Veilingsdatum / Auction Date:
09 October 2025

Data soos op / Data as on:
29 September 2025



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

- 1 Calving Ease Value
- Calf Growth Value
- 3 Fertility Value
- Milk Value
- 4 Maintenance Value
- EBVs Birth Direct & Maternal
- EBV Wean Direct
- EBVs Cow & Heifer Fertility,
- EBV Longevity
- EBV Wean Maternal
- EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



Average between 90 and 110, Acceptable between 80 and 120

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22


16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS WITH CALVES

LOT 61

WAT 200052
2020-05-15 SP
AGE/CALV. 5/3
AVG. WI/CALV. 97/2
ICP 477


WAT 100063

WAT 090318
AGE/CALV. 11/7
AVG. WI/CALV. 100/7
ICP 469

Parentage Sire Dam
DNA
Genomic

WAT 080283
WAT 080035
AGE/CALV. 13/11
AVG. WI/CALV. 102/11
ICP 368
WAT 030022
WAT 060080
AGE/CALV. 10/8
AVG. WI/CALV. 100/7
ICP 367

FCT 990022
WAT 030024
AGE/CALV. 6/4
AVG. WI/CALV. 98/4
WAT 050142
WAT 050215
AGE/CALV. 7/4
AVG. WI/CALV. 105/4
WAT 000200
WAT 000117
AGE/CALV. 15/12
AVG. WI/CALV. 110/12
WAT 030025
WAT 020120
AGE/CALV. 10/8
AVG. WI/CALV. 99/7

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
108	96	97	100	97	98	97

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	97	100	78	99	92	100	94	95	95	98	119	99	92	95	81

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
110	107	99	-	-	-

Last Calf		Myostatin	
Calf ID	WAT 250022 (F)	Q204X	Not Tested
Birth Date	2025-04-11	NT821	Not Tested
Sire ID	WAT 190391	F94L	Not Tested

LOT 62

WAT 190280
2019-11-04 SP
AGE/CALV. 5/4
AVG. WI/CALV. 98/3
ICP 430


WAT 170339
AGE/CALV. 5/4
AVG. WI/CALV. 101/3
ICP 476

Parentage Sire Dam
DNA ✓
Genomic

WAT 170557 HH(c)
WAT 140536
WAT 140277
AGE/CALV. 10/9
AVG. WI/CALV. 100/8
ICP 370
BG 140124
WAT 100149
AGE/CALV. 11/10
AVG. WI/CALV. 105/10
ICP 369

WAT 060355
WAT 040337
AGE/CALV. 13/10
AVG. WI/CALV. 109/9
JRB 080018
WAT 110029
AGE/CALV. 12/10
AVG. WI/CALV. 112/10
BG 100148
CAB 080047
AGE/CALV. 7/4
AVG. WI/CALV. 103/3
FCT 990022
WAT 070191
AGE/CALV. 11/9
AVG. WI/CALV. 100/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
110	102	85	102	95	106	97

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	105	87	97	75	85	116	99	105	95	96	100	99	100	86	93

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
106	107	103	-	-	-

Last Calf		Myostatin	
Calf ID	WAT 250062 (F)	Q204X	Not Tested
Birth Date	2025-04-21	NT821	Not Tested
Sire ID	WAT 180277	F94L	Not Tested

LOT 63

BG 180082
2018-09-14 SP
AGE/CALV. 7/5
AVG. WI/CALV. 98/3
ICP 420


BG 150084
AGE/CALV. 9/7
AVG. WI/CALV. 103/7
ICP 380

Parentage Sire Dam
DNA ✓
Genomic

WAT 110153
WAT 060061
AGE/CALV. 11/9
AVG. WI/CALV. 100/8
ICP 367
WAT 110153
BG 100048
AGE/CALV. 15/9
AVG. WI/CALV. 100/7
ICP 434

WAT 070039
WAT 070006
AGE/CALV. 11/10
AVG. WI/CALV. 101/10
WAT 030022
WAT 030209
AGE/CALV. 11/7
AVG. WI/CALV. 97/7
WAT 070039
WAT 070006
AGE/CALV. 11/10
AVG. WI/CALV. 101/10
BG 080102 HH(c)
EI 010563
AGE/CALV. 16/12
AVG. WI/CALV. 100/9

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
95	106	86	83	97	121	114

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	111	103	122	92	73	107	114	126	111	119	125	121	103	89	80

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
110	101	105	-	-	-

Last Calf		Myostatin	
Calf ID	WAT 250041 (F)	Q204X	Not Tested
Birth Date	2025-04-16	NT821	Not Tested
Sire ID	JSM 190082	F94L	Not Tested

KOEIE MET KALWERS

LOT 64
KRUGER BOERDERY

WAT 200573
2020-12-07
SP
OUD/KALW. 4/3
GEM. SI/KALW. 88/2
TKP 453
Ouerskap **Vaar** **Moer**
DNS 
Genomies


WAT 160140
WAT 170311
OUD/KALW. 5/3
GEM. SI/KALW. 108/3
TKP 368
WAT 140477
WAT 130509
OUD/KALW. 8/5
GEM. SI/KALW. 107/4
TKP 505
FCT 110002
WAT 070074
OUD/KALW. 11/10
GEM. SI/KALW. 100/9
TKP 370

WAT 060355
WAT 050014
OUD/KALW. 11/8
GEM. SI/KALW. 105/7
**WAT 080026**
WAT 080052
OUD/KALW. 12/11
GEM. SI/KALW. 103/11
FCT 080218
FCT 080040
OUD/KALW. 5/3
GEM. SI/KALW. 97/3
WAT 030022
WAT 970361
OUD/KALW. 11/8
GEM. SI/KALW. 100/8

Geboortegemak Waarde
111

Speenkalf Waarde
99

Vrugbaarheids-waarde
103

Onderhouds-waarde
104

Koeiwaarde
103

Groei-waarde
102

Karkas-waarde
99

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	101	90	89	102	100	107	100	103	98	95	110	100	99	101	106

Laaste Kalf						Miostatien	
Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH	Kalf ID	
104	99	97	-	-	-	WAT 250023 (F)	Q204X Nie Getoets
						Geb. dtm.	2025-04-11 NT821 Nie Getoets
						Vaar ID	WAT 190391 F94L Nie Getoets

OPMERKINGS: 6 weke dragtig MS: LHB 18-234, QCF 18-018

LOGIX EBV Analise: 2025-09-17

LOT 65
KRUGER BOERDERY

WAT 200039
2020-05-01
SP
OUD/KALW. 5/3
GEM. SI/KALW. 104/2
TKP 476
Ouerskap **Vaar** **Moer**
DNS
Genomies


OB 150264
WAT 080089
OUD/KALW. 13/11
GEM. SI/KALW. 106/11
TKP 410
WAT 120062
**OB 060112 HH(c)**
OUD/KALW. 11/10
GEM. SI/KALW. 99/8
TKP 381
**LAR 040172**
WAT 050090
OUD/KALW. 12/11
GEM. SI/KALW. 105/9
TKP 377

WAT 100247
WAT 100360
OUD/KALW. 6/4
GEM. SI/KALW. 101/4
BG 000081
OB 970285
OUD/KALW. 10/8
GEM. SI/KALW. 102/7
LAR 000084
LAR 970251
OUD/KALW. 14/12
GEM. SI/KALW. 107/10
WAT 030022
WAT 020311
OUD/KALW. 7/4
GEM. SI/KALW. 107/4

Geboortegemak Waarde
77

Speenkalf Waarde
104

Vrugbaarheids-waarde
108

Onderhouds-waarde
82

Koeiwaarde
101

Groei-waarde
106

Karkas-waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
71	113	104	128	108	101	109	113	109	115	121	124	110	83	104	123

Laaste Kalf						Miostatien	
Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH	Kalf ID	
100	104	105	-	-	-	WAT 250102 (M)	Q204X Nie Getoets
						Geb. dtm.	2025-05-05 NT821 Nie Getoets
						Vaar ID	WAT 190391 F94L Nie Getoets

OPMERKINGS: 2 maande dragtig MS: LHB 18-234, QCF 18-018

LOGIX EBV Analise: 2025-09-17

LOT 66
KRUGER BOERDERY

WAT 200028
2020-04-24
SP
OUD/KALW. 5/3
GEM. SI/KALW. 108/2
TKP 479
Ouerskap **Vaar** **Moer**
DNS
Genomies


WAT 100063
WAT 130299
OUD/KALW. 7/5
GEM. SI/KALW. 103/5
TKP 420
WAT 080283
WAT 080035
OUD/KALW. 13/11
GEM. SI/KALW. 102/11
TKP 368
LAR 090040
WAT 050067
OUD/KALW. 11/9
GEM. SI/KALW. 106/8
TKP 371

FCT 990022
WAT 030024
OUD/KALW. 6/4
GEM. SI/KALW. 98/4
WAT 050142
WAT 050215
OUD/KALW. 7/4
GEM. SI/KALW. 105/4
**LMR 020173**
LAR 060360
OUD/KALW. 3/1
GEM. SI/KALW. 124/1
WAT 000200
WAT 970192
OUD/KALW. 14/10
GEM. SI/KALW. 101/10

Geboortegemak Waarde
89

Speenkalf Waarde
114

Vrugbaarheids-waarde
91

Onderhouds-waarde
92

Koeiwaarde
106

Groei-waarde
103

Karkas-waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	110	118	118	91	95	94	106	110	117	106	130	120	93	91	83

Laaste Kalf						Miostatien	
Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH	Kalf ID	
102	101	104	-	-	-	WAT 250095 (M)	Q204X Nie Getoets
						Geb. dtm.	2025-05-02 NT821 Nie Getoets
						Vaar ID	WAT 190391 F94L Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2025-09-17

COWS WITH CALVES

LOT 67

KG 200379
 2020-12-11
 SP
 AGE/CALV. 4/2
 AVG. Wt/CALV. 125/1
 ICP 508


KG 130126
 AGE/CALV. 11/8
 AVG. Wt/CALV. 105/7
 ICP 371

WAT 170557 HH(c)


WAT 140536
 AGE/CALV. 13/10
 AVG. Wt/CALV. 109/9
JRB 080018
WAT 110029
 AGE/CALV. 12/10
 AVG. Wt/CALV. 112/10
OB 060256
OB 010020
 AGE/CALV. 8/7
 AVG. Wt/CALV. 95/7
KG 010012
KG 030059
 AGE/CALV. 15/11
 AVG. Wt/CALV. 106/11

Calving Ease Value 89	Weaner Calf Value 120	Fertility Value 68	Maintenance Value 95	Cow Value 98	Growth Value 110	Carcass Value 105
---------------------------------	---------------------------------	------------------------------	--------------------------------	------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	112	119	117	57	78	107	107	112	107	103	102	112	123	89	73

Wean Index 110	365D Index 100	540D Index 105	ADG Index -	FCR Index -	LH -
--------------------------	--------------------------	--------------------------	-----------------------	-----------------------	----------------

Last Calf			Myostatin	
Calf ID	WAT 250029 (F)	Q204X	Not Tested	
Birth Date	2025-04-14	NT821	Not Tested	
Sire ID	WAT 190391	F94L	Not Tested	

Parentage Sire Dam

DNA

Genomic

REMARKS:

 EBV Analysis: 2025-09-17


LOT 68

WAT 190159
 2019-09-30
 SP
 AGE/CALV. 6/4
 AVG. Wt/CALV. 101/2
 ICP 443


WAT 160290
 AGE/CALV. 8/7
 AVG. Wt/CALV. 100/5
 ICP 392

KG 150016


CAB 120062
 AGE/CALV. 11/8
 AVG. Wt/CALV. 111/8
OB 070058
KG 040038
 AGE/CALV. 15/12
 AVG. Wt/CALV. 99/9
FCT 080218
FCT 080040
 AGE/CALV. 5/3
 AVG. Wt/CALV. 97/3

FCT 980067

WAT 030039
 AGE/CALV. 13/9
 AVG. Wt/CALV. 107/9

Calving Ease Value 99	Weaner Calf Value 113	Fertility Value 103	Maintenance Value 87	Cow Value 114	Growth Value 113	Carcass Value 111
---------------------------------	---------------------------------	-------------------------------	--------------------------------	-------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	108	118	89	109	87	121	111	116	103	112	115	121	85	93	111

Wean Index 100	365D Index 95	540D Index 100	ADG Index -	FCR Index -	LH -
--------------------------	-------------------------	--------------------------	-----------------------	-----------------------	----------------

Last Calf			Myostatin	
Calf ID	WAT 250120 (M)	Q204X	Not Tested	
Birth Date	2025-05-26	NT821	Not Tested	
Sire ID	LEL 190110	F94L	Not Tested	

Parentage Sire Dam

DNA 

Genomic


REMARKS:

 EBV Analysis: 2025-09-17

LOT 69

WAT 190477
 2019-11-29
 SP
 AGE/CALV. 5/4
 AVG. Wt/CALV. 101/2
 ICP 442


WAT 110106
 AGE/CALV. 9/7
 AVG. Wt/CALV. 100/7
 ICP 433

WAT 120072
 AGE/CALV. 7/5
 AVG. Wt/CALV. 91/5
WAT 030022
WAT 020311
 AGE/CALV. 7/4
 AVG. Wt/CALV. 107/4

WAT 060071
WAT 060153
 AGE/CALV. 4/1
 AVG. Wt/CALV. 110/1
WAT 070296
WAT 070140
 AGE/CALV. 11/9
 AVG. Wt/CALV. 101/8

Calving Ease Value 117	Weaner Calf Value 106	Fertility Value 117	Maintenance Value 100	Cow Value 118	Growth Value 104	Carcass Value 106
----------------------------------	---------------------------------	-------------------------------	---------------------------------	-------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	101	100	113	117	113	103	105	104	106	98	118	110	109	93	134

Wean Index 104	365D Index 108	540D Index 100	ADG Index -	FCR Index -	LH -
--------------------------	--------------------------	--------------------------	-----------------------	-----------------------	----------------

Last Calf			Myostatin	
Calf ID	WAT 250121 (M)	Q204X	Not Tested	
Birth Date	2025-05-26	NT821	Not Tested	
Sire ID	WAT 180277	F94L	Not Tested	

Parentage Sire Dam

DNA

Genomic

REMARKS: 2 maande dragtig MS: KG 15-016, WAT 19-391

 EBV Analysis: 2025-09-17

KOEIE MET KALWERS

LOT 70
KRUGER BOERDERY

WAT 210085
2021-09-23
SP
OUD/KALW. 4/2
GEM. SI/KALW. 97/1
TKP 574

Ouerskap **Vaar** **Moer**
DNS
Genomies


WAT 110255
OUD/KALW. 12/11
GEM. SI/KALW. 105/11
TKP 368

CAB 110020
OUD/KALW. 8/5
GEM. SI/KALW. 108/4

CAB 140008
OUD/KALW. 5/3
GEM. SI/KALW. 116/3
TKP 380

WAT 070353
OUD/KALW. 11/7
GEM. SI/KALW. 104/7

WAT 080087
OUD/KALW. 7/5
GEM. SI/KALW. 101/2
TKP 368

JJ 060057
CAB 060045
OUD/KALW. 8/5
GEM. SI/KALW. 108/4

BG 100148
FCT 070257
OUD/KALW. 6/4
GEM. SI/KALW. 107/4

WAT 030025
OUD/KALW. 11/7
GEM. SI/KALW. 104/7

WAT 050142
OUD/KALW. 14/11
GEM. SI/KALW. 99/10

Geboortegemak Waarde 92	Speenkalf Waarde 101	Vrugbaarheids-waarde 87	Onderhouds-waarde 87	Koeiwaarde 91	Groei-waarde 112	Karkas-waarde 107										
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei	Raam			Karkas						
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar	
91	113	85	77	90	84	106	111	117	109	114	112	115	106	92	112	
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Laaste Kalf			Miostation	
100		95		94		-		-		-		Kalf ID		WAT 250129 (M)		
												Geb. dtm.		2025-06-06		
												Vaar ID		WAT 200314		
														Q204X Nie Getoets		
														NT821 Nie Getoets		
														F94L Nie Getoets		

OPMERKINGS:
LOGIX EBV Analise: 2025-09-17

DRAGTIGE KOEIE

LOT 71
KRUGER BOERDERY

WAT 190093
2019-09-16
SP
OUD/KALW. 6/4
GEM. SI/KALW. 89/4
TKP 396

Ouerskap **Vaar** **Moer**
DNS ✓
Genomies


WAT 170254
OUD/KALW. 8/6
GEM. SI/KALW. 99/4
TKP 414

WAT 140536
OUD/KALW. 13/10
GEM. SI/KALW. 109/9

WAT 140277
OUD/KALW. 10/9
GEM. SI/KALW. 100/8
TKP 370

BG 110107
OUD/KALW. 12/10
GEM. SI/KALW. 112/10

WAT 050342
OUD/KALW. 8/5
GEM. SI/KALW. 100/5

WAT 030022
OUD/KALW. 10/7
GEM. SI/KALW. 99/7

WAT 060355
WAT 040337
OUD/KALW. 13/10
GEM. SI/KALW. 109/9

JRB 080018
WAT 110029
OUD/KALW. 12/10
GEM. SI/KALW. 112/10

CAB 060058
OUD/KALW. 8/5
GEM. SI/KALW. 100/5

WAT 030193
OUD/KALW. 10/7
GEM. SI/KALW. 99/7

Geboortegemak Waarde 85	Speenkalf Waarde 96	Vrugbaarheids-waarde 101	Onderhouds-waarde 102	Koeiwaarde 93	Groei-waarde 126	Karkas-waarde 113									
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei	Raam			Karkas					
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	109	83	107	100	91	116	111	129	109	97	98	104	114	97	76
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostation			
108		109		110		-		-		-		Q204X Nie Getoets			
												NT821 Nie Getoets			
												F94L Nie Getoets			

OPMERKINGS: 7 maande dragtig MS: WAT 19-391, WAT 20-454
LOGIX EBV Analise: 2025-09-17

LOT 72
KRUGER BOERDERY

WAT 190133
2019-09-23
SP
OUD/KALW. 6/3
GEM. SI/KALW. 105/3
TKP 391

Ouerskap **Vaar** **Moer**
DNS ✓
Genomies


WAT 160166
OUD/KALW. 3/2
GEM. SI/KALW. 92/2
TKP 382

FCT 110002
OUD/KALW. 5/3
GEM. SI/KALW. 97/3

WAT 120106
OUD/KALW. 10/8
GEM. SI/KALW. 106/8
TKP 418

WAT 120140
OUD/KALW. 6/3
GEM. SI/KALW. 115/3

WAT 070182
OUD/KALW. 12/11
GEM. SI/KALW. 102/10
TKP 369

FCT 080218
FCT 080040
OUD/KALW. 5/3
GEM. SI/KALW. 97/3

WAT 100309
WAT 100097
OUD/KALW. 3/1
GEM. SI/KALW. 111/1

WAT 090083
OUD/KALW. 6/3
GEM. SI/KALW. 115/3

WAT 030025
OUD/KALW. 12/11
GEM. SI/KALW. 105/3

Geboortegemak Waarde 113	Speenkalf Waarde 103	Vrugbaarheids-waarde 102	Onderhouds-waarde 113	Koeiwaarde 109	Groei-waarde 98	Karkas-waarde 87									
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei	Raam			Karkas					
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	90	116	86	110	91	108	98	99	105	86	116	103	89	87	77
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostation			
94		105		102		-		-		-		Q204X Nie Getoets			
												NT821 Nie Getoets			
												F94L Nie Getoets			

OPMERKINGS: 7,5 maande dragtig WAT 19-089
LOGIX EBV Analise: 2025-09-17

PREGNANT COWS

LOT 73

KG 190179
2019-10-18
SP
AGE/CALV. 5/3
AVG. Wt/CALV. 96/2
ICP 544


KG 150016

KG 160062
AGE/CALV. 8/4
AVG. Wt/CALV. 99/3
ICP 397

CAB 120062

KG 120062
AGE/CALV. 12/8
AVG. Wt/CALV. 115/8
ICP 412

KG 120097

KG 080134
AGE/CALV. 13/10
AVG. Wt/CALV. 94/9
ICP 403

JJ 060057

CAB 060016
AGE/CALV. 11/8
AVG. Wt/CALV. 111/8

OB 070058

KG 040038
AGE/CALV. 15/12
AVG. Wt/CALV. 99/9

KG 080144

KG 090118
AGE/CALV. 13/9
AVG. Wt/CALV. 91/8

KG 060106

KG 020014
AGE/CALV. 15/11
AVG. Wt/CALV. 107/10

Calving Ease Value 84	Weaner Calf Value 105	Fertility Value 90	Maintenance Value 95	Cow Value 94	Growth Value 108	Carcass Value 100
--	--	-------------------------------------	---------------------------------------	-------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	110	99	86	109	77	100	110	110	100	104	99	107	89	81	120

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
100	98	91	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Parentage Sire Dam
DNA 
Genomic

REMARKS: 7 maande dragtig MS: KG 15-016, LEL 16-093

 EBV Analysis: 2025-09-17

LOT 74

WAT 190146
2019-09-27
SP
AGE/CALV. 6/3
AVG. Wt/CALV. 97/2
ICP 390


KG 170280 HH(c)

WAT 170170
AGE/CALV. 4/2
AVG. Wt/CALV. 93/2
ICP 388

WAT 100063

KG 090125
AGE/CALV. 12/9
AVG. Wt/CALV. 108/9
ICP 369

WAT 150364

WAT 150126
AGE/CALV. 6/4
AVG. Wt/CALV. 98/3
ICP 435

WAT 080283

WAT 080035
AGE/CALV. 13/11
AVG. Wt/CALV. 102/11

CSW 050163

KG 000105
AGE/CALV. 15/10
AVG. Wt/CALV. 98/9

JRB 080018

WAT 080112
AGE/CALV. 12/11
AVG. Wt/CALV. 96/10

WAT 130378

WAT 130400
AGE/CALV. 11/9
AVG. Wt/CALV. 101/8

Calving Ease Value 86	Weaner Calf Value 89	Fertility Value 129	Maintenance Value 118	Cow Value 106	Growth Value 92	Carcass Value 89
--	---------------------------------------	--------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	91	106	104	122	124	110	93	94	96	85	97	90	83	92	64

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
91	92	90	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Parentage Sire Dam
DNA 
Genomic

REMARKS: 7,5 maande dragtig MS: HP 19-101, WAT 21-282

 EBV Analysis: 2025-09-17

LOT 75

KG 200244
2020-04-20
SP
AGE/CALV. 5/2
AVG. Wt/CALV. 101/2
ICP 461


KG 170557 HH(c)

KG 110003
AGE/CALV. 12/9
AVG. Wt/CALV. 103/9
ICP 462

WAT 140536

WAT 140277
AGE/CALV. 10/9
AVG. Wt/CALV. 100/8
ICP 370

JJ 060057

CAB 080012
AGE/CALV. 9/5
ICP 443

WAT 060355

WAT 040337
AGE/CALV. 13/10
AVG. Wt/CALV. 109/9

JRB 080018

WAT 110029
AGE/CALV. 12/10
AVG. Wt/CALV. 112/10

JJ 020019

JJ 020146
AGE/CALV. 7/4
AVG. Wt/CALV. 101/4

FCT 040134

CAB 060001
AGE/CALV. 8/6
AVG. Wt/CALV. 106/6

Calving Ease Value 105	Weaner Calf Value 112	Fertility Value 109	Maintenance Value 124	Cow Value 116	Growth Value 100	Carcass Value 102
---	--	--------------------------------------	--	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	104	95	100	107	99	118	101	98	96	81	96	99	103	116	85

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
105	103	99	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Parentage Sire Dam
DNA
Genomic

REMARKS: Gekalf WAT 25-176 MS: HP 19-101, WAT 21-282

 EBV Analysis: 2025-09-17

DRAGTIGE KOEIE

LOT 76
KRUGER BOERDERY

BG 200306
2020-11-23
SP
OUD/KALW. 4/2
GEM. SI/KALW. 112/1
TKP 456

Ouerskap	Vaar	Moer
DNS		
Genomies		


WAT 100063
WAT 080283
OUD/KALW. 6/4
GEM. SI/KALW. 98/4
WAT 080035
OUD/KALW. 13/11
GEM. SI/KALW. 102/11
TKP 368
BG 050039
WAT 000199
OUD/KALW. 13/10
GEM. SI/KALW. 103/10
TKP 409
CAB 040029
OUD/KALW. 13/10
GEM. SI/KALW. 103/10
TKP 411

FCT 990022
WAT 030024
OUD/KALW. 6/4
GEM. SI/KALW. 98/4
WAT 050142
WAT 050215
OUD/KALW. 7/4
GEM. SI/KALW. 105/4
BG 020063
BG 010076
OUD/KALW. 13/8
GEM. SI/KALW. 101/7
WAT 000199
CAB 020012
OUD/KALW. 5/3
GEM. SI/KALW. 102/2

Geboortegemak Waarde 77			Speenkalf Waarde 107			Vrugbaarheids- waarde 108			Onderhouds- waarde 94			Koeiwaarde 108			Groei- waarde 102			Karkas- waarde 95		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas							
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar					
83	105	128	83	108	104	101	103	105	116	104	113	107	82	78	78					
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostatien								
102		91		95		-		-		-		Q204X Nie Getoets								
												NT821 Nie Getoets								
												F94L Nie Getoets								

OPMERKINGS: 7 maande dragtig MS: LHB 18-234, WAT 18-118

LOGIX EBV Analise: 2025-09-17

LOT 77
KRUGER BOERDERY

WAT 200035
2020-04-28
SP
OUD/KALW. 5/2
GEM. SI/KALW. 104/2
TKP 707

Ouerskap	Vaar	Moer
DNS		
Genomies		


OB 150264
OB 060112 HH(c)
OUD/KALW. 11/10
GEM. SI/KALW. 99/8
TKP 381
WAT 060355
WAT 050146
OUD/KALW. 11/9
GEM. SI/KALW. 94/9
TKP 392

WAT 100247
WAT 100360
OUD/KALW. 6/4
GEM. SI/KALW. 101/4
BG 000081
OB 970285
OUD/KALW. 10/8
GEM. SI/KALW. 102/7
FCT 030186
WAT 000181
OUD/KALW. 12/10
GEM. SI/KALW. 102/7
LAR 000044
WAT 980054
OUD/KALW. 12/10
GEM. SI/KALW. 110/10

Geboortegemak Waarde 80			Speenkalf Waarde 91			Vrugbaarheids- waarde 85			Onderhouds- waarde 86			Koeiwaarde 79			Groei- waarde 97			Karkas- waarde 98		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas							
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar					
72	107	90	98	88	86	101	104	97	96	116	96	95	78	106	104					
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostatien								
96		102		92		-		-		-		Q204X Nie Getoets								
												NT821 Nie Getoets								
												F94L Nie Getoets								

OPMERKINGS: 7 maande dragtig MS: LEL 19-110, WAT 19-373

LOGIX EBV Analise: 2025-09-17

LOT 78
KRUGER BOERDERY

WAT 200097
2020-09-20
SP
OUD/KALW. 5/2
GEM. SI/KALW. 97/2
TKP 584

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		


WAT 180350
WAT 180354
OUD/KALW. 6/5
GEM. SI/KALW. 102/3
TKP 372
WAT 140209
OUD/KALW. 4/3
GEM. SI/KALW. 105/2
TKP 365

FCT 110002
WAT 100199
OUD/KALW. 11/10
GEM. SI/KALW. 109/9
TKP 366
WAT 130077
WAT 080218
FCT 080040
OUD/KALW. 5/3
GEM. SI/KALW. 97/3
WAT 080283
WAT 080234
OUD/KALW. 2/1
GEM. SI/KALW. 100/1
BG 090141
WAT 100054
OUD/KALW. 8/6
GEM. SI/KALW. 99/5
WAT 080173
WAT 070153
OUD/KALW. 11/10
GEM. SI/KALW. 98/10

Geboortegemak Waarde 118			Speenkalf Waarde 104			Vrugbaarheids- waarde 117			Onderhouds- waarde 116			Koeiwaarde 120			Groei- waarde 98			Karkas- waarde 109		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas							
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar					
124	88	121	89	112	113	110	98	100	92	85	105	104	104	124	104					
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		LH		Miostatien								
97		98		92		-		-		-		Q204X Nie Getoets								
												NT821 Nie Getoets								
												F94L Nie Getoets								

OPMERKINGS: 7 maande dragtig MS: HP 19-101, WAT 21-282

LOGIX EBV Analise: 2025-09-17

PREGNANT COWS

LOT 79 *KRUGER BOERDERY*

WAT 180390
2018-11-12 SP
AGE/CALV. 6/5
AVG. W/CALV. 95/5
ICP 387

WAT 150125

WAT 120159
AGE/CALV. 10/8
AVG. W/CALV. 104/8
ICP 368

WAT 130110

WAT 130244
AGE/CALV. 9/7
AVG. W/CALV. 93/7
ICP 431

JRB 080018

WAT 080288
AGE/CALV. 8/6
AVG. W/CALV. 97/5
ICP 407

WAT 110154
AGE/CALV. 5/3
AVG. W/CALV. 103/2

WAT 090083
WAT 100034
AGE/CALV. 13/11
AVG. W/CALV. 106/11

JRB 010075
JRB 020213
AGE/CALV. 10/6
AVG. W/CALV. 99/6

WAT 040006
WAT 030100
AGE/CALV. 7/4
AVG. W/CALV. 107/4

Parentage	Sire	Dam
DNA		
Genomic		

Calving Ease Value 89	Weaner Calf Value 89	Fertility Value 119	Maintenance Value 90	Cow Value 98	Growth Value 94	Carcass Value 91
---------------------------------	--------------------------------	-------------------------------	--------------------------------	------------------------	---------------------------	----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	102	94	85	114	120	99	108	92	92	111	85	95	104	86	108

Wean Index 102	365D Index 113	540D Index 105	ADG Index -	FCR Index -	LH -
--------------------------	--------------------------	--------------------------	-----------------------	-----------------------	----------------

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 7.5 maande dragtig MS: BG 15-016, LEL 16-093

LOGIX EBV Analysis: 2025-09-17

LOT 80 *KRUGER BOERDERY*

WAT 180026
2018-04-06 SP
AGE/CALV. 7/4
AVG. W/CALV. 111/3
ICP 387

WAT 120421

WAT 130225
AGE/CALV. 11/8
AVG. W/CALV. 107/8
ICP 448

WAT 070353

WAT 060174
AGE/CALV. 9/6
AVG. W/CALV. 105/5
ICP 412

WAT 090083

WAT 100147
AGE/CALV. 4/2
AVG. W/CALV. 107/2
ICP 384

WAT 030025
WAT 000061
AGE/CALV. 11/7
AVG. W/CALV. 104/7

WAT 030009
WAT 970252
AGE/CALV. 12/10
AVG. W/CALV. 99/10

WAT 060071
WAT 060153
AGE/CALV. 4/1
AVG. W/CALV. 110/1

JPL 060059
WAT 040081
AGE/CALV. 10/8
AVG. W/CALV. 96/6

Parentage	Sire	Dam
DNA		
Genomic		

Calving Ease Value 81	Weaner Calf Value 109	Fertility Value 103	Maintenance Value 78	Cow Value 103	Growth Value 117	Carcass Value 95
---------------------------------	---------------------------------	-------------------------------	--------------------------------	-------------------------	----------------------------	----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	109	120	114	116	90	101	117	123	123	125	110	109	100	67	119

Wean Index 99	365D Index 104	540D Index 110	ADG Index -	FCR Index -	LH -
-------------------------	--------------------------	--------------------------	-----------------------	-----------------------	----------------

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 7 maande dragtig MS: HP 19-101, WAT 21-282

LOGIX EBV Analysis: 2025-09-17

LOT 81 *KRUGER BOERDERY*

WAT 210219
2021-10-11 SP
AGE/CALV. 3/1
AVG. W/CALV. 96/1
ICP -

WAT 170502

WAT 120176
AGE/CALV. 12/10
AVG. W/CALV. 106/10
ICP 388

FCT 110002

WAT 090324
AGE/CALV. 8/6
AVG. W/CALV. 95/5
ICP 376

WAT 080173

WAT 060286
AGE/CALV. 12/9
AVG. W/CALV. 95/10
ICP 392

FCT 080218
FCT 080040
AGE/CALV. 5/3
AVG. W/CALV. 97/3

JPL 060059
WAT 040168
AGE/CALV. 8/5
AVG. W/CALV. 97/4

WAT 000200
WAT 020231
AGE/CALV. 14/12
AVG. W/CALV. 101/10

BEI 950156
WAT 990252
AGE/CALV. 12/9
AVG. W/CALV. 112/9

Parentage	Sire	Dam
DNA		
Genomic		

Calving Ease Value 93	Weaner Calf Value 118	Fertility Value 115	Maintenance Value 85	Cow Value 118	Growth Value 113	Carcass Value 129
---------------------------------	---------------------------------	-------------------------------	--------------------------------	-------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	125	89	119	104	115	113	121	116	108	117	119	122	121	136	100

Wean Index 110	365D Index 107	540D Index 107	ADG Index -	FCR Index -	LH -
--------------------------	--------------------------	--------------------------	-----------------------	-----------------------	----------------

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 7 maande dragtig MS: LHB 18-234, WAT 18-118

LOGIX EBV Analysis: 2025-09-17

DRAGTIGE VERSE

LOT 82
KRUGER BOERDERY

WAT 230342
2023-12-15
SP
Ouerskap Vaar Moer
DNS
Genomies


LAR 150147
WAT 160031
OUD/KALW. 8/6
GEM. SI/KALW. 100/6
TKP 384
WAT 110097
OUD/KALW. 10/8
GEM. SI/KALW. 103/8
TKP 423

BP 100017
LAR 120385
OUD/KALW. 11/6
GEM. SI/KALW. 93/5
TKP 442
WAT 130049
WAT 090141

WAT 030037
OUD/KALW. 11/7
GEM. SI/KALW. 96/6

WAT 090062
WAT 090275
OUD/KALW. 9/7
GEM. SI/KALW. 104/6

WCS 060011
BP 070007
OUD/KALW. 11/7
GEM. SI/KALW. 104/6
LAR 100003
LAR 070388
OUD/KALW. 16/13
GEM. SI/KALW. 101/13
WAT 090141

WAT 030037
OUD/KALW. 11/7
GEM. SI/KALW. 96/6

WAT 090062
WAT 090275
OUD/KALW. 9/7
GEM. SI/KALW. 104/6

Geboortegemak Waarde
92

Speenkalf Waarde
113

Vrugbaarheids-waarde
97

Onderhouds-waarde
82

Koeiwaarde
105

Groei-waarde
107

Karkas-waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	115	104	113	94	97	105	117	109	107	120	112	110	104	109	74

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
109	111	108	-	-	-

Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

OPMERKINGS: 2 maande dragtig MS: WAT 20-151, WAT 22-414

LOGIX EBV Analise: 2025-09-17

LOT 83
KRUGER BOERDERY

BG 230255
2023-12-01
SP
Ouerskap Vaar Moer
DNS
Genomies


BG 170035
OUD/KALW. 6/5
GEM. SI/KALW. 108/5
TKP 376
BG 090124
OUD/KALW. 9/6
GEM. SI/KALW. 104/6
TKP 444

WAT 100063
BG 090125
OUD/KALW. 12/9
GEM. SI/KALW. 108/9
TKP 369
BG 110085

WAT 050342
CAB 020041
OUD/KALW. 15/11
GEM. SI/KALW. 99/10
CSW 060129
BG 040098
OUD/KALW. 10/7
GEM. SI/KALW. 107/7

WAT 080283
WAT 080035
OUD/KALW. 13/11
GEM. SI/KALW. 102/11
CSW 050163
BG 000105
OUD/KALW. 15/10
GEM. SI/KALW. 98/9

WAT 050342
CAB 020041
OUD/KALW. 15/11
GEM. SI/KALW. 99/10
CSW 060129
BG 040098
OUD/KALW. 10/7
GEM. SI/KALW. 107/7

Geboortegemak Waarde
98

Speenkalf Waarde
107

Vrugbaarheids-waarde
111

Onderhouds-waarde
88

Koeiwaarde
112

Groei-waarde
108

Karkas-waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	107	112	100	105	112	105	105	113	105	112	111	106	94	109	75

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
105	103	100	-	-	-

Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

OPMERKINGS: 6 weke dragtig MS: WAT 20-151, WAT 22-414

LOGIX EBV Analise: 2025-09-17

LOT 84
KRUGER BOERDERY

WAT 230012
2023-02-17
SP
Ouerskap Vaar Moer
DNS
Genomies


WAT 180277
WAT 180393
OUD/KALW. 6/5
GEM. SI/KALW. 97/4
TKP 430
WAT 150283
OUD/KALW. 5/4
GEM. SI/KALW. 98/3
TKP 483

WAT 140333
WAT 100034
OUD/KALW. 13/11
GEM. SI/KALW. 106/11
TKP 373
WAT 160094
WAT 150283
OUD/KALW. 5/4
GEM. SI/KALW. 98/3
TKP 483

WAT 110153
WAT 100075
OUD/KALW. 10/7
GEM. SI/KALW. 106/6
WAT 060355
WAT 040059
OUD/KALW. 11/7
GEM. SI/KALW. 95/6
WAT 120140
WAT 070199
OUD/KALW. 12/11
GEM. SI/KALW. 103/9
WAT 120421
WAT 080090
OUD/KALW. 11/10
GEM. SI/KALW. 90/10

Geboortegemak Waarde
116

Speenkalf Waarde
100

Vrugbaarheids-waarde
118

Onderhouds-waarde
99

Koeiwaarde
111

Groei-waarde
105

Karkas-waarde
97

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	102	86	106	128	99	113	105	111	111	100	102	101	97	77	107

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
101	98	-	-	-	-

Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

OPMERKINGS: 3 maande dragtig MS: WAT 20-151, WAT 22-414

LOGIX EBV Analise: 2025-09-17

PREGNANT HEIFERS

LOT 85 *KRUGER BOERDERY*

WAT 230355
2023-12-19
SP

Parentage Sire Dam

DNA ✓

Genomic

WAT 180118

WAT 200024
AGE/CALV. 5/3
AVG. WJ/CALV. 104/2
ICP 462

WAT 160153

WAT 160005
AGE/CALV. 4/1
AVG. WJ/CALV. 112/1
ICP -

WAT 100063

WAT 110056
AGE/CALV. 10/8
AVG. WJ/CALV. 101/7
ICP 396

WAT 060071

WAT 110223
AGE/CALV. 11/8
AVG. WJ/CALV. 110/7

WAT 130049

WAT 110044
AGE/CALV. 11/8
AVG. WJ/CALV. 106/8

WAT 080283

WAT 080035
AGE/CALV. 13/11
AVG. WJ/CALV. 102/11

BG 050039

WAT 990084
AGE/CALV. 13/10
AVG. WJ/CALV. 104/10

Calving Ease Value 83	Weaner Calf Value 101	Fertility Value 91	Maintenance Value 91	Cow Value 96	Growth Value 98	Carcass Value 95
---------------------------------	---------------------------------	------------------------------	--------------------------------	------------------------	---------------------------	----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	98	129	94	83	95	106	101	101	120	107	116	111	84	81	101

Wean Index 101	365D Index 92	540D Index 95	ADG Index -	FCR Index -	LH -
--------------------------	-------------------------	-------------------------	----------------	----------------	---------

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 6 weke dragtig MS: WAT 20-151, WAT 22-414

LOGIX EBV Analysis: 2025-09-17

LOT 86 *KRUGER BOERDERY*

WAT 230262
2023-11-20
SP

Parentage Sire Dam

DNA

Genomic

WAT 200314 HH(c)

WAT 190060
AGE/CALV. 6/4
AVG. WJ/CALV. 102/3
ICP 433

WAT 130049

WAT 150393
AGE/CALV. 9/8
AVG. WJ/CALV. 103/8
ICP 372

WAT 170167

WAT 170046
AGE/CALV. 7/5
AVG. WJ/CALV. 104/4
ICP 416

BG 090141

WAT 030037
AGE/CALV. 11/7
AVG. WJ/CALV. 96/6

JFE 120074

WAT 100218
AGE/CALV. 14/12
AVG. WJ/CALV. 97/9

WAT 150066

WAT 150301
AGE/CALV. 7/5
AVG. WJ/CALV. 98/5

WAT 140046

WAT 120115
AGE/CALV. 11/9
AVG. WJ/CALV. 103/9

Calving Ease Value 116	Weaner Calf Value 100	Fertility Value 105	Maintenance Value 111	Cow Value 107	Growth Value 89	Carcass Value 92
----------------------------------	---------------------------------	-------------------------------	---------------------------------	-------------------------	---------------------------	----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	91	109	103	101	97	116	89	89	97	88	85	90	104	102	87

Wean Index 99	365D Index 97	540D Index 95	ADG Index -	FCR Index -	LH -
-------------------------	-------------------------	-------------------------	----------------	----------------	---------

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 6 weke dragtig MS: WAT 20-151, WAT 22-414

LOGIX EBV Analysis: 2025-09-17

LOT 87 *KRUGER BOERDERY*

WAT 230254
2023-11-15
SP

Parentage Sire Dam

DNA

Genomic

WAT 200314 HH(c)

WAT 190040
AGE/CALV. 6/4
AVG. WJ/CALV. 117/3
ICP 436

WAT 130049

WAT 150393
AGE/CALV. 9/8
AVG. WJ/CALV. 103/8
ICP 372

BG 160010

WAT 150504
AGE/CALV. 5/3
AVG. WJ/CALV. 109/3
ICP 494

BG 090141

WAT 030037
AGE/CALV. 11/7
AVG. WJ/CALV. 96/6

JFE 120074

WAT 100218
AGE/CALV. 14/12
AVG. WJ/CALV. 97/9

BG 110107

CAB 070009
AGE/CALV. 17/12
AVG. WJ/CALV. 101/12

WAT 110153

WAT 110447
AGE/CALV. 8/7
AVG. WJ/CALV. 108/5

Calving Ease Value 98	Weaner Calf Value 114	Fertility Value 101	Maintenance Value 90	Cow Value 114	Growth Value 111	Carcass Value 113
---------------------------------	---------------------------------	-------------------------------	--------------------------------	-------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	106	125	82	94	96	116	107	109	102	108	106	109	111	130	72

Wean Index 109	365D Index 102	540D Index 108	ADG Index -	FCR Index -	LH -
--------------------------	--------------------------	--------------------------	----------------	----------------	---------

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 6 weke dragtig MS: WAT 20-151, WAT 22-414

LOGIX EBV Analysis: 2025-09-17

DRAKTIGE VERSE

LOT 88

KRUGER BOERDERY



WAT 230311
2023-11-27
SP

Ouerskap

Vaar

Moer

DNS

Genomies



HP 180246

WAT 110355
OUD/KALW. 13/12
GEM. SI/KALW. 104/12
TKP 372

V 120268

HP 050022

WAT 080173

WAT 060174

V 090260

HP 010080

WAT 000200

WAT 030009

WAT 970252

Geboortegemak Waarde

79

Speenkalf Waarde

125

Vrugbaarheids-waarde

128

Onderhouds-waarde

81

Koeiwaarde

129

Groei-waarde

110

Karkas-waarde

113

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
69	125	111	113	123	115	118	122	111	110	122	108	114	124	105	88

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
106	96	107	-	-	-

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: 2 maande dragtig MS: WAT 20-151, WAT 22-414

LOGIX

EBV Analise: 2025-09-17

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average				35	236	-	46.7	-	-	1.00	-0.30	14.7	3.6	24	22	78	-37	12.6	-3.0	13.0	103	-	100	102	6.0	110
Auction Average										1.46	-0.30	17.7	5.1	34	29	105	-45	12.8	4	19						
61	WAT 200052	F	SP	35	244	-	47.7	-	-	-0.15	0.19	12.9	3.5	21.8	19.4	61	-29	-3	12	13	110	-	78	100	7	94
62	WAT 190280	F	SP	30	258	-	43.9	-	-	0.08	-1.81	17.2	-0.4	28.5	16.5	95	-29	10.8	-3	13	106	-	97	101	4	106
63	BG 180082	F	SP	32	269	-	45.8	-	-	0.55	1.20	20.9	4.5	40.7	49.7	176	-54	25.4	17	32	110	-	122	103	7	108
64	WAT 200573	F	SP	35	236	-	36.1	-	-	-0.19	-1.92	15.0	0.5	29.8	14.4	88	-33	6.1	6	13	104	-	89	108	3	121
65	WAT 200039	F	SP	42	233	-	43.2	-	-	4.03	-0.07	21.6	4.7	39.8	52.5	111	-61	29	16	23	100	-	128	106	11	110
66	WAT 200028	F	SP	38	233	-	51.5	-	-	1.97	-0.04	20.1	9.1	33.5	30.9	114	-65	22.9	21	31	102	-	118	103	5	110
67	BG 200379	F	SP	40	244	-	42.7	-	-	2.60	-0.92	21.3	9.5	36.1	26.0	123	-48	22.6	-1	24	110	-	117	105	8	103
68	WAT 190159	F	SP	32	252	-	46.4	-	-	1.22	-1.79	19.0	9.3	40.3	39.9	137	-41	5.9	9	32	100	-	89	100	7	115
69	WAT 190477	F	SP	30	269	-	49.1	-	-	-0.49	-0.71	15.4	3.7	33.0	18.5	92	-46	20.2	12	22	104	-	113	100	7	108
70	WAT 210085	F	SP	36	234	-	50.5	-	-	1.94	-0.37	21.9	-1.0	38.6	43.2	142	-52	-9	7	27	100	-	77	105	11	118
71	WAT 190093	F	SP	33	264	-	59.3	-	-	1.85	0.90	19.7	-1.7	36.5	17.8	185	-51	16.8	-4	17	108	-	107	99	6	112
72	WAT 190133	F	SP	32	238	-	53.8	-	-	0.01	-0.87	9.5	8.5	26.2	1.4	72	-44	4.4	10	16	94	-	86	92	2	123
73	BG 190179	F	SP	38	222	-	42.9	-	-	3.01	-0.80	20.2	3.1	37.2	27.5	116	-37	4.6	-4	20	100	-	86	99	4	85
74	WAT 190146	F	SP	39	234	-	51.1	-	-	1.67	0.93	9.8	5.3	19.6	-1.3	57	-30	14.8	-5	4	91	-	104	93	2	110
75	BG 200244	F	SP	38	227	-	61.1	-	-	0.56	-0.40	16.8	2.0	28.5	-6.9	72	-30	12.5	-6	13	105	-	100	103	9	96
76	BG 200306	F	SP	38	227	-	35.6	-	-	2.73	0.69	17.2	12.2	29.7	27.0	98	-63	3	8	19	102	-	83	103	10	108
77	WAT 200035	F	SP	42	225	-	45.7	-	-	3.91	-0.51	18.5	0.6	31.2	45.5	66	-30	11.6	-6	9	96	-	98	97	6	106
78	WAT 200097	F	SP	27	226	-	51.2	-	-	-1.51	0.67	8.2	10.1	25.9	-0.7	78	-24	6.3	1	17	97	-	89	102	5	121
79	WAT 180390	F	SP	33	251	-	41.2	-	-	1.91	0.16	15.7	1.8	34.6	38.0	49	-24	4.1	-14	9	102	-	85	104	8	114
80	WAT 180026	F	SP	39	210	-	57	-	-	3.43	-0.56	19.6	9.8	45.6	58.3	164	-73	20.9	5	22	99	-	114	107	8	105
81	WAT 210219	F	SP	35	254	-	47.4	-	-	1.87	-0.42	28.0	0.1	48.8	47.4	137	-50	23.9	12	33	110	-	119	106	10	114
82	WAT 230342	F	SP	33	233	-	40	-	-	1.92	-0.34	22.9	4.9	44.2	51.3	112	-47	20.1	7	22	109	-	113	100	6	112
83	BG 230255	F	SP	32	224	-	40.4	-	-	1.15	-0.12	18.3	7.2	31.7	40.0	128	-45	12.8	6	18	105	-	100	108	5	119
84	WAT 230012	F	SP	35	192	-	46.8	-	-	-0.28	-0.96	15.9	-0.6	34.0	22.4	118	-54	16.2	-1	14	101	-	106	97	5	112
85	WAT 230355	F	SP	38	219	-	40.5	-	-	2.20	0.54	13.8	12.5	28.7	32.2	83	-68	9.2	10	24	101	-	94	104	3	103

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig	205d Gewig	KKG	KKS	Lengte Hoogte	Skr. Omtr.	Geb Dir	Geb Mat	Spn Dir	Spn Mat	Na-Spn	Volw. Gewig	GDT	VOV	Skr. Omtr.	Hoogte	Lengte	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
				(kg)	(kg)	Verh.	Verh.	Verh.	(mm)	(kg)	(kg)	(kg)	(kg)	(kg)	(kg)	(g/d)	(kg:kg)	(mm)	(mm)	(mm)						
Ras Gemiddeld Aanbod Gemiddeld				35	236	-	46.7	-	-	1.00 1.46	-0.30 -0.30	14.7 17.7	3.6 5.1	24 34	22 29	78 105	-37 -45	12.6 12.8	-3.0 4	13.0 19	103	-	100	102	6.0	110
86	WAT 230262	V	SP	32	213	-	50.6	-	-	-0.42	-0.70	9.5	6.3	17.3	3.6	38	-31	14.5	-14	4	99	-	103	102	4	112
87	WAT 230254	V	SP	36	237	-	44.6	-	-	1.13	-0.10	17.8	11.3	34.6	33.9	112	-40	2.3	2	22	109	-	82	117	4	106
88	WAT 230311	V	SP	40	235	-	40.3	-	-	4.27	-0.34	28.1	7.0	49.0	53.8	119	-52	20	3	26	106	-	113	104	12	118

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik