


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

HOOPSTAD BULVEILING

HOOPSTAD LANDBOUGRONDE

08 October 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 01 October 2025





ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

V-PLAN 14

6

7

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

SB 140007

SB 140010

SB 110001

SB 110012 P

SB 110001

SB 060004 Pch

SUPERBULL BREEDERS

Town, Province
 078 737 2855
 super_bull@webmail.com

8

13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.

PHENOTYPIC VALUES


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test



LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).




EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES





LOT 1 (M)



WH 210910 HH



RAS WH & SEUN EDMS BPK

Hoopstad, Free State
marietras2402@gmail.com

LEEUEWKRAAL, POSBUS 11, HOOPSTAD, 9479

USED IN HERD (4)



Myostatin

Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2021-10-04
Age	4y
Inbreeding	4%
DNA	USC057115

WH 130513 HH
Wean Mat. 96

Parentage	Sire	Dam
DNA		
Genomic	✓	

WH 150655
Age 8y | AFC 33m | ICP 586d
Calves 3 | Weaned 3 | Wean Mat. 103
Avg. WI 116 | CCB - | CCW -
Calvings: 18-07, 19-12, 21-10

WH 050052
Wean Mat. 85

WH 080250
Age 8y | AFC 34m | ICP 594d
Calves 2 | Weaned 2 | Wean Mat. 98
Avg. WI 113 | CCB - | CCW -

WH 070164
Wean Mat. 75

WH 090298
Age 13y | AFC 38m | ICP 438d
Calves 7 | Weaned 5 | Wean Mat. 93
Avg. WI 103 | CCB - | CCW -

WH 990681

WH 960471
Age 15y | Avg. WI 95
Calves 12 | Weaned 7

GZ 980518

WH 000739
Age 10y | Avg. WI 108
Calves 5 | Weaned 3

WH 020840

JC 980007
Age 14y | Avg. WI 101
Calves 8 | Weaned 4

WH 030957

WH 000745
Age 12y | Avg. WI 104
Calves 7 | Weaned 3

COW VALUE 90

93	Calving Ease Value
101	Calf Growth Value
98	Milk Value
90	Maintenance Value
91	Fertility Value

GROWTH VALUE 90

CARCASS VALUE -

PRODUCTION VALUE 89

LOGIX
EBV Analysis 2025-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	107	101	98	85	91	89	117
41%	38%	66%	53%	44%	51%	28%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	95	-	110	102	98	-	-	-
50%	35%		28%	39%	38%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	274kg 110 ()	-	-	-	-	-	-

SELLER REMARKS:

LOT 2 (M)



SK 220729



G.A.P. STEENKAMP

Bothaville, Free State
steenkampgap@gmail.com

RIETPAN, BUS 717, BOTHAVILLE, 9660



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-09-18
Age	3y 1m
Inbreeding	3%

SK 160410
Wean Mat. 78

Parentage	Sire	Dam
DNA		
Genomic		

SK 180511
Age 7y | AFC 34m | ICP 393d
Calves 4 | Weaned 4 | Wean Mat. 112
Avg. WI 101 | CCB - | CCW 44.3
Calvings: 21-06, 22-09, 23-10, 24-09

KV 080081
Wean Mat. 77

SK 120264
Age 11y | AFC 35m | ICP 373d
Calves 7 | Weaned 3 | Wean Mat. 99
Avg. WI 108 | CCB - | CCW 44.3

SK 110216
Wean Mat. 134

SK 120270
Age 12y | AFC 34m | ICP 367d
Calves 9 | Weaned 5 | Wean Mat. 89
Avg. WI 98 | CCB - | CCW 44.3

KV 020646

KV 930166
Age 20y | Avg. WI 97
Calves 15 | Weaned 12

IJS 070072

SK 090129
Age 16y | Avg. WI 109
Calves 12 | Weaned 8

SK 030910

SK 070064
Age 4y | Avg. WI 112
Calves 1 | Weaned 1

SK 050992

SK 010818
Age 13y | Avg. WI 94
Calves 7 | Weaned 4

COW VALUE 92

84	Calving Ease Value
100	Calf Growth Value
99	Milk Value
100	Maintenance Value
100	Fertility Value

GROWTH VALUE 111

CARCASS VALUE -

PRODUCTION VALUE 96

LOGIX
EBV Analysis 2025-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	83	100	99	85	103	99	99
31%	18%	65%	47%	73%	44%	22%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	96	-	99	89	93	-	-	-
52%	65%		25%	74%	71%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	199kg 93 (13)	-	-	1431g/d 126 (11)	-	295mm (D1)	1.11

SELLER REMARKS:



LOT 3 (M)



MGV 220009 HH



M GOOSEN

Hoopstad, Free State
0724548441
goosenmyburgh@gmail.com

POSBUS 11, HOOPSTAD, 9479



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-11-15
Oud.	2j 11m
Inteling	3%
DNS	ASC033172

WH 130513 HH
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS		
Genomies		

WH 180816
Oud. 7j | OEK 35m | TKP 420d
Kalwers 4 | Gespeen 4 | Spn. Mat. 81
Gem. SI 102 | KKG - | KKS 56.6
Kalwings: 20-11, 21-12, 22-11,
24-05

WH 050052
Spn Mat. 85

WH 080250
Oud. 8j | OEK 34m | TKP 594d
Kalwers 2 | Gespeen 2 | Spn. Mat. 98
Gem. SI 113 | KKG - | KKS 56.6

DC 120249
Spn Mat. 92

WH 140606
Oud. 9j | OEK 39m | TKP 366d
Kalwers 6 | Gespeen 7 | Spn. Mat. 80
Gem. SI 95 | KKG - | KKS 56.6

WH 990681

WH 960471
Oud. 15j | Gem. SI 95
Kalwers 12 | Gespeen 7

GZ 980518

WH 000739
Oud. 10j | Gem. SI 108
Kalwers 5 | Gespeen 3

KC 030676 P

DC 060645
Oud. 16j | Gem. SI 102
Kalwers 11 | Gespeen 8

WH 100325

WH 090265
Oud. 7j | Gem. SI 99
Kalwers 3 | Gespeen 1

KOEIWAARDE 90

110	Kalfgemak Waarde
89	Kalfgroei Waarde
90	Melk Waarde
113	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 81

KARKAS WAARDE -

PRODUKSIE WAARDE 87

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	200kg 91 (9)	-	-	1036g/d 98 (13)	-	309mm (D2)	1.13

LOGIX
GENETICS GERMANY
EBV Analyse 2025-09-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	114	89	90	69	92	93	99
41%	38%	68%	53%	72%	47%	26%	52%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	85	-	87	86	83	-	-	-
57%	60%		31%	73%	69%			

Raam

Karkas

LOT 4 (M)



JJB 210096



J.J. BLAAUW

-Aroab, X Namibia
manieblaauw10@gmail.com

POSBUS 28, AROAB, NAMIBIA, 9000



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2021-12-29
Oud.	3j 9m
Inteling	5%

KV 140361 HH
Spn Mat. 126

Ouerskap	Vaar	Moer
DNS		
Genomies		

JJB 170129
Oud. 7j | OEK 35m | TKP 419d
Kalwers 4 | Gespeen 2 | Spn. Mat. 106
Gem. SI 102 | KKG - | KKS 43.7
Kalwings: 20-11, 21-12, 23-02,
24-04

KV 090163
Spn Mat. 121

KV 090124
Oud. 16j | OEK 40m | TKP 412d
Kalwers 5 | Gespeen - | Spn. Mat. 114
Gem. SI - | KKG - | KKS 43.7

KV 070035
Spn Mat. 107

JJB 140003
Oud. 10j | OEK 39m | TKP 408d
Kalwers 7 | Gespeen 4 | Spn. Mat. 111
Gem. SI 106 | KKG - | KKS 43.7

KV 010568

KV 020615
Oud. 9j | Gem. SI 114
Kalwers 5 | Gespeen 3

MC 040005

KV 050760
Oud. 5j | Gem. SI -
Kalwers 1 | Gespeen -

KV 000519

KV 940238
Oud. 14j | Gem. SI 103
Kalwers 9 | Gespeen 6

KV 010576

JJB 080222
Oud. 14j | Gem. SI -
Kalwers 2 | Gespeen -

KOEIWAARDE 93

100	Kalfgemak Waarde
83	Kalfgroei Waarde
116	Melk Waarde
102	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 94

KARKAS WAARDE -

PRODUKSIE WAARDE 93

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	268kg 112 (26)	320kg 107 (24)	-	-	- (B2)	-

LOGIX
GENETICS GERMANY
EBV Analyse 2025-09-19

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	84	83	116	83	111	94	112
41%	25%	57%	45%	27%	45%	24%	54%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	90	-	96	89	92	-	-	-
42%	24%		26%	28%	27%			

Raam

Karkas

VERKOPER OPMERKINGS:



LOT 5 (M)



MGV 220004 HH



MNR. W.A. & MEV. J.M. DE WET

Durban, Kwazulu Natal
0827708358
gretadw8@gmail.com

17 WINDSOR ROAD, KLOOF, 3610

Herd Book	SP
Birth date	2022-04-13
Age	3y 6m
Inbreeding	1%
DNA	ASC045094

DC 120249
Wean Mat. 92

Parentage	Sire	Dam
DNA		
Genomic		

MGV 190001
Age 6y | AFC 39m | ICP 456d
Calves 3 | Weaned 2 | Wean Mat. 79
Avg. WI 100 | CCB - | CCW -
Calvings: 22-04, 23-07, 24-10

KC 030676 P
Wean Mat. 80

DC 060645
Age 16y | AFC 37m | ICP 398d
Calves 11 | Weaned 8 | Wean Mat. 98
Avg. WI 102 | CCB - | CCW -

WH 140580
Wean Mat. 80

WH 150660
Age 9y | AFC 38m | ICP 445d
Calves 6 | Weaned 4 | Wean Mat. 78
Avg. WI 101 | CCB - | CCW -

CI 990094

KC 930447
Age 16y | Avg. WI 99
Calves 11 | Weaned 6

PG 000433

DC 970004
Age 17y | Avg. WI 103
Calves 14 | Weaned 9

AA 080812

WH 980591
Age 24y | Avg. WI 103
Calves 13 | Weaned 4

WH 070164

WH 060118
Age 16y | Avg. WI 102
Calves 10 | Weaned 7

COW VALUE 87

93	Calving Ease Value
98	Calf Growth Value
86	Milk Value
103	Maintenance Value
96	Fertility Value

GROWTH VALUE 87

CARCASS VALUE -

PRODUCTION VALUE 86

LOGIX
EBV Analysis 2025-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	105	98	86	88	96	95	107
46%	39%	56%	48%	33%	47%	24%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	85	-	97	95	90	-	-	-
47%	29%	-	25%	34%	33%	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	248kg 100 (I)	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 6 (M)



WH 220959 HH



RAS WH & SEUN EDMS BPK

Hoopstad, Free State
marletras2402@gmail.com

LEEUEWKRAAL, POSBUS 11, HOOPSTAD, 9479

Herd Book	SP
Birth date	2022-08-01
Age	3y 2m
Inbreeding	1%
DNA	ASC033173

WH 130513 HH
Wean Mat. 96

Parentage	Sire	Dam
DNA		
Genomic		

WH 130513
Age 12y | AFC 42m | ICP 516d
Calves 5 | Weaned 3 | Wean Mat. 113
Avg. WI 122 | CCB - | CCW -
Calvings: 16-12, 17-12, 20-02, 21-03, 22-08

WH 050052
Wean Mat. 85

WH 080250
Age 8y | AFC 34m | ICP 594d
Calves 2 | Weaned 2 | Wean Mat. 98
Avg. WI 113 | CCB - | CCW -

DC 060650
Wean Mat. 102

GVZ 080591
Age 14y | AFC 32m | ICP 485d
Calves 8 | Weaned 3 | Wean Mat. 88
Avg. WI 111 | CCB - | CCW -

WH 990681

WH 960471
Age 15y | Avg. WI 95
Calves 12 | Weaned 7

GZ 980518

WH 000739
Age 10y | Avg. WI 108
Calves 5 | Weaned 3

GM 010083

PG 000439
Age 14y | Avg. WI 101
Calves 11 | Weaned 6

WH 020840

GVZ 040714
Age 20y | Avg. WI 101
Calves 3 | Weaned 3

COW VALUE 94

97	Calving Ease Value
101	Calf Growth Value
105	Milk Value
98	Maintenance Value
83	Fertility Value

GROWTH VALUE 95

CARCASS VALUE -

PRODUCTION VALUE 94

LOGIX
EBV Analysis 2025-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	103	101	105	83	90	85	91
44%	39%	59%	53%	46%	51%	30%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	101	-	101	109	100	-	-	-
53%	38%	-	30%	42%	41%	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	224kg 100 (I)	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:



LOT 7 (M)



SK 220736



G.A.P. STEENKAMP

Bothaville, Free State
steenkampgap@gmail.com

RIETPAN, BUS 717, BOTHAVILLE, 9660

Kuddeboek	SP
Geb. dtm	2022-10-09
Oud.	3j
Inteling	9%

SK 160410
Spn Mat. 78

Ouerskap	Vaar	Moer
DNS		
Genomies		

SK 120267
Oud. 12j | OEK 36m | TKP 422d
Kalwers 9 | Gespeen 6 | Spn. Mat. 103
Gem. SI 104 | KKG - | KKS 37.6
Kalwings: 15-10, 16-12, 18-09,
19-08, 20-09, 21-10, 22-10, 23-11,
25-01

KV 080081
Spn Mat. 77

SK 120264
Oud. 11j | OEK 35m | TKP 373d
Kalwers 7 | Gespeen 3 | Spn. Mat. 99
Gem. SI 108 | KKG - | KKS 37.6

IJS 070072
Spn Mat. 72

SK 090130
Oud. 7j | OEK 38m | TKP 563d
Kalwers 3 | Gespeen 3 | Spn. Mat. 117
Gem. SI 101 | KKG - | KKS 37.6

KV 020646

KV 930166
Oud. 20j | Gem. SI 97
Kalwers 15 | Gespeen 12

IJS 070072

SK 090129
Oud. 16j | Gem. SI 109
Kalwers 12 | Gespeen 8

CI 030039

CI 020079
Oud. 8j | Gem. SI 106
Kalwers 5 | Gespeen 1

SK 030917

SK 060024
Oud. 17j | Gem. SI 114
Kalwers 5 | Gespeen 5

KOEIWAARDE 97

83	Kalfgemak Waarde
119	Kalfgroei Waarde
89	Melk Waarde
90	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE -

PRODUKSIE WAARDE 97

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	194kg 115 (11)	-	-	1065g/d 101 (10)	-	323mm (D1)	1.13

LOGIX
GENETICS
EBV Analyse 2025-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	107	119	89	106	96	84	97
34%	19%	67%	50%	73%	45%	23%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	98	-	111	104	106	-	-	-
54%	65%		20%	75%	72%			



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 8 (M)



JJB 220083



J.J. BLAAUW

-Aroab, X Namibia
manieblaauw10@gmail.com

POSBUS 28, AROAB, NAMIBIA, 9000

Kuddeboek	SP
Geb. dtm	2022-12-08
Oud.	2j 10m
Inteling	4%

JJB 180022 HH
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS		
Genomies		

JJB 200002
Oud. 5j | OEK 35m | TKP 460d
Kalwers 3 | Gespeen 2 | Spn. Mat. 103
Gem. SI 115 | KKG - | KKS 51.9
Kalwings: 22-12, 24-01, 25-06

KT 090082
Spn Mat. 121

JJB 140020
Oud. 8j | OEK 41m | TKP 552d
Kalwers 3 | Gespeen 2 | Spn. Mat. 99
Gem. SI 101 | KKG - | KKS 51.9

KV 120291 HH
Spn Mat. 90

JJB 140077
Oud. 10j | OEK 35m | TKP 382d
Kalwers 8 | Gespeen 7 | Spn. Mat. 99
Gem. SI 100 | KKG - | KKS 51.9

KV 020646

KT 990008
Oud. 14j | Gem. SI -
Kalwers 10 | Gespeen -

KV 070035

JJB 089984
Oud. 14j | Gem. SI -
Kalwers 2 | Gespeen -

KV 070071

KV 090144
Oud. 15j | Gem. SI -
Kalwers 5 | Gespeen -

KT 020035

JJB 089075
Oud. 14j | Gem. SI -
Kalwers 1 | Gespeen -

KOEIWAARDE 111

73	Kalfgemak Waarde
131	Kalfgroei Waarde
101	Melk Waarde
83	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	262kg 121 (15)	236kg 117 (38)	-	-	-	- (B1)	-

LOGIX
GENETICS
EBV Analyse 2025-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
70	107	131	101	124	94	96	106
25%	20%	63%	42%	20%	40%	23%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	130	-	118	137	132	-	-	-
46%	18%		27%	20%	19%			



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:



LOT 9 (M)



WH 220984 HH



RAS WH & SEUN EDMS BPK

Hoopstad, Free State
marletras2402@gmail.com

LEEUWKRAAL, POSBUS 11, HOOPSTAD, 9479

Herd Book	SP
Birth date	2022-12-06
Age	2y 10m
Inbreeding	0%
DNA	USC057118

WH 150661 HH
Wean Mat. 85

Parentage	Sire	Dam
DNA		
Genomic	✓	

WH 170760
Age 8y | AFC 37m | ICP 478d
Calves 4 | Weaned 3 | Wean Mat. 96
Avg. WI 101 | CCB - | CCW 41.3
Calvings: 20-11, 21-12, 22-12, 24-10

AA 080812
Wean Mat. 90

WH 040996
Age 18y | AFC 36m | ICP 521d
Calves 8 | Weaned 4 | Wean Mat. 69
Avg. WI 91 | CCB - | CCW 41.3

DC 060650
Wean Mat. 102

WH 090256
Age 15y | AFC 88m | ICP 425d
Calves 6 | Weaned 6 | Wean Mat. 101
Avg. WI 103 | CCB - | CCW 41.3

FR 000008

ZA 000008
Age 9y | Avg. WI 103
Calves 6 | Weaned 5

WH 950427

WH 000735
Age 10y | Avg. WI 104
Calves 5 | Weaned 3

GM 010083

PG 000439
Age 14y | Avg. WI 101
Calves 11 | Weaned 6

COW VALUE 81

112 Calving Ease Value

83 Calf Growth Value

89 Milk Value

105 Maintenance Value

87 Fertility Value

GROWTH VALUE 92

CARCASS VALUE -

PRODUCTION VALUE 82

LOGIX
EBV Analysis 2025-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	117	83	89	110	101	81	99
42%	28%	66%	49%	72%	45%	24%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	90	-	94	114	94	-	-	-
50%	62%		23%	73%	70%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	230kg 112 (13)	-	-	986g/d 93 (13)	-	364mm (D2)	1.08




Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 10 (M)



JJB 210057



J.J. BLAAUW

-Aroab, X Namibia
manieblaauw10@gmail.com

POSBUS 28, AROAB, NAMIBIA, 9000

Herd Book	SP
Birth date	2021-09-10
Age	4y 1m
Inbreeding	2%

KV 110255
Wean Mat. 89

Parentage	Sire	Dam
DNA		
Genomic		

JJB 150001
Age 10y | AFC 48m | ICP 456d
Calves 5 | Weaned 2 | Wean Mat. 101
Avg. WI 92 | CCB - | CCW 44.5
Calvings: 19-01, 20-03, 21-09, 22-12, 24-01

KV 030982
Wean Mat. 89

KV 020641
Age 11y | AFC 37m | ICP 504d
Calves 6 | Weaned 1 | Wean Mat. 71
Avg. WI 92 | CCB - | CCW 44.5

KV 070035
Wean Mat. 107

JJB 080214
Age 14y | AFC - | ICP 522d
Calves 5 | Weaned 1 | Wean Mat. 104
Avg. WI 93 | CCB - | CCW 44.5

KV 990446

KV 970355
Age 13y | Avg. WI 106
Calves 9 | Weaned 4

KV 910095

KV 930166
Age 20y | Avg. WI 97
Calves 15 | Weaned 12

KV 000519

KV 940238
Age 14y | Avg. WI 103
Calves 9 | Weaned 6

COW VALUE 80

95 Calving Ease Value

89 Calf Growth Value

95 Milk Value

99 Maintenance Value

90 Fertility Value

GROWTH VALUE 99

CARCASS VALUE -

PRODUCTION VALUE 83

LOGIX
EBV Analysis 2025-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	108	89	95	91	96	86	109
40%	29%	53%	49%	31%	49%	29%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	97	-	100	103	97	-	-	-
41%	28%		28%	31%	30%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	354kg 104 (3)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


SELLER REMARKS:



LOT 11 (M)



JJB 220096



J.J. BLAAUW

-Aroab, X Namibia
manieblaauw10@gmail.com

POSBUS 28, AROAB, NAMIBIA, 9000



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-12-25
Oud.	2j 9m
Inteling	2%

Ouerskap	Vaar	Moer
DNS		
Genomies		

KOEIWAARDE	101
95	Kalngemak Waarde
105	Kalngroei Waarde
101	Melk Waarde
106	Onderhoudswaarde
88	Vrugbaarheidswaarde
GROEI WAARDE	110
KARKAS WAARDE	-
PRODUKSIE WAARDE	103

LOGIX
GENETICS CENTRA
EBV Analise 2025-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	120	105	101	109	91	86	116
25%	18%	50%	41%	22%	39%	18%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	111	-	93	114	112	-	-	-
40%	20%		20%	22%	21%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	246kg 119 (38)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 12 (M)



JJB 220001



J.J. BLAAUW

-Aroab, X Namibia
manieblaauw10@gmail.com

POSBUS 28, AROAB, NAMIBIA, 9000



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	B
Geb. dtm	2022-01-03
Oud.	3j 9m
Inteling	3%

Ouerskap	Vaar	Moer
DNS		
Genomies		

KOEIWAARDE	93
103	Kalngemak Waarde
91	Kalngroei Waarde
101	Melk Waarde
107	Onderhoudswaarde
94	Vrugbaarheidswaarde
GROEI WAARDE	100
KARKAS WAARDE	-
PRODUKSIE WAARDE	94

LOGIX
GENETICS CENTRA
EBV Analise 2025-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	108	91	101	98	105	86	104
39%	29%	53%	52%	28%	45%	28%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	101	-	92	107	103	-	-	-
44%	26%		33%	28%	27%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	240kg 96 (26)	296kg 97 (24)	-	-	- (B2)	-

VERKOPER OPMERKINGS:



LOT 13 (M)



JJB 220010



J.J. BLAAUW

-Aroab, X Namibia
manieblaauw10@gmail.com

POSBUS 28, AROAB, NAMIBIA, 9000

Herd Book	SP
Birth date	2022-01-03
Age	3y 9m
Inbreeding	9%

JJB 180022 HH
Wean Mat. 104

Parentage	Sire	Dam
DNA		
Genomic		

JJB 190214
Age 6y | AFC 35m | ICP 498d
Calves 3 | Weaned 2 | Wean Mat. 113
Avg. WI 117 | CCB - | CCW 41.5
Calvings: 22-01, 23-02, 24-09

KT 090082
Wean Mat. 121

JJB 140020
Age 8y | AFC 41m | ICP 552d
Calves 3 | Weaned 2 | Wean Mat. 99
Avg. WI 101 | CCB - | CCW 41.5

KV 070072
Wean Mat. 92

JJB 150023
Age 10y | AFC 47m | ICP 361d
Calves 6 | Weaned 5 | Wean Mat. 129
Avg. WI 113 | CCB - | CCW 41.5

KV 020646

KT 990008
Age 14y | Avg. WI -
Calves 10 | Weaned -

KV 070035

JJB 089984
Age 14y | Avg. WI -
Calves 2 | Weaned -

KV 980414

KV 020615
Age 9y | Avg. WI 114
Calves 5 | Weaned 3

KT 090082

JJB 080107
Age 7y | Avg. WI -
Calves 1 | Weaned -

COW VALUE 109

72	Calving Ease Value
132	Calf Growth Value
109	Milk Value
76	Maintenance Value
90	Fertility Value

GROWTH VALUE 133

CARCASS VALUE -

PRODUCTION VALUE 115

LOGIX
EBV Analysis 2025-09-19

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
66	105	132	109	127	82	98	105
29%	20%	54%	40%	24%	37%	21%	49%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	132	-	127	138	134	-	-	-
37%	21%		21%	24%	23%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	273kg 116 (26)	328kg 111 (24)	-	-	- (B2)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.55	-0.07	15.8	5.2	26	27	117		17.3	16.0	34.0						
Auction Average				-	229	-	44.2	1.11	321	2.22	-0.22	16.5	4.8	29	29	121	-	15.4	20	36	105	104	97	106	5.0	90
1	WH 210910	M	SP	-	274	-	-	-	-	2.25	-0.27	16.1	4.6	25.6	37.8	99	0	8.6	17	31	110	-	85	116	3	68
2	SK 220729	M	SP	-	199	-	40.2	1.11	295	2.22	0.44	15.7	4.8	31.7	25.8	103	0	8.8	9	26	93	126	85	101	4	104
3	MGV 220009	M	SP	-	200	-	-	1.13	310	1.23	-0.48	10.8	2.5	17.2	12.6	61	0	-.3	7	16	91	98	69	102	4	97
4	JJB 210096	M	SP	-	-	-	-	-	-	1.13	0.42	8.0	9.8	21.1	22.6	80	0	7.5	9	25	-	-	83	102	4	96
5	MGV 220004	M	SP	-	248	-	-	-	-	2.22	-0.22	14.9	1.2	22.5	23.1	61	0	10.5	12	22	100	-	88	100	3	88
6	WH 220959	M	SP	-	224	-	-	-	-	1.90	-0.16	16.1	6.6	25.0	27.7	122	0	7.7	21	34	100	-	83	122	5	59
7	SK 220736	M	SP	-	194	-	42.3	1.13	320	2.91	-0.27	24.3	2.1	36.1	39.3	110	0	20.6	18	40	115	101	106	104	9	101
8	JJB 220083	M	SP	-	262	-	50	-	-	3.65	-0.28	29.4	5.6	46.3	46.9	232	0	30.9	39	68	121	-	124	115	3	95
9	WH 220984	M	SP	-	230	-	-	1.08	360	1.17	-0.57	8.3	2.1	17.0	20.5	80	0	22.7	24	27	112	93	110	101	4	89
10	JJB 210057	M	SP	-	-	-	-	-	-	2.13	-0.30	10.8	3.7	24.1	27.1	104	0	12	17	30	-	-	91	92	5	77
11	JJB 220096	M	SP	-	-	-	-	-	-	2.44	-0.67	18.0	5.7	29.5	19.2	157	0	22.4	24	47	-	-	109	97	8	107
12	JJB 220001	M	B	-	-	-	-	-	-	1.62	-0.31	11.8	5.5	27.7	18.1	120	0	16.2	20	37	-	-	98	107	5	104
13	JJB 220010	M	SP	-	-	-	-	-	-	3.93	-0.21	30.1	7.7	46.8	56.5	239	0	32.4	39	70	-	-	127	117	3	90



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik