

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ROEDTAN ALLERAS VEILING


ROEDTAN

14 November 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 13 October 2025



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

SB 140007
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 060004 Pch
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

13

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 112	
99	Calving Ease Value
109	Calf Growth Value
108	Milk Value
95	Maintenance Value
104	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 109	
PRODUCTION VALUE 109	

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M) BEEFMASTER RLR 220051



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464

Herd Book	SP
Birth date	2022-10-13
Age	3y 1m
Inbreeding	3%
DNA	P3374/22

SCH 170320 PcH
Wean Mat. 79

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BOS 177194
Age 8y | AFC 35m | ICP 374d
Calves 5 | Weaned 5 | Wean Mat. 93
Avg. WI 95 | CCB 8.03 | CCW 47.9
Calvings: 20-10, 21-10, 22-10, 23-12, 24-11

MS 130191 HH
Wean Mat. 63

SCH 110195
Age 7y | AFC 24m | ICP 379d
Calves 6 | Weaned 5 | Wean Mat. 112
Avg. WI 104 | CCB - | CCW 49.5

BOS 133078
Wean Mat. 112

BOS 100363
Age 13y | AFC 34m | ICP 376d
Calves 11 | Weaned 10 | Wean Mat. 98
Avg. WI 100 | CCB 7.04 | CCW 42.1

WO 080479 HH

MS 080251
Age 15y | Avg. WI 102
Calves 8 | Weaned 7

WO 080137

PEN 060215
Age 8y | Avg. WI 113
Calves 4 | Weaned 4

WO 100126

BOS 099142
Age 16y | Avg. WI 101
Calves 11 | Weaned 9

DO 03100K

BOS 055183
Age 16y | Avg. WI 93
Calves 12 | Weaned 11

COW VALUE 102

77	Calving Ease Value
121	Calf Growth Value
88	Milk Value
90	Maintenance Value
105	Fertility Value

GROWTH VALUE 108

CARCASS VALUE 112

PRODUCTION VALUE 99

LOGIX
EBV Analysis 2025-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
75	117	121	88	146	99	108	106
66%	50%	66%	53%	73%	42%	28%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	113	112	109	89	111	113	90	94
50%	64%	67%	44%	75%	71%	62%	55%	54%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
41kg	259kg 95 (30)	-	-	1805g/d 105 (20)	5.52 110	348mm (C3)	1.27

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid
Inenting: Clostrivax b+, Lumpyvax, Bfect, Respiravax

LOT 2 (M) BEEFMASTER BOG 220119



BEEF ON GRASS PTY LTD



Bela Bela, Limpopo
0714819592
to.uy88@gmail.com

P.O. BOX 10020, FONTEIN-
RIET, BOKSBURG, 1464

Herd Book	SP
Birth date	2022-12-26
Age	2y 11m
Inbreeding	8%
DNA	P56/23

RLR 170031 HH
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BOG 170019
Age 6y | AFC 39m | ICP 355d
Calves 4 | Weaned 4 | Wean Mat. 61
Avg. WI 93 | CCB 6.28 | CCW 40.8
Calvings: 21-01, 22-01, 22-12, 23-12

RLR 140049
Wean Mat. 113

RLR 130105
Age 11y | AFC 33m | ICP 399d
Calves 9 | Weaned 7 | Wean Mat. 121
Avg. WI 106 | CCB 5.84 | CCW 44.2

RLR 140061
Wean Mat. 46

RLR 150013
Age 5y | AFC 31m | ICP 377d
Calves 3 | Weaned 3 | Wean Mat. 100
Avg. WI 103 | CCB 6.59 | CCW 47.4

BOS 099403

HS 100100
Age 15y | Avg. WI 106
Calves 13 | Weaned 11

BOS 099110

BOS 077021
Age 13y | Avg. WI 103
Calves 10 | Weaned 8

BOS 111313 HH

BOS 111198
Age 12y | Avg. WI 104
Calves 9 | Weaned 9

BOS 099403

BOS 088042
Age 12y | Avg. WI 103
Calves 11 | Weaned 10

COW VALUE 115

106	Calving Ease Value
109	Calf Growth Value
90	Milk Value
118	Maintenance Value
106	Fertility Value

GROWTH VALUE 82

CARCASS VALUE 91

PRODUCTION VALUE 106

LOGIX
EBV Analysis 2025-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	119	109	90	110	94	92	126
67%	52%	66%	51%	52%	43%	23%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	90	94	84	70	87	95	75	115
60%	48%	28%	40%	52%	51%	43%	40%	39%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	208kg 104 (5)	304kg 91 (8)	416kg 93 (8)	-	-	- (B2)	-

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugaarheid
Inenting: Clostrivax b+, Lumpyvax, Bfect, Respiravax

LOT 18 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

RLR 230016



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



Miostatien	
Q204X	Skoon
NT821	Draer
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-05-18
Oud.	2j 6m
Inteling	1%
DNS	U13625U001

WO 190170
Spn Mat. 124

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WO 201203
Oud. 5j | OEK 30m | TKP 433d
Kalwers 3 | Gespeen 1 | Spn. Mat. 119
Gem. SI 100 | KKG 7.3 | KKS 54.1
Kalwings: 23-05, 24-07, 25-09

WO 160171
Spn Mat. 117

WO 170458
Oud. 8j | OEK 24m | TKP 366d
Kalwers 6 | Gespeen 4 | Spn. Mat. 126
Gem. SI 107 | KKG - | KKS 49.5

WO 170584 HH
Spn Mat. 67

WO 100679
Oud. 12j | OEK 22m | TKP 415d
Kalwers 9 | Gespeen 8 | Spn. Mat. 154
Gem. SI 112 | KKG - | KKS 46.8

WO 130103
WO 140543
Oud. 11j | Gem. SI 109
Kalwers 10 | Gespeen 9

MULTIPLE SIRES

WO 100573
Oud. 10j | Gem. SI 104
Kalwers 7 | Gespeen 6

WO 140253 PcH

WO 100192
Oud. 10j | Gem. SI 91
Kalwers 8 | Gespeen 6

WO 080452

WO 050141
Oud. 9j | Gem. SI 106
Kalwers 8 | Gespeen 8

KOEIWAARDE 128	
75	Kalfgemak Waarde
117	Kalfgroei Waarde
123	Melk Waarde
97	Onderhoudswaarde
110	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 110	
PRODUKSIE WAARDE -	

LOGIX
GENETICS
EBV Analyse 2025-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
70	112	117	123	109	111	97	114
61%	41%	50%	38%	20%	31%	18%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	114	105	100	108	111	107	105	101
38%	18%	7%	30%	20%	19%	9%	8%	8%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	285kg 100 (1)	373kg 100 (1)	427kg 108 (2)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid
Inenting: Clostrivax b+, Lumpyvax, Bfect, Respiravax

LOT 19 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

RLR 220060 PcPc



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-10-20
Oud.	3j 1m
Inteling	1%
DNS	P3383/22

RLR 190058 PcH
Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BVB 100512
Oud. 13j | OEK 27m | TKP 425d
Kalwers 10 | Gespeen 10 | Spn. Mat. 108
Gem. SI 101 | KKG 6.71 | KKS 41.5
Kalwings: 12-04, 13-09, 14-10, 15-10, 16-11, 17-10, 18-11, 20-03, 21-04, 22-10

RLR 160064 HH
Spn Mat. 61

RLR 140006
Oud. 11j | OEK 31m | TKP 395d
Kalwers 9 | Gespeen 8 | Spn. Mat. 106
Gem. SI 103 | KKG 6.21 | KKS 43.3

WO 050039
Spn Mat. 83

BVB 066090
Oud. 7j | OEK 26m | TKP 349d
Kalwers 5 | Gespeen 4 | Spn. Mat. 122
Gem. SI 109 | KKG 5.14 | KKS 38.5

WO 130103
BOS 111198
Oud. 12j | Gem. SI 104
Kalwers 9 | Gespeen 9

BOS 088432 HH
BOS 088042
Oud. 12j | Gem. SI 103
Kalwers 11 | Gespeen 10

WO 010081 HH

WO 980119
Oud. 8j | Gem. SI 125
Kalwers 6 | Gespeen 3

BVB 022715

BVB 999118
Oud. 7j | Gem. SI 124
Kalwers 2 | Gespeen 2

KOEIWAARDE 100	
74	Kalfgemak Waarde
118	Kalfgroei Waarde
101	Melk Waarde
91	Onderhoudswaarde
95	Vrugbaarheidswaarde
GROEI WAARDE 106	
KARKAS WAARDE 111	
PRODUKSIE WAARDE 97	

LOGIX
GENETICS
EBV Analyse 2025-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
68	106	118	101	83	86	88	114
69%	53%	68%	54%	75%	36%	31%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	105	89	108	103	112	116	106	132
56%	66%	28%	43%	76%	73%	64%	58%	57%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
39kg	255kg 94 (30)	-	-	1366g/d 108 (49)	-	345mm (D2)	1.25

VERKOPER OPMERKINGS: Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid
Inenting: Clostrivax b+, Lumpyvax, Bfect, Respiravax

LOT 20 (M) BEEFMASTER RLR 220052



J.H. MEYER



Bela-Bela, Limpopo
0829476607
ronelmeyer1958@gmail.com

POSBUS 10020, FONTEINRIET, 1464



Myostatin	
Q204X	Free
NT821	Free
F94L	Carrier

Herd Book	SP
Birth date	2022-10-14
Age	3y 1m
Inbreeding	0%
DNA	P3375/22

COW VALUE 112	
76	Calving Ease Value
115	Calf Growth Value
104	Milk Value
94	Maintenance Value
109	Fertility Value
GROWTH VALUE 102	
CARCASS VALUE 102	
PRODUCTION VALUE 107	

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	282kg 105 (30)	-	-	1630g/d 94 (20)	6.08 101	364mm (C3)	1.26

RLR 190044 HH
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

SP 170135
Age 8y | AFC 22m | ICP 379d
Calves 6 | Weaned 6 | Wean Mat. 121
Avg. WI 104 | CCB 8.25 | CCW 49.2
Calvings: 19-08, 20-10, 21-10, 22-10, 23-11, 24-10

RLR 160056 HH
Wean Mat. 116

BOS 100006
Age 10y | AFC 27m | ICP 393d
Calves 8 | Weaned 7 | Wean Mat. 80
Avg. WI 100 | CCB 6.66 | CCW 41.8

SP 140066
Wean Mat. 118

SP 120008
Age 8y | AFC 24m | ICP 374d
Calves 5 | Weaned 2 | Wean Mat. 117
Avg. WI 103 | CCB - | CCW 43.4

RLR 130053

BOS 055056
Age 14y | Avg. WI 101
Calves 13 | Weaned 11

BOS 066273

BOS 077294
Age 8y | Avg. WI 111
Calves 5 | Weaned 5

7800

SP 070126
Age 8y | Avg. WI 97
Calves 7 | Weaned 5

DO 080111

SP 080042
Age 10y | Avg. WI 109
Calves 5 | Weaned 4

LOGIX
EBV Analysis 2025-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	83	115	104	116	99	113	110
67%	48%	65%	49%	74%	30%	21%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	97	80	103	105	116	112	68	108
52%	64%	69%	40%	75%	72%	65%	59%	57%

SELLER REMARKS: Toetse: Brucella, TB, Trichomonas, Vibriose en Vrugbaarheid
Inentings: Clostrivax b+, Lumpyvax, Bectect, Respiravax

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.07	11.9	-1.5	19	7	69	-39	10.6	1.0	13.0						
Auction Average				38	258	7.56	50.9	1.26	348	2.02	-0.35	21.0	-1.2	31	9	84	-34	17.9	-2	20	100	102	113	99	6.0	107
1	RLR 220051	M	SP	41	259	9.07	58.4	1.27	345	2.35	-0.72	23.4	-4.7	37.8	17.9	116	-52	37	-5	24	95	105	146	95	5	106
2	BOG 220119	M	SP	34	208	6.6	46.4	-	-	0.27	-0.78	17.2	-4.3	22.6	-10.2	34	-32	16.4	-16	1	104	-	110	93	4	103
18	RLR 230016	M	SP	38	285	6.96	54.1	-	-	2.78	-0.51	21.6	4.8	37.1	7.4	121	-44	15.7	6	23	100	-	109	100	3	104
19	RLR 220060	M	SP	39	255	6.57	41.7	1.25	340	2.90	-0.30	22.1	-1.3	31.1	16.3	88	-27	.8	3	25	94	108	83	101	10	105
20	RLR 220052	M	SP	40	282	8.62	54	1.26	360	1.80	0.55	20.6	-0.5	27.2	11.4	59	-17	19.6	4	28	105	94	116	104	6	118

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik