

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

WILLOW BEEFMASTER BYVOEGING

STANDERTON

04 November 2025

All Pedigree- and Performance Data is as recorded on LOGIX on 03 November 2025



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

V-PLAN 14

6

7

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage Sire Dam

DNA	✓
Genomic	✓

SB 140007

Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93

SB 140010

Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110001

SB 110012 P

Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001

SB 060004 Pch

Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

Town, Province
 078 737 2855
 super_bull@webmail.com

13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Calf Growth Value

Heavy weaner calves

Measurement: Weaning weight
EBVs: Weaning weight Direct

Milk Value

Good mothering ability

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Maintenance Value

Low cow weight

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 132A (F)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

WIL 200029



WILLOW BEEFMASTERS

Standerton, Mpumalanga
0824525543
willowbeefmasters@standerton.net

POSBUS 445, STANDERTON, 2430

Last Calf	
Calf ID	WIL 250027 (F)
Birth Date	2025-03-15
Sire ID	WIL 230090

Calvings: 22-09, 23-07, 25-03



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	C
Birth date	2020-10-01
Age	5y 1m
Inbreeding	0%
AFC	23m
Calves	3
Weaned	2
Avg. WI	96
ICP	460d

WIL 180177
Wean Mat. 104

Parentage	Sire	Dam
DNA		
Genomic		

WIL 171011
Age 8y | AFC 28m | ICP 361d
Calves 7 | Weaned 6 | Wean Mat. 109
Avg. WI 101 | CCB - | CCW -
Calvings: 19-09, 20-10, 21-10,
22-10, 23-10, 24-10, 25-08

FXF 080717
Wean Mat. 106

YYF 150108
Age 10y | AFC 30m | ICP 351d
Calves 8 | Weaned 8 | Wean Mat. 117
Avg. WI 102 | CCB - | CCW -

YYF 120243
Wean Mat. 107

WIL 150401
Age 9y | AFC - | ICP 376d
Calves 9 | Weaned 7 | Wean Mat. 111
Avg. WI 101 | CCB - | CCW 45.6

FXF 060097

FXF 020458
Age 8y | Avg. WI 104
Calves 5 | Weaned 5

FXF 110116

FXF 070248
Age 16y | Avg. WI 100
Calves 10 | Weaned 9

FXF 090340

FXF 100435
Age 12y | Avg. WI 101
Calves 9 | Weaned 8

COW VALUE 97	
74	Calving Ease Value
97	Calf Growth Value
105	Milk Value
101	Maintenance Value
107	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 83	
PRODUCTION VALUE -	

LOGIX
GENETICS
EBV Analysis 2025-10-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	77	97	105	103	107	100	109
71%	63%	58%	62%	34%	39%	21%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	93	90	97	90	87	87	86	89
41%	26%	6%	25%	31%	30%	8%	7%	7%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	279kg 100 (I)	443kg 100 (I)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 140A (F)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

WIL 190132



WILLOW BEEFMASTERS

Standerton, Mpumalanga
0824525543
willowbeefmasters@standerton.net

POSBUS 445, STANDERTON, 2430

Last Calf	
Calf ID	WIL 240079 (F)
Birth Date	2024-08-30
Sire ID	WIL 210215

Calvings: 21-09, 22-09, 23-09, 24-08



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	B
Birth date	2019-06-27
Age	6y 4m
Inbreeding	0%
DNA	ZOCA2025-93030
AFC	27m
Calves	4
Weaned	4
Avg. WI	98
ICP	359d

WO 160440
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	
Genomic		

WIL 110060
Age 9y | AFC - | ICP 441d
Calves 2 | Weaned 1 | Wean Mat. 102
Avg. WI 98 | CCB - | CCW -
Calvings: 18-04, 19-06

Z 120262
Wean Mat. 106

WO 080616
Age 16y | AFC 23m | ICP 364d
Calves 15 | Weaned 13 | Wean Mat. 96
Avg. WI 98 | CCB - | CCW 43.8

FXF 090030

FXF 020456
Age 18y | Avg. WI 106
Calves 11 | Weaned 6

WO 050389 HH

WO 990087
Age 10y | Avg. WI 107
Calves 5 | Weaned 5

COW VALUE 98	
100	Calving Ease Value
94	Calf Growth Value
95	Milk Value
112	Maintenance Value
104	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 81	
PRODUCTION VALUE -	

LOGIX
GENETICS
EBV Analysis 2025-10-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	89	94	95	97	115	87	105
69%	64%	66%	69%	37%	55%	26%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	88	89	90	93	88	84	90	79
47%	16%	8%	25%	17%	17%	9%	8%	8%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
28kg	261kg 98 (8)	294kg 104 (8)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 141 (M)



WIL 190120 HH



MYLPAAL BOERDERY

Morgenzon, Mpumalanga
0834415506
admin@mylpaalboer.co.za

H/A MYLPAAL BELEGGINGS (PTY) LTD,
POSBUS 43, MORGENZON, 2315

1 MEDE-EIENAAR(S)
2 MEDE-GEbruiker(S)



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2019-09-25
Oud.	6j 1m
Inteling	1%
DNS	U17738U005

Ouerskap Vaar Moer		
DNS	✓	
Genomies		

YVF 140225
Oud. 6j | OEK 27m | TKP 346d
Kalwers 5 | Gespeen 2 | Spn. Mat. 95
Gem. SI 106 | KKG - | KKS -
Kalwings: 17-01, 17-11, 18-11, 19-09, 20-10

Z 120262
Spn Mat. 106

WO 080616
Oud. 16j | OEK 23m | TKP 364d
Kalwers 15 | Gespeen 13 | Spn. Mat. 96
Gem. SI 98 | KKG - | KKS 43.8

FXF 110517
Spn Mat. 92

FXF 12103F
Oud. 5j | OEK 28m | TKP 317d
Kalwers 2 | Gespeen 2 | Spn. Mat. 93
Gem. SI 98 | KKG - | KKS 42.7

FXF 090030

FXF 020456
Oud. 18j | Gem. SI 106
Kalwers 11 | Gespeen 6

WO 050389 HH

WO 990087
Oud. 10j | Gem. SI 107
Kalwers 5 | Gespeen 5

FXF 090054

FXF 080040
Oud. 11j | Gem. SI 91
Kalwers 9 | Gespeen 5

FXF 080717

FXF 080139
Oud. 7j | Gem. SI 101
Kalwers 4 | Gespeen 3

KOEIWAARDE 107

80	Kalfgemak Waarde
102	Kalfgroei Waarde
103	Melk Waarde
109	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 89

KARKAS WAARDE 89

PRODUKSIE WAARDE 99

LOGIX
Genomiese Teelwaarde
Analise 2025-10-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	87	102	103	79	119	95	103
93%	87%	89%	85%	86%	84%	82%	87%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	86	79	92	84	84	96	91	98
86%	82%	81%	83%	82%	82%	81%	81%	81%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	361kg 118 (15)	-	570kg 114 (14)	-	-	300mm (B2)	-

VERKOPER OPMERKINGS: 30 Strooitjies x2

LOT 142 (M)



WIL 190249 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

EBENROTS BEEFMASTER STOET

Morgenzon, Mpumalanga
0737467729
Inhoffman@msn.com

LN HOFFMAN BELEGGINGS EDMS
BPK, 126 BURKEA STRAAT, PEBBLE
ROCK ESTATE, KAMEELFONTEIN, 0035

5 MEDE-GEbruiker(S)



Miostatien	
Q204X	Skoon
NT821	Draer
F94L	Skoon

Kuddeboek	B
Geb. dtm	2019-08-07
Oud.	6j 3m
Inteling	0%
DNS	ZOCA2022-36208

Ouerskap Vaar Moer		
DNS	✓	
Genomies		

WIL 120233
Oud. 8j | OEK - | TKP 359d
Kalwers 4 | Gespeen 2 | Spn. Mat. 79
Gem. SI 87 | KKG - | KKS -
Kalwings: 17-10, 18-09, 19-08, 20-09

FXF 110338
Spn Mat. 82

FXF 110669
Oud. 6j | OEK 30m | TKP 414d
Kalwers 3 | Gespeen 2 | Spn. Mat. 78
Gem. SI 98 | KKG - | KKS 42.6

FXF 080059 HH

FXF 010156
Oud. 12j | Gem. SI 106
Kalwers 7 | Gespeen 7

FXF 080312

FXF 080131
Oud. 6j | Gem. SI 102
Kalwers 5 | Gespeen 5

KOEIWAARDE 102

112	Kalfgemak Waarde
98	Kalfgroei Waarde
77	Melk Waarde
118	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE 90

KARKAS WAARDE 94

PRODUKSIE WAARDE 95

LOGIX
Genomiese Teelwaarde
Analise 2025-10-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	98	98	77	76	116	112	105
84%	78%	83%	78%	83%	77%	76%	80%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	90	81	85	81	87	102	97	108
80%	76%	76%	76%	76%	76%	76%	76%	76%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
30kg	277kg 90 (9)	-	450kg 93 (9)	-	-	310mm (B2)	-

VERKOPER OPMERKINGS: 30 Strooitjies x2

LOT 145 (M)



WIL 190138 HH



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

Herd Book	B
Birth date	2019-06-29
Age	6y 4m
Inbreeding	0%
ZOCA2022-DNA	36190

FXF 110199
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	
Genomic		

BOS 077350
Wean Mat. 100

BOS 044089

BOS 044068
Age 9y | Avg. WI 98
Calves 6 | Weaned 6

FXF 040150

FXF 020222
Age 12y | Avg. WI 103
Calves 9 | Weaned 9



FXF 060632
Age 13y | AFC 24m | ICP 431d
Calves 9 | Weaned 8 | Wean Mat. 107
Avg. WI 104 | CCB 8.7 | CCW 42.5

WIL 120086
Age 8y | AFC - | ICP 429d
Calves 4 | Weaned 2 | Wean Mat. 98
Avg. WI 99 | CCB - | CCW -
Calvings: 15-12, 16-11, 18-04, 19-06

RAUBENHEIMER TRUST

Windburg, Free State
0718470433
raubie86@gmail.com

PLAAS 615, WITWAL, WINDBURG, 9420

1 CO-USER(S)
USED IN HERD (2)

COW VALUE 109

87	Calving Ease Value
106	Calf Growth Value
91	Milk Value
102	Maintenance Value
120	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 104

PRODUCTION VALUE 106

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	285kg 91 (15)	-	465kg 92 (14)	-	-	337mm (B2)	-

LOGIX
Genomic Breeding Value
Analysis 2025-10-17

Calf and Mother

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	73	106	91	89	128	114	105
85%	81%	84%	81%	85%	79%	79%	82%

Fertility

Post-Wean Growth

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	111	102	97	98	104	109	95	106
82%	79%	78%	79%	79%	79%	78%	78%	78%

Frame

Carcass



Myostatin

Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS: 50 Strooitjies x2

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg-Wean Index	Nr. Calves	Repr. Index
Breed Average										0.35	-0.07	12.0	-1.6	19	7	68	-38	10.5	1.0	13.0						
Auction Average				32	293	-	-	-	340	0.76	0.49	11.6	-3.2	17	-1	45	-25	4.1	-6	3	99	-	89	98	4.0	108
132A	WIL 200029	F	C	36	279	-	-	-	-	1.83	0.79	10.2	-0.2	18.3	4.3	44	-27	12.1	-5	1	100	-	103	101	7	117
140A	WIL 190132	F	B	28	261	-	-	-	-	0.14	0.33	8.8	-3.0	14.5	-3.5	26	-26	9.1	-3	1	98	-	97	98	2	90
141	WIL 190120	M	SP	33	361	-	-	-	330	1.55	0.42	12.9	-0.8	15.5	-1.7	17	-15	-1.7	-8	-2	118	-	79	106	5	119
142	WIL 190249	M	B	30	277	-	-	-	330	-0.50	-0.01	10.7	-8.0	14.2	-9.5	33	-17	-3.3	-10	1	90	-	76	87	4	117
145	WIL 190138	M	B	31	285	-	-	-	360	0.79	0.93	15.3	-4.0	23.3	4.0	106	-40	4.5	0	16	91	-	89	99	4	96



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik