

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# VANJAARVELD & KRUGER GLEN

Veilingsdatum / Auction Date:  
13 March 2026

Data soos op / Data as on:  
26 February 2026



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**
**1**

**THE RED CATTLE FARM**
**2**

3

**ABC 150029**
**4**

2015-02-03
**5**

SP
**6**

Parentage Sire Dam

DNA

✓

Genomic

✓

**DEF 100066 P**



**ABC 080011**

AGE/CALV. 13/9  
AVG. Wt/CALV. 105/9  
ICP 417

**DEF 050022**

**GHI 070076 HH(c)**
**9**

AGE/CALV. 14/10  
AVG. Wt/CALV. 92/10  
ICP 395

**JKL 000077 P**

**MNO 030002**
**12**

AGE/CALV. 19/10  
AVG. Wt/CALV. 109/10  
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



### 6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |    |                         |       | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |      |      |        |
|------------------|----|-------------------------|-------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|------|------|--------|
|                  |    |                         |       |                                                                                               |                           | <80                | <90 | 90-110 | >110 | >120 |        |
| Selection Values | 5  | Cow Value               | CV    | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |      |      | Profit |
|                  | 1  | Calving Ease Value      | CEV   | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |      |      | Low    |
|                  |    | Calf Growth Value       | CGrV  | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |      |      | Heavy  |
|                  |    | Milk Value              | MlkV  | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |      |      | More   |
|                  | 4  | Maintenance Value       | MntV  | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        |      | *    | Low    |
|                  | 3  | Fertility Value         | FertV | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |      |      | High   |
|                  | 2  | Weaner Calf Value       | WnCV  | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |      |      | Heavy  |
|                  | 6  | Growth Value            | GV    | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |      |      | Profit |
| Cow & Heifer     | 7  | Carcass Value           | VarcV | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |      |      | More   |
|                  |    | Production Value        | PV    | Combination of Cow- and Growth values (Rand-value)                                            | Profitable animals        | Loss               |     |        |      |      | Profit |
|                  | 8  | Birth Weight Direct     | BD    | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |      |      | Light  |
|                  |    | Birth Weight Maternal   | BM    | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |      |      | Light  |
|                  | 9  | Weaning Weight Direct   | WD    | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |      |      | Heavy  |
|                  | 10 | Weaning Weight Maternal | WM    | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |      |      | Good   |
|                  |    | Mature Cow Weight       | MW    | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *    | *    | Heavy  |
|                  |    | Cow-Calf Birth          | CCB   | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        |      |      | High   |
| Fertility        |    | Cow-Calf Wean           | CCW   | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio       | Low                |     |        |      |      | High   |
|                  | 12 | Heifer Fertility        | HF    | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |      |      | More   |
|                  | 13 | Cow Fertility           | CFE   | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |      |      | More   |
|                  | 11 | Scrotal Circumference   | SC    | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |      |      | More   |
| Growth & Frame   | 14 | Longevity               | LG    | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |      |      | Good   |
|                  | 15 | Post-Wean Weight        | PWn   | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |      | *    | High   |
|                  | 16 | Average Daily Gain      | ADG   | Average daily gain                                                                            | Good growth               | Poor               |     |        |      |      | Good   |
|                  | 17 | Feed Conversion Ratio   | FCR   | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |      |      | Good   |
|                  |    | Final Test Weight       | FW    | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |      | *    | Heavy  |
|                  | 19 | Height                  | H     | Shoulder height in growth test                                                                | Average height            | Short              |     |        |      |      | Tall   |
|                  | 20 | Length                  | L     | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |      |      | Long   |
|                  | 24 | Length-Height Ratio     | LH    | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |      |      | >1     |
| Carcass          | 21 | Eye Muscle Area         | EMA   | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |      |      | Big    |
|                  | 22 | Fat Thickness           | Fat   | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |      |      | Thick  |
|                  | 23 | Marbling                | Mar   | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |      |      | High   |
|                  |    | Dressing Percentage     | D%    | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |      |      | High   |

\* Determined by own selection goal

### GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8      9      10      11      12      13      14      15      16      17      18      19      20      21      22      23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

### PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16      17      11      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

**LOT 1**  
**KRUGER GLEN BONSMARAS**  
  
**GLK 230218**  
2023-12-06  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
**WAT 180013**  
**WAT 190304**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 104/2  
ICP 553  
**WAT 170311**  
AGE/CALV. 5/3  
AVG. Wt/CALV. 108/3  
ICP 368

**WAT 120421**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 105/5  
**WAT 090300**  
AGE/CALV. 13/11  
AVG. Wt/CALV. 106/11  
ICP 384  
**BG 170036 HH(c)**  
**WAT 070353**  
**WAT 060174**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 105/5  
**WAT 060355**  
**WAT 060001**  
AGE/CALV. 13/10  
AVG. Wt/CALV. 103/10  
**BG 110085**  
**BG 050061**  
AGE/CALV. 13/9  
AVG. Wt/CALV. 105/9  
**FCT 110002**  
**WAT 070074**  
AGE/CALV. 11/10  
AVG. Wt/CALV. 100/9

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 109                | 109               | 113             | 89                | 115       | 118          | 123           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 105             | 110       | 96        | 103        | 108          | 108       | 110     | 114              | 120 | 103 | 112           | 119    | 116    | 116     | 92  | 106 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 108        | -          | -          | 109       | -         | 324     | 1.25 |

|           |   |
|-----------|---|
| Myostatin |   |
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS: Self op verse gebruik

LOGIX EBV Analysis: 2026-02-17

**LOT 2**  
**VAN JAARVELD BONSMARAS**  
  
**VJ 230084**  
2023-11-16  
B  
Parentage Sire Dam  
DNA  
Genomic

  
**WBB 190113 HH(c)**  
**WBB 110308**  
AGE/CALV. 12/7  
AVG. Wt/CALV. 103/6  
ICP 447  
**VJ 190066**  
AGE/CALV. 7/3  
AVG. Wt/CALV. 111/3  
ICP 376

**LAR 140173 HH(c)**  
**LAR 120033 HH(c)**  
**LAR 100159**  
AGE/CALV. 15/11  
AVG. Wt/CALV. 105/11  
**WBB 070035**  
**WBB 080034**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 95/7

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 119                | 95                | 96              | 100               | 99        | 97           | 111           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115             | 93        | 98        | 105        | 100          | 90        | 107     | 90               | 101 | 92  | 98            | 82     | 106    | 133     | 87  | 105 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 102        | -          | -          | 91        | -         | 334     | 1.28 |

|           |            |
|-----------|------------|
| Myostatin |            |
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

REMARKS: Kalwingsgemak

LOGIX EBV Analysis: 2026-02-17

**LOT 3**  
**KRUGER GLEN BONSMARAS**  
  
**GLK 230142**  
2023-10-30  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
**WAT 200127**  
**WAT 130265**  
AGE/CALV. 12/7  
AVG. Wt/CALV. 103/7  
ICP 495  
**WAT 110171**  
AGE/CALV. 8/6  
AVG. Wt/CALV. 96/6  
ICP 374

**WAT 180350**  
AGE/CALV. 11/10  
AVG. Wt/CALV. 109/9  
**WAT 180276**  
AGE/CALV. 7/6  
AVG. Wt/CALV. 101/5  
ICP 378  
**WAT 110138**  
**FCT 110002**  
**WAT 100199**  
AGE/CALV. 11/10  
AVG. Wt/CALV. 109/9  
**WAT 150376**  
**WAT 140314**  
AGE/CALV. 7/5  
AVG. Wt/CALV. 104/4  
**WAT 090280**  
**WAT 090211**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 111/5  
**WAT 080026**  
**WAT 020029**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 104/8

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 89                 | 108               | 85              | 87                | 97        | 111          | 119           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 90              | 109       | 113       | 126        | 78           | 87        | 113     | 108              | 118 | 112 | 113           | 105    | 116    | 120     | 106 | 104 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 103        | -          | -          | 108       | -         | 361     | 1.28 |

|           |   |
|-----------|---|
| Myostatin |   |
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

LOGIX EBV Analysis: 2026-02-17

## BULLE

## LOT 4

## KRUGER GLEN BONSMARAS

GLK 230072  
2023-09-18  
SP

Ouerskap Vaar Moer

DNS

Genomies

WAT 170255



WAT 160088

OUD/KALW. 9/8  
GEM. SI/KALW. 97/7  
TKP 361

AJF 130463

WAT 050168  
OUD/KALW. 12/9  
GEM. SI/KALW. 99/8  
TKP 416

WAT 140071

WAT 140166  
OUD/KALW. 11/8  
GEM. SI/KALW. 100/8  
TKP 426

LAR 090223

AJF 080217  
OUD/KALW. 6/4  
GEM. SI/KALW. 106/4

WAT 000038

WAT 940257  
OUD/KALW. 12/10  
GEM. SI/KALW. 105/9

WAT 120105

WAT 120006  
OUD/KALW. 9/7  
GEM. SI/KALW. 104/6

WAT 070353

WAT 050164  
OUD/KALW. 10/8  
GEM. SI/KALW. 107/6Geboortegemak  
Waarde  
**95**Speenkalv  
Waarde  
**94**Vrugbaarheids-  
waarde  
**87**Onderhouds-  
waarde  
**86**Koeiwaarde  
**87**Groei-  
waarde  
**102**Karkas-  
waarde  
**107**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 96             | 102       | 101       | 123          | 85          | 91          | 102    | 106            | 106 | 93  | 115         | 88     | 95     | 98     | 81  | 110 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 98          | -           | -           | 115        | -          | 359     | 1.28 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-02-17

## LOT 5

## VAN JAARVELD BONSMARAS

VJ 230080  
2023-11-09  
B

Ouerskap Vaar Moer

DNS

Genomies

WBB 190113 HH(c)



VJ 160502

OUD/KALW. 10/3  
GEM. SI/KALW. 97/3  
TKP 383

LAR 140173 HH(c)

WBB 110308  
OUD/KALW. 12/7  
GEM. SI/KALW. 103/6  
TKP 447

LAR 120033 HH(c)

LAR 100159  
OUD/KALW. 15/11  
GEM. SI/KALW. 105/11

WBB 070035

WBB 080034  
OUD/KALW. 10/7  
GEM. SI/KALW. 95/7Geboortegemak  
Waarde  
**89**Speenkalv  
Waarde  
**96**Vrugbaarheids-  
waarde  
**95**Onderhouds-  
waarde  
**84**Koeiwaarde  
**89**Groei-  
waarde  
**116**Karkas-  
waarde  
**122**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 88             | 107       | 92        | 127          | 95          | 89          | 111    | 105            | 120 | 109 | 118         | 94     | 116    | 139    | 90  | 111 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 111         | -           | -           | 109        | -          | 368     | 1.25 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Speenkalfbul

LOGIX EBV Analise: 2026-02-17

## LOT 6

## KRUGER GLEN BONSMARAS

GLK 230097  
2023-10-16  
SP

Ouerskap Vaar Moer

DNS

Genomies

WAT 190069 HH(c)



WAT 130462

OUD/KALW. 12/11  
GEM. SI/KALW. 107/10  
TKP 368

WAT 170190

WAT 170563  
OUD/KALW. 5/4  
GEM. SI/KALW. 100/4  
TKP 385

WAT 110268

WAT 110290  
OUD/KALW. 9/7  
GEM. SI/KALW. 107/6  
TKP 431

WAT 150074

WAT 140401  
OUD/KALW. 11/8  
GEM. SI/KALW. 105/8

BG 110107

WAT 130066  
OUD/KALW. 12/10  
GEM. SI/KALW. 104/9

WAT 080104

WAT 050188  
OUD/KALW. 12/9  
GEM. SI/KALW. 107/7

WAT 090155

WAT 090136  
OUD/KALW. 11/8  
GEM. SI/KALW. 105/8Geboortegemak  
Waarde  
**117**Speenkalv  
Waarde  
**99**Vrugbaarheids-  
waarde  
**114**Onderhouds-  
waarde  
**98**Koeiwaarde  
**114**Groei-  
waarde  
**105**Karkas-  
waarde  
**113**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 145            | 91        | 119       | 103          | 110         | 106         | 113    | 99             | 102 | 89  | 100         | 84     | 99     | 113    | 94  | 98  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 108         | -           | -           | 93         | -          | 341     | 1.23 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 1 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-02-17

**BULLS**

**LOT 7**
**KRUGER GLEN BONSMARAS**



**GLK 230135**  
2023-10-27  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |



**BG 200264**

**WAT 170013**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 98/5  
ICP 413

**WAT 090075**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 98/9  
ICP 418

**WAT 170557 HH(c)**

**BG 140331**  
AGE/CALV. 10/6  
AVG. Wt/CALV. 86/6  
ICP 380

**BG 130173**

**WAT 140536**

**WAT 140277**  
AGE/CALV. 11/10  
AVG. Wt/CALV. 100/8

**WAT 120072**

**BG 120014**  
AGE/CALV. 11/6  
AVG. Wt/CALV. 103/6

**BG 090156**

**CAB 080025**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 111/8

**JPL 060059**

**WAT 050164**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 107/6

|                    |    |
|--------------------|----|
| Calving Ease Value | 84 |
|--------------------|----|

|                   |     |
|-------------------|-----|
| Weaner Calf Value | 110 |
|-------------------|-----|

|                 |    |
|-----------------|----|
| Fertility Value | 90 |
|-----------------|----|

|                   |    |
|-------------------|----|
| Maintenance Value | 91 |
|-------------------|----|

|           |    |
|-----------|----|
| Cow Value | 97 |
|-----------|----|

|              |     |
|--------------|-----|
| Growth Value | 130 |
|--------------|-----|

|               |     |
|---------------|-----|
| Carcass Value | 124 |
|---------------|-----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 74              | 119       | 88        | 120        | 90           | 86        | 109     | 118              | 137 | 123 | 109           | 118    | 123    | 104     | 100 | 95  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 101        | -          | -          | 119       | -         | 356     | 1.21 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-02-17

**LOT 8**
**VAN JAARSVELD BONSMARAS**



**VJ 240002**  
2024-01-04  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |



**ABM 190450**

**VJ 200010**  
AGE/CALV. 4/1  
AVG. Wt/CALV. 111/1  
ICP -

**VV 070137**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 102/10  
ICP 393

**ABM 160088 HH(c)**

**LMR 100207**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 104/12  
ICP 398

**CEF 140311 HH(c)**

**VV 070137**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 102/10  
ICP 393

**NFS 110101**

**CAM 070047**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 101/11

**LMR 050223**

**LMR 070161**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 104/10

**CEF 120367**

**CEF 080047**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 96/12

**VV 030423**

**VV 040358**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 116/6

|                    |     |
|--------------------|-----|
| Calving Ease Value | 113 |
|--------------------|-----|

|                   |     |
|-------------------|-----|
| Weaner Calf Value | 107 |
|-------------------|-----|

|                 |     |
|-----------------|-----|
| Fertility Value | 104 |
|-----------------|-----|

|                   |    |
|-------------------|----|
| Maintenance Value | 95 |
|-------------------|----|

|           |     |
|-----------|-----|
| Cow Value | 110 |
|-----------|-----|

|              |     |
|--------------|-----|
| Growth Value | 105 |
|--------------|-----|

|               |     |
|---------------|-----|
| Carcass Value | 102 |
|---------------|-----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 108             | 104       | 98        | 116        | 100          | 103       | 107     | 106              | 112 | 118 | 104           | 108    | 114    | 117     | 100 | 97  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
|------------|------------|------------|-----------|-----------|---------|----|
| 111        | 101        | 105        | -         | -         | -       | -  |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:** All rounder

**LOGIX** EBV Analysis: 2026-02-17

**LOT 9**
**KRUGER GLEN BONSMARAS**



**GLK 230196**  
2023-11-27  
SP

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       |      |     |
| Genomic   |      |     |



**WAT 200127**

**BG 130129**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 97/8  
ICP 393

**EI 020477**  
AGE/CALV. 14/10  
AVG. Wt/CALV. 96/8  
ICP 406

**WAT 180350**

**WAT 180276**  
AGE/CALV. 7/6  
AVG. Wt/CALV. 101/5  
ICP 378

**WAT 020325**

**FCT 110002**

**WAT 100199**  
AGE/CALV. 11/10  
AVG. Wt/CALV. 109/9

**WAT 150376**

**WAT 140314**  
AGE/CALV. 7/5  
AVG. Wt/CALV. 104/4

**WAT 000200**

**WAT 950016**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 105/10

**RCO 970236**

**EI 940025**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 98/12

|                    |     |
|--------------------|-----|
| Calving Ease Value | 105 |
|--------------------|-----|

|                   |    |
|-------------------|----|
| Weaner Calf Value | 98 |
|-------------------|----|

|                 |    |
|-----------------|----|
| Fertility Value | 94 |
|-----------------|----|

|                   |     |
|-------------------|-----|
| Maintenance Value | 100 |
|-------------------|-----|

|           |    |
|-----------|----|
| Cow Value | 97 |
|-----------|----|

|              |    |
|--------------|----|
| Growth Value | 99 |
|--------------|----|

|               |     |
|---------------|-----|
| Carcass Value | 107 |
|---------------|-----|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 105             | 99        | 99        | 99         | 90           | 98        | 103     | 101              | 101 | 99  | 98            | 95     | 104    | 105     | 115 | 90  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 104        | -          | -          | 94        | -         | 328     | 1.28 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | 0          |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-02-17

**BULLE**

**LOT 10**
**KRUGER GLEN BONSMARAS**



**GLK 230214**  
2023-12-04  
SP

Ouerskap Vaar Moer

DNS

Genomies



**BG 200264**

**WAT 160316**  
OUD/KALW. 8/7  
GEM. SI/KALW. 100/7  
TKP 365

**WAT 170557 HH(c)**

**BG 140331**  
OUD/KALW. 10/6  
GEM. SI/KALW. 86/6  
TKP 380

**WAT 140187**

**WAT 140173**  
OUD/KALW. 8/7  
GEM. SI/KALW. 113/4  
TKP 355

**WAT 140536**

**WAT 140277**  
OUD/KALW. 11/10  
GEM. SI/KALW. 100/8

**WAT 120072**

**BG 120014**  
OUD/KALW. 11/6  
GEM. SI/KALW. 103/6

**WAT 120166**

**WAT 120202**  
OUD/KALW. 13/11  
GEM. SI/KALW. 102/9

**BG 090141**

**WAT 110177**  
OUD/KALW. 8/6  
GEM. SI/KALW. 88/6

**Geboortegemak Waarde**  
**92**

**Speenkalf Waarde**  
**106**

**Vrugbaarheids-waarde**  
**104**

**Onderhouds-waarde**  
**92**

**Koeiwaarde**  
**103**

**Groei-waarde**  
**126**

**Karkas-waarde**  
**117**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 88             | 117       | 81        | 112          | 95          | 106         | 106    | 113            | 135 | 121 | 109         | 118    | 119    | 110    | 102 | 74  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 127         | -           | -           | 112        | -          | 339     | 1.23 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:**

**LOGIX**
EBV Analise: 2026-02-17

**LOT 11**
**VAN JAARVELD BONSMARAS**



**VJ 240005**  
2024-01-18  
SP

Ouerskap Vaar Moer

DNS

Genomies



**VJ 190037**

**VJ 200015**  
OUD/KALW. 4/1  
GEM. SI/KALW. 96/1  
TKP -

**WAT 160153**

**VV 120004**  
OUD/KALW. 13/9  
GEM. SI/KALW. 101/8  
TKP 452

**CEF 140311 HH(c)**

**VJ 140002**  
OUD/KALW. 11/8  
GEM. SI/KALW. 96/8  
TKP 373

**WAT 060071**

**WAT 110223**  
OUD/KALW. 11/8  
GEM. SI/KALW. 110/7

**AG 080204**

**VV 080085**  
OUD/KALW. 4/2  
GEM. SI/KALW. 92/2

**CEF 120367**

**CEF 080047**  
OUD/KALW. 14/11  
GEM. SI/KALW. 96/12

**WAT 070039**

**WAT 060132**  
OUD/KALW. 9/5  
GEM. SI/KALW. 98/6

**Geboortegemak Waarde**  
**99**

**Speenkalf Waarde**  
**93**

**Vrugbaarheids-waarde**  
**98**

**Onderhouds-waarde**  
**91**

**Koeiwaarde**  
**92**

**Groei-waarde**  
**110**

**Karkas-waarde**  
**97**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 96             | 100       | 97        | 101          | 96          | 98          | 105    | 106            | 114 | 121 | 109         | 109    | 109    | 98     | 96  | 111 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH |
|-------------|-------------|-------------|------------|------------|---------|----|
| 96          | 97          | 102         | -          | -          | -       | -  |

| Miostation |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**OPMERKINGS:** Speenkalfbul

**LOGIX**
EBV Analise: 2026-02-17

**LOT 12**
**KRUGER GLEN BONSMARAS**



**GLK 230158**  
2023-11-06  
SP

Ouerskap Vaar Moer

DNS

Genomies



**BG 200264**

**WAT 150439**  
OUD/KALW. 10/8  
GEM. SI/KALW. 106/7  
TKP 424

**WAT 170557 HH(c)**

**BG 140331**  
OUD/KALW. 10/6  
GEM. SI/KALW. 86/6  
TKP 380

**WAT 120421**

**WAT 080035**  
OUD/KALW. 13/11  
GEM. SI/KALW. 102/11  
TKP 368

**WAT 140536**

**WAT 140277**  
OUD/KALW. 11/10  
GEM. SI/KALW. 100/8

**WAT 120072**

**BG 120014**  
OUD/KALW. 11/6  
GEM. SI/KALW. 103/6

**WAT 070353**

**WAT 060174**  
OUD/KALW. 9/6  
GEM. SI/KALW. 105/5

**WAT 050142**

**WAT 050215**  
OUD/KALW. 7/4  
GEM. SI/KALW. 105/4

**Geboortegemak Waarde**  
**85**

**Speenkalf Waarde**  
**111**

**Vrugbaarheids-waarde**  
**106**

**Onderhouds-waarde**  
**88**

**Koeiwaarde**  
**106**

**Groei-waarde**  
**120**

**Karkas-waarde**  
**116**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 80             | 121       | 87        | 103          | 109         | 97          | 106    | 118            | 129 | 115 | 114         | 116    | 117    | 109    | 87  | 88  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 113         | -           | -           | 105        | -          | 322     | 1.27 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:**

**LOGIX**
EBV Analise: 2026-02-17

**BULLS**

**LOT 13**  
  
**GLK 230122**  
2023-10-24  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**WAT 170255**  
  
**WAT 180087**  
AGE/CALV. 7/5  
AVG. Wt/CALV. 96/5  
ICP 428  
  
**WAT 160178**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 90/3  
ICP 408

**AJF 130463**  
  
**WAT 050168**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 99/8  
ICP 416  
  
**WAT 160188**  
  
**WAT 160178**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 90/3  
ICP 408

**LAR 090223**  
**AJF 080217**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 106/4  
  
**WAT 000038**  
**WAT 940257**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 105/9  
  
**WAT 140084**  
  
**WAT 140406**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 103/4  
  
**WAT 130077**  
  
**WAT 130288**  
AGE/CALV. 6/6  
AVG. Wt/CALV. 99/4

**Calving Ease Value**  
**96**

**Weaner Calf Value**  
**96**

**Fertility Value**  
**94**

**Maintenance Value**  
**111**

**Cow Value**  
**93**

**Growth Value**  
**92**

**Carcass Value**  
**93**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 95              | 97        | 98        | 108        | 88           | 97        | 101     | 97               | 91  | 89  | 88            | 94     | 90     | 99      | 84  | 98  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 99         | -          | -          | 98        | -         | 340     | 1.23 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-02-17

**LOT 14**  
  
**VJ 230077**  
2023-11-06  
B  

Parentage Sire Dam  
DNA  
Genomic

  
**WBB 190113 HH(c)**  
  
**WBB 110308**  
AGE/CALV. 12/7  
AVG. Wt/CALV. 103/6  
ICP 447  
  
**VJ 180069**  
AGE/CALV. 7/3  
AVG. Wt/CALV. 94/3  
ICP 369

**LAR 140173 HH(c)**  
  
**WBB 110308**  
AGE/CALV. 12/7  
AVG. Wt/CALV. 103/6  
ICP 447  
  
**WBB 180069**  
AGE/CALV. 7/3  
AVG. Wt/CALV. 94/3  
ICP 369

**LAR 120033 HH(c)**  
**LAR 100159**  
AGE/CALV. 15/11  
AVG. Wt/CALV. 105/11  
  
**WBB 070035**  
**WBB 080034**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 95/7

**Calving Ease Value**  
**120**

**Weaner Calf Value**  
**93**

**Fertility Value**  
**98**

**Maintenance Value**  
**103**

**Cow Value**  
**96**

**Growth Value**  
**96**

**Carcass Value**  
**103**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 115             | 96        | 84        | 117        | 102          | 90        | 108     | 89               | 103 | 98  | 96            | 81     | 101    | 130     | 84  | 100 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 111        | -          | -          | 95        | -         | 362     | 1.25 |

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:** Kalwingsgemak

**LOGIX** EBV Analysis: 2026-02-17

**LOT 15**  
  
**GLK 230093**  
2023-10-16  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**AJF 130463**  
  
**WAT 160228**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 100/6  
ICP 363  
  
**WAT 140322**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 103/7  
ICP 412

**LAR 090223**  
  
**AJF 080217**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 106/4  
ICP 376  
  
**WAT 140477**  
  
**WAT 140322**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 103/7  
ICP 412

**LAR 040287**  
**LAR 050072**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 105/7  
  
**CEF 040393**  
**AJF 000092**  
AGE/CALV. 13/12  
AVG. Wt/CALV. 105/11  
  
**WAT 060355**  
  
**WAT 050014**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 105/7  
  
**WAT 070134**  
  
**WAT 050090**  
AGE/CALV. 12/11  
AVG. Wt/CALV. 105/9

**Calving Ease Value**  
**92**

**Weaner Calf Value**  
**102**

**Fertility Value**  
**93**

**Maintenance Value**  
**99**

**Cow Value**  
**97**

**Growth Value**  
**99**

**Carcass Value**  
**108**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 91              | 103       | 106       | 124        | 86           | 97        | 105     | 102              | 96  | 96  | 99            | 106    | 100    | 104     | 108 | 99  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 105        | -          | -          | 103       | -         | 352     | 1.18 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-02-17

## BULLE

## LOT 16 KRUGER GLEN BONSMARAS

GLK 230086  
2023-10-02  
SP

Ouerskap Vaar Moer

DNS

Genomies

WAT 200127

WAT 160149  
OUD/KALW. 9/8  
GEM. SI/KALW. 98/7  
TKP 379

WAT 180350

WAT 180276  
OUD/KALW. 7/6  
GEM. SI/KALW. 101/5  
TKP 378

WAT 120140

WAT 100085  
OUD/KALW. 9/7  
GEM. SI/KALW. 95/7  
TKP 365

FCT 110002

WAT 100199  
OUD/KALW. 11/10  
GEM. SI/KALW. 109/9

WAT 150376

WAT 140314  
OUD/KALW. 7/5  
GEM. SI/KALW. 104/4

WAT 090083

WAT 080169  
OUD/KALW. 6/3  
GEM. SI/KALW. 115/3

WAT 070037

WAT 070199  
OUD/KALW. 12/11  
GEM. SI/KALW. 103/9Geboortegemak  
Waarde  
**94**Speenkalv  
Waarde  
**107**Vrugbaarheids-  
waarde  
**104**Onderhouds-  
waarde  
**99**Koeiwaarde  
**107**Groei-  
waarde  
**94**Karkas-  
waarde  
**101**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 108       | 102       | 92           | 93          | 107         | 108    | 101            | 102 | 111 | 100         | 114    | 113    | 103    | 98  | 83  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 103         | -           | -           | 99         | -          | 327     | 1.26 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-02-17

## LOT 17 VAN JAARVELD BONSMARAS

VJ 230078  
2023-11-06  
B

Ouerskap Vaar Moer

DNS

Genomies

WBB 190113 HH(c)

VJ 170334  
OUD/KALW. 9/3  
GEM. SI/KALW. 104/3  
TKP 571

LAR 140173 HH(c)

WBB 110308  
OUD/KALW. 12/7  
GEM. SI/KALW. 103/6  
TKP 447

LAR 120033 HH(c)

LAR 100159  
OUD/KALW. 15/11  
GEM. SI/KALW. 105/11

WBB 070035

WBB 080034  
OUD/KALW. 10/7  
GEM. SI/KALW. 95/7Geboortegemak  
Waarde  
**98**Speenkalv  
Waarde  
**98**Vrugbaarheids-  
waarde  
**94**Onderhouds-  
waarde  
**89**Koeiwaarde  
**95**Groei-  
waarde  
**122**Karkas-  
waarde  
**126**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 96             | 104       | 98        | 98           | 95          | 89          | 109    | 105            | 123 | 105 | 112         | 94     | 117    | 141    | 92  | 113 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 110         | -           | -           | 117        | -          | 317     | 1.27 |

| Miostatien |             |
|------------|-------------|
| Q204X      | 1           |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

OPMERKINGS: Speenkalfbul

LOGIX EBV Analise: 2026-02-17

## LOT 18 KRUGER GLEN BONSMARAS

GLK 230225  
2023-12-18  
SP

Ouerskap Vaar Moer

DNS

Genomies

BG 170082 HH(c)

WAT 150405  
OUD/KALW. 10/8  
GEM. SI/KALW. 107/8  
TKP 396

WAT 100063

CAB 070025  
OUD/KALW. 14/11  
GEM. SI/KALW. 101/11  
TKP 371

BG 110058

WAT 030090  
OUD/KALW. 12/9  
GEM. SI/KALW. 109/8  
TKP 418

WAT 080283

WAT 080035  
OUD/KALW. 13/11  
GEM. SI/KALW. 102/11

ZAK 040047

CAB 040049  
OUD/KALW. 14/11  
GEM. SI/KALW. 101/11

BG 080102 HH(c)

BG 990070  
OUD/KALW. 15/13  
GEM. SI/KALW. 99/13

RCO 970236

WAT 980261  
OUD/KALW. 8/6  
GEM. SI/KALW. 95/6Geboortegemak  
Waarde  
**111**Speenkalv  
Waarde  
**119**Vrugbaarheids-  
waarde  
**72**Onderhouds-  
waarde  
**106**Koeiwaarde  
**106**Groei-  
waarde  
**95**Karkas-  
waarde  
**104**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 108            | 104       | 118       | 81           | 80          | 74          | 100    | 98             | 92  | 103 | 91          | 101    | 99     | 105    | 110 | 110 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 116         | -           | -           | 91         | -          | 313     | 1.24 |

| Miostatien |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-02-17



| Dier Info                     |            |     |     | Actual Values |              |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 36            | 237          | 8.03      | 1.25                | 341             | 0.97<br>0.87             | -0.29<br>-0.63 | 14.8<br>17.1  | 3.6<br>3.5    | 24<br>33       | 22<br>30            | 78<br>121 | -36<br>-45  | 12.6<br>17.7    | -3.0<br>-2   | 13.0<br>21  | 107  | 104 | 109        | 102             | 5.0        | 102         |
| 1                             | GLK 230218 | M   | SP  | 35            | 258          | -         | 1.25                | 324             | 0.48                     | -1.19          | 20.1          | 2.3           | 43.8           | 39.2                | 154       | -42         | 14.5            | 12           | 28          | 108  | 109 | 103        | 104             | 3          | 100         |
| 2                             | VJ 230084  | M   | B   | 30            | 180          | 7.48      | 1.28                | 334             | -0.58                    | -1.00          | 10.9          | 3.1           | 17.8           | 19.0                | 82        | -24         | 15.3            | -17          | 19          | 102  | 91  | 105        | 111             | 3          | 107         |
| 3                             | GLK 230142 | M   | SP  | 39            | 252          | -         | 1.28                | 361             | 1.97                     | -0.01          | 19.7          | 7.7           | 35.5           | 41.3                | 145       | -56         | 27.7            | 1            | 27          | 103  | 108 | 126        | 103             | 7          | 89          |
| 4                             | GLK 230072 | M   | SP  | 38            | 240          | -         | 1.28                | 359             | 1.36                     | -0.10          | 15.6          | 4.0           | 33.3           | 43.8                | 98        | -25         | 26.3            | -12          | 9           | 98   | 115 | 123        | 97              | 8          | 123         |
| 5                             | VJ 230080  | M   | B   | 42            | 206          | 9.77      | 1.25                | 368             | 2.20                     | -0.43          | 18.6          | 1.3           | 31.9           | 48.5                | 155       | -51         | 28.3            | -8           | 27          | 111  | 109 | 127        | 97              | 3          | 107         |
| 6                             | GLK 230097 | M   | SP  | 24            | 246          | -         | 1.23                | 341             | -3.77                    | 0.80           | 9.8           | 9.3           | 26.2           | 21.2                | 86        | -19         | 14.3            | -15          | 13          | 108  | 93  | 103        | 107             | 11         | 118         |
| 7                             | GLK 230135 | M   | SP  | 41            | 249          | -         | 1.21                | 356             | 3.72                     | -1.14          | 25.0          | -0.1          | 46.0           | 35.3                | 217       | -73         | 24.2            | 11           | 33          | 101  | 119 | 120        | 98              | 6          | 104         |
| 8                             | VJ 240002  | M   | SP  | 33            | 204          | 7.33      | -                   | -               | 0.09                     | -1.21          | 17.1          | 3.1           | 35.3           | 27.9                | 123       | -65         | 21.9            | 3            | 26          | 111  | -   | 116        | 111             | 1          | 74          |
| 9                             | GLK 230196 | M   | SP  | 36            | 250          | -         | 1.28                | 328             | 0.48                     | -0.35          | 14.1          | 3.4           | 28.3           | 18.6                | 82        | -35         | 12.1            | -6           | 17          | 104  | 94  | 99         | 97              | 9          | 107         |
| 10                            | GLK 230214 | M   | SP  | 40            | 301          | -         | 1.23                | 339             | 2.20                     | -1.28          | 23.7          | -2.1          | 41.7           | 34.8                | 208       | -71         | 19.6            | 11           | 30          | 127  | 112 | 112        | 100             | 7          | 119         |
| 11                            | VJ 240005  | M   | SP  | 35            | 183          | 6.27      | -                   | -               | 1.40                     | -0.74          | 14.7          | 2.8           | 34.3           | 35.3                | 130       | -71         | 13.1            | 4            | 21          | 96   | -   | 101        | 96              | 1          | 78          |
| 12                            | GLK 230158 | M   | SP  | 40            | 274          | -         | 1.27                | 322             | 3.02                     | -1.06          | 26.0          | -0.4          | 46.6           | 41.9                | 186       | -60         | 14.2            | 10           | 28          | 113  | 105 | 103        | 106             | 8          | 110         |
| 13                            | GLK 230122 | M   | SP  | 40            | 245          | -         | 1.23                | 340             | 1.50                     | -0.51          | 13.0          | 3.0           | 24.1           | 4.0                 | 45        | -19         | 17.6            | -8           | 5           | 99   | 98  | 108        | 96              | 5          | 110         |
| 14                            | VJ 230077  | M   | B   | 31            | 194          | 8.71      | 1.25                | 362             | -0.61                    | -1.15          | 12.5          | -1.4          | 17.0           | 16.3                | 88        | -34         | 22.8            | -18          | 14          | 111  | 95  | 117        | 94              | 3          | 99          |
| 15                            | GLK 230093 | M   | SP  | 36            | 252          | -         | 1.18                | 352             | 1.90                     | -0.42          | 16.1          | 5.4           | 29.4           | 20.9                | 64        | -30         | 26.5            | 2            | 13          | 105  | 103 | 124        | 100             | 6          | 106         |
| 16                            | GLK 230086 | M   | SP  | 38            | 250          | -         | 1.26                | 327             | 1.79                     | -0.49          | 19.0          | 4.1           | 29.3           | 21.4                | 84        | -54         | 8               | 8            | 24          | 103  | 99  | 92         | 98              | 8          | 117         |
| 17                            | VJ 230078  | M   | B   | 38            | 200          | 8.62      | 1.27                | 317             | 1.39                     | -0.55          | 17.2          | 3.0           | 32.0           | 39.2                | 163       | -45         | 11.5            | -7           | 29          | 110  | 117 | 98         | 104             | 3          | 69          |
| 18                            | GLK 230225 | M   | SP  | 38            | 278          | -         | 1.24                | 313             | 0.10                     | -0.71          | 16.9          | 9.0           | 26.9           | 9.4                 | 48        | -41         | 1.7             | -2           | 13          | 116  | 91  | 81         | 107             | 8          | 114         |
| 19                            | GLK 230209 | M   | SP  | 37            | 256          | -         | 1.28                | 352             | 0.30                     | -0.25          | 14.5          | 6.4           | 34.1           | 24.9                | 130       | -35         | 23.2            | -15          | 13          | 106  | 111 | 118        | 101             | 4          | 102         |
| 20                            | WAT 240038 | M   | SP  | 31            | 214          | -         | -                   | -               | -1.50                    | -0.75          | 18.4          | 5.6           | 43.1           | 48.5                | 132       | -52         | 11              | 8            | 28          | 109  | -   | 97         | 105             | 3          | 93          |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |                 |                  |                                                             |
|---------------------------------------------------------|-----------------|------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT              | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV              | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap         | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.     | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.   | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID               | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD              | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN              | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR              | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO               | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP               | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT               | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)            | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)            | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)            | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP              | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir         | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.        | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.        | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.        | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.      | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.      | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.           | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig      | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT              | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV              | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO              | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet              | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar              | Marmering (binne-spierse vet)                               |
| 365-day weight index                                    | 365D Index      | 365D Indeks      | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks      | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH               | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig       | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig       | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG              | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS              | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.      | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks     | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V            | Dier geslag: M - Manlik, V - Vroulik                        |