

OFFICIAL AUCTION CATALOGUE FOR

MARSHALL CHAROLAIS STUD

WAYSIDE, FRANCISTOWN

14 February 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 14 January 2026



ANIMAL, OWNER AND PEDIGREE INFORMATION

2
3
4
5

LOT 1 (M)

Breed Logo

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

SB 140007
SUPERBULL SB 140007 Pp(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

1. Lot Number, category & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 5 (M)

BULL



MCS 230025

MARSHALL 23 025



Herd Book	SP
Birth date	2023-08-19
Age	2y 6m
Inbreeding	0%
DNA	U1552IU002

RJC16	MYLOVE	Wean Mat. 100
Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MCS 100048
MARSHALL 10 048

Age 12y | AFC 35m | ICP 511d
Calves 6 | Weaned 6 | Wean Mat. 120
Avg. WI 110 | CCB - | CCW -
Calvings: 13-08, 15-04, 16-09,
17-11, 19-01, 20-08

RJC
JUKE BOX
Wean Mat. 97

RR4S3
CABRIOLE

Age 18y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 104
Avg. WI - | CCB - | CCW -

MFET1512
TATTENHALL JUPITER

Wean Mat. 108

THG 070139
HURVITZ 07 139

Age 6y | AFC 34m | ICP 440d
Calves 3 | Weaned 3 | Wean Mat. 117
Avg. WI 105 | CCB - | CCW -

FR6344166891

BERRY MIC

RRR4S2

FARAH

Age 26y | Avg. WI -

Calves - | Weaned -

8552394134

PINAY

FR7128043794

NUGUES MATHIEU

Age 36y | Avg. WI -

Calves - | Weaned -

MF0005714

MOUNTPLEASANT NOUGAT

FF0022447

TATTENHALL URANE

Age 40y | Avg. WI -

Calves 1 | Weaned -

THG 040021

HURVITZ MR TARZAN 21 04

THG 030003

HURVITZ MISS ECHASSE 03 03

Age 14y | Avg. WI 97

Calves 10 | Weaned 11

MARSHALL CHAROLAIS STUD

Dutlwe, X Botswana
june@stemma.co.za

PO BOX AD170 ADD, POSTNET, KGALE
VIEW, GABORONE, BOTSWANA

COW VALUE 98

66	Calving Ease Value
125	Calf Growth Value
110	Milk Value
80	Maintenance Value
96	Fertility Value

GROWTH VALUE 117

CARCASS VALUE -

PRODUCTION VALUE 100

LOGIX
GENETICS
EBV Analysis 2025-12-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
67	101	125	110	112	96	97	98
63%	43%	59%	48%	26%	36%	24%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	116	111	120	123	119	-	-	-
54%	24%	15%	22%	26%	25%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
26kg	267kg 100 (5)	377kg 95 (5)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: This beef machine boasts a Wean +25.1 and a Post Wean of +33.9 while adding an impressive +3.9 Milk. carrier of the sought after F94L "Profit Gene!"

LOT 12 (M)

BULL



MCS 230047

MARSHALL 23 047



Herd Book	SP
Birth date	2023-11-25
Age	2y 3m
Inbreeding	0%

RJC16	MYLOVE	Wean Mat. 100
Parentage	Sire	Dam
DNA		
Genomic		

MCS 170002
MARSHALL MCS 170002

Age 9y | AFC 30m | ICP 404d
Calves 6 | Weaned 3 | Wean Mat. 143
Avg. WI 113 | CCB - | CCW -
Calvings: 19-06, 20-06, 21-06,
22-09, 23-11, 25-01

RJC
JUKE BOX
Wean Mat. 97

RR4S3
CABRIOLE

Age 18y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 104
Avg. WI - | CCB - | CCW -

MCS 090064
MARSHALL 09 064

Wean Mat. 114

THG 050065
HURVITZ MISS KABERET 05 065

Age 11y | AFC 33m | ICP 436d
Calves 8 | Weaned 9 | Wean Mat. 120
Avg. WI 101 | CCB - | CCW -

FR6344166891

BERRY MIC

RRR4S2

FARAH

Age 26y | Avg. WI -

Calves - | Weaned -

8552394134

PINAY

FR7128043794

NUGUES MATHIEU

Age 36y | Avg. WI -

Calves - | Weaned -

MFET1512

TATTENHALL JUPITER

THG 050030

HURVITZ MISS IRIS 30 05

Age 9y | Avg. WI 100

Calves 4 | Weaned 3

8589103317

EXCLUSIF

THG 970043

HURVITZ MISS KABERET

Age 12y | Avg. WI 102

Calves 10 | Weaned 8

MARSHALL CHAROLAIS STUD

Dutlwe, X Botswana
june@stemma.co.za

PO BOX AD170 ADD, POSTNET, KGALE
VIEW, GABORONE, BOTSWANA

COW VALUE 119

65	Calving Ease Value
139	Calf Growth Value
121	Milk Value
69	Maintenance Value
119	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-12-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
55	96	139	121	119	107	120	93
76%	41%	70%	45%	19%	34%	17%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
141	126	117	131	133	133	-	-	-
49%	18%	12%	16%	19%	19%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
50kg	369kg 117 (3)	498kg 113 (3)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Created interest when he clocked an unbelievable 4.94kg a day for the first 30 days on feed. He is further a carrier of the economically important and sought after F94L "Profit Gene!"



LOT 13 (M)

BULL



MCS 220037

MARSHALL MCS TANK 22-0037 X 10



Herd Book	SP
Birth date	2022-09-24
Age	3y 5m
Inbreeding	0%

RJC16		
MYLOVE		
Wean Mat. 100		
Parentage	Sire	Dam
DNA		
Genomic		

MCS 170002	MARSHALL MCS 170002
Age 9y AFC 30m ICP 404d	Calves 6 Weaned 3 Wean Mat. 143
Avg. WI 113 CCB - CCW -	Calvings: 19-06, 20-06, 21-06, 22-09, 23-11, 25-01

RJC	JUKE BOX
Wean Mat.	97
RR4S3	CABRIOLE
Age 18y AFC - ICP -	Calves - Weaned - Wean Mat. 104
Avg. WI - CCB - CCW -	MCS 090064
Wean Mat.	114
THG 050065	HURVITZ MISS KABERET 05 065
Age 11y AFC 33m ICP 436d	Calves 8 Weaned 9 Wean Mat. 120
Avg. WI 101 CCB - CCW -	

FR6344166891	BERRY MIC
RRR4S2	FARAH
Age 26y Avg. WI -	Calves - Weaned -
8552394134	PINAY
FR7128043794	NUGUES MATHIEU
Age 36y Avg. WI -	Calves - Weaned -
MFET1512	TATTENHALL JUPITER
THG 050030	HURVITZ MISS IRIS 30 05
Age 9y Avg. WI 100	Calves 4 Weaned 3
8589103317	EXCLUSIF
THG 970043	HURVITZ MISS KABERET
Age 12y Avg. WI 102	Calves 10 Weaned 8

MARSHALL CHAROLAIS STUD

Dutlwe, X Botswana
june@stemma.co.za

PO BOX AD170 ADD, POSTNET, KGALE
VIEW, GABORONE, BOTSWANA

COW VALUE 122

64	Calving Ease Value
143	Calf Growth Value
121	Milk Value
72	Maintenance Value
118	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-12-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
53	87	143	121	116	108	119	95
76%	41%	70%	45%	19%	34%	17%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
148	123	115	128	130	129	-	-	-
49%	18%	12%	16%	19%	19%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
50kg	324kg 112 (7)	513kg 108 (7)	-	-	-	- (B1)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: 50 Straws Semen of the 4 STAR MCS TANK 22-037 (COMMERCIAL ONLY)

LOT 23 (M)

BULL



MCS 230054

MARSHALL MCS 230054



Herd Book	SP
Birth date	2023-12-07
Age	2y 2m
Inbreeding	0%

RJC16		
MYLOVE		
Wean Mat. 100		
Parentage	Sire	Dam
DNA		
Genomic		

MCS 170073	MARSHALL MCS 170073
Age 8y AFC 34m ICP 421d	Calves 5 Weaned 4 Wean Mat. 108
Avg. WI 102 CCB - CCW -	Calvings: 20-06, 21-11, 22-11, 23-12, 25-01

RJC	JUKE BOX
Wean Mat.	97
RR4S3	CABRIOLE
Age 18y AFC - ICP -	Calves - Weaned - Wean Mat. 104
Avg. WI - CCB - CCW -	MCS 120006
Wean Mat.	110
MCS 120039	MARSHALL 12 039
Age 12y AFC 29m ICP 418d	Calves 9 Weaned 8 Wean Mat. 91
Avg. WI 99 CCB - CCW -	

FR6344166891	BERRY MIC
RRR4S2	FARAH
Age 26y Avg. WI -	Calves - Weaned -
8552394134	PINAY
FR7128043794	NUGUES MATHIEU
Age 36y Avg. WI -	Calves - Weaned -
FR2101109480	SISTERON
THG 030031	HURVITZ MISS SERVANPE 31 03
Age 10y Avg. WI 105	Calves 7 Weaned 7
MCS 090025	MARSHALL 09 025
THG 020101	HURVITZ MISS ECLIPSE 101 02
Age 11y Avg. WI 107	Calves 8 Weaned 8

MARSHALL CHAROLAIS STUD

Dutlwe, X Botswana
june@stemma.co.za

PO BOX AD170 ADD, POSTNET, KGALE
VIEW, GABORONE, BOTSWANA

COW VALUE 94

64	Calving Ease Value
125	Calf Growth Value
104	Milk Value
85	Maintenance Value
98	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS CENTRA
EBV Analysis 2025-12-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
69	83	125	104	104	98	99	96
76%	41%	68%	46%	12%	27%	18%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	110	109	115	113	113	-	-	-
44%	11%	10%	11%	12%	12%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
50kg	295kg 100 (1)	424kg 104 (2)	-	-	-	- (B1)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: This potential Stud bull has a classy phenotype, great legs and feet and enough muscle to leave classy progeny to add to any herd. He has great length, balance and thickness and boasts a Wean +23.7 and Post Wean +30.3 and a Milk +2.8. Carrier of the economically important F94L "Profit Gene!"



LOT 32 (M)



MCS 230038

MARSHALL 23 038

BULL



MARSHALL CHAROLAIS STUD

Dutlwe, X Botswana
june@stemma.co.za

PO BOX AD170 ADD, POSTNET, KGALE
VIEW, GABORONE, BOTSWANA

Herd Book	SP
Birth date	2023-10-04
Age	2y 4m
Inbreeding	0%

8552394134
PINAY
Wean Mat. 111

Parentage	Sire	Dam
DNA		
Genomic		

MCS 110044
MARSHALL 11 044
Age 13y | AFC 38m | ICP 419d
Calves 8 | Weaned 8 | Wean Mat. 122
Avg. WI 102 | CCB - | CCW -
Calvings: 14-08, 15-12, 17-02,
18-01, 19-01, 20-02, 22-05, 23-10

D1893102983
IMPAIR GAUDRY PASCAL
Wean Mat. 109

8596100049
MARY GUIBERT JEAN
Age 33y | AFC - | ICP -
Calves 1 | Weaned - | Wean Mat. 104
Avg. WI - | CCB - | CCW -

MCS 070032
MARSHALL CORNICH 07 032
Wean Mat. 125

THG 040048
HURVITZ MISS ECHOSSE 48 04 E
Age 9y | AFC 37m | ICP 489d
Calves 5 | Weaned 6 | Wean Mat. 118
Avg. WI 102 | CCB - | CCW -

D4286100325
BLASON PLASSE ROGER
D2178102945
OFFICINE BAULOT FERNAND
Age 40y | Avg. WI -
Calves 1 | Weaned -
5892107561
HOMERE BLASON ALLIEN
8594104550
JACINTHE GUIBERT JEAN
Age 38y | Avg. WI -
Calves 1 | Weaned -
THG 040021
HURVITZ MR TARZAN 21 04
THG 030065
HURVITZ MISS IRIS 65 03 ET
Age 13y | Avg. WI 106
Calves 8 | Weaned 6
CJ J 0006
GOODFAULT PLOUGHMAN CJ J6
AV 920152
SCHEWITZ PLAUT MISS IRIS 152 9
Age 13y | Avg. WI 116
Calves 7 | Weaned 4

COW VALUE 105

96	Calving Ease Value
99	Calf Growth Value
116	Milk Value
92	Maintenance Value
101	Fertility Value

GROWTH VALUE 105

CARCASS VALUE -

PRODUCTION VALUE 103

LOGIX
GENETICS
EBV Analysis 2025-12-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	106	99	116	101	107	99	97
77%	59%	61%	60%	41%	48%	31%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	108	103	108	117	111	-	-	-
56%	38%	34%	36%	41%	40%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	382kg 100 (1)	459kg 106 (3)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: A son of the iconic French breeding bull PINAY. Out of the flush cow MCS 11-044 who was twin sister to MCS 11-043 the 2025 ARC Farmers Weekly Cow. Ideal bull to use on heifers and has a Milk +5.6.

LOT 41 (M)



MCS 230020

MARSHALL 23 020

BULL



MARSHALL CHAROLAIS STUD

Dutlwe, X Botswana
june@stemma.co.za

PO BOX AD170 ADD, POSTNET, KGALE
VIEW, GABORONE, BOTSWANA

Herd Book	SP
Birth date	2023-07-05
Age	2y 7m
Inbreeding	6%
DNA	U25380U001

MCS 170129 HH
MARSHALL MCS 170129
Wean Mat. 119

Parentage	Sire	Dam
DNA	✓	
Genomic		

MCS 120066
MARSHALL 12 066
Age 12y | AFC 33m | ICP 413d
Calves 8 | Weaned 7 | Wean Mat. 82
Avg. WI 91 | CCB - | CCW -
Calvings: 15-08, 17-02, 18-01,
18-12, 20-02, 20-12, 22-01, 23-07

MCS 140003
MARSHALL 14 003
Wean Mat. 105

MCS 120012 HH
MARSHALL 12 012
Age 14y | AFC 33m | ICP 380d
Calves 10 | Weaned 5 | Wean Mat. 137
Avg. WI 107 | CCB - | CCW -

MCS 090025
MARSHALL 09 025
Wean Mat. 77

MCS 080033
MARSHALL 08 033
Age 10y | AFC 35m | ICP 487d
Calves 6 | Weaned 5 | Wean Mat. 112
Avg. WI 100 | CCB - | CCW -

MCS 090062
MARSHALL 09 062
THG 020057
HURVITZ MISS ECLIPSE 57 02
Age 14y | Avg. WI 105
Calves 9 | Weaned 9
FR2101109480
SISTERON
THG 040076
HURVITZ MISS IRIS 76 04
Age 9y | Avg. WI 102
Calves 6 | Weaned 5
THG 030023
HURVITZ MR PLOUGHMAN 23 03
THG 060059
HURVITZ MISS VENUS 06 0059
Age 5y | Avg. WI 101
Calves 3 | Weaned 3
THG 030145
HURVITZ MR ELYSEE 145 03
THG 030042
HURVITZ MISS IRIS 42 03 ET
Age 13y | Avg. WI 96
Calves 8 | Weaned 7

COW VALUE 95

91	Calving Ease Value
109	Calf Growth Value
100	Milk Value
88	Maintenance Value
74	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2025-12-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	92	109	100	98	79	77	100
75%	48%	70%	51%	13%	36%	22%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	104	107	112	110	104	-	-	-
48%	13%	10%	13%	13%	13%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	255kg 99 (3)	333kg 100 (1)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Probably the best son to date of our homebred Herdsire MCS COLOSSUS 17-129. He has great breed character has the pedigree and performance to be a very useful bull for heifers boasting a comfortable +1.31 birthweight with +18.1 Wean and a solid +29.8 Post wean.



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.54	-0.20	10.5	0.7	17	12	30	-18	5.5	2.0	8.0						
Auction Average				42	315	-	-	-	-	3.64	0.09	21.3	4.5	40	31	86	-28	9.8	17	28	105	-	108	105	6.0	98
5	MCS 230025	M	SP	26	267	-	-	-	-	4.16	-0.24	22.0	3.8	39.2	32.4	92	-28	11.6	18	29	100	-	112	110	6	79
12	MCS 230047	M	SP	50	369	-	-	-	-	5.50	0.00	28.5	7.4	52.5	43.6	131	-34	15.3	26	44	117	-	119	113	6	108
13	MCS 220037	M	SP	50	324	-	-	-	-	5.76	0.44	30.4	7.4	57.8	40.7	118	-32	13.6	24	40	112	-	116	113	6	108
23	MCS 230054	M	SP	50	295	-	-	-	-	3.99	0.59	22.1	2.0	32.1	27.6	67	-26	7.6	11	22	100	-	104	102	5	101
32	MCS 230038	M	SP	37	382	-	-	-	-	1.05	-0.47	10.2	5.5	25.2	19.8	63	-21	6.1	14	20	100	-	101	102	8	95
41	MCS 230020	M	SP	40	255	-	-	-	-	1.40	0.19	14.5	0.6	32.6	24.4	45	-24	4.4	9	12	99	-	98	91	8	98

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik