

AMPTELIKE VEILINGSKATALOGUS VIR /  
OFFICIAL AUCTION CATALOGUE FOR

# 2026 STILLERUS ANGUS

**Skougronde, Postmansburg**

**11 February 2026**

*All Pedigree- and Performance Data is as recorded on LOGIX on 29 January 2026*



## ANIMAL, OWNER AND PEDIGREE INFORMATION

1

2

3

4

5

LOT 1 (M)



14

Breed Logo

6

7



SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book

SP

Birth date

2020-01-01

Age

2y 7m

Inbreeding

1%

DNA

ABC001234

9 (& 10)



SB 140007

SUPERBULL SB 140007 Pp(c)

Parentage

Sire

Dam

DNA

✓

Genomic

✓

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366

Calves 6 | Weaned 2

Avg. WI 89 | Wean Mat. 93

Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12



SB 110001

SUPERBULL SB 11 0100

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475

Calves 5 | Weaned -

Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400



SB 060004 P cH

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360

Calves 8 | Weaned 7

Avg. WI 105 | Wean Mat. 110

11

13

Town, Province

078 737 2855

super\_bull@webmail.com

8

- |                                                                                                                                                                 |                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Lot Number & sex (mixed lots)                                                                                                                                | 9. Animal's information                                                                                                                                                                                   | 11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing                                                                    |
| 2. Breed's logo                                                                                                                                                 | <ul style="list-style-type: none"> <li>• Herd book section</li> <li>• Birth date</li> <li>• Animal's age</li> <li>• Animal's inbreeding percentage</li> <li>• DNA Number - if available</li> </ul>        | 12. Dam information                                                                                                                                                                                                   |
| 3. <b>GT</b> - animal is genomically tested                                                                                                                     |                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>• Age and Number of Calvings</li> <li>• Average Wean Index and Number of Calves Weaned</li> <li>• Age at First Calving and Intercalving Period</li> <li>• Cow award</li> </ul> |
| 4. Animal Identification Number and Name                                                                                                                        | 10. Additional information (only females)                                                                                                                                                                 |                                                                                                                                                                                                                       |
| 5. Polled Status                                                                                                                                                | <ul style="list-style-type: none"> <li>• Age at first calving</li> <li>• Number of calves born</li> <li>• Number of calves weaned</li> <li>• Average Wean Index</li> <li>• Intercalving Period</li> </ul> | 13. Four (4) generation pedigree                                                                                                                                                                                      |
| <ul style="list-style-type: none"> <li>• Celtic: PP(c)/Pp(c) - polled, HH(c) - horned</li> <li>• Phenotypic: P/Pch - polled, HH - horned, SC - scurs</li> </ul> |                                                                                                                                                                                                           | 14. VPLAN Membership                                                                                                                                                                                                  |
| 6. Animal's photo, or Herd's logo                                                                                                                               |                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 7. Herd's logo                                                                                                                                                  |                                                                                                                                                                                                           |                                                                                                                                                                                                                       |
| 8. Owner's information                                                                                                                                          |                                                                                                                                                                                                           |                                                                                                                                                                                                                       |

## OR Code

This code can be scanned with a smart device.  
It redirects to the animal's information on  
**www.SABeefBulls.com** where additional  
information for the animal is available.



| Myostatin |            |
|-----------|------------|
| Q204X     | Free       |
| NT821     | Carrier    |
| F94L      | Not Tested |

## Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |            |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 83              | 121        | 130       | 89        | 112        | 84           | 101       | 112     | 125              | 126 | 129 | 113           | 104    | 115    | 149     | 82  | 119 |
| 87%             | 70%        | 83%       | 70%       | 81%        | 68%          | 59%       | 69%     | 72%              | 76% | 80% | 65%           | 81%    | 80%    | 77%     | 74% | 73% |
| 10              | 11         | 12        | 13        | 16         | 14           | 15        | 17      | 18               | 19  | 20  | 21            | 22     | 23     | 25      | 26  | 27  |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


## PHENOTYPIC VALUES

|              |                  |                 |                 |                   |           |            |      |
|--------------|------------------|-----------------|-----------------|-------------------|-----------|------------|------|
| Birth Weight | 205D Weight      | 365D Weight     | 540D Weight     | ADG Index         | FCR Index | Scrotum    | LH   |
| 47kg         | 239kg   109 (19) | 284kg   99 (10) | 390kg   92 (10) | 1680g/d   90 (13) | 6.08   98 | 353mm (D1) | 1.20 |
| 10           | 12               |                 |                 | 19                | 20        | 16         | 24   |

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

## LOGIX SELECTION VALUES

| COW VALUE 108        |                    |
|----------------------|--------------------|
| 103                  | Calving Ease Value |
| 118                  | Calf Growth Value  |
| 86                   | Milk Value         |
| 80                   | Maintenance Value  |
| 110                  | Fertility Value    |
| GROWTH VALUE 105     |                    |
| CARCASS VALUE 110    |                    |
| PRODUCTION VALUE 103 |                    |



### Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

### Calving Ease Value

Low birth weight calves

### Calf Growth Value

Heavy weaner calves

### Milk Value

Good mothering ability

### Maintenance Value

Low cow weight

### Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight  
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight  
EBVs: Weaning weight Direct

Measurement: Weaning weight  
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight  
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention  
EBVs: Heifer fertility, Cow fertility, and Longevity



### Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



### Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



### Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

## HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

### AVERAGE ANIMALS

(NO GROWTH EXTREMES)

| COW VALUE 115 |                    |
|---------------|--------------------|
| 108           | Calving Ease Value |
| 106           | Calf Growth Value  |
| 106           | Milk Value         |
| 101           | Maintenance Value  |
| 100           | Fertility Value    |

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

### GROWERS

(GOOD ENVIRONMENT)

| COW VALUE 115 |                    |
|---------------|--------------------|
| 86            | Calving Ease Value |
| 122           | Calf Growth Value  |
| 116           | Milk Value         |
| 81            | Maintenance Value  |
| 100           | Fertility Value    |

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

| COW VALUE 115 |                    |
|---------------|--------------------|
| 112           | Calving Ease Value |
| 96            | Calf Growth Value  |
| 117           | Milk Value         |
| 115           | Maintenance Value  |
| 100           | Fertility Value    |

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                            | Description/Measurement                                                                       | Goal                     | General Guidelines |     |        |      |      |        |
|------------------|----------------------------|-----------------------------------------------------------------------------------------------|--------------------------|--------------------|-----|--------|------|------|--------|
|                  |                            |                                                                                               |                          | <80                | <90 | 90-110 | >110 | >120 |        |
| Selection Values | 1 Cow Value                | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow           | Loss               |     |        |      |      | Profit |
|                  | 2 Calving Ease Value       | Risk for calving problems (calf too heavy) vs calf too small                                  | Avg. birth weight        | High               |     |        |      |      | Low    |
|                  | 3 Calf Growth Value        | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf        | Light              |     |        |      |      | Heavy  |
|                  | 4 Milk Value               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf | Less               |     |        |      |      | More   |
|                  | 5 Maintenance Value        | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance      | High               |     |        |      | *    | Low    |
|                  | 6 Fertility Value          | Fertility and retention of cows and heifers                                                   | Fertile cows             | Low                |     |        |      |      | High   |
|                  | 7 Growth Value             | Efficient growth on veld and in feedlot (R-value)                                             | Profitable growth        | Loss               |     |        |      |      | Profit |
|                  | 8 Carcass Value            | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass | Less               |     |        |      |      | More   |
|                  | 9 Production Value         | Combination of Cow- and Growth values (R-value)                                               | Profitable animals       | Loss               |     |        |      |      | Profit |
| Cow & Heifer     | 10 Birth Weight Direct     | Birth weight (Calf's genetic ability)                                                         | Avg. birth weight        | Heavy              |     |        |      |      | Light  |
|                  | 11 Birth Weight Maternal   | Birth weight (Cow's genetic ability)                                                          | Easy calving             | Heavy              |     |        |      |      | Light  |
|                  | 12 Weaning Weight Direct   | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves      | Light              |     |        |      |      | Heavy  |
|                  | 13 Weaning Weight Maternal | Weaning weight (Cow's genetic ability)                                                        | Good mothers             | Poor               |     |        |      |      | Good   |
|                  | 21 Mature Cow Weight       | Cow weight at weaning of first three calves                                                   | Avg. mature cow weight   | Light              |     |        | *    | *    | Heavy  |
|                  | Cow-Calf Birth             | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                  | Low                |     |        |      |      | High   |
| Fertility        | Cow-Calf Wean              | EBV Wean Direct / EBV Mature Cow weight                                                       | High calf-cow ratio      | Low                |     |        |      |      | High   |
|                  | 14 Heifer Fertility        | Age at first calving                                                                          | Fertile heifers          | Less               |     |        |      |      | More   |
|                  | 15 Cow Fertility           | First 3 inter-calving periods (ICPs)                                                          | Fertile cows             | Less               |     |        |      |      | More   |
|                  | 16 Scrotal Circumference   | As measured during the growth test                                                            | Fertile bulls            | Less               |     |        |      |      | More   |
| Growth & Frame   | 17 Longevity               | Retention of progeny                                                                          | Acceptable progeny       | Poor               |     |        |      |      | Good   |
|                  | 18 Post-Wean Weight        | 12- and 18 month weights                                                                      | Good post-wean growth    | Low                |     |        |      | *    | High   |
|                  | 19 Average Daily Gain      | Average daily gain                                                                            | Good growth              | Poor               |     |        |      |      | Good   |
|                  | 20 Feed Conversion Ratio   | 100g feed intake / g weight gain                                                              | Feed efficiency          | Poor               |     |        |      |      | Good   |
|                  | Final Test Weight          | Final weight in the growth test                                                               | Heavy carcass            | Light              |     |        |      | *    | Heavy  |
|                  | 22 Height                  | Shoulder / Hip height in growth test                                                          | Average height           | Short              |     |        |      |      | Tall   |
|                  | 23 Length                  | Length in growth test                                                                         | Longer for more muscle   | Short              |     |        |      |      | Long   |
|                  | 24 Length-Height Ratio     | EBV Length / EBV Height                                                                       | Longer rather than tall  | <1                 |     |        |      |      | >1     |
| Carcass          | 25 Eye Muscle Area         | RTU measured eye muscle area                                                                  | Bigger steaks            | Small              |     |        |      |      | Big    |
|                  | 26 Fat Thickness           | RTU measured P8 backfat thickness                                                             | Carcass quality          | Thin               |     |        |      |      | Thick  |
|                  | 27 Marbling                | RTU measured % of intra-muscular fat                                                          | Juicy meat               | Low                |     |        |      |      | High   |

\* Determined by own selection goal

## INTERPRETATION OF BREEDING VALUE INDICES





LOT 73 (M)



JFE 230011

STILLERUS JFE2311

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2023-09-04 |
| Age        | 2y 5m      |
| Inbreeding | 2%         |
| DNA        | U20425U023 |

RCM 190011 PcPc  
ROECHAMA RCM 190011  
Wean Mat. 119

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

MLR 160728  
VICTORIO W UDDER SW 402 728

Age 8y | AFC 35m | ICP 361d  
Calves 6 | Weaned 6 | Wean Mat. 101  
Avg. WI 99 | CCB 7.84 | CCW 45.7  
Calvings: 19-11, 20-12, 21-11, 22-10,  
23-09, 24-10

RCM 170014  
ROECHAMA RCM 170014  
Wean Mat. 98

RCM 160187  
ROECHAMA RCM 160187  
Age 4y | AFC 30m | ICP -  
Calves 1 | Weaned 1 | Wean Mat. 133  
Avg. WI 108 | CCB - | CCW -

MLR 060395  
VICTORIO (ZZ) 395  
Wean Mat. 106

MLR 060402  
VICTORIO 402  
Age 11y | AFC 36m | ICP 655d  
Calves 5 | Weaned 2 | Wean Mat. 89  
Avg. WI 95 | CCB - | CCW 36.4

RCM 130008  
ROECHAMA RCM 130008  
RCM 140152 PcPc  
ROECHAMA RCM 140152  
Age 11y | Avg. WI 109  
Calves 9 | Weaned 8  
RCM 130084  
ROECHAMA RCM 130084  
RL 090895  
ROELOU POCKET FILLER  
Age 14y | Avg. WI 109  
Calves 11 | Weaned 11  
MLR 020236  
VICTORIO MM BISMARCH 236  
MLR 010222  
VICTORIO 279'S SUZIE (S12) 01  
Age 7y | Avg. WI 102  
Calves 5 | Weaned 1  
LC 990051  
TARZAN HEAVENLY 951  
MLR 990158  
VICTORIO CHIEFTON'S WHITE-UDDE  
Age 13y | Avg. WI 105  
Calves 9 | Weaned 3

J.F.E. KOTZE

Postmasburg, Northern

Cape  
0832346092

eksteenk@gmail.com

POSBUS 414,,POSTMASBURG, 8420



Myostatin

|       |      |
|-------|------|
| Q204X | Free |
| NT821 | Free |
| F94L  | Free |

SELLER REMARKS:

COW VALUE 101

|     |                    |
|-----|--------------------|
| 96  | Calving Ease Value |
| 94  | Calf Growth Value  |
| 109 | Milk Value         |
| 106 | Maintenance Value  |
| 107 | Fertility Value    |

GROWTH VALUE 89

CARCASS VALUE 92

PRODUCTION VALUE 97

LOGIX  
GENETICS CENTRA  
EBV Analysis 2026-01-17

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 97              | 97         | 94        | 109       | 95         | 117          | 104       | 93      |
| 71%             | 42%        | 68%       | 46%       | 41%        | 34%          | 19%       | 44%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 91               | 91  | 88  | 92            | 94     | 99     | 97      | 90  | 86  |
| 52%              | 35% | 10% | 28%           | 41%    | 39%    | 34%     | 31% | 30% |

|              |                  |                  |             |           |           |         |    |
|--------------|------------------|------------------|-------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight      | 365D Weight      | 540D Weight | ADG Index | FCR Index | Scrotum | LH |
| 37kg         | 235kg   103 (24) | 278kg   103 (15) | -           | -         | -         | - (B1)  | -  |

LOT 76 (M)



JFE 230029

STILLERUS JFE2329

|            |            |
|------------|------------|
| Herd Book  | SP         |
| Birth date | 2023-09-26 |
| Age        | 2y 5m      |
| Inbreeding | 2%         |
| DNA        | U20425U025 |

RCM 190011 PcPc  
ROECHAMA RCM 190011  
Wean Mat. 119

| Parentage | Sire | Dam |
|-----------|------|-----|
| DNA       | ✓    |     |
| Genomic   |      |     |

JFE 200017  
STILLERUS JFE2017

Age 5y | AFC 34m | ICP 371d  
Calves 3 | Weaned 2 | Wean Mat. 121  
Avg. WI 107 | CCB 7.93 | CCW 54.4  
Calvings: 23-09, 24-10, 25-10

RCM 170014  
ROECHAMA RCM 170014  
Wean Mat. 98

RCM 160187  
ROECHAMA RCM 160187  
Age 4y | AFC 30m | ICP -  
Calves 1 | Weaned 1 | Wean Mat. 133  
Avg. WI 108 | CCB - | CCW -

ZDW 150004 PcPc  
GELUKSBRON MAGIC 1504  
Wean Mat. 108

ZDW 160002  
GELUKSBRON T POWER 1602  
Age 9y | AFC 20m | ICP 353d  
Calves 8 | Weaned 7 | Wean Mat. 110  
Avg. WI 90 | CCB 7 | CCW 43.1

RCM 130008  
ROECHAMA RCM 130008  
RCM 140152 PcPc  
ROECHAMA RCM 140152  
Age 11y | Avg. WI 109  
Calves 9 | Weaned 8  
RCM 130084  
ROECHAMA RCM 130084  
RL 090895  
ROELOU POCKET FILLER  
Age 14y | Avg. WI 109  
Calves 11 | Weaned 11  
RCM 080101  
ROECHAMA MAGIC MAN  
ZDW 090060  
GELUKSBRON TOWER 960  
Age 9y | Avg. WI 96  
Calves 9 | Weaned 8  
ZDW 110014  
GELUKSBRON TOWER 14  
ZDW 130044  
GELUKSBRON ZDW 130044  
Age 6y | Avg. WI 94  
Calves 4 | Weaned 4

J.F.E. KOTZE

Postmasburg, Northern

Cape  
0832346092

eksteenk@gmail.com

POSBUS 414,,POSTMASBURG, 8420



Myostatin

|       |      |
|-------|------|
| Q204X | Free |
| NT821 | Free |
| F94L  | Free |

SELLER REMARKS:

COW VALUE 100

|     |                    |
|-----|--------------------|
| 116 | Calving Ease Value |
| 84  | Calf Growth Value  |
| 122 | Milk Value         |
| 102 | Maintenance Value  |
| 107 | Fertility Value    |

GROWTH VALUE 90

CARCASS VALUE 89

PRODUCTION VALUE 97

LOGIX  
GENETICS CENTRA  
EBV Analysis 2026-01-17

| Calf and Mother |            |           |           | Fertility  |              |           |         |
|-----------------|------------|-----------|-----------|------------|--------------|-----------|---------|
| Birth Dir.      | Birth Mat. | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. |
| 117             | 102        | 84        | 122       | 108        | 109          | 114       | 90      |
| 70%             | 39%        | 66%       | 43%       | 40%        | 34%          | 22%       | 43%     |

| Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 86               | 93  | 91  | 95            | 100    | 97     | 102     | 88  | 82  |
| 52%              | 35% | 10% | 32%           | 41%    | 39%    | 35%     | 32% | 31% |

|              |                  |                  |             |           |           |         |    |
|--------------|------------------|------------------|-------------|-----------|-----------|---------|----|
| Birth Weight | 205D Weight      | 365D Weight      | 540D Weight | ADG Index | FCR Index | Scrotum | LH |
| 32kg         | 227kg   101 (24) | 266kg   103 (15) | -           | -         | -         | - (B1)  | -  |



LOT 78 (M)



JFE 230037

STILLERUS JFE2337

|           |            |
|-----------|------------|
| Kuddeboek | SP         |
| Geb. dtm  | 2023-10-01 |
| Oud.      | 2j 4m      |
| Inteling  | 2%         |
| DNS       | U20425U027 |



J.F.E. KOTZE

Postmasburg, Northern

Cape

0832346092

eksteen@gmail.com

POSBUS 414, POSTMASBURG, 8420



Miostatien

|       |       |
|-------|-------|
| Q204X | Skoon |
| NT821 | Skoon |
| F94L  | Skoon |

RCM 190011 PcPc

ROECHAMA RCM 190011

Spn Mat. 119

Ouerskap Vaar Moer

DNS

Genomies

JFE 190010

STILLERUS JFE1910

Oud. 6j | OEK 30m | TKP 367d  
Kalwers 5 | Gespeen 4 | Spn. Mat. 115  
Gem. SI 98 | KKG 8.12 | KKS 49.6

Kalwings: 21-10, 22-10, 23-10,  
24-10, 25-10

RCM 170014

ROECHAMA RCM 170014

Spn Mat. 98

RCM 160187

ROECHAMA RCM 160187

Oud. 4j | OEK 30m | TKP -  
Kalwers 1 | Gespeen 1 | Spn. Mat. 133  
Gem. SI 108 | KKG - | KKS -

JK 150018

WENSPAN JK 150018

Spn Mat. 116

JK 160039

WENSPAN JK160039

Oud. 8j | OEK 30m | TKP 323d  
Kalwers 7 | Gespeen 6 | Spn. Mat. 112  
Gem. SI 97 | KKG 6.76 | KKS 37.1

RCM 130008

ROECHAMA RCM 130008

RCM 140152 PcPc

ROECHAMA RCM 140152

Oud. 11j | Gem. SI 109

Kalwers 9 | Gespeen 8

RCM 130084

ROECHAMA RCM 130084

RL 090895

ROELOU POCKET FILLER

Oud. 14j | Gem. SI 109

Kalwers 11 | Gespeen 11

JAN 990715

ANVOS LOFTY 715

JK 100051

WENSPAN JK100051

Oud. 11j | Gem. SI 104

Kalwers 9 | Gespeen 8

WB 090104

MEQUATLING KOLSKOOT

JK 120005

WENSPAN JK120005

Oud. 6j | Gem. SI 111

Kalwers 3 | Gespeen 3

KOEIWAARDE 95

90 Kalfgemak Waarde

95 Kalfgroei Waarde

119 Melk Waarde

89 Onderhoudswaarde

101 Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 98

PRODUKSIE WAARDE 95

LOGIX  
UNITES & GROWTH  
EBV Analyse 2026-01-17

Kalf en Moeder

Vrugbaarheid

| Geb. Dir. | Geb. Mat. | Spn. Dir. | Spn. Mat. | Skr. Omtr. | Vers Vrugb. | Koei Vrugb. | Lanklew. |
|-----------|-----------|-----------|-----------|------------|-------------|-------------|----------|
| 98        | 87        | 95        | 119       | 110        | 107         | 100         | 93       |
| 70%       | 41%       | 67%       | 45%       | 44%        | 30%         | 23%         | 42%      |

Na-Speen Groei

Raam

Karkas

| Na-Speen | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO | Vet | Mar |
|----------|-----|-----|-------------|--------|--------|-----|-----|-----|
| 96       | 100 | 93  | 110         | 105    | 107    | 99  | 83  | 79  |
| 48%      | 39% | 13% | 34%         | 45%    | 43%    | 40% | 37% | 36% |

| Geb. Gewig | 205D Gewig      | 365D Gewig       | 540D Gewig | GDT Indeks | VOV Indeks | Skrotum | LH |
|------------|-----------------|------------------|------------|------------|------------|---------|----|
| 38kg       | 214kg   91 (24) | 270kg   100 (15) | -          | -          | -          | - (B1)  | -  |

VERKOPER OPMERKINGS:



| Dier Info       |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     |            | Dam             |            |             |
|-----------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT             | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average   |            |     |     |               |              |           |           |                     |                 | 1.55                     | 0.38           | 27.6          | 5.9           | 52             | 38                  | 208       | -82         | 22.5            | -            | 45.0        |      |     |            |                 |            |             |
| Auction Average |            |     |     | 36            | 225          | 7.99      | 47.1      | -                   | -               | 1.19                     | 0.58           | 22.8          | 10.6          | 51             | 37                  | 184       | -62         | 24.7            | -            | 46          | 98   | -   | 104        | 101             | 5.0        | 109         |
| 73              | JFE 230011 | M   | SP  | 37            | 235          | 7.87      | 49.2      | -                   | -               | 1.84                     | 0.51           | 24.6          | 8.4           | 51.0           | 28.7                | 166       | -57         | 20              | -0           | 44          | 103  | -   | 95         | 99              | 6          | 110         |
| 76              | JFE 230029 | M   | SP  | 32            | 227          | 8         | 50.5      | -                   | -               | 0.00                     | 0.29           | 19.2          | 12.1          | 45.8           | 32.3                | 176       | -63         | 26.7            | 0            | 42          | 101  | -   | 108        | 107             | 3          | 105         |
| 78              | JFE 230037 | M   | SP  | 38            | 214          | 8.09      | 41.7      | -                   | -               | 1.74                     | 0.93           | 24.7          | 11.2          | 56.6           | 50.1                | 209       | -66         | 27.4            | 0            | 52          | 91   | -   | 110        | 98              | 5          | 113         |

## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |              |              |                                                             |
|---------------------------------------------------------|--------------|--------------|-------------------------------------------------------------|
| Lot Number                                              | LOT          | LOT          | Lot Nommer                                                  |
| Estimated breeding value                                | EBV          | EBV          | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage    | Ouerskap     | Ouerskap verifikasie                                        |
| Age in years                                            | AGE          | OUDE.        | Ouderdom in jaar                                            |
| Age at First Calving                                    | AFC          | OEK          | Ouderdom met Eerst Kalwing                                  |
| Intercalving Period                                     | ICP          | TKP          | Tussen-Kalf Periode                                         |
| Number of calvings                                      | Calvings     | Kalwings     | Aantal kalwings                                             |
| Number of calves weaned                                 | Weaned       | Gespeen      | Aantal kalwers gespeen                                      |
| Average Wean index                                      | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Animal identification number                            | ID           | ID           | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC          | AFD          | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN          | PEN          | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR          | NFR          | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO           | FO           | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A            | A            | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B            | B            | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP           | SP           | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT           | GT           | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)        | HH(c)        | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)        | PP(c)        | Homosigoties Poena (Celtic toets)                           |
| Heterozygous Polled (Celtic test)                       | Pp(c)        | Pp(c)        | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P            | P            | Fenotopies Poena                                            |
| Birth Direct breeding value                             | Birth Dir.   | Geb. Dir     | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.    | Spn. Dir.    | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.    | SPn. Mat.    | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.   | Skr. Omt.    | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert. | Vers Vrugh.  | Vers Vrughbaarheid                                          |
| Cow Fertility                                           | Cow Fert.    | Koei Vrugh.  | Koei Vrughbaarheid                                          |
| Longevity                                               | Longev.      | Lankl.       | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.     | Volw. Gewig  | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG          | GDT          | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR          | VOV          | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA          | OSO          | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat          | Vet          | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar          | Mar          | Marmering (binne-spiers vet)                                |
| Actual Birth weight                                     | Birth Wt.    | Geb. gewig   | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.     | 205d gewig   | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| 365-day weight index                                    | 365D Index   | 365D Indeks  | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index   | 540D Indeks  | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH           | LH           | Lengte-Hoogte Verhouding                                    |
| Cow-Calf Birth Ratio                                    | CCG          | KKG          | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW          | KKS          | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. WI      | Gem. SI      | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves   | Aant. Kalw.  | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index  | Repr. Indeks | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F        | M / V        | Dier geslag: M - Manlik, V - Vroulik                        |