

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

EL TAURO & B2 BONSMARAS

Veilingsdatum / Auction Date:
08 May 2026

Data soos op / Data as on:
30 April 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P

DEF 050022
7

GHI 070076
HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

- 1 Calving Ease Value
- Calf Growth Value
- 3 Fertility Value
- Milk Value
- 4 Maintenance Value
- EBVs Birth Direct & Maternal
- EBV Wean Direct
- EBVs Cow & Heifer Fertility,
- EBV Longevity
- EBV Wean Maternal
- EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

B2 BONSMARAS



LVP 230493 Pp(c)
2023-11-15
B

Parentage Sire Dam

DNA 

Genomic


LHB 200368


LVP 200181
AGE/CALV. 5/3
AVG. Wt/CALV. 108/2
ICP 463

JG 150838 P

LHB 140131
AGE/CALV. 11/8
AVG. Wt/CALV. 99/8
ICP 391

JG 120602
JG 120063
AGE/CALV. 12/10
AVG. Wt/CALV. 101/9
MCU 070007 P

LHB 120014
AGE/CALV. 5/3
AVG. Wt/CALV. 100/1

Calving Ease Value
109

Weaner Calf Value
94

Fertility Value
106

Maintenance Value
95

Cow Value
100

Growth Value
100

Carcass Value
107

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	96	99	107	109	103	95	84	106	108	104	114	110	102	120	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
118	110	111	-	-	384	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Poena, Heterozygoot, speenkalf

LOGIX EBV Analysis: 2026-04-17

LOT 2

B2 BONSMARAS



LVP 230234 HH(c)
2023-10-05
B

Parentage Sire Dam

DNA 

Genomic


VV 120129


LVP 200175
AGE/CALV. 5/4
AVG. Wt/CALV. 97/2
ICP 390

VV 090367

VV 040337
AGE/CALV. 8/6
AVG. Wt/CALV. 109/6
ICP 372

VV 060379
VV 010161
AGE/CALV. 14/12
AVG. Wt/CALV. 100/12
VV 010292
VV 010203
AGE/CALV. 15/13
AVG. Wt/CALV. 95/13

Calving Ease Value
117

Weaner Calf Value
75

Fertility Value
112

Maintenance Value
105

Cow Value
92

Growth Value
84

Carcass Value
102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	75	107	129	125	102	96	74	92	93	93	82	89	97	109	96

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	97	93	-	-	405	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Versbul, goeie balans, hoe vrugbaarheid

LOGIX EBV Analysis: 2026-04-17

LOT 3

B2 BONSMARAS



LVP 230374 HH(c)
2023-10-26
B

Parentage Sire Dam

DNA 

Genomic


VV 150190


LVP 180040
AGE/CALV. 7/4
AVG. Wt/CALV. 101/3
ICP 378

VV 130147

VV 100159
AGE/CALV. 10/7
AVG. Wt/CALV. 109/6
ICP 427

AG 090226
VV 050452
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9
VV 070122
VV 040118
AGE/CALV. 7/4
AVG. Wt/CALV. 104/4

Calving Ease Value
73

Weaner Calf Value
84

Fertility Value
95

Maintenance Value
84

Cow Value
79

Growth Value
107

Carcass Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	96	114	112	99	94	97	97	109	103	116	106	110	95	114	100

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
96	106	108	-	-	377	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Diepte, goeie melk, manlikheid

LOGIX EBV Analysis: 2026-04-17

BULLE

LOT 4

B2 BONSMARAS

LVP 230508 HH(c)
2023-11-19
B

Ouerskap Vaar Moer

DNS ✓

Genomies

CNB 170025



LVP 190045

OUD/KALW. 6/3
GEM. SI/KALW. 96/2
TKP 481

CNB 100132

CNB 120048

OUD/KALW. 8/4
GEM. SI/KALW. 99/4
TKP 417

CNB 030048

CNB 030036
OUD/KALW. 17/14
GEM. SI/KALW. 100/14

CNB 050150

CNB 080181
OUD/KALW. 7/2
GEM. SI/KALW. 102/2Geboortegemak
Waarde
110Speenkalv
Waarde
76Vrugbaarheids-
waarde
100Onderhouds-
waarde
95Koeiwaarde
85Groei-
waarde
-Karkas-
waarde
-

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	78	113	104	104	101	91	78	85	76	103	92	88	-	-	-

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	93	92	-	-	379	1.19

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Versbul, breed

LOGIX EBV Analise: 2026-04-17

LOT 5

B2 BONSMARAS

LVP 230233 HH(c)
2023-10-05
B

Ouerskap Vaar Moer

DNS ✓

Genomies

VV 150053



LVP 140018

OUD/KALW. 11/3
GEM. SI/KALW. 102/3
TKP 389

VV 120139 HH(c)

VV 010020

OUD/KALW. 15/13
GEM. SI/KALW. 93/13
TKP 386

VV 090089

VV 090475 HH(c)
OUD/KALW. 16/13
GEM. SI/KALW. 109/12

VV 990017

VV 970399
OUD/KALW. 6/5
GEM. SI/KALW. 90/4Geboortegemak
Waarde
102Speenkalv
Waarde
100Vrugbaarheids-
waarde
102Onderhouds-
waarde
92Koeiwaarde
102Groei-
waarde
102Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	102	104	108	114	102	85	106	102	112	108	103	105	103	104	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	109	113	-	-	372	1.23

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: Besonderese bouwvorm, kleur, manlikheid, dra vleis

LOGIX EBV Analise: 2026-04-17

LOT 6

B2 BONSMARAS

LVP 230260 HH(c)
2023-10-09
B

Ouerskap Vaar Moer

DNS ✓

Genomies

VV 120129



LVP 200222

OUD/KALW. 5/3
GEM. SI/KALW. 112/2
TKP 396

VV 090367

VV 040337

OUD/KALW. 8/6
GEM. SI/KALW. 109/6
TKP 372

VV 060379

VV 010161
OUD/KALW. 14/12
GEM. SI/KALW. 100/12

VV 010292

VV 010203
OUD/KALW. 15/13
GEM. SI/KALW. 95/13Geboortegemak
Waarde
91Speenkalv
Waarde
96Vrugbaarheids-
waarde
109Onderhouds-
waarde
91Koeiwaarde
102Groei-
waarde
90Karkas-
waarde
113

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	97	119	123	120	102	96	87	94	90	107	95	103	106	109	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
109	102	98	-	-	392	1.25

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Speenkalv, goeie bespieroing, manlikheid

LOGIX EBV Analise: 2026-04-17

BULLS

LOT 7

B2 BONSMARAS


LVP 230466 HH(c)
2023-11-11
B

Parentage Sire Dam
DNA ☒
Genomic


LHB 200368

LHB 140131
AGE/CALV. 11/8
AVG. Wt/CALV. 99/8
ICP 391

LHB 120014
AGE/CALV. 5/3
AVG. Wt/CALV. 100/1

LVP 200202
AGE/CALV. 5/3
AVG. Wt/CALV. 93/2
ICP 447

JG 150838 P

JG 120602
JG 120063
AGE/CALV. 12/10
AVG. Wt/CALV. 101/9
MCU 070007 P

Calving Ease Value
80

Weaner Calf Value
84

Fertility Value
107

Maintenance Value
116

Cow Value
87

Growth Value
84

Carcass Value
103

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	90	100	104	111	103	95	80	88	86	85	92	87	99	120	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	100	93	-	-	399	1.17

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Speenkalf, vrugbaarheid, breed, balans

LOGIX EBV Analysis: 2026-04-17

LOT 8

B2 BONSMARAS


LVP 230389 Pp(c)
2023-10-28
B

Parentage Sire Dam
DNA ☒
Genomic


LHB 200368

LHB 140131
AGE/CALV. 11/8
AVG. Wt/CALV. 99/8
ICP 391

LHB 120014
AGE/CALV. 5/3
AVG. Wt/CALV. 100/1

LVP 200239
AGE/CALV. 5/2
AVG. Wt/CALV. 106/2
ICP 373

JG 150838 P

JG 120602
JG 120063
AGE/CALV. 12/10
AVG. Wt/CALV. 101/9
MCU 070007 P

Calving Ease Value
77

Weaner Calf Value
92

Fertility Value
105

Maintenance Value
97

Cow Value
91

Growth Value
89

Carcass Value
105

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
71	101	105	95	110	103	92	89	91	90	101	89	95	101	120	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	102	105	-	-	364	1.25

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Poena, Heterozygoot, speenkalf, breed, sterk manlik

LOGIX EBV Analysis: 2026-04-17

LOT 9

B2 BONSMARAS


LVP 230418 HH(c)
2023-11-02
B

Parentage Sire Dam
DNA ☒
Genomic


VV 140510

VV 070078
AGE/CALV. 10/9
AVG. Wt/CALV. 103/8
ICP 393

BG 940026
AGE/CALV. 14/12
AVG. Wt/CALV. 101/12

VV 120139 HH(c)

VV 090089
VV 090475 HH(c)
AGE/CALV. 16/13
AVG. Wt/CALV. 109/12
VV 040323

Calving Ease Value
115

Weaner Calf Value
100

Fertility Value
106

Maintenance Value
105

Cow Value
107

Growth Value
120

Carcass Value
113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	94	104	123	123	93	95	93	121	119	93	107	116	105	104	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
92	95	101	-	-	399	1.27

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Versbul, hoe vrugbaarheid

LOGIX EBV Analysis: 2026-04-17

BULLE

LOT 10

B2 BONSMARAS

LVP 230305 Pp(c)
2023-10-14
B

Ouerskap Vaar Moer

DNS

Genomies

LHB 200368

LVP 200229
OUD/KALW. 5/3
GEM. SI/KALW. 95/1
TKP 387

JG 150838 P

LHB 140131
OUD/KALW. 11/8
GEM. SI/KALW. 99/8
TKP 391

JG 120602

JG 120063
OUD/KALW. 12/10
GEM. SI/KALW. 101/9

MCU 070007 P

LHB 120014
OUD/KALW. 5/3
GEM. SI/KALW. 100/1Geboortegemak
Waarde
77Speenkalv
Waarde
82Vrugbaarheids-
waarde
108Onderhouds-
waarde
92Koeiwaarde
84Groei-
waarde
93Karkas-
waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
72	96	101	82	112	103	96	86	96	97	108	102	100	98	120	109
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrutum	LH	Miostatien							
95		99	99	-	-	349	1.23								
								Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS: Poena, Heterozygoot, sterk manlikheid

LOGIX EBV Analise: 2026-04-17

LOT 11

B2 BONSMARAS

LVP 230595 HH(c)
2023-12-07
B

Ouerskap Vaar Moer

DNS

Genomies

WAT 190426

LVP 180064
OUD/KALW. 7/2
GEM. SI/KALW. 96/2
TKP 386

WAT 160140

WAT 150311
OUD/KALW. 10/8
GEM. SI/KALW. 101/6
TKP 415

WAT 140477

WAT 130509
OUD/KALW. 8/5
GEM. SI/KALW. 107/4

WAT 110153

WAT 100244
OUD/KALW. 11/10
GEM. SI/KALW. 105/9Geboortegemak
Waarde
98Speenkalv
Waarde
83Vrugbaarheids-
waarde
94Onderhouds-
waarde
98Koeiwaarde
85Groei-
waarde
103Karkas-
waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	85	113	103	101	90	97	88	107	105	99	102	100	98	94	108
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrutum	LH	Miostatien							
97		110	102	-	-	361	1.21								
								Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS: Goeie balans, melk

LOGIX EBV Analise: 2026-04-17

LOT 12

B2 BONSMARAS

LVP 230538 HH(c)
2023-11-23
B

Ouerskap Vaar Moer

DNS

Genomies

VV 150190

LVP 140016
OUD/KALW. 11/3
GEM. SI/KALW. 105/2
TKP 500

VV 130147

VV 100159
OUD/KALW. 10/7
GEM. SI/KALW. 109/6
TKP 427

AG 090226

VV 050452
OUD/KALW. 11/9
GEM. SI/KALW. 101/9

VV 070122

VV 040118
OUD/KALW. 7/4
GEM. SI/KALW. 104/4Geboortegemak
Waarde
88Speenkalv
Waarde
88Vrugbaarheids-
waarde
91Onderhouds-
waarde
93Koeiwaarde
84Groei-
waarde
102Karkas-
waarde
105

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	92	114	98	96	100	85	103	101	100	105	110	104	89	113	99
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrutum	LH	Miostatien							
104		113	112	-	-	359	1.20								
								Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS: Vleis draer, breed, goeie vel en haar

LOGIX EBV Analise: 2026-04-17

BULLS

LOT 13

B2 BONSMARAS

LVP 230464 HH(c)
2023-11-11
B

Parentage Sire Dam

DNA ✓

Genomic

WAT 190426



LVP 160037

AGE/CALV. 9/3
AVG. Wt/CALV. 108/1
ICP 458

WAT 160140

WAT 150311

AGE/CALV. 10/8
AVG. Wt/CALV. 101/6
ICP 415

WAT 140477

WAT 130509
AGE/CALV. 8/5
AVG. Wt/CALV. 107/4

WAT 110153

WAT 100244

AGE/CALV. 11/10
AVG. Wt/CALV. 105/9Calving Ease
Value
112Weaner Calf
Value
90Fertility
Value
93Maintenance
Value
101Cow Value
93Growth
Value
107Carcass
Value
105

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	85	115	125	100	89	95	82	116	107	96	104	106	100	94	108
Wean Index		365D Index		540D Index		ADG Index	FCR Index	Scrotum	LH	Myostatin					
108		99		101		-	-	407	1.24	Q204X 0					
										NT821 0					
										F94L 0					

REMARKS: Speenkalf, melk, balans

LOGIX EBV Analysis: 2026-04-17

LOT 14

B2 BONSMARAS

LVP 230489 HH(c)
2023-11-14
B

Parentage Sire Dam

DNA ✓

Genomic

VV 150190



LVP 160050

AGE/CALV. 9/2
AVG. Wt/CALV. 103/2
ICP 512

VV 130147

VV 100159

AGE/CALV. 10/7
AVG. Wt/CALV. 109/6
ICP 427

AG 090226

VV 050452
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9

VV 070122

VV 040118

AGE/CALV. 7/4
AVG. Wt/CALV. 104/4Calving Ease
Value
73Weaner Calf
Value
90Fertility
Value
94Maintenance
Value
91Cow Value
85Growth
Value
101Carcass
Value
113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	99	115	111	99	94	95	93	105	93	107	102	105	98	114	100
Wean Index		365D Index		540D Index		ADG Index	FCR Index	Scrotum	LH	Myostatin					
110		107		96		-	-	402	1.23	Q204X 0					
										NT821 0					
										F94L 0					

REMARKS: Speenkalf, vel en haar, balans, melk

LOGIX EBV Analysis: 2026-04-17

LOT 15

B2 BONSMARAS

LVP 230404 HH(c)
2023-10-31
B

Parentage Sire Dam

DNA ✓

Genomic

VV 150190



LVP 170168

AGE/CALV. 8/3
AVG. Wt/CALV. 104/1
ICP 450

VV 130147

VV 100159

AGE/CALV. 10/7
AVG. Wt/CALV. 109/6
ICP 427

AG 090226

VV 050452
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9

VV 070122

VV 040118

AGE/CALV. 7/4
AVG. Wt/CALV. 104/4Calving Ease
Value
73Weaner Calf
Value
90Fertility
Value
92Maintenance
Value
84Cow Value
82Growth
Value
95Carcass
Value
112

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
71	100	115	71	98	94	92	95	87	75	117	101	99	97	114	100
Wean Index		365D Index		540D Index		ADG Index	FCR Index	Scrotum	LH	Myostatin					
104		103		100		-	-	328	1.22	Q204X 0					
										NT821 0					
										F94L 0					

REMARKS: Breedte, bree bek, sterk manlike kop

LOGIX EBV Analysis: 2026-04-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				37	246	-	1.23	378	0.98 1.63	-0.29 0.13	14.8 10.7	3.7 6.5	24 16	22 26	79 78	-37 -31	12.7 16.4	-3.0 -3	13.0 15	102	-	106	101	3.0	87
1	LVP 230493	M	B	31	287	-	1.20	384	0.52	-0.98	12.5	3.3	12.2	27.2	101	-49	16.9	8	22	118	-	107	108	3	94
2	LVP 230234	M	B	25	226	-	1.25	405	-1.25	0.42	1.6	5.9	-0.3	12.2	48	-25	29.7	-18	4	93	-	129	97	4	110
3	LVP 230374	M	B	43	230	-	1.25	377	3.20	0.67	12.7	7.8	23.0	46.1	110	-41	19.6	2	23	96	-	112	101	4	113
4	LVP 230508	M	B	30	232	-	1.19	379	-0.55	0.45	3.0	7.6	4.1	25.7	21	2	15.2	-9	3	98	-	104	96	3	89
5	LVP 230233	M	B	35	238	-	1.23	372	0.98	-0.53	15.7	4.8	35.2	33.0	85	-56	17.1	-0	18	104	-	108	102	3	102
6	LVP 230260	M	B	34	271	-	1.25	392	1.50	0.42	12.9	9.6	12.6	32.6	57	-21	26.3	-7	16	109	-	123	112	3	109
7	LVP 230466	M	B	41	262	-	1.17	399	2.74	0.19	9.6	3.7	5.7	0.2	33	-14	14.8	-10	2	102	-	104	93	3	97
8	LVP 230389	M	B	44	269	-	1.25	364	4.00	0.09	15.2	5.1	15.5	23.3	44	-20	10	-11	9	104	-	95	106	2	56
9	LVP 230418	M	B	34	224	-	1.27	399	-0.37	-0.56	11.7	4.9	21.8	11.6	159	-67	26.2	2	28	92	-	123	92	2	54
10	LVP 230305	M	B	44	250	-	1.23	349	3.91	0.11	12.8	4.0	12.3	33.3	64	-31	2.3	-2	14	95	-	82	95	3	111
11	LVP 230595	M	B	36	189	-	1.21	361	0.78	0.30	7.0	7.7	14.6	20.9	106	-44	14.4	-2	13	97	-	103	96	2	55
12	LVP 230538	M	B	37	241	-	1.20	359	1.81	0.32	10.7	7.8	30.4	29.3	82	-36	11.8	5	17	104	-	98	105	3	85
13	LVP 230464	M	B	33	245	-	1.24	407	-0.18	-0.38	6.8	8.3	9.3	16.2	140	-47	27.2	0	19	108	-	125	108	3	95
14	LVP 230489	M	B	45	272	-	1.23	402	3.36	0.70	14.2	8.1	18.5	32.7	96	-25	19.1	-1	18	110	-	111	103	2	38
15	LVP 230404	M	B	47	251	-	1.22	328	4.01	0.66	14.7	8.2	20.7	47.2	31	3	-4.3	-2	13	104	-	71	104	3	97

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik