

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# OTVL MEERRAS BULVEILING

Veilingsdatum / Auction Date:  
27 July 2022

Data soos op / Data as on:  
21 June 2022



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**
**1**

**THE RED CATTLE FARM**
**2**

3

**ABC 150029**
**4**

2015-02-03
**5**

SP
**6**

Parentage Sire Dam

DNA ☒

Genomic ☒

**DEF 100066 P**

**DEF 050022**
**7**

**GHI 070076 HH(c)**
**8**

AGE/CALV. 14/10  
AVG. Wt/CALV. 92/10  
ICP 395

**JKL 000077 P**

**ABC 080011**

AGE/CALV. 13/9  
AVG. Wt/CALV. 105/9  
ICP 417

**MNO 030002**
**12**

AGE/CALV. 19/10  
AVG. Wt/CALV. 109/10  
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smart device. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves

- 1 Calving Ease Value EBVs Birth Direct & Maternal
- Calf Growth Value EBV Wean Direct
- 3 Fertility Value EBVs Cow & Heifer Fertility, EBV Longevity
- Milk Value EBV Wean Maternal
- 4 Maintenance Value EBVs Mature weight & Milk



### 2 L♀ GIX Weaner Calf Value

Selection of:

- Heavier weaning weights,
- with more milk,
- but restricted birth weight



### 7 L♀ GIX Carcass Value


Selection for higher meat yield on carcass



### 6 L♀ GIX Growth Value

Selection of efficient growers on veld & in the feedlot

## INTERPRETATION OF BREEDING VALUE INDICES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                  |                         |                                                    | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |      |        |        |
|------------------|------------------|-------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|------|--------|--------|
|                  |                  |                         |                                                    |                                                                                               |                           | <80                | <90 | 90-110 | >110 | >120   |        |
| Selection Values | 5                | Cow Value               | CV                                                 | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |      |        | Profit |
|                  | 1                | Calving Ease Value      | CEV                                                | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |      |        | Low    |
|                  |                  | Calf Growth Value       | CGrV                                               | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |      |        | Heavy  |
|                  |                  | Milk Value              | MlkV                                               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |      |        | More   |
|                  | 4                | Maintenance Value       | MntV                                               | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        |      | *      | Low    |
|                  | 3                | Fertility Value         | FertV                                              | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |      |        | High   |
|                  | 2                | Weaner Calf Value       | WnCV                                               | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |      |        | Heavy  |
|                  | 6                | Growth Value            | GV                                                 | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |      |        | Profit |
|                  | 7                | Carcass Value           | VarcV                                              | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |      |        | More   |
|                  | Production Value | PV                      | Combination of Cow- and Growth values (Rand-value) | Profitable animals                                                                            | Loss                      |                    |     |        |      | Profit |        |
| Cow & Heifer     | 8                | Birth Weight Direct     | BD                                                 | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |      |        | Light  |
|                  |                  | Birth Weight Maternal   | BM                                                 | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |      |        | Light  |
|                  | 9                | Weaning Weight Direct   | WD                                                 | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |      |        | Heavy  |
|                  | 10               | Weaning Weight Maternal | WM                                                 | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |      |        | Good   |
|                  | 18               | Mature Cow Weight       | MW                                                 | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *    | *      | Heavy  |
|                  |                  | Cow-Calf Birth          | CCB                                                | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        |      |        | High   |
|                  | Cow-Calf Wean    | CCW                     | EBV Wean Direct / EBV Mature Cow weight            | High calf-cow ratio                                                                           | Low                       |                    |     |        |      | High   |        |
| Fertility        | 12               | Heifer Fertility        | HF                                                 | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |      |        | More   |
|                  | 13               | Cow Fertility           | CFE                                                | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |      |        | More   |
|                  | 11               | Scrotal Circumference   | SC                                                 | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |      |        | More   |
|                  | 14               | Longevity               | LG                                                 | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |      |        | Good   |
| Growth & Frame   | 15               | Post-Wean Weight        | PWn                                                | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |      | *      | High   |
|                  | 16               | Average Daily Gain      | ADG                                                | Average daily gain                                                                            | Good growth               | Poor               |     |        |      |        | Good   |
|                  | 17               | Feed Conversion Ratio   | FCR                                                | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |      |        | Good   |
|                  |                  | Final Test Weight       | FW                                                 | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |      | *      | Heavy  |
|                  | 19               | Height                  | H                                                  | Shoulder / Hip height in growth test                                                          | Average height            | Short              |     |        |      |        | Tall   |
|                  | 20               | Length                  | L                                                  | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |      |        | Long   |
|                  | 24               | Length-Height Ratio     | LH                                                 | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |      |        | >1     |
| Carcass          | 21               | Eye Muscle Area         | EMA                                                | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |      |        | Big    |
|                  | 22               | Fat Thickness           | Fat                                                | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |      |        | Thick  |
|                  | 23               | Marbling                | Mar                                                | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |      |        | High   |
|                  |                  | Dressing Percentage     | D%                                                 | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |      |        | High   |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |
| 8               | 9         | 10        | 11           | 12           | 13        | 14      | 15               | 16  | 17  | 18            | 19     | 20     | 21      | 22  | 23  |

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |
|            |            |            | 16        | 17        | 11      | 24   |

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

**LOT 128**  
  
**BLN 200005**  
2020-01-13  
SP  

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |

**P.S. LOURENS**  
  
**BLN 130053**  
AGE/CALV. 8/6  
AVG. Wt/CALV. 102/5  
ICP 375

**LAR 120455**  
**LAR 090349**  
**LAR 050015**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 108/7  
**LAR 070090**  
**LAR 030185**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 104/8  
**LAR 000265**  
**AG 910100**  
AGE/CALV. 19/15  
AVG. Wt/CALV. 100/15  
**HDT 030033 P**  
**BFB 990015**  
AGE/CALV. 15/10  
AVG. Wt/CALV. 99/9

**LAR 150423 HH(c)**  
**LAR 100259 HH(c)**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 99/8  
ICP 394  
**ADV 050053**  
**BLN 080002**  
AGE/CALV. 14/10  
AVG. Wt/CALV. 100/8  
ICP 451

|                    |     |
|--------------------|-----|
| Calving Ease Value | 88  |
| Weaner Calf Value  | 108 |
| Fertility Value    | 96  |
| Maintenance Value  | 88  |
| Cow Value          | 97  |
| Growth Value       | 108 |
| Carcass Value      | 111 |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 86              | 119       | 90        | 112        | 88           | 100       | 113     | 119              | 113 | 109 | 113           | 98     | 103    | 115     | 88  | 104 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 98         | -          | -          | 115       | -         | 375     | 1.22 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 1 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2022-06-18

**LOT 129**  
  
**UEJ 190092**  
2019-11-04  
SP  

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    | ✓   |
| Genomic   |      |     |

**SAUNDERS BOERDERY**  
  
**AG 100409**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 96/7  
ICP 465

**AG 110204**  
**AG 070138**  
**AG 060182**  
AGE/CALV. 10/6  
AVG. Wt/CALV. 90/6  
**HJB 050052**  
**AG 040372**  
AGE/CALV. 13/11  
AVG. Wt/CALV. 100/10  
**CEF 030453**  
**CEF 030001**  
AGE/CALV. 4/1  
AVG. Wt/CALV. 97/1  
**RAI 990034**  
**AG 970106**  
AGE/CALV. 15/13  
AVG. Wt/CALV. 95/12

**AG 150009**  
**AG 090101**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
ICP 369  
**CEF 050503**  
**AG 040170**  
AGE/CALV. 10/9  
AVG. Wt/CALV. 100/9  
ICP 391

|                    |     |
|--------------------|-----|
| Calving Ease Value | 127 |
| Weaner Calf Value  | 83  |
| Fertility Value    | 94  |
| Maintenance Value  | 122 |
| Cow Value          | 91  |
| Growth Value       | 96  |
| Carcass Value      | 91  |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 137             | 78        | 85        | 108        | 95           | 94        | 105     | 85               | 96  | 90  | 81            | 75     | 90     | 93      | 89  | 86  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 95         | -          | -          | 98        | -         | 345     | 1.24 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:** Kalwingsgemak en is vry van dubbelbespiede geen

**LOGIX** EBV Analysis: 2022-06-18

**LOT 130**  
  
**LAR 190514**  
2019-12-23  
SP  

|           |      |     |
|-----------|------|-----|
| Parentage | Sire | Dam |
| DNA       | ✓    |     |
| Genomic   |      |     |

**BHAMJEE'S BONSMARA**  
  
**LAR 150307**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 97/3  
ICP 441

**LAR 120455**  
**LAR 090349**  
**LAR 050015**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 108/7  
**LAR 090365**  
**LAR 070188**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 95/6  
**AG 070457**  
**LAR 050236**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 105/7  
**LAR 050023**  
**LAR 030170**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 101/4

**LAR 120413**  
AGE/CALV. 9/7  
AVG. Wt/CALV. 98/6  
ICP 364  
**LAR 120004**  
**LAR 070315**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 103/9  
ICP 367

|                    |     |
|--------------------|-----|
| Calving Ease Value | 79  |
| Weaner Calf Value  | 108 |
| Fertility Value    | 89  |
| Maintenance Value  | 91  |
| Cow Value          | 92  |
| Growth Value       | 114 |
| Carcass Value      | 115 |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 78              | 121       | 89        | 100        | 90           | 87        | 111     | 127              | 119 | 112 | 109           | 111    | 117    | 118     | 94  | 93  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 93         | -          | -          | 110       | -         | 308     | 1.22 |

| Myostatin |            |
|-----------|------------|
| Q204X     | Not Tested |
| NT821     | Not Tested |
| F94L      | Not Tested |

**REMARKS:**

**LOGIX** EBV Analysis: 2022-06-18

**BULLE**

**LOT 131** **BHAMJEE'S BONSMARA**



**HAS 190083**  
2019-09-08  
SP

Ouerskap
Vaar
Moer

DNS
✓
✓

**Genomies**



**HAS 160031**  
OUD/KALW. 6/3  
GEM. SI/KALW. 98/3  
TKP 448

**LAR 120455**

**LAR 100259 HH(c)**  
OUD/KALW. 11/8  
GEM. SI/KALW. 99/8  
TKP 394

**ADV 100321 HH(c)**

**AG 090161**  
OUD/KALW. 7/6  
GEM. SI/KALW. 94/5  
TKP 386

**LAR 090349**  
**LAR 050015**  
OUD/KALW. 10/8  
GEM. SI/KALW. 108/7

**LAR 070090**  
**LAR 030185**  
OUD/KALW. 12/9  
GEM. SI/KALW. 104/8

**ADV 070005**  
**ADV 070052**  
OUD/KALW. 7/5  
GEM. SI/KALW. 106/4

**MRW 040198 P**  
**AG 070084**  
OUD/KALW. 6/4  
GEM. SI/KALW. 106/3

|                                      |                                   |                                        |                                    |                         |                                |                                 |
|--------------------------------------|-----------------------------------|----------------------------------------|------------------------------------|-------------------------|--------------------------------|---------------------------------|
| Geboortegemak<br>Waarde<br><b>94</b> | Speenkalv<br>Waarde<br><b>101</b> | Vrugbaarheids-<br>waarde<br><b>105</b> | Onderhouds-<br>waarde<br><b>99</b> | Koeiwaarde<br><b>99</b> | Groei-<br>waarde<br><b>111</b> | Karkas-<br>waarde<br><b>107</b> |
|--------------------------------------|-----------------------------------|----------------------------------------|------------------------------------|-------------------------|--------------------------------|---------------------------------|

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 114       | 74        | 114          | 101         | 103         | 111    | 117            | 114 | 106 | 101         | 97     | 109    | 116    | 82  | 97  |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 95          | -           | -           | 106        | -          | 373     | 1.26 |

| Miostatien |             |
|------------|-------------|
| Q204X      | Nie Getoets |
| NT821      | Nie Getoets |
| F94L       | Nie Getoets |

**OPMERKINGS:**

**LOGIX** EBV Analiese: 2022-06-18

| Dier Info                        |            |     |     | Actual Values |              |           |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |            |             |                 |              |             | Indices |     |            | Dam             |            |             |
|----------------------------------|------------|-----|-----|---------------|--------------|-----------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|------------|-------------|-----------------|--------------|-------------|---------|-----|------------|-----------------|------------|-------------|
| LOT                              | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | CCW Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d)  | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean    | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average<br>Auction Average |            |     |     | 34            | 184          | 7.03      | 36.2      | 1.23                | 350             | 1.03<br>1.21             | -0.20<br>-0.44 | 13.8<br>17.4  | 3.9<br>-0.5   | 22<br>35       | 10<br>11            | 101<br>153 | -48<br>-57  | 10.2<br>16.9    | -3           | 22          | 95      | 107 | 108        | 98              | 5.0        | 100         |
| 128                              | BLN 200005 | M   | SP  | 36            | 236          | 6.17      | 35.8      | 1.22                | 375             | 2.50                     | -0.43          | 22.3          | 1.0           | 40             | 24                  | 163        | -68         | 19.8            | -1           | 20          | 98      | 115 | 112        | 102             | 6          | 104         |
| 129                              | UEJ 190092 | M   | SP  | 29            | 207          | -         | 44.5      | 1.24                | 345             | -2.87                    | -0.59          | 3.7           | -0.5          | 15             | -11                 | 83         | -24         | 16.6            | -20          | 1           | 95      | 98  | 108        | 96              | 7          | 94          |
| 130                              | LAR 190514 | M   | SP  | 39            | 216          | -         | 29.1      | 1.22                | 308             | 3.33                     | -0.23          | 23.3          | 0.8           | 46             | 19                  | 195        | -75         | 10              | 10           | 39          | 93      | 110 | 100        | 97              | 4          | 99          |
| 131                              | HAS 190083 | M   | SP  | 33            | 210          | 7.89      | 35.5      | 1.26                | 373             | 1.89                     | -0.50          | 20.1          | -3.4          | 38             | 11                  | 170        | -61         | 21.4            | -2           | 28          | 95      | 106 | 114        | 98              | 3          | 103         |

## EXPLANATION OF CATALOGUE ABBREVIATIONS

## VERDUIDELIKING VAN KATALOGUS AFKORTINGS

|                                                         |                 |                                                             |
|---------------------------------------------------------|-----------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.                                                 |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.                                                 |
| Longevity                                               | Longev.         | Lankl.                                                      |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig                                                 |
| Average Daily Gain (g/day)                              | ADG             | GDT                                                         |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV                                                         |
| Eye Muscle Area                                         | EMA             | OSO                                                         |
| Backfat Thickness                                       | Fat             | Vet                                                         |
| Marbeling (intra-muscular fat)                          | Mar             | Mar                                                         |
| 365-day weight index                                    | 365D Index      | 365D Indeks                                                 |
| 540-day weight index                                    | 540D Index      | 540D Indeks                                                 |
| Length-Height ratio                                     | LH              | LH                                                          |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig                                                  |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig                                                  |
| Cow-Calf Birth Ratio                                    | CCG             | KKG                                                         |
| Cow-Calf Wean Ratio                                     | CCW             | KKS                                                         |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks                                            |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.                                                 |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks                                                |
| Animal sex: M - Male, F - Female                        | M / F           | M / V                                                       |