

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

ALPHA BONSMARA GROEP

Veilingsdatum / Auction Date:
18 April 2026

Data soos op / Data as on:
26 March 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA
✓

Genomic
✓

DEF 100066 P



DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
MEDUPI BONSMARAS



MED 220104
2022-01-08
SP

Parentage Sire Dam

DNA

Genomic



MED 180040
AGE/CALV. 8/4
AVG. Wt/CALV. 105/3
ICP 610

ADV 070005

ADV 070052
AGE/CALV. 7/5
AVG. Wt/CALV. 106/4
ICP 365

JDB 090014

MED 130142
AGE/CALV. 12/7
AVG. Wt/CALV. 103/6
ICP 501

AG 020251

AG 000142
AGE/CALV. 10/7
AVG. Wt/CALV. 95/7

ADV 010011

AG 960002
AGE/CALV. 14/10
AVG. Wt/CALV. 103/10

AG 020251

JDB 040014
AGE/CALV. 10/8
AVG. Wt/CALV. 98/8

Calving Ease Value
98

Weaner Calf Value
91

Fertility Value
78

Maintenance Value
112

Cow Value
79

Growth Value
91

Carcass Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	99	81	87	95	73	100	94	95	83	88	92	91	100	83	93

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
116	113	106	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: EID No 1880 0432

LOGIX EBV Analysis: 2026-02-17

LOT 3
BOTSWANA BONSMARA STUD



GHS 230025
2023-02-01
SP

Parentage Sire Dam

DNA

Genomic



GHS 160103
AGE/CALV. 9/7
AVG. Wt/CALV. 101/6
ICP 429

OUH 130042

OUH 130103
AGE/CALV. 4/2
AVG. Wt/CALV. 104/2
ICP 544

BBM 070043

GHS 090022
AGE/CALV. 11/6
AVG. Wt/CALV. 111/1
ICP 473

OUH 100028

OUH 100080
AGE/CALV. 7/5
AVG. Wt/CALV. 100/5

JDB 050037

VDL 050009
AGE/CALV. 13/10
AVG. Wt/CALV. 102/8

JRB 000116

BBM 030082
AGE/CALV. 11/8
AVG. Wt/CALV. 99/7

JRB 050025

GHS 050015
AGE/CALV. 7/2
AVG. Wt/CALV. 117/1

Calving Ease Value
89

Weaner Calf Value
106

Fertility Value
92

Maintenance Value
95

Cow Value
98

Growth Value
83

Carcass Value
90

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	110	100	99	99	83	113	106	86	87	104	93	92	102	98	105

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
123	107	114	-	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: EID No 1982 0104

LOGIX EBV Analysis: 2026-02-17

LOT 5
MEDUPI BONSMARAS



MED 210099
2021-12-31
SP

Parentage Sire Dam

DNA

Genomic



MED 180066
AGE/CALV. 7/4
AVG. Wt/CALV. 102/3
ICP 467

ADV 070005

ADV 070052
AGE/CALV. 7/5
AVG. Wt/CALV. 106/4
ICP 365

SYF 130223

MED 110012
AGE/CALV. 10/4
AVG. Wt/CALV. 102/4
ICP 435

AG 020251

AG 000142
AGE/CALV. 10/7
AVG. Wt/CALV. 95/7

ADV 010011

AG 960002
AGE/CALV. 14/10
AVG. Wt/CALV. 103/10

SYF 100072

ADV 110065
AGE/CALV. 11/5
AVG. Wt/CALV. 98/5

Calving Ease Value
115

Weaner Calf Value
83

Fertility Value
87

Maintenance Value
129

Cow Value
81

Growth Value
79

Carcass Value
80

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	86	73	68	105	79	102	80	82	68	77	73	73	94	79	89

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
106	95	94	-	-	-	-

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: EID No 1880 0435

LOGIX EBV Analysis: 2026-02-17

BULLE

LOT 8 BOTSWANA BONSMARA STUD

GHS 230003
2023-01-02
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

BBM 170165 HH(c)

BBM 130214
FCT 090175 HH(c)
BBM 070080
OUD/KALW. 18/14
GEM. SI/KALW. 100/14

BBM 120149
OUD/KALW. 13/10
GEM. SI/KALW. 102/10
TKP 377

BBM 090009
FCT 080118
BBM 100079
OUD/KALW. 5/2
GEM. SI/KALW. 99/2

GHS 150117
OUD/KALW. 10/7
GEM. SI/KALW. 114/4
TKP 425

GHS 120107
OUD/KALW. 5/1
GEM. SI/KALW. 99/1
TKP -

JRB 030026
OUD/KALW. 18/15
GEM. SI/KALW. 109/14

JRB 060096
GHS 030059
OUD/KALW. 11/6
GEM. SI/KALW. 102/5

Geboortegemak Waarde
80

Speenkalf Waarde
109

Vrugbaarheids-waarde
106

Onderhouds-waarde
92

Koeiwaarde
107

Groei-waarde
99

Karkas-waarde
98

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	111	114	96	99	102	115	107	101	123	107	117	103	103	100	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
109	111	104	-	-	-	-

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: EID No 1982 0110

LOGIX EBV Analise: 2026-02-17

LOT 14 PC BONSMARAS

PCD 210178
2021-11-25
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

PCD 150026

LFB 090225
AG 030026
HJB 970042
OUD/KALW. 14/9
GEM. SI/KALW. 113/8

PCD 110136
OUD/KALW. 8/5
GEM. SI/KALW. 107/4
TKP 426

KDT 090012
VV 050378 P
PCD 060184
OUD/KALW. 8/4
GEM. SI/KALW. 108/3

PCD 150321
OUD/KALW. 10/8
GEM. SI/KALW. 97/7
TKP 366

PCD 120038
OUD/KALW. 11/8
GEM. SI/KALW. 115/7
TKP 431

AG 050251
KDT 040015
OUD/KALW. 9/7
GEM. SI/KALW. 97/7

TBR 030582
PCD 040003
OUD/KALW. 8/2
GEM. SI/KALW. 108/2

Geboortegemak Waarde
119

Speenkalf Waarde
110

Vrugbaarheids-waarde
102

Onderhouds-waarde
94

Koeiwaarde
114

Groei-waarde
110

Karkas-waarde
110

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	105	100	82	108	88	117	111	95	94	105	116	112	100	101	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	121	-	344	1.23

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: EID No 1840 5235 Used on Heifers

LOGIX EBV Analise: 2026-02-17

LOT 20 PC BONSMARAS

PCD 210187
2021-12-02
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

PCD 150026

LFB 090225
AG 030026
HJB 970042
OUD/KALW. 14/9
GEM. SI/KALW. 113/8

PCD 110136
OUD/KALW. 8/5
GEM. SI/KALW. 107/4
TKP 426

JDB 050037
VV 050378 P
PCD 060184
OUD/KALW. 8/4
GEM. SI/KALW. 108/3

PCD 130100
OUD/KALW. 10/7
GEM. SI/KALW. 100/7
TKP 378

PCD 060016
OUD/KALW. 9/5
GEM. SI/KALW. 99/4
TKP 421

AG 980338
JDB 940023
OUD/KALW. 18/15
GEM. SI/KALW. 102/14

Geboortegemak Waarde
101

Speenkalf Waarde
103

Vrugbaarheids-waarde
93

Onderhouds-waarde
101

Koeiwaarde
100

Groei-waarde
84

Karkas-waarde
91

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	102	105	88	103	80	113	99	89	91	97	101	101	95	92	91

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	91	-	342	1.23

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: EID No 1840 5246 Used on Cows

LOGIX EBV Analise: 2026-02-17

BULLS

LOT 24

PC BONSMARAS



PCD 180215 HH(c)
2018-12-23
SP

Parentage Sire Dam

DNA ☒
Genomic ☐

LFB 120016



PCD 150343
AGE/CALV. 10/8
AVG. Wt/CALV. 108/77
ICP 360

AG 030026

EI 020463
AGE/CALV. 14/12
AVG. Wt/CALV. 103/11
ICP 390

KDT 090012

PCD 120213
AGE/CALV. 12/9
AVG. Wt/CALV. 104/9
ICP 410

AG 980338

AG 930049
AGE/CALV. 19/13
AVG. Wt/CALV. 100/11

EI 000244

EI 000085
AGE/CALV. 17/13
AVG. Wt/CALV. 97/9

AG 050251

KDT 040015
AGE/CALV. 9/7
AVG. Wt/CALV. 97/7

HJL 070165

PCD 070146
AGE/CALV. 8/6
AVG. Wt/CALV. 102/5

Calving Ease
Value
81

Weaner Calf
Value
129

Fertility
Value
105

Maintenance
Value
76

Cow Value
116

Growth
Value
130

Carcass
Value
122

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	135	87	93	83	113	111	133	128	124	130	136	141	121	70	86

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
121	109	113	-	-	-	-

REMARKS: EID No 1664 4593 Herd Sire

LOGIX EBV Analysis: 2026-02-17

Myostatin	
Q204X	0
NT821	0
F94L	0

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average									0.97	-0.29	14.8	3.6	24	22	78	-36	12.6	-3.0	13.0						
Auction Average				36	230	7.89	1.23	343	1.33	-0.42	18.5	1.9	32	24	65	-30	5.5	-	15	110	106	88	104	6.0	101
1	MED 220104	M	SP	39	210	10.4	-	-	1.29	-0.38	14.1	-2.2	20.2	3.9	58	-9	5.1	-9	5	116	-	87	105	4	81
3	GHS 230025	M	SP	36	240	8.28	-	-	1.99	-0.05	20.3	3.6	33.6	27.7	24	-15	12.2	-9	6	123	-	99	101	7	109
5	MED 210099	M	SP	29	185	7.25	-	-	-0.06	-1.14	7.3	-4.5	6.7	-11.3	9	15	-5.9	-24	-10	106	-	68	102	4	90
8	GHS 230003	M	SP	42	223	9.63	-	-	2.95	-0.03	20.6	7.8	33.8	32.2	82	-74	10.1	11	16	109	-	96	114	7	100
14	PCD 210178	M	SP	30	215	5.71	1.23	344	-0.78	-0.69	17.6	3.7	39.5	29.0	61	-27	2.2	10	24	97	121	82	97	8	110
20	PCD 210187	M	SP	35	225	6.31	1.23	342	0.71	-0.02	15.8	5.0	27.1	18.0	38	-22	5.8	-2	14	100	91	88	100	7	106
24	PCD 180215	M	SP	39	313	7.62	-	-	3.18	-0.64	33.8	-0.3	61.4	66.1	182	-76	8.7	26	50	121	-	93	108	8	110

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik