

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

VALSRIVIER BONSMARA TELERS

Veilingsdatum / Auction Date:
16 April 2026

Data soos op / Data as on:
20 March 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P



ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

DEF 050022

GHI 070076 HH(c)
9

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1 THUSO GRAAN EDMS BPK

 **WVZ 230002** Pp(c)
2023-03-25 SP

Parentage Sire Dam
DNA ☒ ☒
Genomic ☒



WVZ 150014
AGE/CALV. 10/8
AVG. WJ/CALV. 98/9
ICP 395

WVZ 120109
AGE/CALV. 4/1
AVG. WJ/CALV. 108/1
ICP -

EHE 160585 PP(c)
AGE/CALV. 8/5
AVG. WJ/CALV. 101/5

ZVJ 110012 HH(c)
AGE/CALV. 15/12
AVG. WJ/CALV. 103/11
ICP 404

PHR 100023

JMP 040248
JPL 130018 P
AGE/CALV. 8/5
AVG. WJ/CALV. 101/5
JMP 050276
SSK 060021
AGE/CALV. 6/3
AVG. WJ/CALV. 102/3
PHR 030036
PHR 070227
AGE/CALV. 7/5
AVG. WJ/CALV. 104/5
PHR 080101
PHR 080155
AGE/CALV. 6/4
AVG. WJ/CALV. 96/4

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
106	108	94	96	106	84	100

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	101	114	104	105	90	98	98	92	99	102	110	102	80	120	81

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	90	-	353	1.20

REMARKS: Goed gebalanseerde Poena bul, kan gebruik word om verse oop te maak. Goeie melk en koeiwaarde. Seun van NFS 20-020. Kan vervangings verse hou.

Myostatin

Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2026-03-18

LOT 2 HENTACOR BONSMARAS

 **HTC 230041**
2023-04-09 SP

Parentage Sire Dam
DNA ☐
Genomic ☐



HTC 200057
AGE/CALV. 6/3
AVG. WJ/CALV. 102/3
ICP 372

HTC 160094
AGE/CALV. 6/4
AVG. WJ/CALV. 110/3
ICP 357

PER 130013 HH(c)
AGE/CALV. 8/5
AVG. WJ/CALV. 102/6

PER 120107
AGE/CALV. 8/6
AVG. WJ/CALV. 93/6
ICP 363

HTC 170004

JJ 080033
PER 060092
AGE/CALV. 8/5
AVG. WJ/CALV. 102/6
HP 990021
PER 070102
AGE/CALV. 10/8
AVG. WJ/CALV. 99/7
ABB 130238
HTC 120094
AGE/CALV. 10/7
AVG. WJ/CALV. 105/7
LMR 100014
HTC 100152
AGE/CALV. 13/11
AVG. WJ/CALV. 97/9

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
92	107	88	93	98	115	116

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	110	100	102	75	97	107	109	124	116	106	110	116	114	97	127

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
97	96	100	-	-	337	1.25

REMARKS: Open verse, teel vervanging, speenkalfstelsel, voerkraalstelsel

Myostatin

Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2026-03-18

LOT 3 THUSO GRAAN EDMS BPK

 **WVZ 230074** HH(c)
2023-10-02 SP

Parentage Sire Dam
DNA ☒ ☒
Genomic ☒



WVZ 190001
AGE/CALV. 7/5
AVG. WJ/CALV. 109/3
ICP 352

WVZ 130146
AGE/CALV. 9/7
AVG. WJ/CALV. 105/6
ICP 424

LAR 160053

LAR 190144 HH(c)

LAR 160034
AGE/CALV. 9/4
AVG. WJ/CALV. 108/4
ICP 391

VV 040046 HH(c)

SYF 130117 HH(c)
LAR 130247
AGE/CALV. 5/1
AVG. WJ/CALV. 101/1
LAR 060224
LAR 090307
AGE/CALV. 10/5
AVG. WJ/CALV. 101/5
VV 010292
VV 000092
AGE/CALV. 17/13
AVG. WJ/CALV. 104/11
FCT 100193
WVZ 100015
AGE/CALV. 7/5
AVG. WJ/CALV. 98/5

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
124	105	91	102	106	88	99

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	96	108	111	99	88	102	91	87	84	96	80	86	96	104	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	-	-	97	-	344	1.17

REMARKS: Mooi donker, sterk kop en bree bek bul kan op verse gebruik word. Die gemaklike beweging en swart kloue, prominente keelvel is opmerklik.

Myostatin

Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2026-03-18

BULLE

LOT 4

THUSO GRAAN EDMS BPK

WVZ 230007 Pp(c)
2023-03-28
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies ✓

WVZ 140105
OUD/KALW. 11/9
GEM. SI/KALW. 110/8
TKP 385

EHE 160585 PP(c)

NFS 200020 Pp(c)

ZVJ 110012 HH(c)
OUD/KALW. 15/12
GEM. SI/KALW. 103/11
TKP 404

AEJ 090094

WVZ 120032
OUD/KALW. 7/5
GEM. SI/KALW. 103/5
TKP 425

JMP 040248

JPL 130018 P
OUD/KALW. 8/5
GEM. SI/KALW. 101/5

JMP 050276

SSK 060021
OUD/KALW. 6/3
GEM. SI/KALW. 102/3

AG 020251

AEJ 030198
OUD/KALW. 10/8
GEM. SI/KALW. 112/8

NFS 060100

WVZ 080049
OUD/KALW. 14/11
GEM. SI/KALW. 95/11Geboortegemak
Waarde
99Speenkalv
Waarde
95Vrugbaarheids-
waarde
87Onderhouds-
waarde
87Koeiwaarde
91Groei-
waarde
90Karkas-
waarde
100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	97	114	106	95	96	87	100	99	105	113	109	108	84	121	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
105	-	-	90	-	376	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Die 'all rounder', Poena kan met veiligheid in enige kudde gebruik word. Die donker klou bul is nageslag van NFS 20-020 wat bekend is vir melk.

LOGIX EBV Analise: 2026-03-18

LOT 5

HENTACOR BONSMARAS

HTC 230110
2023-10-07
SP

Ouerskap Vaar Moer

DNS

Genomies

HTC 120187
OUD/KALW. 13/11
GEM. SI/KALW. 96/10
TKP 384

JFE 100038 HH(c)

ABB 170405 HH(c)

ABB 120461
OUD/KALW. 10/7
GEM. SI/KALW. 102/6
TKP 406

AEJ 090020

HTC 080093
OUD/KALW. 5/4
GEM. SI/KALW. 94/3
TKP 368

CEF 050392

FAN 050048
OUD/KALW. 8/3
GEM. SI/KALW. 110/3

ZAK 080119

ABB 090193
OUD/KALW. 5/3
GEM. SI/KALW. 98/3

AG 020251

AEJ 010076
OUD/KALW. 10/7
GEM. SI/KALW. 100/7

WVZ 040040

HTC 040063 P
OUD/KALW. 15/12
GEM. SI/KALW. 100/10Geboortegemak
Waarde
98Speenkalv
Waarde
109Vrugbaarheids-
waarde
99Onderhouds-
waarde
89Koeiwaarde
105Groei-
waarde
105Karkas-
waarde
113

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	111	99	112	91	98	113	109	108	115	111	103	109	96	101	98

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
94	91	98	-	-	344	1.27

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Potensiele stoetkudde aanwending, behou saadaandeel

LOGIX EBV Analise: 2026-03-18

LOT 6

HENTACOR BONSMARAS

HTC 230056
2023-04-21
SP

Ouerskap Vaar Moer

DNS

Genomies

HTC 180145
OUD/KALW. 7/5
GEM. SI/KALW. 103/5
TKP 374

LAR 140173 HH(c)

LMR 190106

LMR 120207
OUD/KALW. 11/7
GEM. SI/KALW. 100/7
TKP 390

ABB 130238

AEJ 080037
OUD/KALW. 11/9
GEM. SI/KALW. 103/8
TKP 367

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

LMR 070280

LMR 090129
OUD/KALW. 5/3
GEM. SI/KALW. 102/2

ABB 100076 HH(c)

ABB 080060
OUD/KALW. 14/11
GEM. SI/KALW. 104/11

KHR 000012

AEJ 020163
OUD/KALW. 14/10
GEM. SI/KALW. 97/9Geboortegemak
Waarde
120Speenkalv
Waarde
99Vrugbaarheids-
waarde
105Onderhouds-
waarde
108Koeiwaarde
107Groei-
waarde
102Karkas-
waarde
92

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	94	97	95	114	94	109	95	107	107	91	94	102	103	84	122

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
109	98	99	-	-	329	1.27

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Open verse, teel vervanging, reeds in kudde gebruik

LOGIX EBV Analise: 2026-03-18

BULLS

LOT 7 THUSO GRAAN EDMS BPK

 **WVZ 230022 HH(c)**
2023-03-27 SP

Parentage Sire Dam
DNA ✓ ✓
Genomic ✓

 **WVZ 170070**
AGE/CALV. 8/6
AVG. WJ/CALV. 97/5
ICP 400

WVZ 160060
AGE/CALV. 16/12
AVG. WJ/CALV. 97/12

FCT 100159
AGE/CALV. 14/12
AVG. WJ/CALV. 103/13
ICP 384

WVZ 140090
AGE/CALV. 8/6
AVG. WJ/CALV. 95/4

WVZ 130069
AGE/CALV. 6/3
AVG. WJ/CALV. 97/3
ICP 450

GJN 110074
PHR 060206
AGE/CALV. 16/12
AVG. WJ/CALV. 97/12

FCT 080109
FCT 070195
AGE/CALV. 10/5
AVG. WJ/CALV. 99/5

JMP 050276
WVZ 070049
AGE/CALV. 8/6
AVG. WJ/CALV. 95/4

FCT 100193
PHR 090185
AGE/CALV. 12/10
AVG. WJ/CALV. 100/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
88	108	91	91	100	132	121

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	111	105	118	92	85	113	118	142	131	109	111	119	115	105	117

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	-	-	108	-	356	1.21

REMARKS: Die donker stoetbul het goeie balans en breedte. Staan goed op sy kloue. Het besonderse groeikrag wat invloed op enige kudde kan maak.

Myostatin

Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2026-03-18

LOT 8 THUSO GRAAN EDMS BPK

 **WVZ 230097 HH(c)**
2023-11-01 SP

Parentage Sire Dam
DNA ✓ ✓
Genomic ✓

 **WVZ 130126**
AGE/CALV. 11/9
AVG. WJ/CALV. 101/8
ICP 387

GJN 130201 HH(c)
WVZ 140111
AGE/CALV. 10/8
AVG. WJ/CALV. 113/8
ICP 399

WVZ 100017
WVZ 050054
AGE/CALV. 17/14
AVG. WJ/CALV. 93/15

PHR 090181
AGE/CALV. 12/10
AVG. WJ/CALV. 99/10
ICP 390

CSW 080100
GJN 110025
AGE/CALV. 7/5
AVG. WJ/CALV. 109/4

GJN 110074
WVZ 110053
AGE/CALV. 5/4
AVG. WJ/CALV. 111/3

MMJ 030209
WVZ 050054
AGE/CALV. 17/14
AVG. WJ/CALV. 93/15

EI 940339
PHR 050124
AGE/CALV. 4/2
AVG. WJ/CALV. 101/2

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
86	106	108	84	107	121	118

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	109	113	95	105	109	102	117	118	114	117	115	111	113	82	119

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	100	-	324	1.13

REMARKS: Die mooi "all rounder" wat goed is op vrugbaarheid, melk en groei het ook n mooi toplyn en kort skede.

Myostatin

Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2026-03-18

LOT 9 HENTACOR BONSMARAS

 **HTC 230021**
2023-03-29 SP

Parentage Sire Dam
DNA
Genomic

 **HTC 200181**
AGE/CALV. 5/3
AVG. WJ/CALV. 108/2
ICP 469

WAT 170167
WAT 150066
WAT 150301
AGE/CALV. 7/5
AVG. WJ/CALV. 98/5

BG 150074
WAT 150281
AGE/CALV. 9/6
AVG. WJ/CALV. 104/5

CRV 100159
JJC 100223
AGE/CALV. 15/13
AVG. WJ/CALV. 101/11

AEJ 090125
AEJ 080037
AGE/CALV. 11/9
AVG. WJ/CALV. 103/8

GJG 150177 HH(c)
WAT 170239
AGE/CALV. 3/2
AVG. WJ/CALV. 99/2
ICP 388

HTC 120341
AGE/CALV. 13/12
AVG. WJ/CALV. 101/11
ICP 365

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
77	122	108	77	113	125	113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	130	94	147	107	100	112	130	134	134	127	140	133	112	88	81

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	114	113	-	-	364	1.16

REMARKS: Teel vervanging, speenkalfstelsel, voerkraalstelsel

Myostatin

Q204X	0
NT821	0
F94L	0

LOGIX EBV Analysis: 2026-03-18

BULLE

LOT 10 HENTACOR BONSMARAS

HTC 230171
2023-11-04
SP

Ouerskap Vaar Moer

DNS

Genomies

HTC 170042

HTC 130026
OUD/KALW. 7/5
GEM. SI/KALW. 92/4

HTC 130012
OUD/KALW. 9/7
GEM. SI/KALW. 101/6
TKP 393

ABB 130238

HTC 170055
OUD/KALW. 9/6
GEM. SI/KALW. 94/6
TKP 402

HTC 130005
OUD/KALW. 7/4
GEM. SI/KALW. 101/4
TKP 414

AEJ 090020
HTC 090048
OUD/KALW. 7/5
GEM. SI/KALW. 92/4
NFS 060100
HTC 090054
OUD/KALW. 5/3
GEM. SI/KALW. 96/3
ABB 100076 HH(c)
ABB 080060
OUD/KALW. 14/11
GEM. SI/KALW. 104/11
PER 070112
HTC 100110
OUD/KALW. 7/5
GEM. SI/KALW. 107/4

Geboortegemak Waarde 86

Speenkalf Waarde 99

Vrugbaarheids-waarde 107

Onderhouds-waarde 92

Koeiwaarde 99

Groei-waarde 120

Karkas-waarde 103

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	109	95	125	102	104	108	109	130	123	108	90	99	89	92	107

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH	Miostation
92	-	-	130	-	379	1.29	Q204X 0
							NT821 0
							F94L 0

OPMERKINGS: Teel vervanging, voerkraalstelsel

LOGIX EBV Analise: 2026-03-18

LOT 11 THUSO GRAAN EDMS BPK

WVZ 230020 HH(c)
2023-04-18
SP

Ouerskap Vaar Moer

DNS

Genomies

WVZ 190015 HH(c)

WVZ 160060

FCT 100159
OUD/KALW. 14/12
GEM. SI/KALW. 103/13
TKP 384

AEJ 090020

WVZ 150117
OUD/KALW. 10/8
GEM. SI/KALW. 101/8
TKP 361

WVZ 090055 HH(c)

GJN 110074
PHR 060206
OUD/KALW. 16/12
GEM. SI/KALW. 97/12
FCT 080109
FCT 070195
OUD/KALW. 10/5
GEM. SI/KALW. 99/5
AG 020251
AEJ 010076
OUD/KALW. 10/7
GEM. SI/KALW. 100/7
WAT 040068
WVZ 050042
OUD/KALW. 7/5
GEM. SI/KALW. 107/4

Geboortegemak Waarde 71

Speenkalf Waarde 121

Vrugbaarheids-waarde 89

Onderhouds-waarde 73

Koeiwaarde 103

Groei-waarde 129

Karkas-waarde 130

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
75	121	122	136	90	88	106	127	134	130	131	120	131	115	106	92

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH	Miostation
108	-	-	103	-	385	1.25	Q204X 1
							NT821 0
							F94L 0

OPMERKINGS: Mooi gebalanseerde lang stert bul met n sterk kop en goeie kloue. Is ideaal om speenkalfers en groeiers vir voerkraal te produseer. Bogenmiddelde karkaswaarde.

LOGIX EBV Analise: 2026-03-18

LOT 12 THUSO GRAAN EDMS BPK

WVZ 230010 HH(c)
2023-04-07
SP

Ouerskap Vaar Moer

DNS

Genomies

WVZ 190015 HH(c)

WVZ 160060

FCT 100159
OUD/KALW. 14/12
GEM. SI/KALW. 103/13
TKP 384

GJN 130201 HH(c)

WVZ 190112
OUD/KALW. 5/3
GEM. SI/KALW. 104/2
TKP 462

WVZ 150049
OUD/KALW. 10/8
GEM. SI/KALW. 104/8
TKP 388

GJN 110074
PHR 060206
OUD/KALW. 16/12
GEM. SI/KALW. 97/12
FCT 080109
FCT 070195
OUD/KALW. 10/5
GEM. SI/KALW. 99/5
CSW 080100
GJN 110025
OUD/KALW. 7/5
GEM. SI/KALW. 109/4
PHR 100023
WVZ 120139
OUD/KALW. 5/3
GEM. SI/KALW. 115/2

Geboortegemak Waarde 69

Speenkalf Waarde 123

Vrugbaarheids-waarde 82

Onderhouds-waarde 77

Koeiwaarde 103

Groei-waarde 127

Karkas-waarde 124

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
68	124	121	113	108	68	103	125	132	133	125	131	130	110	97	93

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH	Miostation
109	-	-	104	-	363	1.21	Q204X 1
							NT821 0
							F94L 0

OPMERKINGS: Speenkalf bul met goeie balans. Donker van kleur en kort skede met goeie toplyn wat gemaklik beweeg, kan groeiers teel.

LOGIX EBV Analise: 2026-03-18

BULLS

LOT 13
HENTACOR BONSMARAS



HTC 230040
2023-04-06
SP

Parentage Sire Dam

DNA

Genomic



WAT 190111

HTC 160034
AGE/CALV. 10/7
AVG. Wt/CALV. 103/6
ICP 398

WAT 170167

WAT 170239
AGE/CALV. 3/2
AVG. Wt/CALV. 99/2
ICP 388

NFS 130017

HTC 120070
AGE/CALV. 8/7
AVG. Wt/CALV. 96/6
ICP 382

WAT 150066

WAT 150301
AGE/CALV. 7/5
AVG. Wt/CALV. 98/5

BG 150074

WAT 150281
AGE/CALV. 9/6
AVG. Wt/CALV. 104/5

AG 070458

NFS 090164
AGE/CALV. 10/9
AVG. Wt/CALV. 103/8

AG 050263

HTC 010050
AGE/CALV. 14/11
AVG. Wt/CALV. 104/11

Calving Ease Value
78

Weaner Calf Value
123

Fertility Value
99

Maintenance Value
74

Cow Value
108

Growth Value
113

Carcass Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
78	129	97	115	99	94	104	126	119	121	133	114	119	116	88	73

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	116	115	-	-	338	1.24

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Speenkalfstelsel, voerkraalstelsel

LOGIX EBV Analysis: 2026-03-18

LOT 14
THUSO GRAAN EDMS BPK



JSM 220121
2022-10-09
SP

Parentage Sire Dam

DNA

Genomic



JSM 140055
AGE/CALV. 11/6
AVG. Wt/CALV. 98/6
ICP 479

JRB 000116

JRB 030026
AGE/CALV. 18/15
AVG. Wt/CALV. 109/14
ICP 381

CSW 120253

JSM 090038
AGE/CALV. 9/5
AVG. Wt/CALV. 100/4
ICP 535

JRB 950035

JRB N 0010
AGE/CALV. 15/13
AVG. Wt/CALV. 102/11

JRB 950073

JRB 980287
AGE/CALV. 14/11
AVG. Wt/CALV. 99/7

CSW 070097

BG 040096
AGE/CALV. 10/7
AVG. Wt/CALV. 108/7

CSW 020087

Calving Ease Value
85

Weaner Calf Value
99

Fertility Value
98

Maintenance Value
98

Cow Value
96

Growth Value
108

Carcass Value
101

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	103	106	97	92	102	101	102	104	110	100	105	105	98	94	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	109	-	332	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Goeie balans op bouwvorm en teelwaardes. Breedte van lyf. Seun van BBM 07-055, bogemiddeld op koei-, groei- en produksiewaarde.

LOGIX EBV Analysis: 2026-03-18

LOT 15
THUSO GRAAN EDMS BPK



ABB 220176
2022-05-03
SP

Parentage Sire Dam

DNA

Genomic



ABB 190206
AGE/CALV. 6/4
AVG. Wt/CALV. 109/3
ICP 427

AG 050263

HTC 090054
AGE/CALV. 5/3
AVG. Wt/CALV. 96/3
ICP 453

ABB 130201 HH(c)

ABB 140522
AGE/CALV. 11/9
AVG. Wt/CALV. 106/8
ICP 369

AG 030256

AG 950255
AGE/CALV. 18/13
AVG. Wt/CALV. 105/12

FKH 050129

HTC E 0024
AGE/CALV. 15/12
AVG. Wt/CALV. 100/12

ABB 100076 HH(c)

AG 070075
AGE/CALV. 8/6
AVG. Wt/CALV. 97/6

ZAK 080144

DNT 040078
AGE/CALV. 11/9
AVG. Wt/CALV. 103/8

Calving Ease Value
81

Weaner Calf Value
115

Fertility Value
104

Maintenance Value
83

Cow Value
110

Growth Value
108

Carcass Value
111

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	117	112	116	98	103	109	114	110	111	118	102	110	103	91	98

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
106	-	-	107	-	353	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Gebruik in stoet. Bogemiddelste lang lyf, kan nageslg produseer wat goeie groeiers sowel as vervangings vroulike diere. Aanwys vir enige kudde.

LOGIX EBV Analysis: 2026-03-18

BULLE

LOT 16 HENTACOR BONSMARAS

HTC 230198
2023-12-18 SP

Ouerskap Vaar Moer

DNS

Genomies

LMR 190106

HTC 160132
OUD/KALW. 9/6
GEM. SI/KALW. 104/5
TKP 439

LMR 120207
OUD/KALW. 11/7
GEM. SI/KALW. 100/7
TKP 390

BPJ 090038

HTC 140030
OUD/KALW. 6/4
GEM. SI/KALW. 104/3
TKP 415

LAR 140173 HH(c)

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

LMR 070280

LMR 090129
OUD/KALW. 5/3
GEM. SI/KALW. 102/2

BHE 030083

RCO 990248
OUD/KALW. 21/14
GEM. SI/KALW. 107/14

THE 070112

HTC 110238
OUD/KALW. 4/2
GEM. SI/KALW. 102/2

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde			
98		104		95		103		100		111		95			
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	104	100	101	112	82	106	107	111	107	95	100	107	140	98	98
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostation	
108		-		-		106		-		352		1.23		Q204X 0 NT821 0 F94L 0	

OPMERKINGS: Potensiele stoetkudde aanwending

LOGIX EBV Analise: 2026-03-18

LOT 17 THUSO GRAAN EDMS BPK

WVZ 230013 Pp(c)
2023-04-08 SP

Ouerskap Vaar Moer

DNS

Genomies

NFS 200020 Pp(c)

WVZ 190044
OUD/KALW. 6/4
GEM. SI/KALW. 105/4
TKP 457

ZVJ 110012 HH(c)
OUD/KALW. 15/12
GEM. SI/KALW. 103/11
TKP 404

WVZ 160060

WVZ 080051
OUD/KALW. 13/10
GEM. SI/KALW. 102/10
TKP 410

EHE 160585 PP(c)

JMP 040248

JPL 130018 P
OUD/KALW. 8/5
GEM. SI/KALW. 101/5

JMP 050276

SSK 060021
OUD/KALW. 6/3
GEM. SI/KALW. 102/3

GJN 110074

PHR 060206
OUD/KALW. 16/12
GEM. SI/KALW. 97/12

GJN 030098

WVZ 970045
OUD/KALW. 19/16
GEM. SI/KALW. 109/16

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde			
81		126		76		85		105		113		128			
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
68	123	117	95	83	83	92	121	114	101	116	135	131	119	116	75
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostation	
121		-		-		93		-		340		1.22		Q204X 1 NT821 0 F94L 0	

OPMERKINGS: Langlyf Poena met goeie groei. Met bogemiddelde karkaswaarde is ideaal vir die voerkraalbedryf.

LOGIX EBV Analise: 2026-03-18

LOT 18 THUSO GRAAN EDMS BPK

WVZ 230016 HH(c)
2023-04-11 SP

Ouerskap Vaar Moer

DNS

Genomies

WVZ 190015 HH(c)

WVZ 090049
OUD/KALW. 14/12
GEM. SI/KALW. 97/12
TKP 388

FCT 100159
OUD/KALW. 14/12
GEM. SI/KALW. 103/13
TKP 384

WAT 060283

WVZ 070022
OUD/KALW. 3/1
GEM. SI/KALW. 100/1
TKP -

GJN 110074

PHR 060206
OUD/KALW. 16/12
GEM. SI/KALW. 97/12

FCT 080109

FCT 070195
OUD/KALW. 10/5
GEM. SI/KALW. 99/5

WAT 020086

WAT 030010
OUD/KALW. 7/5
GEM. SI/KALW. 102/4

GJN 030098

WVZ 040082
OUD/KALW. 3/1
GEM. SI/KALW. 107/1

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde			
82		115		93		87		103		119		116			
Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	124	91	103	92	97	102	120	124	120	115	108	116	116	101	92
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostation	
100		-		-		107		-		358		1.24		Q204X 1 NT821 0 F94L 0	

OPMERKINGS: Donker bul, goeie diepte, bogemiddelde groei. Goeie balans van lyf, kort skede. Ma is WVZ 09-0049 het 12 natu-urlike kalwers geproduseer.

LOGIX EBV Analise: 2026-03-18

BULLS

LOT 19 HENTACOR BONSMARAS

HTC 230132
2023-10-15 SP

Parentage Sire Dam
DNA
Genomic

HTC 170042

HTC 130026
AGE/CALV. 7/5
AVG. Wt/CALV. 92/4

HTC 130012
AGE/CALV. 9/7
AVG. Wt/CALV. 101/6
ICP 393

HTC 120001

HTC 160035
AGE/CALV. 10/8
AVG. Wt/CALV. 106/6
ICP 369

HTC 120187
AGE/CALV. 13/11
AVG. Wt/CALV. 96/10
ICP 384

AEJ 090020
HTC 090048
AGE/CALV. 7/5
AVG. Wt/CALV. 92/4
NFS 060100
HTC 090054
AGE/CALV. 5/3
AVG. Wt/CALV. 96/3
JMP 050276
HTC 030207
AGE/CALV. 18/17
AVG. Wt/CALV. 102/16
AEJ 090020
HTC 080093
AGE/CALV. 5/4
AVG. Wt/CALV. 94/3

Calving Ease Value 92

Weaner Calf Value 104

Fertility Value 117

Maintenance Value 82

Cow Value 108

Growth Value 118

Carcass Value 113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	114	90	132	106	112	117	115	126	122	121	105	111	90	90	125

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	97	93	-	-	370	1.25

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Teel vervanging, voerkraalstelsel

LOGIX EBV Analysis: 2026-03-18

LOT 20 THUSO GRAAN EDMS BPK

WVZ 230019 Pp(c)
2023-04-18 SP

Parentage Sire Dam
DNA
Genomic

NFS 200020 Pp(c)

ZVJ 110012 HH(c)
AGE/CALV. 15/12
AVG. Wt/CALV. 103/11
ICP 404

LMR 100014

WVZ 150123
AGE/CALV. 10/8
AVG. Wt/CALV. 103/6
ICP 395

WVZ 030017
AGE/CALV. 14/10
AVG. Wt/CALV. 100/9
ICP 452

JMP 040248
JPL 130018 P
AGE/CALV. 8/5
AVG. Wt/CALV. 101/5
JMP 050276
SSK 060021
AGE/CALV. 6/3
AVG. Wt/CALV. 102/3
AG 030256
LMR 010186
AGE/CALV. 14/11
AVG. Wt/CALV. 96/11
AG 960282
WVZ 960086
AGE/CALV. 10/6
AVG. Wt/CALV. 98/6

Calving Ease Value 82

Weaner Calf Value 103

Fertility Value 96

Maintenance Value 93

Cow Value 98

Growth Value 87

Carcass Value 106

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	105	114	108	100	97	99	100	88	87	106	106	101	96	117	88

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	93	-	370	1.20

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Poena met n mooi kop het goeie diepte en kapasiteit, kan met gemak gebruik word in n speenkalf produksie stelsel.

LOGIX EBV Analysis: 2026-03-18

LOT 21 THUSO GRAAN EDMS BPK

WVZ 230004 HH(c)
2023-03-26 SP

Parentage Sire Dam
DNA
Genomic

JG 180039 HH(c)

JG 140880

JG 150400
AGE/CALV. 6/3
AVG. Wt/CALV. 108/3
ICP 488

GJN 110074

WVZ 160062
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6
ICP 379

WVZ 090055 HH(c)
AGE/CALV. 16/13
AVG. Wt/CALV. 102/12
ICP 365

JG 120034
JG 120578
AGE/CALV. 4/1
AVG. Wt/CALV. 110/1
VV 120139 HH(c)
JG 120456
AGE/CALV. 6/4
AVG. Wt/CALV. 96/4
DFP 060208 P
GJN 080107
AGE/CALV. 10/7
AVG. Wt/CALV. 94/7
WAT 040068
WVZ 050042
AGE/CALV. 7/5
AVG. Wt/CALV. 107/4

Calving Ease Value 104

Weaner Calf Value 125

Fertility Value 100

Maintenance Value 85

Cow Value 125

Growth Value 127

Carcass Value 129

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	114	125	98	104	91	115	119	131	126	115	121	128	116	109	134

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
97	-	-	104	-	325	1.20

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: Goed gebalanseerd, mooi kop en toplyn. Kan impak maak op enige kudde: groei, kalwingsgemak, melk. Aan moeder-skant WVZ 09-055.

LOGIX EBV Analysis: 2026-03-18

BULLE

LOT 22 HENTACOR BONSMARAS

HTC 230068
2023-05-04
SP

Ouerskap Vaar Moer

DNS

Genomies

LMR 190106



HTC 170189

OUD/KALW. 8/6
GEM. SI/KALW. 108/5
TKP 410

LAR 140173 HH(c)

LMR 120207

OUD/KALW. 11/7
GEM. SI/KALW. 100/7
TKP 390

HTC 130137

AEJ 120017

OUD/KALW. 6/4
GEM. SI/KALW. 109/3
TKP 449

LAR 120033 HH(c)

LAR 100159

OUD/KALW. 15/11
GEM. SI/KALW. 105/11

LMR 070280

LMR 090129

OUD/KALW. 5/3
GEM. SI/KALW. 102/2

JMP 050276

HTC 030207

OUD/KALW. 18/17
GEM. SI/KALW. 102/16

WAT 080263

AEJ 090105

OUD/KALW. 6/4
GEM. SI/KALW. 102/4Geboortegemak
Waarde
74Speenkalv
Waarde
121Vrugbaarheids-
waarde
96Onderhouds-
waarde
77Koeiwaarde
107Groei-
waarde
123Karkas-
waarde
121

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
78	125	108	102	104	87	111	130	123	111	127	106	122	135	92	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
112	107	98	-	-	337	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Teel vervanging, speenkalfstelsel, voerkraalstelsel

LOGIX EBV Analise: 2026-03-18

LOT 23 THUSO GRAAN EDMS BPK

WVZ 230052 Pp(c)
2023-09-20
SP

Ouerskap Vaar Moer

DNS

Genomies



VV 140437 P

OUD/KALW. 10/8
GEM. SI/KALW. 96/8
TKP 365

GJN 130201 HH(c)

WVZ 140111

OUD/KALW. 10/8
GEM. SI/KALW. 113/8
TKP 399

VV 110401

VV 090427

OUD/KALW. 7/3
GEM. SI/KALW. 102/3
TKP 426

CSW 080100

GJN 110025

OUD/KALW. 7/5
GEM. SI/KALW. 109/4

GJN 110074

WVZ 110053

OUD/KALW. 5/4
GEM. SI/KALW. 111/3

AG 080204

VV 040047

OUD/KALW. 13/11
GEM. SI/KALW. 102/10

VV 060403 P

VV 050324

OUD/KALW. 11/10
GEM. SI/KALW. 100/10Geboortegemak
Waarde
109Speenkalv
Waarde
105Vrugbaarheids-
waarde
114Onderhouds-
waarde
109Koeiwaarde
114Groei-
waarde
94Karkas-
waarde
92

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	101	97	84	124	100	106	99	95	106	89	104	98	99	100	108

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	97	-	332	1.16

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Die Poena bul met goeie diepte kan op verse gebruik word. Die verse se nageslag kan terug gehou word, want koei-, speenkalf- en vrugbaarheidswaarde is bogemiddeld.

LOGIX EBV Analise: 2026-03-18

LOT 24 THUSO GRAAN EDMS BPK

WVZ 230104 HH(c)
2023-11-15
SP

Ouerskap Vaar Moer

DNS

Genomies



WVZ 200094

OUD/KALW. 4/2
GEM. SI/KALW. 99/2
TKP 392

LAR 160053

LAR 160034

OUD/KALW. 9/4
GEM. SI/KALW. 108/4
TKP 391

GJN 170105 HH(c)

WVZ 150111 HH(c)

OUD/KALW. 10/7
GEM. SI/KALW. 101/7
TKP 393

SYF 130117 HH(c)

LAR 130247

OUD/KALW. 5/1
GEM. SI/KALW. 101/1

LAR 060224

LAR 090307

OUD/KALW. 10/5
GEM. SI/KALW. 101/5

GJN 130273 HH(c)

GJN 090198

OUD/KALW. 13/11
GEM. SI/KALW. 103/10

GJN 110074

WVZ 100060

OUD/KALW. 11/8
GEM. SI/KALW. 106/8Geboortegemak
Waarde
92Speenkalv
Waarde
95Vrugbaarheids-
waarde
89Onderhouds-
waarde
96Koeiwaarde
87Groei-
waarde
102Karkas-
waarde
95

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	106	86	110	92	87	109	105	101	118	103	98	96	100	76	100

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	96	-	341	1.18

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Mooi donker bul met goeie diepte, balans. Kan op alle koei gebruik word. Goeie skede en donker kloue maak hom n veilige keuse.

LOGIX EBV Analise: 2026-03-18

BULLS

LOT 25 *HENTACOR BONSMARAS*



HTC 230017
2023-03-25
SP

Parentage Sire Dam

DNA

Genomic



LMR 190106

HTC 160172
AGE/CALV. 9/7
AVG. W/ICALV. 103/7
ICP 366

LAR 140173 HH(c)

LMR 120207
AGE/CALV. 11/7
AVG. W/ICALV. 100/7
ICP 390

HDE 120190

HTC 100146
AGE/CALV. 13/10
AVG. W/ICALV. 103/9
ICP 394

LAR 120033 HH(c)

LAR 100159
AGE/CALV. 15/11
AVG. W/ICALV. 105/11

LMR 070280

LMR 090129
AGE/CALV. 5/3
AVG. W/ICALV. 102/2

JPL 090094

HDE 080015
AGE/CALV. 9/7
AVG. W/ICALV. 107/6

THE 070112

HTC 080022
AGE/CALV. 10/8
AVG. W/ICALV. 90/7

Calving Ease Value
96

Weaner Calf Value
97

Fertility Value
92

Maintenance Value
102

Cow Value
94

Growth Value
99

Carcass Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	98	105	100	97	87	111	103	99	101	96	89	97	118	95	98

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	97	91	-	-	330	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Teel vervanging.

LOGIX EBV Analysis: 2026-03-18

LOT 26 *THUSO GRAAN EDMS BPK*



WVZ 230058 HH(c)
2023-09-26
SP

Parentage Sire Dam

DNA

Genomic



JHK 170050
AGE/CALV. 8/5
AVG. W/ICALV. 100/3
ICP 341

WVZ 190015 HH(c)

FCT 100159
AGE/CALV. 14/12
AVG. W/ICALV. 103/13
ICP 384

JHK 100115

NFS 060126
AGE/CALV. 15/13
AVG. W/ICALV. 101/12
ICP 367

GJN 110074

PHR 060206
AGE/CALV. 16/12
AVG. W/ICALV. 97/12

FCT 080109

FCT 070195
AGE/CALV. 10/5
AVG. W/ICALV. 99/5

HTC 010009

MNE 010017
AGE/CALV. 12/9
AVG. W/ICALV. 105/9

KAN 010078

NFS 990367
AGE/CALV. 12/9
AVG. W/ICALV. 103/9

Calving Ease Value
82

Weaner Calf Value
119

Fertility Value
103

Maintenance Value
99

Cow Value
116

Growth Value
108

Carcass Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	114	120	127	113	91	110	115	111	109	98	108	109	115	91	88

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	99	-	368	1.15

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Bul met goeie diepte en kort skede kan goed inpas by n speenkalf stelsel. Speenkalf- koei en karkaswaarde is bo-gemiddeld.

LOGIX EBV Analysis: 2026-03-18

LOT 27 *THUSO GRAAN EDMS BPK*



WVZ 230056 HH(c)
2023-09-21
SP

Parentage Sire Dam

DNA

Genomic



WVZ 210050
AGE/CALV. 3/1
AVG. W/ICALV. 108/1
ICP -

JG 180039 HH(c)

JG 140880

JG 150400
AGE/CALV. 6/3
AVG. W/ICALV. 108/3
ICP 488

WBB 170020 HH(c)

WVZ 150042
AGE/CALV. 10/8
AVG. W/ICALV. 105/9
ICP 398

JG 120034

JG 120578
AGE/CALV. 4/1
AVG. W/ICALV. 110/1

VV 120139 HH(c)

JG 120456
AGE/CALV. 6/4
AVG. W/ICALV. 96/4

AG 130392

WBB 130016
AGE/CALV. 6/3
AVG. W/ICALV. 105/3

WVZ 100017

AEJ 080233
AGE/CALV. 13/11
AVG. W/ICALV. 102/10

Calving Ease Value
86

Weaner Calf Value
136

Fertility Value
97

Maintenance Value
84

Cow Value
128

Growth Value
108

Carcass Value
126

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	125	132	101	107	91	101	123	110	107	115	117	126	110	100	115

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	-	-	98	-	339	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Die "all rounder" met sterk kop, goeie diepte en kort skede kan gebruik word om speenkalwers te produseer.

LOGIX EBV Analysis: 2026-03-18

BULLE

LOT 28

HTC 230038
 2023-04-07
 SP

Ouerskap **Vaar** **Moer**
DNS
Genomies

HENTACOR BONSMARAS

LMR 190106
HTC 170060
 OUD/KALW. 9/6
 GEM. SI/KALW. 106/6
 TKP 401

LAR 140173 HH(c)
LMR 120207
 OUD/KALW. 11/7
 GEM. SI/KALW. 100/7
 TKP 390
ABB 130238
HTC 120043
 OUD/KALW. 9/6
 GEM. SI/KALW. 97/4
 TKP 369

LAR 120033 HH(c)
LAR 100159
 OUD/KALW. 15/11
 GEM. SI/KALW. 105/11
LMR 070280
LMR 090129
 OUD/KALW. 5/3
 GEM. SI/KALW. 102/2
ABB 100076 HH(c)
ABB 080060
 OUD/KALW. 14/11
 GEM. SI/KALW. 104/11
JMP 050276
PMB 990275
 OUD/KALW. 14/11
 GEM. SI/KALW. 100/10

Geboortegemak Waarde 105	Speenkalf Waarde 110	Vrugbaarheids- waarde 89	Onderhouds- waarde 107	Koeiwaarde 104	Groei- waarde 118	Karkas- waarde 99
---	-------------------------------------	---	---------------------------------------	---------------------------	----------------------------------	----------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	103	105	103	98	83	106	108	122	122	91	101	109	114	86	136

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	93	114	-	-	311	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Open 24 mnnde verse, speenkalfstelsel, voerkraal-stelsel

LOGIX EBV Analise: 2026-03-18

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				39	236	6.37	1.22	348	0.97 1.92	-0.29 -0.17	14.7 20.9	3.6 5.7	24 40	22 36	78 131	-36 -58	12.6 18.0	-3.0 4	13.0 24	103	102	109	103	6.0	108
1	WVZ 230002	M	SP	37	227	5.44	1.20	353	0.88	-1.05	15.5	7.7	27.1	24.9	47	-35	14.8	5	15	99	90	104	98	8	110
2	HTC 230041	M	SP	36	209	-	1.25	337	1.73	-0.16	20.3	3.7	36.7	30.5	170	-62	13.9	5	28	97	-	102	102	3	101
3	WVZ 230074	M	SP	27	264	4.05	1.17	344	-1.31	-1.59	12.3	6.2	20.4	16.2	30	-10	19.3	-18	1	108	97	111	109	5	113
4	WVZ 230007	M	SP	38	241	5.35	1.23	376	0.88	0.00	12.9	7.8	26.9	41.2	73	-45	15.9	4	20	105	90	106	110	9	110
5	HTC 230110	M	SP	39	209	-	1.27	344	1.68	-1.19	20.8	3.5	37.9	38.6	110	-61	19.4	-1	21	94	-	112	96	11	111
6	HTC 230056	M	SP	31	209	-	1.27	329	-1.02	-0.52	11.3	2.8	22.9	8.5	103	-48	9.7	-7	15	109	-	95	103	5	113
7	WVZ 230022	M	SP	37	217	6.12	1.21	356	1.98	0.06	21.0	5.1	45.5	34.9	234	-86	23.3	6	30	93	108	118	97	6	108
8	WVZ 230097	M	SP	38	256	5.25	1.13	324	2.15	0.11	19.5	7.7	45.1	46.5	146	-59	9.9	9	24	99	100	95	101	9	111
9	HTC 230021	M	SP	39	238	-	1.16	364	3.78	0.10	30.9	1.9	57.6	62.3	204	-92	40.3	28	43	112	-	147	108	3	103
10	HTC 230171	M	SP	42	209	-	1.29	379	2.37	-0.08	19.4	2.0	36.4	33.3	189	-73	27.5	-11	13	92	130	125	94	6	108
11	WVZ 230020	M	SP	46	255	6.25	1.25	385	3.59	0.92	26.0	10.3	54.0	67.4	205	-85	33.6	13	41	108	103	136	101	8	114
12	WVZ 230010	M	SP	43	253	7.4	1.21	363	4.29	1.38	27.7	10.0	51.2	59.3	198	-90	20.2	21	40	109	104	113	104	3	113
13	HTC 230040	M	SP	45	227	-	1.24	338	3.24	-0.09	30.3	2.7	54.1	70.1	150	-71	21.6	8	30	112	-	115	103	7	109
14	JSM 220121	M	SP	41	238	-	1.23	332	2.28	0.10	16.5	5.4	28.5	22.0	93	-53	10.9	1	18	98	109	97	98	6	86
15	ABB 220176	M	SP	44	238	9.48	1.25	353	2.73	0.13	24.0	7.3	41.3	48.3	117	-55	21.8	-1	22	106	107	116	109	4	97
16	HTC 230198	M	SP	41	237	-	1.23	352	1.20	-0.28	16.7	3.7	34.1	14.5	120	-48	13.5	-3	20	108	106	101	104	6	103
17	WVZ 230013	M	SP	43	276	6.94	1.22	340	4.27	-0.62	27.0	8.9	48.5	45.0	130	-38	9.7	25	41	121	93	95	105	4	107
18	WVZ 230016	M	SP	41	233	5.94	1.24	358	2.93	-0.36	27.6	1.0	47.0	43.8	167	-70	14.4	3	27	100	107	103	97	12	108
19	HTC 230132	M	SP	39	223	-	1.25	370	1.64	-0.08	22.3	0.6	42.4	53.0	176	-72	31.2	1	23	102	-	132	106	8	114
20	WVZ 230019	M	SP	45	246	5.85	1.20	370	2.76	-0.10	17.6	8.0	26.6	30.4	34	-16	17	2	14	104	93	108	103	8	109
21	WVZ 230004	M	SP	35	222	5.62	1.20	325	0.02	0.51	22.4	11.2	47.3	44.0	195	-78	11.2	13	38	97	104	98	103	6	104
22	HTC 230068	M	SP	45	227	-	1.22	337	3.27	0.54	28.5	6.0	56.4	61.2	164	-54	14.1	2	32	112	-	102	108	6	108
23	WVZ 230052	M	SP	33	260	6.15	1.16	332	0.52	-0.96	15.3	2.7	28.1	6.4	60	-46	3.1	0	12	103	97	84	96	8	118
24	WVZ 230104	M	SP	36	255	7.26	1.18	341	1.75	-2.04	17.8	-0.6	34.1	26.4	81	-66	18.5	-4	10	98	96	110	99	2	110
25	HTC 230017	M	SP	38	189	-	1.22	330	0.92	0.37	13.7	5.2	29.4	16.3	74	-38	12.4	-12	11	93	-	100	103	7	116

Dier Info				Werklike Syfers					Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig	205d Gewig	KKG	Lengte Hoogte	Skr. Omtr.	Geb Dir	Geb Mat	Spn Dir	Spn Mat	Na-Spn	Volw. Gewig	GDT	VOV	Skr. Omtr.	Hoogte	Lengte	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
				(kg)	(kg)	Verh.	Verh.	(mm)	(kg)	(kg)	(kg)	(kg)	(kg)	(kg)	(kg)	(g/d)	(kg:kg)	(mm)	(mm)	(mm)					
Ras Gemiddeld Aanbod Gemiddeld				39	236	6.37	1.22	348	0.97 1.92	-0.29 -0.17	14.7 20.9	3.6 5.7	24 40	22 36	78 131	-36 -58	12.6 18.0	-3.0 4	13.0 24	103	102	109	103	6.0	108
26	WVZ 230058	M	SP	46	270	7.74	1.15	368	2.32	0.63	22.2	9.7	41.3	19.1	120	-51	28.6	3	21	102	99	127	100	5	105
27	WVZ 230056	M	SP	37	275	7.02	1.22	339	2.02	0.33	28.0	13.3	51.4	44.4	116	-48	13.4	10	36	108	98	101	108	1	101
28	HTC 230038	M	SP	36	196	-	1.23	311	0.76	-0.68	16.3	5.3	36.3	9.0	161	-73	14.7	-2	22	98	-	103	106	6	108

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik