

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MAXIMUS BEEFMASTERS

ALEXANDRIA

24 March 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 13 March 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

LOT 1 (M)

Breed Logo

SB 200201 PP(c)

SB 110001

SB 140007

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 060004 Pch
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

Herd Book **SP**

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

Parentage **Sire** **Dam**

DNA X ✓

Genomic X ✓

SB 110001

SB 140007

SB 110012 P

SB 110001

SB 140010

SB 060004 Pch

LOT 1 (M)

Breed Logo

SB 200201 PP(c)

SB 110001

SB 140007

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 060004 Pch
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

Herd Book **SP**

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

Parentage **Sire** **Dam**

DNA X ✓

Genomic X ✓

SB 110001

SB 140007

SB 110012 P

SB 110001

SB 140010

SB 060004 Pch

LOT 1 (M)

Breed Logo

SB 200201 PP(c)

SB 110001

SB 140007

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 060004 Pch
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

Herd Book **SP**

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

Parentage **Sire** **Dam**

DNA X ✓

Genomic X ✓

SB 110001

SB 140007

SB 110012 P

SB 110001

SB 140010

SB 060004 Pch

LOT 1 (M)

Breed Logo

SB 200201 PP(c)

SB 110001

SB 140007

SB 110012 P
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

SB 140010
Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SB 060004 Pch
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

Herd Book **SP**

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

Parentage **Sire** **Dam**

DNA X ✓

Genomic X ✓

SB 110001

SB 140007

SB 110012 P

SB 110001

SB 140010

SB 060004 Pch

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



MX 222052 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185

USED IN HERD (35)



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2022-07-20
Age	3y 8m
Inbreeding	2%
DNA	ASC039411

BOS 033210
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓



HS 080120

Age 14y | AFC 23m | ICP 376d
Calves 12 | Weaned 12 | Wean Mat. 99
Avg. WI 106 | CCB 7.78 | CCW 59.2

Calvings: 10-09, 11-09, 12-10, 13-11,
14-11, 15-10, 16-10, 17-10, 18-11,
19-11, 20-11, 21-12

1175
Wean Mat. 86

BOS 000537
Age 13y | AFC 37m | ICP 362d
Calves 10 | Weaned 8 | Wean Mat. 79
Avg. WI 96 | CCB - | CCW 47.3

WO 050427
Wean Mat. 94

BVB 011010
Age 11y | AFC - | ICP 367d
Calves 9 | Weaned 6 | Wean Mat. 97
Avg. WI 94 | CCB 6.44 | CCW 47.5

L513

BOS 977232

BOS 977603
Age 8y | Avg. WI -
Calves 3 | Weaned -

WO 020049

WO 940101
Age 13y | Avg. WI 99
Calves 10 | Weaned 4

SOC96362M

COW VALUE 120

111	Calving Ease Value
120	Calf Growth Value
117	Milk Value
70	Maintenance Value
108	Fertility Value

GROWTH VALUE 121

CARCASS VALUE 128

PRODUCTION VALUE 118

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	91	120	117	105	101	98	119
91%	89%	91%	90%	89%	89%	88%	90%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	133	128	135	118	133	128	86	138
89%	88%	86%	88%	89%	89%	87%	87%	87%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	288kg 100 (4)	314kg 110 (13)	-	-	-	- (B1)	-

SELLER REMARKS: RETAINING A SEMEN SHARE - Used as a herd sire. Was the dominant bull with the most calves.

LOT 2 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



MX 233007 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-02-05
Age	3y 2m
Inbreeding	0%
DNA	USC067402

17/557 HH
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓



OKT 070022

Age 17y | AFC 23m | ICP 389d
Calves 13 | Weaned 13 | Wean Mat. 87
Avg. WI 100 | CCB 6.89 | CCW 54.2

Calvings: 09-10, 10-10, 11-10,
12-10, 13-10, 14-11, 16-04, 17-04,
18-06, 19-05, 20-04, 21-04, 23-08

C798779
Wean Mat. 102

C915230
Age 22y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 96
Avg. WI - | CCB - | CCW -

RAU 010146
Wean Mat. 85

OKT 990021
Age 16y | AFC 25m | ICP 388d
Calves 14 | Weaned 12 | Wean Mat. 116
Avg. WI 103 | CCB 6.85 | CCW 51.1

C587901

S19005
Age 36y | Avg. WI -
Calves - | Weaned -

3018K10

C782032
Age 36y | Avg. WI -
Calves - | Weaned -

RAU 930318

GH 910051
Age 12y | Avg. WI 120
Calves 9 | Weaned 9

OKT 960007

OKT 900036
Age 16y | Avg. WI 101
Calves 14 | Weaned 12

COW VALUE 96

108	Calving Ease Value
106	Calf Growth Value
82	Milk Value
98	Maintenance Value
106	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 101

PRODUCTION VALUE 92

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	115	106	82	101	100	108	108
84%	83%	84%	83%	81%	83%	81%	84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	103	95	101	99	104	97	97	99
82%	81%	80%	82%	81%	81%	80%	80%	80%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	257kg 100 (11)	352kg 91 (16)	425kg 93 (12)	-	-	- (B2)	-

SELLER REMARKS: Full brother to MX 3014

LOT 3 (M)



MX 233014 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-02-09
Oud.	3j 1m
Inteling	0%
DNS	USC067405

17/557 HH
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

OKT 070022
Oud. 17j | OEK 23m | TKP 389d
Kalwers 13 | Gespeen 13 | Spn. Mat. 87
Gem. SI 100 | KKG 6.89 | KKS 54.2
Kalwings: 09-10, 10-10, 11-10,
12-10, 13-10, 14-11, 16-04, 17-04,
18-06, 19-05, 20-04, 21-04, 23-08

C798779
Spn Mat. 102

C915230
Oud. 22j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -

RAU 010146
Spn Mat. 85

OKT 990021
Oud. 16j | OEK 25m | TKP 388d
Kalwers 14 | Gespeen 12 | Spn. Mat. 116
Gem. SI 103 | KKG 6.85 | KKS 51.1

C587901

S19005
Oud. 36j | Gem. SI -
Kalwers - | Gespeen -

3018K10

C782032
Oud. 36j | Gem. SI -
Kalwers - | Gespeen -

RAU 930318

GH 910051
Oud. 12j | Gem. SI 120
Kalwers 9 | Gespeen 9

OKT 960007

OKT 900036
Oud. 16j | Gem. SI 101
Kalwers 14 | Gespeen 12

KOEIWAARDE 103

117	Kalfgemak Waarde
101	Kalfgroei Waarde
80	Melk Waarde
115	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 91

KARKAS WAARDE 91

PRODUKSIE WAARDE 96

LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	116	101	80	105	102	108	108
84%	82%	84%	82%	81%	82%	80%	83%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	94	85	88	102	97	90	101	97
82%	81%	80%	81%	81%	81%	80%	80%	80%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	263kg 100 (11)	369kg 96 (16)	430kg 94 (12)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Extreme fertility and longevity in his dam line for 3 generations!!!

LOT 4 (M)



MX 233024 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2023-02-11
Oud.	3j 1m
Inteling	0%
DNS	USC067406

3112 HH
Spn Mat. 85

Ouerskap	Vaar	Moer
DNS		
Genomies	✓	

MX 211004
Oud. 4j | OEK 23m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 82
Gem. SI 104 | KKG 5.63 | KKS 72.9
Kalwings: 23-02

0102
Spn Mat. 95

1124
Oud. 18j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -

MULTIPLE SIRES
Spn Mat. -

MX 120117
Oud. 13j | OEK - | TKP 371d
Kalwers 5 | Gespeen 5 | Spn. Mat. 69
Gem. SI 97 | KKG - | KKS 43.7

6190

8115
Oud. 22j | Gem. SI -
Kalwers - | Gespeen -

807

908
Oud. 22j | Gem. SI -
Kalwers - | Gespeen -

MULTIPLE SIRES

KOEIWAARDE 111

101	Kalfgemak Waarde
129	Kalfgroei Waarde
73	Melk Waarde
83	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE 120

KARKAS WAARDE 125

PRODUKSIE WAARDE 110

LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	102	129	73	110	125	118	101
84%	81%	83%	80%	79%	80%	79%	81%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
130	126	123	120	122	118	119	116	118
80%	79%	79%	79%	79%	79%	79%	79%	79%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
26kg	361kg 104 (2)	378kg 107 (16)	469kg 110 (12)	-	-	- (B2)	-

VERKOPER OPMERKINGS:

LOT 5 (M)



MX 233050 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2023-04-17
Age	2y 11m
Inbreeding	13%
DNA	USC067408

CM 200018 HH
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

MX 211002
Age 4y | AFC 26m | ICP 524d
Calves 2 | Weaned 1 | Wean Mat. 96
Avg. WI 100 | CCB - | CCW 61
Calvings: 23-04, 24-09

X 120105 HH
Wean Mat. 91

CM 100110 HH
Age 15y | AFC 28m | ICP 385d
Calves 12 | Weaned 10 | Wean Mat. 100
Avg. WI 100 | CCB - | CCW 46.5

X 120105 HH
Wean Mat. 91

MX 120195
Age 12y | AFC - | ICP 411d
Calves 5 | Weaned 4 | Wean Mat. 106
Avg. WI 100 | CCB - | CCW 51.8

MULTIPLE SIRES

X 020006
Age 13y | Avg. WI 103
Calves 6 | Weaned 4

GH 050221

CM 080037
Age 5y | Avg. WI 100
Calves 3 | Weaned 2

MULTIPLE SIRES

X 020006
Age 13y | Avg. WI 103
Calves 6 | Weaned 4

COW VALUE 132

99	Calving Ease Value
112	Calf Growth Value
106	Milk Value
120	Maintenance Value
114	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 107

PRODUCTION VALUE 124

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	100	112	106	109	114	124	97
83%	80%	82%	80%	77%	79%	77%	80%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	106	103	82	96	102	104	108	107
80%	77%	77%	78%	77%	77%	77%	77%	77%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	256kg 100 (1)	434kg 120 (16)	447kg 107 (3)	-	-	- (B2)	-

SELLER REMARKS:

LOT 6 (M)



MX 233052 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	C
Birth date	2023-04-19
Age	2y 11m
Inbreeding	0%
DNA	U18771U030

BOS 133107
Wean Mat. 129

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

MX 211006
Age 4y | AFC 25m | ICP -
Calves 1 | Weaned 1 | Wean Mat. 105
Avg. WI 100 | CCB - | CCW 56.8
Calvings: 23-04

WO 100126
Wean Mat. 108

BOS 099507
Age 8y | AFC 37m | ICP 396d
Calves 5 | Weaned 4 | Wean Mat. 113
Avg. WI 104 | CCB - | CCW 47.5

X 120105 HH
Wean Mat. 91

MX 120133
Age 12y | AFC - | ICP 438d
Calves 5 | Weaned 3 | Wean Mat. 101
Avg. WI 99 | CCB - | CCW 52.6

WO 080479 HH

WO 030297
Age 17y | Avg. WI 96
Calves 15 | Weaned 13

BOS 033421

BOS 066082
Age 14y | Avg. WI 99
Calves 13 | Weaned 14

MULTIPLE SIRES

X 020006
Age 13y | Avg. WI 103
Calves 6 | Weaned 4

COW VALUE 134

72	Calving Ease Value
122	Calf Growth Value
131	Milk Value
86	Maintenance Value
115	Fertility Value

GROWTH VALUE 125

CARCASS VALUE 123

PRODUCTION VALUE 132

LOGIX
Genomic Breeding Value
Analysis 2026-02-17


Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
79	83	122	131	124	117	118	102
84%	82%	82%	81%	79%	81%	79%	82%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
124	125	112	112	120	123	122	112	116
80%	79%	78%	80%	79%	79%	78%	78%	78%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	268kg 100 (1)	-	476kg 100 (1)	-	-	- (B2)	-

SELLER REMARKS:

LOT 7 (M) **BEEFMASTER** **MX 233056 Pch**



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-06-28
Oud.	2j 9m
Inteling	0%
DNS	U16772U003



BOS 099110

Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OKT 070022	Oud. 17j OEK 23m TKP 389d
Kalwers 13 Gespeen 13 Spn. Mat. 87	Gem. SI 100 KKG 6.89 KKS 54.2
Kalwings: 09-10, 10-10, 11-10, 12-10, 13-10, 14-11, 16-04, 17-04, 18-06, 19-05, 20-04, 21-04, 23-08	

BOS 055045	Spn Mat. 96
BOS 999129	Oud. 11j Gem. SI 94 Kalwers 8 Gespeen 6
BOS 999345	
BOS 999531	Oud. 11j Gem. SI 100 Kalwers 5 Gespeen 3
RAU 930318	
GH 910051	Oud. 12j Gem. SI 120 Kalwers 9 Gespeen 9
OKT 960007	
OKT 990021	Oud. 16j OEK 25m TKP 388d
Kalwers 14 Gespeen 12 Spn. Mat. 116	Gem. SI 103 KKG 6.85 KKS 51.1

KOEIWAARDE 111
87 Kalfgemak Waarde
111 Kalfgroei Waarde
83 Melk Waarde
112 Onderhoudswaarde
116 Vrugaarheidswaarde
GROEI WAARDE 92
KARKAS WAARDE 97
PRODUKSIE WAARDE 104

LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	137	111	83	105	106	123	112
86%	86%	86%	86%	84%	85%	83%	86%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	98	90	91	95	106	100	90	95
86%	83%	82%	84%	84%	84%	82%	82%	82%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	283kg 100 (3)	340kg 96 (3)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS: Doubling up of the best fertility in the business to make it even better.

LOT 8 (M) **BEEFMASTER** **MX 233057 Pch**



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-07-07
Oud.	2j 9m
Inteling	0%
DNS	U16772U004



BOS 099110

Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OKT 070022	Oud. 17j OEK 23m TKP 389d
Kalwers 13 Gespeen 13 Spn. Mat. 87	Gem. SI 100 KKG 6.89 KKS 54.2
Kalwings: 09-10, 10-10, 11-10, 12-10, 13-10, 14-11, 16-04, 17-04, 18-06, 19-05, 20-04, 21-04, 23-08	

BOS 055045	Spn Mat. 96
BOS 999129	Oud. 11j Gem. SI 94 Kalwers 8 Gespeen 6
BOS 999345	
BOS 999531	Oud. 11j Gem. SI 100 Kalwers 5 Gespeen 3
RAU 930318	
GH 910051	Oud. 12j Gem. SI 120 Kalwers 9 Gespeen 9
OKT 960007	
OKT 990021	Oud. 16j OEK 25m TKP 388d
Kalwers 14 Gespeen 12 Spn. Mat. 116	Gem. SI 103 KKG 6.85 KKS 51.1

KOEIWAARDE 114
101 Kalfgemak Waarde
104 Kalfgroei Waarde
84 Melk Waarde
118 Onderhoudswaarde
119 Vrugaarheidswaarde
GROEI WAARDE 96
KARKAS WAARDE 102
PRODUKSIE WAARDE 107

LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	129	104	84	106	105	129	115
86%	86%	86%	86%	84%	85%	83%	86%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	104	101	85	95	105	101	101	102
85%	83%	82%	84%	84%	84%	82%	82%	82%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	267kg 100 (3)	350kg 99 (3)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS: RETAINING A SEMEN SHARE - BOS 09 9110 has of the best daughter retention rates in the breed. Beautiful cows. Meat tenderness +5

LOT 9 (M)



MX 233069 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-08-29
Age	2y 7m
Inbreeding	0%
DNA	USC067423

COW VALUE	93
135	Calving Ease Value
93	Calf Growth Value
85	Milk Value
111	Maintenance Value
96	Fertility Value
GROWTH VALUE	94
CARCASS VALUE	87
PRODUCTION VALUE	88

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	233kg 93 (10)	308kg 97 (7)	-	-	-	- (B1)	-

SELLER REMARKS:

17/557 HH
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

CM 120031 HH
Age 14y | AFC 31m | ICP 400d
Calves 11 | Weaned 10 | Wean Mat. 80
Avg. WI 97 | CCB 7.08 | CCW 48
Calvings: 14-10, 15-09, 17-10,
18-09, 19-10, 20-10, 21-09, 22-08,
23-08, 24-08, 25-09

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
129	111	93	85	102	99	91	101
86%	83%	86%	83%	81%	82%	81%	83%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	91	83	92	86	85	87	103	102
84%	80%	80%	81%	80%	80%	80%	80%	80%

C798779
Wean Mat. 102

C915230
Age 22y | AFC - | ICP -
Calves - | Weaned - | Wean Mat. 96
Avg. WI - | CCB - | CCW -

GH 060088
Wean Mat. 102

CM 060123
Age 6y | AFC 29m | ICP 371d
Calves 4 | Weaned 3 | Wean Mat. 85
Avg. WI 96 | CCB - | CCW -

C587901

S19005
Age 36y | Avg. WI -
Calves - | Weaned -

3018K10

C782032
Age 36y | Avg. WI -
Calves - | Weaned -

GH 030081

GH 030078
Age 4y | Avg. WI 102
Calves 2 | Weaned 1

GH 000190

SN 960011
Age 15y | Avg. WI 94
Calves 12 | Weaned 10

LOT 10 (M)



MX 233080 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-09-18
Age	2y 6m
Inbreeding	6%
DNA	U18771U048

COW VALUE	88
111	Calving Ease Value
100	Calf Growth Value
80	Milk Value
116	Maintenance Value
89	Fertility Value
GROWTH VALUE	84
CARCASS VALUE	85
PRODUCTION VALUE	81

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	237kg 93 (10)	312kg 97 (7)	-	-	-	- (B1)	-

SELLER REMARKS:

MX 211008
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	
Genomic		

CM 120032
Age 12y | AFC 30m | ICP 365d
Calves 11 | Weaned 8 | Wean Mat. 95
Avg. WI 97 | CCB - | CCW 53.9
Calvings: 14-09, 15-09, 16-09,
17-10, 18-09, 19-10, 20-10, 21-10,
22-11, 23-09, 24-08

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	112	100	80	94	98	85	93
84%	81%	84%	81%	78%	80%	79%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	86	83	87	79	81	87	99	98
82%	78%	78%	78%	78%	78%	78%	78%	78%

X 120105 HH
Wean Mat. 91

CM 090165 HH
Age 16y | AFC 27m | ICP 383d
Calves 14 | Weaned 13 | Wean Mat. 82
Avg. WI 96 | CCB - | CCW 43.2

GH 060088
Wean Mat. 102

CM 060104
Age 8y | AFC 28m | ICP 376d
Calves 6 | Weaned 6 | Wean Mat. 84
Avg. WI 97 | CCB - | CCW -

MULTIPLE SIRES

X 020006
Age 13y | Avg. WI 103
Calves 6 | Weaned 4

GH 060088

CM 050027
Age 11y | Avg. WI 104
Calves 8 | Weaned 6

GH 030081

GH 030078
Age 4y | Avg. WI 102
Calves 2 | Weaned 1

GH 990162

SN 980009
Age 13y | Avg. WI 92
Calves 9 | Weaned 8

LOT 11 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



MX 233098 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2023-11-04
Oud.	2j 5m
Inteling	0%
DNS	USC067425

MX 211029 Pch
Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

MX 200072
Oud. 3j | OEK 37m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 95
Gem. SI 99 | KKG - | KKS 51.1
Kalwings: 23-11

GH 140021
Spn Mat. 108

WO 100006

GH 111019
Oud. 5j | Gem. SI 118
Kalwers 2 | Gespeen 2

OT 110128

CM 080007
Oud. 9j | Gem. SI 101
Kalwers 6 | Gespeen 6

MULTIPLE SIRES
Spn Mat. -

CM 150273
Oud. 8j | OEK 35m | TKP 376d
Kalwers 6 | Gespeen 5 | Spn. Mat. 99
Gem. SI 101 | KKG 6.72 | KKS 47.9

OT 110128

CM 020029
Oud. 15j | Gem. SI 97
Kalwers 12 | Gespeen 11

KOEIWAARDE 101

87	Kalfgemak Waarde
115	Kalfgroei Waarde
95	Melk Waarde
94	Onderhoudswaarde
99	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 106

PRODUKSIE WAARDE 98

LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	98	115	95	106	103	101	95
82%	79%	82%	79%	77%	78%	77%	79%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	109	102	105	106	108	111	97	105
78%	77%	76%	77%	77%	77%	76%	76%	76%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
41kg	235kg 99 (6)	325kg 105 (7)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 12 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



MX 233105 Pch



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2023-10-27
Oud.	2j 5m
Inteling	0%
DNS	ASC039414

-M 190040
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	



-M 090020 HH
Oud. 16j | OEK 37m | TKP 365d
Kalwers 12 | Gespeen 11 | Spn. Mat. 107
Gem. SI 107 | KKG - | KKS 43.5
Kalwings: 12-10, 13-10, 14-10,
15-10, 16-10, 17-10, 18-11, 19-12,
20-11, 21-11, 22-10, 25-04

MULTIPLE SIRES
Spn Mat. -

-M 050009
Oud. 15j | OEK - | TKP 366d
Kalwers 12 | Gespeen 11 | Spn. Mat. 113
Gem. SI 106 | KKG - | KKS 49.8

MULTIPLE SIRES

MULTIPLE SIRES
Spn Mat. -

-M 060004
Oud. 10j | OEK - | TKP 366d
Kalwers 8 | Gespeen 7 | Spn. Mat. 90
Gem. SI 106 | KKG - | KKS 54

L6129

KOEIWAARDE 107

104	Kalfgemak Waarde
106	Kalfgroei Waarde
101	Melk Waarde
101	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 122

KARKAS WAARDE 118

PRODUKSIE WAARDE 107

LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	120	106	101	117	93	106	107
83%	81%	82%	82%	78%	79%	78%	81%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	125	120	97	105	112	119	105	115
81%	78%	78%	79%	78%	78%	78%	78%	78%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	250kg 100 (4)	358kg 105 (4)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS: RETANING A SEMEN SHARE - He combines the best and hardest working 2 cows in the Daybreaker herd.

LOT 13 (M)



MX 233112 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-11-09
Age	2y 4m
Inbreeding	3%
DNA	USC067952

BOS 155064 HH
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

BOS 188306 HH
Age 7y | AFC 35m | ICP 35ld
Calves 4 | Weaned 3 | Wean Mat. 104
Avg. WI 106 | CCB - | CCW 48.3
Calvings: 21-09, 22-11, 24-09, 25-09

BOS 099197
Wean Mat. 94

BOS 033214
Age 20y | AFC 32m | ICP 418d
Calves 10 | Weaned 9 | Wean Mat. 104
Avg. WI 103 | CCB - | CCW -

BOS 099241 HH
Wean Mat. 78

BOS 088340
Age 12y | AFC 22m | ICP 376d
Calves 10 | Weaned 10 | Wean Mat. 96
Avg. WI 100 | CCB - | CCW -

BOS 055045

BOS 044276
Age 14y | Avg. WI 103
Calves 10 | Weaned 6

BOS 988252

BOS 977124
Age 11y | Avg. WI 101
Calves 9 | Weaned 6

WO 030042 HH

BOS 066200
Age 15y | Avg. WI 101
Calves 13 | Weaned 11

WO 980062

BOS 044180
Age 11y | Avg. WI 99
Calves 10 | Weaned 9

COW VALUE 114	
96	Calving Ease Value
107	Calf Growth Value
105	Milk Value
97	Maintenance Value
113	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 97	
PRODUCTION VALUE 106	

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	117	107	105	82	101	117	113
87%	86%	87%	86%	84%	86%	84%	86%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	99	100	101	90	98	101	103	109
86%	84%	83%	84%	84%	84%	83%	83%	83%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	254kg 100 (4)	334kg 97 (4)	-	-	-	- (B1)	-

SELLER REMARKS: Note that every cow in this pedigree is a matriarch of some sort. Dynamite!!

LOT 14 (M)



MX 233113 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

Herd Book	C
Birth date	2023-11-14
Age	2y 4m
Inbreeding	0%
DNA	U18771U069

MX 211008
Wean Mat. 87

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

MX 211017
Age 3y | AFC 27m | ICP -
Calves 1 | Weaned 1 | Wean Mat. 96
Avg. WI 100 | CCB - | CCW 50.6
Calvings: 23-11

X 120105 HH
Wean Mat. 91

CM 090165 HH
Age 16y | AFC 27m | ICP 383d
Calves 14 | Weaned 13 | Wean Mat. 82
Avg. WI 96 | CCB - | CCW 43.2

BA 100010
Wean Mat. 114

-M 180082
Age 5y | AFC - | ICP -
Calves 1 | Weaned 1 | Wean Mat. 94
Avg. WI 102 | CCB 6.81 | CCW 57.1

MULTIPLE SIRES

X 020006
Age 13y | Avg. WI 103
Calves 6 | Weaned 4

GH 060088

CM 050027
Age 11y | Avg. WI 104
Calves 8 | Weaned 6

712 HH

YP 970419
Age 15y | Avg. WI 103
Calves 12 | Weaned 6

COW VALUE 97	
102	Calving Ease Value
97	Calf Growth Value
88	Milk Value
105	Maintenance Value
110	Fertility Value
GROWTH VALUE 86	
CARCASS VALUE 91	
PRODUCTION VALUE 90	

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	86	97	88	84	130	99	95
83%	79%	82%	79%	78%	79%	77%	79%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	91	87	94	93	91	95	112	111
80%	77%	77%	77%	77%	77%	77%	77%	77%


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	276kg 100 (1)	325kg 100 (1)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 15 (M)



MX 244001 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185

Kuddeboek	C
Geb. dtm	2024-01-25
Oud.	2j 2m
Inteling	0%
DNS	USC067954

-M 190040
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

-M 080034 PcH
Oud. 17j | OEK 35m | TKP 387d
Kalwers 14 | Gespeen 10 | Spn. Mat. 82
Gem. SI 97 | KKG - | KKS 44.6
Kalwings: 11-10, 12-09, 13-10,
14-09, 15-10, 16-09, 17-10, 18-12,
19-10, 20-10, 21-09, 22-10, 24-02,
25-10

MULTIPLE SIRES
Spn Mat. -

-M 050009
Oud. 15j | OEK - | TKP 366d
Kalwers 12 | Gespeen 11 | Spn. Mat. 113
Gem. SI 106 | KKG - | KKS 49.8

MAJ 020302
Spn Mat. 88

-M 040025
Oud. 4j | OEK - | TKP 403d
Kalwers 2 | Gespeen 2 | Spn. Mat. 90
Gem. SI 102 | KKG - | KKS 48

MULTIPLE SIRES

754134

MAJ 970713
Oud. 12j | Gem. SI 101
Kalwers 10 | Gespeen 10

MULTIPLE SIRES

KOEIWAARDE 103

103	Kalfgemak Waarde
111	Kalfgroei Waarde
86	Melk Waarde
91	Onderhoudswaarde
113	Vrugbaarheidswaarde

GROEI WAARDE 111

KARKAS WAARDE 107

PRODUKSIE WAARDE 101

LOGIX
GENETICS CENTRA
Genomiese Teelwaarde
Analise 2026-02-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	90	111	86	106	109	117	107
82%	81%	82%	81%	78%	79%	78%	81%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	113	104	109	92	104	113	92	106
81%	78%	77%	79%	78%	78%	77%	77%	77%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	246kg 100 (14)	312kg 93 (11)	-	-	-	- (B1)	-



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS: The hardiness of pure Daybreaker genetics.

LOT 16 (M)



MX 244016



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185

Kuddeboek	C
Geb. dtm	2024-02-09
Oud.	2j 1m
Inteling	0%
DNS	U18595U015

-M 190040
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

-M 080034 PcH
Oud. 17j | OEK 35m | TKP 387d
Kalwers 14 | Gespeen 10 | Spn. Mat. 82
Gem. SI 97 | KKG - | KKS 44.6
Kalwings: 11-10, 12-09, 13-10,
14-09, 15-10, 16-09, 17-10, 18-12,
19-10, 20-10, 21-09, 22-10, 24-02,
25-10

MULTIPLE SIRES
Spn Mat. -

-M 050009
Oud. 15j | OEK - | TKP 366d
Kalwers 12 | Gespeen 11 | Spn. Mat. 113
Gem. SI 106 | KKG - | KKS 49.8

MAJ 020302
Spn Mat. 88

-M 040025
Oud. 4j | OEK - | TKP 403d
Kalwers 2 | Gespeen 2 | Spn. Mat. 90
Gem. SI 102 | KKG - | KKS 48

MULTIPLE SIRES

754134

MAJ 970713
Oud. 12j | Gem. SI 101
Kalwers 10 | Gespeen 10

MULTIPLE SIRES

KOEIWAARDE 103

98	Kalfgemak Waarde
107	Kalfgroei Waarde
93	Melk Waarde
90	Onderhoudswaarde
113	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRA
EBV Analise 2026-02-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	93	107	93	104	112	114	107
54%	47%	51%	48%	10%	34%	18%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	107	-	110	97	101	-	-	-
46%	10%		30%	10%	9%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	293kg 100 (14)	360kg 109 (11)	-	-	-	- (B1)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Combining matriarchs of unpampered Daybreaker genetics.

LOT 17 (M)



MX 244024 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2024-02-11
Age	2y 1m
Inbreeding	2%
DNA	USC067955

BOS 033210
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

HS 080120
Age 14y | AFC 23m | ICP 376d
Calves 12 | Weaned 12 | Wean Mat. 99
Avg. WI 106 | CCB 7.78 | CCW 59.2

1175
Wean Mat. 86

BOS 000537
Age 13y | AFC 37m | ICP 362d
Calves 10 | Weaned 8 | Wean Mat. 79
Avg. WI 96 | CCB - | CCW 47.3

WO 050427
Wean Mat. 94

BVB 011010
Age 11y | AFC - | ICP 367d
Calves 9 | Weaned 6 | Wean Mat. 97
Avg. WI 94 | CCB 6.44 | CCW 47.5

L513

BOS 977232

BOS 977603
Age 8y | Avg. WI -
Calves 3 | Weaned -

WO 020049

WO 940101
Age 13y | Avg. WI 99
Calves 10 | Weaned 4

SOC96362M

COW VALUE	111
123	Calving Ease Value
105	Calf Growth Value
103	Milk Value
86	Maintenance Value
112	Fertility Value
GROWTH VALUE	103
CARCASS VALUE	104
PRODUCTION VALUE	106

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	116	105	103	92	105	103	119
87%	87%	87%	87%	86%	86%	85%	87%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	108	100	113	83	105	106	89	129
86%	86%	83%	86%	86%	86%	84%	84%	84%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	256kg 100 (14)	339kg 102 (11)	-	-	-	- (B1)	-

SELLER REMARKS: If you want to breed hardy adaptable cows, look no further. Full brother to MX 2052

LOT 18 (M)



MX 244025 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	C
Birth date	2024-02-13
Age	2y 1m
Inbreeding	0%
DNA	USC067956

BOS 144451 HH
Wean Mat. 86

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

-M 090020 HH
Age 16y | AFC 37m | ICP 365d
Calves 12 | Weaned 11 | Wean Mat. 107
Avg. WI 107 | CCB - | CCW 43.5

BOS 099110
Wean Mat. 86

BOS 099053
Age 13y | AFC 33m | ICP 374d
Calves 9 | Weaned 6 | Wean Mat. 103
Avg. WI 102 | CCB - | CCW -

MULTIPLE SIRES
Wean Mat. -

-M 060004
Age 10y | AFC - | ICP 366d
Calves 8 | Weaned 7 | Wean Mat. 90
Avg. WI 106 | CCB - | CCW 54

BOS 055045

BOS 022021
Age 14y | Avg. WI 102
Calves 12 | Weaned 12

BOS 055103

BOS 000337
Age 11y | Avg. WI 108
Calves 9 | Weaned 7

L6129

COW VALUE	129
95	Calving Ease Value
114	Calf Growth Value
93	Milk Value
99	Maintenance Value
135	Fertility Value
GROWTH VALUE	104
CARCASS VALUE	114
PRODUCTION VALUE	123

LOGIX
Genomic Breeding Value
Analysis 2026-02-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	127	114	93	112	116	151	119
85%	85%	86%	86%	82%	84%	82%	85%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	113	109	99	94	112	116	114	114
85%	82%	81%	83%	82%	82%	81%	81%	81%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	229kg 100 (14)	308kg 91 (11)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 20 (M)



MX 244031 HH



C.C.S. BIGGS

Alexandria, Eastern Cape
0824691781
office@cornville.co.za

P.O. BOX 386, ALEXANDRIA, 6185



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2024-02-17
Oud.	2j 1m
Inteling	0%
DNS	USC067959

BOS 155327
Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	

-M 090020 HH
Oud. 16j | OEK 37m | TKP 365d
Kalwers 12 | Gespeen 11 | Spn. Mat. 107
Gem. SI 107 | KKG - | KKS 43.5



LOGIX
Genomiese Teelwaarde
Analise 2026-02-17

KOEIWAARDE 96	
103	Kalfgemak Waarde
103	Kalfgroei Waarde
90	Melk Waarde
93	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 93
KARKAS WAARDE 100
PRODUKSIE WAARDE 90

BOS 099197
Spn Mat. 94

BOS 033011
Oud. 13j | OEK 35m | TKP 424d
Kalwers 9 | Gespeen 7 | Spn. Mat. 104
Gem. SI 107 | KKG - | KKS -

MULTIPLE SIRES
Spn Mat. -

-M 060004
Oud. 10j | OEK - | TKP 366d
Kalwers 8 | Gespeen 7 | Spn. Mat. 90
Gem. SI 106 | KKG - | KKS 54

BOS 055045

BOS 044276
Oud. 14j | Gem. SI 103
Kalwers 10 | Gespeen 6

BOS 963320

BOS 960005
Oud. 11j | Gem. SI 94
Kalwers 8 | Gespeen 3

L6129

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	136	103	90	105	92	119	108
85%	85%	86%	86%	83%	84%	82%	85%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	98	95	105	94	100	104	103	109
84%	83%	82%	83%	83%	83%	82%	82%	82%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	254kg 100 (14)	318kg 95 (11)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS: Combining the best Daybreaker and Bos Blanco cows.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.33	-0.07	12.2	-1.6	19	7	70	-39	10.6	1.0	13.0						
Auction Average				36	263	5.63	55.8	-	-	0.22	-0.44	17.0	-3.4	26	9	94	-40	12.7	-	17	99	-	104	102	9.0	107
1	MX 222052	M	SP	-	288	-	-	-	-	-0.63	0.27	23.2	3.0	39.5	46.9	188	-69	13.3	11	44	100	-	105	106	12	113
2	MX 233007	M	SP	-	257	-	-	-	-	0.01	-0.64	15.4	-6.6	21.7	8.5	79	-34	11.1	1	17	100	-	101	100	13	108
3	MX 233014	M	SP	-	263	-	-	-	-	-0.58	-0.70	12.9	-7.0	18.9	-5.7	47	-22	13.3	3	10	100	-	105	100	13	108
4	MX 233024	M	C	26	361	5.63	72.9	-	-	0.34	-0.15	28.7	-9.1	45.7	29.9	164	-63	16.5	14	30	104	-	110	104	1	95
5	MX 233050	M	C	37	256	-	61	-	-	0.38	-0.05	18.8	0.2	33.4	-13.0	93	-42	15.7	-1	15	100	-	109	100	2	109
6	MX 233052	M	C	38	268	-	56.8	-	-	2.06	0.58	24.3	6.9	40.2	20.7	158	-52	24.1	13	34	100	-	124	100	1	88
7	MX 233056	M	SP	-	283	-	-	-	-	1.31	-1.53	18.3	-6.2	22.7	-3.2	62	-28	13.7	-2	18	100	-	105	100	13	108
8	MX 233057	M	SP	-	267	-	-	-	-	0.44	-1.19	14.5	-6.1	18.6	-9.2	83	-39	14.1	-1	18	100	-	106	100	13	108
9	MX 233069	M	SP	33	233	-	49.6	-	-	-2.01	-0.50	8.5	-5.7	13.7	-2.0	38	-21	11.6	-6	-1	93	-	102	97	11	108
10	MX 233080	M	SP	37	237	-	48.5	-	-	-0.22	-0.52	12.3	-7.2	19.5	-7.1	21	-20	7.2	-10	-5	93	-	94	97	11	115
11	MX 233098	M	C	41	235	-	51.1	-	-	1.28	0.00	20.5	-2.9	38.8	12.4	103	-41	13.9	4	20	99	-	106	99	1	89
12	MX 233105	M	C	-	250	-	-	-	-	0.41	-0.85	15.5	-1.2	22.8	3.5	160	-60	20.5	4	24	100	-	117	107	12	111
13	MX 233112	M	SP	-	254	-	-	-	-	0.96	-0.73	16.0	-0.2	23.0	7.9	65	-38	.5	-4	12	100	-	82	106	4	101
14	MX 233113	M	C	39	276	-	50.6	-	-	-0.04	0.48	10.2	-4.9	16.2	1.1	39	-24	1.3	-3	4	100	-	84	100	1	119
15	MX 244001	M	C	-	246	-	-	-	-	-0.03	0.32	18.2	-5.4	27.5	17.1	117	-43	14	-3	17	100	-	106	97	14	108
16	MX 244016	M	C	-	293	-	-	-	-	0.35	0.20	16.4	-3.5	24.9	18.0	96	0	13.2	-0	14	100	-	104	97	14	108
17	MX 244024	M	SP	-	256	-	-	-	-	-1.01	-0.68	14.8	-0.7	24.3	22.3	97	-39	5.9	-8	18	100	-	92	106	12	113
18	MX 244025	M	C	-	229	-	-	-	-	0.94	-1.11	20.2	-3.4	31.2	6.2	116	-48	17.6	-2	24	100	-	112	107	12	111
20	MX 244031	M	C	-	254	-	-	-	-	0.21	-1.47	13.8	-4.2	18.2	13.2	63	-33	13.6	-2	13	100	-	105	107	12	111

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik