

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# HOT BONSMARAS

Veilingsdatum / Auction Date:  
**27 May 2026**

Data soos op / Data as on:  
**21 April 2026**



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**
**1**

**THE RED CATTLE FARM**
**2**

3

**ABC 150029**
**4**

2015-02-03
**5**

SP
**6**

Parentage Sire Dam

DNA
✓

Genomic
✓

**DEF 100066**
**P**

**DEF 050022**
**7**

**GHI 070076**
**HH(c)**
**8**

AGE/CALV. 14/10  
AVG. Wt/CALV. 92/10  
ICP 395

**JKL 000077**
**P**

**ABC 080011**

AGE/CALV. 13/9  
AVG. Wt/CALV. 105/9  
ICP 417

**MNO 030002**

AGE/CALV. 19/10  
AVG. Wt/CALV. 109/10  
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



### 6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

**5 L♀ GIX Cow Value**  
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value  
Calf Growth Value  
3 Fertility Value  
Milk Value  
4 Maintenance Value  
EBVs Birth Direct & Maternal  
EBV Wean Direct  
EBVs Cow & Heifer Fertility,  
EBV Longevity  
EBV Wean Maternal  
EBVs Mature weight & Milk

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                  |                         |                                                    | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |        |        |       |
|------------------|------------------|-------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|--------|--------|-------|
|                  |                  |                         |                                                    |                                                                                               |                           | <80                | <90 | 90-110 | >110   | >120   |       |
| Selection Values | 5                | Cow Value               | CV                                                 | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |        | Profit |       |
|                  | 1                | Calving Ease Value      | CEV                                                | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |        | Low    |       |
|                  |                  | Calf Growth Value       | CGrV                                               | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |        | Heavy  |       |
|                  |                  | Milk Value              | MlkV                                               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |        | More   |       |
|                  | 4                | Maintenance Value       | MntV                                               | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        | *      | Low    |       |
|                  | 3                | Fertility Value         | FertV                                              | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |        | High   |       |
|                  | 2                | Weaner Calf Value       | WnCV                                               | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |        | Heavy  |       |
|                  | 6                | Growth Value            | GV                                                 | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |        | Profit |       |
|                  | 7                | Carcass Value           | VarcV                                              | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |        | More   |       |
|                  | Production Value | PV                      | Combination of Cow- and Growth values (Rand-value) | Profitable animals                                                                            | Loss                      |                    |     |        | Profit |        |       |
| Cow & Heifer     | 8                | Birth Weight Direct     | BD                                                 | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |        | Light  |       |
|                  |                  | Birth Weight Maternal   | BM                                                 | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |        | Light  |       |
|                  | 9                | Weaning Weight Direct   | WD                                                 | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |        | Heavy  |       |
|                  | 10               | Weaning Weight Maternal | WM                                                 | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |        | Good   |       |
|                  | 18               | Mature Cow Weight       | MW                                                 | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *      | Heavy  |       |
|                  |                  | Cow-Calf Birth          | CCB                                                | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        | *      | High   |       |
|                  | Cow-Calf Wean    | CCW                     | EBV Wean Direct / EBV Mature Cow weight            | High calf-cow ratio                                                                           | Low                       |                    |     |        | High   |        |       |
| Fertility        | 12               | Heifer Fertility        | HF                                                 | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |        | More   |       |
|                  | 13               | Cow Fertility           | CFE                                                | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |        | More   |       |
|                  | 11               | Scrotal Circumference   | SC                                                 | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |        | More   |       |
|                  | 14               | Longevity               | LG                                                 | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |        | Good   |       |
| Growth & Frame   | 15               | Post-Wean Weight        | PWn                                                | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |        | *      | High  |
|                  | 16               | Average Daily Gain      | ADG                                                | Average daily gain                                                                            | Good growth               | Poor               |     |        |        |        | Good  |
|                  | 17               | Feed Conversion Ratio   | FCR                                                | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |        |        | Good  |
|                  |                  | Final Test Weight       | FW                                                 | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |        | *      | Heavy |
|                  | 19               | Height                  | H                                                  | Shoulder height in growth test                                                                | Average height            | Short              |     |        |        |        | Tall  |
|                  | 20               | Length                  | L                                                  | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |        |        | Long  |
|                  | 24               | Length-Height Ratio     | LH                                                 | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |        |        | >1    |
| Carcass          | 21               | Eye Muscle Area         | EMA                                                | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |        |        | Big   |
|                  | 22               | Fat Thickness           | Fat                                                | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |        |        | Thick |
|                  | 23               | Marbling                | Mar                                                | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |        |        | High  |
|                  |                  | Dressing Percentage     | D%                                                 | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |        |        | High  |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8      9      10      11      12      13      14      15      16      17      18      19      20      21      22      23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16      17      11      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

**LOT 1**  
  
**HOT 230037**  
2023-09-05  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**CEF 120053**  
AGE/CALV. 14/12  
AVG. Wt/CALV. 101/11  
ICP 374

**BADEVEN TRUST**  
**CEF 200330 HH(c)**  
**CEF 160490**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 110/8  
**CEF 100304 HH(c)**  
**CEF 060200**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 110/8  
**VV 130022**  
**VV 140059**  
AGE/CALV. 5/2  
AVG. Wt/CALV. 119/2  
**NPT 040187**  
**NPT 050053**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 109/4  
**CEF 980292**  
**COM 960051**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 99/7  
**VV 160201**  
AGE/CALV. 9/8  
AVG. Wt/CALV. 102/7  
ICP 369  
**NPT 070170**  
**CEF 020190**  
AGE/CALV. 10/9  
AVG. Wt/CALV. 100/8  
ICP 367

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 105                | 108               | 129             | 85                | 121       | 129          | 119           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 106             | 111       | 94        | 78         | 122          | 124       | 107     | 117              | 120 | 114 | 117           | 109    | 110    | 95      | 114 | 110 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 112        | -          | -          | 110       | -         | 330     | 1.20 |

**REMARKS:** RETAIN 1 CO-OWNERSHIP. SUITABLE TO USE ON HEIFERS

**LOGIX** EBV Analysis: 2026-04-17

**LOT 2**  
  
**HOT 230082 HH(c)**  
2023-11-02  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**HOT 200070**  
AGE/CALV. 5/2  
AVG. Wt/CALV. 88/2  
ICP 382

**BADEVEN TRUST**  
**HOT 200006 HH(c)**  
**HOT 130144 HH(c)**  
**BBM 070055 HH(c)**  
**HOT 070131**  
AGE/CALV. 9/5  
AVG. Wt/CALV. 100/4  
**AEJ 090015**  
**HOT 090139**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 99/8  
**HOT 110168 Pp(c)**  
**HOT 080110**  
AGE/CALV. 8/5  
AVG. Wt/CALV. 105/5  
**HOT 140015 HH(c)**  
**HOT 070020**  
AGE/CALV. 13/10  
AVG. Wt/CALV. 99/10  
**HOT 140197**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 110/4  
ICP 415  
**HOT 150136 Pp(c)**  
**HOT 180015**  
AGE/CALV. 4/1  
AVG. Wt/CALV. 95/1  
ICP -

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 111                | 117               | 108             | 102               | 121       | 92           | 101           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 109             | 107       | 108       | 111        | 101          | 108       | 105     | 102              | 94  | 91  | 96            | 79     | 86     | 91      | 105 | 98  |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 96         | -          | -          | 93        | -         | 381     | 1.13 |

**REMARKS:** SUITABLE TO USE ON HEIFERS

**LOGIX** EBV Analysis: 2026-04-17

**LOT 3**  
  
**HOT 220003**  
2022-04-01  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**HOT 150049**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 104/8  
ICP 382

**BADEVEN TRUST**  
**HOT 170022 HH(c)**  
**HOT 140015 HH(c)**  
**BBM 070055 HH(c)**  
**VBB 070035**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
**HOT 110270**  
**HOT 060202**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 103/10  
**BBM 070055 HH(c)**  
**JMP 070006**  
AGE/CALV. 13/10  
AVG. Wt/CALV. 102/10  
**HOT 070196**  
**HOT 030201**  
AGE/CALV. 13/10  
AVG. Wt/CALV. 98/9  
**HOT 140163**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 101/6  
ICP 459  
**HOT 130025**  
**HOT 120124**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 102/7  
ICP 434

|                    |                   |                 |                   |           |              |               |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
| 100                | 113               | 109             | 110               | 116       | 78           | 102           |

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 96              | 107       | 104       | 115        | 97           | 108       | 111     | 99               | 92  | 99  | 88            | 85     | 94     | 98      | 117 | 121 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 108        | -          | -          | 90        | -         | 367     | 1.25 |

**REMARKS:** USED IN HERD

**LOGIX** EBV Analysis: 2026-04-17

**BULLE**

**LOT 4** **BADEVEEN TRUST**

**HOT 230080**  
2023-10-28  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

**HOT 160088**  
OUD/KALW. 8/6  
GEM. SI/KALW. 98/5  
TKP 430

**HOT 170081 HH(c)**

**HOT 140042**  
OUD/KALW. 11/9  
GEM. SI/KALW. 101/8  
TKP 447

**HOT 120024**

**HOT 110019**  
OUD/KALW. 9/6  
GEM. SI/KALW. 98/6  
TKP 432

**HOT 140015 HH(c)**

**HOT 090047**

**HOT 070177**  
OUD/KALW. 12/8  
GEM. SI/KALW. 104/7

**HOT 080215**

**HOT 050222**  
OUD/KALW. 13/9  
GEM. SI/KALW. 100/9

**JMP 080019**

**HOT 990251**  
OUD/KALW. 16/13  
GEM. SI/KALW. 102/13

|                                 |                             |                                  |                               |                   |                          |                           |
|---------------------------------|-----------------------------|----------------------------------|-------------------------------|-------------------|--------------------------|---------------------------|
| <b>Geboortegemak<br/>Waarde</b> | <b>Speenkalf<br/>Waarde</b> | <b>Vrugbaarheids-<br/>waarde</b> | <b>Onderhouds-<br/>waarde</b> | <b>Koeiwaarde</b> | <b>Groei-<br/>waarde</b> | <b>Karkas-<br/>waarde</b> |
| <b>92</b>                       | <b>98</b>                   | <b>94</b>                        | <b>94</b>                     | <b>93</b>         | <b>116</b>               | <b>117</b>                |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 92             | 104       | 97        | 104          | 100         | 89          | 106    | 110            | 106 | 115 | 105         | 108    | 113    | 108    | 104 | 116 |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 95          | -           | -           | 121        | -          | 360     | 1.20 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** RETAIN 2 CO-OWNERSHIP

**LOGIX** EBV Analise: 2026-04-17

**LOT 5** **BADEVEEN TRUST**

**HOT 230049**  
2023-09-16  
SP

Ouerskap Vaar Moer

DNS

Genomies

**HOT 200165**  
OUD/KALW. 6/4  
GEM. SI/KALW. 104/3  
TKP 431

**V 120268**

**HP 120082**  
OUD/KALW. 9/6  
GEM. SI/KALW. 96/6  
TKP 439

**HOT 140015 HH(c)**

**HOT 080189**  
OUD/KALW. 14/12  
GEM. SI/KALW. 107/10  
TKP 384

**V 090260**

**V 050051**  
OUD/KALW. 11/9  
GEM. SI/KALW. 103/10

**LAR 060224**

**HP 050040**  
OUD/KALW. 12/9  
GEM. SI/KALW. 95/9

**BBM 070055 HH(c)**

**VBB 070035**  
OUD/KALW. 10/8  
GEM. SI/KALW. 98/8

**FBK 040141**

**HOT 050230**  
OUD/KALW. 4/1  
GEM. SI/KALW. 100/1

|                                 |                             |                                  |                               |                   |                          |                           |
|---------------------------------|-----------------------------|----------------------------------|-------------------------------|-------------------|--------------------------|---------------------------|
| <b>Geboortegemak<br/>Waarde</b> | <b>Speenkalf<br/>Waarde</b> | <b>Vrugbaarheids-<br/>waarde</b> | <b>Onderhouds-<br/>waarde</b> | <b>Koeiwaarde</b> | <b>Groei-<br/>waarde</b> | <b>Karkas-<br/>waarde</b> |
| <b>109</b>                      | <b>95</b>                   | <b>107</b>                       | <b>100</b>                    | <b>100</b>        | <b>97</b>                | <b>108</b>                |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 104            | 100       | 86        | 113          | 103         | 103         | 108    | 101            | 100 | 101 | 99          | 99     | 103    | 124    | 122 | 107 |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 96          | -           | -           | 94         | -          | 386     | 1.15 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** SUITABLE TO USE ON HEIFERS

**LOGIX** EBV Analise: 2026-04-17

**LOT 6** **BADEVEEN TRUST**

**HOT 230068**  
2023-10-15  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

**HOT 160116**  
OUD/KALW. 9/7  
GEM. SI/KALW. 100/6  
TKP 363

**AEJ 130012**

**AEJ 080241**  
OUD/KALW. 13/10  
GEM. SI/KALW. 109/9  
TKP 391

**HOT 120019**

**HOT 060204**  
OUD/KALW. 13/10  
GEM. SI/KALW. 102/9  
TKP 370

**LAR 070037**

**AEJ 090023**  
OUD/KALW. 4/2  
GEM. SI/KALW. 106/2

**VV 040251**

**AEJ 060088**  
OUD/KALW. 5/1  
GEM. SI/KALW. 94/1

**AEJ 090015**

**HOT 070076**  
OUD/KALW. 7/4  
GEM. SI/KALW. 97/4

**DB 000045**

**ASE 980024**  
OUD/KALW. 10/9  
GEM. SI/KALW. 98/7

|                                 |                             |                                  |                               |                   |                          |                           |
|---------------------------------|-----------------------------|----------------------------------|-------------------------------|-------------------|--------------------------|---------------------------|
| <b>Geboortegemak<br/>Waarde</b> | <b>Speenkalf<br/>Waarde</b> | <b>Vrugbaarheids-<br/>waarde</b> | <b>Onderhouds-<br/>waarde</b> | <b>Koeiwaarde</b> | <b>Groei-<br/>waarde</b> | <b>Karkas-<br/>waarde</b> |
| <b>75</b>                       | <b>111</b>                  | <b>82</b>                        | <b>88</b>                     | <b>96</b>         | <b>109</b>               | <b>113</b>                |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 81             | 114       | 117       | 115          | 78          | 87          | 104    | 115            | 103 | 92  | 112         | 112    | 114    | 104    | 91  | 99  |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 113         | -           | -           | 107        | -          | 395     | 1.20 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** RETAIN 2 CO-OWNERSHIP

**LOGIX** EBV Analise: 2026-04-17

## BULLS

**LOT 7**  
**BADEVEEN TRUST**  
  
**HOT 220041**  
2022-09-05  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
**HOT 170022 HH(c)**  
**HOT 100055**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 97/11  
ICP 437  
**JJ 990095**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 105/8  
ICP 476

**HOT 140015 HH(c)**  
**HOT 140163**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 101/6  
ICP 459  
**HOT 060201**  
**JJ 990095**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 105/8  
ICP 476

**BBM 070055 HH(c)**  
**VBB 070035**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
**HOT 110270**  
**HOT 060202**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 103/10  
**HOT 010191**  
**HOT 000194**  
AGE/CALV. 14/11  
AVG. Wt/CALV. 102/10  
**JJ 950115**  
**JJ 970048**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 112/8

**Calving Ease Value**  
**97**

**Weaner Calf Value**  
**109**

**Fertility Value**  
**100**

**Maintenance Value**  
**81**

**Cow Value**  
**104**

**Growth Value**  
**106**

**Carcass Value**  
**119**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 96              | 115       | 94        | 123        | 97           | 97        | 107     | 112              | 107 | 125 | 123           | 104    | 110    | 102     | 122 | 120 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 105        | -          | -          | 116       | -         | 347     | 1.28 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS: USED IN HERD. SUITABLE TO USE ON HEIFERS

LOGIX EBV Analysis: 2026-04-17

**LOT 8**  
**BADEVEEN TRUST**  
  
**HOT 230047**  
2023-09-16  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
**HP 180303**  
**HOT 190088**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 100/1  
ICP 427  
**HOT 140037**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 106/7  
ICP 394

**V 120268**  
**HP 120082**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 96/6  
ICP 439  
**HOT 140015 HH(c)**  
**HOT 140037**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 106/7  
ICP 394

**V 090260**  
**V 050051**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 103/10  
**LAR 060224**  
**HP 050040**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 95/9  
**BBM 070055 HH(c)**  
**VBB 070035**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
**HOT 090047**  
**DB 950002**  
AGE/CALV. 21/12  
AVG. Wt/CALV. 106/11

**Calving Ease Value**  
**102**

**Weaner Calf Value**  
**99**

**Fertility Value**  
**97**

**Maintenance Value**  
**96**

**Cow Value**  
**97**

**Growth Value**  
**103**

**Carcass Value**  
**114**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 97              | 102       | 95        | 127        | 103          | 88        | 109     | 102              | 105 | 107 | 103           | 99     | 109    | 131     | 125 | 109 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 100        | -          | -          | 106       | -         | 403     | 1.21 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS: SUITABLE TO USE ON HEIFERS

LOGIX EBV Analysis: 2026-04-17

**LOT 9**  
**BADEVEEN TRUST**  
  
**HOT 230057**  
2023-09-25  
SP  
Parentage Sire Dam  
DNA  
Genomic

  
**HP 180303**  
**HOT 130031**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 100/7  
ICP 384

**V 120268**  
**HP 120082**  
AGE/CALV. 9/6  
AVG. Wt/CALV. 96/6  
ICP 439  
**BBM 070055 HH(c)**  
**DB 010021**  
AGE/CALV. 16/10  
AVG. Wt/CALV. 105/10  
ICP 469

**V 090260**  
**V 050051**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 103/10  
**LAR 060224**  
**HP 050040**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 95/9  
**JRB 000116**  
**JRB 030026**  
AGE/CALV. 18/15  
AVG. Wt/CALV. 109/14  
**AG 920282**  
**DB 950002**  
AGE/CALV. 21/12  
AVG. Wt/CALV. 106/11

**Calving Ease Value**  
**105**

**Weaner Calf Value**  
**93**

**Fertility Value**  
**87**

**Maintenance Value**  
**112**

**Cow Value**  
**88**

**Growth Value**  
**87**

**Carcass Value**  
**91**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 100             | 94        | 92        | 96         | 84           | 93        | 99      | 92               | 92  | 101 | 87            | 93     | 93     | 124     | 107 | 93  |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 100        | -          | -          | 95        | -         | 368     | 1.18 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS: SUITABLE TO USE ON HEIFERS

LOGIX EBV Analysis: 2026-04-17

**BULLE**

**LOT 10**  
  
**HOT 230039**  
 2023-09-10  
 SP  
 Ouerskap Vaar Moer  
 DNS  
 Genomies

**HP 180303**  
  
**HOT 140103**  
 OUD/KALW. 11/9  
 GEM. SI/KALW. 95/8  
 TKP 384

**V 120268**  
**HP 120082**  
 OUD/KALW. 9/6  
 GEM. SI/KALW. 96/6  
 TKP 439  
**HOT 080215**  
**HOT 080182**  
 OUD/KALW. 15/12  
 GEM. SI/KALW. 101/11  
 TKP 383

**V 090260**  
**V 050051**  
 OUD/KALW. 11/9  
 GEM. SI/KALW. 103/10  
**LAR 060224**  
**HP 050040**  
 OUD/KALW. 12/9  
 GEM. SI/KALW. 95/9  
**BHE 050075**  
**DB 950002**  
 OUD/KALW. 21/12  
 GEM. SI/KALW. 106/11  
**DB 040047**  
**HOT 030274**  
 OUD/KALW. 15/14  
 GEM. SI/KALW. 98/13

|                             |                         |                             |                          |                   |                     |                      |
|-----------------------------|-------------------------|-----------------------------|--------------------------|-------------------|---------------------|----------------------|
| <b>Geboortegemak Waarde</b> | <b>Speenkalf Waarde</b> | <b>Vrugbaarheids-waarde</b> | <b>Onderhouds-waarde</b> | <b>Koeiwaarde</b> | <b>Groei-waarde</b> | <b>Karkas-waarde</b> |
| <b>118</b>                  | <b>86</b>               | <b>89</b>                   | <b>123</b>               | <b>86</b>         | <b>80</b>           | <b>87</b>            |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 115            | 84        | 86        | 108          | 84          | 96          | 101    | 81             | 89  | 97  | 82          | 99     | 86     | 115    | 115 | 93  |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 92          | -           | -           | 94         | -          | 383     | 1.15 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** SUITABLE TO USE ON HEIFERS **LOGIX** EBV Analise: 2026-04-17

**LOT 11**  
  
**HOT 230048 Pp(c)**  
 2023-09-16  
 SP  
 Ouerskap Vaar Moer  
 DNS  
 Genomies

**HP 180303**  
  
**HOT 190079 P**  
 OUD/KALW. 6/4  
 GEM. SI/KALW. 95/3  
 TKP 387

**V 120268**  
**HP 120082**  
 OUD/KALW. 9/6  
 GEM. SI/KALW. 96/6  
 TKP 439  
**HOT 150136 Pp(c)**  
**HOT 110012**  
 OUD/KALW. 12/10  
 GEM. SI/KALW. 102/10  
 TKP 420

**V 090260**  
**V 050051**  
 OUD/KALW. 11/9  
 GEM. SI/KALW. 103/10  
**LAR 060224**  
**HP 050040**  
 OUD/KALW. 12/9  
 GEM. SI/KALW. 95/9  
**HOT 110168 Pp(c)**  
**HOT 080110**  
 OUD/KALW. 8/5  
 GEM. SI/KALW. 105/5  
**HOT 070126**  
**HOT 060316**  
 OUD/KALW. 12/9  
 GEM. SI/KALW. 101/9

|                             |                         |                             |                          |                   |                     |                      |
|-----------------------------|-------------------------|-----------------------------|--------------------------|-------------------|---------------------|----------------------|
| <b>Geboortegemak Waarde</b> | <b>Speenkalf Waarde</b> | <b>Vrugbaarheids-waarde</b> | <b>Onderhouds-waarde</b> | <b>Koeiwaarde</b> | <b>Groei-waarde</b> | <b>Karkas-waarde</b> |
| <b>104</b>                  | <b>99</b>               | <b>103</b>                  | <b>111</b>               | <b>100</b>        | <b>82</b>           | <b>94</b>            |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 99             | 100       | 89        | 99           | 96          | 100         | 109    | 93             | 93  | 95  | 89          | 81     | 84     | 118    | 115 | 92  |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 102         | -           | -           | 90         | -          | 375     | 1.16 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** POLLED. SUITABLE TO USE ON HEIFERS **LOGIX** EBV Analise: 2026-04-17

**LOT 12**  
  
**HOT 230059**  
 2023-09-28  
 SP  
 Ouerskap Vaar Moer  
 DNS  
 Genomies

**HP 180303**  
  
**HOT 190110**  
 OUD/KALW. 6/4  
 GEM. SI/KALW. 93/3  
 TKP 419

**V 120268**  
**HP 120082**  
 OUD/KALW. 9/6  
 GEM. SI/KALW. 96/6  
 TKP 439  
**HOT 130144 HH(c)**  
**HOT 170013**  
 OUD/KALW. 5/2  
 GEM. SI/KALW. 105/1  
 TKP 556

**V 090260**  
**V 050051**  
 OUD/KALW. 11/9  
 GEM. SI/KALW. 103/10  
**LAR 060224**  
**HP 050040**  
 OUD/KALW. 12/9  
 GEM. SI/KALW. 95/9  
**BBM 070055 HH(c)**  
**HOT 070131**  
 OUD/KALW. 9/5  
 GEM. SI/KALW. 100/4  
**HOT 130043**  
**DB 040015**  
 OUD/KALW. 14/10  
 GEM. SI/KALW. 101/10

|                             |                         |                             |                          |                   |                     |                      |
|-----------------------------|-------------------------|-----------------------------|--------------------------|-------------------|---------------------|----------------------|
| <b>Geboortegemak Waarde</b> | <b>Speenkalf Waarde</b> | <b>Vrugbaarheids-waarde</b> | <b>Onderhouds-waarde</b> | <b>Koeiwaarde</b> | <b>Groei-waarde</b> | <b>Karkas-waarde</b> |
| <b>100</b>                  | <b>99</b>               | <b>98</b>                   | <b>124</b>               | <b>97</b>         | <b>87</b>           | <b>95</b>            |

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 96             | 97        | 88        | 84           | 92          | 98          | 107    | 93             | 86  | 84  | 81          | 71     | 80     | 121    | 112 | 86  |

|             |             |             |            |            |         |      |
|-------------|-------------|-------------|------------|------------|---------|------|
| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
| 93          | -           | -           | 94         | -          | 349     | 1.17 |

| Miostation |   |
|------------|---|
| Q204X      | 1 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** **LOGIX** EBV Analise: 2026-04-17

**BULLS**

**LOT 13**  
  
**HOT 220043**  
2022-09-18  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**HOT 140190**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 100/6  
ICP 430

**HOT 170022 HH(c)**  
**HOT 140163**  
AGE/CALV. 11/7  
AVG. Wt/CALV. 101/6  
ICP 459  
**HOT 120019**  
**HOT 090042**  
AGE/CALV. 7/5  
AVG. Wt/CALV. 95/5  
ICP 376

**HOT 140015 HH(c)**  
**BBM 070055 HH(c)**  
**VBB 070035**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
**HOT 110270**  
**HOT 060202**  
AGE/CALV. 14/1  
AVG. Wt/CALV. 103/10  
**AEJ 090015**  
**HOT 070076**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 97/4  
**BHE 050075**  
**HOT 020138**  
AGE/CALV. 11/8  
AVG. Wt/CALV. 106/7

**Calving Ease Value**  
**98**

**Weaner Calf Value**  
**106**

**Fertility Value**  
**83**

**Maintenance Value**  
**89**

**Cow Value**  
**94**

**Growth Value**  
**93**

**Carcass Value**  
**115**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 94              | 110       | 96        | 94         | 78           | 87        | 106     | 108              | 97  | 97  | 111           | 106    | 107    | 99      | 121 | 135 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 97         | -          | -          | 96        | -         | 316     | 1.23 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:** USED IN HERD. SUITABLE TO USE ON HEIFERS

**LOGIX** EBV Analysis: 2026-04-17

**LOT 14**  
  
**HOT 230012 HH(c)**  
2023-05-01  
SP  

Parentage Sire Dam  
DNA  
Genomic

  
**HOT 150206 P**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 101/6  
ICP 457

**HOT 170081 HH(c)**  
**HOT 140042**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 101/8  
ICP 447  
**HOT 110168 Pp(c)**  
**HOT 100055**  
AGE/CALV. 15/12  
AVG. Wt/CALV. 97/11  
ICP 437

**HOT 140015 HH(c)**  
**BBM 070055 HH(c)**  
**VBB 070035**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
**HOT 090047**  
**HOT 070177**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 104/7  
**JMP 080019**  
**MCU 040002 Pp(c)**  
AGE/CALV. 15/13  
AVG. Wt/CALV. 98/13  
**HOT 060201**  
**JJ 990095**  
AGE/CALV. 12/9  
AVG. Wt/CALV. 105/8

**Calving Ease Value**  
**95**

**Weaner Calf Value**  
**112**

**Fertility Value**  
**108**

**Maintenance Value**  
**89**

**Cow Value**  
**112**

**Growth Value**  
**93**

**Carcass Value**  
**114**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 92              | 115       | 97        | 136        | 105          | 103       | 108     | 111              | 104 | 112 | 111           | 95     | 106    | 114     | 105 | 108 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 115        | -          | -          | 106       | -         | 408     | 1.20 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:**

**LOGIX** EBV Analysis: 2026-04-17

**LOT 15**  
  
**HOT 230092 HH(c)**  
2023-11-14  
SP  

Parentage Sire Dam  
DNA   
Genomic

  
**HOT 180071**  
AGE/CALV. 6/4  
AVG. Wt/CALV. 104/3  
ICP 439

**HOT 170081 HH(c)**  
**HOT 140042**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 101/8  
ICP 447  
**HOT 150136 Pp(c)**  
**HOT 160041**  
AGE/CALV. 3/2  
AVG. Wt/CALV. 100/2  
ICP 403

**HOT 140015 HH(c)**  
**BBM 070055 HH(c)**  
**VBB 070035**  
AGE/CALV. 10/8  
AVG. Wt/CALV. 98/8  
**HOT 090047**  
**HOT 070177**  
AGE/CALV. 12/8  
AVG. Wt/CALV. 104/7  
**HOT 110168 Pp(c)**  
**HOT 080110**  
AGE/CALV. 8/5  
AVG. Wt/CALV. 105/5  
**HOT 120169**  
**HOT 110231**  
AGE/CALV. 5/3  
AVG. Wt/CALV. 100/3

**Calving Ease Value**  
**98**

**Weaner Calf Value**  
**108**

**Fertility Value**  
**101**

**Maintenance Value**  
**101**

**Cow Value**  
**107**

**Growth Value**  
**102**

**Carcass Value**  
**114**

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 98              | 106       | 105       | 98         | 101          | 100       | 102     | 108              | 100 | 98  | 97            | 102    | 107    | 107     | 105 | 116 |

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 100        | -          | -          | 99        | -         | 358     | 1.14 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

**REMARKS:** SUITABLE TO USE ON HEIFERS

**LOGIX** EBV Analysis: 2026-04-17

BULLE

**LOT 16**
**BADEVEEN TRUST**



**HOT 220099**  
2022-12-05  
SP

Ouerskap Vaar Moer

DNS

Genomies



**AEJ 190043**

**HOT 160088**  
OUD/KALW. 8/6  
GEM. SI/KALW. 98/5  
TKP 430

**AEJ 130012**

**AEJ 080241**  
OUD/KALW. 13/10  
GEM. SI/KALW. 109/9  
TKP 391

**HOT 120024**

**HOT 110019**  
OUD/KALW. 9/6  
GEM. SI/KALW. 98/6  
TKP 432

**LAR 070037**

**AEJ 090023**  
OUD/KALW. 4/2  
GEM. SI/KALW. 106/2

**VV 040251**

**AEJ 060088**  
OUD/KALW. 5/1  
GEM. SI/KALW. 94/1

**HOT 080215**

**HOT 050222**  
OUD/KALW. 13/9  
GEM. SI/KALW. 100/9

**JMP 080019**

**HOT 990251**  
OUD/KALW. 16/13  
GEM. SI/KALW. 102/13

**Geboortegemak Waarde**  
**83**

**Speenkalf Waarde**  
**100**

**Vrugbaarheids-waarde**  
**74**

**Onderhouds-waarde**  
**107**

**Koeiwaarde**  
**83**

**Groei-waarde**  
**96**

**Karkas-waarde**  
**93**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 85             | 102       | 105       | 102          | 85          | 72          | 102    | 99             | 91  | 93  | 91          | 91     | 91     | 101    | 78  | 88  |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 100         | -           | -           | 107        | -          | 340     | 1.25 |

| Miostation |   |
|------------|---|
| Q204X      | 1 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:**

**LOGIX** EBV Analise: 2026-04-17

**LOT 17**
**BADEVEEN TRUST**



**HOT 230100**  
2023-11-24  
SP

Ouerskap Vaar Moer

DNS ✓

Genomies



**HOT 170081 HH(c)**

**HOT 160014**  
OUD/KALW. 10/7  
GEM. SI/KALW. 101/5  
TKP 452

**HOT 140015 HH(c)**

**HOT 140042**  
OUD/KALW. 11/9  
GEM. SI/KALW. 101/8  
TKP 447

**BBM 120014**

**HOT 060095**  
OUD/KALW. 13/11  
GEM. SI/KALW. 104/10  
TKP 393

**BBM 070055 HH(c)**

**VBB 070035**  
OUD/KALW. 10/8  
GEM. SI/KALW. 98/8

**HOT 090047**

**HOT 070177**  
OUD/KALW. 12/8  
GEM. SI/KALW. 104/7

**BBM 080070**

**BBM 050029**  
OUD/KALW. 9/7  
GEM. SI/KALW. 100/7

**DB 010020**

**DB 010021**  
OUD/KALW. 16/10  
GEM. SI/KALW. 105/10

**Geboortegemak Waarde**  
**98**

**Speenkalf Waarde**  
**104**

**Vrugbaarheids-waarde**  
**101**

**Onderhouds-waarde**  
**88**

**Koeiwaarde**  
**103**

**Groei-waarde**  
**111**

**Karkas-waarde**  
**114**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 99             | 109       | 97        | 108          | 97          | 105         | 103    | 113            | 106 | 110 | 112         | 114    | 119    | 112    | 93  | 115 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 100         | -           | -           | 105        | -          | 378     | 1.15 |

| Miostation |   |
|------------|---|
| Q204X      | 0 |
| NT821      | 0 |
| F94L       | 0 |

**OPMERKINGS:** SUITABLE TO USE ON HEIFERS

**LOGIX** EBV Analise: 2026-04-17

| Dier Info                     |            |     |     | Actual Values |              |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 34            | 219          | -         | 1.19                | 367             | 0.98 1.24                | -0.29 -0.62    | 14.8 17.3     | 3.7 2.8       | 24 31          | 22 22               | 79 75     | -37 -40     | 12.7 16.5       | -3.0 -6      | 13.0 14     | 101  | 101 | 107        | 99              | 7.0        | 105         |
| 1                             | HOT 230037 | M   | SP  | 30            | 206          | -         | 1.20                | 330             | 0.38                     | -0.24          | 21.0          | 2.0           | 45.0           | 46.3                | 153       | -59         | -.2             | 4            | 22          | 112  | 110 | 78         | 101             | 12         | 114         |
| 2                             | HOT 230082 | M   | SP  | 32            | 208          | -         | 1.13                | 381             | 0.05                     | -0.67          | 18.7          | 5.9           | 30.1           | 16.4                | 57        | -22         | 18.9            | -19          | 2           | 96   | 93  | 111        | 88              | 2          | 98          |
| 3                             | HOT 220003 | M   | SP  | 34            | 224          | -         | 1.25                | 367             | 1.34                     | -0.76          | 18.4          | 4.8           | 26.5           | 5.2                 | 48        | -36         | 21.7            | -15          | 8           | 108  | 90  | 115        | 104             | 9          | 111         |
| 4                             | HOT 230080 | M   | SP  | 35            | 209          | -         | 1.20                | 360             | 1.85                     | -0.38          | 17.2          | 2.7           | 37.3           | 29.3                | 102       | -61         | 15.3            | 3            | 25          | 95   | 121 | 104        | 98              | 6          | 108         |
| 5                             | HOT 230049 | M   | SP  | 30            | 210          | -         | 1.15                | 386             | 0.52                     | -1.21          | 14.7          | -0.4          | 28.9           | 20.5                | 80        | -39         | 20.3            | -4           | 16          | 96   | 94  | 113        | 104             | 4          | 102         |
| 6                             | HOT 230068 | M   | SP  | 38            | 249          | -         | 1.20                | 395             | 2.97                     | 0.63           | 22.2          | 8.7           | 42.4           | 39.0                | 88        | -23         | 21.5            | 6            | 26          | 113  | 107 | 115        | 100             | 7          | 109         |
| 7                             | HOT 220041 | M   | SP  | 34            | 215          | -         | 1.28                | 347             | 1.42                     | -0.41          | 22.7          | 1.9           | 40.7           | 55.4                | 104       | -76         | 26.2            | 0            | 23          | 105  | 116 | 123        | 97              | 12         | 102         |
| 8                             | HOT 230047 | M   | SP  | 32            | 219          | -         | 1.21                | 403             | 1.33                     | -1.12          | 15.8          | 2.2           | 30.2           | 25.9                | 99        | -48         | 28.4            | -4           | 22          | 100  | 106 | 127        | 100             | 4          | 105         |
| 9                             | HOT 230057 | M   | SP  | 35            | 264          | -         | 1.18                | 368             | 1.01                     | -1.12          | 11.5          | 1.3           | 19.3           | 3.5                 | 49        | -38         | 10.1            | -8           | 7           | 100  | 95  | 96         | 100             | 9          | 107         |
| 10                            | HOT 230039 | M   | SP  | 30            | 175          | -         | 1.15                | 383             | -0.55                    | -0.90          | 6.3           | -0.6          | 9.0            | -4.9                | 37        | -32         | 17.5            | -4           | 1           | 92   | 94  | 108        | 95              | 9          | 109         |
| 11                            | HOT 230048 | M   | SP  | 34            | 225          | -         | 1.16                | 375             | 1.04                     | -1.17          | 15.0          | 0.2           | 20.4           | 5.7                 | 52        | -28         | 12.1            | -18          | -0          | 102  | 90  | 99         | 95              | 4          | 104         |
| 12                            | HOT 230059 | M   | SP  | 35            | 208          | -         | 1.17                | 349             | 1.44                     | -1.19          | 13.5          | 0.1           | 20.7           | -5.7                | 25        | -10         | 3.2             | -26          | -4          | 93   | 94  | 84         | 93              | 4          | 108         |
| 13                            | HOT 220043 | M   | SP  | 36            | 221          | -         | 1.23                | 316             | 1.60                     | -0.82          | 20.4          | 2.5           | 36.6           | 38.3                | 69        | -32         | 9.1             | 1            | 19          | 97   | 96  | 94         | 100             | 7          | 99          |
| 14                            | HOT 230012 | M   | SP  | 34            | 230          | -         | 1.20                | 408             | 1.76                     | -0.59          | 23.1          | 2.7           | 39.5           | 38.3                | 94        | -57         | 33.7            | -7           | 19          | 115  | 106 | 136        | 101             | 7          | 100         |
| 15                            | HOT 230092 | M   | SP  | 35            | 219          | -         | 1.14                | 358             | 1.24                     | -0.42          | 17.9          | 5.1           | 35.8           | 18.2                | 77        | -33         | 11.7            | -2           | 19          | 100  | 99  | 98         | 104             | 4          | 103         |
| 16                            | HOT 220099 | M   | SP  | 36            | 226          | -         | 1.25                | 340             | 2.59                     | 0.03           | 16.1          | 5.1           | 25.8           | 9.3                 | 46        | -26         | 13.7            | -10          | 5           | 100  | 107 | 102        | 98              | 6          | 108         |
| 17                            | HOT 230100 | M   | SP  | 35            | 219          | -         | 1.15                | 378             | 1.13                     | -0.22          | 19.8          | 2.6           | 40.6           | 39.9                | 101       | -54         | 17.2            | 8            | 30          | 100  | 105 | 108        | 101             | 7          | 99          |

**EXPLANATION OF CATALOGUE ABBREVIATIONS**
**VERDUIDELIKING VAN KATALOGUS AFKORTINGS**

|                                                         |                 |                  |                                                             |
|---------------------------------------------------------|-----------------|------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT              | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV              | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap         | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.     | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.   | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID               | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD              | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN              | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR              | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO               | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP               | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT               | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)            | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)            | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)            | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP              | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir         | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.        | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.        | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.        | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.      | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.      | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.           | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig      | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT              | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV              | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO              | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet              | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar              | Marmering (binne-spierse vet)                               |
| 365-day weight index                                    | 365D Index      | 365D Indeks      | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks      | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH               | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig       | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig       | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG              | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS              | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.      | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks     | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V            | Dier geslag: M - Manlik, V - Vroulik                        |