

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

LIMPOPO BONSMARA KLUB

Veilingsdatum / Auction Date:
21 August 2026

Data soos op / Data as on:
06 August 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA
✓

Genomic
✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
MOCKFORD BONSMARAS

MB 230094 HH(c)
2023-11-20
SP

Parentage	Sire	Dam
DNA		
Genomic	✓	


MB 180105
AGE/CALV. 7/5
AVG. Wt/CALV. 95/3
ICP 430

CEM 100304 HH(c)
TMB 170459 HH(c)
TMB 110039
AGE/CALV. 12/10
AVG. Wt/CALV. 107/10
ICP 385
MB 110146
MB 130005
AGE/CALV. 12/9
AVG. Wt/CALV. 105/7
ICP 375

CEM 080025
CEM 070151
AGE/CALV. 15/13
AVG. Wt/CALV. 101/12
MMJ 070195
MMJ 080202
AGE/CALV. 9/6
AVG. Wt/CALV. 104/5
RRF 070028
MB 090023
AGE/CALV. 7/3
AVG. Wt/CALV. 96/3
LES 060048
PTF 000033
AGE/CALV. 17/14
AVG. Wt/CALV. 107/11

Calving Ease Value	89
--------------------	----

Weaner Calf Value	110
-------------------	-----

Fertility Value	103
-----------------	-----

Maintenance Value	110
-------------------	-----

Cow Value	109
-----------	-----

Growth Value	97
--------------	----

Carcass Value	106
---------------	-----

Calf and Mother		
Birth Dir.	Wean Dir.	Wean Mat.
95	107	107

Fertility		
Scr. Circ.	Heifer Fert.	Cow Fert.
107	102	99

Post-Wean Growth		
Post Wean	ADG	FCR
105	98	94

Frame		
Mature Weight	Height	Length
88	85	94

Carcass		
EMA	Fat	Mar
119	95	104

Myostatin	
Q204X	1
NT821	0
F94L	0

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
96	-	-	92	-	365	1.20

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 2
JD VENTER BONSMARAS
JDV 220043
2022-09-21
B

Parentage	Sire	Dam
DNA		
Genomic		


JDV 180020
AGE/CALV. 7/5
AVG. Wt/CALV. 108/4
ICP 378

PAD 130127
PAD 170052
PAD 080008
AGE/CALV. 18/13
AVG. Wt/CALV. 103/12
ICP 413

AG 090762
PAD 080032
AGE/CALV. 16/12
AVG. Wt/CALV. 105/11
EI 980080
AG 950155
AGE/CALV. 19/14
AVG. Wt/CALV. 102/14

Calving Ease Value	106
--------------------	-----

Weaner Calf Value	98
-------------------	----

Fertility Value	97
-----------------	----

Maintenance Value	82
-------------------	----

Cow Value	99
-----------	----

Growth Value	102
--------------	-----

Carcass Value	107
---------------	-----

Calf and Mother		
Birth Dir.	Wean Dir.	Wean Mat.
105	96	117

Fertility		
Scr. Circ.	Heifer Fert.	Cow Fert.
92	95	97

Post-Wean Growth		
Post Wean	ADG	FCR
86	98	94

Frame		
Mature Weight	Height	Length
119	102	110

Carcass		
EMA	Fat	Mar
103	97	99

Myostatin	
Q204X	0
NT821	0
F94L	0

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	-	-	105	-	337	1.27

REMARKS: Skrotum omtrek 37cm

LOGIX EBV Analysis: 2026-07-17

LOT 3
WENBERG BOERDERY

WEN 230041
2023-11-06
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		


WEN 190057
AGE/CALV. 5/2
AVG. Wt/CALV. 98/2
ICP 398

MB 110146
MB 170038
MB 040040
AGE/CALV. 13/12
AVG. Wt/CALV. 100/10
ICP 359
BBN 100123
WEN 120020
AGE/CALV. 13/11
AVG. Wt/CALV. 88/8
ICP 371

RRF 070028
MB 090023
AGE/CALV. 7/3
AVG. Wt/CALV. 96/3
BAL 970069
PTF 990028
AGE/CALV. 13/11
AVG. Wt/CALV. 91/11
SYF 060203
BBN 070113
AGE/CALV. 16/12
AVG. Wt/CALV. 99/10
MULTIPLE SIRES
WEN 040226
AGE/CALV. 10/1
AVG. Wt/CALV. 115/1

Calving Ease Value	100
--------------------	-----

Weaner Calf Value	83
-------------------	----

Fertility Value	107
-----------------	-----

Maintenance Value	110
-------------------	-----

Cow Value	90
-----------	----

Growth Value	94
--------------	----

Carcass Value	88
---------------	----

Calf and Mother		
Birth Dir.	Wean Dir.	Wean Mat.
106	90	89

Fertility		
Scr. Circ.	Heifer Fert.	Cow Fert.
72	110	108

Post-Wean Growth		
Post Wean	ADG	FCR
89	87	90

Frame		
Mature Weight	Height	Length
89	97	88

Carcass		
EMA	Fat	Mar
98	96	99

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	112	-	341	1.26

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 4 *MOCKFORD BONSMARAS*



MB 230056 HH(c)
2023-10-06
SP

Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies ✓



MB 200052
OUD/KALW. 4/2
GEM. SI/KALW. 106/2
TKP 390

JRB 110033 HH(c)

IBT 110010
OUD/KALW. 11/7
GEM. SI/KALW. 99/6
TKP 431

LES 120077

MB 160171
OUD/KALW. 9/4
GEM. SI/KALW. 110/4
TKP 495

BBN 070012
OUD/KALW. 13/10
GEM. SI/KALW. 101/8

AEJ 060040

MOL 010041
OUD/KALW. 14/11
GEM. SI/KALW. 102/9

LES 100014

LES 030049
OUD/KALW. 15/12
GEM. SI/KALW. 97/11

LES 120013

MB 100153
OUD/KALW. 7/5
GEM. SI/KALW. 98/4

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
96	110	118	95	116	111	112

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	114	93	95	104	124	107	114	107	93	104	102	101	114	110	119

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	97	-	369	1.21

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

LOT 5 *JD VENTER BONSMARAS*



JDV 230001
2023-01-04
B

Ouerskap **Vaar** **Moer**

DNS

Genomies



JDV 180008
OUD/KALW. 7/6
GEM. SI/KALW. 98/5
TKP 372

BPJ 080013

KBS 140065 Pp(c)
OUD/KALW. 7/3
GEM. SI/KALW. 100/3
TKP 394

BG 020058 Pp(c)

RCO 990248
OUD/KALW. 21/14
GEM. SI/KALW. 107/14

HDT 120023 P

KBS 120019
OUD/KALW. 8/6
GEM. SI/KALW. 102/5

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
100	96	102	119	100	84	94

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	87	114	92	112	89	105	79	85	82	83	86	91	90	103	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	100	98	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Skrotum omtrek 43cm, reeds gebruik op verse **LOGIX** EBV Analise: 2026-07-17

LOT 6 *WENBERG BOERDERY*



WEN 230018
2023-10-14
SP

Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies



WEN 160015
OUD/KALW. 8/6
GEM. SI/KALW. 106/6
TKP 374

KBS 140163

WJK 090065
OUD/KALW. 13/10
GEM. SI/KALW. 103/10
TKP 407

BBN 100123

WEN 070218
OUD/KALW. 13/6
GEM. SI/KALW. 109/4
TKP 434

RCO 090010

WJK 090124
OUD/KALW. 16/15
GEM. SI/KALW. 104/15

JJF 010005

WJK 060235
OUD/KALW. 10/5
GEM. SI/KALW. 105/5

SYF 060203

BBN 070113
OUD/KALW. 16/12
GEM. SI/KALW. 99/10

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
90	91	96	92	91	116	111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	93	118	93	98	93	108	100	102	88	106	97	98	110	100	112

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	129	-	351	1.29

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: **LOGIX** EBV Analise: 2026-07-17

BULLS

LOT 7

MOCKFORD BONSMARAS



MB 230097 HH(c)
2023-11-21
SP


Parentage Sire Dam

DNA ✓ ✓

Genomic ✓



MB 200099
AGE/CALV. 5/3
AVG. Wt/CALV. 105/2
ICP 463



JRB 110033 HH(c)

BUF 190139 HH(c)

IBT 110010
AGE/CALV. 11/7
AVG. Wt/CALV. 99/6
ICP 431

MCU 160060 Pp(c)

MB 140117
AGE/CALV. 11/9
AVG. Wt/CALV. 106/7
ICP 410

BBN 070012

BBN 060110
AGE/CALV. 13/10
AVG. Wt/CALV. 101/8

AEJ 060040

MOL 010041
AGE/CALV. 14/11
AVG. Wt/CALV. 102/9

MCU 120006 PP

MCU 110090
AGE/CALV. 11/9
AVG. Wt/CALV. 105/9

RRF 070028

MB 060112
AGE/CALV. 11/9
AVG. Wt/CALV. 108/7

Calving Ease
Value
78

Weaner Calf
Value
123

Fertility
Value
96

Maintenance
Value
89

Cow Value
113

Growth
Value
120

Carcass
Value
125

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
71	122	116	114	88	110	97	122	115	102	111	106	116	131	84	121

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	-	-	98	-	370	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 8

JD VENTER BONSMARAS

JDV 230025
2023-05-29
SP

Parentage Sire Dam

DNA

Genomic

JRB 190063



HKB 190048
AGE/CALV. 6/4
AVG. Wt/CALV. 102/2
ICP 353

JRB 130019 HH(c)

JRB 080101
AGE/CALV. 15/12
AVG. Wt/CALV. 98/9
ICP 396

AG 120556

GZV 150084
AGE/CALV. 10/7
AVG. Wt/CALV. 101/6
ICP 390

RCO 090055

BBN 040032
AGE/CALV. 14/11
AVG. Wt/CALV. 106/9

JRB 040008

JRB 050046
AGE/CALV. 9/8
AVG. Wt/CALV. 107/8

AG 080409

AG 090586
AGE/CALV. 7/4
AVG. Wt/CALV. 98/4

GZV 120144

GZV 130116
AGE/CALV. 7/5
AVG. Wt/CALV. 94/4

Calving Ease
Value
94

Weaner Calf
Value
95

Fertility
Value
102

Maintenance
Value
99

Cow Value
95

Growth
Value
86

Carcass
Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	102	94	92	86	114	102	97	86	87	99	91	88	100	102	98

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	103	96	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Skrotum omtrek 42cm, saadaandeel reeds getap en gebruik in kudde.

LOGIX EBV Analysis: 2026-07-17

HEIFERS

LOT 10A

WENBERG BOERDERY



WEN 240028
2024-10-29
SP

Parentage Sire Dam

DNA ✓ ✓

Genomic

JRB 190127



JRB 170048
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6
ICP 430

JRB 130241 HH(c)

JRB 060061
AGE/CALV. 15/11
AVG. Wt/CALV. 99/11
ICP 437

JRB 100154

JRB 110160
AGE/CALV. 11/10
AVG. Wt/CALV. 105/7
ICP 354

JRB 060038

BBN 070001
AGE/CALV. 17/14
AVG. Wt/CALV. 100/14

PER 000077

JRB 950114
AGE/CALV. 15/11
AVG. Wt/CALV. 105/11

BBM 050050

JRB 060073
AGE/CALV. 12/9
AVG. Wt/CALV. 109/8

JRB 050017

AM 080004
AGE/CALV. 9/5
AVG. Wt/CALV. 95/5

Calving Ease
Value
95

Weaner Calf
Value
107

Fertility
Value
113

Maintenance
Value
96

Cow Value
110

Growth
Value
103

Carcass
Value
98

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	112	91	106	111	115	102	106	101	113	103	113	106	106	98	100

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
106	105	108	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-07-17

VERSE

LOT 10B

WENBERG BOERDERY

Wenberg
BoerderyWEN 240006
2024-10-06
SP

Ouerskap Vaar Moer

DNS ☒ ☒

Genomies

MB 170038



JRB 170088

OUD/KALW. 9/6
GEM. SI/KALW. 103/4
TKP 445

MB 110146

MB 040040

OUD/KALW. 13/12
GEM. SI/KALW. 100/10
TKP 359

JRB 130019 HH(c)

JRB 100133

OUD/KALW. 14/9
GEM. SI/KALW. 109/9
TKP 480

RRF 070028

MB 090023

OUD/KALW. 7/3
GEM. SI/KALW. 96/3

BAL 970069

PTF 990028

OUD/KALW. 13/11
GEM. SI/KALW. 91/11

RCO 090055

BBN 040032

OUD/KALW. 14/11
GEM. SI/KALW. 106/9

JRB 060032

JRB 060053

OUD/KALW. 6/4
GEM. SI/KALW. 100/3Geboortegemak
Waarde
92Speenkalv
Waarde
99Vrugbaarheids-
waarde
105Onderhouds-
waarde
109Koeiwaarde
103Groei-
waarde
92Karkas-
waarde
97

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	93	119	104	95	115	99	99	94	99	89	108	101	102	102	102

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
103	109	106	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 11A

WENBERG BOERDERY

Wenberg
BoerderyWEN 240029
2024-10-31
SP

Ouerskap Vaar Moer

DNS ☒ ☒

Genomies

KBS 180043



WEN 190006

OUD/KALW. 6/4
GEM. SI/KALW. 96/4
TKP 388

KBS 140163

WJK 090065

OUD/KALW. 13/10
GEM. SI/KALW. 103/10
TKP 407

BBN 100123

WEN 120050

OUD/KALW. 11/8
GEM. SI/KALW. 102/7
TKP 413

RCO 090010

WJK 090124

OUD/KALW. 16/15
GEM. SI/KALW. 104/15

JJF 010005

WJK 060235

OUD/KALW. 10/5
GEM. SI/KALW. 105/5

SYF 060203

BBN 070113

OUD/KALW. 16/12
GEM. SI/KALW. 99/10

MULTIPLE SIRES

WEN 100089

OUD/KALW. 12/9
GEM. SI/KALW. 94/9Geboortegemak
Waarde
97Speenkalv
Waarde
85Vrugbaarheids-
waarde
97Onderhouds-
waarde
107Koeiwaarde
87Groei-
waarde
101Karkas-
waarde
94

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	90	99	94	102	91	109	94	99	93	91	100	94	101	97	107

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
98	95	94	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 11B

WENBERG BOERDERY

Wenberg
BoerderyWEN 240020
2024-10-21
SP

Ouerskap Vaar Moer

DNS ☒ ☒

Genomies

JRB 190127



WEN 190020

OUD/KALW. 6/3
GEM. SI/KALW. 102/3
TKP 384

JRB 130241 HH(c)

JRB 060061

OUD/KALW. 15/11
GEM. SI/KALW. 99/11
TKP 437

BBN 100123

WEN 070259

OUD/KALW. 13/6
GEM. SI/KALW. 108/3
TKP 500

JRB 060038

BBN 070001

OUD/KALW. 17/14
GEM. SI/KALW. 100/14

PER 000077

JRB 950114

OUD/KALW. 15/11
GEM. SI/KALW. 105/11

SYF 060203

BBN 070113

OUD/KALW. 16/12
GEM. SI/KALW. 99/10Geboortegemak
Waarde
98Speenkalv
Waarde
89Vrugbaarheids-
waarde
117Onderhouds-
waarde
120Koeiwaarde
100Groei-
waarde
81Karkas-
waarde
78

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	86	103	96	116	113	107	89	85	93	83	94	85	86	98	99

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
93	92	93	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

HEIFERS

LOT 11C


WEN 240072
2024-10-31
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WENBERG BOERDERY

KBS 180043



WEN 200010
AGE/CALV. 5/2
AVG. Wt/CALV. 106/2
ICP 373

KBS 140163

WJK 090065
AGE/CALV. 13/10
AVG. Wt/CALV. 103/10
ICP 407

JRB 160126

WEN 170048
AGE/CALV. 8/6
AVG. Wt/CALV. 105/6
ICP 372

RCO 090010
WJK 090124
AGE/CALV. 16/15
AVG. Wt/CALV. 104/15

JJF 010005
WJK 060235
AGE/CALV. 10/5
AVG. Wt/CALV. 105/5

 **BBM 110023**
JRB 120057
AGE/CALV. 12/9
AVG. Wt/CALV. 100/9

MB 120004
WEN 100076
AGE/CALV. 12/8
AVG. Wt/CALV. 99/5

Calving Ease Value
88

Weaner Calf Value
94

Fertility Value
99

Maintenance Value
96

Cow Value
94

Growth Value
111

Carcass Value
108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	96	116	90	95	100	107	102	106	95	102	110	106	108	104	117

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
105	93	99	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-07-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				31	225	8.33	1.24	356	1.00 1.42	-0.29 0.12	15.0 14.6	3.6 5.4	24 26	22 18	79 68	-37 -27	12.7 10.3	-3.0 -4	14.0 12	103	106	96	102	4.0	101
1	MB 230094	M	SP	44	228	8.96	1.20	365	1.54	0.71	18.7	5.8	32.1	4.6	70	-27	17.1	-15	8	96	92	107	95	5	106
2	JDV 220043	M	B	34	295	-	1.27	337	0.46	-0.46	12.8	8.7	13.5	50.4	72	-27	7.9	-2	23	112	105	92	108	5	113
3	WEN 230041	M	SP	24	204	-	1.26	341	0.36	0.61	10.0	0.2	16.1	5.9	32	-21	-3.7	-6	3	100	112	72	98	2	100
4	MB 230056	M	SP	32	232	6.72	1.21	369	1.37	-0.17	22.3	1.6	41.6	27.8	105	-25	9.6	-1	14	104	97	95	106	2	87
5	JDV 230001	M	B	35	261	-	-	-	0.60	0.28	8.5	7.8	4.8	-2.8	23	-6	7.9	-14	6	100	-	92	98	6	114
6	WEN 230018	M	SP	24	217	-	1.29	351	1.34	0.74	11.5	9.1	26.5	30.9	88	-17	8.3	-6	12	104	129	93	106	6	109
7	MB 230097	M	SP	40	250	9.3	1.22	370	3.99	-0.08	26.6	8.6	50.2	37.6	134	-39	21.2	2	27	109	98	114	105	3	92
8	JDV 230025	M	SP	35	241	-	-	-	1.50	-0.08	16.0	1.7	24.0	20.9	25	-15	8.2	-10	3	108	-	92	102	4	110
10A	WEN 240028	F	SP	29	210	-	-	-	2.09	-1.14	21.0	1.0	35.2	26.9	84	-58	16.4	7	18	106	-	106	103	6	102
10B	WEN 240006	F	SP	29	205	-	-	-	1.41	0.29	11.5	9.2	26.4	5.4	55	-36	15	3	14	103	-	104	103	6	104
11A	WEN 240029	F	SP	25	192	-	-	-	0.82	0.54	9.7	3.3	19.9	9.3	77	-26	9.3	-3	8	98	-	94	96	4	102
11B	WEN 240020	F	SP	28	186	-	-	-	1.29	-0.36	8.0	4.5	15.9	-3.0	21	-25	10.6	-8	0	93	-	96	102	3	91
11C	WEN 240072	F	SP	29	207	-	-	-	1.70	0.65	12.8	8.6	28.2	24.3	100	-29	6.7	5	18	105	-	90	106	2	86

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir.	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik