

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MOSDENE CATTLE RANCH

Silverlakes Farm Hotel, Pretoria
08 August 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 22 July 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.
- 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:
 - 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
 - 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
 - 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
 - 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.3 The Society will approve any production sale of registered Boran cattle provided that:
 - 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
 - 1.3.2 Both the Sellers and the Society will sign a written agreement
 - 1.3.3 The Seller adheres to the requirements detailed further in this document.
 - 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The seller may only sell animals at auction that have been in their possession for no less than 12 months. Only applicable for Boran National Auctions.

- 2.3 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.
- 2.4 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.8 Only one auction under the auspices of the society can be held on any one day
- 2.9 No other sale may be held three (3) weeks prior to the National sale. However, it is the Council's prerogative to grant permission to hold an auction under the auspices within the three weeks.
- 2.10 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Bye-laws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than eight months of age at the date of sale.
- 3.1.8 If the calf is younger than eight months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.

- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.
- 3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twenty-four (24) months and older, must:
- 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. These bulls must be genomically tested and also test free of Pompies mutation and double muscling. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
- 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
- 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 8 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days (Inter Calf Periods of female animals offered at the National Auction(s) may not exceed 500 days maximum.)
 - 4.1.1.2.2 have calved before 42 months (Female animals offered at the National Auction(s) may not exceed 39 months of age at first calving.
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.

- 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
- 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
- 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.
- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
- 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
- 4.1.11.2 Pregnancy must be recorded in months.
- 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
- 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
- 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
- 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
- 5.1.1 to verify the identification of the animals on offer
- 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
- 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B & C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.

- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:
 - 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
 - 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 8 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1% will be levied on the transaction as per Society's sales agreement.
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multi-sires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro-and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 In the event of a disease outbreak, such as Foot-and-Mouth, that prevents auctions from being held, the following procedures will be implemented regarding the screening of animals:
- 12.4.1 All screenings of animals intended for the online auction will take place on the farm of the seller, prior to the auction.
- 12.4.2 In the event that an auction is successfully concluded, the relocation of animals from the seller's farm to the buyer's premises will be subject to agreement between the seller and the buyer. The Boran Society will not be a party to these agreement, and the Society do not guarantee the relocation of animals in any way.
- 12.4.3 The seller and buyer must agree on a timeline for the relocation of animals that is both fair and safe, taking into account the prevailing disease conditions and any relevant regulatory requirements.
- 12.5 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society. Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SUPERBULL BREEDERS
 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201

SB 110001
 SUPERBULL SB 11 0100

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 140010
 SUPERBULL SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weighed 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

8

9 (& 10)

12

13

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

- Myostatin Results**
- Free - free from double muscling genes
 - Carrier - heterozygotic / carrier of one double muscling gene
 - D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal


INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)

MOS 230736
MOSDENE SELISSA

Herd Book	SP
Birth date	2023-12-15
Age	2y 8m
Inbreeding	2%
DNA	U17427U006



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 106

84	Calving Ease Value
127	Calf Growth Value
79	Milk Value
91	Maintenance Value
107	Fertility Value

GROWTH VALUE 101

CARCASS VALUE 105

PRODUCTION VALUE 105



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

VST 140042 PcH SP
TRAP SELOUS

Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 200035 SP

TAMBARAINE E200035

Age 6y | AFC 33m | ICP 395d
Calves 4 | Weighed 2 | Wean Mat. 86
Avg. WI 104 | CCB - | CCW 63.8

Calvings: 22-11, 23-12, 24-12, 26-02

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Wean Mat. 94

MHB 080042 PcH SP

MOLL'S-HOOP JACKIE

Age 17y | AFC 25m | ICP 760d
Calves 9 | Weighed 1 | Wean Mat. 76
Avg. WI 110 | CCB 7.47 | CCW 44.5

E 130066 SP

TAMBARAINE 130066

Wean Mat. 53

TLM 050044 SP

KETA TLM 05 44

Age 19y | AFC 27m | ICP 368d
Calves 16 | Weighed 11 | Wean Mat. 97
Avg. WI 99 | CCB - | CCW 55.8

25 PBD

KE MARULA 25

KPO21 PBD

KE OL PEJETA 21

Age 39y | Avg. WI -

Calves 2 | Weighed -

TLM 020003 SP

KETA VOORSLAG

MHB 050031 SP

MOLL'S-HOOP JACKIE

Age 14y | Avg. WI -

Calves 5 | Weighed -

CFH 080173 SP

ELANDSPRUIT CFH08173

E 090048 SP

TAMBARAINE E 09 48

Age 13y | Avg. WI 103

Calves 10 | Weighed 8

MHB 040027 SP

MOLL'S-HOOP KHAN

GF2T D SP

GRASMERE 2 T

Age 14y | Avg. WI 103

Calves 9 | Weighed 2



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	89	127	79	100	108	107	101
73%	58%	71%	54%	37%	43%	31%	52%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
124	104	108	110	106	111	107	81	103
38%	35%	28%	55%	36%	34%	33%	35%	33%

SELLER REMARKS: Selous daughter going back to 717 and GF2T. Deep red feminine heifer one of my favorites. 3m in calf to MOS 22 218 Marcus, CP 18 22 , GB 18 04.

LOT 2 (F)

MOS 220326
MOSDENE SHYNELLE

Herd Book	SP
Birth date	2022-07-12
Age	4y 1m
Inbreeding	1%
DNA	U9941U017
AFC	29m
Calves	2
Weighed	0
Avg. WI	-
ICP	519d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 109

87	Calving Ease Value
129	Calf Growth Value
91	Milk Value
85	Maintenance Value
103	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 111

PRODUCTION VALUE 109



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

VST 140042 PcH SP
TRAP SELOUS

Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 160331 SP

CIRCLE H TIFFANY

Age 9y | AFC 36m | ICP 444d
Calves 6 | Weighed 2 | Wean Mat. 109
Avg. WI 114 | CCB - | CCW 57.6

Calvings: 19-11, 20-12, 22-07, 23-09, 24-11, 25-12

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Wean Mat. 94

MHB 080042 PcH SP

MOLL'S-HOOP JACKIE

Age 17y | AFC 25m | ICP 760d
Calves 9 | Weighed 1 | Wean Mat. 76
Avg. WI 110 | CCB 7.47 | CCW 44.5

BH 110036 SP

CIRCLE H SEIKO

Wean Mat. 102

E 130192 SP

TAMBARAINE TIFFANY

Age 12y | AFC 36m | ICP 454d
Calves 8 | Weighed 7 | Wean Mat. 87
Avg. WI 96 | CCB 7.37 | CCW 49.3

25 PBD

KE MARULA 25

KPO21 PBD

KE OL PEJETA 21

Age 39y | Avg. WI -

Calves 2 | Weighed -

TLM 020003 SP

KETA VOORSLAG

MHB 050031 SP

MOLL'S-HOOP JACKIE

Age 14y | Avg. WI -

Calves 5 | Weighed -

HVT 970017 SP

OUTSPAN HVT970017

CI 090040 SP

CIRCLE C SABRINA

Age 11y | Avg. WI -

Calves 6 | Weighed -

TLM 020012 SP

KETA TLM 02 12

TLM 030005 SP

KETA TLM 03 05

Age 13y | Avg. WI 94

Calves 11 | Weighed 7



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	95	129	91	103	115	91	102
74%	73%	69%	53%	37%	52%	32%	56%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	110	115	117	113	116	108	87	104
40%	35%	27%	55%	36%	34%	33%	35%	33%

SELLER REMARKS: Shynelle is a half-sister to lot 1 being by Selous going back to 717 and TLM 02 12. With Stunning heifer calf MOS26 398 at foot from E 20 85. RW MOS 21 39, BH 18 607

LOT 3 (F)

MOS 240027
MOSDENE KJERSTI

Kuddeboek	SP
Geb. dtm	2024-01-09
Oud.	2j 7m
Inteling	1%
DNS	U16607U028



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 92

101	Kalfgemak Waarde
112	Kalfgroei Waarde
112	Melk Waarde
82	Onderhoudswaarde
78	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 101

PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: Kjersti is the first of only 3 Koning daughters on Auction today. Going back to Kijivu and Kayley. 5m in calf to MOS 20 255 (half-brother to Odysseus) CP 18 22, GB 18 04, MC 18 88.

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NBOR140013 Pch SP
NTABA NYONI KAYLEY
Oud. 11j | OEK 32m | TKP 401d
Kalwers 9 | Geweeg 5 | Spn. Mat. 122
Gem. SI 105 | KKG 7.55 | KKS 48.3

Kalwings: 17-05, 18-09, 19-07,
20-10, 21-12, 23-01, 24-01, 25-01,
26-02

TLM 020001 SP
KETA TLM020001 - BUFFEL
Spn Mat. 85

TLM 020017 SP
KETA TLM 02 17
Oud. 12j | OEK 40m | TKP 358d
Kalwers 9 | Geweeg 4 | Spn. Mat. 109
Gem. SI 103 | KKG 6.24 | KKS 47.5

NBOR060065 SP
NTABA NYONI 0665
Spn Mat. 129

B 070400 SP
BORGEN KAYLEY
Oud. 18j | OEK - | TKP 438d
Kalwers 12 | Geweeg 4 | Spn. Mat. 117
Gem. SI 110 | KKG 9.38 | KKS 51

K6K2459 PBD
KE MOGWOONI K6K2459

KPO4203 F
KE OL PEJETA KPO 4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -

KPO791 PBD
KE OL PEJETA KPO 791

K6K2748 PBD
KE MOGWOONI K6K2748
Oud. 36j | Gem. SI -
Kalwers 1 | Geweeg -

25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -

K6K3192 PBD
KE MOGWOONI 3192 (9MK31)
V7Y8718 F
KISIMA 8718
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -



EBV Analyse 2026-07-17


Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	91	112	112	101	61	96	102
74%	66%	70%	63%	51%	55%	42%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	104	98	119	103	91	105	98	97
46%	50%	30%	61%	51%	49%	42%	45%	42%

LOT 4A (F)

MOS 230042
MOSDENE JUTKA

Kuddeboek	SP
Geb. dtm	2023-01-14
Oud.	3j 7m
Inteling	0%
DNS	U12029U041
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Laaste Kalf

Kalf ID	MOS 250779 (M)
Geb. datum	2025-11-24
Vaar ID	MOS 200114

Kalwings: 25-11

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 26-MAY-26 (EXP 24-NOV-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 110

100	Kalfgemak Waarde
105	Kalfgroei Waarde
112	Melk Waarde
99	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 108

PRODUKSIE WAARDE 107

VERKOPER OPMERKINGS: First Jefferson daughter on today and maternal half-sister to lot 3. Bull calf MOS25 779 at foot sired by MOS 20 114, Confirmed 3m in calf to E 20 72, MOS 22 227, E 20 49

E 200069 SP
TAMBARAINE JEFFERSON
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NBOR140013 Pch SP
NTABA NYONI KAYLEY
Oud. 11j | OEK 32m | TKP 401d
Kalwers 9 | Geweeg 5 | Spn. Mat. 122
Gem. SI 105 | KKG 7.55 | KKS 48.3

Kalwings: 17-05, 18-09, 19-07,
20-10, 21-12, 23-01, 24-01, 25-01,
26-02

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 109

E 100084 SP
TAMBARAINE 100084
Oud. 15j | OEK 33m | TKP 421d
Kalwers 12 | Geweeg 9 | Spn. Mat. 94
Gem. SI 101 | KKG - | KKS 51.3

NBOR060065 SP
NTABA NYONI 0665
Spn Mat. 129

B 070400 SP
BORGEN KAYLEY
Oud. 18j | OEK - | TKP 438d
Kalwers 12 | Geweeg 4 | Spn. Mat. 117
Gem. SI 110 | KKG 9.38 | KKS 51

MHB 040027 SP
MOLL'S-HOOP KHAN

HOT 100024 SP
HOTSPOT JASMINE
Oud. 16j | Gem. SI -
Kalwers 8 | Geweeg -

TLM 020012 SP
KETA TLM 02 12

TLM 040001 SP
KETA TLM 04 01
Oud. 21j | Gem. SI 102
Kalwers 16 | Geweeg 9

25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -

K6K3192 PBD
KE MOGWOONI 3192 (9MK31)
V7Y8718 F
KISIMA 8718
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -



EBV Analyse 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	88	105	112	96	99	98	115
74%	66%	70%	53%	28%	48%	26%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	98	94	99	115	111	114	97	100
43%	29%	16%	47%	27%	26%	24%	26%	24%

LOT 4B (M)

MOS 250779
MOSDENE MOS250779

Herd Book	SP
Birth date	2025-11-24
Age	8 months
Inbreeding	1%
DNA	U25690U010

MOS 200114 SP
MOSDENE MOS 200114
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MOS 230042 SP
MOSDENE JUTKA
Age 3y | AFC 34m | ICP -
Calves 1 | Weighed - | Wean Mat. 112
Avg. WI - | CCB - | CCW -
Calvings: 25-11MHB 110042 SP
MOLL'S-HOOP VIKING
Wean Mat. 110BS 120034 HH SP
MOUNTAIN VIEW 1234
Age 14y | AFC 29m | ICP 364d
Calves 12 | Weighed 8 | Wean Mat. 74
Avg. WI 103 | CCB 6.68 | CCW 48.2E 200069 SP
TAMBARAINE JEFFERSON
Wean Mat. 97NBOR140013 Pch SP
NTABA NYONI KAYLEY
Age 11y | AFC 32m | ICP 401d
Calves 9 | Weighed 5 | Wean Mat. 122
Avg. WI 105 | CCB 7.55 | CCW 48.3K6K3534 PBD
KE MOGWONI K6K3534
K6K2748 PBD
KE MOGWONI K6K2748
Age 36y | Avg. WI -
Calves 1 | Weighed -
MHB 030006 SP
MOLL'S-HOOP CHICO
Z 010203 SP
HLANZENI Z 01 203
Age 16y | Avg. WI -
Calves 9 | Weighed -
WZ 140052 HH SP
WILZAK JUMBO
E 100084 SP
TAMBARAINE 100084
Age 15y | Avg. WI 101
Calves 12 | Weighed 9
NBOR060065 SP
NTABA NYONI 0665
B 070400 SP
BORGAN KAYLEY
Age 18y | Avg. WI 110
Calves 12 | Weighed 4

COW VALUE 108

100	Calving Ease Value
94	Calf Growth Value
104	Milk Value
112	Maintenance Value
109	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 99

PRODUCTION VALUE 104



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	105	94	104	99	109	108	104
71%	46%	52%	40%	23%	34%	21%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	96	98	90	99	97	102	87	96
32%	22%	12%	37%	23%	21%	20%	22%	20%

SELLER REMARKS: Must be presented for inspection when of age



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 5 (F)

MOS 240464
MOSDENE JULIEANNA

Herd Book	SP
Birth date	2024-10-03
Age	1y 10m
Inbreeding	8%
DNA	U20230U011

PRB 160019 SP
PEINKE PRB160019
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 200101 SP
TAMBARAINE JULIEANNA
Age 6y | AFC 36m | ICP 514d
Calves 3 | Weighed 1 | Wean Mat. 122
Avg. WI 129 | CCB - | CCW 60.1
Calvings: 23-08, 24-10, 26-05MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 96BA 090113 SP
BA LATIKA
Age 12y | AFC - | ICP 399d
Calves 7 | Weighed 3 | Wean Mat. 94
Avg. WI 107 | CCB 6.38 | CCW 40.4WZ 140052 HH SP
WILZAK JUMBO
Wean Mat. 109E 170153 SP
TAMBARAINE E170153
Age 8y | AFC 33m | ICP 491d
Calves 5 | Weighed 4 | Wean Mat. 117
Avg. WI 112 | CCB - | CCW 53.7KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
HVT 950017 SP
OUTSPAN METUSALEG
BA 040014 SP
BA WEEKIND
Age 18y | Avg. WI 108
Calves 14 | Weighed 2
MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Age 16y | Avg. WI -
Calves 8 | Weighed -
E 110061 SP
TAMBARAINE 110061
E 080002 SP
TAMBARAINE E 08 02
Age 12y | Avg. WI 102
Calves 11 | Weighed 7

COW VALUE 113

79	Calving Ease Value
147	Calf Growth Value
98	Milk Value
81	Maintenance Value
90	Fertility Value

GROWTH VALUE 116

CARCASS VALUE 136

PRODUCTION VALUE 117



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
80	94	147	98	109	93	84	106
72%	56%	70%	52%	35%	46%	30%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
139	118	107	122	122	127	123	110	87
44%	34%	23%	54%	34%	33%	32%	33%	32%

SELLER REMARKS: Lexus PRB 16 19 daughter (there won't be much more available) Out of a Jumbo daughter. Open heifer giving you the opportunity to use your own bulls. RW: MOS 20 70




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 6 (F)



MOS 220335
MOSDENE MILLI



Kuddeboek	SP
Geb. dtm	2022-07-15
Oud.	4j 1m
Inteling	0%
DNS	U9941U026
OEK	34m
Kalwers	2
Geweeg	1
Gem. SI	94
TKP	397d

12-3443MXM SP
MEESTER
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 190132 SP
CIRCLE H BH 190132
Oud. 7j | OEK 38m | TKP 492d
Kalwers 3 | Geweeg 1 | Spn. Mat. 84
Gem. SI 101 | KKG - | KKS -
Kalwings: 22-07, 23-07, 25-03

PM02031W
LILAYI PM02031W
Spn Mat. 82

KB03040X
CHULU KB03040X
Oud. 23j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

GF 080024 SP
WALT GF0824
Spn Mat. 83

FN 120531 SP
FONTEINE FN12531
Oud. 12j | OEK 32m | TKP 469d
Kalwers 9 | Geweeg 4 | Spn. Mat. 77
Gem. SI 92 | KKG 7.49 | KKS 42.6

JB95027N
MAMBUSHI JB95027N
PM98023R
LILAYI PM98023R
Oud. 27j | Gem. SI -
Kalwers - | Geweeg -
PM14R SP
LILAYI PM14R
GF00010T SP
GRASMERE GF00010T
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
KB32X SP
KETA KB X 32
HVT 950025 SP
OUTSPAN HVT950025
Oud. 17j | Gem. SI 100
Kalwers 10 | Geweeg 1
HVT 970017 SP
OUTSPAN HVT970017
B 050042 SP
BORGEN B 05 42
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260547 (F)
Geb. datum	2026-06-29
Vaar ID	MOS 210223

Kalwings: 25-05, 26-06

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 104

92	Kalfgemak Waarde
108	Kalfgroei Waarde
86	Melk Waarde
116	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 90

KARKAS WAARDE 90

PRODUKSIE WAARDE 100

VERKOPER OPMERKINGS: Milli is the only direct Meester daughter on offer, going back to 717. With heifer calf MOS 260547 at foot from MOS 21 0223. RW MOS 20 70

EBV Analyse 2026-07-17


Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	106	108	86	99	100	101	103
73%	69%	64%	52%	23%	45%	24%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	93	87	87	86	93	101	106	107
22%	20%	11%	62%	21%	19%	16%	18%	17%

LOT 7 (F)



MOS 200233
MOSDENE GEORGIE



Kuddeboek	SP
Geb. dtm	2020-11-11
Oud.	5j 9m
Inteling	0%
DNS	U3238U081
OEK	35m
Kalwers	3
Geweeg	1
Gem. SI	106
TKP	464d

BH 150314 HH SP
CIRCLE H GUSTAV
Spn Mat. 151

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BFT 160058 C
SHEEPRUN BFT160058
Oud. 9j | OEK 36m | TKP 392d
Kalwers 7 | Geweeg 4 | Spn. Mat. 107
Gem. SI 99 | KKG - | KKS 43.2
Kalwings: 19-10, 20-11, 22-03, 23-03, 24-03, 25-04, 26-03

NBOR060063 SP
NTABA NYONI MOPANI
Spn Mat. 151

GF122U D SP
GOLDA
Oud. 19j | OEK - | TKP 382d
Kalwers 13 | Geweeg 4 | Spn. Mat. 124
Gem. SI 102 | KKG 7.06 | KKS 54.7

BH 110022 SP
CIRCLE H NITRITE
Spn Mat. 88

BFT 120040 B
SHEEPRUN BFT120040
Oud. 5j | OEK 36m | TKP 398d
Kalwers 3 | Geweeg 1 | Spn. Mat. 127
Gem. SI 114 | KKG 8.2 | KKS -

25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
GF123M SP
GF 123M
GF33R
GRASMERE 33 R
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 050503 SP
KETA TLM 05 503
JH 070009 SP
MARONES JH070009
Oud. 9j | Gem. SI -
Kalwers 3 | Geweeg -
B 070146 SP
BORGEN B070146
BFT 070011 A
SHEEPRUN BFT070011
Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260339 (M)
Geb. datum	2026-04-26
Vaar ID	MOS 210039

Kalwings: 23-10, 25-04, 26-04

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



KOEIWAARDE 112

94	Kalfgemak Waarde
100	Kalfgroei Waarde
143	Melk Waarde
100	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 113

PRODUKSIE WAARDE -


VERKOPER OPMERKINGS: Gustav daughter with a future prospect herd sire MOS260339 at foot sired by MOS 21 39 Daraja. RW 18 607, MOS 21 39 again.

EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	92	100	143	88	97	93	102
75%	74%	70%	62%	20%	51%	28%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	97	92	96	104	112	121	107	109
31%	19%	11%	69%	20%	18%	16%	17%	16%

LOT 8 (F)

MOS 220288
MOSDENE SISEEL

Herd Book	SP
Birth date	2022-06-22
Age	4y 2m
Inbreeding	1%
DNA	U9536U041
AFC	38m
Calves	2
Weighed	0
Avg. WI	-
ICP	333d

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 260578 (M)
Birth Date	2026-07-15
Sire ID	EMD 200112

Calvings: 25-08, 26-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 107

96	Calving Ease Value
131	Calf Growth Value
76	Milk Value
79	Maintenance Value
104	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 111

PRODUCTION VALUE 106

SELLER REMARKS: Siseel combines motherliness like Jackie, Kim45 and Heather with added Hublot and Maluti. Her first ICP is 333 Days!! Bull calf MOS260578 at foot sired by EMD 20 112 (his first calves at Mosdene)

VST 140042 Pch SP
TRAP SELOUS
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 180478 SP
CIRCLE H BH 180478
Age 7y | AFC 31m | ICP 376d
Calves 5 | Weighed 5 | Wean Mat. 77
Avg. WI 97 | CCB - | CCW 47
Calvings: 21-05, 22-06, 23-07, 24-07, 25-07

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 94

MHB 080042 Pch SP
MOLL'S-HOOP JACKIE
Age 17y | AFC 25m | ICP 760d
Calves 9 | Weighed 1 | Wean Mat. 76
Avg. WI 110 | CCB 7.47 | CCW 44.5

B 070199 SP
BORGEN B 070199 - MALUTI
Wean Mat. 67

BH 150307 SP
CIRCLE H BH 150307
Age 10y | AFC 35m | ICP 407d
Calves 7 | Weighed 3 | Wean Mat. 97
Avg. WI 102 | CCB 9.45 | CCW 40


25 PBD
KE MARULA 25
KPO21 PBD
KE OL PEJETA 21
Age 39y | Avg. WI -
Calves 2 | Weighed -
TLM 020003 SP
KETA VOORSLAG
MHB 050031 SP
MOLL'S-HOOP JACKIE
Age 14y | Avg. WI -
Calves 5 | Weighed -
KPO548 F
KE OL PEJETA SOLIO 548/51
KIM45 F
KE LOLOMARIK 45
Age 28y | Avg. WI -
Calves - | Weighed -
BH 110020 SP
CIRCLE H HUBLOT
CFH 080238 SP
ELANDSPRUIT HEATHER
Age 17y | Avg. WI -
Calves 10 | Weighed -

EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	101	131	76	98	92	115	104
75%	73%	69%	55%	36%	51%	30%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
124	106	117	127	117	117	106	83	89
34%	33%	27%	55%	35%	33%	32%	34%	32%

LOT 9 (F)

MOS 220186
MOSDENE SIMONE

Herd Book	SP
Birth date	2022-05-18
Age	4y 3m
Inbreeding	2%
DNA	U9396U071
AFC	36m
Calves	1
Weighed	1
Avg. WI	107
ICP	-

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 250378 (M)
Birth Date	2025-05-28
Sire ID	PRB 180015

Calvings: 25-05



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 102

100	Calving Ease Value
116	Calf Growth Value
104	Milk Value
82	Maintenance Value
93	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 113

PRODUCTION VALUE 103

SELLER REMARKS: Simone is one of my picks this year. Combining Jackie and ALZU20 in her dam lines with looks to match. 8m in calf to PRB 18 15, MOS 21 223, MOS 20 268

VST 140042 Pch SP
TRAP SELOUS
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

RN 130011 SP
RANKIN BEEF RN 130011
Age 13y | AFC 40m | ICP 366d
Calves 10 | Weighed 3 | Wean Mat. 120
Avg. WI 102 | CCB - | CCW -
Calvings: 16-06, 17-07, 18-05, 19-06, 20-06, 21-05, 22-05, 23-05, 24-05, 25-06

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 94

MHB 080042 Pch SP
MOLL'S-HOOP JACKIE
Age 17y | AFC 25m | ICP 760d
Calves 9 | Weighed 1 | Wean Mat. 76
Avg. WI 110 | CCB 7.47 | CCW 44.5

KB28W D SP
KETA KB 28 W
Wean Mat. 126

FN 080422 SP
FONTEINE ALICIA
Age 17y | AFC - | ICP 321d
Calves 9 | Weighed - | Wean Mat. 105
Avg. WI - | CCB 6.43 | CCW -

25 PBD
KE MARULA 25
KPO21 PBD
KE OL PEJETA 21
Age 39y | Avg. WI -
Calves 2 | Weighed -
TLM 020003 SP
KETA VOORSLAG
MHB 050031 SP
MOLL'S-HOOP JACKIE
Age 14y | Avg. WI -
Calves 5 | Weighed -
PM14R SP
LILAYI PM14R
GF31R
GF31R
Age 45y | Avg. WI -
Calves 1 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
HMC 990020 SP
ALZU BA 20
Age 15y | Avg. WI -
Calves 8 | Weighed -

EBV Analysis 2026-07-17


Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	94	116	104	110	92	94	103
74%	68%	70%	62%	40%	53%	32%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	105	113	120	111	112	116	88	82
38%	37%	29%	69%	39%	37%	35%	37%	35%

LOT 10 (M)

MOS 210222
MOSDENE MPANDE

Kuddeboek	SP
Geb. dtm	2021-10-12
Oud.	4j 10m
Inteling	0%
DNS	U7472U009



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD ENT 03-MAY-26 (EXP 02-NOV-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 121

91	Kalfgemak Waarde
123	Kalfgroei Waarde
92	Melk Waarde
87	Onderhoudswaarde
123	Vrugbaarheidswaarde

GROEI WAARDE 123

KARKAS WAARDE 131

PRODUKSIE WAARDE 126



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FN 110229 HH SP
FONTEINE FN 110229
Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 180022 SP
TAMBARAINE E180022
Oud. 8j | OEK 32m | TKP 484d
Kalwers 4 | Geweeg 3 | Spn. Mat. 91
Gem. SI 99 | KKG - | KKS 41.2
Kalwings: 20-09, 21-10, 23-01, 24-09

FN 050028 SP
FONTEINE CHURCHILL FN0528
Spn Mat. 99

FN 040023 SP
FONTEINE FN 04 23
Oud. 14j | OEK 30m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 118
Gem. SI - | KKG - | KKS -

VST 140067 SP
TRAP VST1467
Spn Mat. 109

E 150048 SP
TAMBARAINE E150048
Oud. 4j | OEK 34m | TKP 449d
Kalwers 2 | Geweeg 1 | Spn. Mat. 100
Gem. SI 117 | KKG - | KKS 53.9

ND9A PBD
NDAKAINI 8N9
ISEG PBD
SEGERA 3089
Oud. 35j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3094 PBD
KE MOGWOOINI 3094 (BMK163)
ISEG PBD
SEGERA 3089
Oud. 35j | Gem. SI -
Kalwers 1 | Geweeg -
MHB 040010 SP
MOLL'S-HOOP IMPIE
VST 120004 Pch SP
TRAP JACKIE
Oud. 14j | Gem. SI 110
Kalwers 9 | Geweeg 9
MHB 060030 SP
MOLL'S-HOOP RUSTIN
E 120073 SP
TAMBARAINE 120073
Oud. 5j | Gem. SI 111
Kalwers 3 | Geweeg 2



EBV Analise 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	93	123	92	115	118	120	107
73%	62%	70%	52%	41%	49%	32%	56%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	126	120	114	119	125	127	110	105
48%	44%	18%	53%	42%	38%	36%	40%	37%

VERKOPER OPMERKINGS: Mpanse speaks for himself. The first Derby son on offer from Mosdene. His dam is a half-sister to E 18 138 Odysseus! With added Rustin and 02 12. Look at the values!! Retain a semen share.

LOT 11 (F)

MOS 240007
MOSDENE BEEJA

Kuddeboek	SP
Geb. dtm	2024-01-04
Oud.	2j 7m
Inteling	2%
DNS	U16607U009



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 97

95	Kalfgemak Waarde
104	Kalfgroei Waarde
96	Melk Waarde
114	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 97

PRODUKSIE WAARDE 95



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 130065 HH SP
TAMBARAINE 130065
Oud. 11j | OEK 32m | TKP 412d
Kalwers 8 | Geweeg 8 | Spn. Mat. 84
Gem. SI 98 | KKG - | KKS 49.1
Kalwings: 16-02, 17-05, 18-08, 19-09, 20-10, 21-11, 23-01, 24-01

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 103

BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42

E 080046 SP
TAMBARAINE E 08 46
Spn Mat. 82

TLM 040023 SP
KETA TLM 04 23
Oud. 17j | OEK 29m | TKP 411d
Kalwers 9 | Geweeg 5 | Spn. Mat. 101
Gem. SI 101 | KKG - | KKS 49.4

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
KPO786 PBD
KE OL PEJETA 786
KPO725 PBD
KE OL PEJETA 725
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 000011 SP
KETA TLM000011
970041FE SP
FORRESTER FE 97 041
Oud. 18j | Gem. SI 95
Kalwers 11 | Geweeg 1



EBV Analise 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	99	104	96	104	93	82	102
73%	63%	72%	58%	35%	50%	31%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	98	94	88	87	98	102	82	95
42%	34%	16%	55%	35%	33%	28%	30%	28%

VERKOPER OPMERKINGS: First Bolt daughter for the day. Combining Cojack, Britney, TLM 02 17, 717, 1383 and 97 41 FE! Deep and broad all in 1 package. 5m in calf to MOS 20 255 (half-brother to Odysseus) CP 18 22, GB 18 04 or MC 18 88.


LOT 12 (F)



MOS 240119

MOSDENE SESHETA

Herd Book	SP
Birth date	2024-03-28
Age	2y 4m
Inbreeding	1%
DNA	U17618U022



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 103

101	Calving Ease Value
101	Calf Growth Value
85	Milk Value
98	Maintenance Value
115	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 105

PRODUCTION VALUE 101



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MOS 200070 HH SP

MOSDENE MOS 200070

Wean Mat. 80

Parentage Sire Dam

DNA ✓ ✓

Genomic

ED 140056 HH SP

EDLYN ED140056

Age 11y | AFC 35m | ICP 388d
Calves 9 | Weighed 7 | Wean Mat. 92
Avg. WI 98 | CCB 6.96 | CCW 45.8
Calvings: 17-11, 18-09, 19-12, 20-11,
22-03, 23-04, 24-03, 25-05,
26-05

BH 160296 SP

CIRCLE H HORIZON

Wean Mat. 71

BH 170367 SP

CIRCLE H BH 170367

Age 8y | AFC 32m | ICP 467d
Calves 5 | Weighed 4 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 54.2

MHB 040010 SP

MOLL'S-HOOP IMPIE

Wean Mat. 106

CI 080059 DH SP

CIRCLE C THARINA

Age 15y | AFC 27m | ICP 355d
Calves 13 | Weighed 1 | Wean Mat. 86
Avg. WI 89 | CCB 5.85 | CCW 47.4

BH 110020 SP

CIRCLE H HUBLOT

CI 060015 SP

CIRCLE C HIBISCUS

Age 14y | Avg. WI -

Calves 9 | Weighed -

B 120155 SP

BORGEN B12155

ED 140045 SP

EDLYN ED140045

Age 5y | Avg. WI -

Calves 2 | Weighed -

K6K1711 PBD

KE MOGWONNI K6K1711

KPO615 PBD

KE OL PEJETA 615

Age 32y | Avg. WI -

Calves - | Weighed -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

TLM 020035 DH SP

KETA THARINA

Age 17y | Avg. WI 95

Calves 11 | Weighed 6



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	108	101	85	102	117	110	107
73%	56%	70%	51%	28%	37%	22%	49%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	96	89	101	90	95	99	118	107
40%	29%	10%	45%	28%	26%	24%	25%	24%

SELLER REMARKS: Don't miss out on this heifer bringing Hublot, B 12 155, Impie, Incredibull and Tharina (full sister to Knopkierrie). 5m in calf to MOS 21 222 (LOT 10!), MOS 20 07, E 20 85


LOT 13 (F)



MOS 240017

MOSDENE KUMI

Herd Book	SP
Birth date	2024-01-06
Age	2y 7m
Inbreeding	0%
DNA	U16607U019



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 91

104	Calving Ease Value
110	Calf Growth Value
120	Milk Value
78	Maintenance Value
75	Fertility Value

GROWTH VALUE 134

CARCASS VALUE 107

PRODUCTION VALUE 104



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

TLM 050526 HH SP

KETA TLM 05 526 - KONING

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

DLV 110035 SP

DE LA VIDA DLV 110035

Age 14y | AFC 25m | ICP 405d
Calves 12 | Weighed 10 | Wean Mat. 134
Avg. WI 108 | CCB 5.93 | CCW 44.6



Calvings: 13-12, 15-02, 16-07, 17-11,

18-10, 19-10, 20-09, 21-11, 23-01,

24-01, 25-01, 26-02

TLM 020001 SP

KETA TLM020001 - BUFFEL

Wean Mat. 85

TLM 020017 SP

KETA TLM 02 17

Age 12y | AFC 40m | ICP 358d
Calves 9 | Weighed 4 | Wean Mat. 109
Avg. WI 103 | CCB 6.24 | CCW 47.5

B 070002 SP

BORGEN B07002

Wean Mat. 118

CFH 080453 SP

ELANDSPRUIT CFH080453

Age 9y | AFC - | ICP 553d
Calves 4 | Weighed 2 | Wean Mat. 113
Avg. WI 107 | CCB 5.06 | CCW 45.5

K6K2459 PBD

KE MOGWONNI K6K2459

KPO4203 F

KE OL PEJETA KPO 4203

Age 18y | Avg. WI -

Calves - | Weighed -

KPO791 PBD

KE OL PEJETA KPO 791

K6K2748 PBD

KE MOGWONNI K6K2748

Age 36y | Avg. WI -

Calves 1 | Weighed -

B 040010 SP

BORGEN B 04 10

B 030041 SP

BORGEN B 03 41

Age 3y | Avg. WI -

Calves 1 | Weighed -

FE 960075 SP

FORRESTER 96/75

CFH 030502 SP

ELANDSPRUIT CFH 03 502

Age 15y | Avg. WI -

Calves 3 | Weighed -



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	106	110	120	125	62	94	96
73%	66%	70%	62%	52%	52%	40%	61%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	137	129	124	109	103	97	105	95
44%	50%	28%	60%	51%	49%	40%	43%	40%

SELLER REMARKS: Second Koning daughter on going back to 2748 (dam to Eros),494, FE 96 75 and 1383. 7m in calf to MOS 20 255, CP 18 22, GB 18 04 or MC 18 88


LOT 14 (F)



MOS 230631

MOSDENE KELCIE

Kuddeboek	SP
Geb. dtm	2023-11-11
Oud.	2j 9m
Inteling	9%
DNS	U15969U088



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 98

96	Kalfgemak Waarde
107	Kalfgroei Waarde
93	Melk Waarde
97	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 91

PRODUKSIE WAARDE 95

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	95	107	93	83	95	107	92
73%	54%	70%	51%	31%	40%	30%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	95	93	102	93	94	94	80	100
48%	30%	22%	48%	31%	30%	29%	30%	29%

VERKOPER OPMERKINGS: The only E 18 76 daughter on today deep, red, feminine. linebred to Rustin, HVT 04 18 and TLM 02 12. 6m in calf to BONT bull MOS 22 218 Marcus, GB 18 04 , MC 18 88, CP 18 22.


LOT 15 (F)



MOS 220312

MOSDENE SOPHIA

Kuddeboek	SP
Geb. dtm	2022-07-04
Oud.	4j 1m
Inteling	1%
DNS	U9941U005
OEK	35m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	339d



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 111

96	Kalfgemak Waarde
124	Kalfgroei Waarde
92	Melk Waarde
90	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 126

PRODUKSIE WAARDE 115

Laaste Kalf

Kalf ID	MOS 260343 (F)
Geb. datum	2026-04-27
Vaar ID	PRB 160007

Kalwings: 25-05, 26-04

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	97	124	92	107	95	105	104
75%	72%	68%	51%	34%	49%	24%	50%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
123	111	94	109	100	109	112	127	118
38%	31%	25%	51%	33%	30%	28%	31%	28%

VERKOPER OPMERKINGS: Sophia is one of my TOP 3 on offer out of a Zenon x Koning daughter sired by Shaka (half-brother to Odysseus) with a looker at foot MOS26 343 by Bolt PRB 16 07! RW: BH 18 607, MOS 21 39

LOT 16 (F)

MOS 230614
MOSDENE SIBEL

Herd Book	SP
Birth date	2023-11-07
Age	2y 9m
Inbreeding	2%
DNA	UI5969U074



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 100

90	Calving Ease Value
103	Calf Growth Value
89	Milk Value
103	Maintenance Value
110	Fertility Value

GROWTH VALUE 86

CARCASS VALUE 94

PRODUCTION VALUE 94

SELLER REMARKS: Sibel combines Salvador, Ultimate and E 16 104 and she is broad as she is deep. TOP heifer don't miss her! 6m in calf to MOS 20 255, CP 18 22, GB 18 04 or MC 18 88

MOS 200070 HH SP
MOSDENE MOS 200070
Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MOS 210019 SP
MOSDENE MOS 210019
Age 5y | AFC 33m | ICP 431d
Calves 3 | Weighed 2 | Wean Mat. 95
Avg. WI 99 | CCB - | CCW 47.7
Calvings: 23-11, 25-02, 26-03

BH 160296 SP
CIRCLE H HORIZON
Wean Mat. 71

BH 170367 SP
CIRCLE H BH 170367
Age 8y | AFC 32m | ICP 467d
Calves 5 | Weighed 4 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 54.2

E 160104 SP
TAMBARAINE E160104
Wean Mat. 105

E 180101 SP
TAMBARAINE E180101
Age 8y | AFC 31m | ICP 407d
Calves 5 | Weighed 4 | Wean Mat. 96
Avg. WI 107 | CCB - | CCW 51

BH 110020 SP
CIRCLE H HUBLLOT
CI 060015 SP
CIRCLE C HIBISCUS
Age 14y | Avg. WI -
Calves 9 | Weighed -
B 120155 SP
BORGEN B12155
ED 140045 SP
EDLYN ED140045
Age 5y | Avg. WI -
Calves 2 | Weighed -
MHB 060030 SP
MOLL'S-HOOP RUSTIN
E 080063 SP
TAMBARAINE E 08 63
Age 10y | Avg. WI 113
Calves 8 | Weighed 6
E 150072 SP
TAMBARAINE E150072
E 120095 SP
TAMBARAINE 120095
Age 9y | Avg. WI 94
Calves 6 | Weighed 6



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	98	103	89	92	106	108	110
73%	52%	69%	46%	21%	36%	22%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	90	89	96	90	93	95	100	107
40%	23%	13%	45%	20%	19%	18%	19%	18%

LOT 17 (F)

MOS 210165
MOSDENE BROOKE

Herd Book	SP
Birth date	2021-06-25
Age	5y 1m
Inbreeding	5%
DNA	ZOCA2021-20338
AFC	41m
Calves	2
Weighed	0
Avg. WI	-
ICP	346d

FMD VAC 19-MAR-26 (EXP 18-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 97

84	Calving Ease Value
113	Calf Growth Value
100	Milk Value
109	Maintenance Value
86	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 105

PRODUCTION VALUE 96

SELLER REMARKS: Something Special in this cow Bolt, Khan, Yster (622). Lovely deep polled cow 5m in calf to MOS 20 255 (half-brother to Odysseus) CP 18 22, GB 18 04 or MC 18 88

PRB 160007 HH SP
PEINKE BOLT
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

RN 130404 SP
RANKIN BEEF RN13404
Age 13y | AFC 34m | ICP 454d
Calves 8 | Weighed 4 | Wean Mat. 89
Avg. WI 99 | CCB 5.78 | CCW 52
Calvings: 15-11, 17-07, 18-10, 20-07, 21-06, 22-07, 23-07, 24-07

CI 080030 SP
CIRCLE C COJACK
Wean Mat. 103

BA 040011 SP
BA BRITNEY
Age 11y | AFC - | ICP 349d
Calves 8 | Weighed 2 | Wean Mat. 101
Avg. WI 108 | CCB 5.94 | CCW 42

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 96

LW 080005 HH SP
NELLO JESSICA
Age 17y | AFC - | ICP 450d
Calves 9 | Weighed 2 | Wean Mat. 95
Avg. WI 100 | CCB 5.46 | CCW 44.6

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
KPO786 PBD
KE OL PEJETA 786
KPO725 PBD
KE OL PEJETA 725
Age 31y | Avg. WI -
Calves - | Weighed -
KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
N 040003 SP
EERSTEGELUK-BAA'S N 04 03 - YSTE
Z 060038 SP
HLANZENI Z0638
Age 18y | Avg. WI 98
Calves 13 | Weighed 2



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
85	94	113	100	108	90	85	99
75%	74%	70%	56%	41%	56%	34%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	97	97	92	88	101	109	91	89
42%	40%	22%	54%	41%	39%	35%	37%	35%




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Calvings: 24-11, 25-10

LOT 18 (M)

MOS 220213
MOSDENE BOWIE

Kuddeboek	SP
Geb. dtm	2022-05-26
Oud.	4j 2m
Inteling	1%
DNS	U9396U092



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 78

104	Kalfgemak Waarde
76	Kalfgroei Waarde
71	Melk Waarde
128	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 78

KARKAS WAARDE 80

PRODUKSIE WAARDE 73

VERKOPER OPMERKINGS: THE first Bolt son on offer from Mosdene. Going back to 717, 786 and TLM 02 12. Early maturing, stocky, muscular and polled all in 1 package. Retain semen share

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 180093 SP
TAMBARAINE E180093
Oud. 8j | OEK 31m | TKP 397d
Kalwers 5 | Geweeg 4 | Spn. Mat. 50
Gem. SI 72 | KKG - | KKS 37.1
Kalwings: 21-01, 22-05, 23-05, 24-05, 25-05

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 103

BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42

E 130066 SP
TAMBARAINE 130066
Spn Mat. 53

E 110208 SP
TAMBARAINE 110208
Oud. 7j | OEK 40m | TKP 583d
Kalwers 3 | Geweeg 2 | Spn. Mat. 80
Gem. SI 102 | KKG - | KKS 46.8

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
KP0786 PBD
KE OL PEJETA 786
KP0725 PBD
KE OL PEJETA 725
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
CFH 080173 SP
ELANDSPRUIT CFH08173

E 090048 SP
TAMBARAINE E 09 48
Oud. 13j | Gem. SI 103
Kalwers 10 | Geweeg 8
E 060007 SP
TAMBARAINE E 06 07
E 090026 SP
TAMBARAINE E 09 26
Oud. 13j | Gem. SI 97
Kalwers 11 | Geweeg 9



EBV Analyse 2026-07-17


Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	93	76	71	98	101	93	101
73%	61%	71%	55%	33%	48%	29%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
75	79	78	75	67	72	93	83	93
38%	32%	15%	53%	33%	31%	26%	28%	26%

LOT 19 (F)

MOS 230225
MOSDENE KAMILLA

Kuddeboek	SP
Geb. dtm	2023-04-28
Oud.	3j 3m
Inteling	3%
DNS	U13536U002
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Laaste Kalf

Kalf ID	MOS 260153 (M)
Geb. datum	2026-02-27
Vaar ID	MOS 210009

Kalwings: 26-02

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 26-MAY-26 (EXP 24-NOV-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 106

101	Kalfgemak Waarde
109	Kalfgroei Waarde
105	Melk Waarde
93	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 117

PRODUKSIE WAARDE 107

VERKOPER OPMERKINGS: Krypton, Puma, Boerboel, Kristina, Pandora and NDA 9. With a bull calf MOS26 153 at foot sired by MOS 21 09 O'Nine. RW: BH 18 607 and MOS 21 39

BH 180607 HH SP
CIRCLE H KRYPTON
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 200180 SP
MOSDENE MOS 200180
Oud. 4j | OEK 30m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 118
Gem. SI 111 | KKG - | KKS 70.6
Kalwings: 23-04

CI 110090 HH SP
CIRCLE C CANNON
Spn Mat. 108

BH 150057 SP
CIRCLE H KRISTINA
Oud. 11j | OEK 31m | TKP 436d
Kalwers 8 | Geweeg 4 | Spn. Mat. 84
Gem. SI 96 | KKG 9.45 | KKS 49.8

BH 140178 SP
CIRCLE H PUMBA
Spn Mat. 110

BH 160495 SP
CIRCLE H BH 160495
Oud. 9j | OEK 33m | TKP 422d
Kalwers 6 | Geweeg 5 | Spn. Mat. 116
Gem. SI 95 | KKG - | KKS 50.7

CI 080030 SP
CIRCLE C COJACK

KB13A DH SP
KETA KB 13 A
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -
CI 100107 SP
CIRCLE C CI100107
CI 060019 P SP
CIRCLE C KRISTINA
Oud. 16j | Gem. SI 109
Kalwers 11 | Geweeg 2
TLM 050543 SP
KETA TLM050543
CI 070109 SP
CIRCLE C PANDORA
Oud. 17j | Gem. SI -
Kalwers 11 | Geweeg -
BBN 060008 SP
BORANA BOERBULL
BH 130001 SP
CIRCLE H BH 130001
Oud. 4j | Gem. SI -
Kalwers 2 | Geweeg -



EBV Analyse 2026-07-17


Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	89	108	105	106	106	96	105
72%	66%	65%	42%	22%	46%	21%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	108	96	105	104	113	125	105	102
30%	21%	11%	43%	22%	20%	18%	20%	18%

LOT 20 (F)

MOS 240018
MOSDENE SHILAH

Herd Book	SP
Birth date	2024-01-06
Age	2y 7m
Inbreeding	1%
DNA	U16607U020



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 101

93	Calving Ease Value
106	Calf Growth Value
96	Milk Value
103	Maintenance Value
100	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 98

PRODUCTION VALUE 96



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MOS 200070 HH SP

MOSDENE MOS 200070

Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MOS 210168 SP

MOSDENE MOS210168

Age 5y | AFC 30m | ICP 536d
Calves 2 | Weighed 2 | Wean Mat. 114
Avg. WI 100 | CCB - | CCW -
Calvings: 24-01, 25-06

BH 160296 SP

CIRCLE H HORIZON

Wean Mat. 71

BH 170367 SP

CIRCLE H BH 170367

Age 8y | AFC 32m | ICP 467d
Calves 5 | Weighed 4 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 54.2

QT 120030 HH SP

MEYBOR QT1230

Wean Mat. 113

E 170131 SP

TAMBARAINE E170131

Age 8y | AFC 34m | ICP 408d
Calves 6 | Weighed 3 | Wean Mat. 111
Avg. WI 106 | CCB - | CCW 52.8

BH 110020 SP

CIRCLE H HUBLLOT

CI 060015 SP

CIRCLE C HIBISCUS

Age 14y | Avg. WI -

Calves 9 | Weighed -

B 120155 SP

BORGEN B12155

ED 140045 SP

EDLYN ED140045

Age 5y | Avg. WI -

Calves 2 | Weighed -

CFH 060874 SP

ELANDSPRUIT CFH06874

QT 090007 SP

MEYBOR QT090007

Age 16y | Avg. WI 106

Calves 11 | Weighed 6

E 090096 SP

TAMBARAINE 090096

E 150018 SP

TAMBARAINE E150018

Age 4y | Avg. WI 107

Calves 2 | Weighed 2

EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	99	106	96	93	100	96	108
73%	51%	71%	47%	19%	38%	21%	46%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	89	86	95	93	97	97	100	104
40%	21%	9%	40%	18%	17%	15%	16%	15%

SELLER REMARKS: We Offer Shilah with a heavy heart! She brings 2 of our best bulls together and to top that off she is 7m in calf to BONT bull Marcus MOS 22 218 (See ref sires)

LOT 21 (F)

MOS 240115
MOSDENE SUNDARI

Herd Book	SP
Birth date	2024-03-26
Age	2y 4m
Inbreeding	1%
DNA	U17618U019



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 100

90	Calving Ease Value
102	Calf Growth Value
89	Milk Value
105	Maintenance Value
110	Fertility Value

GROWTH VALUE 81

CARCASS VALUE 92

PRODUCTION VALUE 93



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MOS 200070 HH SP

MOSDENE MOS 200070

Wean Mat. 80

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 190125 SP

TAMBARAINE E190125

Age 6y | AFC 30m | ICP 368d
Calves 5 | Weighed 2 | Wean Mat. 99
Avg. WI 105 | CCB - | CCW 44.9
Calvings: 22-03, 23-04, 24-03, 25-03, 26-03

BH 160296 SP

CIRCLE H HORIZON

Wean Mat. 71

BH 170367 SP

CIRCLE H BH 170367

Age 8y | AFC 32m | ICP 467d
Calves 5 | Weighed 4 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 54.2

E 150072 SP

TAMBARAINE E150072

Wean Mat. 91

E 140157 HH SP

TAMBARAINE E140157

Age 12y | AFC 32m | ICP 417d
Calves 8 | Weighed 8 | Wean Mat. 97
Avg. WI 101 | CCB - | CCW 54.5

BH 110020 SP

CIRCLE H HUBLLOT

CI 060015 SP

CIRCLE C HIBISCUS

Age 14y | Avg. WI -

Calves 9 | Weighed -

B 120155 SP

BORGEN B12155

ED 140045 SP

EDLYN ED140045

Age 5y | Avg. WI -

Calves 2 | Weighed -

MHB 060030 SP

MOLL'S-HOOP RUSTIN

TLM 050044 SP

KETA TLM 05 44

Age 19y | Avg. WI 99

Calves 16 | Weighed 11

E 080046 SP

TAMBARAINE E 08 46

KB20W SP

KETA KB 20 W

Age 13y | Avg. WI 98

Calves 7 | Weighed 3

EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	96	102	89	94	112	102	109
73%	52%	70%	47%	22%	37%	24%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	87	81	94	83	89	96	98	102
42%	24%	14%	45%	22%	20%	19%	20%	19%


SELLER REMARKS: 1 of my personal top 3. Deep, broad, feminine and BONT! Salvador and Ultimate in her pedigree. 5m in calf to NOX MOS 23 33 (Jumbo , Timmy, Dolly, Delamere) , MOS 20 07 or E 20 85 (Jumbo son).

LOT 22 (F)



MOS 220418

MOSDENE BRANKA



Kuddeboek	SP
Geb. dtm	2022-10-24
Oud.	3j 9m
Inteling	1%
DNS	U11495U008
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250837 (F)
Geb. datum	2025-12-14
Vaar ID	MOS 200086

Kalwings: 25-12

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 99

91	Kalfgemak Waarde
101	Kalfgroei Waarde
92	Melk Waarde
115	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 91

PRODUKSIE WAARDE 96

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 200036 SP

CIRCLE H BH 200036
Oud. 6j | OEK 33m | TKP 403d
Kalwers 4 | Geweeg 2 | Spn. Mat. 77
Gem. SI 94 | KKG - | KKS 46.9
Kalwings: 22-10, 23-09, 24-11, 26-02

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 103

BA 040011 SP

BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42


CFH 140288 SP
ELANDSPRUIT MERLIN
Spn Mat. 87

GN 150051 SP

GREENBOR GNI50051
Oud. 10j | OEK 38m | TKP 438d
Kalwers 7 | Geweeg 4 | Spn. Mat. 87
Gem. SI 99 | KKG - | KKS -

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
KPO786 PBD
KE OL PEJETA 786
KPO725 PBD
KE OL PEJETA 725
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
PM14R SP
LILAYI PM14R
NJS 090093 SP
MASUNISO NJS090093
Oud. 11j | Gem. SI -
Kalwers 3 | Geweeg -
FN 100527 SP
FONTEINE FERRARI
FN 130363 SP
FONTEINE FLORENCE
Oud. 13j | Gem. SI 97
Kalwers 9 | Geweeg 2



EBV Analise 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	102	101	92	102	97	101	103
72%	68%	70%	52%	34%	53%	28%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	95	89	88	81	91	101	92	94
37%	33%	16%	51%	34%	32%	27%	29%	27%


VERKOPER OPMERKINGS: A confirmed 3 in 1 Bolt daughter to E 20 72, E 20 49, MOS 22 227. With heifer calf MOS25 837 at foot sired by MOS 20 86. She brings dam lines like 159U, Britney and Florance to the pedigree.

LOT 23 (F)



MOS 230719

MOSDENE LILITH



Kuddeboek	SP
Geb. dtm	2023-12-10
Oud.	2j 8m
Inteling	0%
DNS	U16297U037

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 92

99	Kalfgemak Waarde
99	Kalfgroei Waarde
92	Melk Waarde
97	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 108

PRODUKSIE WAARDE 93

PRB 160019 SP
PEINKE PRB160019
Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AB 200693 SP

ABBA AB200693
Oud. 6j | OEK 34m | TKP 384d
Kalwers 3 | Geweeg 3 | Spn. Mat. 102
Gem. SI 99 | KKG - | KKS 49.6
Kalwings: 22-12, 23-12, 25-01

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 96

BA 090113 SP

BA LATIKA
Oud. 12j | OEK - | TKP 399d
Kalwers 7 | Geweeg 3 | Spn. Mat. 94
Gem. SI 107 | KKG 6.38 | KKS 40.4

MXM 139669 SP
MAMBUSHI 139669
Spn Mat. 95

AB 160093 SP

ABBA AB160093
Oud. 10j | OEK 33m | TKP 401d
Kalwers 7 | Geweeg 5 | Spn. Mat. 116
Gem. SI 108 | KKG - | KKS 42.4

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
HVT 950017 SP
OUTSPAN METUSALEG
BA 040014 SP
BA WEEKIND
Oud. 18j | Gem. SI 108
Kalwers 14 | Geweeg 2
MXM 100101 SP
MAMBUSHI 10101
CI 080137 P SP
CIRCLE C C1080137
Oud. 17j | Gem. SI -
Kalwers 9 | Geweeg -
MXM 100191 SP
MAMBUSHI 10191
EO 110093 SP
ELMECO EO110093
Oud. 11j | Gem. SI -
Kalwers 8 | Geweeg -




EBV Analise 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	89	99	92	106	103	92	102
71%	57%	69%	53%	34%	41%	27%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	101	99	102	101	101	107	103	79
38%	33%	21%	52%	33%	32%	31%	32%	31%

VERKOPER OPMERKINGS: Lilith is a polled Lexus daughter with Zambian lines on the dam side. 7m in calf to MOS 20 255 (half-brother to Odysseus) CP 18 22, GB 18 04 or MC 18 88

LOT 24 (F)

MOS 230141
MOSDENE ORDELL

Herd Book	SP
Birth date	2023-03-19
Age	3y 5m
Inbreeding	2%
DNA	U12912U001
AFC	37m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

E 180138 Pch SP
TAMBARAINE ODYSSEUS
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 160242 SP
CIRCLE H BH 160242
Age 9y | AFC 35m | ICP 405d
Calves 7 | Weighed 4 | Wean Mat. 98
Avg. WI 101 | CCB 9.12 | CCW 31.5
Calvings: 19-09, 20-11, 22-03,
23-03, 24-03, 25-04, 26-05

VST 140067 SP
TRAP VST1467
Wean Mat. 109

E 150133 SP
TAMBARAINE E150133
Age 3y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 102
Avg. WI 101 | CCB - | CCW 53.3

CI 110090 HH SP
CIRCLE C CANNON
Wean Mat. 108

WZ 110006 SP
WILZAK DOROTHY
Age 12y | AFC - | ICP 418d
Calves 7 | Weighed - | Wean Mat. 83
Avg. WI - | CCB 6.02 | CCW -

MHB 040010 SP
MOLL'S-HOOP IMPIE
VST 120004 Pch SP
TRAP JACKIE
Age 14y | Avg. WI 110
Calves 9 | Weighed 9
MHB 060030 SP
MOLL'S-HOOP RUSTIN
E 080044 SP
TAMBARAINE E 08 44
Age 16y | Avg. WI 98
Calves 13 | Weighed 11
CI 080030 SP
CIRCLE C COJACK
KB13A DH SP
KETA KB 13 A
Age 12y | Avg. WI -
Calves 4 | Weighed -
CI 060008 DH SP
CIRCLE C CIO60008- HOUDINI
MHB 030001 SP
MOLL'S-HOOP DOROTHY
Age 16y | Avg. WI -
Calves 10 | Weighed -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 260336 (M)
Birth Date	2026-04-22
Sire ID	MOS 210018

Calvings: 26-04

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



FMD VAC 26-MAY-26 (EXP 24-NOV-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 94

101	Calving Ease Value
93	Calf Growth Value
104	Milk Value
94	Maintenance Value
103	Fertility Value

GROWTH VALUE 90

CARCASS VALUE 98

PRODUCTION VALUE 91




EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	99	93	104	96	103	102	105
73%	66%	69%	50%	28%	49%	24%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	92	88	104	93	96	102	107	117
45%	26%	14%	46%	28%	26%	25%	27%	25%

SELLER REMARKS: A stunning deep Odysseus daughter, going back to Canon and Dorothy. Only 2 Odysseus daughters on offer today. With potential polled herd sire MOS26 336 at foot from MOS 21 18. RW: BH 18 607 and MOS 21 39

LOT 25 (M)

MOS 200254 HH
MOSDENE ODIN

Herd Book	SP
Birth date	2020-11-19
Age	5y 9m
Inbreeding	1%
DNA	U7656U026

VST 140067 SP
TRAP VST1467
Wean Mat. 109

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 170029 SP
TAMBARAINE E170029
Age 7y | AFC 31m | ICP 382d
Calves 4 | Weighed 3 | Wean Mat. 89
Avg. WI 96 | CCB - | CCW 66.7
Calvings: 19-10, 20-11, 21-11, 22-12

MHB 040010 SP
MOLL'S-HOOP IMPIE
Wean Mat. 106

VST 120004 Pch SP
TRAP JACKIE
Age 14y | AFC - | ICP 479d
Calves 9 | Weighed 9 | Wean Mat. 117
Avg. WI 110 | CCB 6.05 | CCW 40

E 080046 SP
TAMBARAINE E 08 46
Wean Mat. 82

E 110195 SP
TAMBARAINE 110195
Age 11y | AFC 31m | ICP 466d
Calves 8 | Weighed 4 | Wean Mat. 103
Avg. WI 110 | CCB 6.75 | CCW 49.5

K6K1711 PBD
KE MOGWONII K6K1711
KPO615 PBD
KE OL PEJETA 615
Age 32y | Avg. WI -
Calves - | Weighed -
CI 080030 SP
CIRCLE C COJACK
MHB 050008 SP
MOLL'S-HOOP JACKIE
Age 12y | Avg. WI 104
Calves 7 | Weighed 1
TLM 020012 SP
KETA TLM 02 12
TLM 020017 SP
KETA TLM 02 17
Age 12y | Avg. WI 103
Calves 9 | Weighed 4
TLM 020012 SP
KETA TLM 02 12
B 070028 SP
BORGEN B 07 28
Age 18y | Avg. WI 106
Calves 14 | Weighed 10

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

USED IN HERD (13)

Myostatin

Q204X	Free
NT821	Free
F94L	Free



FMD VAC 19-MAR-26 (EXP 18-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 96

101	Calving Ease Value
89	Calf Growth Value
107	Milk Value
110	Maintenance Value
96	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 102

PRODUCTION VALUE 97




EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	98	89	107	97	101	88	100
90%	85%	86%	84%	82%	82%	80%	84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	108	101	91	95	102	99	94	102
83%	81%	80%	84%	82%	81%	81%	81%	81%

SELLER REMARKS: Odin half-brother to Odysseus on paternal side. Maternal all the best lines from Tambaraine 02 12, 02 17, B 07 28 going back to B 01 142! Thick bull with a lot of muscle. Don't miss out on him. Used in herd and retain semen share.

LOT 26 (F)

MOS 230097
MOSDENE TAYLOR

Kuddeboek	SP
Geb. dtm	2023-02-15
Oud.	3j 6m
Inteling	0%
DNS	U12379U029
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260333 (M)
Geb. datum	2026-04-20
Vaar ID	MOS 210009

Kalwings: 26-04

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



QT 120030 HH SP
MEYBOR QT1230
Spn Mat. 113

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 140045 HH SP
TAMBARAINE 140045
Oud. 12j | OEK 32m | TKP 470d
Kalwers 8 | Geweeg 7 | Spn. Mat. 92
Gem. SI 103 | KKG - | KKS 47.6

Kalwings: 16-11, 18-07, 19-08,
20-09, 21-11, 23-02, 24-06, 25-11

CFH 060874 SP
ELANDSPRUIT CFH06874
Spn Mat. 87

QT 090007 SP
MEYBOR QT090007
Oud. 16j | OEK - | TKP 475d
Kalwers 11 | Geweeg 6 | Spn. Mat. 118
Gem. SI 106 | KKG - | KKS 50.3


CFH 080173 SP
ELANDSPRUIT CFH08173
Spn Mat. 71

E 080008 HH SP
TAMBARAINE E 08 08
Oud. 16j | OEK 33m | TKP 436d
Kalwers 10 | Geweeg 8 | Spn. Mat. 101
Gem. SI 99 | KKG - | KKS 45.1

HVT 000010 SP
OUTSPAN HVT000010

GF400 SP
GRASMERE 40 O
Oud. 21j | Gem. SI -
Kalwers 6 | Geweeg -
CFH 060657 SP
ELANDSPRUIT 06 657
CFH 060760 SP
ELANDSPRUIT 06 760
Oud. 9j | Gem. SI 99
Kalwers 5 | Geweeg 3
HVT 970017 SP
OUTSPAN HVT970017

B 040020 SP
BORGES B 04 20
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 020019 SP
KETA TLM 02 19
Oud. 13j | Gem. SI 102
Kalwers 7 | Geweeg 5



EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	100	112	101	111	92	96	101
74%	71%	72%	61%	30%	57%	32%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	98	96	109	92	106	108	92	114
42%	27%	11%	60%	28%	26%	21%	23%	21%

VERKOPER OPMERKINGS: Tarzan daughter out of E 14 45 (dam to Jayce sold last year for 500k) Potential herd sire
MOS26 333 at foot by MOS 21 09! RW: MOS 21 39, BH 18 607

KOEIWAARDE 99


96	Kalfgemak Waarde
112	Kalfgroei Waarde
101	Melk Waarde
90	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE 103

PRODUKSIE WAARDE 99

LOT 27 (F)

MOS 240020
MOSDENE KIMIKA

Kuddeboek	SP
Geb. dtm	2024-01-06
Oud.	2j 7m
Inteling	2%
DNS	U16607U022

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



TLM 050526 HH SP
KETA TLM 05 526 - KONING
Spn Mat. 104

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 110153 HH SP
TAMBARAINE 110153
Oud. 14j | OEK 33m | TKP 383d
Kalwers 12 | Geweeg 10 | Spn. Mat. 106
Gem. SI 102 | KKG - | KKS 45.8

Kalwings: 14-07, 15-07, 16-09,
17-08, 18-08, 19-08, 20-06, 21-11,
23-01, 24-01, 24-12, 26-02

TLM 020001 SP
KETA TLM020001 - BUFFEL
Spn Mat. 85

TLM 020017 SP
KETA TLM 02 17
Oud. 12j | OEK 40m | TKP 358d
Kalwers 9 | Geweeg 4 | Spn. Mat. 109
Gem. SI 103 | KKG 6.24 | KKS 47.5

HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
Spn Mat. 121

E 080005 SP
TAMBARAINE E 08 05
Oud. 14j | OEK 31m | TKP 427d
Kalwers 11 | Geweeg 6 | Spn. Mat. 103
Gem. SI 96 | KKG - | KKS 46.3

K6K2459 PBD
KE MOGWONNI K6K2459

KPO4203 F
KE OL PEJETA KPO 4203
Oud. 18j | Gem. SI -
Kalwers - | Geweeg -
KPO791 PBD
KE OL PEJETA KPO 791

K6K2748 PBD
KE MOGWONNI K6K2748
Oud. 36j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 980022 SP
OUTSPAN HVT980022

HVT 950023 SP
OUTSPAN HVT 95 23
Oud. 18j | Gem. SI -
Kalwers 11 | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 050029 SP
KETA TLM 05 29
Oud. 9j | Gem. SI 98
Kalwers 3 | Geweeg 3



EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	92	106	103	100	58	100	94
74%	67%	72%	65%	52%	56%	44%	62%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	110	101	128	102	91	95	105	99
50%	50%	29%	62%	51%	49%	41%	44%	41%

VERKOPER OPMERKINGS: White GOLD or should we say platinum heifer on offer. Kimka combines more of the older genetics like Koning, Timmy HVT 04 18, 02 12 and PM14R. 6m in calf to BH 18 607 Krypton

LOT 28 (F)

MOS 240165
MOSDENE SENOMA

Herd Book	SP
Birth date	2024-04-10
Age	2y 4m
Inbreeding	0%
DNA	U17761U017



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 92

92	Calving Ease Value
98	Calf Growth Value
81	Milk Value
94	Maintenance Value
115	Fertility Value

GROWTH VALUE 84

CARCASS VALUE 93

PRODUCTION VALUE 86



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MOS 200070 HH SP

MOSDENE MOS 200070

Wean Mat. 80

Parentage Sire Dam

DNA ✓ ✓

Genomic

BH 160332 SP

CIRCLE H BH 160332

Age 9y | AFC 34m | ICP 397d
Calves 7 | Weighed 5 | Wean Mat. 87
Avg. WI 94 | CCB 7.76 | CCW 39.3

Calvings: 19-09, 20-10, 22-04,
23-04, 24-04, 25-04, 26-03

BH 160296 SP

CIRCLE H HORIZON

Wean Mat. 71

BH 170367 SP

CIRCLE H BH 170367

Age 8y | AFC 32m | ICP 467d
Calves 5 | Weighed 4 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 54.2

MHB 110042 SP

MOLL'S-HOOP VIKING

Wean Mat. 110

CFH 100085 SP

ELANDSPRUIT ZAYLIA

Age 16y | AFC 38m | ICP 432d
Calves 11 | Weighed 2 | Wean Mat. 82
Avg. WI 89 | CCB 7.53 | CCW 41.2

BH 110020 SP

CIRCLE H HUBLOT

CI 060015 SP

CIRCLE C HIBISCUS

Age 14y | Avg. WI -

Calves 9 | Weighed -

B 120155 SP

BORGEN B12155

ED 140045 SP

EDLYN ED140045

Age 5y | Avg. WI -

Calves 2 | Weighed -

K6K3534 PBD

KE MOGWONI K6K3534

K6K2748 PBD

KE MOGWONI K6K2748

Age 36y | Avg. WI -

Calves 1 | Weighed -

TLM 040595 SP

KETA TLM040595

GF250 SP

GRASMERE 25 O

Age 21y | Avg. WI -

Calves 3 | Weighed -



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	99	98	81	100	116	112	109
73%	55%	70%	50%	20%	38%	22%	48%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	87	90	106	88	91	96	99	97
38%	22%	11%	46%	20%	18%	17%	18%	17%

SELLER REMARKS: Last Bont heifer of the day. Salvador, Viking (3534) and GF250. 3m in calf to MOS 21 39 Daraja

LOT 29 (F)

MOS 230320
MOSDENE LAURA

Herd Book	SP
Birth date	2023-06-12
Age	3y 2m
Inbreeding	0%
DNA	U13997U022
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD VAC 17-JUL-26 (EXP 15-JAN-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 104

94	Calving Ease Value
109	Calf Growth Value
106	Milk Value
91	Maintenance Value
103	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 102

PRODUCTION VALUE 104



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Calvings: 26-05

PRB 180015 HH SP

PEINKE PRB 180015

Wean Mat. 102

Parentage Sire Dam

DNA ✓ ✓

Genomic

BH 190212 SP

CIRCLE H BH 190212

Age 6y | AFC 32m | ICP 412d
Calves 4 | Weighed 3 | Wean Mat. 108
Avg. WI 103 | CCB - | CCW 53.8

Calvings: 22-05, 23-06, 24-08,
25-09

NBOR060065 SP

NTABA NYONI 0665

Wean Mat. 129

BA 090113 SP

BA LATIKA

Age 12y | AFC - | ICP 399d
Calves 7 | Weighed 3 | Wean Mat. 94
Avg. WI 107 | CCB 6.38 | CCW 40.4

CFH 140257 SP

ELANDSPRUIT VIPER

Wean Mat. 108

BH 160249 SP

CIRCLE H BH 160249

Age 9y | AFC 35m | ICP 426d
Calves 6 | Weighed 4 | Wean Mat. 110
Avg. WI 108 | CCB 8.45 | CCW 47.9

25 PBD

KE MARULA 25

KPO999 SP

KE OL PEJETA 999

Age 28y | Avg. WI -

Calves 1 | Weighed -

HVT 950017 SP

OUTSPAN METUSALEG

BA 040014 SP

BA WEESKIND

Age 18y | Avg. WI 108

Calves 14 | Weighed 2

CFH 060820 SP

ELANDSPRUIT KING COBRA

CFH 100206 SP

ELANDSPRUIT CFH100206

Age 5y | Avg. WI -

Calves 1 | Weighed -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

EP 130007 SP

EMBRIO PLUS XANY

Age 12y | Avg. WI 98

Calves 4 | Weighed 1



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	90	109	106	95	101	104	106
74%	66%	69%	50%	33%	51%	26%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	104	102	107	122	116	117	86	99
36%	31%	16%	49%	32%	30%	29%	32%	29%

SELLER REMARKS: One and only Lusala Daughter. Going back to Borgen Ninety-Eight. Heifer calf MOS26 399 at foot sired by MOS 20 114. RW BH 18 607, MOS 21 39

LOT 30 (F)



RMS 240005
RUSMYSIEL ALISSON

Kuddeboek	SP
Geb. dtm	2024-10-11
Oud.	1j 10m
Inteling	1%
DNS	U20388U002



G. RICCIO

Naboomspruit, Limpopo
0764894769
tmmminiatures@gmail.com

POSBUS 706, Naboomspruit, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 03-MAR-26 (EXP 01-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 97

101	Kalfgemak Waarde
108	Kalfgroei Waarde
86	Melk Waarde
98	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 107

PRODUKSIE WAARDE 97

VERKOPER OPMERKINGS: Rusmysiel's first ever heifer on offer. She is one of only 3 Jefferson (Jumbo) daughters on today. Dam side something different with KB32X and Ferrari (717). 7m in calf to BH 18 607 Krypton

E 200069 SP
TAMBARAINE JEFFERSON
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 190141 SP
CIRCLE H BH 190141
Oud. 7j | OEK 36m | TKP 441d
Kalwers 4 | Geweeg 3 | Spn. Mat. 76
Gem. SI 100 | KKG - | KKS 54.2
Kalwings: 22-05, 23-06, 24-10, 25-12

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 109

E 100084 SP
TAMBARAINE 100084
Oud. 15j | OEK 33m | TKP 421d
Kalwers 12 | Geweeg 9 | Spn. Mat. 94
Gem. SI 101 | KKG - | KKS 51.3

GF 080024 SP
WALT GF0824
Spn Mat. 83

GN 150064 SP
GREENBOR GN150064
Oud. 10j | OEK 31m | TKP 470d
Kalwers 6 | Geweeg 2 | Spn. Mat. 74
Gem. SI 99 | KKG 7.95 | KKS -

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Oud. 16j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 040001 SP
KETA TLM 04 01
Oud. 21j | Gem. SI 102
Kalwers 16 | Geweeg 9
KB32X SP
KETA KB X 32
HVT 950025 SP
OUTSPAN HVT950025
Oud. 17j | Gem. SI 100
Kalwers 10 | Geweeg 1
FN 100527 SP
FONTEINE FERRARI
FN 130351 SP
FONTEINE FNI3351
Oud. 10j | Gem. SI 77
Kalwers 8 | Geweeg 4



EBV Analyse 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	104	108	86	97	96	93	108
71%	52%	65%	46%	24%	36%	24%	48%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	101	94	101	96	102	109	107	105
40%	24%	14%	45%	23%	21%	19%	20%	19%

LOT 31 (F)



MOS 230700
MOSDENE LORELAİ

Kuddeboek	SP
Geb. dtm	2023-12-05
Oud.	2j 8m
Inteling	1%
DNS	U16297U021



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 88

87	Kalfgemak Waarde
112	Kalfgroei Waarde
71	Melk Waarde
100	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 105

PRODUKSIE WAARDE 88

VERKOPER OPMERKINGS: Dam lines Latika, 2748, B 08 20, FE 97 59 and line bred to 359G, 2459 and 1279 with added 1383, 717, 414. 3 m in calf to MOS 20 70 Salvador or MOS 21 39 Daraja

PRB 160019 SP
PEINKE PRB160019
Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 170176 SP
TAMBARAINE VIVIAN
Oud. 8j | OEK 32m | TKP 421d
Kalwers 6 | Geweeg 4 | Spn. Mat. 59
Gem. SI 93 | KKG - | KKS 46.1
Kalwings: 20-07, 21-11, 22-12, 23-12, 25-07, 26-04

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 96

BA 090113 SP
BA LATIKA
Oud. 12j | OEK - | TKP 399d
Kalwers 7 | Geweeg 3 | Spn. Mat. 94
Gem. SI 107 | KKG 6.38 | KKS 40.4

E 080046 SP
TAMBARAINE E 08 46
Spn Mat. 82

E 120134 HH SP
TAMBARAINE 120134
Oud. 13j | OEK 37m | TKP 385d
Kalwers 11 | Geweeg 10 | Spn. Mat. 53
Gem. SI 95 | KKG - | KKS 48.2

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
HVT 950017 SP
OUTSPAN METUSALEG
BA 040014 SP
BA WEESKIND
Oud. 18j | Gem. SI 108
Kalwers 14 | Geweeg 2
TLM 020012 SP
KETA TLM 02 12
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
CFH 080173 SP
ELANDSPRUIT CFH08173
TLM 050017 SP
KETA TLM 05 17
Oud. 17j | Gem. SI 104
Kalwers 11 | Geweeg 6



EBV Analyse 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	94	112	71	101	99	93	100
73%	59%	71%	56%	35%	46%	31%	54%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	96	95	100	96	96	98	97	91
46%	34%	22%	54%	35%	33%	31%	33%	32%

LOT 32 (F)



MOS 220256

MOSDENE SISERA



Herd Book	SP
Birth date	2022-06-20
Age	4y 2m
Inbreeding	5%
DNA	U9536U012
AFC	38m
Calves	2
Weighed	1
Avg. WI	88
ICP	335d

E 190077 Pch SP

TAMBARAINE E190077

Wean Mat. 94

Parentage Sire Dam

DNA ✓ ✓

Genomic

E 190090 SP

TAMBARAINE PIPPA

Age 7y | AFC 35m | ICP 430d

Calves 4 | Weighed 3 | Wean Mat. 103

Avg. WI 106 | CCB - | CCW 49.6

Calvings: 22-06, 23-06, 24-12, 25-12

VST 140067 SP

TRAP VST1467

Wean Mat. 109

E 150043 HH SP

TAMBARAINE E150043

Age 11y | AFC 38m | ICP 387d

Calves 8 | Weighed 6 | Wean Mat. 92

Avg. WI 99 | CCB - | CCW 52.8

E 160104 SP

TAMBARAINE E160104

Wean Mat. 105

E 080044 SP

TAMBARAINE E 08 44

Age 16y | AFC 33m | ICP 370d

Calves 13 | Weighed 11 | Wean Mat. 111

Avg. WI 98 | CCB - | CCW 53.2

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 Pch SP

TRAP JACKIE

Age 14y | Avg. WI 110

Calves 9 | Weighed 9

MHB 060030 SP

MOLL'S-HOOP RUSTIN

E 090011 SP

TAMBARAINE E 09 11

Age 17y | Avg. WI 100

Calves 14 | Weighed 11

MHB 060030 SP

MOLL'S-HOOP RUSTIN

E 080063 SP

TAMBARAINE E 08 63

Age 10y | Avg. WI 113

Calves 8 | Weighed 6

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

E 060012 SP

TAMBARAINE E 06 12

Age 6y | Avg. WI 93

Calves 5 | Weighed 1

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo

0764894769

mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 260585 (F)
Birth Date	2026-07-16
Sire ID	EMD 200112

Calvings: 25-08, 26-07

Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

COW VALUE 94

95 Calving Ease Value

110 Calf Growth Value

87 Milk Value

95 Maintenance Value

94 Fertility Value

GROWTH VALUE 102

CARCASS VALUE 114

PRODUCTION VALUE 95



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	92	110	87	91	89	97	101
75%	72%	71%	60%	33%	50%	24%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	101	93	104	106	109	106	108	114
40%	30%	24%	51%	32%	29%	28%	31%	28%


SELLER REMARKS: Another stunner from Shaka E 19 77 out of a E 16 104 daughter going back to Timmy and 02 12. With heifer calf MOS260585 at foot sired by EMD 20 112.

LOT 33 (F)



MOS 220201

MOSDENE HAYLEE



Herd Book	SP
Birth date	2022-05-24
Age	4y 3m
Inbreeding	1%
DNA	U9396U081
AFC	35m
Calves	2
Weighed	1
Avg. WI	99
ICP	433d

E 190077 Pch SP

TAMBARAINE E190077

Wean Mat. 94

Parentage Sire Dam

DNA ✓ ✓

Genomic

BH 150307 SP

CIRCLE H BH 150307

Age 10y | AFC 35m | ICP 407d

Calves 7 | Weighed 3 | Wean Mat. 97

Avg. WI 102 | CCB 9.45 | CCW 40

Calvings: 18-11, 19-11, 20-12, 22-05, 23-05, 24-05, 25-07

VST 140067 SP

TRAP VST1467

Wean Mat. 109

E 150043 HH SP

TAMBARAINE E150043

Age 11y | AFC 38m | ICP 387d

Calves 8 | Weighed 6 | Wean Mat. 92

Avg. WI 99 | CCB - | CCW 52.8

BH 110020 SP

CIRCLE H HUBLOT

Wean Mat. 75

CFH 080238 SP

ELANDSPRUIT HEATHER

Age 17y | AFC - | ICP 525d

Calves 10 | Weighed - | Wean Mat. 107

Avg. WI - | CCB 7.65 | CCW -

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 Pch SP

TRAP JACKIE

Age 14y | Avg. WI 110

Calves 9 | Weighed 9

MHB 060030 SP

MOLL'S-HOOP RUSTIN

E 090011 SP

TAMBARAINE E 09 11

Age 17y | Avg. WI 100

Calves 14 | Weighed 11

FN 060068 SP

FONTEINE FN0668 - JOSE

FN 080402 SP

FONTEINE HAYLEE

Age 17y | Avg. WI -

Calves 8 | Weighed -

PM14R SP

LILAYI PM14R

CFH 030502 SP

ELANDSPRUIT CFH 03 502

Age 15y | Avg. WI -

Calves 3 | Weighed -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo

0764894769

mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 260539 (M)
Birth Date	2026-06-27
Sire ID	MOS 200268

Calvings: 25-04, 26-06

Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

COW VALUE 104

88 Calving Ease Value

136 Calf Growth Value

94 Milk Value

71 Maintenance Value

95 Fertility Value

GROWTH VALUE 114

CARCASS VALUE 131

PRODUCTION VALUE 108



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	100	136	94	112	92	95	105
74%	73%	69%	60%	33%	51%	27%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
133	112	102	138	115	123	118	117	101
38%	30%	25%	69%	32%	29%	28%	31%	28%


SELLER REMARKS: Haylee is out of a Hublot daughter going back to Heather (PM14R and HVT 95 29 (1383) by Shaka (half bother to Odysseus) and maternal grandmother Pearl who is an Embryo donor for Mosdene. With a Bont bull calf MOS26 539 at foot sired by Da Vinci (MOS20 268).

LOT 34 (F)



MOS 230361

MOSDENE BENALIE



Kuddeboek	SP
Geb. dtm	2023-06-26
Oud.	3j 1m
Inteling	0%
DNS	U14186U018
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

D 120090 SP
DELBOR PHEBE
Oud. 14j | OEK 27m | TKP 504d
Kalwers 9 | Geweeg 4 | Spn. Mat. 66
Gem. SI 89 | KKG 8.77 | KKS 47

Kalwings: 14-09, 16-05, 17-10,
18-12, 21-05, 22-06, 23-06, 24-07,
25-09

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 103

BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42

KPO622 PBD
KE OL PEJETA 622
Spn Mat. 79

KPO925 PBD
KE OL PEJETA KPO 925
Oud. 28j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -

KPO786 PBD
KE OL PEJETA 786

KPO725 PBD
KE OL PEJETA 725
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -

1607
1607
4566
4566
Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -

KPO1485 PBD
KE OL PEJETA 1485

KPO277 F
KE OL PEJETA OL PEJETA KPO 277
Oud. 40j | Gem. SI -
Kalwers 1 | Geweeg -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260523 (F)
Geb. datum	2026-06-19
Vaar ID	MOS 210259

Kalwings: 26-06

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 17-JUL-26 (EXP 15-JAN-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 92

111	Kalfgemak Waarde
88	Kalfgroei Waarde
86	Melk Waarde
119	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 90

PRODUKSIE WAARDE 90



EBV Analise 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	106	88	86	102	85	88	99
73%	69%	69%	54%	36%	54%	30%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	97	95	84	87	94	101	90	88
38%	34%	15%	48%	35%	33%	28%	30%	28%


VERKOPER OPMERKINGS: Benali's pedigree speaks for itself. Bolt out of Phebe a direct 622 daughter. With heifer calf MOS26 523 at foot and RW MOS 20 70, MOS 21 39 and BH 18 607.

LOT 35 (M)



MOS 200047

MOSDENE KINGSTON



Kuddeboek	SP
Geb. dtm	2020-05-18
Oud.	6j 3m
Inteling	0%
DNS	U3238U064

BKP 130015 SP
BUIKOP BALUGA
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 150171 SP
TAMBARAINE E150171
Oud. 10j | OEK 38m | TKP 485d
Kalwers 6 | Geweeg 6 | Spn. Mat. 126
Gem. SI 116 | KKG 7.41 | KKS 52

Kalwings: 18-10, 20-05, 21-12,
23-03, 24-03, 25-06

PM14R SP
LILAYI PM14R
Spn Mat. 106

FN 080402 SP
FONTEINE HAYLEE
Oud. 17j | OEK - | TKP 356d
Kalwers 8 | Geweeg - | Spn. Mat. 86
Gem. SI - | KKG - | KKS -

B 080097 SP
BORGEN B08097
Spn Mat. 111

TLM 040003 SP
KETA TLM 04 03
Oud. 16j | OEK 32m | TKP 359d
Kalwers 13 | Geweeg 5 | Spn. Mat. 88
Gem. SI 96 | KKG 8.4 | KKS 51.8

NN85003A
BARAGOI FALCON NN85003A

J100
LILAYI PM92100J
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -

TLM 020004 SP
KETA TLM020004 CAESAR

FN 030012 SP
FONTEINE FN 03 0012
Oud. 12j | Gem. SI -
Kalwers 5 | Geweeg -

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
HVT 010006 SP
OUTSPAN HVT0106
Oud. 13j | Gem. SI -
Kalwers 5 | Geweeg -

K6K2738 PBD
KE MOGWONI K6K2738
3504 F
SEGERA 3504
Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250,,NABOOMSPRUIT, 0560

1 MEDE-GEbruiker(S)

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 19-MAR-26 (EXP 18-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 100

113	Kalfgemak Waarde
95	Kalfgroei Waarde
111	Melk Waarde
96	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 96

KARKAS WAARDE 100

PRODUKSIE WAARDE 98



EBV Analise 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	115	95	111	109	83	99	109
72%	58%	51%	51%	31%	42%	30%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	97	98	101	100	101	102	94	78
34%	29%	18%	49%	30%	28%	26%	28%	26%

VERKOPER OPMERKINGS: Kingston is a Baluga son (PM14R and Haylee) dam side the sought after B 05 98 and 2738 (Sire to Knopkierrie) Well-Muscl'd bull with lots of potential.

LOT 36 (M)



RMS 220004

RUSMYSIEL MADDOX

Herd Book	SP
Birth date	2022-05-22
Age	4y 3m
Inbreeding	3%
DNA	U9537U004



G. RICCIO

Naboomspruit, Limpopo
0764894769
tmminiatures@gmail.com

POSBUS 706, Naboomspruit, 0560

FMD VAC 03-MAR-26 (EXP 01-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 107

114	Calving Ease Value
96	Calf Growth Value
77	Milk Value
117	Maintenance Value
106	Fertility Value

GROWTH VALUE 86

CARCASS VALUE 95

PRODUCTION VALUE 101



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

MC 120224 HH SP

MCS MC12224

Wean Mat. 86

MC 150006 SP

MCS MC15006

Age 11y | AFC 33m | ICP 427d
Calves 8 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

BH 140178 SP

CIRCLE H PUMBA

Wean Mat. 110

D 140148 HH SP

DELBOR D14148

Age 12y | AFC 35m | ICP 408d
Calves 8 | Weighed 5 | Wean Mat. 50
Avg. WI 72 | CCB - | CCW 31.5

CI 080047 DH SP

CIRCLE C C1080047

FN 090627 SP

FONTEINE FN 09 627

Age 3y | Avg. WI -

Calves - | Weighed -

MXM100454 SP

MAMBUSHI 10-0454MXM

CI 070099 DH SP

CIRCLE C C1070099

Age 16y | Avg. WI -

Calves 9 | Weighed -

TLM 050543 SP

KETA TLM050543

CI 070109 SP

CIRCLE C PANDORA

Age 17y | Avg. WI -

Calves 11 | Weighed -

1609.LXV PBD

KE MOGWONNI K6K3525 (IMK55)

F/17780 PBD

KE OL PEJETA KPO 1299

Age 22y | Avg. WI -

Calves - | Weighed -

MC 180088 HH SP

MCS MC1888

Wean Mat. 87

Parentage Sire Dam

DNA ✓ ✓

Genomic

MOS 190031 SP

MOSDENE MOS 190031

Age 6y | AFC 30m | ICP 414d
Calves 4 | Weighed 3 | Wean Mat. 69
Avg. WI 98 | CCB - | CCW 52.5

Calvings: 22-05, 23-05, 24-10,
25-10



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	97	96	77	89	102	112	105
69%	53%	47%	41%	22%	36%	20%	43%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	83	74	87	89	89	100	106	105
20%	20%	9%	46%	21%	19%	18%	20%	18%

SELLER REMARKS: Maddox brings some unrelated lines from the dam side, with Pumba (TLM 05 543 sire to Jasmine) and MC 18 88 on sire side with Buffel and some Zambian lines.


LOT 37 (F)



MOS 230539

MOSDENE ROBIN

Herd Book	SP
Birth date	2023-10-17
Age	2y 10m
Inbreeding	3%
DNA	U15969U020
AFC	29m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 105

96	Calving Ease Value
109	Calf Growth Value
114	Milk Value
84	Maintenance Value
103	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 114

PRODUCTION VALUE 106



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Calvings: 26-03

AB 150093 HH SP

ABBA AB 150093

Wean Mat. 117

Parentage Sire Dam

DNA ✓ ✓

Genomic

E 180098 SP

TAMBARAINE E180098

Age 8y | AFC 37m | ICP 395d
Calves 5 | Weighed 3 | Wean Mat. 110
Avg. WI 103 | CCB - | CCW 41.5

Calvings: 21-08, 22-09, 23-10,
24-11, 25-12

FN 060068 SP

FONTEINE FN0668 - JOSE

Wean Mat. 110

EO 110093 SP

ELMECO EO11093

Age 11y | AFC 40m | ICP 362d
Calves 8 | Weighed - | Wean Mat. 113
Avg. WI - | CCB 6.98 | CCW -

E 150072 SP

TAMBARAINE E150072

Wean Mat. 91

E 100090 SP

TAMBARAINE 100090

Age 15y | AFC 34m | ICP 370d
Calves 13 | Weighed 12 | Wean Mat. 124
Avg. WI 104 | CCB - | CCW 44.5

25 PBD

KE MARULA 25

PB/11032 F

KE DELAMERE 542

Age 29y | Avg. WI -

Calves - | Weighed -

PM14R SP

LILAYI PM14R

FN 080422 SP

FONTEINE ALICIA

Age 17y | Avg. WI -

Calves 9 | Weighed -

MHB 060030 SP

MOLL'S-HOOP RUSTIN

TLM 050044 SP

KETA TLM 05 44

Age 19y | Avg. WI 99

Calves 16 | Weighed 11

HVT 040018 SP

OUTSPAN HVT 04 18 - TIMMY

E 080005 SP

TAMBARAINE E 08 05

Age 14y | Avg. WI 96

Calves 11 | Weighed 6



EBV Analysis 2026-07-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	81	109	114	93	97	103	105
73%	65%	69%	49%	29%	49%	28%	52%

Post-Wean Growth

Frame

Carcass


Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	106	97	116	103	109	114	115	97
34%	27%	19%	46%	29%	27%	25%	27%	25%

SELLER REMARKS: The only Rietveld on offer today going back to Ultimate and Timmy HVT 04 18. Heifer calf MOS26 274 at foot sired by MOS 21 18. RW: BH 18 607, MOS 21 39

LOT 38 (F)

MOS 230612
MOSDENE NORI

Kuddeboek	SP
Geb. dtm	2023-11-06
Oud.	2j 9m
Inteling	1%
DNS	U15969U072



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 108

101	Kalfgemak Waarde
122	Kalfgroei Waarde
117	Melk Waarde
73	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 123

KARKAS WAARDE 128

PRODUKSIE WAARDE 115

VERKOPER OPMERKINGS: Nostos daughter with values that speak for themselves. Jumbo, Timmy and Kobra in the pedigree. 6m in calf to MOS 20 255, CP 18 22, GB 18 04 OR MC 18 88

WZ 140052 HH SP
WILZAK JUMBO
Spm Mat. 109

E 200072 HH SP
TAMBARAINE NOSTOS
Spm Mat. 112

E 100050 SP
TAMBARAINE 100050

Oud. 16j | OEK 32m | TKP 377d
Kalwers 12 | Geweeg 9 | Spn. Mat. 132
Gem. SI 107 | KKG - | KKS 43.8

CI 080115 SP
CIRCLE C CI080115

Spm Mat. 109

SS 120039 SP
SANDSONIA DIANNA

Oud. 13j | OEK 29m | TKP 494d
Kalwers 9 | Geweeg 2 | Spn. Mat. 113
Gem. SI 100 | KKG 7.74 | KKS 44.6

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOT JASMINE
Oud. 16j | Gem. SI -
Kalwers 8 | Geweeg -
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY

TLM 050056 SP
KETA TLM 05 56
Oud. 10j | Gem. SI 96
Kalwers 8 | Geweeg 4
HVT 950021 SP
OUTSPAN HVT950021

KB5X P SP
KETA KB 5 X
Oud. 21j | Gem. SI 104
Kalwers 11 | Geweeg 4
SS 080061 SP
SANDSONIA KOBRA SS080061

SS 060003 SP
SANDSONIA DIANNA
Oud. 17j | Gem. SI 101
Kalwers 7 | Geweeg 1

IDTrax

EBV Analyse 2026-07-17


Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	95	122	117	104	89	95	101
73%	55%	68%	49%	25%	40%	26%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	117	106	133	118	121	119	112	111
38%	24%	13%	47%	24%	23%	20%	22%	20%

LOT 39 (F)

MOS 230738
MOSDENE BEEBEE

Kuddeboek	SP
Geb. dtm	2023-12-17
Oud.	2j 8m
Inteling	0%
DNS	U16392U002



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 108

93	Kalfgemak Waarde
119	Kalfgroei Waarde
111	Melk Waarde
90	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE 110

PRODUKSIE WAARDE 109

VERKOPER OPMERKINGS: Deep polled Bolt daughter line bred to 717. 7m in calf to one of our top Bont bulls MOS 22 218 Marcus

PRB 160007 HH SP
PEINKE BOLT
Spm Mat. 103

CI 080030 SP
CIRCLE C COJACK
Spm Mat. 103

BA 040011 SP
BA BRITNEY

Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42

FN 100527 SP
FONTEINE FERRARI

Spm Mat. 85

FN 120542 HH SP
FONTEINE FN12542

Oud. 13j | OEK 31m | TKP 428d
Kalwers 10 | Geweeg 4 | Spn. Mat. 146
Gem. SI 115 | KKG 7.03 | KKS -

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
KPO786 PBD
KE OL PEJETA 786

KPO725 PBD
KE OL PEJETA 725
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017

FN 060092 SP
FONTEINE FN 06 0092
Oud. 19j | Gem. SI 95
Kalwers 15 | Geweeg 2

KB28W D SP
KETA KB 28 W
FN 070189 SP
FONTEINE FN07189
Oud. 15j | Gem. SI 93
Kalwers 11 | Geweeg 2

IDTrax

EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	96	119	111	113	102	89	102
74%	62%	70%	54%	35%	48%	29%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
116	107	98	109	92	108	120	95	95
38%	34%	17%	53%	35%	33%	28%	30%	28%

LOT 40 (F)



MOS 230307
MOSDENE OHANNA

Herd Book	SP
Birth date	2023-06-09
Age	3y 2m
Inbreeding	3%
DNA	U13997U011
AFC	33m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

E 180138 Pch SP
TAMBARAINE ODYSSEUS
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 190561 SP
CIRCLE H BH 190561
Age 6y | AFC 30m | ICP 423d
Calves 4 | Weighed 3 | Wean Mat. 92
Avg. WI 97 | CCB - | CCW 39.2
Calvings: 22-05, 23-06, 24-10, 25-10

VST 140067 SP
TRAP VST1467
Wean Mat. 109

E 150133 SP
TAMBARAINE E150133
Age 3y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 102
Avg. WI 101 | CCB - | CCW 53.3

CI 110090 HH SP
CIRCLE C CANNON
Wean Mat. 108

E 130192 SP
TAMBARAINE TIFFANY
Age 12y | AFC 36m | ICP 454d
Calves 8 | Weighed 7 | Wean Mat. 87
Avg. WI 96 | CCB 7.37 | CCW 49.3

MHB 040010 SP
MOLL'S-HOOP IMPIE

VST 120004 Pch SP
TRAP JACKIE
Age 14y | Avg. WI 110
Calves 9 | Weighed 9

MHB 060030 SP
MOLL'S-HOOP RUSTIN

E 080044 SP
TAMBARAINE E 08 44
Age 16y | Avg. WI 98
Calves 13 | Weighed 11

CI 080030 SP
CIRCLE C COJACK

KB13A DH SP
KETA KB 13 A
Age 12y | Avg. WI -
Calves 4 | Weighed -

TLM 020012 SP
KETA TLM 02 12

TLM 030005 SP
KETA TLM 03 05
Age 13y | Avg. WI 94
Calves 11 | Weighed 7

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 260172 (M)
Birth Date	2026-03-03
Sire ID	MOS 210005

Calvings: 26-03

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FMD VAC 17-JUL-26 (EXP 15-JAN-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 99

100	Calving Ease Value
83	Calf Growth Value
105	Milk Value
112	Maintenance Value
111	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 91

PRODUCTION VALUE 94



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	96	83	105	92	123	100	101
72%	65%	70%	50%	29%	49%	25%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	90	88	89	92	92	92	106	114
40%	27%	14%	48%	29%	27%	25%	27%	25%

SELLER REMARKS: 1 of only 2 Odysseus daughters on offer. Dam side going back to Cojack and 02 12. Her grandmother is still being used in the herd today. Bull calf MOS26 172 at foot sired by MOS 21 05. RW BH 18 607, MOS 21 39

LOT 41 (F)



MOS 220259
MOSDENE ULISSA

Herd Book	SP
Birth date	2022-06-15
Age	4y 2m
Inbreeding	3%
DNA	U9536U015
AFC	35m
Calves	1
Weighed	1
Avg. WI	93
ICP	-

E 150072 SP
TAMBARAINE E150072
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GUJ 170003 SP
BARON GUJ 170003
Age 6y | AFC 39m | ICP 526d
Calves 3 | Weighed 2 | Wean Mat. 88
Avg. WI 100 | CCB - | CCW -
Calvings: 20-07, 22-06, 23-06

MHB 060030 SP
MOLL'S-HOOP RUSTIN
Wean Mat. 94

TLM 050044 SP
KETA TLM 05 44
Age 19y | AFC 27m | ICP 368d
Calves 16 | Weighed 11 | Wean Mat. 97
Avg. WI 99 | CCB - | CCW 55.8

GUJ 100001 SP
BARON BARON
Wean Mat. 86

CFH 070182 SP
ELANDSPRUIT CFH07182
Age 18y | AFC - | ICP 436d
Calves 11 | Weighed 2 | Wean Mat. 82
Avg. WI 96 | CCB - | CCW -

25 PBD
KE MARULA 25

KPO21 PBD
KE OL PEJETA 21
Age 39y | Avg. WI -
Calves 2 | Weighed -

MHB 040027 SP
MOLL'S-HOOP KHAN

GF2T D SP
GRASMERE 2 T
Age 14y | Avg. WI 103
Calves 9 | Weighed 2

TLM 060506 SP
KETA TLM 6 506

CFH 080042 SP
ELANDSPRUIT CFH 08 0042
Age 6y | Avg. WI 119
Calves 4 | Weighed 1

B 030031 SP
BORGEN B 03 31

HVT 020014 SP
OUTSPAN HVT 02 14
Age 10y | Avg. WI -
Calves 4 | Weighed -

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 250262 (M)
Birth Date	2025-05-06
Sire ID	MOS 200268

Calvings: 25-05

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 108

87	Calving Ease Value
117	Calf Growth Value
83	Milk Value
104	Maintenance Value
108	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 93

PRODUCTION VALUE 108



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	91	117	83	92	107	111	102
73%	69%	68%	63%	33%	53%	32%	57%


Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	109	97	95	91	94	97	90	98
42%	32%	25%	68%	33%	31%	30%	32%	31%

SELLER REMARKS: Feminine red cow. KPO21, G2T, 99 01, 494 to name a few in her lines. She is 7m in calf to MOS 20 236 or MOS 20 287 - See ref sires.

LOT 42 (F)

MOS 230367
MOSDENE BEHIRA

Kuddeboek	SP
Geb. dtm	2023-07-05
Oud.	3j 1m
Inteling	1%
DNS	U14186U024
OEK	35m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260493 (M)
Geb. datum	2026-06-10
Vaar ID	MOS 210009

Kalwings: 26-06

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



PRB 160007 HH SP
PEINKE BOLT
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 190032 SP
MOSDENE MOS 190032
Oud. 6j | OEK 33m | TKP 454d
Kalwers 4 | Geweeg 2 | Spn. Mat. 112
Gem. SI 113 | KKG - | KKS 55.4
Kalwings: 22-06, 23-07, 24-10, 26-03

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 103

BA 040011 SP
BA BRITNEY
Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42

GN 140016 SP
GREENBOR GABRIEL
Spn Mat. 101

BH 160482 SP
CIRCLE H TESCO
Oud. 9j | OEK 33m | TKP 385d
Kalwers 6 | Geweeg 2 | Spn. Mat. 106
Gem. SI 108 | KKG - | KKS -

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
KP0786 PBD
KE OL PEJETA 786
KP0725 PBD
KE OL PEJETA 725
Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
FN 100574 SP
FONTEINE FN10574
FN 100903 SP
FONTEINE FN10903
Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -
MHB 110030 SP
MOLL'S-HOOP SPARTAN
EP 130013 SP
EMBRIO PLUS EP 130013
Oud. 4j | Gem. SI -
Kalwers 1 | Geweeg -



EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	103	111	109	103	85	95	107
73%	67%	67%	50%	34%	53%	27%	52%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	96	94	96	93	103	109	98	87
36%	32%	17%	51%	33%	31%	27%	29%	27%

VERKOPER OPMERKINGS: Another stunner from Bolt. Going back to PM14R, 717, 3534! With potential herd sire MOS26 493 at foot sired by MOS 21 09 (half-brother to Odysseus) RW: BH 18 607, MOS 21 39

LOT 43 (F)

MOS 240086
MOSDENE GOLDA

Kuddeboek	SP
Geb. dtm	2024-03-14
Oud.	2j 5m
Inteling	4%
DNS	U17427U023



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



BH 210477 HH SP
CIRCLE H ROSSI
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 200075 SP
MOSDENE MOS 200075
Oud. 6j | OEK 32m | TKP 365d
Kalwers 4 | Geweeg 2 | Spn. Mat. 114
Gem. SI 107 | KKG - | KKS 53.5
Kalwings: 23-03, 24-03, 25-02, 26-03

BH 160296 SP
CIRCLE H HORIZON
Spn Mat. 71

BH 180166 SP
CIRCLE H ROSE
Oud. 8j | OEK 41m | TKP 431d
Kalwers 4 | Geweeg 3 | Spn. Mat. 113
Gem. SI 102 | KKG - | KKS 45.6

BKP 130015 SP
BUIKOP BALUGA
Spn Mat. 96

BH 150290 SP
CIRCLE H GOLDA
Oud. 10j | OEK 37m | TKP 512d
Kalwers 6 | Geweeg 3 | Spn. Mat. 139
Gem. SI 97 | KKG 8.81 | KKS -

BH 110020 SP
CIRCLE H HUBLOT
CI 060015 SP
CIRCLE C HIBISCUS
Oud. 14j | Gem. SI -
Kalwers 9 | Geweeg -
BH 120013 SP
CIRCLE H SAMBURU
BH 120011 SP
CIRCLE H ROSE
Oud. 8j | Gem. SI 83
Kalwers 5 | Geweeg 1
PM14R SP
LILAYI PM14R
FN 080402 SP
FONTEINE HAYLEE
Oud. 17j | Gem. SI -
Kalwers 8 | Geweeg -
NBOR060063 SP
NTABA NYONI MOPANI
GF122U D SP
GOLDA
Oud. 19j | Gem. SI 102
Kalwers 13 | Geweeg 4



EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	99	106	103	97	95	106	110
72%	47%	65%	41%	19%	33%	22%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	90	81	101	102	104	114	105	95
28%	18%	11%	41%	18%	17%	15%	17%	15%

VERKOPER OPMERKINGS: The ONLY Rossi daughter on offer today (half-brother to Salvador) out of dam sired by Baluga (PM14R) and Golda (GF122U). Deep grey heifer 4m in calf to BH 18 607 Krypton

LOT 44 (F)



MOS 230639

MOSDENE NAVI

Herd Book	SP
Birth date	2023-11-09
Age	2y 9m
Inbreeding	3%
DNA	U16140U002

E 200072 HH SP
TAMBARAINE NOSTOS
Wean Mat. 112

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

E 190114 SP
TAMBARAINE E190114
Age 6y | AFC 35m | ICP 523d
Calves 3 | Weighed 1 | Wean Mat. 94
Avg. WI 96 | CCB - | CCW 46.3
Calvings: 22-07, 23-11, 25-05


WZ 140052 HH SP
WILZAK JUMBO
Wean Mat. 109

E 100050 SP
TAMBARAINE 100050
Age 16y | AFC 32m | ICP 377d
Calves 12 | Weighed 9 | Wean Mat. 132
Avg. WI 107 | CCB - | CCW 43.8

E 160104 SP
TAMBARAINE E160104
Wean Mat. 105

E 080088 SP
TAMBARAINE E 08 88
Age 14y | AFC 31m | ICP 392d
Calves 11 | Weighed 9 | Wean Mat. 92
Avg. WI 101 | CCB - | CCW 51.7

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 100024 SP
HOTSPOOT JASMINE
Age 16y | Avg. WI -
Calves 8 | Weighed -
HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
TLM 050056 SP
KETA TLM 05 56
Age 10y | Avg. WI 96
Calves 8 | Weighed 4
MHB 060030 SP
MOLL'S-HOOP RUSTIN
E 080063 SP
TAMBARAINE E 08 63
Age 10y | Avg. WI 113
Calves 8 | Weighed 6
TLM 020012 SP
KETA TLM 02 12
TLM 020032 SP
KETA POTPOURRI
Age 18y | Avg. WI 108
Calves 8 | Weighed 2



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 106

103	Calving Ease Value
112	Calf Growth Value
104	Milk Value
93	Maintenance Value
94	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 110

PRODUCTION VALUE 105



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	102	112	104	97	92	94	102
73%	51%	70%	48%	24%	38%	26%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	99	95	105	102	103	103	100	102
40%	23%	15%	47%	24%	23%	21%	22%	21%

SELLER REMARKS: A Nostos daughter going back to E 16 104 (Rustin) and TLM 02 32 Potpourri. 3m in calf to MOS 22 218 Marcus, a Bont bull that breeds mainly Bont

LOT 45 (F)



MOS 240224

MOSDENE SELBIE

Herd Book	SP
Birth date	2024-05-10
Age	2y 3m
Inbreeding	0%
DNA	U18180U037

E 190077 Pch SP
TAMBARAINE E190077
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GUJ 120007 SP
BARON GUJ120007
Age 14y | AFC 34m | ICP 477d
Calves 9 | Weighed 3 | Wean Mat. 99
Avg. WI 102 | CCB - | CCW -
Calvings: 14-12, 15-12, 17-11, 19-11, 20-12, 21-12, 22-12, 24-05, 25-05


VST 140067 SP
TRAP VST1467
Wean Mat. 109

E 150043 HH SP
TAMBARAINE E150043
Age 11y | AFC 38m | ICP 387d
Calves 8 | Weighed 6 | Wean Mat. 92
Avg. WI 99 | CCB - | CCW 52.8

HVT 950021 SP
OUTSPAN HVT950021
Wean Mat. 93

CFH 070298 SP
ELANDSPRUIT CFH07298
Age 5y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -

MHB 040010 SP
MOLL'S-HOOP IMPIE
VST 120004 Pch SP
TRAP JACKIE
Age 14y | Avg. WI 110
Calves 9 | Weighed 9
MHB 060030 SP
MOLL'S-HOOP RUSTIN
E 090011 SP
TAMBARAINE E 09 11
Age 17y | Avg. WI 100
Calves 14 | Weighed 11
BP4570 SP
1603
0111 F
KE OL PEJETA OL PEJETA 11
Age 39y | Avg. WI -
Calves - | Weighed -
B 030028 SP
BORGEN B 03 28
Z 950018 SP
HLANZENI Z 95 18
Age 21y | Avg. WI -
Calves 7 | Weighed -



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

FMD VAC 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 100

88	Calving Ease Value
123	Calf Growth Value
96	Milk Value
87	Maintenance Value
90	Fertility Value

GROWTH VALUE 114

CARCASS VALUE 124

PRODUCTION VALUE 105



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	100	123	96	100	95	85	103
73%	60%	69%	53%	38%	45%	26%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	112	98	113	110	120	113	117	117
39%	35%	24%	47%	37%	33%	29%	32%	29%


SELLER REMARKS: Impie, Rustin, HVT 95 21 Tim, B 03 28... This polled Shaka daughter has it all looks and pedigree. Selling 4m in calf to MOS 21 222 (lot 10), MOS 20 07, E 20 85

LOT 46 (F)



MOS 230077

MOSDENE WOYA



Kuddeboek	SP
Geb. dtm	2023-02-02
Oud.	3j 6m
Inteling	6%
DNS	U12379U013
OEK	38m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260327 (F)
Geb. datum	2026-04-17
Vaar ID	MOS 210009

Kalwings: 26-04

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 26-MAY-26 (EXP 24-NOV-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 92

91	Kalfgemak Waarde
108	Kalfgroei Waarde
88	Melk Waarde
92	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 99

PRODUKSIE WAARDE 93

VERKOPER OPMERKINGS: A Wolff progeny going back to 717, 02 12 and Pearl! With heifer calf MOS26 327 at foot sired by MOS 21 09. RW BH 18 607, MOS 21 39

E 200049 HH SP

TAMBARAINE E200049

Spn Mat. 106

Ouerskap Vaar Moer

DNS

Genomies

E 190057 HH SP

TAMBARAINE PEARL

Oud. 7j | OEK 33m | TKP 420d
Kalwers 4 | Geweeg 3 | Spn. Mat. 69
Gem. SI 95 | KKG - | KKS -
Kalwings: 21-12, 23-02, 24-06, 25-06

WZ 140052 HH SP
WILZAK JUMBO

Spn Mat. 109

E 140200 HH SP

TAMBARAINE E140200

Oud. 9j | OEK 34m | TKP 443d
Kalwers 6 | Geweeg 6 | Spn. Mat. 109
Gem. SI 106 | KKG - | KKS 58.8

E 130066 SP

TAMBARAINE 130066

Spn Mat. 53

E 090011 SP

TAMBARAINE E 09 11

Oud. 17j | OEK 32m | TKP 394d
Kalwers 14 | Geweeg 11 | Spn. Mat. 97
Gem. SI 100 | KKG - | KKS 40.1

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 100024 SP

HOTSPOT JASMINE

Oud. 16j | Gem. SI -

Kalwers 8 | Geweeg -

CFH 080173 SP

ELANDSPRUIT CFH08173

E 110002 SP

TAMBARAINE 110002

Oud. 8j | Gem. SI 102

Kalwers 5 | Geweeg 5

CFH 080173 SP

ELANDSPRUIT CFH08173

E 090048 SP

TAMBARAINE E 09 48

Oud. 13j | Gem. SI 103

Kalwers 10 | Geweeg 8

TLM 020012 SP

KETA TLM 02 12

TLM 050021 SP

KETA PEARL

Oud. 20j | Gem. SI 101

Kalwers 17 | Geweeg 10



EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	102	108	88	106	97	105	103
73%	64%	70%	49%	23%	47%	26%	51%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	93	84	108	87	95	100	92	99
38%	22%	13%	41%	23%	22%	20%	21%	20%

LOT 47 (F)



MOS 230431

MOSDENE BEVLYN



Kuddeboek	SP
Geb. dtm	2023-08-15
Oud.	2j 12m
Inteling	3%
DNS	U14966U021
OEK	30m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250.,NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 260093 (M)
Geb. datum	2026-02-10
Vaar ID	MOS 200268

Kalwings: 26-02

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 05-MAR-26 (EXP 04-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

KOEIWAARDE 109

99	Kalfgemak Waarde
108	Kalfgroei Waarde
103	Melk Waarde
106	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 99

PRODUKSIE WAARDE 106

VERKOPER OPMERKINGS: Half-sister to lot 11. Bolt, Ultimate, 02 12, 786 and PM14R to mention a few. With potential herd sire MOS26 93 at foot sired by MOS 20 268 Da Vinci. RW: BH 18 607, MOS 21 39

PRB 160007 HH SP

PEINKE BOLT

Spn Mat. 103

Ouerskap Vaar Moer

DNS

Genomies

E 180142 SP

TAMBARAINE E180142

Oud. 7j | OEK 29m | TKP 457d
Kalwers 5 | Geweeg 4 | Spn. Mat. 102
Gem. SI 100 | KKG - | KKS 49.5
Kalwings: 21-02, 22-06, 23-08, 24-10, 26-02

CI 080030 SP
CIRCLE C COJACK

Spn Mat. 103

BA 040011 SP

BA BRITNEY

Oud. 11j | OEK - | TKP 349d
Kalwers 8 | Geweeg 2 | Spn. Mat. 101
Gem. SI 108 | KKG 5.94 | KKS 42

E 150072 SP

TAMBARAINE E150072

Spn Mat. 91

E 120158 SP

TAMBARAINE 120158

Oud. 6j | OEK 35m | TKP 367d
Kalwers 4 | Geweeg 2 | Spn. Mat. 104
Gem. SI 107 | KKG - | KKS 52.1

TLM 040507 DH SP

KETA TLM040507 - BUSTER

GF159U D SP

GRASMERE GF 159U

Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

KPO786 PBD

KE OL PEJETA 786

KPO725 PBD

KE OL PEJETA 725

Oud. 31j | Gem. SI -

Kalwers - | Geweeg -

MHB 060030 SP

MOLL'S-HOOP RUSTIN

TLM 050044 SP

KETA TLM 05 44

Oud. 19j | Gem. SI 99

Kalwers 16 | Geweeg 11

TLM 020012 SP

KETA TLM 02 12

KB12W D SP

KETA KB W 12

Oud. 13j | Gem. SI 99

Kalwers 10 | Geweeg 6



EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	98	108	103	102	104	94	104
74%	69%	71%	55%	36%	55%	31%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	103	94	93	88	100	110	85	89
41%	34%	19%	54%	35%	33%	29%	31%	29%

LOT 48 (F)



RMS 230007

RUSMYSIEL MIKAYLA

Herd Book	SP
Birth date	2023-11-02
Age	2y 9m
Inbreeding	2%
DNA	U15968U001



G. RICCIO

Naboomspruit, Limpopo
0764894769
tmminiatures@gmail.com

POSBUS 706, Naboomspruit, 0560



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

FMD VAC 03-MAR-26 (EXP 01-SEP-26)
AFTOGEN - BIOGENESIS BAGO (SAT 1 & 2)

COW VALUE 94

90	Calving Ease Value
102	Calf Growth Value
96	Milk Value
98	Maintenance Value
102	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 107

PRODUCTION VALUE 99

MOS 200268 HH SP

MOSDENE MOS 200268

Wean Mat. 97

Parentage Sire Dam

DNA ✓ ✓

Genomic

MOS 210017 SP

MOSDENE MIKAYLA

Age 5y | AFC 33m | ICP 578d
Calves 2 | Weighed 2 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW 50.2

Calvings: 23-11, 25-06

BH 150268 SP

CIRCLE H OAKLEY

Wean Mat. 82

FN 100109 SP

FONTAINE FN 10 109

Age 15y | AFC 36m | ICP 540d
Calves 9 | Weighed 4 | Wean Mat. 108
Avg. WI 110 | CCB 7.55 | CCW 42.7

VST 140067 SP

TRAP VST1467

Wean Mat. 109

E 170027 HH SP

TAMBARAINE E170027

Age 9y | AFC 31m | ICP 393d
Calves 7 | Weighed 5 | Wean Mat. 80
Avg. WI 90 | CCB - | CCW 52.2

B 080082 SP

BORGEN B08082 - GRANITE

MHB 050005 SP
MOLL'S-HOOP ODETTE
Age 16y | Avg. WI 103
Calves 9 | Weighed 2
TLM 020004 SP
KETA TLM020004 CAESAR

FN 080266 SP

FONTAINE FN08266

Age 4y | Avg. WI -

Calves 1 | Weighed -

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 Pch SP

TRAP JACKIE

Age 14y | Avg. WI 110

Calves 9 | Weighed 9

MHB 060030 SP

MOLL'S-HOOP RUSTIN

E 100080 HH SP

TAMBARAINE 100080

Age 15y | Avg. WI 95

Calves 14 | Weighed 10



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	95	102	96	96	105	95	104
59%	42%	55%	42%	28%	31%	22%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	108	111	100	100	103	108	108	104
38%	26%	15%	42%	28%	26%	25%	27%	25%

SELLER REMARKS: Mikayla is a Bont heifer from Rusmysiel. 622, 3094, 2459, 17 11, Marula 25 and HVT 98 22 in the pedigree. Bont line come from B96 615 on sire side. Dam is half-sister to E 18 138 Odysseus. 5w in calf to MOS 20 70, MOS 21 39

LOT 49 (F)



MOS 220151

MOSDENE SHARLEE

Herd Book	SP
Birth date	2022-05-07
Age	4y 3m
Inbreeding	1%
DNA	U9396U043
AFC	36m
Calves	2
Weighed	1
Avg. WI	93
ICP	402d

E 190077 Pch SP

TAMBARAINE E190077

Wean Mat. 94

Parentage Sire Dam

DNA ✓ ✓

Genomic

BH 150055 SP

CIRCLE H BH150055

Age 11y | AFC 39m | ICP 469d
Calves 7 | Weighed 5 | Wean Mat. 81
Avg. WI 93 | CCB - | CCW 51

Calvings: 18-06, 19-10, 21-05, 22-05, 23-05, 24-08, 26-02

VST 140067 SP

TRAP VST1467

Wean Mat. 109

E 150043 HH SP

TAMBARAINE E150043

Age 11y | AFC 38m | ICP 387d
Calves 8 | Weighed 6 | Wean Mat. 92
Avg. WI 99 | CCB - | CCW 52.8

CI 100020 SP

CIRCLE C CI100020

Wean Mat. 82

CI 120033 SP

CIRCLE C CI120033

Age 10y | AFC 27m | ICP 459d
Calves 3 | Weighed 1 | Wean Mat. 109
Avg. WI 94 | CCB - | CCW 52.9

MHB 040010 SP

MOLL'S-HOOP IMPIE

VST 120004 Pch SP

TRAP JACKIE

Age 14y | Avg. WI 110

Calves 9 | Weighed 9

MHB 060030 SP

MOLL'S-HOOP RUSTIN

E 090011 SP

TAMBARAINE E 09 11

Age 17y | Avg. WI 100

Calves 14 | Weighed 11

TLM 050534 SP

KETA TLM050534

TLM 020037 SP

KETA TLM020037

Age 13y | Avg. WI -

Calves 7 | Weighed -

TLM 050525 SP

KETA TLM050525 - INCREDIBULL

KB5A DH SP

KETA KB 5 A

Age 15y | Avg. WI 113

Calves 6 | Weighed 1



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	104	101	83	104	90	92	104
73%	72%	69%	60%	32%	49%	24%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	93	89	89	92	100	111	116	106
36%	29%	24%	68%	31%	28%	27%	30%	27%

SELLER REMARKS: Jackie, Pearl, KPO21, k6k2748 (dam of Eros) and GF2T in the motherliness. Sharlee is a Shaka daughter with a looker of a heifer MOS26 526 at foot. RW MOS 20 70



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Calvings: 25-05, 26-06

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560


Last Calf

Calf ID	MOS 260526 (F)
Birth Date	2026-06-20
Sire ID	MOS 210223

LOT 50 (F)



MOS 220349
MOSDENE PAM



Kuddeboek	SP
Geb. dtm	2022-08-27
Oud.	3j 11m
Inteling	2%
DNS	U10594U010
OEK	37m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-

BH 140169 HH SP
CIRCLE H PONCHO
Spn Mat. 59

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

E 100090 SP
TAMBARAINE 100090
Oud. 15j | OEK 34m | TKP 370d
Kalwers 13 | Geweeg 12 | Spn. Mat. 124
Gem. SI 104 | KKG - | KKS 44.5
Kalwings: 13-08, 14-09, 15-09,
16-08, 17-08, 18-07, 19-06, 20-06,
21-06, 22-08, 23-09, 24-10, 25-11

TLM 050543 SP
KETA TLM050543
Spn Mat. 111

CI 070109 SP
CIRCLE C PANDORA
Oud. 17j | OEK 27m | TKP 462d
Kalwers 11 | Geweeg - | Spn. Mat. 72
Gem. SI - | KKG 7.74 | KKS -

HVT 040018 SP
OUTSPAN HVT 04 18 - TIMMY
Spn Mat. 121

E 080005 SP
TAMBARAINE E 08 05
Oud. 14j | OEK 31m | TKP 427d
Kalwers 11 | Geweeg 6 | Spn. Mat. 103
Gem. SI 96 | KKG - | KKS 46.3

TLM 020001 SP
KETA TLM020001 - BUFFEL
GF465 D DH SP
GRASMERE GF 46 5
Oud. 14j | Gem. SI 99
Kalwers 7 | Geweeg 1
TLM 020001 SP
KETA TLM020001 - BUFFEL
GF1775 D SP
GRASMERE GF 1775
Oud. 18j | Gem. SI 100
Kalwers 11 | Geweeg 3
HVT 980022 SP
OUTSPAN HVT980022
HVT 950023 SP
OUTSPAN HVT 95 23
Oud. 18j | Gem. SI -
Kalwers 11 | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 050029 SP
KETA TLM 05 29
Oud. 9j | Gem. SI 98
Kalwers 7 | Geweeg 3

MOSDENE CATTLE RANCH

Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Laaste Kalf	
Kalf ID	MOS 250607 (F)
Geb. datum	2025-09-21
Vaar ID	E 200049

Kalwings: 25-09

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 89

100	Kalfgemak Waarde
92	Kalfgroei Waarde
93	Melk Waarde
100	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE 94

PRODUKSIE WAARDE 87

IDTrax
EBV Analise 2026-07-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	85	92	93	80	91	107	97
73%	68%	69%	56%	29%	51%	30%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	89	76	98	94	92	94	103	118
38%	27%	15%	53%	29%	27%	22%	25%	23%

VERKOPER OPMERKINGS: Poncho combining Timmy HVT 04 18 and 02 12. 7m in calf with her second calf to AI's with Lusala PRB 18 15 and TLM 05 526 - RW after AI : E 20 72



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.20	1.3	0.6	4	6	-3		2.1	2.0	1.0						
Auction Average				29	185	-	47.7	-	-	0.57	-0.12	4.0	-0.2	5	9	-2	8	2.3	1	2	103	-	100	102	6.0	99
1	MOS 230736	F	SP	32	202	-	63.8	-	-	1.13	0.12	10.0	-4.3	13.7	15.2	3	-16	2.3	5	8	113	-	100	104	4	106
2	MOS 220326	F	SP	30	207	-	-	-	-	1.11	-0.07	10.8	-1.5	15.0	21.4	12	-30	3.8	9	10	112	-	103	114	6	95
3	MOS 240027	F	SP	30	200	-	48.3	-	-	0.07	0.07	5.2	3.4	4.4	22.5	3	4	2.4	4	-5	113	-	101	105	9	106
4A	MOS 230042	F	SP	29	148	-	-	-	-	0.07	0.13	3.0	3.3	0.8	5.2	-5	12	.2	10	7	93	-	96	105	9	106
4B	MOS 250779	M	SP	29	-	-	-	-	-	0.60	-0.36	-0.5	1.5	-2.4	-2.5	-9	4	1.7	2	-1	-	-	99		1	96
5	MOS 240464	F	SP	31	246	-	60.1	-	-	1.62	-0.04	16.6	0.1	22.2	25.5	24	-14	6.8	14	17	129	-	109	129	3	86
6	MOS 220335	F	SP	27	190	-	-	-	-	1.17	-0.39	3.8	-2.7	6.3	-4.7	-14	26	1.5	-6	-4	101	-	99	101	3	86
7	MOS 200233	F	SP	27	163	-	-	-	-	0.54	0.04	1.2	10.8	1.4	3.2	-6	15	-4.2	4	8	94	-	88	99	7	105
8	MOS 220288	F	SP	28	192	-	-	-	-	0.71	-0.24	11.3	-5.1	14.8	29.4	6	-33	1	11	11	104	-	98	97	5	111
9	MOS 220186	F	SP	29	173	-	-	-	-	0.22	-0.02	6.5	1.6	11.3	23.9	4	-25	7.3	8	8	99	-	110	102	10	108
10	MOS 210222	M	SP	31	203	-	-	-	-	0.79	0.01	8.9	-1.4	12.8	18.5	36	-39	9.6	13	16	119	-	115	99	4	87
11	MOS 240007	F	SP	30	167	-	36	-	-	0.68	-0.17	2.7	-0.3	1.9	-3.8	-6	12	4.2	-5	-0	91	-	104	98	8	103
12	MOS 240119	F	SP	30	171	-	45.3	-	-	0.54	-0.42	1.6	-3.0	5.0	7.6	-9	22	3.2	-4	-2	106	-	102	98	9	107
13	MOS 240017	F	SP	29	194	-	40.4	-	-	0.29	-0.38	4.5	5.2	7.2	27.4	52	-58	14.9	7	3	110	-	125	108	12	110
14	MOS 230631	F	SP	29	185	-	38.3	-	-	0.52	-0.05	3.7	-1.1	2.3	7.9	-10	13	-6.6	-2	-3	99	-	83	101	6	103
15	MOS 220312	F	SP	28	200	-	-	-	-	0.57	-0.12	9.2	-1.4	14.4	14.6	14	12	5.8	2	6	109	-	107	101	4	106
16	MOS 230614	F	SP	30	184	-	43.2	-	-	1.02	-0.14	2.4	-2.1	3.0	3.2	-17	21	-1.9	-4	-3	97	-	92	99	3	101
17	MOS 210165	F	SP	30	171	-	-	-	-	1.31	-0.02	5.5	0.6	8.5	-0.3	-7	6	6.3	-5	1	97	-	108	99	8	90
18	MOS 220213	M	SP	29	127	-	-	-	-	-0.10	0.01	-6.6	-6.3	-12.1	-15.2	-33	44	1	-17	-17	65	-	98	72	5	108
19	MOS 230225	F	SP	28	215	-	70.6	-	-	0.00	0.13	4.1	1.7	6.9	10.9	9	7	5.3	4	9	111	-	106	111	1	84
20	MOS 240018	F	SP	29	194	-	-	-	-	0.86	-0.16	3.3	-0.5	4.9	2.4	-20	29	-1.2	-2	-1	105	-	93	100	2	98
21	MOS 240115	F	SP	30	170	-	44.9	-	-	0.95	-0.09	2.0	-2.1	1.0	1.6	-22	37	-.9	-8	-6	106	-	94	105	5	113
22	MOS 220418	F	SP	29	170	-	-	-	-	1.05	-0.26	1.8	-1.3	1.4	-4.3	-10	21	3	-9	-5	95	-	102	94	4	104
23	MOS 230719	F	SP	29	179	-	49.6	-	-	0.12	0.11	1.1	-1.3	2.6	7.8	-1	2	4.9	2	1	100	-	106	99	3	103
24	MOS 230141	F	SP	29	150	-	-	-	-	0.31	-0.17	-1.1	1.6	-2.5	9.9	-15	24	-.1	-2	-2	99	-	96	101	7	103

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.34	-0.20	1.3	0.6	4	6	-3		2.1	2.0	1.0						
Aanbod Gemiddeld				29	185	-	47.7	-	-	0.57	-0.12	4.0	-0.2	5	9	-2	8	2.3	1	2	103	-	100	102	6.0	99
25	MOS 200254	M	SP	27	166	-	-	-	-	0.28	-0.14	-2.3	2.2	-1.3	-1.4	9	-3	.7	-1	2	94	-	97	96	4	105
26	MOS 230097	V	SP	29	159	-	-	-	-	0.67	-0.19	5.4	0.9	8.9	14.2	-6	8	7.5	-3	4	106	-	111	103	8	95
27	MOS 240020	V	SP	29	195	-	40.5	-	-	-0.01	0.03	3.1	1.3	3.9	30.5	12	-2	2.3	3	-5	110	-	100	102	12	109
28	MOS 240165	V	SP	30	171	-	41.6	-	-	0.93	-0.18	0.8	-3.9	0.2	11.6	-21	19	2.3	-5	-5	106	-	100	94	7	105
29	MOS 230320	V	SP	29	215	-	52.1	-	-	0.52	0.08	4.1	2.0	5.5	12.6	3	-5	-.2	14	10	111	-	95	103	4	105
30	RMS 240005	V	SP	29	187	-	51.1	-	-	0.43	-0.32	4.1	-2.6	3.6	7.4	-1	11	.7	-0	2	100	-	97	100	4	95
31	MOS 230700	V	SP	32	175	-	46.1	-	-	1.14	-0.03	5.3	-6.2	6.9	6.3	-9	10	2.6	-0	-2	95	-	101	93	6	103
32	MOS 220256	V	SP	28	197	-	-	-	-	0.54	0.02	4.8	-2.6	7.2	10.0	-2	15	-2.4	5	6	107	-	91	106	4	97
33	MOS 220201	V	SP	31	193	-	-	-	-	1.24	-0.21	13.1	-0.8	19.9	39.2	15	-5	8.1	10	15	112	-	112	102	7	103
34	MOS 230361	V	SP	28	162	-	47	-	-	-0.17	-0.37	-2.5	-2.6	-3.3	-7.7	-7	9	3.1	-5	-3	91	-	102	89	9	92
35	MOS 200047	M	SP	27	180	-	-	-	-	-0.04	-0.65	-0.2	3.2	-0.2	7.3	-7	4	6.6	2	1	100	-	109	116	6	87
36	RMS 220004	M	SP	28	-	-	-	-	-	-0.61	-0.11	0.1	-4.8	-0.2	-4.8	-28	52	-3.2	-4	-6	-	-	89	98	4	107
37	MOS 230539	V	SP	29	188	-	41.5	-	-	0.06	0.36	4.3	3.8	6.1	20.6	6	5	-1.6	3	6	101	-	93	103	5	101
38	MOS 230612	V	SP	29	212	-	40	-	-	0.17	-0.05	8.6	4.6	12.9	35.0	22	-12	4.2	12	14	116	-	104	117	6	72
39	MOS 230738	V	SP	30	198	-	51.5	-	-	0.73	-0.09	7.7	3.2	10.7	14.2	8	4	8.8	-2	6	112	-	113	114	6	99
40	MOS 230307	V	SP	29	186	-	40.5	-	-	0.32	-0.10	-4.4	1.8	-5.4	-2.8	-18	24	-2.2	-3	-4	94	-	92	97	4	106
41	MOS 220259	V	SP	29	192	-	-	-	-	1.03	0.07	7.0	-3.4	7.6	2.3	10	6	-1.8	-4	-3	103	-	92	100	3	81
42	MOS 230367	V	SP	29	186	-	51.8	-	-	0.68	-0.30	4.8	2.6	5.9	3.1	-9	12	3.5	-2	3	107	-	103	113	4	98
43	MOS 240086	V	SP	29	169	-	53.5	-	-	0.77	-0.19	3.2	1.3	4.5	7.0	-18	38	.4	3	3	106	-	97	107	4	110
44	MOS 230639	V	SP	28	180	-	46.3	-	-	0.25	-0.25	5.1	1.5	6.6	10.9	-4	9	.7	3	3	96	-	97	96	3	88
45	MOS 240224	V	SP	31	219	-	-	-	-	1.19	-0.21	9.0	-0.4	14.0	17.9	15	3	1.9	7	13	115	-	100	102	9	92
46	MOS 230077	V	SP	29	156	-	-	-	-	1.07	-0.27	3.9	-2.3	4.8	13.2	-13	31	4.9	-6	-2	100	-	106	95	4	102
47	MOS 230431	V	SP	29	213	-	49.5	-	-	0.42	-0.14	3.8	1.3	2.6	0.6	1	11	3	-5	1	93	-	102	100	5	101
48	RMS 230007	V	SP	30	215	-	-	-	-	0.91	-0.06	2.0	-0.3	7.7	6.8	8	-22	.2	2	2	101	-	96	103	2	90
49	MOS 220151	V	SP	29	163	-	-	-	-	0.32	-0.32	1.6	-3.3	3.0	-3.3	-13	22	3.9	-3	1	94	-	104	93	7	89

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.20	1.3	0.6	4	6	-3		2.1	2.0	1.0						
Auction Average				29	185	-	47.7	-	-	0.57	-0.12	4.0	-0.2	5	9	-2	8	2.3	1	2	103	-	100	102	6.0	99
50	MOS 220349	F	SP	29	185	-	-	-	-	-0.02	0.23	-1.3	-1.1	-1.0	5.1	-20	48	-7.8	-1	-4	98	-	80	104	13	112

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik