

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

JERAS AUCTION

Plaas Vlakfontein, Derby

25 July 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 14 July 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.
- 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:
 - 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
 - 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
 - 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
 - 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.3 The Society will approve any production sale of registered Boran cattle provided that:
 - 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
 - 1.3.2 Both the Sellers and the Society will sign a written agreement
 - 1.3.3 The Seller adheres to the requirements detailed further in this document.
 - 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The seller may only sell animals at auction that have been in their possession for no less than 12 months. Only applicable for Boran National Auctions.

- 2.3 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.
- 2.4 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.8 Only one auction under the auspices of the society can be held on any one day
- 2.9 No other sale may be held three (3) weeks prior to the National sale. However, it is the Council's prerogative to grant permission to hold an auction under the auspices within the three weeks.
- 2.10 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Bye-laws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than eight months of age at the date of sale.
- 3.1.8 If the calf is younger than eight months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.

- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.
- 3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twenty-four (24) months and older, must:
- 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. These bulls must be genomically tested and also test free of Pompies mutation and double muscling. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
- 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
- 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 8 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days (Inter Calf Periods of female animals offered at the National Auction(s) may not exceed 500 days maximum.)
 - 4.1.1.2.2 have calved before 42 months (Female animals offered at the National Auction(s) may not exceed 39 months of age at first calving.
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.

- 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
- 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
- 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.
- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
- 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
- 4.1.11.2 Pregnancy must be recorded in months.
- 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
- 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
- 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
- 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
- 5.1.1 to verify the identification of the animals on offer
- 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
- 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B & C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.

- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:
 - 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
 - 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 8 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1% will be levied on the transaction as per Society's sales agreement.
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multi-sires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro-and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 In the event of a disease outbreak, such as Foot-and-Mouth, that prevents auctions from being held, the following procedures will be implemented regarding the screening of animals:
- 12.4.1 All screenings of animals intended for the online auction will take place on the farm of the seller, prior to the auction.
- 12.4.2 In the event that an auction is successfully concluded, the relocation of animals from the seller's farm to the buyer's premises will be subject to agreement between the seller and the buyer. The Boran Society will not be a party to these agreement, and the Society do not guarantee the relocation of animals in any way.
- 12.4.3 The seller and buyer must agree on a timeline for the relocation of animals that is both fair and safe, taking into account the prevailing disease conditions and any relevant regulatory requirements.
- 12.5 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society. Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

14

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

SB 110001

SUPERBULL SB 11 0100

6

Herd Book **SP**

Birth date 2020-01-01

Age 2y 7m

Inbreeding 1%

DNA ABC001234

9 (& 10)

Parentage **Sire** **Dam**

DNA X ✓

Genomic X ✓

11

SB 140007

SUPERBULL SB 140007 Pp(c)

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

8

Town, Province

078 737 2855

super_bull@webmail.com

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



JRS 200177

JERAS JRS200177



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf	
Calf ID	JRS 260015 (M)
Birth Date	2026-06-15
Sire ID	JRS 170002

Calvings: 23-11, 24-12, 26-06



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-12
Age	5y 9m
Inbreeding	1%
DNA	U260483U006
AFC	37m
Calves	3
Weighed	0
Avg. WI	-
ICP	469d

EMD 150018 SP
OOSTENWAL EMD 150018
Wean Mat. 100

Parentage Sire Dam

DNA ✓

Genomic

JRS 150041 SP
JERAS JRS 150041
Age 10y | AFC 33m | ICP 444d
Calves 7 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -
Calvings: 18-07, 19-08, 20-10,
21-12, 22-10, 24-08, 25-11B 080109 SP
BORGEN B08109
Wean Mat. 102FN 070185 SP
FONTEINE FN07185
Age 15y | AFC 32m | ICP (donor)
Calves 5 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -WG 110010 HH SP
UP ONE ZULLU
Wean Mat. 73JRS 120025 SP
JERAS JRS 120025
Age 13y | AFC 34m | ICP 402d
Calves 10 | Weighed - | Wean Mat. 88
Avg. WI - | CCB - | CCW -B 050098 SP
BORGEN B05098 - NINETY-EIGHT
HVT 010006 SP
OUTSPAN HVT0106
Age 13y | Avg. WI -
Calves 5 | Weighed -
TLM 010001 SP
KETA TLM010001 - NAPOLEON
Z 981048 SP
HLANZENI Z 98 1048
Age 14y | Avg. WI -
Calves 7 | Weighed -
K6K3460 PBD
KE MOGWOONI K6K3460
KPO2493 F
KE OL PEJETA 2493
Age 30y | Avg. WI -
Calves 1 | Weighed -
TLM 000005 SP
KETA TLM 00 5
JRS 080002 SP
JERAS 082
Age 18y | Avg. WI -
Calves 14 | Weighed -

COW VALUE 87

67	Calving Ease Value
125	Calf Growth Value
99	Milk Value
91	Maintenance Value
82	Fertility Value

GROWTH VALUE -

CARCASS VALUE 108

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
70	85	125	99	103	87	84	99
65%	72%	40%	34%	20%	53%	30%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
130	116	115	109	110	110	106	90	98
20%	18%	10%	36%	19%	18%	16%	18%	16%

SELLER REMARKS: Hierdie koeifamilie kan bulle teel soos haar kalf reeds wys. Verkoop met bulkalf JRS 26 15 aan voet van JRS 17 02 (Remington)

LOT 2A (F)



WJ 200206

JANSON WJ200206



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf	
Calf ID	JRS 250054 (F)
Birth Date	2025-10-28
Sire ID	JRS 220093

Calvings: 23-11, 25-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-17
Age	5y 9m
Inbreeding	0%
DNA	U260484U008
AFC	37m
Calves	2
Weighed	0
Avg. WI	-
ICP	715d

JRS 160100 HH SP
JERAS GILFRED
Wean Mat. 115

Parentage Sire Dam

DNA ✓ ✓

Genomic

B 050140 SP
BORGEN B 05 140
Age 19y | AFC - | ICP (donor)
Calves 14 | Weighed - | Wean Mat. 91
Avg. WI - | CCB 4.65 | CCW -
Calvings: 09-06, 10-09, 11-11,
13-09, 15-06, 17-01, 17-12, 18-12,
19-12, 20-10, 21-11, 22-11, 23-09,
24-10FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
Wean Mat. 111B 040057 SP
BORGEN B04057
Age 18y | AFC 31m | ICP (donor)
Calves 12 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -KPO1017 PBD
KE OL PEJETA 1017
Wean Mat. 76856 PBD
KE WORAGUS 856
Age 29y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -TLM 020004 SP
KETA TLM020004 CAESAR
FN 040017 SP
FONTEINE FN 04 17
Age 14y | Avg. WI 115
Calves 7 | Weighed 1
K6K3094 PBD
KE MOGWOONI 3094 (8MK163)
ZIP7771 F
KISIMA 7771
Age 31y | Avg. WI -
Calves - | Weighed -
KPO755 F
KE OL PEJETA KPO755
16 F
KE OL PEJETA 16
Age 44y | Avg. WI -
Calves 1 | Weighed -
1485 PBD
1485
K655 F
K655
Age 44y | Avg. WI -
Calves 1 | Weighed -

COW VALUE 106

86	Calving Ease Value
103	Calf Growth Value
105	Milk Value
115	Maintenance Value
102	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 111

PRODUCTION VALUE 107

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	92	103	105	142	104	102	102
64%	69%	49%	39%	35%	52%	28%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	110	109	87	89	101	122	111	103
42%	32%	20%	37%	34%	31%	26%	29%	26%

SELLER REMARKS: 3-in-1 met 'n vers wat selfs beter as haar ma is. Verskalf JRS25 54 aan voet van JRS22 93 en sy is lyngeteel na Kisima 7771. WJ20 206 is weer 5mnde dragtig van JRS24 123(KI)

LOT 2B (F)



JRS 250054

JERAS JRS250054

Kuddeboek	SP
Geb. dtm	2025-10-28
Oud.	9 maande
Inteling	1%
DNS	U25321U024

JRS 220093 SP

JERAS JRS 220093

Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WJ 200206 SP

JANSON WJ200206

Oud. 5j | OEK 37m | TKP 715d
Kalwers 2 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -
Kalwings: 23-11, 25-10

WJ 170064 SP

JANSON GENOT

Spn Mat. 69

WJ 190258 SP

JANSON WJ190258

Oud. 6j | OEK 35m | TKP 580d
Kalwers 3 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG - | KKS -

JRS 160100 HH SP

JERAS GILFRED

Spn Mat. 115

B 050140 SP

BORGEN B 05 140

Oud. 19j | OEK - | TKP (donor)
Kalwers 14 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG 4.65 | KKS -

MHB 110055 SP

MOLL'S-HOOP XAVIER

WJ 100100 SP

JANSON WJ100100

Oud. 15j | Gem. SI -

Kalwers 13 | Geweeg -

WG 110018 SP

UP ONE IMPIE

WJ 100088 SP

JANSON HOTSA

Oud. 10j | Gem. SI -

Kalwers 5 | Geweeg -

FN 090433 SP

FONTAINE FN090433 - AMBASSADOR

B 040057 SP

BORGEN B04057

Oud. 18j | Gem. SI -

Kalwers 12 | Geweeg -

KPO1017 PBD

KE OL PEJETA 1017

856 PBD

KE WORAGUS 856

Oud. 29j | Gem. SI -

Kalwers - | Geweeg -

JERAS
BORAN

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

KOEIWAARDE 109

97	Kalfgemak Waarde
101	Kalfgroei Waarde
93	Melk Waarde
114	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 101

PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	103	101	93	121	108	104	109
67%	42%	29%	24%	21%	32%	18%	39%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	108	110	88	96	99	106	103	106
23%	19%	11%	23%	20%	18%	16%	18%	16%

VERKOPER OPMERKINGS: Will be inspected when of age.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 3 (F)



WJ 200258

JANSON WJ200258

Kuddeboek	SP
Geb. dtm	2020-11-02
Oud.	5j 9m
Inteling	0%
DNS	U260824U001
OEK	37m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	472d

HA 110002 SP

SILWER

Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WJ 150030 SP

JANSON WJ 150030

Oud. 11j | OEK 40m | TKP 371d
Kalwers 8 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -

Kalwings: 18-10, 19-10, 20-11, 21-11,
22-10, 23-12, 24-11, 25-11

K6K3534 PBD

KE MOGWONNI K6K3534

Spn Mat. 54

4197 F

KE OL PEJETA 4197

Oud. 29j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 124
Gem. SI - | KKG - | KKS -

NNR 060047 SP

NTABA NYONI NNR0647

Spn Mat. 100

WJ 120018 SP

JANSON WJ 120018

Oud. 14j | OEK 36m | TKP 465d
Kalwers 9 | Geweeg 1 | Spn. Mat. 76
Gem. SI 98 | KKG 7.02 | KKS 34.5

K6K1711 PBD

KE MOGWONNI K6K1711

2260 F

Oud. 35j | Gem. SI -

Kalwers 1 | Geweeg -

359G PBD

SOLIO 359 G

KPO867 PBD

KE OL PEJETA 867

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

HVT 950509 SP

OUTSPAN 509

JDH 090001 C

HEBSEBA FORTUNA

Oud. 12j | Gem. SI -

Kalwers 5 | Geweeg -



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

KOEIWAARDE 73

62	Kalfgemak Waarde
115	Kalfgroei Waarde
96	Melk Waarde
78	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 95

KARKAS WAARDE 90

PRODUKSIE WAARDE 74

LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
78	61	115	96	94	91	105	101
66%	73%	39%	38%	28%	52%	31%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	96	103	126	103	103	89	86	93
22%	25%	12%	39%	27%	24%	20%	22%	20%

VERKOPER OPMERKINGS: Balans en vroulikheid alles in een pakket. Verkoop met bulkalf JRS26 23 aan voet van CFH 08 343



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 4A (F)



JRS 200162

JERAS JRS200162



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 250184 (M)
Birth Date	2025-11-20
Sire ID	JRS 220093

Calvings: 23-11, 24-12, 25-11



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-10-10
Age	5y 9m
Inbreeding	0%
DNA	U260484U004
AFC	38m
Calves	3
Weighed	0
Avg. WI	-
ICP	362d

COW VALUE 95

103	Calving Ease Value
95	Calf Growth Value
76	Milk Value
108	Maintenance Value
108	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 96

PRODUCTION VALUE 96

SELLER REMARKS: 3-in-1 met bulkalf JRS25 184 aan voet van JRS 22 93. Die beste kalf/koei verhouding. Sy is voorwaar 'n uitsonderlike teelkoei 4mnde dragtig van JRS22 78/JRS22 93/JRS24 94

MHB 110055 SP
MOLL'S-HOOP XAVIER
Wean Mat. 68

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 180063 SP
JERAS JRS180063
Age 5y | AFC 33m | ICP -
Calves 1 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -
Calvings: 20-10

K6K3534 PBD
KE MOGWONNI K6K3534
Wean Mat. 54

KPO2493 F
KE OL PEJETA 2493
Age 30y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

B 120105 SP
BORGEN VREDE
Wean Mat. 110

CFH 130087 SP
ELANDSPRUIT CFH130087
Age 13y | AFC 22m | ICP 404d
Calves 10 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -

K6K1711 PBD
KE MOGWONNI K6K1711
2260 F
2260
Age 35y | Avg. WI -
Calves 1 | Weighed -

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 040048 SP
BORGEN B04048
Age 16y | Avg. WI -
Calves 2 | Weighed -
TLM 030021 SP
KETA TLM030021
CFH 080315 SP
ELANDSPRUIT CFH 08 0315
Age 7y | Avg. WI -
Calves 2 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	149	95	76	102	106	112	105
65%	71%	40%	37%	30%	54%	33%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	105	113	93	110	107	87	90	103
28%	27%	13%	39%	29%	26%	25%	27%	25%

LOT 4B (M)



JRS 250184

JERAS JRS250184



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2025-11-20
Age	8 months
Inbreeding	8%
DNA	U260484U003

COW VALUE 101

107	Calving Ease Value
94	Calf Growth Value
78	Milk Value
111	Maintenance Value
110	Fertility Value

GROWTH VALUE -

CARCASS VALUE 93

PRODUCTION VALUE -

SELLER REMARKS: Will be inspected when of age

JRS 220093 SP
JERAS JRS 220093
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 200162 SP
JERAS JRS200162
Age 5y | AFC 38m | ICP 362d
Calves 3 | Weighed - | Wean Mat. 76
Avg. WI - | CCB - | CCW -
Calvings: 23-11, 24-12, 25-11

WJ 170064 SP
JANSON GENOT
Wean Mat. 69

WJ 190258 SP
JANSON WJ190258
Age 6y | AFC 35m | ICP 580d
Calves 3 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -

MHB 110055 SP
MOLL'S-HOOP XAVIER
Wean Mat. 68

JRS 180063 SP
JERAS JRS180063
Age 5y | AFC 33m | ICP -
Calves 1 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -

MHB 110055 SP
MOLL'S-HOOP XAVIER
WJ 100100 SP
JANSON WJ100100
Age 15y | Avg. WI -
Calves 13 | Weighed -
WG 110018 SP
UP ONE IMPIE
WJ 100088 SP
JANSON HOTSA
Age 10y | Avg. WI -
Calves 5 | Weighed -
K6K3534 PBD
KE MOGWONNI K6K3534
KPO2493 F
KE OL PEJETA 2493
Age 30y | Avg. WI -
Calves 1 | Weighed -
B 120105 SP
BORGEN VREDE
CFH 130087 SP
ELANDSPRUIT CFH130087
Age 13y | Avg. WI -
Calves 10 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
110	138	94	78	100	109	109	110
66%	43%	25%	23%	19%	33%	20%	40%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	105	111	91	106	102	88	93	106
18%	17%	8%	24%	18%	16%	16%	17%	16%

LOT 5 (F)



JRS 190002

JERAS JRS190002



Kuddeboek	SP
Geb. dtm	2019-01-01
Oud.	7j 7m
Inteling	1%
DNS	U260483U002
OEK	33m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	432d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 260035 (M)
Geb. datum	2026-06-23
Vaar ID	MULTIPLE SIRE

Kalwings: 21-09, 22-10, 23-11, 24-12, 26-06



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

WG 110010 HH SP
UP ONE ZULU
Spn Mat. 73

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 120021 SP
JERAS JRS120021Oud. 13j | OEK 37m | TKP 407d
Kalwers 8 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -Kalwings: 16-01, 17-02, 18-01,
19-01, 20-09, 21-10, 22-10, 23-11K6K3460 PBD
KE MOGWOOINI K6K3460
Spn Mat. 50KPO2493 F
KE OL PEJETA 2493Oud. 30j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -TLM 000005 SP
KETA TLM 00 5

Spn Mat. 95

JRS 100011 SP
JERAS BORJRS100011Oud. 11j | OEK 33m | TKP -
Kalwers 6 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -K6K2459 PBD
KE MOGWOOINI K6K2459
2039 F
2039
Oud. 46j | Gem. SI -
Kalwers 1 | Geweeg -HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT950037
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070001 DH SP
CIRCLE C C1070001
JRS 080002 SP
JERAS 082
Oud. 18j | Gem. SI -
Kalwers 14 | Geweeg -LOGIX
EBV Analyse 2026-07-09

KOEIWAARDE 93

109	Kalfgemak Waarde
96	Kalfgroei Waarde
81	Melk Waarde
100	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 106

KARKAS WAARDE	97
PRODUKSIE WAARDE	96

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	109	96	81	96	92	102	110
72%	63%	35%	35%	25%	57%	37%	65%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	95	96	99	94	90	105	103	101
23%	21%	13%	36%	22%	20%	19%	22%	19%

VERKOPER OPMERKINGS: Baie goeie wig, breedte en vroulikheid. Verkoop met bulkalf JRS26 35 aan voet van JRS17 02(Remington)/ JRS21 146 / JRS22 217 .

LOT 6 (M)



JRS 200077

JERAS JRS200077



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 150046 SP
JERAS 46
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 140007 SP
JERAS BORJRS140007Oud. 11j | OEK 36m | TKP 375d
Kalwers 9 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -Kalwings: 17-09, 18-10, 19-09,
20-09, 21-10, 22-09, 23-11, 24-10,
25-12WG 110010 HH SP
UP ONE ZULU
Spn Mat. 73JRS 110041 SP
JERAS JRS 110041Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -JRS 110026 SP
JERAS JRS 110026

Spn Mat. 108

JRS 090025 SP
JERAS JRS0925Oud. 7j | OEK 37m | TKP -
Kalwers 2 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -K6K3460 PBD
KE MOGWOOINI K6K3460
KPO2493 F
KE OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 950022 SP
OUTSPAN HVT950022
JRS 080002 SP
JERAS 082
Oud. 18j | Gem. SI -
Kalwers 14 | Geweeg -
PM14R SP
LILAYI PM14R
JRS 080015 SP
JERAS 0815
Oud. 8j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
JRS 060002 SP
JERAS JRS 06 0002
Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -LOGIX
EBV Analyse 2026-07-09

KOEIWAARDE 111

106	Kalfgemak Waarde
103	Kalfgroei Waarde
90	Melk Waarde
98	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 97

KARKAS WAARDE	98
PRODUKSIE WAARDE	108

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	114	103	90	92	116	113	103
55%	58%	32%	28%	29%	43%	27%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	85	81	101	87	88	101	104	109
24%	26%	19%	30%	28%	25%	21%	24%	22%

VERKOPER OPMERKINGS: 'n Kombinasie van twee uitsonderlike koeie in die Jeras kudde. Die bul is reeds van 2jaar af gebruik onder ultra druk bewyding, waar hy homself bewys. Hy word sterk aanbeveel as stoetbul.

LOT 7 (F)

CCL 200200
LUKA CCL 200200

Herd Book	SP
Birth date	2020-10-16
Age	5y 9m
Inbreeding	0%
DNA	U260483U001
AFC	38m
Calves	2
Weighed	0
Avg. WI	-
ICP	386d

LUKA STUD (PTY) LTD

Machadodorp, Mpumalanga
0822221202
cjvanrhynv50@gmail.com

P.O. BOX 3901, WHITE RIVER, 1240

Last Calf	
Calf ID	CCL 240349 (M)
Birth Date	2024-12-28
Sire ID	MULTIPLE SIRES

Calvings: 23-12, 24-12

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



MHB 110055 SP
MOLL'S-HOOP XAVIER
Wean Mat. 68

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CCL 170004 SP
LUKA CCL 170004
Age 8y | AFC 37m | ICP 370d
Calves 6 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -
Calvings: 20-10, 21-10, 22-11,
23-12, 24-11, 25-11

K6K3534 PBD
KE MOGWONNI K6K3534
Wean Mat. 54

KPO2493 F
KE OL PEJETA 2493
Age 30y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

CFH 110097 SP
ELANDSPRUIT CFH110097
Wean Mat. 92

MHB 120001 SP
MOLL'S-HOOP GINGER
Age 12y | AFC 39m | ICP 405d
Calves 8 | Weighed 2 | Wean Mat. 94
Avg. WI 85 | CCB 6.27 | CCW 39.2

K6K1711 PBD
KE MOGWONNI K6K1711
2260 F
Age 35y | Avg. WI -
Calves 1 | Weighed -

TLM 030021 SP
KETA TLM030021
CFH 080363 SP
ELANDSPRUIT CFH 080363
Age 18y | Avg. WI -
Calves 11 | Weighed -
MHB 040027 SP
MOLL'S-HOOP KHAN
MHB 060048 SP
MOLL'S-HOOP GINGER
Age 15y | Avg. WI 91
Calves 10 | Weighed 1

COW VALUE 102

89	Calving Ease Value
104	Calf Growth Value
80	Milk Value
112	Maintenance Value
110	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 97

PRODUCTION VALUE 102

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	127	104	80	99	110	109	112
61%	66%	40%	39%	32%	52%	31%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	105	112	91	111	103	84	100	105
28%	29%	15%	39%	31%	28%	27%	30%	27%

SELLER REMARKS: Besondere koei uit die Ginger koeifamilie. 8mnde dragtig van vaar JRS21 146/JRS22 217

LOT 8 (F)

JRS 190225
JERAS JRS190225

Herd Book	SP
Birth date	2019-10-29
Age	6y 9m
Inbreeding	0%
DNA	U260483U005
AFC	35m
Calves	4
Weighed	0
Avg. WI	-
ICP	455d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Last Calf	
Calf ID	JRS 260057 (M)
Birth Date	2026-07-07
Sire ID	JRS 170046

Calvings: 22-10, 23-12, 24-11, 26-07

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



B 120105 SP
BORGEN VREDE
Wean Mat. 110

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WJ 130171 SP
JANSON JACKIE
Age 11y | AFC 59m | ICP 354d
Calves 6 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -
Calvings: 18-10, 19-10, 20-10,
21-08, 22-07, 23-08

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Wean Mat. 115

B 040048 SP
BORGEN B04048
Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW -

CI 080219 SP
CIRCLE C C1080219
Wean Mat. 93

WJ 090013 SP
JANSON JACKIE
Age 15y | AFC 36m | ICP (donor)
Calves 10 | Weighed 2 | Wean Mat. 82
Avg. WI 87 | CCB 5.17 | CCW 39.5

K6K2997 PBD
KE MOGWONNI K6K2997

8334 F
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -

NDA9 PBD
NDAKAINI 8N9

K6K2327 PBD
KE MOGWONNI 2327
Age 33y | Avg. WI -
Calves - | Weighed -
HVT 950021 SP
OUTSPAN HVT950021

KB27X D SP
KETA KB 27 X
Age 15y | Avg. WI 100
Calves 8 | Weighed 3
MHB 040027 SP
MOLL'S-HOOP KHAN
MHB 050031 SP
MOLL'S-HOOP JACKIE
Age 14y | Avg. WI -
Calves 5 | Weighed -

COW VALUE 115

92	Calving Ease Value
113	Calf Growth Value
100	Milk Value
105	Maintenance Value
108	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 106

PRODUCTION VALUE 115

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	108	113	100	109	100	108	107
74%	67%	42%	38%	33%	54%	34%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	106	110	94	100	107	97	97	100
32%	30%	15%	37%	32%	30%	25%	27%	26%

SELLER REMARKS: Jeras bied met trots diere soos die aan wat beslis 'n merk in enige kudde kan maak. Verkoop met bulkalf JRS26 57 aan voet van JRS21 146/JRS22 217

LOT 9A (F)



JRS 210119

JERAS JRS210119



Kuddeboek	SP
Geb. dtm	2021-10-11
Oud.	4j 9m
Inteling	2%
DNS	U260484U006
OEK	34m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	455d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 250085 (M)
Geb. datum	2025-11-03
Vaar ID	WJ 200282

Kalwings: 24-08, 25-11



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105

97	Kalfgemak Waarde
105	Kalfgroei Waarde
96	Melk Waarde
99	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE	97
PRODUKSIE WAARDE	103

VERKOPER OPMERKINGS: 3-in-1 met bulkalf JRS25 85 aan voet van WJ20 282(Raka). JRS21 119 is weer 4mnde dragtig van JRS22 78/JRS22 93/JRS24 94

WG 110018 SP
UP ONE IMPIE
Spn Mat. 77

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

EO 120490 SP
ELMECO EO12490
Oud. 13j | OEK 36m | TKP 372d
Kalwers 11 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG - | KKS -
Kalwings: 15-08, 16-10, 17-12,
19-01, 19-12, 20-10, 21-10, 22-10,
23-12, 24-11, 25-10K6K3460 PBD
KE MOGWOOINI K6K3460
Spn Mat. 50KPO2493 F
KE OL PEJETA 2493
Oud. 30j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -KB28W D SP
KETA KB 28 W
Spn Mat. 126FN 080419 SP
FONTEINE FN080419
Oud. 8j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -K6K2459 PBD
KE MOGWOOINI K6K2459
2039 F
2039
Oud. 46j | Gem. SI -
Kalwers 1 | Geweeg -PM14R SP
LILAYI PM14R
GF31R
GF31R
Oud. 45j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 030012 SP
FONTEINE FN 03 0012
Oud. 12j | Gem. SI -
Kalwers 5 | Geweeg -LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	108	105	96	104	105	106	100
61%	68%	43%	39%	32%	53%	32%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	90	94	99	92	87	105	102	86
32%	28%	15%	41%	30%	27%	26%	29%	26%

LOT 9B (M)



JRS 250085

JERAS JRS250085



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 107

97	Kalfgemak Waarde
112	Kalfgroei Waarde
90	Melk Waarde
95	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE	98
PRODUKSIE WAARDE	107

VERKOPER OPMERKINGS: Will be inspected when of age

WJ 200282 SP
JANSON RAKA
Spn Mat. 83

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 210119 SP
JERAS JRS210119
Oud. 4j | OEK 34m | TKP 455d
Kalwers 2 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 24-08, 25-11JRS 150046 SP
JERAS 46
Spn Mat. 82WJ 170034 SP
JANSON WJ170034
Oud. 8j | OEK 28m | TKP 418d
Kalwers 6 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -WG 110018 SP
UP ONE IMPIE
Spn Mat. 77EO 120490 SP
ELMECO EO12490
Oud. 13j | OEK 36m | TKP 372d
Kalwers 11 | Geweeg - | Spn. Mat. 110
Gem. SI - | KKG - | KKS -WG 110010 HH SP
UP ONE ZULU
JRS 110041 SP
JERAS JRS 110041
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
B 120105 SP
BORGEN VREDE
WJ 130017 SP
JANSON JACKIE
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
K6K3460 PBD
KE MOGWOOINI K6K3460
KPO2493 F
KE OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -
KB28W D SP
KETA KB 28 W
FN 080419 SP
FONTEINE FN080419
Oud. 8j | Gem. SI -
Kalwers 1 | Geweeg -LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	121	112	90	105	107	105	102
68%	47%	27%	24%	22%	37%	21%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	95	98	104	96	93	105	92	91
20%	19%	12%	25%	21%	18%	17%	19%	17%

LOT 10 (F)



JRS 200269

JERAS JRS200269



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240297 (M)
Birth Date	2024-12-04
Sire ID	MULTIPLE SIRE

Calvings: 23-12, 24-12

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



Herd Book	SP
Birth date	2020-11-08
Age	5y 9m
Inbreeding	0%
DNA	U261259U013
AFC	38m
Calves	2
Weighed	0
Avg. WI	-
ICP	341d

WG 110010 HH SP
UP ONE ZULU
Wean Mat. 73

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 170070 SP
JERAS BORJRS170070
Age 8y | AFC 25m | ICP 367d
Calves 7 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -
Calvings: 19-10, 20-11, 21-12, 22-11,
23-12, 24-11, 25-10

K6K3460 PBD
KE MOGWOONI K6K3460
Wean Mat. 50

KPO2493 F
KE OL PEJETA 2493
Age 30y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -

B 120105 SP
BORGEN VREDE
Wean Mat. 110

JRS 140007 SP
JERAS BORJRS140007
Age 11y | AFC 36m | ICP 375d
Calves 9 | Weighed - | Wean Mat. 99
Avg. WI - | CCB - | CCW -

K6K2459 PBD
KE MOGWOONI K6K2459
2039 F
2039
Age 46y | Avg. WI -
Calves 1 | Weighed -

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 040048 SP
BORGEN B04048
Age 16y | Avg. WI -
Calves 2 | Weighed -
JRS 110026 SP
JERAS JRS 110026
JRS 090025 SP
JERAS JRS0925
Age 7y | Avg. WI -
Calves 2 | Weighed -

COW VALUE 105

103	Calving Ease Value
105	Calf Growth Value
89	Milk Value
100	Maintenance Value
105	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 100

PRODUCTION VALUE 105

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	111	105	89	91	100	105	107
64%	75%	35%	34%	26%	56%	35%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	95	97	99	97	97	99	97	105
24%	22%	13%	34%	24%	22%	21%	23%	21%

SELLER REMARKS: JRS20 269 is 'n koei met besondere diepte, breedte, vroulikheid en haarkwaliteit. 8mnde dragtig van JRS21 146/JRS22 217

LOT 11 (F)



JRS 220067

JERAS JRS220067



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 260009 (M)
Birth Date	2026-06-12
Sire ID	TLM 060506

Calvings: 24-10, 26-06

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



Herd Book	SP
Birth date	2022-09-21
Age	3y 10m
Inbreeding	3%
DNA	U260483U008
AFC	25m
Calves	2
Weighed	0
Avg. WI	-
ICP	602d

JRS 170045 SP
JERAS SUID
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 110015 SP
JERAS JRS 110015
Age 14y | AFC 41m | ICP -
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -
Calvings: 14-08, 15-11, 16-10, 17-11,
18-12, 20-10, 22-09

JRS 140015 SP
JERAS KOMPAS
Wean Mat. 100

JRS 110031 SP
JERAS JRS 110031
Age 13y | AFC 33m | ICP 406d
Calves 9 | Weighed - | Wean Mat. 95
Avg. WI - | CCB - | CCW -

JRS 070009 SP
JERAS JRS 07 0009
Wean Mat. 91

JRS 060006 SP
JERAS JRS 06 0006
Age 14y | AFC 32m | ICP (donor)
Calves 9 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -

TLM 000005 SP
KETA TLM 00 5
FN 100730 SP
FONTEINE FN 100730
Age 16y | Avg. WI -
Calves 11 | Weighed -
JRS 080005 SP
JERAS 085
JRS 090006 SP
JERAS 0906
Age 14y | Avg. WI -
Calves 7 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
Z 981048 SP
HLANZENI Z 98 1048
Age 14y | Avg. WI -
Calves 7 | Weighed -
NDA9 PBD
NDAKAINI 8N9
KPO4205 F
KE OL PEJETA KPO 4205
Age 26y | Avg. WI -
Calves - | Weighed -

COW VALUE 109

92	Calving Ease Value
120	Calf Growth Value
101	Milk Value
83	Maintenance Value
106	Fertility Value

GROWTH VALUE -

CARCASS VALUE 115

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	97	120	101	98	105	103	111
55%	66%	30%	29%	20%	48%	24%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	112	116	119	114	114	107	91	90
18%	18%	10%	33%	19%	18%	16%	17%	16%

SELLER REMARKS: Verkoop met bulkalf JRS26 09 aan voet van TLM06 506.

LOT 12A (F)



JRS 200167

JERAS JRS200167



Kuddeboek	SP
Geb. dtm	2020-10-10
Oud.	5j 9m
Inteling	2%
DNS	U260484U005
OEK	37m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	362d

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 250097 (F)
Geb. datum	2025-11-05
Vaar ID	JRS 220093

Kalwings: 23-11, 24-11, 25-11



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 160100 HH SP

JERAS GILFRED

Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CFH 130004 SP

ELANDSPRUIT CFH130004

Oud. 13j | OEK 32m | TKP 370d
Kalwers 11 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -
Kalwings: 15-09, 16-10, 17-12,
18-12, 19-10, 20-10, 21-10, 22-10,
23-11, 24-11, 25-11

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

Spn Mat. 111

B 040057 SP

BORGEN B04057

Oud. 18j | OEK 31m | TKP (donor)
Kalwers 12 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -

KB39X SP

KETA KB 39 X

Spn Mat. 91

CFH 070237 SP

ELANDSPRUIT CFH07237

Oud. 17j | OEK - | TKP (donor)
Kalwers 9 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | Gem. SI 115
Kalwers 7 | Geweeg 1
K6K3094 PBD
KE MOGWONI 3094 (BMK163)

ZIP7771 F

KISIMA 7771

Oud. 31j | Gem. SI -
Kalwers - | Geweeg -
GF123M SP
GF 123M

GF1775 SP

GF1775

Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
TLM 020003 SP
KETA VOORSLAG

Z 000290 SP

HLANZENI Z 00 290

Oud. 18j | Gem. SI -
Kalwers 2 | Geweeg -LOGIX
GENETICS
EBV Analyse 2026-07-09

KOEIWAARDE 119

107	Kalfgemak Waarde
97	Kalfgroei Waarde
98	Melk Waarde
110	Onderhoudswaarde
121	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 105

PRODUKSIE WAARDE 118

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	118	97	98	120	111	124	106
64%	73%	51%	39%	32%	51%	30%	60%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	106	103	92	92	97	109	102	103
44%	29%	20%	38%	31%	29%	27%	29%	27%

VERKOPER OPMERKINGS: 3-in-1 met uit af sonderlike verskalf JRS25 97 aan voet van JRS22 93. Reeds weer 4 maande dragtig JRS22 78/JRS22 93/JRS24 94.

LOT 12B (F)



JRS 250097

JERAS JRS250097



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 220093 SP

JERAS JRS 220093

Spn Mat. 81

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 200167 SP

JERAS JRS200167

Oud. 5j | OEK 37m | TKP 362d
Kalwers 3 | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -
Kalwings: 23-11, 24-11, 25-11

WJ 170064 SP

JANSON GENOT

Spn Mat. 69

WJ 190258 SP

JANSON WJ190258

Oud. 6j | OEK 35m | TKP 580d
Kalwers 3 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG - | KKS -

JRS 160100 HH SP

JERAS GILFRED

Spn Mat. 115

CFH 130004 SP

ELANDSPRUIT CFH130004

Oud. 13j | OEK 32m | TKP 370d
Kalwers 11 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -

MHB 110055 SP

MOLL'S-HOOP XAVIER

WJ 100100 SP

JANSON WJ100100

Oud. 15j | Gem. SI -
Kalwers 13 | Geweeg -
WG 110018 SP
UP ONE IMPIE

WJ 100088 SP

JANSON HOTSA

Oud. 10j | Gem. SI -
Kalwers 5 | Geweeg -
FN 090433 SP
FONTEINE FN090433 - AMBASSADOR

B 040057 SP

BORGEN B04057

Oud. 18j | Gem. SI -
Kalwers 12 | Geweeg -
KB39X SP
KETA KB 39 X

CFH 070237 SP

ELANDSPRUIT CFH07237

Oud. 17j | Gem. SI -
Kalwers 9 | Geweeg -LOGIX
GENETICS
EBV Analyse 2026-07-09

KOEIWAARDE 115

105	Kalfgemak Waarde
99	Kalfgroei Waarde
89	Melk Waarde
112	Onderhoudswaarde
117	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 98

PRODUKSIE WAARDE -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	117	99	89	110	111	115	111
65%	44%	29%	24%	20%	31%	19%	39%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	106	107	91	97	97	99	99	106
24%	18%	11%	24%	19%	17%	16%	18%	16%

VERKOPER OPMERKINGS: Will be inspected when of age.

LOT 13 (M)



JRS 200291

JERAS JRS200291



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-11-27
Age	5y 8m
Inbreeding	1%
DNA	U260483U016

COW VALUE 87

88	Calving Ease Value
109	Calf Growth Value
85	Milk Value
97	Maintenance Value
91	Fertility Value

GROWTH VALUE 108

CARCASS VALUE 99

PRODUCTION VALUE 91

WG 110010 HH SP
UP ONE ZULU
Wean Mat. 73

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 130010 SP
JERAS JRS 130010Age 12y | AFC 39m | ICP 370d
Calves 10 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -
Calvings: 16-11, 17-11, 18-10, 19-09,
20-11, 21-11, 22-10, 23-12, 24-12,
25-12K6K3460 PBD
KE MOGWOOINI K6K3460
Wean Mat. 50KPO2493 F
KE OL PEJETA 2493
Age 30y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -TLM 000005 SP
KETA TLM 00 5
Wean Mat. 95JRS 100005 SP
JERAS JRS 100005
Age 6y | AFC 37m | ICP -
Calves 2 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -K6K2459 PBD
KE MOGWOOINI K6K2459
2039 F
2039
Age 46y | Avg. WI -
Calves 1 | Weighed -HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
JRS 070009 SP
JERAS JRS 07 0009
Z 030008 SP
HLANZENI Z030008
Age 17y | Avg. WI -
Calves 12 | Weighed -LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	100	109	85	93	89	100	93
62%	63%	35%	34%	24%	48%	32%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	100	100	102	99	95	105	100	104
23%	21%	12%	35%	22%	20%	19%	21%	19%

SELLER REMARKS: Hy is die tipe wat gedy onder ultradrukbewyding toestand. JRS20 291 is n breedte, manlik, vroegryp bul wat reeds van 2 jarige ouderdom gebruik is

LOT 14 (F)



JRS 190218

JERAS JRS190218



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-10-26
Age	6y 9m
Inbreeding	0%
DNA	U260483U004
AFC	36m
Calves	3
Weighed	0
Avg. WI	-
ICP	399d

COW VALUE 110

103	Calving Ease Value
100	Calf Growth Value
119	Milk Value
95	Maintenance Value
105	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 110

PRODUCTION VALUE 111

JRS 140015 SP
JERAS KOMPAS

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	
Genomic		

MOU 080021 SP
CHROME MOU0821Age 17y | AFC - | ICP (donor)
Calves 13 | Weighed - | Wean Mat. 132
Avg. WI - | CCB - | CCW -Calvings: 11-01, 11-11, 13-09, 14-10,
15-11, 17-03, 18-08, 19-10, 20-11,
22-05, 23-06, 24-07, 25-12TLM 000005 SP
KETA TLM 00 5
Wean Mat. 95FN 100730 SP
FONTEINE FN 100730
Age 16y | AFC 29m | ICP -
Calves 11 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -2812 PBD
GIANNI 2812
Wean Mat. 124ADC0518 PBD
ADC518
Age 27y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 112
Avg. WI - | CCB - | CCW -HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
CI 070001 DH SP
CIRCLE C C107001
Z 981048 SP
HLANZENI Z 98 1048
Age 14y | Avg. WI -
Calves 7 | Weighed -
2496 PBD
GIANNI 2496
11608 PBD
GIANNI 11608
Age 41y | Avg. WI -
Calves 1 | Weighed -
ADC948 F
ADC948
ADC4015 F
ADC4015
Age 31y | Avg. WI -
Calves 1 | Weighed -LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	90	100	119	111	95	109	111
74%	70%	39%	41%	25%	55%	31%	65%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	105	108	102	106	109	105	91	113
22%	22%	8%	42%	24%	21%	16%	18%	16%

SELLER REMARKS: 8 mnnde dragtig van JRS21 146/JRS22 217. MOU08 21 (Ma) het reeds 40 nageslag in verskeie kuddes en dateer terug na ADC 518(Mutara)

LOT 15A (F)



WJ 200261

JANSON WJ200261



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Laaste Kalf	
Kalf ID	JRS 250166 (F)
Geb. datum	2025-11-18
Vaar ID	JRS 210300

Kalwings: 23-12, 24-11, 25-11



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-11-06
Oud.	5j 9m
Inteling	0%
DNS	U12435U004
OEK	37m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	359d

JRS 140015 SP
JERAS KOMPAS

Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WJ 160017 SP
JANSON WJ 160017Oud. 5j | OEK 39m | TKP 420d
Kalwers 3 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 19-09, 20-11, 22-01TLM 000005 SP
KETA TLM 00 5

Spn Mat. 95

FN 100730 SP
FONTEINE FN 100730Oud. 16j | OEK 29m | TKP -
Kalwers 11 | Geweeg - | Spn. Mat. 102
Gem. SI - | KKG - | KKS -MHB 110016 SP
MOLL'S-HOOP KNOCKOUT

Spn Mat. 101

WJ 110124 SP
JANSON 11124Oud. 12j | OEK 39m | TKP 432d
Kalwers 6 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG - | KKS -HVT 950020 SP
OUTSPAN HVT950020HVT 950037 SP
OUTSPAN HVT95037Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -CI 070001 DH SP
CIRCLE C C1070001Z 981048 SP
HLANZENI Z 98 1048Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -MHB 060030 SP
MOLL'S-HOOP RUSTINMHB 040024 SP
MOLL'S-HOOP KELLYOud. 13j | Gem. SI 100
Kalwers 8 | Geweeg 3TLM 020012 SP
KETA TLM 02 12MHB 050012 SP
MOLL'S-HOOP JACKIEOud. 8j | Gem. SI -
Kalwers 5 | Geweeg -

KOEIWAARDE 108

63	Kalfgemak Waarde
117	Kalfgroei Waarde
106	Melk Waarde
110	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 95

PRODUKSIE WAARDE 107

LOGIX
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
75	70	117	106	106	102	111	109
64%	75%	36%	35%	27%	54%	32%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	102	106	92	98	97	100	82	99
24%	23%	13%	39%	24%	22%	21%	23%	21%

VERKOPER OPMERKINGS: 3-in-1 verkoop met verskalf JRS25 166 aan voet van JRS21 300(Dapper). WJ20 261 is reeds weer 5 mnde dragtig van JRS24 80. Uitsersverugbare koei met n TKP van 363/3

LOT 15B (F)



JRS 250166

JERAS JRS250166



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Kuddeboek	SP
Geb. dtm	2025-11-18
Oud.	8 maande
Inteling	1%
DNS	U25321U059

JRS 210300 SP
JERAS DAPPER

Spn Mat. 68

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WJ 200261 SP
JANSON WJ200261Oud. 5j | OEK 37m | TKP 359d
Kalwers 3 | Geweeg - | Spn. Mat. 106
Gem. SI - | KKG - | KKS -
Kalwings: 23-12, 24-11, 25-11CI 080034 HH SP
CIRCLE C C1080034

Spn Mat. 93

B 090545 SP
BORGEN B 090545Oud. 13j | OEK 35m | TKP (donor)
Kalwers 8 | Geweeg - | Spn. Mat. 58
Gem. SI - | KKG - | KKS -JRS 140015 SP
JERAS KOMPAS

Spn Mat. 100

WJ 160017 SP
JANSON WJ 160017Oud. 5j | OEK 39m | TKP 420d
Kalwers 3 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -TLM 040507 DH SP
KETA TLM040507 - BUSTERGF159U D SP
GRASMERE GF 159UOud. 15j | Gem. SI -
Kalwers 6 | Geweeg -K6K3460 PBD
KE MOGWOONI K6K3460VY9301 PBD
KISIMA 9301Oud. 30j | Gem. SI -
Kalwers - | Geweeg -TLM 000005 SP
KETA TLM 00 5FN 100730 SP
FONTEINE FN 100730Oud. 16j | Gem. SI -
Kalwers 11 | Geweeg -MHB 110016 SP
MOLL'S-HOOP KNOCKOUTWJ 110124 SP
JANSON 11124Oud. 12j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE 109

66	Kalfgemak Waarde
123	Kalfgroei Waarde
90	Melk Waarde
117	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 98

KARKAS WAARDE 93

PRODUKSIE WAARDE 107

LOGIX
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
62	82	123	90	86	103	100	113
67%	50%	33%	32%	26%	39%	27%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
125	95	92	86	92	94	101	102	101
23%	24%	17%	33%	25%	23%	21%	23%	21%

VERKOPER OPMERKINGS: Will be inspected when of age.



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 16 (F)



JRS 180135

JERAS JRS180135



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240165 (M)
Birth Date	2024-11-01
Sire ID	MULTIPLE SIRES

Calvings: 21-09, 22-09, 23-09, 24-11



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2018-09-16
Age	7y 10m
Inbreeding	2%
DNA	U8209U006
AFC	36m
Calves	4
Weighed	0
Avg. WI	-
ICP	377d

COW VALUE 106

110	Calving Ease Value
91	Calf Growth Value
85	Milk Value
118	Maintenance Value
109	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 87

PRODUCTION VALUE 103

WG 110018 SP
UP ONE IMPIE
Wean Mat. 77

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 160050 SP
JERAS JRS160050Age 10y | AFC 29m | ICP 375d
Calves 8 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -
Calvings: 18-09, 19-09, 20-10,
21-10, 22-10, 23-11, 24-12, 25-11K6K3460 PBD
KE MOGWOONI K6K3460
Wean Mat. 50KPO2493 F
KE OL PEJETA 2493
Age 30y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 101
Avg. WI - | CCB - | CCW -TLM 000005 SP
KETA TLM 00 5
Wean Mat. 95MOU 110023 SP
CHROME CHROME BORANE
Age 12y | AFC 32m | ICP -
Calves 7 | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW -K6K2459 PBD
KE MOGWOONI K6K2459
2039 F
2039
Age 46y | Avg. WI -
Calves 1 | Weighed -HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 020003 SP
KETA VOORSLAG
MOU 080017 SP
CHROME MOU0817
Age 7y | Avg. WI -
Calves 3 | Weighed -LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother					Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
107	123	91	85	81	103	112	102
71%	66%	39%	34%	28%	52%	31%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	88	95	85	92	85	87	96	104
28%	24%	11%	35%	26%	23%	23%	25%	23%

SELLER REMARKS: JRS18 135 is een van die vroulike diere wat by die hart van Jeras Boran kom. Mooier as dit is moeilik om te kry, met n TKP van 377/4. 8 mnde dragtig van JRS21 146/JRS22 217.

LOT 17 (F)



JRS 190131

JERAS JRS190131



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Last Calf	
Calf ID	JRS 240324 (F)
Birth Date	2024-12-12
Sire ID	MULTIPLE SIRES

Calvings: 21-12, 23-12, 24-12



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2019-09-24
Age	6y 10m
Inbreeding	0%
DNA	U260483U003
AFC	26m
Calves	3
Weighed	0
Avg. WI	-
ICP	550d

COW VALUE 112

109	Calving Ease Value
101	Calf Growth Value
93	Milk Value
96	Maintenance Value
116	Fertility Value

GROWTH VALUE 108

CARCASS VALUE 107

PRODUCTION VALUE 113

B 120105 SP
BORGEN VREDE
Wean Mat. 110

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 120012 SP
JERAS JRS 120012Age 13y | AFC 35m | ICP 410d
Calves 10 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -
Calvings: 15-10, 16-11, 17-12, 19-09,
20-10, 21-10, 22-10, 23-11, 24-11,
25-11B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Wean Mat. 115B 040048 SP
BORGEN B04048
Age 16y | AFC - | ICP (donor)
Calves 2 | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW -TLM 000005 SP
KETA TLM 00 5
Wean Mat. 95FN 090635 SP
FONTEINE FN 090635
Age 7y | AFC 38m | ICP -
Calves 1 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -K6K2997 PBD
KE MOGWOONI K6K2997
8334 F
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
NDA9 PBD
NDAKAINI 8N9
K6K2327 PBD
KE MOGWOONI 2327
Age 33y | Avg. WI -
Calves - | Weighed -
HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
CFH 060879 SP
ELANDSPRUIT CFH060879
Age 10y | Avg. WI -
Calves 5 | Weighed -LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother					Fertility		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	127	101	93	101	116	115	108
72%	71%	41%	35%	31%	55%	35%	62%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	107	107	103	104	109	94	94	97
31%	28%	14%	36%	30%	27%	23%	25%	23%

SELLER REMARKS: JRS19 131 is n voorbeeld van vroulikheid en funksionaliteit. 8 mnde dragtig van van JRS21 146/JRS 22 217

LOT 18 (F)



JRS 230046

JERAS JRS230046

Kuddeboek	SP
Geb. dtm	2023-07-13
Oud.	3j
Inteling	3%
DNS	U24138U025



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,DERBY, 0347

KOEIWAARDE 95

102	Kalfgemak Waarde
104	Kalfgroei Waarde
89	Melk Waarde
93	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 109

KARKAS WAARDE 104

PRODUKSIE WAARDE 98



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Sy is n vers met baie potensiaal, wat alreeds besonderse diepte en breedte toon. 6 Mnde dragtig van vaar JRS21 300(Dapper).

JRS 150046 SP

JERAS 46

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 180173 SP

JERAS JRS180173

Oud. 6j | OEK 36m | TKP 634d
Kalwers 2 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 21-10, 23-07

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 73

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -

B 120105 SP

BORGEN VREDE

Spn Mat. 110

EO 110239 SP

ELMECO EO 110239

Oud. 12j | OEK 38m | TKP 408d
Kalwers 8 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -

K6K3460 PBD

KE MOGWONI K6K3460

KPO2493 F

KE OL PEJETA 2493

Oud. 30j | Gem. SI -

Kalwers 1 | Geweeg -

HVT 950022 SP

OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Oud. 18j | Gem. SI -

Kalwers 14 | Geweeg -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Oud. 16j | Gem. SI -

Kalwers 2 | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

CFH 070343 SP

ELANDSPRUIT CFH070343

Oud. 9j | Gem. SI -

Kalwers 3 | Geweeg -



EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	116	104	89	97	101	98	100
58%	51%	34%	29%	30%	44%	27%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	95	93	107	92	94	103	98	96
24%	27%	19%	30%	29%	26%	22%	24%	22%

LOT 19 (F)



JRS 230018

JERAS JRS230018

Kuddeboek	SP
Geb. dtm	2023-06-26
Oud.	3j 1m
Inteling	2%
DNS	U24138U019



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,DERBY, 0347

KOEIWAARDE 118

105	Kalfgemak Waarde
119	Kalfgroei Waarde
97	Melk Waarde
89	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 114

KARKAS WAARDE 114

PRODUKSIE WAARDE 121



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Ons voorblad nooi, haar moederlyn dateer terug na ADC 8334(Mutara) wat in 2004 die moeder was van die nasionale kampioen koei (Nairobi). 8 Mnde dragtig van vaar B06 29.

JRS 170002 HH SP

JERAS REMINGTON

Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 150047 SP

JERAS JRS 150047

Oud. 10j | OEK 30m | TKP 463d
Kalwers 7 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -
Kalwings: 18-04, 19-07, 20-10, 22-01, 23-06, 24-11, 25-12

B 120105 SP

BORGEN VREDE

Spn Mat. 110

JRS 140020 SP

JERAS JRS 140020

Oud. 11j | OEK 29m | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 73

B 080123 SP

BORGEN B08123

Oud. 8j | OEK 27m | TKP -
Kalwers 5 | Geweeg - | Spn. Mat. 101
Gem. SI - | KKG - | KKS -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Oud. 16j | Gem. SI -

Kalwers 2 | Geweeg -

TLM 000005 SP

KETA TLM 00 5

JRS 090006 SP

JERAS 0906

Oud. 14j | Gem. SI -

Kalwers 7 | Geweeg -

K6K3460 PBD

KE MOGWONI K6K3460

KPO2493 F

KE OL PEJETA 2493

Oud. 30j | Gem. SI -

Kalwers 1 | Geweeg -

B 050072 SP

BORGEN B05072

B 050104 SP

BORGEN TWO - SCREWS

Oud. 16j | Gem. SI 85

Kalwers 10 | Geweeg 2



EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	112	119	97	100	110	105	103
61%	51%	48%	30%	37%	39%	25%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	108	110	110	109	111	106	92	97
30%	32%	10%	27%	35%	31%	16%	17%	16%

LOT 20 (M)



WG 200274
UP ONE WG200274



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Herd Book	SP
Birth date	2020-11-08
Age	5y 9m
Inbreeding	1%
DNA	U260483U022

JRS 140015 SP
JERAS KOMPAS
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WG 170158 HH SP
UP ONE WG170158
Age 9y | AFC 34m | ICP 427d
Calves 6 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 19-12, 20-11, 22-05,
23-07, 24-08, 25-10

TLM 000005 SP
KETA TLM 00 5
Wean Mat. 95

FN 100730 SP
FONTEINE FN 100730
Age 16y | AFC 29m | ICP -
Calves 11 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -

WG 110007 SP
UP ONE WG110007
Wean Mat. 94

WG 100005 SP
UP ONE WINNIE
Age 16y | AFC 33m | ICP (donor)
Calves 10 | Weighed 2 | Wean Mat. 117
Avg. WI 101 | CCB 5.23 | CCW 40.7

HVT 950020 SP
OUTSPAN HVT950020
HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
CI 070001 DH SP
CIRCLE C C1070001
Z 981048 SP
HLANZENI Z 98 1048
Age 14y | Avg. WI -
Calves 7 | Weighed -
TLM 060506 SP
KETA TLM 6 506
B 030027 SP
BORGEN B 03 27
Age 8y | Avg. WI -
Calves 3 | Weighed -
TLM 050543 SP
KETA TLM050543
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -

COW VALUE	115
110	Calving Ease Value
95	Calf Growth Value
103	Milk Value
105	Maintenance Value
116	Fertility Value

GROWTH VALUE	104
CARCASS VALUE	96
PRODUCTION VALUE	114

LOGIX
GENETICS CENTRA
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	95	95	103	101	110	118	108
58%	60%	36%	36%	24%	47%	28%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	100	91	94	98	93	100	102	96
22%	22%	12%	39%	23%	21%	18%	20%	18%

SELLER REMARKS: Die bul is die resultaat van n kombinasie van koei families wat deur gans bulle met sterkte en manlikheid geteel het. (HVT 9537/B 96615/Z 98 1048)



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 21 (F)



JRS 230138
JERAS JRS230138



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Herd Book	SP
Birth date	2023-11-10
Age	2y 8m
Inbreeding	2%
DNA	U16911U045

WJ 200282 SP
JANSON RAKA
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

JRS 180164 SP
JERAS JRS180164
Age 7y | AFC 37m | ICP 366d
Calves 5 | Weighed - | Wean Mat. 103
Avg. WI - | CCB - | CCW -
Calvings: 21-12, 22-10, 23-11,
24-12, 25-12

JRS 150046 SP
JERAS 46
Wean Mat. 82

WJ 170034 SP
JANSON WJ170034
Age 8y | AFC 28m | ICP 418d
Calves 6 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

JRS 140015 SP
JERAS KOMPAS
Wean Mat. 100

JRS 110050 SP
JERAS JRS 110050
Age 13y | AFC 34m | ICP 368d
Calves 9 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -

WG 110010 HH SP
UP ONE ZULU
JRS 110041 SP
JERAS JRS 110041
Age 13y | Avg. WI -
Calves 8 | Weighed -
B 120105 SP
BORGEN VREDE
WJ 130017 SP
JANSON JACKIE
Age 13y | Avg. WI -
Calves 8 | Weighed -
TLM 000005 SP
KETA TLM 00 5
FN 100730 SP
FONTEINE FN 100730
Age 16y | Avg. WI -
Calves 11 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
JRS 060002 SP
JERAS JRS 06 0002
Age 10y | Avg. WI -
Calves 5 | Weighed -

COW VALUE	108
98	Calving Ease Value
110	Calf Growth Value
93	Milk Value
93	Maintenance Value
109	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	102
PRODUCTION VALUE	-

LOGIX
GENETICS CENTRA
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	102	110	93	102	106	109	107
58%	50%	26%	24%	21%	38%	24%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	100	102	107	99	97	101	90	99
18%	19%	12%	26%	20%	18%	16%	17%	16%

SELLER REMARKS: Die moederlyn (Delamere 304) het n baie groot impak op die Jeras kudde. 8 Mnde dragtig van vaar JRS21 300(Dapper).



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 22 (F)



JRS 230077

JERAS JRS230077



Kuddeboek	SP
Geb. dtm	2023-09-24
Oud.	2j 10m
Inteling	2%
DNS	U24138U028

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

KOEIWAARDE 93

96	Kalfgemak Waarde
110	Kalfgroei Waarde
88	Melk Waarde
87	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE	99
PRODUKSIE WAARDE	95



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 150046 SP

JERAS 46

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 170025 SP

JERAS JRS170025

Oud. 8j | OEK 25m | TKP 458d
Kalwers 6 | Geweeg - | Spn. Mat. 94
Gem. SI - | KKG - | KKS -
Kalwings: 19-12, 21-06, 22-06,
23-09, 24-09, 26-06

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 73

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -

HA 110002 SP

SILWER

Spn Mat. 93

JRS 090028 SP

JERAS JRS0928

Oud. 11j | OEK 37m | TKP -
Kalwers 7 | Geweeg - | Spn. Mat. 98
Gem. SI - | KKG - | KKS -

K6K3460 PBD

KE MOGWONI K6K3460

KPO2493 F
KE OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 950022 SP
OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Oud. 18j | Gem. SI -
Kalwers 14 | Geweeg -
K6K3534 PBD
KE MOGWONI K6K3534

4197 F

KE OL PEJETA 4197
Oud. 29j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

JRS 050013 SP

JERAS GRACE

Oud. 21j | Gem. SI 97
Kalwers 9 | Geweeg 2



EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	108	110	88	95	99	102	100
58%	56%	34%	30%	29%	45%	26%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	91	90	114	94	94	100	92	93
22%	26%	19%	31%	28%	24%	21%	24%	22%

VERKOPER OPMERKINGS: JRS23 77 kom uit die JRS05 13(Grace) koei familie, wat ook haar merk in ander kuddes gelos het. 5 Mnde dragtig van vaar JRS21 300(Dapper).

LOT 23 (F)



JRS 230128

JERAS JRS230128



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

KOEIWAARDE 94

105	Kalfgemak Waarde
93	Kalfgroei Waarde
94	Melk Waarde
111	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE	93
PRODUKSIE WAARDE	94



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

JRS 200115 SP

JERAS POTBERG

Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 140045 SP

JERAS JRS 140045

Oud. 11j | OEK 36m | TKP 448d
Kalwers 8 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG - | KKS -
Kalwings: 17-12, 19-10, 20-09,
21-10, 22-10, 23-11, 24-11, 26-07

JRS 130037 SP

JERAS VUURSLAG

Spn Mat. 108

CFH 120039 SP

ELANDSPRUIT CFH120039

Oud. 13j | OEK 34m | TKP 418d
Kalwers 7 | Geweeg - | Spn. Mat. 102
Gem. SI - | KKG - | KKS -

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 73

LM 120006 SP

LIA-MAR LM120006

Oud. 14j | OEK 35m | TKP 398d
Kalwers 11 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -

FN 090063 SP

FONTEINE FN 09 63

B 070017 SP
BORGEN B 07 0017
Oud. 16j | Gem. SI -
Kalwers 10 | Geweeg -

PM14R SP

LILAYI PM14R

B 980004 SP
BORGEN B980004
Oud. 20j | Gem. SI -
Kalwers 6 | Geweeg -

K6K3460 PBD

KE MOGWONI K6K3460

KPO2493 F
KE OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -

CI 070046 SP

CIRCLE C CI070046

GF46S D DH SP
GRASMERE GF 46 S
Oud. 14j | Gem. SI 99
Kalwers 7 | Geweeg 1



EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	101	93	94	96	92	91	106
55%	51%	33%	28%	27%	38%	24%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	92	86	91	92	90	101	99	99
24%	24%	19%	29%	26%	23%	21%	23%	21%

VERKOPER OPMERKINGS: Kombinase van Zambiese en Kenia genetika, wat goed gewerk het. 8 Mnde dragtig van vaar JRS21 300(Dapper)

LOT 24 (F)



JRS 230113

JERAS JRS230113

Herd Book	SP
Birth date	2023-11-06
Age	2y 9m
Inbreeding	0%
DNA	U22446U016



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103

93	Calving Ease Value
115	Calf Growth Value
94	Milk Value
93	Maintenance Value
101	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 108

PRODUCTION VALUE 103

JRS 190182 SP

JERAS RAMPIE

Wean Mat. 99

Parentage Sire Dam

DNA ✓ ✓

Genomic

JRS 190238 SP

JERAS JRS190238

Age 6y | AFC 36m | ICP 364d
Calves 4 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -
Calvings: 22-11, 23-11, 24-11, 25-10

WG 110018 SP

UP ONE IMPIE

Wean Mat. 77

EO 090005 SP

ELMECO EO09005

Age 14y | AFC - | ICP (donor)
Calves 7 | Weighed - | Wean Mat. 116
Avg. WI - | CCB - | CCW -

JRS 140013 SP

JERAS GERMMERGEMMER

Wean Mat. 96

JRS 150086 SP

JERAS JRS 150086

Age 9y | AFC 32m | ICP 371d
Calves 7 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -

K6K3460 PBD

KE MOGWOONI K6K3460

KPO2493 F

KE OL PEJETA 2493

Age 30y | Avg. WI -

Calves 1 | Weighed -

B 040001 SP

BORGEN B 040001

B 050097 HH SP

BORGEN BIG MAMA CYBELE

Age 19y | Avg. WI 98

Calves 10 | Weighed 5

TLM 000005 SP

KETA TLM 00 5

B 070178 SP

BORGEN B070178

Age 8y | Avg. WI -

Calves 4 | Weighed -

HA 110002 SP

SILWER

JRS 080002 SP

JERAS 082

Age 18y | Avg. WI -

Calves 14 | Weighed -

LOGIX
GENETIC GENIUS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	96	115	94	98	101	100	107
51%	45%	29%	27%	22%	35%	22%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	99	103	106	104	105	104	99	105
20%	19%	11%	28%	21%	19%	18%	20%	18%

SELLER REMARKS: Sy is die resultaat van jarelange teling in die Jeras kudde. 5 Mnde dragtig van vaar JRS21 300(Dapper).

LOT 25 (F)



JRS 230177

JERAS JRS230177

Herd Book	SP
Birth date	2023-11-28
Age	2y 8m
Inbreeding	7%
DNA	U18096U040



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 105

100	Calving Ease Value
114	Calf Growth Value
89	Milk Value
97	Maintenance Value
98	Fertility Value

GROWTH VALUE 113

CARCASS VALUE 103

PRODUCTION VALUE 109

WJ 200282 SP

JANSON RAKA

Wean Mat. 83

Parentage Sire Dam

DNA ✓

Genomic

WJ 200079 SP

JANSON WJ200079

Age 5y | AFC 38m | ICP 365d
Calves 3 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -
Calvings: 23-11, 24-12, 25-11

JRS 150046 SP

JERAS 46

Wean Mat. 82

WJ 170034 SP

JANSON WJ170034

Age 8y | AFC 28m | ICP 418d
Calves 6 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

WG 110010 HH SP

UP ONE ZULU

Wean Mat. 73

B 040072 SP

BORGEN B 04 72

Age 18y | AFC - | ICP (donor)
Calves 10 | Weighed - | Wean Mat. 114
Avg. WI - | CCB - | CCW -

WG 110010 HH SP

UP ONE ZULU

JRS 110041 SP

JERAS JRS 110041

Age 13y | Avg. WI -

Calves 8 | Weighed -

B 120105 SP

BORGEN VREDE

WJ 130017 SP

JANSON JACKIE

Age 13y | Avg. WI -

Calves 8 | Weighed -

K6K3460 PBD

KE MOGWOONI K6K3460

KPO2493 F

KE OL PEJETA 2493

Age 30y | Avg. WI -

Calves 1 | Weighed -

K6K3094 PBD

KE MOGWOONI 3094 (BMK163)

Z7F108 F

KE WORAGUS 108

Age 35y | Avg. WI -

Calves 1 | Weighed -

LOGIX
GENETIC GENIUS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	111	114	89	108	101	95	101
55%	50%	26%	25%	22%	38%	23%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	106	108	102	105	102	108	86	104
18%	19%	12%	25%	21%	18%	17%	18%	17%

SELLER REMARKS: 6 Mnde dragtig van JRS21 300(Dapper). Die vers is my persoonlike gunsteling.

LOT 26 (F)



DWJ 230250

NAMIB DWJ 230250



JANSON

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Kuddeboek	SP
Geb. dtm	2023-12-17
Oud.	2j 7m
Inteling	2%
DNS	U24138U011

WJ 200146 SP
JANSON JOCK
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WJ 190022 SP
JANSON WJ190022
Oud. 6j | OEK 38m | TKP 473d
Kalwers 3 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -
Kalwings: 22-04, 23-12, 24-11JRS 160100 HH SP
JERAS GILFRED
Spn Mat. 115WJ 130171 SP
JANSON JACKIE
Oud. 11j | OEK 59m | TKP 354d
Kalwers 6 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -WG 110010 HH SP
UP ONE ZULU
Spn Mat. 73MHB 080001 SP
MOLL'S-HOOP MHB 0801
Oud. 12j | OEK - | TKP (donor)
Kalwers 8 | Geweeg - | Spn. Mat. 112
Gem. SI - | KKG - | KKS -FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
B 040057 SP
BORGEN B04057
Oud. 18j | Gem. SI -
Kalwers 12 | Geweeg -
CI 080219 SP
CIRCLE C C1080219
WJ 090013 SP
JANSON JACKIE
Oud. 15j | Gem. SI 87
Kalwers 10 | Geweeg 2
K6K3460 PBD
KE MOGWONNI K6K3460
KP02493 F
KE OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -
FE 960075 SP
FORRESTER 96/75
MHB 050006 SP
MOLL'S-HOOP JACKIE
Oud. 12j | Gem. SI 111
Kalwers 7 | Geweeg 4

KOEIWAARDE	103
80	Kalfgemak Waarde
121	Kalfgroei Waarde
97	Melk Waarde
103	Onderhoudswaarde
92	Vrugbaarheidswaarde
GROEI WAARDE	112
KARKAS WAARDE	105
PRODUKSIE WAARDE	107

LOGIX
GENETICS CENTRA
EBV Analise 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
74	109	121	97	120	90	94	102
56%	46%	33%	29%	25%	36%	23%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	108	112	95	101	100	116	102	98
27%	23%	13%	29%	24%	22%	21%	23%	21%

VERKOPER OPMERKINGS: Lyngeteel met Jacky(K6K 2228) vertoon mooi diepte en breedte. 5 Mnde dragtig van JRS21 300(Dapper).



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 27 (M)



JRS 210146

JERAS JRS210146



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141, DERBY, 0347

Kuddeboek	SP
Geb. dtm	2021-10-17
Oud.	4j 9m
Inteling	2%
DNS	U260483U018

JRS 170045 SP
JERAS SUID
Spn Mat. 105

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 180173 SP
JERAS JRS180173
Oud. 6j | OEK 36m | TKP 634d
Kalwers 2 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 21-10, 23-07JRS 140015 SP
JERAS KOMPAS
Spn Mat. 100JRS 110031 SP
JERAS JRS 110031
Oud. 13j | OEK 33m | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -B 120105 SP
BORGEN VREDE
Spn Mat. 110EO 110239 SP
ELMECO EO 110239
Oud. 12j | OEK 38m | TKP 408d
Kalwers 8 | Geweeg - | Spn. Mat. 85
Gem. SI - | KKG - | KKS -TLM 000005 SP
KETA TLM 00 5
FN 100730 SP
FONTEINE FN 100730
Oud. 16j | Gem. SI -
Kalwers 11 | Geweeg -
JRS 080005 SP
JERAS 085
JRS 090006 SP
JERAS 0906
Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 040048 SP
BORGEN B04048
Oud. 16j | Gem. SI -
Kalwers 2 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
CFH 070343 SP
ELANDSPRUIT CFH070343
Oud. 9j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE	105
102	Kalfgemak Waarde
108	Kalfgroei Waarde
100	Melk Waarde
89	Onderhoudswaarde
105	Vrugbaarheidswaarde
GROEI WAARDE	110
KARKAS WAARDE	110
PRODUKSIE WAARDE	108

LOGIX
GENETICS CENTRA
EBV Analise 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	102	108	100	103	95	102	121
67%	49%	30%	29%	21%	42%	24%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	107	110	110	102	107	107	91	89
20%	20%	11%	33%	21%	19%	17%	18%	17%

VERKOPER OPMERKINGS: Kort, dik, breed. Die bul praat vir homself. JRS21 146 is in ons kuddes gebruik omdat hy nooit kondisie verloor het onder druk beweidings toestande by Gideon Oosthuizen. Hy word sterk aanbeveel as stoetbul.



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 28 (F)



JRS 230142

JERAS JRS230142

Herd Book	SP
Birth date	2023-11-13
Age	2y 8m
Inbreeding	1%
DNA	U16911U002



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

COW VALUE 109

101	Calving Ease Value
108	Calf Growth Value
94	Milk Value
100	Maintenance Value
105	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 105

PRODUCTION VALUE 110



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

WJ 200282 SP
JANSON RAKA

Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WJ 200206 SP
JANSON WJ200206

Age 5y | AFC 37m | ICP 715d
Calves 2 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -
Calvings: 23-11, 25-10

JRS 150046 SP
JERAS 46

Wean Mat. 82

WJ 170034 SP
JANSON WJ170034

Age 8y | AFC 28m | ICP 418d
Calves 6 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

JRS 160100 HH SP
JERAS GILFRED

Wean Mat. 115

B 050140 SP
BORGES B 05 140

Age 19y | AFC - | ICP (donor)
Calves 14 | Weighed - | Wean Mat. 91
Avg. WI - | CCB 4.65 | CCW -

WG 110010 HH SP
UP ONE ZULU
JRS 110041 SP
JERAS JRS 110041
Age 13y | Avg. WI -
Calves 8 | Weighed -
B 120105 SP
BORGES VREDE
WJ 130017 SP
JANSON JACKIE
Age 13y | Avg. WI -
Calves 8 | Weighed -
FN 090433 SP
FONTEINE FN090433 - AMBASSADOR

B 040057 SP
BORGES B04057
Age 18y | Avg. WI -
Calves 12 | Weighed -
KPO1017 PBD
KE OL PEJETA 1017
856 PBD
KE WORAGUS 856
Age 29y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS CENTRA
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	113	108	94	124	106	102	103
55%	47%	30%	24%	23%	36%	19%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	105	106	98	94	100	113	96	100
24%	21%	14%	24%	22%	20%	17%	19%	17%

SELLER REMARKS: Die kombinasie van Raka(WJ20 282) en Gilfred(JRS16 100) werk soos klokslag. Hierdie vers is n tipiese voorbeeld. 6 mnde dragtig van JRS21 300(Dapper)

LOT 29 (F)



JRS 230161

JERAS JRS230161

Herd Book	SP
Birth date	2023-11-23
Age	2y 8m
Inbreeding	8%
DNA	U16911U095



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

COW VALUE 108

101	Calving Ease Value
110	Calf Growth Value
89	Milk Value
93	Maintenance Value
111	Fertility Value

GROWTH VALUE 108

CARCASS VALUE 103

PRODUCTION VALUE 110



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

WJ 200282 SP
JANSON RAKA

Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 170064 SP
JERAS JRS170064

Age 8y | AFC 35m | ICP 362d
Calves 6 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -
Calvings: 20-11, 21-11, 22-11, 23-11, 24-10, 25-11

JRS 150046 SP
JERAS 46

Wean Mat. 82

WJ 170034 SP
JANSON WJ170034

Age 8y | AFC 28m | ICP 418d
Calves 6 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

B 120105 SP
BORGES VREDE

Wean Mat. 110

JRS 120012 SP
JERAS JRS 120012

Age 13y | AFC 35m | ICP 410d
Calves 10 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -

WG 110010 HH SP
UP ONE ZULU
JRS 110041 SP
JERAS JRS 110041
Age 13y | Avg. WI -
Calves 8 | Weighed -
B 120105 SP
BORGES VREDE
WJ 130017 SP
JANSON JACKIE
Age 13y | Avg. WI -
Calves 8 | Weighed -
B 050098 SP
BORGES B05098 - NINETY-EIGHT

B 040048 SP
BORGES B04048
Age 16y | Avg. WI -
Calves 2 | Weighed -
TLM 000005 SP
KETA TLM 00 5
FN 090635 SP
FONTEINE FN 090635
Age 7y | Avg. WI -
Calves 1 | Weighed -

LOGIX
GENETICS CENTRA
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	129	110	89	104	108	112	106
58%	50%	27%	23%	21%	37%	23%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	104	104	106	102	104	99	88	97
20%	19%	11%	23%	21%	19%	16%	17%	16%

SELLER REMARKS: Haar moederlyn HVT 9513 met bulle in haar stamboom wat absoluut sin maak. 5 Mnde dragtig van JRS21 300(Dapper)

LOT 30 (F)



JRS 230162

JERAS JRS230162



Kuddeboek	SP
Geb. dtm	2023-11-23
Oud.	2j 8m
Inteling	2%
DNS	U16911U060

J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 105	
111	Kalfgemak Waarde
97	Kalfgroei Waarde
88	Melk Waarde
97	Onderhoudswaarde
113	Vrugbaarheidswaarde
GROEI WAARDE 104	
KARKAS WAARDE 98	
PRODUKSIE WAARDE 106	

VERKOPER OPMERKINGS: Moederlyn dateer terug na Forrester FE 97/11. Die Zimbabwe invloed in Jeras kudde. 5 mnde dragtig van JRS21 300(Dapper)

JRS 150046 SP

JERAS 46

Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WJ 160130 SP

JANSON WJ160130

Oud. 9j | OEK 34m | TKP 376d
Kalwers 7 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 19-10, 20-10, 21-11,
22-10, 23-11, 24-12, 25-12

WG 110010 HH SP

UP ONE ZULU

Spn Mat. 73

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -

B 120105 SP

BORGEN VREDE

Spn Mat. 110

WJ 130027 SP

JANSON SAVANA

Oud. 10j | OEK 34m | TKP 354d
Kalwers 8 | Geweeg - | Spn. Mat. 86
Gem. SI - | KKG - | KKS -

K6K3460 PBD

KE MOGWONI K6K3460

KPO2493 F

KE OL PEJETA 2493

Oud. 30j | Gem. SI -

Kalwers 1 | Geweeg -

HVT 950022 SP

OUTSPAN HVT950022

JRS 080002 SP

JERAS 082

Oud. 18j | Gem. SI -

Kalwers 14 | Geweeg -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

B 040048 SP

BORGEN B04048

Oud. 16j | Gem. SI -

Kalwers 2 | Geweeg -

TLM 020006 SP

KETA TLM020006 - LOBASE

TLM 040018 SP

KETA TLM 04 18

Oud. 16j | Gem. SI -

Kalwers 7 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	116	97	88	96	112	114	101
59%	57%	34%	29%	29%	44%	27%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	94	90	101	91	93	99	97	102
24%	25%	18%	30%	28%	24%	20%	23%	20%

LOT 31 (F)



JRS 230166

JERAS JRS230166



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 106	
102	Kalfgemak Waarde
107	Kalfgroei Waarde
90	Melk Waarde
92	Onderhoudswaarde
111	Vrugbaarheidswaarde
GROEI WAARDE -	
KARKAS WAARDE 97	
PRODUKSIE WAARDE -	

VERKOPER OPMERKINGS: Haar moederlyn WG11 04(KPO 2493) het diep spore in die Jeras kudde gelaat met bulle soos Zulu,Impie en Xavier. 6 mnde dragtig van JRS21 300(Dapper)

WJ 200282 SP

JANSON RAKA

Spn Mat. 83

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

WG 190158 SP

UP ONE WG190158

Oud. 5j | OEK 37m | TKP 383d
Kalwers 3 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -
Kalwings: 22-11, 23-11, 24-12

JRS 150046 SP

JERAS 46

Spn Mat. 82

WJ 170034 SP

JANSON WJ170034

Oud. 8j | OEK 28m | TKP 418d
Kalwers 6 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -

JRS 140013 SP

JERAS GERMMEGERMER

Spn Mat. 96

WG 140096 SP

UP ONE BORFWG140096

Oud. 8j | OEK 28m | TKP 340d
Kalwers 5 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -

WG 110010 HH SP

UP ONE ZULU

JRS 110041 SP

JERAS JRS 110041

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

B 120105 SP

BORGEN VREDE

WJ 130017 SP

JANSON JACKIE

Oud. 13j | Gem. SI -

Kalwers 8 | Geweeg -

TLM 000005 SP

KETA TLM 00 5

B 070178 SP

BORGEN B070178

Oud. 8j | Gem. SI -

Kalwers 4 | Geweeg -

WG 110007 SP

UP ONE WG110007

WG 110004 SP

UP ONE GUINNESS

Oud. 14j | Gem. SI 106

Kalwers 12 | Geweeg 3

LOGIX
GENETICS
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	103	107	90	101	107	113	103
57%	47%	24%	22%	19%	35%	19%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	102	103	107	100	98	99	90	97
16%	17%	10%	22%	18%	16%	14%	15%	14%

LOT 32 (F)



JRS 230229

JERAS JRS230229



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Herd Book	SP
Birth date	2023-12-08
Age	2y 8m
Inbreeding	2%
DNA	U16911U014

JRS 200115 SP
JERAS POTBERG
Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 140027 SP
JERAS JRS 140027
Age 11y | AFC 34m | ICP 380d
Calves 9 | Weighed - | Wean Mat. 81
Avg. WI - | CCB - | CCW -
Calvings: 17-08, 18-09, 19-10,
20-10, 21-10, 22-11, 23-12, 24-11,
25-12

JRS 130037 SP
JERAS VUURSLAG
Wean Mat. 108

CFH 120039 SP
ELANDSPRUIT CFH120039
Age 13y | AFC 34m | ICP 418d
Calves 7 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -

WG 110010 HH SP
UP ONE ZULU
Wean Mat. 73

JRS 110041 SP
JERAS JRS 110041
Age 13y | AFC 34m | ICP 452d
Calves 8 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -

FN 090063 SP
FONTEINE FN 09 63
B 070017 SP
BORGEN B 07 0017
Age 16y | Avg. WI -
Calves 10 | Weighed -
PM14R SP
LILAYI PM14R
B 980004 SP
BORGEN B980004
Age 20y | Avg. WI -
Calves 6 | Weighed -
K6K3460 PBD
KE MOGWONNI K6K3460
KPO2493 F
KE OL PEJETA 2493
Age 30y | Avg. WI -
Calves 1 | Weighed -
HVT 950022 SP
OUTSPAN HVT950022
JRS 080002 SP
JERAS 082
Age 18y | Avg. WI -
Calves 14 | Weighed -

COW VALUE 98

108	Calving Ease Value
92	Calf Growth Value
90	Milk Value
106	Maintenance Value
104	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 94

PRODUCTION VALUE 99

LOGIX
GENETIC GENIUS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	106	92	90	95	102	107	102
58%	53%	33%	28%	28%	38%	24%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	94	88	94	94	89	99	101	95
24%	25%	20%	29%	27%	24%	21%	24%	21%

SELLER REMARKS: Haar moeder JRS14 27 is die vol suster van FourtySix JRS15 46 wat met groot welslae in ons kudde gebruik is. 5 Mnde dragtig van JR21 300(Dapper)



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 33 (F)



JRS 230231

JERAS JRS230231



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Herd Book	SP
Birth date	2023-12-08
Age	2y 8m
Inbreeding	8%
DNA	U16911U028

WJ 200282 SP
JANSON RAKA
Wean Mat. 83

Parentage	Sire	Dam
DNA	✓	
Genomic		

JRS 190287 SP
JERAS JRS190287
Age 6y | AFC 34m | ICP 376d
Calves 3 | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -
Calvings: 22-10, 23-12, 24-11

JRS 150046 SP
JERAS 46
Wean Mat. 82

WJ 170034 SP
JANSON WJ170034
Age 8y | AFC 28m | ICP 418d
Calves 6 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

B 120105 SP
BORGEN VREDE
Wean Mat. 110

JRS 120110 SP
JERAS JRS120110
Age 13y | AFC 39m | ICP 403d
Calves 10 | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW -

WG 110010 HH SP
UP ONE ZULU
JRS 110041 SP
JERAS JRS 110041
Age 13y | Avg. WI -
Calves 8 | Weighed -
B 120105 SP
BORGEN VREDE
WJ 130017 SP
JANSON JACKIE
Age 13y | Avg. WI -
Calves 8 | Weighed -
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 040048 SP
BORGEN B04048
Age 16y | Avg. WI -
Calves 2 | Weighed -
HVT 970017 SP
OUTSPAN HVT970017
FN 060053 SP
FONTEINE FN0653
Age 17y | Avg. WI 109
Calves 12 | Weighed 2

COW VALUE 111

86	Calving Ease Value
121	Calf Growth Value
95	Milk Value
95	Maintenance Value
107	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 101

PRODUCTION VALUE 112

LOGIX
GENETIC GENIUS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	124	121	95	104	106	107	103
58%	48%	29%	26%	24%	38%	24%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	103	104	103	97	102	98	90	105
22%	22%	13%	26%	23%	21%	18%	20%	18%

SELLER REMARKS: n Vers soos die word selde op veilings aangebied. 5 Mnde dragtig van JRS21 300(Dapper)



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 34 (M)



JRS 200018

JERAS JRS200018



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Kuddeboek	SP
Geb. dtm	2020-02-06
Oud.	6j 6m
Inteling	6%
DNS	U260483U014

B 120105 SP
BORGEN VREDE
Spn Mat. 110

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JRS 050005 SP
JERAS JRS 05 0005
Oud. 15j | OEK - | TKP (donor)
Kalwers 11 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -
Kalwings: 08-11, 10-11, 11-12, 12-11,
13-09, 14-10, 15-11, 16-10, 17-11,
18-12, 20-02

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Spn Mat. 115

B 040048 SP
BORGEN B04048
Oud. 16j | OEK - | TKP (donor)
Kalwers 2 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG - | KKS -

NDA9 PBD
NDAKAINI 8N9
Spn Mat. 97

1SEG038 PBD
SEGERA 3057
Oud. 17j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -

K6K2997 PBD
KE MOGWONI K6K2997
8334 F
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
NDA9 PBD
NDAKAINI 8N9
K6K2327 PBD
KE MOGWONI 2327
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
2466 PBD
ADC MUTARA 2466ADC MUTARA 246
085 F
NDAKAINI 085
Oud. 44j | Gem. SI -
Kalwers 1 | Geweeg -
2403BORM PBD
GIANNI 2403
1732 PBD
1732
Oud. 46j | Gem. SI -
Kalwers 4 | Geweeg -

KOEIWAARDE	120
101	Kalfgemak Waarde
110	Kalfgroei Waarde
106	Melk Waarde
97	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE	106
KARKAS WAARDE	112
PRODUKSIE WAARDE	119

LOGIX
GENETICS
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	111	110	106	98	113	121	96
70%	62%	42%	37%	32%	47%	31%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	107	108	101	108	116	93	100	105
32%	30%	15%	38%	32%	29%	26%	28%	26%

VERKOPER OPMERKINGS: Ou Kenia genetica wat lankslewendheid in die Jeras kudde vas geteel het. Sy moeder JRS05 05 het 11 kalwings met 16 kalwers gehad en sy suster JRS08 02 het 14 kalwings met 17 kalwers gehad.



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 35 (F)



JRS 230233

JERAS JRS230233



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

Kuddeboek	SP
Geb. dtm	2023-12-08
Oud.	2j 8m
Inteling	1%
DNS	U16911U059

JRS 150046 SP
JERAS 46
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

JRS 170070 SP
JERAS BORJRS170070
Oud. 8j | OEK 25m | TKP 367d
Kalwers 7 | Geweeg - | Spn. Mat. 106
Gem. SI - | KKG - | KKS -
Kalwings: 19-10, 20-11, 21-12, 22-11,
23-12, 24-11, 25-10

WG 110010 HH SP
UP ONE ZULU
Spn Mat. 73

JRS 110041 SP
JERAS JRS 110041
Oud. 13j | OEK 34m | TKP 452d
Kalwers 8 | Geweeg - | Spn. Mat. 89
Gem. SI - | KKG - | KKS -

B 120105 SP
BORGEN VREDE
Spn Mat. 110

JRS 140007 SP
JERAS BORJRS140007
Oud. 11j | OEK 36m | TKP 375d
Kalwers 9 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -

K6K3460 PBD
KE MOGWONI K6K3460
KPO2493 F
KE OL PEJETA 2493
Oud. 30j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 950022 SP
OUTSPAN HVT950022
JRS 080002 SP
JERAS 082
Oud. 18j | Gem. SI -
Kalwers 14 | Geweeg -
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 040048 SP
BORGEN B04048
Oud. 16j | Gem. SI -
Kalwers 2 | Geweeg -
JRS 110026 SP
JERAS JRS 110026
JRS 090025 SP
JERAS JRS0925
Oud. 7j | Gem. SI -
Kalwers 2 | Geweeg -

KOEIWAARDE	117
99	Kalfgemak Waarde
109	Kalfgroei Waarde
94	Melk Waarde
95	Onderhoudswaarde
123	Vrugbaarheidswaarde

GROEI WAARDE	103
KARKAS WAARDE	102
PRODUKSIE WAARDE	116

LOGIX
GENETICS
EBV Analyse 2026-07-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	111	109	94	95	123	119	106
58%	61%	33%	27%	29%	44%	27%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	91	89	104	93	95	101	98	104
24%	25%	18%	28%	27%	24%	20%	22%	20%

VERKOPER OPMERKINGS: Sy is n voorbeeld van beproefde kombinasies binne die Jeras kudde. 6 Mnde dragtig van JRS21 300(Dapper)



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 36 (F)



JRS 230251

JERAS JRS230251

Herd Book	SP
Birth date	2023-12-19
Age	2y 7m
Inbreeding	2%
DNA	U22447U079



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

COW VALUE 105

80	Calving Ease Value
115	Calf Growth Value
107	Milk Value
99	Maintenance Value
102	Fertility Value

GROWTH VALUE 106

CARCASS VALUE 109

PRODUCTION VALUE 106

WJ 200146 SP
JANSON JOCK

Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

EO 120490 SP
ELMECO EO12490

Age 13y | AFC 36m | ICP 372d
Calves 11 | Weighed - | Wean Mat. 110
Avg. WI - | CCB - | CCW -
Calvings: 15-08, 16-10, 17-12,
19-01, 19-12, 20-10, 21-10, 22-10,
23-12, 24-11, 25-10

JRS 160100 HH SP
JERAS GILFRED

Wean Mat. 115

WJ 130171 SP
JANSON JACKIE

Age 11y | AFC 59m | ICP 354d
Calves 6 | Weighed - | Wean Mat. 89
Avg. WI - | CCB - | CCW -

KB28W D SP
KETA KB 28 W

Wean Mat. 126

FN 080419 SP
FONTEINE FN080419

Age 8y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -

FN 090433 SP

FONTEINE FN090433 - AMBASSADOR

B 040057 SP

BORGEN B04057

Age 18y | Avg. WI -

Calves 12 | Weighed -

CI 080219 SP

CIRCLE C C1080219

WJ 090013 SP

JANSON JACKIE

Age 15y | Avg. WI 87

Calves 10 | Weighed 2

PM14R SP

LILAYI PM14R

GF31R

GF31R

Age 45y | Avg. WI -

Calves 1 | Weighed -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 030012 SP

FONTEINE FN 03 0012

Age 12y | Avg. WI -

Calves 5 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
79	98	115	107	133	98	107	97
56%	52%	37%	34%	28%	37%	26%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	100	100	99	94	97	118	107	88
30%	26%	16%	34%	27%	25%	23%	25%	23%

SELLER REMARKS: Ons is trots om n vers soos die aan te bied en hoop dat ons genetika ook n impak in ander kuddes sal hê. 5 Mnde dragtig van JRS21 300(Dapper)



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 37 (F)



JRS 230275

JERAS JRS230275

Herd Book	SP
Birth date	2023-12-29
Age	2y 7m
Inbreeding	1%
DNA	U16911U018



J.H. ERASMUS

Derby, North West
0836640075
johan@jeras.co.za

POSBUS 141,,DERBY, 0347

COW VALUE 90

93	Calving Ease Value
106	Calf Growth Value
89	Milk Value
92	Maintenance Value
96	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 102

PRODUCTION VALUE 95

JRS 140013 SP
JERAS GERMMEGEMMER

Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	
Genomic		

WJ 180173 SP
JANSON WJ180173

Age 7y | AFC 39m | ICP 382d
Calves 4 | Weighed - | Wean Mat. 81
Avg. WI - | CCB - | CCW -
Calvings: 21-10, 22-12, 23-12, 24-12

TLM 000005 SP
KETA TLM 00 5

Wean Mat. 95

B 070178 SP
BORGEN B070178

Age 8y | AFC 40m | ICP -
Calves 4 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

WG 110010 HH SP
UP ONE ZULU

Wean Mat. 73

WJ 140058 SP
JANSON CINDY

Age 8y | AFC 25m | ICP 500d
Calves 4 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -

HVT 950020 SP
OUTSPAN HVT950020

HVT 950037 SP
OUTSPAN HVT95037

Age 20y | Avg. WI -

Calves 8 | Weighed -

KPO548 F

KE OL PEJETA SOLIO 548/51

KPO21 PBD

KE OL PEJETA 21

Age 39y | Avg. WI -

Calves 2 | Weighed -

K6K3460 PBD

KE MOGWONI K6K3460

KPO2493 F

KE OL PEJETA 2493

Age 30y | Avg. WI -

Calves 1 | Weighed -

NJS 090024 SP

MASUNISO NJS090024

MHB 070003 SP

MOLL'S-HOOP CINDY

Age 14y | Avg. WI -

Calves 8 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-07-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	85	106	89	95	96	104	95
59%	54%	31%	30%	21%	44%	26%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	104	106	107	99	97	106	102	104
20%	19%	10%	32%	20%	19%	17%	19%	17%

SELLER REMARKS: Sy kombineer KPO 21 en K6K 2184 met bulle soos Zulu(WG11 10) en TLM005. Ongelooflike teling. 6 Mnde dragtig van JRS21 300(Dapper)



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.35	-0.21	1.2	0.6	3	6	-3		2.1	2.0	1.0						
Auction Average				31	-	-	-	-	-	0.73	-0.41	3.4	-1.0	5	6	-2	-4	3.7	1	-	-	-	103	-	6.0	98
1	JRS 200177	F	SP	-	-	-	-	-	-	2.33	0.24	9.5	0.4	15.6	13.7	20	-31	3.5	8	7	-	-	103		7	99
2A	WJ 200206	F	SP	-	-	-	-	-	-	1.08	0.04	2.3	1.7	1.2	-4.8	11	-19	23.4	-4	2	-	-	142		14	100
2B	JRS 250054	F	SP	32	-	-	-	-	-	0.73	-0.31	1.7	-1.2	0.9	-3.7	8	-20	12.5	-0	0	-	-	121		2	72
3	WJ 200258	F	SP	-	-	-	-	-	-	1.80	0.92	6.0	-0.4	7.5	28.8	-8	-6	-1	4	3	-	-	94		8	106
4A	JRS 200162	F	SP	-	-	-	-	-	-	-0.35	-1.63	-0.6	-5.1	-3.3	0.5	4	-26	3.1	8	5	-	-	102		1	67
4B	JRS 250184	M	SP	28	-	-	-	-	-	-0.31	-1.32	-0.9	-4.7	-3.1	-1.1	5	-23	2.3	5	2	-	-	100		3	100
5	JRS 190002	F	SP	29	-	-	-	-	-	0.10	-0.48	-0.2	-3.9	1.0	5.8	-10	8	.2	-2	-5	-	-	96		8	90
6	JRS 200077	M	SP	-	-	-	-	-	-	0.38	-0.60	2.2	-1.7	2.9	6.7	-25	36	-1.8	-6	-6	-	-	92		9	109
7	CCL 200200	F	SP	-	-	-	-	-	-	1.21	-0.99	2.5	-4.0	2.6	-1.4	4	-24	1.5	8	3	-	-	99		6	106
8	JRS 190225	F	SP	28	-	-	-	-	-	1.18	-0.45	5.5	0.5	7.6	1.0	6	-20	6.5	2	5	-	-	109		6	83
9A	JRS 210119	F	SP	-	-	-	-	-	-	0.87	-0.43	3.0	-0.5	4.4	5.4	-18	12	3.9	-2	-7	-	-	104		11	110
9B	JRS 250085	M	SP	33	-	-	-	-	-	0.83	-0.82	5.1	-1.8	6.9	10.0	-10	4	4.7	-0	-4	-	-	105		2	97
10	JRS 200269	F	SP	-	-	-	-	-	-	0.56	-0.53	3.0	-2.0	3.6	5.4	-10	6	-2.4	0	-1	-	-	91		7	118
11	JRS 220067	F	SP	-	-	-	-	-	-	0.86	-0.12	7.6	0.9	11.0	22.1	14	-32	.9	10	9	-	-	98		7	71
12A	JRS 200167	F	SP	-	-	-	-	-	-	0.30	-0.73	0.1	0.1	-2.4	-0.9	5	-6	12.3	-3	-1	-	-	120		11	113
12B	JRS 250097	F	SP	30	-	-	-	-	-	0.44	-0.69	0.9	-1.9	-0.4	-1.7	5	-13	6.9	0	-1	-	-	110		3	101
13	JRS 200291	M	SP	-	-	-	-	-	-	1.23	-0.22	4.1	-2.9	7.3	7.9	-4	-0	-1.5	1	-2	-	-	93		10	108
14	JRS 190218	F	SP	29	-	-	-	-	-	-0.11	0.09	1.1	5.0	2.5	8.1	5	-16	7.7	6	6	-	-	111		13	99
15A	WJ 200261	F	SP	-	-	-	-	-	-	2.01	0.66	6.7	1.9	10.3	-1.0	0	-12	5.3	1	-1	-	-	106		3	91
15B	JRS 250166	F	SP	40	-	-	-	-	-	2.85	0.31	8.5	-1.8	12.2	-6.0	-11	15	-5.1	-2	-3	-	-	86		3	102
16	JRS 180135	F	SP	30	-	-	-	-	-	-0.11	-0.88	-1.8	-2.9	-3.6	-6.3	-20	10	-7.5	-3	-9	-	-	81		8	113
17	JRS 190131	F	SP	27	-	-	-	-	-	-0.16	-0.99	1.6	-1.1	1.6	8.5	7	-14	2.5	4	6	-	-	101		10	103
18	JRS 230046	F	SP	-	-	-	-	-	-	0.64	-0.69	2.6	-2.1	4.6	12.0	-10	14	.8	-3	-3	-	-	97		2	69
19	JRS 230018	F	SP	-	-	-	-	-	-	0.46	-0.56	7.4	-0.2	9.0	15.2	9	-20	2.2	7	7	-	-	100		7	98
20	WG 200274	M	SP	-	-	-	-	-	-	-0.40	-0.07	-0.6	1.2	0.1	0.9	-4	17	2.8	1	-4	-	-	101		6	100

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.35	-0.21	1.2	0.6	3	6	-3		2.1	2.0	1.0						
Aanbod Gemiddeld				31	-	-	-	-	-	0.73	-0.41	3.4	-1.0	5	6	-2	-4	3.7	1	-	-	-	103	-	6.0	98
21	JRS 230138	V	SP	-	-	-	-	-	-	0.60	-0.28	4.6	-1.0	7.0	12.0	-4	-4	3.3	1	-1	-	-	102		5	106
22	JRS 230077	V	SP	-	-	-	-	-	-	0.89	-0.43	4.4	-2.3	6.9	18.4	-17	19	-.4	-2	-3	-	-	95		6	105
23	JRS 230128	V	SP	-	-	-	-	-	-	0.12	-0.22	-1.1	-0.8	-1.5	-1.3	-14	28	.2	-3	-6	-	-	96		8	96
24	JRS 230113	V	SP	-	-	-	-	-	-	0.78	-0.08	6.0	-0.7	8.4	11.1	-4	-7	1.3	4	4	-	-	98		4	105
25	JRS 230177	V	SP	-	-	-	-	-	-	0.73	-0.52	5.7	-2.1	7.9	8.2	6	-17	5.9	5	2	-	-	108		3	99
26	DWJ 230250	V	SP	-	-	-	-	-	-	2.04	-0.47	8.0	-0.1	11.0	2.2	9	-25	12.3	3	1	-	-	120		3	87
27	JRS 210146	M	SP	-	-	-	-	-	-	0.34	-0.28	3.7	0.5	5.8	15.3	8	-20	3.5	3	5	-	-	103		2	69
28	JRS 230142	V	SP	-	-	-	-	-	-	0.71	-0.59	3.9	-0.8	4.1	4.9	4	-11	14.4	-1	1	-	-	124		2	72
29	JRS 230161	V	SP	-	-	-	-	-	-	0.31	-1.06	4.3	-2.1	5.4	11.5	2	-9	4	3	3	-	-	104		6	109
30	JRS 230162	V	SP	-	-	-	-	-	-	0.05	-0.67	0.1	-2.1	0.0	7.5	-12	20	0	-3	-3	-	-	96		7	109
31	JRS 230166	V	SP	-	-	-	-	-	-	0.39	-0.31	3.4	-1.7	4.0	12.6	-0	-6	2.8	2	-1	-	-	101		3	99
32	JRS 230229	V	SP	-	-	-	-	-	-	0.07	-0.38	-1.4	-1.9	-2.4	1.0	-12	24	-.5	-1	-6	-	-	95		9	109
33	JRS 230231	V	SP	-	-	-	-	-	-	1.48	-0.90	7.9	-0.6	10.7	9.3	1	-8	4.2	0	2	-	-	104		3	96
34	JRS 200018	M	SP	31	-	-	-	-	-	0.70	-0.54	4.3	2.1	4.4	6.8	7	-16	.9	6	11	-	-	98		11	101
35	JRS 230233	V	SP	-	-	-	-	-	-	0.79	-0.52	4.1	-0.8	5.6	9.7	-16	22	-.5	-2	-2	-	-	95		7	118
36	JRS 230251	V	SP	-	-	-	-	-	-	1.72	-0.14	6.2	2.2	8.7	5.3	-2	-1	18.6	-2	-1	-	-	133		11	110
37	JRS 230275	V	SP	-	-	-	-	-	-	0.46	0.23	3.2	-2.1	5.1	12.5	3	-12	-.7	1	-1	-	-	95		4	94

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik