

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

ALEXSWILL FARMS

Veilingsdatum / Auction Date:
29 August 2026

Data soos op / Data as on:
14 August 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P



ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

DEF 050022

GHI 070076
HH(c)

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

ALEXSWILL FARMS


ZAM 230133
2023-10-13
SP

Parentage Sire Dam

DNA

Genomic



ZAM 170109
AGE/CALV. 8/5
AVG. Wt/CALV. 102/4
ICP 502

LFR 190008 HH(c)

LFR 160061 HH(c)

LFR 160067
AGE/CALV. 9/7
AVG. Wt/CALV. 97/7
ICP 366

ZAM 140050 HH(c)

ZAM 140249
AGE/CALV. 8/5
AVG. Wt/CALV. 112/5
ICP 480

FCT 120053

BEI 070040
AGE/CALV. 17/14
AVG. Wt/CALV. 103/12

BBM 110059

LFR 130090
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10

JRB 080062 HH(c)

FCT 090256 HH(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 106/7

ZAM 110061

ZAM 080068
AGE/CALV. 10/8
AVG. Wt/CALV. 95/8

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
105	99	111	108	107	92	92

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	94	105	100	112	106	106	100	97	95	90	94	100	88	91	80

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
95	105	102	-	-	341	1.22

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Early maturing bull, can be used on heifers and cows.

LOGIX EBV Analysis: 2026-07-17

LOT 2

ALEXSWILL FARMS


ZAM 230138
2023-10-14
SP

Parentage Sire Dam

DNA

Genomic



ZAM 200174
AGE/CALV. 5/3
AVG. Wt/CALV. 101/2
ICP 489

ZAM 190081 HH(c)

ZAM 150149 HH(c)

ZAM 090059
AGE/CALV. 10/6
AVG. Wt/CALV. 103/6
ICP 494

DAJ 110069

ZAM 120229
AGE/CALV. 9/7
AVG. Wt/CALV. 98/7
ICP 372

ZAM 120092

ZAM 110088
AGE/CALV. 10/7
AVG. Wt/CALV. 114/7

ZAM 060040

ZAM 060096
AGE/CALV. 12/9
AVG. Wt/CALV. 82/9

GCD 090111

DAJ 080134
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10

VOG 070058

ZAM 090066
AGE/CALV. 10/6
AVG. Wt/CALV. 93/6

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
112	88	100	108	93	90	95

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	89	95	107	103	100	102	92	90	86	90	81	75	95	113	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	100	98	-	-	350	1.15

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: A bull with good calving ease, fertility and maintenance values.

LOGIX EBV Analysis: 2026-07-17

LOT 3

ALEXSWILL FARMS


ZAM 230146 HH(c)
2023-10-17
SP

Parentage Sire Dam

DNA

Genomic



ZAM 200135
AGE/CALV. 5/2
AVG. Wt/CALV. 96/2
ICP 613

ZAM 190081 HH(c)

ZAM 150149 HH(c)

ZAM 090059
AGE/CALV. 10/6
AVG. Wt/CALV. 103/6
ICP 494

LFR 160001

ZAM 120016
AGE/CALV. 9/6
AVG. Wt/CALV. 107/6
ICP 441

ZAM 120092

ZAM 110088
AGE/CALV. 10/7
AVG. Wt/CALV. 114/7

ZAM 060040

ZAM 060096
AGE/CALV. 12/9
AVG. Wt/CALV. 82/9

JRB 950035

LFR 130063
AGE/CALV. 13/11
AVG. Wt/CALV. 105/10

JRB 040008

ZAM 080006
AGE/CALV. 6/3
AVG. Wt/CALV. 100/2

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
119	95	96	109	97	105	112

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	97	81	109	99	93	106	101	107	94	91	78	88	108	144	122

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
97	97	102	-	-	353	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: ALL ROUND; use on heifers and cows, excellent growth and carcass values.

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 4

ALEXSWILL FARMS



ZAM 230179
2023-12-13
SP

Ouerskap Vaar Moer

DNS

Genomies



ZAM 150034
OUD/KALW. 11/7
GEM. SI/KALW. 99/7
TKP 461

DDJ 070221 HH(c)

ZAM 180026 HH(c)

ZAM 120207
OUD/KALW. 9/6
GEM. SI/KALW. 101/6
TKP 443

ZAM 110134

ZAM 060259
OUD/KALW. 12/5
GEM. SI/KALW. 91/5
TKP 420

JH 980246

GBS 030007
OUD/KALW. 15/11
GEM. SI/KALW. 105/10

PAD 080159

ZAM 980004
OUD/KALW. 15/12
GEM. SI/KALW. 108/12

ZAM 060006

ZAM 050090
OUD/KALW. 13/10
GEM. SI/KALW. 97/10

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
109	83	103	105	90	95	101

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	90	87	101	108	106	94	95	95	90	94	106	100	94	105	116

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	109	107	-	-	357	1.18

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: An ALL ROUNDER; Sanga type bull

LOGIX EBV Analise: 2026-07-17

LOT 5

ALEXSWILL FARMS



ZAM 230130 HH(c)
2023-10-11
SP

Ouerskap Vaar Moer

DNS

Genomies ✓



ZAM 200212
OUD/KALW. 5/3
GEM. SI/KALW. 106/2
TKP 492

ZAM 150149 HH(c)

ZAM 190081 HH(c)

ZAM 090059
OUD/KALW. 10/6
GEM. SI/KALW. 103/6
TKP 494

ZAM 160130 HH(c)

ZAM 170087
OUD/KALW. 9/5
GEM. SI/KALW. 99/5
TKP 425

ZAM 120092

ZAM 110088
OUD/KALW. 10/7
GEM. SI/KALW. 114/7

ZAM 060040

ZAM 060096
OUD/KALW. 12/9
GEM. SI/KALW. 82/9

ZAM 110134

ZAM 110019
OUD/KALW. 9/6
GEM. SI/KALW. 96/6

ZAM 130013

ZAM 090146
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
100	105	101	89	106	108	120

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	107	106	118	102	94	111	106	108	99	110	88	102	123	133	119

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
118	117	110	-	-	345	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Excellent ALL ROUNDER, striking confirmation, width, depth, capacity, coat and breeding values.

LOGIX EBV Analise: 2026-07-17

LOT 6

ALEXSWILL FARMS



ZAM 230107 HH(c)
2023-09-18
SP

Ouerskap Vaar Moer

DNS

Genomies ✓



ZAM 160001
OUD/KALW. 10/7
GEM. SI/KALW. 99/6
TKP 428

LFR 160061 HH(c)

LFR 190008 HH(c)

LFR 160067
OUD/KALW. 9/7
GEM. SI/KALW. 97/7
TKP 366

ZAM 100016

ZAM 090035
OUD/KALW. 10/7
GEM. SI/KALW. 105/7
TKP 430

FCT 120053

BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12

BBM 110059

LFR 130090
OUD/KALW. 12/10
GEM. SI/KALW. 103/10

ZAM 040001

ZAM 050001
OUD/KALW. 8/5
GEM. SI/KALW. 105/5

ZAM 030032

ZAM 030010
OUD/KALW. 14/9
GEM. SI/KALW. 111/9

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
110	83	102	99	89	104	90

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	90	89	106	113	100	89	98	113	112	100	105	107	94	86	79

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	105	111	-	-	356	1.21

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Good calving ease values, coupled with post wean growth and high fertility.

LOGIX EBV Analise: 2026-07-17

BULLS

LOT 7

ALEXSWILL FARMS
ZAM 230121
 2023-10-03
 SP
 Parentage Sire Dam
 DNA
 Genomic


ZAM 170005 HH(c)
ZAM 170223
 AGE/CALV. 8/5
 AVG. Wt/CALV. 94/5
 ICP 450
ZAM 130031
 AGE/CALV. 7/3
 AVG. Wt/CALV. 99/3
 ICP 505
ZAM 130013
ZAM 120176
 AGE/CALV. 7/4
 AVG. Wt/CALV. 97/4
 ICP 517

DDJ 080281 HH(c)
ZAM 130031
ZAM 120176
GBS 020133
GBS 000007
 AGE/CALV. 17/12
 AVG. Wt/CALV. 99/11
PAD 080159
ZAM 100001
 AGE/CALV. 10/8
 AVG. Wt/CALV. 99/8
FCT 090082
FCT 090206
 AGE/CALV. 10/7
 AVG. Wt/CALV. 93/6
VOG 070058
ZAM 100032
 AGE/CALV. 3/1
 AVG. Wt/CALV. 107/1

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
79	96	106	116	93	81	97

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	108	79	111	110	104	101	107	87	88	86	86	94	103	106	112

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	98	102	-	-	364	1.18

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: Early maturing bull, good fertility and maintenance value - use on mature cows.

LOGIX EBV Analysis: 2026-07-17

LOT 8

ALEXSWILL FARMS
ZAM 230176 HH(c)
 2023-12-11
 SP
 Parentage Sire Dam
 DNA
 Genomic


ZAM 180026 HH(c)
ZAM 140008
 AGE/CALV. 11/7
 AVG. Wt/CALV. 104/6
 ICP 434
ZAM 120207
 AGE/CALV. 9/6
 AVG. Wt/CALV. 101/6
 ICP 443
DDJ 080242 HH(c)
HJL 060134
 AGE/CALV. 12/8
 AVG. Wt/CALV. 98/7
 ICP 479

DDJ 070221 HH(c)
ZAM 120207
DDJ 080242 HH(c)
JH 980246
GBS 030007
 AGE/CALV. 15/11
 AVG. Wt/CALV. 105/10
PAD 080159
ZAM 980004
 AGE/CALV. 15/12
 AVG. Wt/CALV. 108/12
DDJ 030001 HH(c)
DDJ 040114
 AGE/CALV. 4/3
 AVG. Wt/CALV. 96/3
HJL 020107
HJL 000037
 AGE/CALV. 12/7
 AVG. Wt/CALV. 104/6

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
94	93	109	111	100	98	108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	94	104	121	122	100	102	102	100	98	88	96	97	93	110	122

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	113	121	-	-	366	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Fleshly ALL ROUNDER with good maternal traits.

LOGIX EBV Analysis: 2026-07-17

LOT 9

ALEXSWILL FARMS
ZAM 230045 HH(c)
 2023-07-15
 SP
 Parentage Sire Dam
 DNA
 Genomic


ZAM 190208 HH(c)
ZAM 180135
 AGE/CALV. 7/4
 AVG. Wt/CALV. 103/4
 ICP 495
ZAM 150260
 AGE/CALV. 4/2
 AVG. Wt/CALV. 113/2
 ICP 404
ZAM 140155 HH(c)
ZAM 120028
 AGE/CALV. 9/8
 AVG. Wt/CALV. 91/8
 ICP 421

DAJ 110069
ZAM 190208 HH(c)
ZAM 150260
ZAM 140155 HH(c)
GCD 090111
DAJ 080134
 AGE/CALV. 12/10
 AVG. Wt/CALV. 103/10
ZAM 110134
ZAM 030207
 AGE/CALV. 13/4
 AVG. Wt/CALV. 104/4
FCT 110352
ZAM 110122
 AGE/CALV. 5/2
 AVG. Wt/CALV. 110/1
ZAM 030007
ZAM 080064
 AGE/CALV. 11/9
 AVG. Wt/CALV. 98/7

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
104	110	103	106	111	93	106

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	103	107	110	105	94	114	105	94	79	91	88	96	106	108	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	102	102	-	-	358	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: High scoring, masculine bull with excellent breeding values - a 'curve bender'!

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 10 ALEXSWILL FARMS

ZAM 230046
2023-07-16
SP

Ouerskap Vaar Moer

DNS

Genomies

ZAM 180248
OUD/KALW. 7/4
GEM. SI/KALW. 89/4
TKP 472

ZAM 150260
OUD/KALW. 4/2
GEM. SI/KALW. 113/2
TKP 404

ZAM 140155 HH(c)

ZAM 060208
OUD/KALW. 13/9
GEM. SI/KALW. 99/9
TKP 370

DAJ 110069

ZAM 110122
OUD/KALW. 5/2
GEM. SI/KALW. 110/1

GCD 090111
DAJ 080134
OUD/KALW. 12/10
GEM. SI/KALW. 103/10

ZAM 110134
ZAM 030207
OUD/KALW. 13/4
GEM. SI/KALW. 104/4

FCT 110352

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde	
102		91		89		95		87		104		102	

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	94	101	115	93	84	109	102	103	88	104	93	98	90	94	117

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	97	102	-	-	389	1.19

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: Later maturing type bull, good growth, carcass values; heifers and mature cows.

LOGIX EBV Analise: 2026-07-17

LOT 11 ALEXSWILL FARMS

ZAM 230008 HH(c)
2023-06-10
SP

Ouerskap Vaar Moer

DNS

Genomies

ZAM 160023
OUD/KALW. 10/6
GEM. SI/KALW. 115/6
TKP 449

LAR 120076
OUD/KALW. 10/7
GEM. SI/KALW. 105/7
TKP 397

ZAM 110022

ZAM 110155
OUD/KALW. 8/4
GEM. SI/KALW. 95/4
TKP 490

LFR 150032

LAR 070055
LAR 090236 HH(c)
OUD/KALW. 16/13
GEM. SI/KALW. 99/13

JRB 030025
IVY 980148
OUD/KALW. 15/12
GEM. SI/KALW. 106/11

ZAM 060006
ZAM 030003
OUD/KALW. 13/9
GEM. SI/KALW. 96/7

HJL 120124
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde	
98		113		102		92		113		108		100	

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	108	117	85	82	118	103	104	111	117	106	132	121	116	92	90

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
105	119	117	-	-	335	1.21

Miostation	
Q204X	0
NT821	1
F94L	0

OPMERKINGS: A very growthy bull for weaner calf production (feedlot!)

LOGIX EBV Analise: 2026-07-17

LOT 12 ALEXSWILL FARMS

ZAM 230023
2023-06-23
SP

Ouerskap Vaar Moer

DNS

Genomies

ZAM 160028
OUD/KALW. 10/6
GEM. SI/KALW. 107/5
TKP 523

LAR 120076
OUD/KALW. 10/7
GEM. SI/KALW. 105/7
TKP 397

ZAM 110107
OUD/KALW. 8/6
GEM. SI/KALW. 104/6
TKP 361

LFR 150032

WVZ 110021

LAR 070055
LAR 090236 HH(c)
OUD/KALW. 16/13
GEM. SI/KALW. 99/13

HFN 040124
WVZ 050075
OUD/KALW. 9/6
GEM. SI/KALW. 102/4

ZAM 080151
ZAM 080096
OUD/KALW. 10/7
GEM. SI/KALW. 102/7

HJL 120124
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde	
84		127		110		95		124		108		101	

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
59	125	105	85	108	109	104	116	108	121	104	123	112	113	86	95

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
106	97	92	-	-	344	1.17

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: Bull with plenty growth, use on mature cows for weaner production (feedlot!)

LOGIX EBV Analise: 2026-07-17


BULLS

LOT 13 ALEXSWILL FARMS

 **ZAM 230065 HH(c)**
2023-08-01 SP

Parentage Sire Dam
DNA
Genomic 

 **ZAM 200010**
AGE/CALV. 6/3
AVG. Wt/CALV. 121/2
ICP 498



ZAM 170055 HH(c)
AGE/CALV. 10/7
AVG. Wt/CALV. 100/6

ZAM 120084
AGE/CALV. 10/7
AVG. Wt/CALV. 100/6

ZAM 130013
AGE/CALV. 8/4
AVG. Wt/CALV. 96/4

ZAM 130177
AGE/CALV. 8/4
AVG. Wt/CALV. 96/4

PAD 080159

ZAM 020030
AGE/CALV. 11/9
AVG. Wt/CALV. 97/8

DDJ 080242 HH(c)
AGE/CALV. 12/8
AVG. Wt/CALV. 98/7

HJL 060134
AGE/CALV. 12/8
AVG. Wt/CALV. 98/7

ZAM 160145
AGE/CALV. 5/3
AVG. Wt/CALV. 120/2
ICP 408

ZAM 120094 HH(c)
AGE/CALV. 11/7
AVG. Wt/CALV. 104/6
ICP 434

ZAM 140008
AGE/CALV. 11/7
AVG. Wt/CALV. 104/6
ICP 434

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
118	119	117	95	129	86	102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	109	109	103	107	115	112	105	91	89	104	87	100	110	109	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
123	114	103	-	-	-	-

REMARKS: "Curve-bender": excellent breeding values, Weaner production and replacement heifers (Full Package!)

LOGIX EBV Analysis: 2026-07-17


Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 14 ALEXSWILL FARMS

 **ZAM 230014**
2023-06-17 SP

Parentage Sire Dam
DNA
Genomic

 **ZAM 180042**
AGE/CALV. 8/4
AVG. Wt/CALV. 101/4
ICP 519



JRB 170127 HH(c)
AGE/CALV. 15/11
AVG. Wt/CALV. 101/10

JRB 000027
AGE/CALV. 15/11
AVG. Wt/CALV. 101/10

JRB 060028

BBN 040050
AGE/CALV. 10/8
AVG. Wt/CALV. 97/6

JRB 030025

ZAM 050001
AGE/CALV. 8/5
AVG. Wt/CALV. 105/5

JRB 040008

ZAM 070044
AGE/CALV. 13/10
AVG. Wt/CALV. 98/9

JRB 110128
AGE/CALV. 8/5
AVG. Wt/CALV. 96/5
ICP 425

ZAM 110158
AGE/CALV. 8/5
AVG. Wt/CALV. 102/5
ICP 436

ZAM 110061

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
89	108	94	103	100	93	88

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	108	102	98	107	95	89	102	98	112	95	123	108	102	91	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	105	101	-	-	357	1.17

REMARKS: Smooth coated bull; good growth and maintenance values, use on open cows.

LOGIX EBV Analysis: 2026-07-17


Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 15 ALEXSWILL FARMS

 **ZAM 230043 HH(c)**
2023-07-14 SP

Parentage Sire Dam
DNA
Genomic 

 **ZAM 160090**
AGE/CALV. 10/6
AVG. Wt/CALV. 103/6
ICP 442



DAJ 110069
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10

GCD 090111

DAJ 080134
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10

ZAM 110134
AGE/CALV. 13/4
AVG. Wt/CALV. 104/4

ZAM 030207
AGE/CALV. 13/4
AVG. Wt/CALV. 104/4

FCT 090082

FCT 090206
AGE/CALV. 10/7
AVG. Wt/CALV. 93/6

DDJ 080242 HH(c)
AGE/CALV. 13/6
AVG. Wt/CALV. 103/6

ZAM 150260
AGE/CALV. 4/2
AVG. Wt/CALV. 113/2
ICP 404

ZAM 130144
AGE/CALV. 12/7
AVG. Wt/CALV. 114/7
ICP 430

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
96	96	109	105	102	86	93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	94	109	113	119	93	117	102	86	87	93	73	88	71	103	96

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
105	97	102	-	-	376	1.22

REMARKS: Early maturing type; good values, especially milk; ideal for breeding replacement heifers.

LOGIX EBV Analysis: 2026-07-17

Myostatin	
Q204X	0
NT821	0
F94L	0

BULLE

LOT 16

ALEXSWILL FARMS

ZAM 230067
2023-08-01
SP

Ouerskap Vaar Moer

DNS

Genomies

ZAM 190208 HH(c)

ZAM 180212
OUD/KALW. 7/3
GEM. SI/KALW. 107/3
TKP 693

DAJ 110069

ZAM 150260
OUD/KALW. 4/2
GEM. SI/KALW. 113/2
TKP 404

ZAM 140155 HH(c)

ZAM 130074
OUD/KALW. 13/9
GEM. SI/KALW. 102/9
TKP 456

GCD 090111

DAJ 080134
OUD/KALW. 12/10
GEM. SI/KALW. 103/10

ZAM 110134

ZAM 030207
OUD/KALW. 13/4
GEM. SI/KALW. 104/4

FCT 110352

ZAM 110122
OUD/KALW. 5/2
GEM. SI/KALW. 110/1

ZAM 100016

ZAM 060076
OUD/KALW. 13/11
GEM. SI/KALW. 112/10Geboortegemak
Waarde
86Speenkalv
Waarde
106Vrugbaarheids-
waarde
82Onderhouds-
waarde
91Koeiwaarde
92Groei-
waarde
99Karkas-
waarde
105

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	110	106	111	93	73	111	109	99	88	108	95	101	97	91	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
105	108	99	-	-	-	-

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: Bull with very good weaner and carcass values,
use on mature cows.

LOGIX EBV Analise: 2026-07-17

LOT 17

ALEXSWILL FARMS

ZAM 230118 HH(c)
2023-09-30
SP

Ouerskap Vaar Moer

DNS

Genomies ✓

CEF 190341

ZAM 200127
OUD/KALW. 5/2
GEM. SI/KALW. 112/2
TKP 750

CEF 130548 HH(c)

CEF 110136
OUD/KALW. 15/12
GEM. SI/KALW. 104/10
TKP 396

LTS 150100 HH(c)

ZAM 160196
OUD/KALW. 9/6
GEM. SI/KALW. 103/6
TKP 420

GJN 100238

CEF 110046
OUD/KALW. 15/12
GEM. SI/KALW. 104/11

HJB 040251

CEF 040090
OUD/KALW. 11/9
GEM. SI/KALW. 96/9

LTS 070126

LAR 070004
OUD/KALW. 11/8
GEM. SI/KALW. 102/7

DDJ 080281 HH(c)

ZAM 110028
OUD/KALW. 10/8
GEM. SI/KALW. 105/8Geboortegemak
Waarde
108Speenkalv
Waarde
117Vrugbaarheids-
waarde
101Onderhouds-
waarde
113Koeiwaarde
116Groei-
waarde
86Karkas-
waarde
87

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	109	97	84	117	88	107	105	89	96	87	111	98	116	74	112

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
118	104	109	-	-	348	1.16

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: ALL ROUNDER bul with excellent breeding values.

LOGIX EBV Analise: 2026-07-17

LOT 18

ALEXSWILL FARMS

ZAM 230117 HH(c)
2023-09-30
SP

Ouerskap Vaar Moer

DNS

Genomies ✓

CEF 190341

ZAM 200137
OUD/KALW. 5/2
GEM. SI/KALW. 97/2
TKP 639

CEF 130548 HH(c)

CEF 110136
OUD/KALW. 15/12
GEM. SI/KALW. 104/10
TKP 396

LTS 150100 HH(c)

ZAM 130002
OUD/KALW. 8/5
GEM. SI/KALW. 93/5
TKP 460

GJN 100238

CEF 110046
OUD/KALW. 15/12
GEM. SI/KALW. 104/11

HJB 040251

CEF 040090
OUD/KALW. 11/9
GEM. SI/KALW. 96/9

LTS 070126

LAR 070004
OUD/KALW. 102/7

VOG 070058

ZAM 080060
OUD/KALW. 5/3
GEM. SI/KALW. 95/3Geboortegemak
Waarde
108Speenkalv
Waarde
104Vrugbaarheids-
waarde
109Onderhouds-
waarde
128Koeiwaarde
110Groei-
waarde
81Karkas-
waarde
86

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	97	91	86	122	94	108	97	76	79	77	92	77	87	89	107

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
106	99	105	-	-	337	1.19

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: A hardy, masculine, early-maturing type; ALL
ROUNDER

LOGIX EBV Analise: 2026-07-17

BULLS

LOT 19

ZAM 230009
2023-06-12
B

ALEXSWILL FARMS

ZAM 140207 HH(c)
AGE/CALV. 11/7
AVG. W1/CALV. 102/7
ICP 474

Parentage Sire Dam
DNA
Genomic

LAR 120227
AGE/CALV. 11/9
AVG. W1/CALV. 97/8
JMP 120136
AGE/CALV. 13/11
AVG. W1/CALV. 106/11
ICP 378
MULTIPLE SIRES
ZAM 120109
AGE/CALV. 7/4
AVG. W1/CALV. 98/4
ICP 450

MMJ 060226
LAR 080024
AGE/CALV. 11/9
AVG. W1/CALV. 97/8
JMP 060140
JMP 050025
AGE/CALV. 10/8
AVG. W1/CALV. 115/8
ZAM 030025
ZAM 070311
AGE/CALV. 11/5
AVG. W1/CALV. 99/5

Calving Ease Value 117	Weaner Calf Value 103	Fertility Value 99	Maintenance Value 102	Cow Value 106	Growth Value 78	Carcass Value 91
---	--	-------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	97	104	99	98	102	103	98	83	80	96	77	87	109	100	100

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	101	100	-	-	339	1.25

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 20

ZAM 230053 HH(c)
2023-07-22
SP

ALEXSWILL FARMS

ZAM 180272
AGE/CALV. 7/4
AVG. W1/CALV. 96/4
ICP 469

Parentage Sire Dam
DNA
Genomic ✓

DAJ 110069
ZAM 150260
AGE/CALV. 4/2
AVG. W1/CALV. 113/2
ICP 404
AG 110493
ZAM 081019
AGE/CALV. 11/7
AVG. W1/CALV. 99/7
ICP 438

GCD 090111
DAJ 080134
AGE/CALV. 12/10
AVG. W1/CALV. 103/10
ZAM 110134
ZAM 030207
AGE/CALV. 13/4
AVG. W1/CALV. 104/4
AG 070742
AG 070248
AGE/CALV. 12/8
AVG. W1/CALV. 106/7

Calving Ease Value 103	Weaner Calf Value 111	Fertility Value 96	Maintenance Value 112	Cow Value 110	Growth Value 105	Carcass Value 106
---	--	-------------------------------------	--	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	101	111	115	101	84	122	108	106	83	87	64	85	96	94	117

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
92	112	104	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 21

ZAM 230034
2023-07-09
SP

ALEXSWILL FARMS

ZAM 170202
AGE/CALV. 8/5
AVG. W1/CALV. 91/4
ICP 424

Parentage Sire Dam
DNA
Genomic

DAJ 110069
ZAM 150260
AGE/CALV. 4/2
AVG. W1/CALV. 113/2
ICP 404
ZAM 130013
ZAM 080435
AGE/CALV. 11/7
AVG. W1/CALV. 100/7
ICP 425

GCD 090111
DAJ 080134
AGE/CALV. 12/10
AVG. W1/CALV. 103/10
ZAM 110134
ZAM 030207
AGE/CALV. 13/4
AVG. W1/CALV. 104/4
FCT 090082
FCT 090206
AGE/CALV. 10/7
AVG. W1/CALV. 93/6

Calving Ease Value 93	Weaner Calf Value 88	Fertility Value 105	Maintenance Value 91	Cow Value 91	Growth Value 97	Carcass Value 99
--	---------------------------------------	--------------------------------------	---------------------------------------	-------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	97	98	98	105	100	110	100	96	85	109	91	97	93	98	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
90	99	107	-	-	358	1.18

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

BULLE

LOT 22
ALEXSWILL FARMS

ZAM 230016
2023-06-17
B
Ouerskap Vaar Moer
DNS
Genomies


ZAM 150008
OUD/KALW. 11/9
GEM. SI/KALW. 105/8
TKP 403

LAR 120227
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
JMP 120136
OUD/KALW. 13/11
GEM. SI/KALW. 106/11
TKP 378
FCT 110316
OUD/KALW. 7/5
GEM. SI/KALW. 123/4
ZAM 120071
OUD/KALW. 6/3
GEM. SI/KALW. 112/3
TKP 432

MMJ 060226
LAR 080024
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
JMP 060140
JMP 050025
OUD/KALW. 10/8
GEM. SI/KALW. 115/8
PHR 040013
FCT 050164
OUD/KALW. 7/5
GEM. SI/KALW. 123/4
ZAM 080110
ZAM 070046
OUD/KALW. 13/9
GEM. SI/KALW. 101/9

Geboortegemak Waarde 88	Speenkalf Waarde 114	Vrugbaarheids-waarde 85	Onderhouds-waarde 101	Koeiwaarde 103	Groei-waarde 104	Karkas-waarde 100
--	---------------------------------------	--	--	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	108	119	109	92	86	100	108	107	100	97	94	100	111	91	101

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
106	99	94	-	-	368	1.23

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: Bull with growth; weaner producer.

LOGIX EBV Analise: 2026-07-17

LOT 23
ALEXSWILL FARMS

ZAM 230113 HH(c)
2023-09-25
SP
Ouerskap Vaar Moer
DNS
Genomies ✓


ZAM 170090
OUD/KALW. 9/4
GEM. SI/KALW. 106/4
TKP 622

LFR 160061 HH(c)
LFR 190008 HH(c)
LFR 160067
OUD/KALW. 9/7
GEM. SI/KALW. 97/7
TKP 366
AG 110493
ZAM 070570
OUD/KALW. 12/6
GEM. SI/KALW. 99/7
TKP 443

FCT 120053
BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12
BBM 110059
LFR 130090
OUD/KALW. 12/10
GEM. SI/KALW. 103/10
AG 070742
AG 070248
OUD/KALW. 12/8
GEM. SI/KALW. 106/7

Geboortegemak Waarde 98	Speenkalf Waarde 105	Vrugbaarheids-waarde 91	Onderhouds-waarde 92	Koeiwaarde 98	Groei-waarde 116	Karkas-waarde 121
--	---------------------------------------	--	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	110	95	110	94	89	103	120	107	90	108	88	104	107	110	87

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
102	115	111	-	-	356	1.22

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Ideal for weaner production, plenty growth.

LOGIX EBV Analise: 2026-07-17

LOT 24
ALEXSWILL FARMS

ZAM 230074
2023-08-07
SP
Ouerskap Vaar Moer
DNS
Genomies


ZAM 200062
OUD/KALW. 5/2
GEM. SI/KALW. 101/2
TKP 687

ZAM 170055 HH(c)
ZAM 190146 HH(c)
ZAM 160145
OUD/KALW. 5/3
GEM. SI/KALW. 120/2
TKP 408
LFR 160001
ZAM 160047
OUD/KALW. 10/5
GEM. SI/KALW. 104/5
TKP 544

ZAM 110061
ZAM 120084
OUD/KALW. 10/7
GEM. SI/KALW. 100/6
ZAM 130013
ZAM 130177
OUD/KALW. 8/4
GEM. SI/KALW. 96/4
JRB 950035
LFR 130063
OUD/KALW. 13/11
GEM. SI/KALW. 105/10
ZAM 110061
ZAM 070570
OUD/KALW. 12/6
GEM. SI/KALW. 99/7

Geboortegemak Waarde 124	Speenkalf Waarde 103	Vrugbaarheids-waarde 104	Onderhouds-waarde 106	Koeiwaarde 110	Groei-waarde 88	Karkas-waarde 95
---	---------------------------------------	---	--	---------------------------------	----------------------------------	-----------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	94	103	104	98	102	111	92	93	88	92	80	95	103	102	88

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	100	92	-	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: Excellent calving ease, well balanced breeding values for producing replacement heifers.

LOGIX EBV Analise: 2026-07-17

BULLS

LOT 25

ALEXSWILL FARMS

ZAM 230116 HH(c)
2023-09-27
SP

Parentage	Sire	Dam
DNA		
Genomic	✓	

CEP 130548 HH(c)
CEP 110136
AGE/CALV. 15/12
AVG. Wt/CALV. 104/10
ICP 396
ZAM 160026 HH(c)
ZAM 160064
AGE/CALV. 10/7
AVG. Wt/CALV. 107/4
ICP 434
ZAM 200177
AGE/CALV. 5/2
AVG. Wt/CALV. 103/2
ICP 638

GJN 100238
CEP 110046
AGE/CALV. 15/12
AVG. Wt/CALV. 104/11
HJB 040251
CEP 040090
AGE/CALV. 11/9
AVG. Wt/CALV. 96/9
AG 110341
ZAM 120176
AGE/CALV. 7/4
AVG. Wt/CALV. 97/4
ZAM 130013
ZAM 130104
AGE/CALV. 10/5
AVG. Wt/CALV. 98/4

Calving Ease Value	86
--------------------	----

Weaner Calf Value	111
-------------------	-----

Fertility Value	101
-----------------	-----

Maintenance Value	115
-------------------	-----

Cow Value	106
-----------	-----

Growth Value	76
--------------	----

Carcass Value	89
---------------	----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	111	94	96	117	91	104	103	82	77	86	77	87	101	79	84

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	94	97	-	-	327	1.22

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Muscled bull; balanced breeding values, mature cows. Improves confirmation of your herd!

LOGIX EBV Analysis: 2026-07-17

LOT 26

ALEXSWILL FARMS

ZAM 230027
2023-07-03
SP

Parentage	Sire	Dam
DNA		
Genomic		

ZAM 190208 HH(c)
ZAM 150260
AGE/CALV. 4/2
AVG. Wt/CALV. 113/2
ICP 404
DDJ 080281 HH(c)
ZAM 110028
AGE/CALV. 10/8
AVG. Wt/CALV. 105/8
ICP 380
ZAM 160196
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6
ICP 420

GCD 090111
DAJ 080134
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10
ZAM 110134
ZAM 030207
AGE/CALV. 13/4
AVG. Wt/CALV. 104/4
GBS 020133
GBS 000007
AGE/CALV. 17/12
AVG. Wt/CALV. 99/11
JRB 030025
ZAM 060100
AGE/CALV. 12/7
AVG. Wt/CALV. 106/5

Calving Ease Value	84
--------------------	----

Weaner Calf Value	110
-------------------	-----

Fertility Value	82
-----------------	----

Maintenance Value	94
-------------------	----

Cow Value	94
-----------	----

Growth Value	94
--------------	----

Carcass Value	100
---------------	-----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
72	114	99	104	78	87	109	112	92	86	106	85	92	104	90	111

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	98	94	-	-	365	1.19

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: To use on mature cows for weaner production.

LOGIX EBV Analysis: 2026-07-17

LOT 27

ALEXSWILL FARMS

ZAM 230123 HH(c)
2023-10-03
SP

Parentage	Sire	Dam
DNA		
Genomic	✓	

ZAM 190208 HH(c)
ZAM 150260
AGE/CALV. 4/2
AVG. Wt/CALV. 113/2
ICP 404
ZAM 160053 HH(c)
ZAM 150225
AGE/CALV. 10/4
AVG. Wt/CALV. 105/4
ICP 627
ZAM 180213
AGE/CALV. 7/3
AVG. Wt/CALV. 93/3
ICP 691

GCD 090111
DAJ 080134
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10
ZAM 110134
ZAM 030207
AGE/CALV. 13/4
AVG. Wt/CALV. 104/4
JRB 080062 HH(c)
ZAM 120047
AGE/CALV. 7/5
AVG. Wt/CALV. 106/5
ZAM 110134
ZAM 050128
AGE/CALV. 12/7
AVG. Wt/CALV. 106/7

Calving Ease Value	79
--------------------	----

Weaner Calf Value	112
-------------------	-----

Fertility Value	71
-----------------	----

Maintenance Value	87
-------------------	----

Cow Value	89
-----------	----

Growth Value	110
--------------	-----

Carcass Value	119
---------------	-----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
72	119	104	110	79	66	112	123	102	85	114	90	98	102	109	132

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	108	106	-	-	340	1.19

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: A bull to use in a terminal cross programme....lots defined muscling!

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 28

ALEXSWILL FARMS



ZAM 230025
2023-06-29
SP

Ouerskap Vaar Moer

DNS

Genomies



LAR 180306

ZAM 160013
OUD/KALW. 10/7
GEM. SI/KALW. 86/6
TKP 409

LFR 150032

LAR 120076
OUD/KALW. 10/7
GEM. SI/KALW. 105/7
TKP 397

WVZ 110021

FCT 120016
OUD/KALW. 9/5
GEM. SI/KALW. 102/5
TKP 461

HJL 120124

BEI 070040
OUD/KALW. 17/14
GEM. SI/KALW. 103/12

LAR 070055

LAR 090236 HH(c)
OUD/KALW. 9/6
GEM. SI/KALW. 99/13

HFN 040124

WVZ 050075
OUD/KALW. 9/6
GEM. SI/KALW. 102/4

FCT 080012

FCT 100007
OUD/KALW. 5/3
GEM. SI/KALW. 90/3

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
88	98	113	104	100	107	100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	107	83	91	110	112	102	105	107	121	95	122	108	109	90	92

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
108	90	94	-	-	355	1.16

OPMERKINGS: Smaller cows (not heifers); very good fertility, growth values. Weaner production (feedlot).

LOGIX EBV Analise: 2026-07-17

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 29

ALEXSWILL FARMS



ZAM 230004
2023-01-12
SP

Ouerskap Vaar Moer

DNS

Genomies



ZAM 170005 HH(c)

ZAM 180203
OUD/KALW. 5/3
GEM. SI/KALW. 99/3
TKP 416

DDJ 080281 HH(c)

ZAM 130031
OUD/KALW. 7/3
GEM. SI/KALW. 99/3
TKP 505

DAJ 110069

ZAM 090036
OUD/KALW. 11/8
GEM. SI/KALW. 100/8
TKP 385

GBS 020133

GBS 000007
OUD/KALW. 17/12
GEM. SI/KALW. 99/11

PAD 080159

ZAM 100001
OUD/KALW. 10/8
GEM. SI/KALW. 99/8

GCD 090111

DAJ 080134
OUD/KALW. 12/10
GEM. SI/KALW. 103/10

ZAM 030032

ZAM 040010
OUD/KALW. 11/8
GEM. SI/KALW. 99/8

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
79	96	89	107	85	91	95

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
66	105	92	116	84	95	103	108	93	89	91	88	93	102	95	112

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	100	100	-	-	-	-

OPMERKINGS: For terminal cross programmes.

LOGIX EBV Analise: 2026-07-17

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	326	8.71	1.20	354	1.00 1.43	-0.29 -0.58	15.0 16.6	3.6 3.5	24 32	22 17	79 68	-37 -26	12.7 15.0	-3.0 -8	14.0 11	104	-	104	101	5.0	90
1	ZAM 230133	M	SP	34	189	8.92	1.22	341	0.85	-1.34	12.0	5.1	28.8	7.1	66	-29	12.5	-8	13	95	-	100	102	5	84
2	ZAM 230138	M	SP	28	203	9.24	1.15	350	-0.23	-0.34	9.1	2.1	19.8	8.0	40	-14	17	-18	-9	107	-	107	101	3	92
3	ZAM 230146	M	SP	26	165	9.89	1.23	353	-0.80	-0.64	13.3	-2.1	29.1	8.2	106	-27	18.2	-21	3	97	-	109	96	2	84
4	ZAM 230179	M	SP	31	219	9.42	1.18	357	-0.03	-0.21	9.6	-0.3	22.6	13.0	62	-20	13.3	1	13	103	-	101	99	7	98
5	ZAM 230130	M	SP	28	222	9.89	1.22	345	0.74	0.10	18.5	5.4	33.9	37.2	108	-35	23.1	-13	16	118	-	118	106	3	93
6	ZAM 230107	M	SP	32	152	7.03	1.21	356	0.20	-0.72	9.7	0.4	25.9	21.6	128	-57	16.3	1	20	100	-	106	99	7	102
7	ZAM 230121	M	SP	38	190	11.28	1.18	364	3.01	-0.03	18.9	-2.7	33.7	1.1	30	-18	19.2	-14	9	93	-	111	94	5	95
8	ZAM 230176	M	SP	35	235	8.39	1.20	366	0.80	1.00	12.1	4.7	28.9	4.7	81	-33	25.4	-6	11	109	-	121	104	7	95
9	ZAM 230045	M	SP	28	487	6.78	1.19	358	0.94	-0.79	16.4	5.7	33.8	9.5	54	-2	18.5	-13	10	104	-	110	103	4	88
10	ZAM 230046	M	SP	32	490	7.67	1.19	389	1.06	-0.71	12.1	3.8	30.9	27.7	90	-17	21.7	-9	12	103	-	115	89	4	94
11	ZAM 230008	M	SP	32	523	5.44	1.21	335	1.22	-2.00	19.0	8.7	34.1	31.0	120	-65	3.9	22	32	105	-	85	115	6	94
12	ZAM 230023	M	SP	46	540	9.02	1.17	344	5.26	-1.09	28.2	5.1	45.2	27.6	108	-71	3.9	16	24	106	-	85	107	6	92
13	ZAM 230065	M	SP	29	220	7.99	-	-	-0.46	-1.36	19.7	6.2	33.8	27.7	45	-19	14.3	-13	13	123	-	103	121	3	88
14	ZAM 230014	M	SP	40	526	8.51	1.17	357	2.49	-0.76	19.3	4.2	30.2	14.9	73	-57	11.4	15	20	104	-	98	101	4	83
15	ZAM 230043	M	SP	35	501	7.54	1.22	376	1.53	-0.50	11.9	6.4	30.2	11.2	25	-15	20.7	-25	2	105	-	113	103	6	97
16	ZAM 230067	M	SP	34	198	8.59	-	-	2.66	-0.52	20.2	5.5	37.4	34.2	75	-18	19	-7	15	105	-	111	107	3	70
17	ZAM 230118	M	SP	33	226	10.44	1.16	348	0.53	-0.92	19.8	2.6	33.6	2.7	37	-30	3.3	5	12	118	-	84	112	2	75
18	ZAM 230117	M	SP	29	203	10.47	1.19	337	0.32	-0.60	13.4	0.8	25.8	-11.8	-12	-1	4.4	-10	-7	106	-	86	97	2	83
19	ZAM 230009	M	B	29	503	6.02	1.25	339	-0.52	-0.60	13.2	4.9	26.3	15.9	16	-3	12.3	-21	2	101	-	99	102	7	93
20	ZAM 230053	M	SP	32	440	8.42	-	-	0.65	-0.27	15.5	7.0	35.7	2.4	101	-8	21.5	-32	0	92	-	115	96	4	94
21	ZAM 230034	M	SP	31	431	6.13	1.18	358	1.94	-0.64	13.5	3.0	28.7	35.4	63	-12	11.4	-10	11	90	-	98	91	5	97
22	ZAM 230016	M	B	37	535	7.79	1.23	368	1.80	0.38	19.2	9.5	35.2	17.0	103	-37	17.8	-8	14	106	-	109	105	9	108
23	ZAM 230113	M	SP	36	203	8.37	1.22	356	1.18	-0.24	20.3	2.1	47.5	33.7	103	-21	18.6	-12	17	102	-	110	106	4	73
24	ZAM 230074	M	SP	25	183	7.91	-	-	-1.13	-0.80	11.9	4.4	20.2	10.9	52	-17	15.2	-19	9	101	-	104	101	2	81
25	ZAM 230116	M	SP	34	198	12.1	1.22	327	2.50	-0.38	20.7	1.8	31.1	1.1	10	0	10.2	-22	2	100	-	96	103	2	85

Dier Info				Werklike Syfers					Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig	205d Gewig	KKG	Lengte Hoogte	Skr. Omtr.	Geb Dir	Geb Mat	Spn Dir	Spn Mat	Na-Spn	Volw. Gewig	GDT	VOV	Skr. Omtr.	Hoogte	Lengte	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
				(kg)	(kg)	Verh.	Verh.	(mm)	(kg)	(kg)	(kg)	(kg)	(kg)	(kg)	(kg)	(g/d)	(kg:kg)	(mm)	(mm)	(mm)					
Ras Gemiddeld Aanbod Gemiddeld				34	326	8.71	1.20	354	1.00 1.43	-0.29 -0.58	15.0 16.6	3.6 3.5	24 32	22 17	79 68	-37 -26	12.7 15.0	-3.0 -8	14.0 11	104	-	104	101	5.0	90
26	ZAM 230027	M	SP	40	562	8.2	1.19	365	3.88	-1.08	22.6	3.4	40.6	30.2	48	-13	15.1	-15	7	112	-	104	103	6	101
27	ZAM 230123	M	SP	39	209	10.99	1.19	340	3.89	-0.25	24.7	4.7	50.8	42.8	88	-11	18.5	-11	12	104	-	110	93	3	70
28	ZAM 230025	M	SP	37	544	8.62	1.16	355	2.77	-1.18	18.8	-1.6	33.8	14.1	106	-71	7.1	14	21	108	-	91	86	7	108
29	ZAM 230004	M	SP	42	170	11.54	-	-	4.49	-0.32	17.5	1.2	34.9	9.3	52	-19	22.5	-12	7	100	-	116	99	3	99

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik