

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

KURUMAN BULVEIL- ING_HEREFORD 2026

Kuruman
07 August 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 17 July 2026




ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



6

7

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

 Town, Province
078 737 2855
super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number and Name
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 31 (M)



KJA 230036

LEMOENVLEI RUPERT 336

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape
0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-11-05
Age	2y 9m
Inbreeding	5%

COW VALUE 112

117	Calving Ease Value
86	Calf Growth Value
109	Milk Value
100	Maintenance Value
102	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 97

PRODUCTION VALUE 110

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
35kg	234kg 100 (1)	-	-	-	-	-	-

SELLER REMARKS: Sterk manlike bul met vol pigment en uitstekende bespiering.

KJA 180051 HH
LEMOENVLEI LANTERN
Wean Mat. 97

Parentage	Sire	Dam
DNA		
Genomic		

KJA 200017
LEMOENVLEI DALEEN
Age 5y | AFC 24m | ICP 360d
Calves 3 | Weaned 2 | Wean Mat. 120
Avg. WI 110 | CCB 6.54 | CCW 49.6
Calvings: 22-11, 23-11, 24-11



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	95	86	109	104	101	100	110
76%	47%	59%	48%	51%	44%	24%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	95	94	99	92	98	91	108	87
40%	48%	6%	39%	52%	51%	42%	40%	39%

SLM 130041 HH
SYFERPAN STANMORE 1341
Wean Mat. 91

KJA 130052
LEMOENVLEI DALEEN 352
Age 8y | AFC 28m | ICP 411d
Calves 6 | Weaned 6 | Wean Mat. 94
Avg. WI 94 | CCB 7.13 | CCW 40.6

SLM 140006 HH
SYFERPAN 406
Wean Mat. 106

KJA 140054
LEMOENVLEI DALEEN
Age 8y | AFC 33m | ICP 392d
Calves 5 | Weaned 4 | Wean Mat. 125
Avg. WI 109 | CCB 8.02 | CCW 48

47R
PDHR 20J STANMORE 47R
SLM 030014
SYFERPAN CAROLINE 179TH
Age 17y | Avg. WI 106
Calves 12 | Weaned 10
LD 080171
MIQUILINE V.L.P. 171
KJA 100019
LEMOENVLEI DALEEN 0019
Age 8y | Avg. WI 106
Calves 6 | Weaned 6
43092364
CHURCHILL SENSATION 028X
SLM 050006
SYFERPAN CAROLINE 196 TH
Age 16y | Avg. WI 103
Calves 11 | Weaned 8
SLM 090019
SYFERPAN 919
KJA 100019
LEMOENVLEI DALEEN 0019
Age 8y | Avg. WI 106
Calves 6 | Weaned 6

LOT 32 (M)



KJA 230004

LEMOENVLEI ROWER 304

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape
0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-10-03
Age	2y 10m
Inbreeding	0%

COW VALUE 130

126	Calving Ease Value
95	Calf Growth Value
110	Milk Value
111	Maintenance Value
102	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 110

PRODUCTION VALUE 130

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	215kg 100 (22)	-	-	1364g/d 102 (10)	-	361mm (D1)	1.16

SELLER REMARKS: Baie manlike bul met vol pigment en uitstekende diepte.

SLM 140006 HH
SYFERPAN 406
Wean Mat. 106

Parentage	Sire	Dam
DNA		
Genomic		

KJA 160038
LEMOENVLEI DALEEN
Age 8y | AFC 34m | ICP 368d
Calves 6 | Weaned 5 | Wean Mat. 114
Avg. WI 106 | CCB 8.27 | CCW 47.8
Calvings: 19-10, 20-11, 21-11, 22-11, 23-10, 24-11



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
127	100	95	110	122	108	94	111
77%	60%	73%	62%	74%	55%	32%	56%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	106	97	88	102	111	127	115	126
56%	66%	9%	53%	75%	73%	67%	62%	60%

43092364
CHURCHILL SENSATION 028X
Wean Mat. 119

SLM 050006
SYFERPAN CAROLINE 196 TH
Age 16y | AFC 37m | ICP 365d
Calves 11 | Weaned 8 | Wean Mat. 99
Avg. WI 103 | CCB - | CCW -

KJA 110057
LEMOENVLEI CAMPBELL 157K
Wean Mat. 127

KJA 130018
LEMOENVLEI DALEEN 318
Age 8y | AFC 25m | ICP 472d
Calves 5 | Weaned 5 | Wean Mat. 101
Avg. WI 98 | CCB 7.27 | CCW 39.6

42426386
UPS DOMINO 3027
42856776
CHURCHILL LADY 7202T
Age 19y | Avg. WI -
Calves - | Weaned -
RLBE0004
BADLINGHAMBOSSY RLB E4 101 HHB
SLM 010001
SYFERPAN CAROLINE 148TH
Age 9y | Avg. WI 103
Calves 7 | Weaned 7
KJA 080016
LEMOENVLEI WICKETS 816
KJA 040415
LEMOENVLEI KLEINGELD 415 K
Age 8y | Avg. WI 100
Calves 5 | Weaned 5
47R
PDHR 20J STANMORE 47R
KJA 090018
LEMOENVLEI DALEEN 918
Age 4y | Avg. WI 121
Calves 2 | Weaned 1

LOT 55 (M)



KJA 230002

LEMOENVLEI ROUX 302

SA HEREFORD
SINCE 1917

J.F.L. KRUGER



Colesberg, Northern Cape

0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Miostation

Q204X Nie Getoets

NT821 Nie Getoets

F94L Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-09-29
Oud.	2j 10m
Inteling	8%

KJA 180051 HH
LEMOENVLEI LANTERN
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS		
Genomies		

KJA 200046
LEMOENVLEI KLEINGELD
Oud. 5j | OEK 33m | TKP 408d
Kalwers 2 | Gespeen 2 | Spn. Mat. 105
Gem. SI 97 | KKG 7.64 | KKS 44.9
Kalwings: 23-09, 24-11

SLM 130041 HH
SYFERPAN STANMORE 1341
Spn Mat. 91

KJA 130052
LEMOENVLEI DALEEN 352
Oud. 8j | OEK 28m | TKP 411d
Kalwers 6 | Gespeen 6 | Spn. Mat. 94
Gem. SI 94 | KKG 7.13 | KKS 40.6

SLM 140006 HH
SYFERPAN 406
Spn Mat. 106

KJA 170023
LEMOENVLEI KLEINGELD K
Oud. 4j | OEK 39m | TKP -
Kalwers 1 | Gespeen 1 | Spn. Mat. 109
Gem. SI 108 | KKG 8.6 | KKS 38.2

47R
PDHR 20J STANMORE 47R
SLM 030014
SYFERPAN CAROLINE 179TH
Oud. 17j | Gem. SI 106
Kalwers 12 | Gespeen 10
LD 080171
MIQUILINE V.L.P. 171
KJA 100019
LEMOENVLEI DALEEN 0019
Oud. 8j | Gem. SI 106
Kalwers 6 | Gespeen 6
43092364
CHURCHILL SENSATION 028X
SLM 050006
SYFERPAN CAROLINE 196 TH
Oud. 16j | Gem. SI 103
Kalwers 11 | Gespeen 8
SLM 130041 HH
SYFERPAN STANMORE 1341
KJA 120023
LEMOENVLEI KLEINGELD K 223
Oud. 8j | Gem. SI 113
Kalwers 6 | Gespeen 6

KOEIWAARDE 90

95 Kalfgemak Waarde

97 Kalfgroei Waarde

100 Melk Waarde

99 Onderhoudswaarde

83 Vrugaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 96

PRODUKSIE WAARDE 87

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	226kg 104 (22)	-	-	1212g/d 90 (10)	-	320mm (D1)	1.16



EBV Analise 2026-07-17

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	93	97	100	91	83	84	110
75%	45%	71%	49%	73%	44%	25%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	93	96	101	84	96	83	104	69
48%	64%	6%	41%	74%	71%	64%	58%	57%

VERKOPER OPMERKINGS: Bul wat gemaklik beweeg.

LOT 56 (M)



KJA 230009

LEMOENVLEI RUFUS 309

SA HEREFORD
SINCE 1917

J.F.L. KRUGER



Colesberg, Northern Cape

0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS 132, COLESBERG, 9795



Miostation

Q204X Nie Getoets

NT821 Nie Getoets

F94L Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-10-07
Oud.	2j 10m
Inteling	0%

SLM 140006 HH
SYFERPAN 406
Spn Mat. 106

Ouerskap	Vaar	Moer
DNS		
Genomies		

KJA 160007 HH
LEMOENVLEI DALEEN
Oud. 8j | OEK 33m | TKP 393d
Kalwers 6 | Gespeen 6 | Spn. Mat. 89
Gem. SI 102 | KKG 6.81 | KKS 45.3
Kalwings: 19-07, 20-10, 21-11, 22-11, 23-10, 24-11

43092364
CHURCHILL SENSATION 028X
Spn Mat. 119

SLM 050006
SYFERPAN CAROLINE 196 TH
Oud. 16j | OEK 37m | TKP 365d
Kalwers 11 | Gespeen 8 | Spn. Mat. 99
Gem. SI 103 | KKG - | KKS -

47R
PDHR 20J STANMORE 47R
Spn Mat. 79

KJA 120021
LEMOENVLEI DALEEN 221
Oud. 5j | OEK 33m | TKP 494d
Kalwers 2 | Gespeen 2 | Spn. Mat. 102
Gem. SI 100 | KKG 8.43 | KKS 39.6

42426386
UPS DOMINO 3027
42856776
CHURCHILL LADY 7202T
Oud. 19j | Gem. SI -
Kalwers - | Gespeen -
RLBE0004
BADLINGHAMBOSSY RLB E4 101 HHB
SLM 010001
SYFERPAN CAROLINE 148TH
Oud. 9j | Gem. SI 103
Kalwers 7 | Gespeen 7
20J
AGA 121G STANMORE 20J
91K
PDHR 80G GENERAL LASS 91K
Oud. 27j | Gem. SI -
Kalwers - | Gespeen -
KJA 090019
LEMOENVLEI APOLLO 919
KJA 090048
LEMOENVLEI DALEEN 948
Oud. 5j | Gem. SI 118
Kalwers 2 | Gespeen 2

KOEIWAARDE 119

120 Kalfgemak Waarde

105 Kalfgroei Waarde

98 Melk Waarde

100 Onderhoudswaarde

108 Vrugaarheidswaarde

GROEI WAARDE 114

KARKAS WAARDE 114

PRODUKSIE WAARDE 121

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
29kg	224kg 106 (22)	-	-	1585g/d 118 (10)	-	366mm (D1)	1.18



EBV Analise 2026-07-17

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
121	101	105	98	130	113	96	116
77%	60%	73%	62%	75%	53%	31%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	107	89	99	102	115	118	108	118
56%	67%	8%	52%	76%	73%	67%	62%	61%

VERKOPER OPMERKINGS: Bul met uitstekende manlikheid en diepte.

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.84	0.51	18.1	9.5	35	35	149	-78	16.4	25.0	35.0						
Auction Average				33	225	7.10	51.0	1.17	347	-0.60	0.64	16.0	11.1	42	31	152	-69	23.6	21	42	102	103	112	104	4.0	104
31	KJA 230036	M	SP	35	234	6.94	45	-	-	-0.87	0.75	11.4	12.9	32.6	33.7	128	-69	18.7	18	33	100	-	104	110	3	110
32	KJA 230004	M	SP	32	215	7.9	57.5	1.16	360	-1.53	0.49	15.6	13.4	43.2	20.1	179	-73	29.7	27	50	100	102	122	106	6	110
55	KJA 230002	M	SP	36	226	7.45	49.5	1.16	310	0.98	0.83	16.6	9.3	39.6	35.9	118	-72	11.2	11	31	104	90	91	97	2	91
56	KJA 230009	M	SP	29	224	6.09	51.9	1.18	370	-0.97	0.47	20.5	8.8	51.2	33.8	182	-61	34.8	27	54	106	118	130	102	6	107

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik