

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

RED GENETICS SALE

The Bull Ring, Netherwood

07 July 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 30 June 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE DROUGHTMASTER SA CATTLE BREEDER'S SOCIETY

1	INTRODUCTION	3
2	APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY	3
3	REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER	4
4	CATALOGUE	5
5	SCREENING	5
6	DUTIES OF THE AUCTIONEER	6
7	DISPERSAL SALES	7
8	COMMISSIONS and FEES	7
9	BUYERS	7
10	GENERAL RULES	8

1 INTRODUCTION

- 1.1 Members of the Society are encouraged to sell registered Droughtmaster SA animals under the auspices of the Society. This will ensure that:
 - 1.1.1 the Droughtmaster SA comply with the Society's minimum standards of purity and functionality,
 - 1.1.2 the Droughtmaster SA are of consistent quality and high standard,
 - 1.1.3 your clients are protected in that all animals on offer meet the breed standards,
 - 1.1.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.1.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.1.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.1.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.2 The Society will approve any production sale of registered Droughtmaster SA cattle provided that:
 - 1.2.1 Prior to the announcement of such sale, the seller must contact Society with the details of the sale.
 - 1.2.2 Both the Sellers and the Society will sign a written agreement
 - 1.2.3 The Seller adheres to the requirements detailed further in this document.
 - 1.2.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.2.4.1 renegotiate the requirements.
 - 1.2.4.2 withdraw permission that the sale be presented under the auspices of the Society.
 - 1.2.4.3 if warranted, suspend the membership of the relevant member.

2 APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY

- 2.1 All sellers must be fully paid-up members of the Droughtmaster SA Breeders' Society.
- 2.2 The Society and the appointed organiser will handle all communication pertaining to the sale. The organiser will be responsible for the communication with other sellers involved with the sale.
- 2.3 On approval of the application the Society office will furnish the organiser with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 All animals to be offered on sale must be present on the entry form, DNA information required must also be available if requested by the office. Office will not allow animals to be added to the entry form if outside the mentioned days.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organisers of both sales agree to such an arrangement.
- 2.8 Only in exceptional cases will more than one sale on the same day be permitted provided that it is held in different regions with different climatic conditions and with no conflicting interests of buyers. The organisers of both sales must agree to such an arrangement.
- 2.9 No other sale may be held three (3) weeks prior to the National sale.
- 2.10 Existing sales with history will be taken into consideration when sale dates are allocated by the Society.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER

3.1 Society and Legislative Requirements

- 3.1.1 All animals on offer must be registered with the Droughtmaster SA Cattle Breeders' Society, except calves at foot, whose birth must have been officially recorded. Such calves may not be older than eight months of age on the date of the sale. Potential sellers must therefore ensure that animals to be presented at a sale under the auspices of the Society are inspected well ahead of time – either at their annual inspection or arrange a special inspection.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No calf that has been notified as "not for registration" may be offered for sale.
- 3.1.5 **No female may be offered that is knowingly in calf to any bull other than a registered Droughtmaster SA bull.**
- 3.1.6 Embryos offered for sale must be:
 - 3.1.6.1 flushed from donor cows registered with the Society.
 - 3.1.6.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
 - 3.1.6.3 If an embryo flush is on offer clearly state who is responsible for which costs.
- 3.1.7 In the case of cows that have been embryo donors, a signed embryologist report confirming:
 - 3.1.7.1 the number of times the donor has been flushed.
 - 3.1.7.2 the number of embryos flushed.
 - 3.1.7.3 This report must be submitted at least 28 (twenty-eight) days prior to the date of sale.
 - 3.1.7.4 The donor cow will be omitted from the catalogue if this information is not submitted in time.
- 3.1.8 **All heifers must calf before 39 months of age. (excluding Promotion Sale – all females on this sale must be pregnant or with calf) Pregnant females must on the date of the sale be certified in calf by a registered veterinarian.**
- 3.1.9 **The minimum age for females entered is 15 (fifteen) months on the date of the sale.**
- 3.1.10
 - a) **The minimum age for bulls entered is 18 (eighteen) months on the date of the sale.**
 - b) **The maximum age for bulls entered at the Promotion Sale is 6 years.**
 - c) **All Droughtmaster SA bulls on sale must be de-horned.**
 - d) **Only F3 & SP Droughtmaster SA bulls are allowed on sale.**
- 3.1.11 A cow may be sold as a 3 in 1 (cow confirmed in calf with a calf at foot) on condition that she is confirmed in calf on the date of sale, complies with rule 3.1.3 and that the calf at foot is not older than 8 months.
- 3.1.12 If semen straws are retained by the seller of a bull, this must be declared by the seller as part of the information that appears in the sale catalogue.
- 3.1.13 When an animal that is jointly owned is offered for sale:
 - 3.1.13.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.13.2 The progeny of the said animal, as recorded, must be included in the catalogue.

3.2 Animal Health

- 3.2.1 **All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.**
- 3.2.2 **TB and CA tests on calves sold at foot with their Dams are not necessary.**
- 3.2.3 **If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.**

- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Bulls on offer must, within three months (90 days) preceding the date of sale:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, rectal examination, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA and TB.
 - 3.2.5.3 be run separately from females from the test date up to the date of the sale.
- 3.2.6 Only semen from AI bulls approved by the Society and registered with SA Stud Book and collected by a registered semen collector at a registered quarantine station, may be offered for sale. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The relevant health and pregnancy certificates must be submitted to the auctioneer prior to offloading the cattle at the sale. No animals will be allowed to be offloaded at the sale if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council, administered hormones/steroids to an animal which is regarded as unethical and a misrepresentation of such animal.
- 3.2.9 Must adhere to the rules of the Animal department for foot and mouth.

4 CATALOGUE

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
- 4.2 The seller must provide all the relevant information required on the entry form.
- 4.3 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organiser for approval. A period of 5 (five) working days will be granted to the organiser to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.4 Should any information provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening prior to screening of any such changes.
- 4.5 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.6 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.7 No changes to the catalogue can be made after the entry date has expired.

5 SCREENING

- 5.1 The purpose of the screening:
 - 5.1.1 is to verify the identification of the animals on offer.
 - 5.1.2 is to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 is to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 Two inspectors, appointed by the Society, will screen all animals offered for sale of which at least one must be a senior inspector.
- 5.3 The inspectors officiating at a sale screening may not sell animals on that same sale.

- 5.4 Sale animals must be available for screening well in advance, preferably 2-4 weeks before the sale on the farm. The day before the sale, animals will only be screened for injuries or obvious faults that were missed during earlier inspections. Droughtmaster SA office will appoint two (2) inspectors for screening animals as sale worthy for the National sale and one (1) inspector for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the buyers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The auctioneer must present all Veterinary certificates at the screening to the inspectors.
- 5.9 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening, and the registration status of each of these animals will be immediately suspended. The findings of the inspectors will be final and no appeal inspection will be allowed at the auction venue. The appeal inspection will be carried out on a date to be agreed between the Society and the seller.
- 5.10 **An animal that fails the screening process may not be sold at that auction.**
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening will be available on the day of the sale to provide a marketing presence for the seller and the society, to act in an advisory capacity to buyers and ensure that the auction is conducted in compliance of the above rules.

6 DUTIES OF THE AUCTIONEER

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copy must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising and the words "Sale held under the auspices of the **Droughtmaster SA Cattle Breeders' Society**".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals in the catalogue may be sold.
- 6.5 No animals will be allowed to be offloaded at the sales venue if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide two (2) personnel to assist the inspectors with the screening of sale animals.
- 6.7 The auctioneer is responsible for submitting all the health, fertility and pregnancy certificates for each animal on sale to the Society inspectors prior to screening for verification. The auctioneers are then responsible for distributing all these certificates to the new owners after the sale.
- 6.8 The membership numbers of buyers that are registered Droughtmaster SA breeders must be obtained and included with the details of animals purchased by such buyers in the vendor role.
- 6.9 Before commencement of a sale under the auspices of the Society,
 - 6.9.1 the Auctioneer will explain the meaning thereof,
 - 6.9.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.9.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.9.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.10 The contracted Auctioneer is responsible for ensuring, that between his organisation and the sellers, adequate public liability insurance cover is in place for the auction.

7 DISPERSAL SALES

- 7.1 *A Breeder who is permanently discontinuing the business of breeding and farming with registered Droughtmaster SA will hold a dispersal sale in order to sell all his registered animals at a single sale to facilitate de-registration as an active breeder with the society.*
- 7.2 *All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:*
- 7.2.1 *If a breeder intends to hold the dispersal sale in two parts, that is the registered animals first and the younger animals later after they had been inspected and approved, he may in writing request Council to extend his membership for the agreed upon period.*
- 7.2.2 *It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.*
- 7.2.3 *One year after the first dispersal sale, the breeders' active membership of the Society and membership of SA Stud Book will be cancelled and all animals not sold will be transferred to a non-member number. Such person may remain as a non active ordinary member. After a lapse of five (5) years he may re-apply for active membership of the Society and SA Stud Book.*
- 7.2.4 All Droughtmaster SA registered with the Society (SP Reg.) on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the first dispersal sale. No registered animals may be sold out of hand between the date of application and the first dispersal sale.
- 7.2.5 All semen straws and embryos collected from Droughtmaster SA in 7.2.4 and in the breeder's, possession must be offered for sale.
- 7.2.6 **Droughtmaster SA animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organisation (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.**
- 7.2.7 **A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Stud Book cession form.**
- 7.2.8 The Society and SA Stud Book membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the non-active member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only re-apply for registered breeder membership upon the lapse of 5 (five) years.

8 COMMISSIONS and FEES

- 8.1 The Society will receive a commission (1% of the turnover), as fixed from time to time by the Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied. This commission will be deducted from the sellers by the auctioneering firm and paid to the Society.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Commission will be applicable on semen and embryo sales.
- 8.4 The commission of the breed advisor will be for the sellers account except for the Promotion Sale where the Society will be responsible.

9 BUYERS

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale he has three months to address the issue with the seller.

10 GENERAL RULES

- 10.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal.
- 10.2 All applications for other forms of sale (e.g., internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

The successful marketing of Droughtmaster SA stud animals is an important feature of our members' economic success. For this reason, all steps must be taken to ensure that the Droughtmaster SA we sell, meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the society.


Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



6

7

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

 Town, Province
078 737 2855
super_bull@webmail.com

8

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
Carcass	23 Length	Length in growth test	Longer for more muscle	Short				Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 5 (M)



HOT 230075
BRANDWATER 23-0075



Herd Book	SP
Birth date	2023-09-03
Age	2y 10m
Inbreeding	4%
DNA	U15451U028

HS 190005
HOTSPOOT DM 19-0005HS
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 180524
BRANDWATER RY 18-0524HOT
Age 7y | AFC 23m | ICP 366d
Calves 6 | Weighed 1 | Wean Mat. 56
Avg. WI 90 | CCB 6.18 | CCW 32
Calvings: 20-09, 21-09, 22-10, 23-09, 24-10, 25-09

ZEL 130505
ZELSET 13-0505ZEL
Wean Mat. 98

OW 150024
MODEL 15-0024OW
Age 10y | AFC 25m | ICP 437d
Calves 7 | Weighed 4 | Wean Mat. 85
Avg. WI 94 | CCB - | CCW 38.7

CSA 150024
CONSIDERATA SA 15-0024CSA
Wean Mat. 59

HOT 150180
BRANDWATER RY 15-0180HOT
Age 10y | AFC 36m | ICP 423d
Calves 7 | Weighed 1 | Wean Mat. 54
Avg. WI 83 | CCB 6.12 | CCW 27.3

C 060222
06-0222C
C 090239
09-0239C
Age 14y | Avg. WI -
Calves 3 | Weighed -
C 110243
11-0243C
C 120081
12-0081C
Age 11y | Avg. WI -
Calves 9 | Weighed -
C 110154
11-0154C
C 090032
LADY GORGEOUS
Age 17y | Avg. WI 99
Calves 14 | Weighed 6
VS 090009
BRANDWATERBOERDERY 09-09009VS
FXF 000275
BRANDWATERBOERDERY 00-0275FXF
Age 21y | Avg. WI -
Calves 4 | Weighed -

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

COW VALUE 87

111	Calving Ease Value
93	Calf Growth Value
72	Milk Value
93	Maintenance Value
109	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	82	93	72	-	114	95	101
65%	48%	47%	41%		36%	24%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	-	-	107	-	-	-	-	-
40%			34%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: SC 38cm. 205D 262kgs. A cracker bull that has got it all

LOT 6 (M)



SHD 220078
SUMMERHILL SHD 220078



Herd Book	F3
Birth date	2022-11-22
Age	3y 7m
Inbreeding	0%
DNA	U16204U002

CSA 170062
CONSIDERATA SA 17-0062CSA
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GRB 170108
GRASSFIELDS 17-0108GRB
Age 6y | AFC 37m | ICP 399d
Calves 3 | Weighed 1 | Wean Mat. 130
Avg. WI 139 | CCB - | CCW -
Calvings: 20-09, 21-11, 22-11

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Wean Mat. 115

C 090032
LADY GORGEOUS
Age 17y | AFC 24m | ICP (donor)
Calves 14 | Weighed 6 | Wean Mat. 86
Avg. WI 99 | CCB - | CCW 44.7

GRB 150120
GRASSFIELDS 15-0120GRB
Wean Mat. 117

GRB 140171
GRASSFIELDS 14-0171GRB
Age 11y | AFC - | ICP (donor)
Calves 9 | Weighed 8 | Wean Mat. 106
Avg. WI 97 | CCB 7 | CCW 40

+SERSEMPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Age 36y | Avg. WI -
Calves - | Weighed -
DO 050021
05-0021DO
DO 060083
06-0083DO
Age 12y | Avg. WI 109
Calves 3 | Weighed 2
VALLEY 10-0073FCK
VALLEY 10-0073FCK
GRB 110056
GRASSFIELDS 11-0056GRB
Age 9y | Avg. WI 93
Calves 8 | Weighed 7
GRB 120052
GRASSFIELDS 12-0052GRB
GRB 080045
GRASSFIELDS 08-0045GRB
Age 9y | Avg. WI 101
Calves 8 | Weighed 5

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

COW VALUE 109

102	Calving Ease Value
96	Calf Growth Value
116	Milk Value
88	Maintenance Value
106	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	101	96	116	-	105	99	110
51%	48%	54%	53%		46%	27%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	-	-	109	-	-	-	-	-
42%			39%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 12 (M)



AMV 220126
REEBA 22-0126AMV



Kuddeboek	SP
Geb. dtm	2022-03-22
Oud.	4j 3m
Inteling	12%
DNS	U17369U014

CSA 180194 PcPc
CONSIDERATA SA 18-0194CSA
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AGO 130020
ROCKY 13-0020AGO
Oud. 10j | OEK 27m | TKP 388d
Kalwers 7 | Geweeg 4 | Spn. Mat. 70
Gem. SI 99 | KKG - | KKS 27.5
Kalwings: 15-11, 17-01, 17-12, 18-12, 19-10, 20-12, 22-03

CSA 160056
CONSIDERATA SA 16-0056CSA
Spn Mat. 112

CTM 150023 PcH
CHAN-TE-MAR 15-0023CTM
Oud. 11j | OEK 31m | TKP (donor)
Kalwers 8 | Geweeg 1 | Spn. Mat. 69
Gem. SI 103 | KKG - | KKS -

DO 050029
05-0029DO
Spn Mat. 65

FXF 110013
ROCKY 11-0013FXF
Oud. 8j | OEK - | TKP (donor)
Kalwers 4 | Geweeg 1 | Spn. Mat. 91
Gem. SI 126 | KKG - | KKS -

C 110505
11-0505C-EMBRIO CALVE
C 070001
DONOR COW-07-0001C
Oud. 18j | Gem. SI 97
Kalwers 9 | Geweeg 3
DO 050029
05-0029DO
C 110507
11-0507C-EMBRIO CALVE
Oud. 11j | Gem. SI 103
Kalwers 5 | Geweeg 2
DO 022009
02-2009DO
DO 022074
02-2074DO
Oud. 17j | Gem. SI 106
Kalwers 10 | Geweeg 3
FXF 070291
BRANDWATERBOERDERY 07-0291FXF
FXF 020151
ROCKY 02-0151FXF
Oud. 14j | Gem. SI -
Kalwers 1 | Geweeg -

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

KOEIWAARDE 109

112	Kalfgemak Waarde
117	Kalfgroei Waarde
84	Melk Waarde
83	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	94	117	84	-	101	103	100
57%	54%	56%	55%		50%	32%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	-	-	118	-	-	-	-	-
49%			47%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
31kg	-	-	-	-	-	-	-



Miostation	
Q204X	Skoon
NT821	Draer
F94L	Skoon

VERKOPER OPMERKINGS: SC 38cm. BW 31kgs. 205D 247kgs. 'n Uitstaande bul van dag een af

LOT 13 (M)



SHD 220064 SC
SUMMERHILL HTMASTERS 22-0064SHD



Kuddeboek	SP
Geb. dtm	2022-07-27
Oud.	3j 11m
Inteling	7%
DNS	U11135U029

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CSA 160119
CONSIDERATA SA 16-0119CSA
Oud. 9j | OEK 22m | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 104
Gem. SI 114 | KKG - | KKS -
Kalwings: 18-09, 19-11, 21-03, 22-07, 23-07, 24-09, 25-10

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

C 130014
13-0014C
Spn Mat. 89

C 100267
10-0267C
Oud. 8j | OEK - | TKP (donor)
Kalwers 5 | Geweeg 4 | Spn. Mat. 101
Gem. SI 104 | KKG - | KKS 56.2

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
DO 050021
05-0021DO
DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2
C 100413
CONSIDERATA10-0413C
C 090140
09-0140C-DONOR COW
Oud. 10j | Gem. SI 101
Kalwers 8 | Geweeg 5
C 070355
07-0355C
DO 022095
02-2095DO
Oud. 18j | Gem. SI 102
Kalwers 9 | Geweeg 4

CAPITAL STUD

Pretoria, Gauteng
hpncapital@gmail.com

BUS 87, SKEERPOORT,

KOEIWAARDE 114

102	Kalfgemak Waarde
104	Kalfgroei Waarde
104	Melk Waarde
97	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	88	104	104	-	111	113	115
61%	59%	57%	57%		58%	36%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	-	-	102	-	-	-	-	-
44%			47%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 19 (M)



AMV 230218
REEBA MR 218



Herd Book	SP
Birth date	2023-07-10
Age	2y 12m
Inbreeding	0%
DNA	U26032U009

CSA 180047

CONSIDERATA SA 18-0047CSA
Wean Mat. 120

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WSM 170064

WSM S 17-0064WSM
Age 8y | AFC 32m | ICP 365d
Calves 6 | Weighed 1 | Wean Mat. 120
Avg. WI 110 | CCB - | CCW 56.3
Calvings: 20-08, 21-08, 22-07,
23-07, 24-08, 25-08

GLENLANDS D QUE SERA

GLENLANDS D QUE SERA (ET) (AI)

Wean Mat. 89

C 100108

CONSIDERATA10-0108C
Age 14y | AFC 25m | ICP (donor)
Calves 12 | Weighed 8 | Wean Mat. 133
Avg. WI 105 | CCB - | CCW 45.9

C 110509

11-0509C-EMBRIO

Wean Mat. 120

C 110336

C 11-0366C
Age 10y | AFC 31m | ICP 419d
Calves 6 | Weighed 5 | Wean Mat. 102
Avg. WI 98 | CCB - | CCW 55.7

GLENLANDS ELEMENT 2

GLENLANDS ELEMENT 2 (P) D5

+RSD07721

GLENLANDS D 07721 (DI)ET
Age 10y | Avg. WI -
Calves 1 | Weighed -

C 060222

06-0222C

DO 060186

06-0186DO
Age 10y | Avg. WI -
Calves 3 | Weighed -

1636 (P) D5

SWAN 1636 (P) D5

DO 020014

02-0014DO-DONOR
Age 16y | Avg. WI 103
Calves 9 | Weighed 4

C 080438

08-0438C

DO 060081

06-0081DO
Age 12y | Avg. WI -
Calves 1 | Weighed -

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

COW VALUE 117

94	Calving Ease Value
102	Calf Growth Value
121	Milk Value
103	Maintenance Value
111	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	91	102	121	-	105	133	105
63%	48%	54%	49%		38%	20%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	-	-	97	-	-	-	-	-
39%			38%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS: SC 43cm. BW 34kgs. 205D 253kgs. A tough hard bull.

LOT 20 (M)



SHD 220007
SUMMERHILL HTMASTERS 22-0007SHD



Herd Book	SP
Birth date	2022-08-17
Age	3y 11m
Inbreeding	5%
DNA	U23969U002

CSA 170062

CONSIDERATA SA 17-0062CSA
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CSA 180146

CONSIDERATA SA 18-0146CSA
Age 7y | AFC 27m | ICP (donor)
Calves 4 | Weighed 1 | Wean Mat. 103
Avg. WI 96 | CCB - | CCW -
Calvings: 21-01, 22-03, 22-09,
23-12

WINGFIELD BLARNEY (

WINGFIELD BLARNEY (P) D5

Wean Mat. 115

C 090032

LADY GORGEOUS
Age 17y | AFC 24m | ICP (donor)
Calves 14 | Weighed 6 | Wean Mat. 86
Avg. WI 99 | CCB - | CCW 44.7

GLENLANDS PEDERSON (

GLENLANDS PEDERSON (ET)(AI)

Wean Mat. 95

C 100267

10-0267C
Age 8y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 101
Avg. WI 104 | CCB - | CCW 56.2

+SERSEMAPT

SERSEMA PTOLEMY (P) D5

+BEULAH4TH

WINGFIELD BEULAH 4TH (P) D5
Age 36y | Avg. WI -
Calves - | Weighed -

DO 050021

05-0021DO

DO 060083

06-0083DO
Age 12y | Avg. WI 109
Calves 3 | Weighed 2

+U9C034340

GLENLANDS IMPARJA (P)

+U9C055112

GLENLANDS 5112 (D)
Age 1y | Avg. WI -
Calves - | Weighed -

C 070355

07-0355C

DO 022095

02-2095DO
Age 18y | Avg. WI 102
Calves 9 | Weighed 4

CAPITAL STUD

Pretoria, Gauteng
hpncapital@gmail.com

BUS 87, SKEERPOORT,,

COW VALUE 111

98	Calving Ease Value
104	Calf Growth Value
103	Milk Value
101	Maintenance Value
111	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	92	104	103	-	107	115	114
61%	58%	56%	55%		59%	33%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	-	-	99	-	-	-	-	-
43%			45%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
45kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS:

LOT 30 (M)



AMV 230268
REEBA MR 268



Kuddeboek	SP
Geb. dtm	2023-08-30
Oud.	2j 10m
Inteling	6%
DNS	U26032U011

TOP 200128
ON TOP 20-0128TOP
Spn Mat. 82

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

TOP 180103
ON TOP 18-0103TOP
Oud. 8j | OEK 31m | TKP (donor)
Kalwers 6 | Geweeg 2 | Spn. Mat. 95
Gem. SI 103 | KKG - | KKS 35.4
Kalwings: 20-09, 21-10, 22-09,
23-08, 24-09, 25-09

TOP 170235 Pch
ON TOP SILVER BULLET
Spn Mat. 55

TOP 170254
ON TOP 17-0254TOP
Oud. 8j | OEK 32m | TKP (donor)
Kalwers 6 | Geweeg 4 | Spn. Mat. 112
Gem. SI 106 | KKG - | KKS 39

DO 050021
05-0021DO
Spn Mat. 82

C 090107
09-0107C
Oud. 12j | OEK - | TKP (donor)
Kalwers 9 | Geweeg 4 | Spn. Mat. 113
Gem. SI 109 | KKG - | KKS 42.6

C 130303
C 13-0303C
C 070001
DONOR COW-07-0001C
Oud. 18j | Gem. SI 97
Kalwers 9 | Geweeg 3
CSA 140057
CONSIDERATA SA 14-0057CSA
CSA 140017
CONSIDERATA SA 14-0017CSA
Oud. 11j | Gem. SI 105
Kalwers 8 | Geweeg 6
DO 022008
02-2008DO
DO 020056
02-0056DO-DONOR
Oud. 16j | Gem. SI 109
Kalwers 7 | Geweeg 2
DO 050029
05-0029DO
DO 033057
03-3057DO
Oud. 15j | Gem. SI 118
Kalwers 7 | Geweeg 1

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

KOEIWAARDE	111
110	Kalfgemak Waarde
112	Kalfgroei Waarde
89	Melk Waarde
84	Onderhoudswaarde
109	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	101	112	89	-	107	113	106
67%	51%	53%	47%		46%	29%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	-	-	115	-	-	-	-	-
46%			38%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
32kg	-	-	-	-	-	-	-



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS: SC 39cm. BW 32kgs. 205D 248kgs. An early maturing bull that packs a punch

LOT 31 (M)



AMV 230292
REEBA MR 292



Kuddeboek	SP
Geb. dtm	2023-10-03
Oud.	2j 9m
Inteling	9%
DNS	U26032U012

TOP 180127
ON TOP 18-0127TOP
Spn Mat. 94

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

TOP 200125
ON TOP 20-0125TOP
Oud. 5j | OEK 38m | TKP 369d
Kalwers 3 | Geweeg - | Spn. Mat. 82
Gem. SI - | KKG - | KKS -
Kalwings: 23-10, 24-10, 25-10

OW 140572
MODEL 14-0572OW
Spn Mat. 116

C 090140
09-0140C-DONOR COW
Oud. 10j | OEK - | TKP (donor)
Kalwers 8 | Geweeg 5 | Spn. Mat. 90
Gem. SI 101 | KKG - | KKS -

TOP 170235 Pch
ON TOP SILVER BULLET
Spn Mat. 55

TOP 180124
ON TOP 18-0124TOP
Oud. 8j | OEK 29m | TKP (donor)
Kalwers 6 | Geweeg 4 | Spn. Mat. 108
Gem. SI 107 | KKG - | KKS 48

C 110243
11-0243C
C 100048 Pch
10-0048C
Oud. 14j | Gem. SI 113
Kalwers 13 | Geweeg 4
DO 050021
05-0021DO
DO 050014
05-0014DO-DONOR
Oud. 18j | Gem. SI 107
Kalwers 11 | Geweeg 3
C 130303
C 13-0303C
C 070001
DONOR COW-07-0001C
Oud. 18j | Gem. SI 97
Kalwers 9 | Geweeg 3
DO 050021
05-0021DO
C 090107
09-0107C
Oud. 12j | Gem. SI 109
Kalwers 9 | Geweeg 4

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

KOEIWAARDE	117
114	Kalfgemak Waarde
104	Kalfgroei Waarde
90	Melk Waarde
107	Onderhoudswaarde
118	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CONSULTANTS
EBV Analyse 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
121	86	104	90	-	115	120	115
67%	51%	54%	45%		45%	29%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	-	-	96	-	-	-	-	-
48%			38%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
32kg	-	-	-	-	-	-	-



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS: SC 41cm. BW 32kgs. 205D 245kgs. 'n Kompakte bul gebou om te werk

LOT 32 (M)



SHD 220074
SUMMERHILL 220074



LOT 32 SHD 22 074 CSA 17 62 (Wingfield Blarney) x OW 16 179 (C 11 505)



CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

Herd Book	SP
Birth date	2022-10-17
Age	3y 9m
Inbreeding	5%
DNA	U16204U008

CSA 170062
CONSIDERATA SA 17-0062CSA
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OW 160179
MODEL 16-0179OW
Age 9y | AFC 23m | ICP 408d
Calves 7 | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -
Calvings: 18-08, 19-09, 20-08,
21-07, 22-10, 23-12, 25-04

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Wean Mat. 115

C 090032
LADY GORGEOUS
Age 17y | AFC 24m | ICP (donor)
Calves 14 | Weighed 6 | Wean Mat. 86
Avg. WI 99 | CCB - | CCW 44.7

C 110505
11-0505C-EMBRIO CALVE
Wean Mat. 118

C 110527
11-0527C-EMBRIO
Age 11y | AFC - | ICP (donor)
Calves 9 | Weighed 1 | Wean Mat. 92
Avg. WI 100 | CCB - | CCW -

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Age 36y | Avg. WI -
Calves - | Weighed -
DO 050021
05-0021DO
DO 060083
06-0083DO
Age 12y | Avg. WI 109
Calves 3 | Weighed 2
C 080469
CONSIDERATA08-0469C
DO 060185
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4
C 070355
07-0355C
C 070115
07-0115-DONOR COW
Age 16y | Avg. WI 101
Calves 16 | Weighed 8

COW VALUE 119

113	Calving Ease Value
97	Calf Growth Value
105	Milk Value
111	Maintenance Value
114	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS & GENOMICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	85	97	105	-	112	107	115
59%	57%	56%	54%		57%	39%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	-	-	91	-	-	-	-	-
44%			46%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 33 (M)



SHD 220070
SUMMERHILL HTMASTERS 22-0070SHD



LOT 33 SHD 22 070 CSA 17 62 (Wingfield Blarney) x CSA 16 119 (C 13 14)



CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

Herd Book	SP
Birth date	2022-09-30
Age	3y 9m
Inbreeding	7%
DNA	U11135U033

CSA 170062
CONSIDERATA SA 17-0062CSA
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OW 170266
MODEL 17-0266OW
Age 9y | AFC - | ICP (donor)
Calves 5 | Weighed - | Wean Mat. 109
Avg. WI - | CCB - | CCW -
Calvings: 20-09, 21-08, 22-09,
23-09, 25-07

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Wean Mat. 115

C 090032
LADY GORGEOUS
Age 17y | AFC 24m | ICP (donor)
Calves 14 | Weighed 6 | Wean Mat. 86
Avg. WI 99 | CCB - | CCW 44.7

C 110505
11-0505C-EMBRIO CALVE
Wean Mat. 118

OW 140580
MODEL 14-0580OW
Age 5y | AFC - | ICP (donor)
Calves - | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Age 36y | Avg. WI -
Calves - | Weighed -
DO 050021
05-0021DO
DO 060083
06-0083DO
Age 12y | Avg. WI 109
Calves 3 | Weighed 2
C 080469
CONSIDERATA08-0469C
DO 060185
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4
DO 050021
05-0021DO
DO 022074
02-2074DO
Age 17y | Avg. WI 106
Calves 10 | Weighed 3

COW VALUE 121

116	Calving Ease Value
94	Calf Growth Value
106	Milk Value
109	Maintenance Value
117	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS & GENOMICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	82	94	106	-	111	123	118
58%	56%	55%	53%		55%	38%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	-	-	93	-	-	-	-	-
44%			46%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS:

LOT 34 (M)



SHD 230032
SUMMERHILL 23 032



Kuddeboek	SP
Geb. dtm	2023-09-08
Oud.	2j 10m
Inteling	3%
DNS	U23973U002

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CTM 180010
CHAN-TE-MAR 18-0010CTM
Oud. 8j | OEK 32m | TKP 465d
Kalwers 4 | Geweeg 6 | Spn. Mat. 92
Gem. SI - | KKG - | KKS -
Kalwings: 21-01, 21-11, 23-09, 24-10

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

C 150039
D-C15-0039
Spn Mat. 90

CSA 160024
CONSIDERATA SA COVERGIRL
Oud. 10j | OEK 25m | TKP (donor)
Kalwers 7 | Geweeg 5 | Spn. Mat. 98
Gem. SI 103 | KKG - | KKS 49.5

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
DO 050021
05-0021DO
DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2
C 130670
C 13-0670C
C 090227
CONSIDERATA09-0227C
Oud. 10j | Gem. SI 101
Kalwers 8 | Geweeg 5
C 110154
11-0154C
C 090353
09-0353C
Oud. 14j | Gem. SI 94
Kalwers 12 | Geweeg 7

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

KOEIWAARDE 115

121	Kalfgemak Waarde
94	Kalfgroei Waarde
96	Melk Waarde
105	Onderhoudswaarde
112	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS & GENOMICS
EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	98	94	96	-	110	106	114
66%	55%	53%	51%		50%	30%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	-	-	97	-	-	-	-	-
40%			43%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
28kg	-	-	-	-	-	-	-



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 35 (M)



SHD 230060
SUMMERHILL SHD 230060

Kuddeboek	SP
Geb. dtm	2023-12-08
Oud.	2j 7m
Inteling	7%
DNS	U23973U011

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CSA 160119
CONSIDERATA SA 16-0119CSA
Oud. 9j | OEK 22m | TKP (donor)
Kalwers 7 | Geweeg 1 | Spn. Mat. 104
Gem. SI 114 | KKG - | KKS -
Kalwings: 18-09, 19-11, 21-03, 22-07, 23-07, 24-09, 25-10

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

C 130014
13-0014C
Spn Mat. 89

C 100267
10-0267C
Oud. 8j | OEK - | TKP (donor)
Kalwers 5 | Geweeg 4 | Spn. Mat. 101
Gem. SI 104 | KKG - | KKS 56.2

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
DO 050021
05-0021DO
DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2
C 100413
CONSIDERATA10-0413C
C 090140
09-0140C-DONOR COW
Oud. 10j | Gem. SI 101
Kalwers 8 | Geweeg 5
C 070355
07-0355C
DO 022095
02-2095DO
Oud. 18j | Gem. SI 102
Kalwers 9 | Geweeg 4

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

KOEIWAARDE 114

102	Kalfgemak Waarde
104	Kalfgroei Waarde
104	Melk Waarde
97	Onderhoudswaarde
114	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS & GENOMICS
EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	88	104	104	-	111	113	115
61%	59%	57%	57%		58%	36%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	-	-	102	-	-	-	-	-
44%			47%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	-	-	-	-	-	-	-



Miostatien	
Q204X	Skoon
NT821	Draer
F94L	Skoon

VERKOPER OPMERKINGS:

LOT 48 (M)



AMV 230287
REEBA MR 287



Herd Book	SP
Birth date	2023-09-30
Age	2y 9m
Inbreeding	5%
DNA	U26032U001

HOT 190654
BRANDWATER RY 19-0654HOT
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WBT 190093
WATERFORD TMASTERS 19-0093WBT
Age 6y | AFC 34m | ICP 374d
Calves 4 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -
Calvings: 22-09, 23-09, 24-11, 25-10

HOT 160241
BRANDWATER 16-0241HOT
Wean Mat. 73

HOT 170375
BRANDWATER RY 17-0375HOT
Age 8y | AFC - | ICP (donor)
Calves 7 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW -

TOP 150101
ON TOP 15-0101TOP
Wean Mat. 95

WBT 130016
WATERFORD DROUGHTMASTERS 13-00
Age 9y | AFC 39m | ICP 355d
Calves 5 | Weighed 1 | Wean Mat. 110
Avg. WI 172 | CCB - | CCW -

C 060222
06-0222C
DO 022064
02-2064DO
Age 21y | Avg. WI 89
Calves 12 | Weighed 2
VS 090009
BRANDWATERBOERDERY 09-0009VS
HOT 130001
BRANDWATERBOERDERY 13-0001HOT
Age 7y | Avg. WI 108
Calves 4 | Weighed 1
C 130009
13-0009C
C 130231
13-0231C
Age 12y | Avg. WI -
Calves 2 | Weighed -
C 060222
06-0222C
CHD 040012
WATERFORD DROUGHTMASTERS 04-00
Age 14y | Avg. WI -
Calves 1 | Weighed -

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

COW VALUE 97

113	Calving Ease Value
95	Calf Growth Value
90	Milk Value
85	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	93	95	90	-	106	91	106
67%	47%	31%	30%		25%	15%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	-	-	115	-	-	-	-	-
25%			22%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: SC 38cm BW 31kgs. 205D 256kgs. A polled bull that oozes class

LOT 49 (M)



AMV 230206
REEBA MR 206



Herd Book	SP
Birth date	2023-05-12
Age	3y 2m
Inbreeding	4%
DNA	U26032U004

HOT 190654
BRANDWATER RY 19-0654HOT
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

AMV 200051
REEBA 20-0051AMV
Age 5y | AFC 32m | ICP 441d
Calves 3 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -
Calvings: 23-05, 24-10, 25-10

HOT 160241
BRANDWATER 16-0241HOT
Wean Mat. 73

HOT 170375
BRANDWATER RY 17-0375HOT
Age 8y | AFC - | ICP (donor)
Calves 7 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW -

ZON 140011
ZONOP 14-0011ZON
Wean Mat. 97

HOT 150190
BRANDWATER RY 15-0190HOT
Age 10y | AFC 30m | ICP 470d
Calves 6 | Weighed - | Wean Mat. 109
Avg. WI - | CCB - | CCW -

C 060222
06-0222C
DO 022064
02-2064DO
Age 21y | Avg. WI 89
Calves 12 | Weighed 2
VS 090009
BRANDWATERBOERDERY 09-0009VS
HOT 130001
BRANDWATERBOERDERY 13-0001HOT
Age 7y | Avg. WI 108
Calves 4 | Weighed 1
C 110157
11-0157C
ZON 100006
ZONOP 10-0006ZON
Age 10y | Avg. WI -
Calves 7 | Weighed -
C 110154
11-0154C
DO 060185
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4

D.H. MCHARDY

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON,,3610

COW VALUE 95

118	Calving Ease Value
88	Calf Growth Value
89	Milk Value
91	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	89	88	89	-	106	88	104
66%	48%	35%	34%		33%	21%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	-	-	108	-	-	-	-	-
29%			26%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
28kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: SC 41cm BW 28kgs. 205D 260kgs. A polled bull that still needs to develop into himself

LOT 50 (M)



SHD 220060

SUMMERHILL HTMASTERS 22-0060SHD

Kuddeboek	SP
Geb. dtm	2022-08-03
Oud.	3j 11m
Inteling	5%
DNS	U11135U025

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

OW 150040
MODEL 15-0040OW
Oud. 10j | OEK - | TKP (donor)
Kalwers 5 | Geweeg 6 | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 18-07, 19-10, 20-09,
22-08, 23-07

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

C 110505
11-0505C-EMBRIO CALVE
Spn Mat. 118

C 110532
11-0532C-EMBRIO
Oud. 14j | OEK - | TKP (donor)
Kalwers 6 | Geweeg 2 | Spn. Mat. 87
Gem. SI 101 | KKG - | KKS -

+SERSEMAPT
SERSEMA PTOLEMY (P) D5

+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -

DO 050021
05-0021DO

DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2

C 080469
CONSIDERATA08-0469C

DO 060185
06-0185DO
Oud. 15j | Gem. SI 113
Kalwers 13 | Geweeg 4

C 070355
07-0355C

C 070115
07-0115-DONOR COW
Oud. 16j | Gem. SI 101
Kalwers 16 | Geweeg 8

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

KOEIWAARDE 113

117	Kalfgemak Waarde
94	Kalfgroei Waarde
100	Melk Waarde
117	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS & GENOMICS
EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
115	89	94	100	-	106	98	113
61%	58%	56%	55%		55%	37%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	-	-	83	-	-	-	-	-
44%			46%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

VERKOPER OPMERKINGS:

LOT 51 (M)



SHD 220057

SUMMERHILL HTMASTERS 22-0057SHD

Kuddeboek	SP
Geb. dtm	2022-09-10
Oud.	3j 10m
Inteling	5%
DNS	U11135U022

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CSA 180146
CONSIDERATA SA 18-0146CSA
Oud. 7j | OEK 27m | TKP (donor)
Kalwers 4 | Geweeg 1 | Spn. Mat. 103
Gem. SI 96 | KKG - | KKS -
Kalwings: 21-01, 22-03, 22-09,
23-12

WINGFIELD BLARNEY (
WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

GLENLANDS PEDERSON (
GLENLANDS PEDERSON (ET)(AI)
Spn Mat. 95

C 100267
10-0267C
Oud. 8j | OEK - | TKP (donor)
Kalwers 5 | Geweeg 4 | Spn. Mat. 101
Gem. SI 104 | KKG - | KKS 56.2

+SERSEMAPT
SERSEMA PTOLEMY (P) D5

+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -

DO 050021
05-0021DO

DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2

+U9C034340
GLENLANDS IMPARJA (P)

+U9C055112
GLENLANDS 5112 (D)
Oud. 1j | Gem. SI -
Kalwers - | Geweeg -

C 070355
07-0355C

DO 022095
02-2095DO
Oud. 18j | Gem. SI 102
Kalwers 9 | Geweeg 4

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT,

KOEIWAARDE 111

98	Kalfgemak Waarde
104	Kalfgroei Waarde
103	Melk Waarde
101	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS & GENOMICS
EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	92	104	103	-	107	115	114
61%	58%	56%	55%		59%	33%	55%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	-	-	99	-	-	-	-	-
43%			45%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

VERKOPER OPMERKINGS:

LOT 58 (M)



RED 230017
BLACKWOODS RED LAZARUS



Herd Book	F3
Birth date	2023-05-29
Age	3y 1m
Inbreeding	0%
DNA	U13906U017

HOT 190580
BRANDWATER RY 19-0580HOT
Wean Mat. 118

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 170376
BRANDWATER RY 17-0376HOT
Age 8y | AFC 31m | ICP (donor)
Calves 4 | Weighed 1 | Wean Mat. 81
Avg. WI 77 | CCB - | CCW 29.1
Calvings: 20-03, 21-06, 24-10, 25-10

ZON 140011
ZONOP 14-0011ZON
Wean Mat. 97

HOT 150163
BRANDWATER 15-0163HOT
Age 11y | AFC 34m | ICP 392d
Calves 8 | Weighed 4 | Wean Mat. 134
Avg. WI 92 | CCB - | CCW 19.1

VS 090009
BRANDWATERBOERDERY 09-0009VS
Wean Mat. 49

FXF 050096
BRANDWATERBOERDERY 05-0096FXF
Age 19y | AFC - | ICP (donor)
Calves 4 | Weighed 1 | Wean Mat. 127
Avg. WI 114 | CCB - | CCW 41.3

C 110157
11-0157C
ZON 100006
ZONOP 10-0006ZON
Age 10y | Avg. WI -
Calves 7 | Weighed -
C 100450
CONSIDERATA-10-0450C
DO 033066
03-3066DO
Age 17y | Avg. WI 121
Calves 10 | Weighed 4

FXF 010076
BRANDWATERBOERDERY 01-0076FXF
FXF 000369
BRANDWATERBOERDERY 00-0369FXF
Age 15y | Avg. WI -
Calves 1 | Weighed -

Fouriesburg, Free State
blackwoodsfarm@outlook.com

PO BOX 183, FOURIESBURG, 9725

COW VALUE 86

78	Calving Ease Value
109	Calf Growth Value
100	Milk Value
83	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
81	103	109	100	-	103	88	91
46%	42%	45%	41%		26%	14%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	-	-	116	-	-	-	-	-
33%			29%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: SC 38cm. 205D 251kgs. A very smooth coated bull

LOT 59 (M)



AMV 230255
REEBA MR 255



Herd Book	SP
Birth date	2023-08-26
Age	2y 10m
Inbreeding	2%
DNA	U26032U010

HOT 190654
BRANDWATER RY 19-0654HOT
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CSA 140043
CONSIDERATA SA 14-0043CSA
Age 11y | AFC - | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 123
Avg. WI 100 | CCB - | CCW -
Calvings: 19-02, 20-03, 21-05, 22-08, 23-08, 24-11, 25-10

HOT 160241
BRANDWATER 16-0241HOT
Wean Mat. 73

HOT 170375
BRANDWATER RY 17-0375HOT
Age 8y | AFC - | ICP (donor)
Calves 7 | Weighed - | Wean Mat. 79
Avg. WI - | CCB - | CCW -

WINGFIELD BLARNEY (P) D5
WINGFIELD BLARNEY (P) D5
Wean Mat. 115

DO 060196
06-0196DO
Age 12y | AFC - | ICP (donor)
Calves 8 | Weighed 6 | Wean Mat. 125
Avg. WI 111 | CCB - | CCW -

C 060222
06-0222C
DO 022064
02-2064DO
Age 21y | Avg. WI 89
Calves 12 | Weighed 2
VS 090009
BRANDWATERBOERDERY 09-0009VS
HOT 130001
BRANDWATERBOERDERY 13-0001HOT
Age 7y | Avg. WI 108
Calves 4 | Weighed 1
+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Age 36y | Avg. WI -
Calves - | Weighed -
DO 020129
02-0129DO
DO 033115
03-3115DO
Age 14y | Avg. WI 99
Calves 9 | Weighed 4

Everton, Kwazulu Natal
dhm808@gmail.com

CLUSTER BOX 2176, EVERTON, 3610

COW VALUE 101

109	Calving Ease Value
94	Calf Growth Value
99	Milk Value
83	Maintenance Value
106	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	91	94	99	-	104	112	106
66%	49%	37%	37%		33%	19%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	-	-	117	-	-	-	-	-
29%			28%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	-	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: SC 40 cm BW 32kgs. 205D 258kgs. A polled bull out of one of my best Droughtmaster cows

LOT 60 (M)



SHD 230061
SUMMERHILL SHD 230061

Kuddeboek	SP
Geb. dtm	2023-12-09
Oud.	2j 7m
Inteling	1%
DNS	U24097U004

DROUGHTMASTER SA®

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT.,



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BV 160035
D-BOSCHVALLEYFARMS16-0035BV
Oud. 7j | OEK 21m | TKP (donor)
Kalwers 5 | Geweeg 6 | Spn. Mat. 110
Gem. SI - | KKG - | KKS -
Kalwings: 18-08, 20-09, 21-08,
22-10, 23-12

WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEIOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

C 130120
13-0120C
Spn Mat. 116

C 110539
11-0539C-EMBRIO
Oud. 14j | OEK - | TKP (donor)
Kalwers 8 | Geweeg 3 | Spn. Mat. 105
Gem. SI 96 | KKG - | KKS 63.2

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
DO 050021
05-0021DO
DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2
C 100021
10-0021C
DO 060070
06-0070DO
Oud. 16j | Gem. SI 93
Kalwers 12 | Geweeg 6
C:07070355
0707-0355C:07-0361C:05-21DO
C 070115
07-0115-DONOR COW
Oud. 16j | Gem. SI 101
Kalwers 16 | Geweeg 8

KOEIWAARDE	115
115	Kalfgemak Waarde
98	Kalfgroei Waarde
107	Melk Waarde
102	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
112	94	98	107	-	103	102	108
65%	54%	56%	50%		49%	29%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	-	-	99	-	-	-	-	-
38%			40%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	-	-	-	-	-	-	-

LOT 61 (M)



SHD 220076
SUMMERHILL 220076

Kuddeboek	SP
Geb. dtm	2022-10-25
Oud.	3j 8m
Inteling	1%
DNS	U16204U007

DROUGHTMASTER SA®

CAPITAL STUD

Pretoria, Gauteng
hpnccapital@gmail.com

BUS 87, SKEERPOORT.,



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VERKOPER OPMERKINGS:

CSA 170062
CONSIDERATA SA 17-0062CSA
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BV 160035
D-BOSCHVALLEYFARMS16-0035BV
Oud. 7j | OEK 21m | TKP (donor)
Kalwers 5 | Geweeg 6 | Spn. Mat. 110
Gem. SI - | KKG - | KKS -
Kalwings: 18-08, 20-09, 21-08,
22-10, 23-12

WINGFIELD BLARNEY (P) D5
Spn Mat. 115

C 090032
LADY GORGEIOUS
Oud. 17j | OEK 24m | TKP (donor)
Kalwers 14 | Geweeg 6 | Spn. Mat. 86
Gem. SI 99 | KKG - | KKS 44.7

C 130120
13-0120C
Spn Mat. 116

C 110539
11-0539C-EMBRIO
Oud. 14j | OEK - | TKP (donor)
Kalwers 8 | Geweeg 3 | Spn. Mat. 105
Gem. SI 96 | KKG - | KKS 63.2

+SERSEMAPT
SERSEMA PTOLEMY (P) D5
+BEULAH4TH
WINGFIELD BEULAH 4TH (P) D5
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
DO 050021
05-0021DO
DO 060083
06-0083DO
Oud. 12j | Gem. SI 109
Kalwers 3 | Geweeg 2
C 100021
10-0021C
DO 060070
06-0070DO
Oud. 16j | Gem. SI 93
Kalwers 12 | Geweeg 6
C:07070355
0707-0355C:07-0361C:05-21DO
C 070115
07-0115-DONOR COW
Oud. 16j | Gem. SI 101
Kalwers 16 | Geweeg 8

KOEIWAARDE	115
114	Kalfgemak Waarde
98	Kalfgroei Waarde
107	Melk Waarde
102	Onderhoudswaarde
104	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
112	94	98	107	-	103	102	108
59%	53%	56%	50%		49%	29%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	-	-	99	-	-	-	-	-
38%			40%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	-	-	-	-	-	-	-

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										-0.03	-0.09	2.0	-1.1	2						-	-					
Auction Average				34	-	6.18	-	-	-	-0.67	0.24	2.0	-1.3	3	2	-	-	-	-	-	-	-	-	103	5.0	98
5	HOT 230075	M	SP	33	-	6.18	-	-	-	-0.98	0.64	-1.2	-9.4	-5.7	5.4	0	0		0	0	-	-	-	90	6	121
6	SHD 220078	M	F3	-	-	-	-	-	-	-0.07	-0.15	0.1	3.8	2.8	7.2	0	0		0	0	-	-	-	139	3	90
12	AMV 220126	M	SP	31	-	-	-	-	-	-0.86	0.14	9.8	-5.8	12.7	14.5	0	0		0	0	-	-	-	99	7	101
13	SHD 220064	M	SP	-	-	-	-	-	-	-0.27	0.38	3.6	0.0	5.7	1.0	0	0		0	0	-	-	-	114	7	110
19	AMV 230218	M	SP	34	-	-	-	-	-	0.28	0.28	3.0	5.0	2.6	-2.6	0	0		0	0	-	-	-	110	6	112
20	SHD 220007	M	SP	45	-	-	-	-	-	0.03	0.23	4.0	-0.1	6.7	-0.7	0	0		0	0	-	-	-	96	4	80
30	AMV 230268	M	SP	32	-	-	-	-	-	-0.58	-0.12	7.4	-4.5	13.1	12.3	0	0		0	0	-	-	-	103	6	111
31	AMV 230292	M	SP	32	-	-	-	-	-	-1.75	0.48	3.6	-4.1	1.3	-3.7	0	0		0	0	-	-	-		3	100
32	SHD 220074	M	SP	-	-	-	-	-	-	-1.11	0.52	0.7	0.4	3.5	-7.8	0	0		0	0	-	-	-		7	111
33	SHD 220070	M	SP	-	-	-	-	-	-	-1.53	0.66	-0.5	0.8	1.8	-6.0	0	0		0	0	-	-	-		5	89
34	SHD 230032	M	SP	28	-	-	-	-	-	-1.48	-0.02	-0.8	-2.1	1.4	-2.4	0	0		0	0	-	-	-		4	91
35	SHD 230060	M	SP	38	-	-	-	-	-	-0.27	0.38	3.6	0.0	5.7	1.0	0	0		0	0	-	-	-	114	7	110
48	AMV 230287	M	SP	31	-	-	-	-	-	-0.96	0.20	-0.2	-4.0	-1.9	11.7	0	0		0	0	-	-	-		4	107
49	AMV 230206	M	SP	28	-	-	-	-	-	-1.50	0.35	-3.4	-4.4	-5.6	6.0	0	0		0	0	-	-	-		3	101
50	SHD 220060	M	SP	-	-	-	-	-	-	-1.30	0.36	-0.8	-1.1	1.3	-13.9	0	0		0	0	-	-	-		5	78
51	SHD 220057	M	SP	-	-	-	-	-	-	0.03	0.23	4.0	-0.1	6.7	-0.7	0	0		0	0	-	-	-	96	4	80
58	RED 230017	M	F3	40	-	-	-	-	-	1.58	-0.23	6.1	-1.2	6.8	13.0	0	0		0	0	-	-	-	77	4	66
59	AMV 230255	M	SP	32	-	-	-	-	-	-0.69	0.26	-0.5	-1.3	-0.8	13.4	0	0		0	0	-	-	-	100	7	89
60	SHD 230061	M	SP	38	-	-	-	-	-	-1.03	0.14	1.1	0.9	3.4	-1.3	0	0		0	0	-	-	-		5	108
61	SHD 220076	M	SP	-	-	-	-	-	-	-0.99	0.14	1.2	0.9	3.6	-1.3	0	0		0	0	-	-	-		5	108

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik