

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

CRONCO BONSMARAS

Veilingsdatum / Auction Date:
14 October 2026

Data soos op / Data as on:
28 September 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P

DEF 050022
7

GHI 070076
HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



Average between 90 and 110, Acceptable between 80 and 120

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
		Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

CRONCO AGRI


CC 230026
2023-08-21
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		


CEF 190477

CEF 130317 HH(c) AGE/CALV. 13/9 AVG. Wt/CALV. 103/7	CEF 100161 AGE/CALV. 13/9 AVG. Wt/CALV. 103/7
CEF 140056 AGE/CALV. 10/8 AVG. Wt/CALV. 108/7 ICP 369	CEF 100481
CEF 150425	CEF 090121 AGE/CALV. 15/12 AVG. Wt/CALV. 110/11
	CEF 130437
CC 200986 AGE/CALV. 6/3 AVG. Wt/CALV. 99/3 ICP 397	CEF 130008 AGE/CALV. 10/8 AVG. Wt/CALV. 104/8
CC 120050 AGE/CALV. 11/6 AVG. Wt/CALV. 99/6 ICP 373	

Calving Ease Value 99	Weaner Calf Value 97	Fertility Value 118	Maintenance Value 89	Cow Value 107	Growth Value 127	Carcass Value 121									
Calf and Mother		Fertility		Post-Wean Growth		Frame	Carcass								
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	102	101	96	120	110	104	111	127	109	111	112	114	108	105	120
Wean Index		365D Index		540D Index		ADG Index		FCR Index		Scrotum		LH		Myostatin	
95		-		-		109		-		332		1.20		Q204X 0 NT821 0 F94L 0	

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 2

CRONCO AGRI


CC 230096
2023-10-04
SP

Parentage	Sire	Dam
DNA		
Genomic		


LAR 170340

LAR 140064 HH(c) AGE/CALV. 11/8 AVG. Wt/CALV. 107/8	LAR 090281
LAR 070214 AGE/CALV. 18/12 AVG. Wt/CALV. 99/12 ICP 372	LAR 110039 HH(c) AGE/CALV. 11/8 AVG. Wt/CALV. 107/8
	LAR 030059
VV 090094	LAR 020230 AGE/CALV. 14/12 AVG. Wt/CALV. 98/11
	VV 060054
GJN 130065 P AGE/CALV. 13/11 AVG. Wt/CALV. 99/11 ICP 363	VV 030210 AGE/CALV. 12/10 AVG. Wt/CALV. 109/10
GJN 110300 AGE/CALV. 15/13 AVG. Wt/CALV. 104/12 ICP 379	JRB 040052
	GJN 070083 AGE/CALV. 15/12 AVG. Wt/CALV. 103/12

Calving Ease Value 96	Weaner Calf Value 104	Fertility Value 97	Maintenance Value 104	Cow Value 101	Growth Value 107	Carcass Value 110									
Calf and Mother		Fertility		Post-Wean Growth		Frame	Carcass								
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	103	104	122	108	85	111	105	108	104	94	90	98	113	116	93
Wean Index		365D Index		540D Index		ADG Index		FCR Index		Scrotum		LH		Myostatin	
96		-		-		102		-		346		1.24		Q204X 0 NT821 0 F94L 0	

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 3

CRONCO AGRI


CC 230090
2023-09-25
SP

Parentage	Sire	Dam
DNA		
Genomic		


LAR 180128 HH(c)

LAR 150117 HH(c) AGE/CALV. 5/2 AVG. Wt/CALV. 99/2	BP 100017
	LAR 120317 AGE/CALV. 5/2 AVG. Wt/CALV. 99/2
LAR 150361 AGE/CALV. 7/4 AVG. Wt/CALV. 107/4 ICP 389	LAR 110071
	LAR 070212 AGE/CALV. 19/13 AVG. Wt/CALV. 101/13
CEF 150463	CEF 100418
	CEF 090010 AGE/CALV. 12/7 AVG. Wt/CALV. 94/7
CC 190602 AGE/CALV. 7/4 AVG. Wt/CALV. 95/4 ICP 385	
CC 160030 AGE/CALV. 10/7 AVG. Wt/CALV. 99/6 ICP 375	

Calving Ease Value 100	Weaner Calf Value 95	Fertility Value 103	Maintenance Value 95	Cow Value 99	Growth Value 99	Carcass Value 103									
Calf and Mother		Fertility		Post-Wean Growth		Frame	Carcass								
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	99	103	87	105	95	109	101	94	80	104	83	93	94	99	86
Wean Index		365D Index		540D Index		ADG Index		FCR Index		Scrotum		LH		Myostatin	
99		-		-		102		-		331		1.22		Q204X 0 NT821 0 F94L 0	

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 4

CRONCO AGRI

CC 230126
2023-10-09
B

Ouerskap Vaar Moer

DNS

Genomies

LAR 180128 HH(c)

CC 180423
OUD/KALW. 8/5
GEM. SI/KALW. 96/5
TKP 382

LAR 150117 HH(c)

LAR 150361
OUD/KALW. 7/4
GEM. SI/KALW. 107/4
TKP 389

MULTIPLE SIRES

CC 140510
OUD/KALW. 12/8
GEM. SI/KALW. 108/7
TKP 371

BP 100017

LAR 120317
OUD/KALW. 5/2
GEM. SI/KALW. 99/2

LAR 110071

LAR 070212
OUD/KALW. 19/13
GEM. SI/KALW. 101/13Geboortegemak
Waarde
87Speenkalv
Waarde
97Vrugbaarheids-
waarde
101Onderhouds-
waarde
95Koeiwaarde
98Groei-
waarde
102Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	99	116	94	103	100	100	102	104	86	103	103	107	97	92	84
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrutum	LH	Miostatien							
102		-	-	114	-	344	1.24	Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 5

CRONCO AGRI

CC 230194
2023-10-30
B

Ouerskap Vaar Moer

DNS

Genomies

GJN 200326

CC 170133
OUD/KALW. 9/6
GEM. SI/KALW. 101/6
TKP 375

GJN 120203 HH(c)

GJN 120137
OUD/KALW. 11/9
GEM. SI/KALW. 108/8
TKP 378

GJN 080021

GJN 100057
OUD/KALW. 16/12
GEM. SI/KALW. 98/10

JPL 090123 P

GJN 080105
OUD/KALW. 12/10
GEM. SI/KALW. 106/10Geboortegemak
Waarde
82Speenkalv
Waarde
106Vrugbaarheids-
waarde
105Onderhouds-
waarde
91Koeiwaarde
105Groei-
waarde
117Karkas-
waarde
121

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	108	113	104	103	96	112	104	117	99	107	96	109	109	100	116
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrutum	LH	Miostatien							
100		-	-	109	-	342	1.22	Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 6

CRONCO AGRI

CC 230256
2023-11-24
B

Ouerskap Vaar Moer

DNS

Genomies

GJN 200326

CC 170131
OUD/KALW. 6/4
GEM. SI/KALW. 112/4
TKP 432

GJN 120203 HH(c)

GJN 120137
OUD/KALW. 11/9
GEM. SI/KALW. 108/8
TKP 378

GJN 080021

GJN 100057
OUD/KALW. 16/12
GEM. SI/KALW. 98/10

JPL 090123 P

GJN 080105
OUD/KALW. 12/10
GEM. SI/KALW. 106/10Geboortegemak
Waarde
86Speenkalv
Waarde
115Vrugbaarheids-
waarde
102Onderhouds-
waarde
76Koeiwaarde
110Groei-
waarde
129Karkas-
waarde
131

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	113	121	110	103	96	105	110	131	106	128	101	122	114	103	121
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrutum	LH	Miostatien							
112		-	-	118	-	357	1.28	Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 7

CRONCO AGRI


CC 230022
2023-08-16
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		



LAR 190173 HH(c)
AGE/CALV. 17/14
AVG. Wt/CALV. 97/13

LAR 150290 HH(c)
AGE/CALV. 17/14
AVG. Wt/CALV. 97/13

LAR 110071
AGE/CALV. 17/14
AVG. Wt/CALV. 97/13

LAR 060419 HH(c)
AGE/CALV. 17/14
AVG. Wt/CALV. 97/13

LAR 140266
AGE/CALV. 11/9
AVG. Wt/CALV. 100/9
ICP 370

LAR 100181
AGE/CALV. 14/9
AVG. Wt/CALV. 106/8

LAR 090341
AGE/CALV. 14/9
AVG. Wt/CALV. 106/8

CEF 150463
AGE/CALV. 12/7
AVG. Wt/CALV. 94/7

CEF 100418
AGE/CALV. 12/7
AVG. Wt/CALV. 94/7

CEF 090010
AGE/CALV. 12/7
AVG. Wt/CALV. 94/7

CC 200070
AGE/CALV. 6/3
AVG. Wt/CALV. 99/2
ICP 383

CC 170207
AGE/CALV. 5/1
AVG. Wt/CALV. 100/1
ICP -

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
105	99	98	88	99	102	110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	106	91	99	105	93	98	105	102	95	113	95	108	109	96	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	106	-	342	1.26

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 8

CRONCO AGRI


CC 230062
2023-09-12
SP

Parentage	Sire	Dam
DNA		
Genomic		



LAR 170340
AGE/CALV. 18/12
AVG. Wt/CALV. 99/12
ICP 372

LAR 140064 HH(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 090281
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 110039 HH(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 070214
AGE/CALV. 18/12
AVG. Wt/CALV. 99/12
ICP 372

LAR 030059
AGE/CALV. 14/12
AVG. Wt/CALV. 98/11

LAR 020230
AGE/CALV. 14/12
AVG. Wt/CALV. 98/11

CEF 130563
AGE/CALV. 7/5
AVG. Wt/CALV. 93/5

CEF 100062
AGE/CALV. 7/5
AVG. Wt/CALV. 93/5

CC 180380
AGE/CALV. 7/3
AVG. Wt/CALV. 91/3
ICP 374

CC 140474
AGE/CALV. 5/1
AVG. Wt/CALV. 95/1
ICP -

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
78	106	108	83	104	100	109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	111	112	114	115	102	102	110	101	86	118	100	104	108	95	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	98	-	349	1.28

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 9

CRONCO AGRI


CC 230154
2023-10-11
SP

Parentage	Sire	Dam
DNA		
Genomic		



LAR 170340
AGE/CALV. 18/12
AVG. Wt/CALV. 99/12
ICP 372

LAR 140064 HH(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 090281
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 110039 HH(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 070214
AGE/CALV. 18/12
AVG. Wt/CALV. 99/12
ICP 372

LAR 030059
AGE/CALV. 14/12
AVG. Wt/CALV. 98/11

LAR 020230
AGE/CALV. 14/12
AVG. Wt/CALV. 98/11

CEW 110145
AGE/CALV. 4/1
AVG. Wt/CALV. 108/1

CEW 090020
AGE/CALV. 4/1
AVG. Wt/CALV. 108/1

CC 180317
AGE/CALV. 8/5
AVG. Wt/CALV. 98/5
ICP 383

CC 150863
AGE/CALV. 8/6
AVG. Wt/CALV. 102/5
ICP 378

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
83	101	108	87	104	101	107

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	99	131	104	115	93	113	99	103	96	112	112	110	109	100	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	94	-	330	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 10

CRONCO AGRI

CC 230066
2023-09-21
SP

Ouerskap Vaar Moer

DNS

Genomies

LAR 170340



CC 180453

OUD/KALW. 7/4
GEM. SI/KALW. 103/5
TKP 379

LAR 140064 HH(c)

LAR 070214

OUD/KALW. 18/12
GEM. SI/KALW. 99/12
TKP 372

CEF 140472

CC 150818

OUD/KALW. 7/4
GEM. SI/KALW. 92/3
TKP 423

LAR 090281

LAR 110039 HH(c)
OUD/KALW. 11/8
GEM. SI/KALW. 107/8

LAR 030059

LAR 020230
OUD/KALW. 14/12
GEM. SI/KALW. 98/11

CEF 100481

CEF 060026

OUD/KALW. 16/14
GEM. SI/KALW. 109/14Geboortegemak
Waarde
98Speenkalv
Waarde
90Vrugbaarheids-
waarde
106Onderhouds-
waarde
96Koeiwaarde
97Groei-
waarde
101Karkas-
waarde
97

Kalf en Moeder

Geb. Dir. 102

Spn. Dir. 89

Spn. Mat. 118

Skr. Omtr. 97

Vers Vrugb. 112

Koei Vrugb. 97

Lankl. 104

Na-Speen 92

GDT 103

VOV 96

Volw. Gewig 102

Hoogte 95

Lengte 91

OSO 104

Vet 96

Mar 95

Spn. Indeks 92

365D Indeks -

540D Indeks -

GDT Indeks 104

VOV Indeks -

Skrotum 323

LH 1.22

Miostatien

Q204X 0

NT821 0

F94L 0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 11

CRONCO AGRI

CC 240066
2024-08-22
SP

Ouerskap Vaar Moer

DNS

Genomies

NFS 180110 HH(c)



CC 180370

OUD/KALW. 7/4
GEM. SI/KALW. 100/4
TKP 501

NFS 140154 HH(c)

NFS 150127

OUD/KALW. 4/2
GEM. SI/KALW. 112/1
TKP 304

CEW 110145

CC 150706

OUD/KALW. 8/6
GEM. SI/KALW. 97/6
TKP 386

NFS 110101 HH(c)

NFS 100204
OUD/KALW. 13/11
GEM. SI/KALW. 96/11

NFS 110101 HH(c)

NFS 060102
OUD/KALW. 17/12
GEM. SI/KALW. 96/12

LAR 060083

CEW 090020

OUD/KALW. 4/1
GEM. SI/KALW. 108/1Geboortegemak
Waarde
108Speenkalv
Waarde
89Vrugbaarheids-
waarde
102Onderhouds-
waarde
80Koeiwaarde
91Groei-
waarde
98Karkas-
waarde
103

Kalf en Moeder

Geb. Dir. 111

Spn. Dir. 99

Spn. Mat. 89

Skr. Omtr. 75

Vers Vrugb. 102

Koei Vrugb. 101

Lankl. 102

Na-Speen 100

GDT 98

VOV 93

Volw. Gewig 125

Hoogte 106

Lengte 106

OSO 100

Vet 99

Mar 99

Spn. Indeks 109

365D Indeks -

540D Indeks -

GDT Indeks 107

VOV Indeks -

Skrotum 305

LH 1.22

Miostatien

Q204X 0

NT821 0

F94L 0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 12

CRONCO AGRI

CC 240184
2024-10-08
SP

Ouerskap Vaar Moer

DNS

Genomies

LAR 170340



CC 200925

OUD/KALW. 6/3
GEM. SI/KALW. 96/3
TKP 392

LAR 140064 HH(c)

LAR 070214

OUD/KALW. 18/12
GEM. SI/KALW. 99/12
TKP 372

CEF 140548

CC 150720

OUD/KALW. 6/4
GEM. SI/KALW. 91/4
TKP 376

LAR 090281

LAR 110039 HH(c)
OUD/KALW. 11/8
GEM. SI/KALW. 107/8

LAR 030059

LAR 020230
OUD/KALW. 14/12
GEM. SI/KALW. 98/11

CEF 110301 HH(c)

CEF 080200

OUD/KALW. 6/4
GEM. SI/KALW. 111/4Geboortegemak
Waarde
81Speenkalv
Waarde
104Vrugbaarheids-
waarde
112Onderhouds-
waarde
84Koeiwaarde
105Groei-
waarde
122Karkas-
waarde
119

Kalf en Moeder

Geb. Dir. 83

Spn. Dir. 111

Spn. Mat. 107

Skr. Omtr. 127

Vers Vrugb. 117

Koei Vrugb. 100

Lankl. 107

Na-Speen 113

GDT 125

VOV 111

Volw. Gewig 117

Hoogte 114

Lengte 113

OSO 117

Vet 97

Mar 100

Spn. Indeks 101

365D Indeks -

540D Indeks -

GDT Indeks 116

VOV Indeks -

Skrotum 371

LH 1.17

Miostatien

Q204X 0

NT821 0

F94L 0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 13


CC 240140
2024-09-12
SP

Parentage	Sire	Dam
DNA		
Genomic		

CRONCO AGRI



LAR 170340

CC 200159
AGE/CALV. 5/3
AVG. Wt/CALV. 114/2
ICP 392

CC 140610
AGE/CALV. 12/8
AVG. Wt/CALV. 99/8
ICP 356

LAR 140064 HH(c)

LAR 070214
AGE/CALV. 18/12
AVG. Wt/CALV. 99/12
ICP 372

IC 160621 HH(c)

LAR 090281
LAR 110039 HH(c)
AGE/CALV. 11/8
AVG. Wt/CALV. 107/8

LAR 030059
LAR 020230
AGE/CALV. 14/12
AVG. Wt/CALV. 98/11

CEF 120459 HH(c)
PHR 090093
AGE/CALV. 10/7
AVG. Wt/CALV. 106/7

Calving Ease Value 87	Weaner Calf Value 111	Fertility Value 99	Maintenance Value 85	Cow Value 108	Growth Value 106	Carcass Value 119
--	--	-------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	108	125	112	101	93	109	109	109	94	114	106	108	113	107	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
110	-	-	110	-	360	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 14


CC 240064
2024-08-22
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CRONCO AGRI



IC 210725

CC 210255
AGE/CALV. 5/2
AVG. Wt/CALV. 96/2
ICP 413

CC 180309
AGE/CALV. 3/1
AVG. Wt/CALV. 99/1
ICP -

IC 160499 HH(c)

VV 120288 HH(c)
AGE/CALV. 13/12
AVG. Wt/CALV. 100/10
ICP 385

LAR 170340

VV 070227
PHR 070001
AGE/CALV. 16/13
AVG. Wt/CALV. 106/12

VV 090089
VV 080375
AGE/CALV. 9/7
AVG. Wt/CALV. 104/7

LAR 140064 HH(c)
LAR 070214
AGE/CALV. 18/12
AVG. Wt/CALV. 99/12

CEW 110145
CC 150773
AGE/CALV. 8/5
AVG. Wt/CALV. 100/5

Calving Ease Value 111	Weaner Calf Value 102	Fertility Value 122	Maintenance Value 92	Cow Value 118	Growth Value 118	Carcass Value 117
---	--	--------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	98	112	116	129	102	116	103	127	110	107	94	96	109	127	127

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	131	-	356	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				39	265	-	1.23	342	0.98 1.47	-0.28 0.13	14.9 16.7	3.7 6.8	25 32	22 39	79 119	-37 -33	12.8 15.2	-3.0 -3	14.0 19	101	109	104	100	4.0	102
1	CC 230026	M	SP	39	239	-	1.20	332	1.04	-0.17	16.1	4.1	39.1	39.1	181	-52	10.2	6	26	95	109	96	99	3	100
2	CC 230096	M	SP	37	245	-	1.24	346	1.45	-0.28	16.4	4.8	32.5	13.8	108	-43	26	-11	12	96	102	122	99	11	118
3	CC 230090	M	SP	36	253	-	1.22	331	0.61	0.32	14.4	4.6	29.3	28.3	57	-4	5.2	-16	7	99	102	87	95	4	102
4	CC 230126	M	B	40	265	-	1.24	344	1.98	0.28	14.2	8.7	29.4	26.9	95	-14	9.3	-1	20	102	114	94	96	5	105
5	CC 230194	M	B	44	263	-	1.22	342	2.67	0.02	19.3	7.6	30.9	33.1	144	-36	15	-6	22	100	109	104	101	6	114
6	CC 230256	M	B	40	287	-	1.28	357	2.12	0.18	21.8	10.1	37.8	63.3	195	-46	18.6	-2	33	112	118	110	112	4	101
7	CC 230022	M	SP	33	243	-	1.26	342	0.04	0.38	18.4	1.0	32.2	41.2	88	-28	12.5	-7	21	100	106	99	99	3	103
8	CC 230062	M	SP	43	272	-	1.28	349	3.33	-0.11	20.7	7.5	38.2	49.4	81	-14	20.9	-3	17	102	98	114	91	3	89
9	CC 230154	M	SP	45	263	-	1.25	330	2.45	0.24	14.4	13.2	26.8	39.9	92	-30	15.2	7	22	99	94	104	98	5	104
10	CC 230066	M	SP	38	237	-	1.22	323	0.74	0.40	9.2	9.1	20.3	24.9	91	-30	11.1	-7	6	92	104	97	103	4	103
11	CC 240066	M	SP	36	285	-	1.22	305	-0.19	0.28	14.7	0.4	28.0	58.7	71	-25	-2	2	19	109	107	75	100	4	87
12	CC 240184	M	SP	43	287	-	1.17	371	2.72	0.08	20.8	5.9	41.0	47.5	173	-55	28.8	8	25	101	116	127	96	3	100
13	CC 240140	M	SP	38	289	-	1.23	360	1.95	0.26	19.3	11.4	37.0	43.2	112	-27	20.1	2	21	110	110	112	114	3	102
14	CC 240064	M	SP	32	276	-	1.20	356	-0.36	-0.02	14.0	7.5	31.5	32.1	182	-53	22.2	-8	10	102	131	116	96	2	96

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik