

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

VALLEY OF ART


Strydfontein, Aliwal Noord

05 August 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 14 July 2026



DROUGHTMASTER SA[®]



SA STAMBOEK
STUD BOOK





RULES FOR SALES HELD UNDER THE AUSPICES OF THE DROUGHTMASTER SA CATTLE BREEDER'S SOCIETY

1	INTRODUCTION	3
2	APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY	3
3	REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER	4
4	CATALOGUE	5
5	SCREENING	5
6	DUTIES OF THE AUCTIONEER	6
7	DISPERSAL SALES	7
8	COMMISSIONS and FEES	7
9	BUYERS	7
10	GENERAL RULES	8

1 INTRODUCTION

- 1.1 Members of the Society are encouraged to sell registered Droughtmaster SA animals under the auspices of the Society. This will ensure that:
 - 1.1.1 the Droughtmaster SA comply with the Society's minimum standards of purity and functionality,
 - 1.1.2 the Droughtmaster SA are of consistent quality and high standard,
 - 1.1.3 your clients are protected in that all animals on offer meet the breed standards,
 - 1.1.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.1.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.1.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.1.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.2 The Society will approve any production sale of registered Droughtmaster SA cattle provided that:
 - 1.2.1 Prior to the announcement of such sale, the seller must contact Society with the details of the sale.
 - 1.2.2 Both the Sellers and the Society will sign a written agreement
 - 1.2.3 The Seller adheres to the requirements detailed further in this document.
 - 1.2.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.2.4.1 renegotiate the requirements.
 - 1.2.4.2 withdraw permission that the sale be presented under the auspices of the Society.
 - 1.2.4.3 if warranted, suspend the membership of the relevant member.

2 APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY

- 2.1 All sellers must be fully paid-up members of the Droughtmaster SA Breeders' Society.
- 2.2 The Society and the appointed organiser will handle all communication pertaining to the sale. The organiser will be responsible for the communication with other sellers involved with the sale.
- 2.3 On approval of the application the Society office will furnish the organiser with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 All animals to be offered on sale must be present on the entry form, DNA information required must also be available if requested by the office. Office will not allow animals to be added to the entry form if outside the mentioned days.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organisers of both sales agree to such an arrangement.
- 2.8 Only in exceptional cases will more than one sale on the same day be permitted provided that it is held in different regions with different climatic conditions and with no conflicting interests of buyers. The organisers of both sales must agree to such an arrangement.
- 2.9 No other sale may be held three (3) weeks prior to the National sale.
- 2.10 Existing sales with history will be taken into consideration when sale dates are allocated by the Society.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER

3.1 Society and Legislative Requirements

- 3.1.1 All animals on offer must be registered with the Droughtmaster SA Cattle Breeders' Society, except calves at foot, whose birth must have been officially recorded. Such calves may not be older than eight months of age on the date of the sale. Potential sellers must therefore ensure that animals to be presented at a sale under the auspices of the Society are inspected well ahead of time – either at their annual inspection or arrange a special inspection.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No calf that has been notified as "not for registration" may be offered for sale.
- 3.1.5 **No female may be offered that is knowingly in calf to any bull other than a registered Droughtmaster SA bull.**
- 3.1.6 Embryos offered for sale must be:
 - 3.1.6.1 flushed from donor cows registered with the Society.
 - 3.1.6.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
 - 3.1.6.3 If an embryo flush is on offer clearly state who is responsible for which costs.
- 3.1.7 In the case of cows that have been embryo donors, a signed embryologist report confirming:
 - 3.1.7.1 the number of times the donor has been flushed.
 - 3.1.7.2 the number of embryos flushed.
 - 3.1.7.3 This report must be submitted at least 28 (twenty-eight) days prior to the date of sale.
 - 3.1.7.4 The donor cow will be omitted from the catalogue if this information is not submitted in time.
- 3.1.8 **All heifers must calf before 39 months of age. (excluding Promotion Sale – all females on this sale must be pregnant or with calf) Pregnant females must on the date of the sale be certified in calf by a registered veterinarian.**
- 3.1.9 **The minimum age for females entered is 15 (fifteen) months on the date of the sale.**
- 3.1.10
 - a) **The minimum age for bulls entered is 18 (eighteen) months on the date of the sale.**
 - b) **The maximum age for bulls entered at the Promotion Sale is 6 years.**
 - c) **All Droughtmaster SA bulls on sale must be de-horned.**
 - d) **Only F3 & SP Droughtmaster SA bulls are allowed on sale.**
- 3.1.11 A cow may be sold as a 3 in 1 (cow confirmed in calf with a calf at foot) on condition that she is confirmed in calf on the date of sale, complies with rule 3.1.3 and that the calf at foot is not older than 8 months.
- 3.1.12 If semen straws are retained by the seller of a bull, this must be declared by the seller as part of the information that appears in the sale catalogue.
- 3.1.13 When an animal that is jointly owned is offered for sale:
 - 3.1.13.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.13.2 The progeny of the said animal, as recorded, must be included in the catalogue.

3.2 Animal Health

- 3.2.1 **All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.**
- 3.2.2 **TB and CA tests on calves sold at foot with their Dams are not necessary.**
- 3.2.3 **If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.**

- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Bulls on offer must, within three months (90 days) preceding the date of sale:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, rectal examination, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA and TB.
 - 3.2.5.3 be run separately from females from the test date up to the date of the sale.
- 3.2.6 Only semen from AI bulls approved by the Society and registered with SA Stud Book and collected by a registered semen collector at a registered quarantine station, may be offered for sale. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The relevant health and pregnancy certificates must be submitted to the auctioneer prior to offloading the cattle at the sale. No animals will be allowed to be offloaded at the sale if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council, administered hormones/steroids to an animal which is regarded as unethical and a misrepresentation of such animal.
- 3.2.9 Must adhere to the rules of the Animal department for foot and mouth.

4 CATALOGUE

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
- 4.2 The seller must provide all the relevant information required on the entry form.
- 4.3 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organiser for approval. A period of 5 (five) working days will be granted to the organiser to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.4 Should any information provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening prior to screening of any such changes.
- 4.5 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.6 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.7 No changes to the catalogue can be made after the entry date has expired.

5 SCREENING

- 5.1 The purpose of the screening:
 - 5.1.1 is to verify the identification of the animals on offer.
 - 5.1.2 is to inspect them for functional faults and compliance with Society norms and minimum breed standards.
 - 5.1.3 is to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 Two inspectors, appointed by the Society, will screen all animals offered for sale of which at least one must be a senior inspector.
- 5.3 The inspectors officiating at a sale screening may not sell animals on that same sale.

- 5.4 Sale animals must be available for screening well in advance, preferably 2-4 weeks before the sale on the farm. The day before the sale, animals will only be screened for injuries or obvious faults that were missed during earlier inspections. Droughtmaster SA office will appoint two (2) inspectors for screening animals as sale worthy for the National sale and one (1) inspector for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the buyers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The auctioneer must present all Veterinary certificates at the screening to the inspectors.
- 5.9 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening, and the registration status of each of these animals will be immediately suspended. The findings of the inspectors will be final and no appeal inspection will be allowed at the auction venue. The appeal inspection will be carried out on a date to be agreed between the Society and the seller.
- 5.10 **An animal that fails the screening process may not be sold at that auction.**
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening will be available on the day of the sale to provide a marketing presence for the seller and the society, to act in an advisory capacity to buyers and ensure that the auction is conducted in compliance of the above rules.

6 DUTIES OF THE AUCTIONEER

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copy must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising and the words "Sale held under the auspices of the **Droughtmaster SA Cattle Breeders' Society**".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals in the catalogue may be sold.
- 6.5 No animals will be allowed to be offloaded at the sales venue if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide two (2) personnel to assist the inspectors with the screening of sale animals.
- 6.7 The auctioneer is responsible for submitting all the health, fertility and pregnancy certificates for each animal on sale to the Society inspectors prior to screening for verification. The auctioneers are then responsible for distributing all these certificates to the new owners after the sale.
- 6.8 The membership numbers of buyers that are registered Droughtmaster SA breeders must be obtained and included with the details of animals purchased by such buyers in the vendor role.
- 6.9 Before commencement of a sale under the auspices of the Society,
 - 6.9.1 the Auctioneer will explain the meaning thereof,
 - 6.9.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.9.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.9.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.10 The contracted Auctioneer is responsible for ensuring, that between his organisation and the sellers, adequate public liability insurance cover is in place for the auction.

7 DISPERSAL SALES

- 7.1 *A Breeder who is permanently discontinuing the business of breeding and farming with registered Droughtmaster SA will hold a dispersal sale in order to sell all his registered animals at a single sale to facilitate de-registration as an active breeder with the society.*
- 7.2 *All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:*
- 7.2.1 *If a breeder intends to hold the dispersal sale in two parts, that is the registered animals first and the younger animals later after they had been inspected and approved, he may in writing request Council to extend his membership for the agreed upon period.*
- 7.2.2 *It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.*
- 7.2.3 *One year after the first dispersal sale, the breeders' active membership of the Society and membership of SA Stud Book will be cancelled and all animals not sold will be transferred to a non-member number. Such person may remain as a non active ordinary member. After a lapse of five (5) years he may re-apply for active membership of the Society and SA Stud Book.*
- 7.2.4 All Droughtmaster SA registered with the Society (SP Reg.) on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the first dispersal sale. No registered animals may be sold out of hand between the date of application and the first dispersal sale.
- 7.2.5 All semen straws and embryos collected from Droughtmaster SA in 7.2.4 and in the breeder's, possession must be offered for sale.
- 7.2.6 **Droughtmaster SA animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organisation (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.**
- 7.2.7 **A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Stud Book cession form.**
- 7.2.8 The Society and SA Stud Book membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the non-active member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only re-apply for registered breeder membership upon the lapse of 5 (five) years.

8 COMMISSIONS and FEES

- 8.1 The Society will receive a commission (1% of the turnover), as fixed from time to time by the Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied. This commission will be deducted from the sellers by the auctioneering firm and paid to the Society.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Commission will be applicable on semen and embryo sales.
- 8.4 The commission of the breed advisor will be for the sellers account except for the Promotion Sale where the Society will be responsible.

9 BUYERS

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale he has three months to address the issue with the seller.

10 GENERAL RULES



- 10.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal.
- 10.2 All applications for other forms of sale (e.g., internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

The successful marketing of Droughtmaster SA stud animals is an important feature of our members' economic success. For this reason, all steps must be taken to ensure that the Droughtmaster SA we sell, meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the society.

Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)



SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS



Town, Province
078 737 2855
super_bull@webmail.com

8

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines						
				<80	<90	90-110	>110	>120		
Selection Values	1	Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2	Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3	Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4	Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5	Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7	Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8	Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9	Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10	Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11	Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12	Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13	Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21	Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14	Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16	Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17	Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18	Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19	Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20	Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22	Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23	Length	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25	Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26	Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27	Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 11 (M)



VOA 230033
VALLEY VOA230033

Herd Book	SP
Birth date	2023-10-21
Age	2y 9m
Inbreeding	0%
DNA	U19508U020

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOA 180007
VALLEY 18-0007VOA
Age 7y | AFC 35m | ICP 379d
Calves 5 | Weighed 5 | Wean Mat. 149
Avg. WI 108 | CCB - | CCW 51.7
Calvings: 21-08, 22-10, 23-10,
24-10, 25-10

DO 050021
05-0021DO
Wean Mat. 82

C 120062
12-0062C
Age 11y | AFC - | ICP (donor)
Calves 5 | Weighed 5 | Wean Mat. 113
Avg. WI 104 | CCB - | CCW 65.4

GRB 140030
GRASSFIELDS 14-0030GRB
Wean Mat. 127

VOA 150013
VALLEY 15-0013VOA
Age 10y | AFC 35m | ICP 369d
Calves 8 | Weighed 6 | Wean Mat. 147
Avg. WI 109 | CCB - | CCW 46.1

DO 022008
02-2008DO
DO 020056
02-0056DO-DONOR
Age 16y | Avg. WI 109
Calves 7 | Weighed 2
C 080386
CONSIDERATA08-0386C
DO 060073
06-0073DO
Age 17y | Avg. WI 94
Calves 9 | Weighed 8
VALLEY 10-0073FCK
VALLEY 10-0073FCK
GRB 120017
GRASSFIELDS 12-0017GRB
Age 13y | Avg. WI 97
Calves 1 | Weighed 1
FCK 120058
VALLEY 12-0058FCK
VOA 120037
VALLEY 12-0037VOA
Age 6y | Avg. WI 118
Calves 4 | Weighed 4

VALLEY AFRIKA CC



Burgersdorp, Eastern Cape
sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

COW VALUE	114
97	Calving Ease Value
87	Calf Growth Value
132	Milk Value
112	Maintenance Value
108	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	255kg 106 (27)	282kg 102 (18)	427kg 101 (15)	-	-	- (B2)	-



EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	88	87	132	-	108	95	113
68%	56%	68%	58%		31%	20%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	-	-	87	-	-	-	-	-
64%			42%					



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Scurs. Skrotum: 38cm. Vrugaarheid: 4

LOT 12 (M)



VOA 230052
VALLEY VOA230052

Herd Book	SP
Birth date	2023-11-04
Age	2y 9m
Inbreeding	0%
DNA	U19508U031

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOA 200028
VALLEY 20-0028VOA
Wean Mat. 93
VOA 190032
VALLEY 19-0032VOA
Age 6y | AFC 35m | ICP 381d
Calves 4 | Weighed 4 | Wean Mat. 80
Avg. WI 99 | CCB - | CCW 51.9
Calvings: 22-09, 23-11, 24-10,
25-11

VOA150165
BAR V 15-0165
Wean Mat. 98

VOA 150022
VALLEY 15-0022VOA
Age 10y | AFC 28m | ICP 404d
Calves 8 | Weighed 7 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW 42.5

VOA130058
BAR V 13-0058VOA
Wean Mat. 68

VOA 140011
VALLEY 14-0011VOA
Age 11y | AFC - | ICP 369d
Calves 8 | Weighed 6 | Wean Mat. 95
Avg. WI 101 | CCB - | CCW 51.2

CASHMERE LEEROY (P)
CASHMERE LEEROY (P) D3
FXF 110485
BAR V 11-0485FXF
Age 11y | Avg. WI 103
Calves 8 | Weighed 6
FCK 120074
VALLEY 12-0009FCK
VOA 070006
VALLEY 07-0006VOA
Age 11y | Avg. WI 97
Calves 9 | Weighed 4
C 080469
CONSIDERATA08-0469C
C 080429
08-0429CDONOR COW
Age 14y | Avg. WI 99
Calves 9 | Weighed 7
FCK 110070
VALLEY 11-0070FCK

VALLEY AFRIKA CC




Burgersdorp, Eastern Cape
sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

COW VALUE	106
91	Calving Ease Value
124	Calf Growth Value
83	Milk Value
79	Maintenance Value
114	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	263kg 109 (27)	254kg 94 (18)	417kg 101 (15)	-	-	- (B2)	-



EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	103	124	83	-	118	92	108
64%	46%	63%	47%		19%	11%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	-	-	123	-	-	-	-	-
60%			30%					



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Scurs. Skrotum: 42cm. Vrugaarheid: 5

LOT 13 (M)

VOA 230036
VALLEY VOA230036

Kuddeboek	SP
Geb. dtm	2023-10-19
Oud.	2j 10m
Inteling	0%
DNS	U19508U022



VALLEY AFRIKA CC

Burgersdorp, Eastern Cape
sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VOA 200035
VALLEY 20-0035VOA
Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VOA 190043
VALLEY 19-0043VOA
Oud. 4j | OEK 34m | TKP 398d
Kalwers 2 | Geweeg 2 | Spn. Mat. 67
Gem. SI 97 | KKG - | KKS 62.8
Kalwings: 22-09, 23-10VOVA150165
BAR V 15-0165
Spn Mat. 98VOA 140039
VALLEY 14-0039VOA
Oud. 10j | OEK 35m | TKP 375d
Kalwers 7 | Geweeg 6 | Spn. Mat. 127
Gem. SI 108 | KKG - | KKS 51VOVA130058
BAR V 13-0058VOA
Spn Mat. 68
FCK 090088 HH
VALLEY 09-0088FCK
Oud. 16j | OEK - | TKP (donor)
Kalwers 12 | Geweeg 10 | Spn. Mat. 122
Gem. SI 103 | KKG - | KKS 41.4CASHMERE LEEROY (P)
CASHMERE LEEROY (P) D3

FXF 110485
BAR V 11-0485FXF
Oud. 11j | Gem. SI 103
Kalwers 8 | Geweeg 6

FCK 110049
VALLEY 11-0049FCK

VOA 100043
VALLEY 10-0043VOA
Oud. 9j | Gem. SI 101
Kalwers 7 | Geweeg 6

C 080469
CONSIDERATA08-0469C

C 080429
08-0429CDONOR COW
Oud. 14j | Gem. SI 99
Kalwers 9 | Geweeg 7

FXF 050478
4 X 4 FXF 05 0478

FCK 030037
IVUKILE 03 037
Oud. 10j | Gem. SI 105
Kalwers 6 | Geweeg 5

KOEIWAARDE 89

65	Kalfgemak Waarde
125	Kalfgroei Waarde
91	Melk Waarde
79	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
33kg	226kg 92 (27)	265kg 99 (18)	436kg 106 (15)	-	-	- (B2)	-



EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
68	115	125	91	-	115	85	96
62%	42%	61%	43%		19%	12%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	-	-	122	-	-	-	-	-
57%			22%					

VERKOPER OPMERKINGS: Scurs. Skrotum: 36cm. Vrugbaarheid: 4

LOT 19 (M)

VOA 220044
VALLEY 22-0044VOA

Kuddeboek	SP
Geb. dtm	2022-10-08
Oud.	3j 10m
Inteling	1%
DNS	U13752U031



VALLEY AFRIKA CC

Burgersdorp, Eastern Cape
sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744



Miostation	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

VOA 190019
VALLEY 19-0019VOA
Spn Mat. 69

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

VOA 190031
VALLEY 19-0031VOA
Oud. 6j | OEK 35m | TKP 378d
Kalwers 4 | Geweeg 4 | Spn. Mat. 135
Gem. SI 104 | KKG - | KKS 54.5
Kalwings: 22-10, 23-11, 24-10, 25-11VOVA130058
BAR V 13-0058VOA
Spn Mat. 68VOA 150061
VALLEY 15-0061VOA
Oud. 5j | OEK 27m | TKP 499d
Kalwers 3 | Geweeg 1 | Spn. Mat. 73
Gem. SI 48 | KKG - | KKS -VOVA160021
BAR V 16-0021
Spn Mat. 120
VOA 150019
VALLEY 15-0019VOA
Oud. 10j | OEK 34m | TKP 371d
Kalwers 8 | Geweeg 7 | Spn. Mat. 138
Gem. SI 107 | KKG - | KKS 54C 080469
CONSIDERATA08-0469C

C 080429
08-0429CDONOR COW
Oud. 14j | Gem. SI 99
Kalwers 9 | Geweeg 7

FCK 090006
VALLEY 09-0006FCK

VOAH050245
VALLEY 05-0245VOAH
Oud. 11j | Gem. SI 82
Kalwers 3 | Geweeg 2

DO 050021
05-0021DO

C 120062
12-0062C
Oud. 11j | Gem. SI 104
Kalwers 5 | Geweeg 5

FCK 120058
VALLEY 12-0058FCK

VOA 120026
VALLEY 12-0026VOA
Oud. 7j | Gem. SI 109
Kalwers 5 | Geweeg 5

KOEIWAARDE 96

85	Kalfgemak Waarde
109	Kalfgroei Waarde
100	Melk Waarde
83	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	275kg 108 (10)	284kg 102 (12)	414kg 109 (3)	-	-	- (B2)	-



EBV Analise 2026-06-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	104	109	100	-	107	97	104
65%	47%	63%	47%		28%	15%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	-	-	117	-	-	-	-	-
58%			32%					

VERKOPER OPMERKINGS: Skrotum: 42cm. Vrugbaarheid: 4

LOT 20 (M)



VOA 230028
VALLEY VOA230028

Herd Book	F3
Birth date	2023-10-23
Age	2y 9m
Inbreeding	0%
DNA	U19508U016

VOVA160021
BAR V 16-0021
Wean Mat. 120

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOA 160006
VALLEY 16-0006VOA
Age 9y | AFC 25m | ICP 368d
Calves 8 | Weighed 8 | Wean Mat. 108
Avg. WI 98 | CCB - | CCW 48.8
Calvings: 18-10, 19-11, 20-10, 21-10, 22-10, 23-10, 24-10, 25-10

DO 050021
05-0021DO
Wean Mat. 82

C 120062
12-0062C
Age 11y | AFC - | ICP (donor)
Calves 5 | Weighed 5 | Wean Mat. 113
Avg. WI 104 | CCB - | CCW 65.4

FCK 120058
VALLEY 12-0058FCK
Wean Mat. 111

VOA 130049
VALLEY 13-0049VOA
Age 6y | AFC - | ICP 374d
Calves 4 | Weighed 4 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW -

DO 022008
02-2008DO
DO 020056
02-0056DO-DONOR
Age 16y | Avg. WI 109
Calves 7 | Weighed 2
C 080386
CONSIDERATA08-0386C
DO 060073
06-0073DO
Age 17y | Avg. WI 94
Calves 9 | Weighed 8
VOA 060043
VALLEY 06-0043VOA
Age 10y | Avg. WI 94
Calves 5 | Weighed 4

VALLEY AFRIKA CC



Burgersdorp, Eastern Cape
sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

COW VALUE 94

99	Calving Ease Value
83	Calf Growth Value
116	Milk Value
112	Maintenance Value
96	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	227kg 90 (27)	268kg 94 (18)	409kg 95 (15)	-	-	- (B2)	-



EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	85	83	116	-	97	81	109
68%	58%	69%	60%		30%	20%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	-	-	89	-	-	-	-	-
64%			37%					



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Scurs. Skrotum: 43cm. Vrugbaarheid: 5

LOT 21 (M)



VOA 230053
VALLEY VOA230053

Herd Book	SP
Birth date	2023-11-03
Age	2y 9m
Inbreeding	0%
DNA	U19508U032

VOA 200028
VALLEY 20-0028VOA
Wean Mat. 93

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOA 190031
VALLEY 19-0031VOA
Age 6y | AFC 35m | ICP 378d
Calves 4 | Weighed 4 | Wean Mat. 135
Avg. WI 104 | CCB - | CCW 54.5
Calvings: 22-10, 23-11, 24-10, 25-11

VOVA150165
BAR V 15-0165
Wean Mat. 98

VOA 150022
VALLEY 15-0022VOA
Age 10y | AFC 28m | ICP 404d
Calves 8 | Weighed 7 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW 42.5

VOVA160021
BAR V 16-0021
Wean Mat. 120

VOA 150019
VALLEY 15-0019VOA
Age 10y | AFC 34m | ICP 371d
Calves 8 | Weighed 7 | Wean Mat. 138
Avg. WI 107 | CCB - | CCW 54

CASHMERE LEEROY (P)
CASHMERE LEEROY (P) D3
FXF 110485
BAR V 11-0485FXF
Age 11y | Avg. WI 103
Calves 8 | Weighed 6
FCK 120074
VALLEY 12-0009FCK
VOA 070006
VALLEY 07-0006VOA
Age 11y | Avg. WI 97
Calves 9 | Weighed 4
DO 050021
05-0021DO
C 120062
12-0062C
Age 11y | Avg. WI 104
Calves 5 | Weighed 5
FCK 120058
VALLEY 12-0058FCK
VOA 120026
VALLEY 12-0026VOA
Age 7y | Avg. WI 109
Calves 5 | Weighed 5

VALLEY AFRIKA CC



Burgersdorp, Eastern Cape
sanart@nokwi.co.za

BUS 438, BURGERSDORP, 9744

COW VALUE 109

97	Calving Ease Value
102	Calf Growth Value
114	Milk Value
77	Maintenance Value
107	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	267kg 109 (27)	286kg 105 (18)	421kg 101 (15)	-	-	- (B2)	-



EBV Analysis 2026-06-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	92	102	114	-	110	90	109
64%	46%	64%	48%		17%	10%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	-	-	122	-	-	-	-	-
61%			30%					



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Scurs. Skrotum: 36cm. Vrugbaarheid: 4

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										-0.03	-0.09	2.0	-1.1	2					-	-						
Auction Average				36	252	-	56.8	-	-	0.74	-0.00	4.3	0.8	4	8	-	-	-	-	-	102	-	-	102	4.0	106
11	VOA 230033	M	SP	33	255	-	51.5	-	-	0.02	0.38	-3.6	8.5	-5.4	-11.2	0	0		0	0	106	-	-	108	5	106
12	VOA 230052	M	SP	34	263	-	48	-	-	0.72	-0.20	12.6	-6.1	11.6	18.4	0	0		0	0	109	-	-	99	4	105
13	VOA 230036	M	SP	33	226	-	44.3	-	-	2.69	-0.70	13.2	-3.8	15.8	17.9	0	0		0	0	92	-	-	97	2	100
19	VOA 220044	M	SP	37	275	-	100	-	-	1.11	-0.24	6.0	-1.1	7.0	13.3	0	0		0	0	108	-	-	104	4	104
20	VOA 230028	M	F3	38	227	-	46.4	-	-	-0.16	0.52	-5.4	3.8	-6.7	-9.5	0	0		0	0	90	-	-	98	8	118
21	VOA 230053	M	SP	39	267	-	50.5	-	-	0.08	0.23	3.0	3.2	1.5	17.9	0	0		0	0	109	-	-	104	4	104

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik