

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

ALS BEEFMASTERS

INGOGO
15 July 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 13 July 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

V-PLAN 14

6

7

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

Parentage Sire Dam

DNA	X	✓
Genomic	X	✓

SB 140007

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001

Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10,
20-03, 21-03, 22-04, 23-04

SUPERBULL BREEDERS

Town, Province
 078 737 2855
 super_bull@webmail.com

13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES


Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M) **BEEFMASTER ALS 230134**



BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944

Herd Book	B
Birth date	2023-06-18
Age	3y 1m
Inbreeding	0%
DNA	U21583U003

MULTIPLE SIRES
Wean Mat. -

Parentage	Sire	Dam
DNA		
Genomic		

MULTIPLE SIRES
Wean Mat. -

ALS 200522
Age 5y | AFC 34m | ICP 485d
Calves 2 | Weaned 2 | Wean Mat. 126
Avg. WI 97 | CCB - | CCW -
Calvings: 23-06, 24-10

ALS 150485
Age 7y | AFC - | ICP 413d
Calves 4 | Weaned 3 | Wean Mat. 135
Avg. WI 107 | CCB - | CCW 109

COW VALUE -

111	Calving Ease Value
85	Calf Growth Value
111	Milk Value
117	Maintenance Value
-	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

IDTrax
EBV Analysis 2026-06-26

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	97	85	111	105	80	-	85
53%	28%	27%	23%	68%	23%		27%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	90	-	84	104	101	-	-	-
36%	56%		8%	70%	66%			



Myostatin	
Q204X	Not Tested
NT821	Free
F94L	Not Tested

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
25kg	234kg 100 (1)	325kg 100 (3)	444kg 105 (3)	713g/d 93 (10)	-	383mm (D2)	1.24

SELLER REMARKS:

LOT 2 (M) **BEEFMASTER ALS 230004**



BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944

Herd Book	B
Birth date	2023-05-08
Age	3y 2m
Inbreeding	0%
DNA	U21583U001

MULTIPLE SIRES
Wean Mat. -

Parentage	Sire	Dam
DNA		
Genomic		

MULTIPLE SIRES
Wean Mat. -

ALS 200477
Age 5y | AFC 32m | ICP 415d
Calves 2 | Weaned 2 | Wean Mat. 119
Avg. WI 112 | CCB - | CCW 67.6
Calvings: 23-05, 24-06

ALS 160025
Age 4y | AFC 33m | ICP 462d
Calves 2 | Weaned 2 | Wean Mat. 100
Avg. WI 111 | CCB - | CCW 58.5

FXF 060520

ALS 130438
Age 6y | Avg. WI 103
Calves 2 | Weaned 2

COW VALUE 96

109	Calving Ease Value
95	Calf Growth Value
107	Milk Value
109	Maintenance Value
84	Fertility Value

GROWTH VALUE 77

CARCASS VALUE -

PRODUCTION VALUE 87

IDTrax
EBV Analysis 2026-06-26

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	91	95	107	79	88	91	87
53%	29%	52%	30%	68%	26%	13%	28%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	93	-	92	82	84	-	-	-
38%	56%		20%	70%	66%			



Myostatin	
Q204X	Not Tested
NT821	Free
F94L	Not Tested

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
24kg	247kg 107 (5)	315kg 98 (3)	389kg 93 (3)	744g/d 97 (10)	-	345mm (D2)	1.22

SELLER REMARKS:

LOT 3 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

ALS 230342



BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944

Kuddeboek	C
Geb. dtm	2023-07-29
Oud.	2j 12m
Inteling	0%
DNS	U26793U011

MS 190080 PcH
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ALS 190302
Oud. 6j | OEK 35m | TKP 405d
Kalwers 4 | Gespeen 3 | Spn. Mat. 102
Gem. SI 97 | KKG - | KKS 48
Kalwings: 22-07, 23-07, 24-10, 25-11

MS 130191 HH
Spn Mat. 66

MS 160094
Oud. 9j | OEK 34m | TKP 369d
Kalwers 6 | Gespeen 6 | Spn. Mat. 94
Gem. SI 97 | KKG - | KKS -

MULTIPLE SIRES
Spn Mat. -

ALS 140268
Oud. 10j | OEK - | TKP 504d
Kalwers 6 | Gespeen 5 | Spn. Mat. 87
Gem. SI 103 | KKG - | KKS 41.6

WO 080479 HH
MS 080251
Oud. 15j | Gem. SI 102
Kalwers 8 | Gespeen 7

WO 130069

MS 110841
Oud. 13j | Gem. SI 102
Kalwers 8 | Gespeen 8

KOEIWAARDE	83
112	Kalfgemak Waarde
79	Kalfgroei Waarde
104	Melk Waarde
116	Onderhoudswaarde
80	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

IDTrax

EBV Analyse 2026-06-26

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	101	79	104	84	83	90	82
54%	32%	52%	33%	8%	24%	13%	25%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
77	75	-	86	89	80	-	-	-
26%	7%		32%	8%	8%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
28kg	264kg 100 (7)	224kg 89 (7)	-	-	-	- (B1)	-



Miostatien	
Q204X	Nie Getoets
NT821	Draer
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 4 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

SPB 220016



BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944

Kuddeboek	SP
Geb. dtm	2022-08-20
Oud.	3j 11m
Inteling	2%
DNS	U11090U014

SPB 180031 HH
Spn Mat. 51

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

SPB 200018
Oud. 5j | OEK 24m | TKP 579d
Kalwers 3 | Gespeen 2 | Spn. Mat. 130
Gem. SI 113 | KKG 6.89 | KKS 62
Kalwings: 22-08, 24-09, 25-10

SPB 130281
Spn Mat. 52

SPB 140082
Oud. 11j | OEK 24m | TKP 408d
Kalwers 9 | Gespeen 8 | Spn. Mat. 120
Gem. SI 106 | KKG 6.29 | KKS 42.8

SPB 170103
Spn Mat. 125

SPB 160048
Oud. 8j | OEK 22m | TKP 386d
Kalwers 7 | Gespeen 6 | Spn. Mat. 101
Gem. SI 94 | KKG 6.12 | KKS 44.4

BA 090074

SPB 080100
Oud. 16j | Gem. SI 103
Kalwers 12 | Gespeen 9

MAJ 070622

SPB 110202
Oud. 5j | Gem. SI 106
Kalwers 3 | Gespeen 3

SPB 140127

SPB 080176
Oud. 13j | Gem. SI 103
Kalwers 11 | Gespeen 9

BA 090221

SPB 140120
Oud. 2j | Gem. SI 95
Kalwers 1 | Gespeen 1

KOEIWAARDE	117
121	Kalfgemak Waarde
112	Kalfgroei Waarde
85	Melk Waarde
108	Onderhoudswaarde
103	Vrugbaarheidswaarde
GROEI WAARDE	121
KARKAS WAARDE	123
PRODUKSIE WAARDE	116

IDTrax

EBV Analyse 2026-06-26

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	115	112	85	136	109	85	114
77%	56%	75%	53%	81%	45%	26%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
113	133	132	93	111	118	123	102	103
56%	78%	6%	44%	85%	83%	6%	6%	6%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	315kg 108 (18)	-	-	1057g/d 120 (18)	-	379mm (D1)	1.25



Miostatien	
Q204X	Nie Getoets
NT821	Skoon
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 5 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

ALS 230211



Herd Book	B
Birth date	2023-07-02
Age	3y
Inbreeding	%
DNA	U26710U010

MS 190080 PcH
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	
Genomic		

ALS 161092
Age 9y | AFC - | ICP 411d
Calves 3 | Weaned 1 | Wean Mat. -
Avg. WI 97 | CCB - | CCW -
Calvings: 23-07, 24-07, 25-09

MS 130191 HH
Wean Mat. 66

WO 080479 HH
MS 080251
Age 15y | Avg. WI 102
Calves 8 | Weaned 7

WO 130069

MS 110841
Age 13y | Avg. WI 102
Calves 8 | Weaned 8

MS 160094
Age 9y | AFC 34m | ICP 369d
Calves 6 | Weaned 6 | Wean Mat. 94
Avg. WI 97 | CCB - | CCW -

BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944



Myostatin	
Q204X	Not Tested
NT821	Free
F94L	Not Tested

COW VALUE	
-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value
GROWTH VALUE	
-	
CARCASS VALUE	
-	
PRODUCTION VALUE	
-	

IDTrax
EBV Analysis

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	266kg 97 (8)	347kg 98 (7)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 6 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

ALS 230350



Herd Book	B
Birth date	2023-07-31
Age	2y 12m
Inbreeding	%
DNA	U26710U016

MS 190080 PcH
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	
Genomic		

ALS 180802
Age 7y | AFC - | ICP 383d
Calves 3 | Weaned 2 | Wean Mat. -
Avg. WI 122 | CCB - | CCW 48.5
Calvings: 23-07, 24-08, 25-09

MS 130191 HH
Wean Mat. 66

WO 080479 HH
MS 080251
Age 15y | Avg. WI 102
Calves 8 | Weaned 7

WO 130069

MS 110841
Age 13y | Avg. WI 102
Calves 8 | Weaned 8

MS 160094
Age 9y | AFC 34m | ICP 369d
Calves 6 | Weaned 6 | Wean Mat. 94
Avg. WI 97 | CCB - | CCW -

BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944



Myostatin	
Q204X	Not Tested
NT821	Free
F94L	Not Tested

COW VALUE	
-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value
GROWTH VALUE	
-	
CARCASS VALUE	
-	
PRODUCTION VALUE	
-	

IDTrax
EBV Analysis

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	331kg 125 (8)	357kg 104 (7)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 7 (M) **BEEFMASTER ALS 230387**



Kuddeboek	B
Geb. dtm	2023-08-05
Oud.	2j 11m
Inteling	%
DNS	U24181U017

WO 170328 HH
Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

ALS 181160
Oud. 8j | OEK - | TKP 381d
Kalwers 3 | Gespeen 2 | Spn. Mat. -
Gem. SI 101 | KKG - | KKS 46.6
Kalwings: 23-08, 24-08, 25-09

WO 090427
Spn Mat. 132

WO 100523
Oud. 11j | OEK 23m | TKP 368d
Kalwers 10 | Gespeen 10 | Spn. Mat. 103
Gem. SI 97 | KKG - | KKS 46

WO 040069

WO 050215
Oud. 5j | Gem. SI 109
Kalwers 2 | Gespeen 2

MULTIPLE SIRES

WO 030142
Oud. 13j | Gem. SI 103
Kalwers 12 | Gespeen 9

BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerriitj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944

KOEIWAARDE	-
Kalfgemak Waarde	
Kalfgroei Waarde	
Melk Waarde	
Onderhoudswaarde	
Vrugbaarheidswaarde	
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

Trax
EBV Analyse

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	319kg 120 (8)	343kg 97 (7)	-	-	-	- (B1)	-



Miostatien	
Q204X	Nie Getoets
NT821	Skoon
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 8 (M) **BEEFMASTER ALS 230154**



Kuddeboek	B
Geb. dtm	2023-06-23
Oud.	3j 1m
Inteling	%
DNS	U26710U005

MS 190080 PcH
Spn Mat. 75

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

ALS 191140
Oud. 7j | OEK - | TKP 380d
Kalwers 3 | Gespeen 1 | Spn. Mat. -
Gem. SI 100 | KKG - | KKS -
Kalwings: 23-06, 24-07, 25-07

MS 130191 HH
Spn Mat. 66

MS 160094
Oud. 9j | OEK 34m | TKP 369d
Kalwers 6 | Gespeen 6 | Spn. Mat. 94
Gem. SI 97 | KKG - | KKS -

WO 080479 HH

MS 080251
Oud. 15j | Gem. SI 102
Kalwers 8 | Gespeen 7

WO 130069

MS 110841
Oud. 13j | Gem. SI 102
Kalwers 8 | Gespeen 8

BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerriitj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944

KOEIWAARDE	-
Kalfgemak Waarde	
Kalfgroei Waarde	
Melk Waarde	
Onderhoudswaarde	
Vrugbaarheidswaarde	
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

Trax
EBV Analyse

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	271kg 100 (8)	351kg 103 (7)	-	-	-	- (B1)	-



Miostatien	
Q204X	Nie Getoets
NT821	Draer
F94L	Nie Getoets

VERKOPER OPMERKINGS:

LOT 9 (M) BEEFMASTER ALS 230284



Herd Book	B
Birth date	2023-07-14
Age	3y
Inbreeding	%
DNA	U26710U012

MS 190080 Pch
Wean Mat. 75

Parentage	Sire	Dam
DNA	✓	
Genomic		

ALS 170829
Age 8y | AFC - | ICP 359d
Calves 3 | Weaned 1 | Wean Mat. -
Avg. WI 92 | CCB - | CCW -
Calvings: 23-07, 24-07, 25-06

MS 130191 HH
Wean Mat. 66

MS 160094
Age 9y | AFC 34m | ICP 369d
Calves 6 | Weaned 6 | Wean Mat. 94
Avg. WI 97 | CCB - | CCW -

WO 080479 HH
MS 080251
Age 15y | Avg. WI 102
Calves 8 | Weaned 7

WO 130069

MS 110841
Age 13y | Avg. WI 102
Calves 8 | Weaned 8

BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerriit@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944



Myostatin	
Q204X	Not Tested
NT821	Free
F94L	Not Tested

COW VALUE	
-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value
GROWTH VALUE	
-	
CARCASS VALUE	
-	
PRODUCTION VALUE	
-	

Trax
EBV Analysis

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	253kg 92 (8)	349kg 99 (7)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 10 (M) BEEFMASTER ALS 230143



Herd Book	B
Birth date	2023-06-21
Age	3y 1m
Inbreeding	%
DNA	U26710U004

WO 170328 HH
Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	
Genomic		

ALS 190058
Age 7y | AFC - | ICP 383d
Calves 3 | Weaned 1 | Wean Mat. -
Avg. WI 89 | CCB - | CCW -
Calvings: 23-06, 24-07, 25-07

WO 090427
Wean Mat. 132

WO 100523
Age 11y | AFC 23m | ICP 368d
Calves 10 | Weaned 10 | Wean Mat. 103
Avg. WI 97 | CCB - | CCW 46

WO 040069

WO 050215
Age 5y | Avg. WI 109
Calves 2 | Weaned 2

MULTIPLE SIRES

WO 030142
Age 13y | Avg. WI 103
Calves 12 | Weaned 9

BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerriit@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INGOGO, 2944



Myostatin	
Q204X	Not Tested
NT821	Free
F94L	Not Tested

COW VALUE	
-	Calving Ease Value
-	Calf Growth Value
-	Milk Value
-	Maintenance Value
-	Fertility Value
GROWTH VALUE	
-	
CARCASS VALUE	
-	
PRODUCTION VALUE	
-	

Trax
EBV Analysis

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
-	-	-	-	-	-	-	-

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
-	-	-	-	-	-	-	-	-

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	246kg 89 (8)	338kg 98 (7)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 11 (M) **BEEFMASTER ALS 230052**



BERGSTROOM BOERDERY

Newcastle, Kwazulu Natal
0728775635
gerritj@alsgroup.co.za

T/A ALS BEEFMASTERS, POS-
BUS 46, INOGO, 2944



Miostatien	
Q204X	Nie Getoets
NT821	Skoon
F94L	Nie Getoets

Kuddeboek	B
Geb. dtm	2023-05-24
Oud.	3j 2m
Inteling	%
DNS	U26793U005

BA 160573 HH
Spn Mat. 97

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

ALS 200103
Oud. 6j | OEK - | TKP 442d
Kalwers 3 | Gespeen 2 | Spn. Mat. -
Gem. SI 97 | KKG - | KKS 49
Kalwings: 23-05, 24-08, 25-10

BA 130486
Spn Mat. 82

BA 133033
Oud. 5j | OEK 24m | TKP 341d
Kalwers 3 | Gespeen 2 | Spn. Mat. 131
Gem. SI 113 | KKG - | KKS 56.8

WO 040262

BA 110565
Oud. 12j | Gem. SI 98
Kalwers 10 | Gespeen 7

MULTIPLE SIRES

BA 110051
Oud. 7j | Gem. SI 107
Kalwers 6 | Gespeen 5

KOEIWAARDE	-
Kalfgemak Waarde	-
Kalfgroei Waarde	-
Melk Waarde	-
Onderhoudswaarde	-
Vrugbaarheidswaarde	-

GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-



Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
-	-	-	-	-	-	-	-

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
-	-	-	-	-	-	-	-	-

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	257kg 94 (8)	338kg 100 (7)	-	-	-	- (BI)	-

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.06	12.1	-1.6	19	7	71	-40	10.7	1.0	13.0						
Auction Average				28	273	8.75	57.5	1.24	373	-0.22	-0.04	2.9	-0.4	5	-2	64	-74	11.3	-0	9	103	103	101	102	3.0	104
1	ALS 230134	M	B	25	234	-	-	1.24	380	-0.53	0.05	3.5	1.5	8.5	-11.0	35	0	13.5	4	14	100	93	105	97	2	86
2	ALS 230004	M	B	24	247	-	-	1.22	350	-0.55	0.30	9.2	0.3	15.8	-2.0	46	0	-9	-9	-2	107	97	79	112	2	85
3	ALS 230342	M	C	28	264	-	48	-	-	-0.52	-0.11	0.2	-0.4	1.3	-9.3	-18	0	1.6	-5	-6	100	-	84	97	4	102
4	SPB 220016	M	SP	35	315	8.75	67.7	1.25	390	-0.78	-0.65	18.9	-5.6	32.4	-0.6	191	-74	30.9	8	30	108	120	136	113	3	99
5	ALS 230211	M	B	-	266	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	97	-	-	97	3	106
6	ALS 230350	M	B	-	331	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	125	-	-	122	3	112
7	ALS 230387	M	B	-	319	-	56.8	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	120	-	-	101	3	112
8	ALS 230154	M	B	-	271	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	100	-	-	100	3	113
9	ALS 230284	M	B	-	253	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	92	-	-	92	3	116
10	ALS 230143	M	B	-	246	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	89	-	-	89	3	112
11	ALS 230052	M	B	-	257	-	-	-	-	0.00	0.00	0.0	0.0	0.0	0.0	0	0		0	0	94	-	-	97	3	99

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik