

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

# KURUMAN BUL

Veilingsdatum / Auction Date:  
**07 August 2026**

Data soos op / Data as on:  
**30 July 2026**



## SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

### The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



## VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

### Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



## ANIMAL AND PEDIGREE INFORMATION

**LOT 1**
**1**

**THE RED CATTLE FARM**
**2**

3

**ABC 150029**
**4**

2015-02-03
**5**

SP
**6**

Parentage Sire Dam

DNA

✓

Genomic

✓

**DEF 100066 P**

**DEF 050022**
**7**

**GHI 070076 HH(c)**
**8**

AGE/CALV. 14/10  
AVG. Wt/CALV. 92/10  
ICP 395

**JKL 000077 P**

**ABC 080011**

AGE/CALV. 13/9  
AVG. Wt/CALV. 105/9  
ICP 417

**MNO 030002**
**12**

AGE/CALV. 19/10  
AVG. Wt/CALV. 109/10  
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on [www.SABeefBulls.com](http://www.SABeefBulls.com) where all information for the animal is available.
- Dam information
  - Age and Number of Calvings
  - Average Wean Index and Number of Calves Weaned
  - Intercalving Period


## MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

## LOGIX SELECTION VALUES

| Calving Ease Value | Weaner Calf Value | Fertility Value | Maintenance Value | Cow Value | Growth Value | Carcass Value |
|--------------------|-------------------|-----------------|-------------------|-----------|--------------|---------------|
| 109                | 98                | 111             | 99                | 101       | 98           | 103           |
| 1                  | 2                 | 3               | 4                 | 5         | 6            | 7             |



### 2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight  
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



### 6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits  
EBVs: Weaning weight, End weight, ADG and Intake



### 7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits  
EBVs: End weight, Eye Muscle Area and Fat

**5 ♀ GIX Cow Value**  
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value  
Calf Growth Value  
3 Fertility Value  
Milk Value  
4 Maintenance Value  
EBVs Birth Direct & Maternal  
EBV Wean Direct  
EBVs Cow & Heifer Fertility,  
EBV Longevity  
EBV Wean Maternal  
EBVs Mature weight & Milk

## HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

### AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
  - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


### GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
  - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

### LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
  - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

## INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



## EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

| Traits           |                  |                         |                                                    | Description/Measurement                                                                       | Goal                      | General Guidelines |     |        |      |        |        |
|------------------|------------------|-------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------|--------------------|-----|--------|------|--------|--------|
|                  |                  |                         |                                                    |                                                                                               |                           | <80                | <90 | 90-110 | >110 | >120   |        |
| Selection Values | 5                | Cow Value               | CV                                                 | Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value) | Profitable Cow            | Loss               |     |        |      |        | Profit |
|                  | 1                | Calving Ease Value      | CEV                                                | Risk for calving problems (calf too heavy) vs calf too small                                  | Average birth weight      | High               |     |        |      |        | Low    |
|                  |                  | Calf Growth Value       | CGrV                                               | Calf's genetic ability for pre-weaning growth                                                 | Heavy weaner calf         | Light              |     |        |      |        | Heavy  |
|                  |                  | Milk Value              | MlkV                                               | Cow's genetic mothering and milking ability                                                   | Enough milk for the calf  | Less               |     |        |      |        | More   |
|                  | 4                | Maintenance Value       | MntV                                               | Maintenance requirements of cow (cow weight and milk)                                         | Low cow maintenance       | High               |     |        |      | *      | Low    |
|                  | 3                | Fertility Value         | FertV                                              | Fertility and retention of cows and heifers                                                   | Fertile cows              | Low                |     |        |      |        | High   |
|                  | 2                | Weaner Calf Value       | WnCV                                               | Combination of calf's weight and cow's milk                                                   | Heavy weaner calves       | Light              |     |        |      |        | Heavy  |
|                  | 6                | Growth Value            | GV                                                 | Efficient growth on veld and in feedlot (Rand-value)                                          | Profitable growth         | Loss               |     |        |      |        | Profit |
|                  | 7                | Carcass Value           | VarcV                                              | Meat on carcass (Weight and RTU EBVs)                                                         | More meat on the carcass  | Less               |     |        |      |        | More   |
|                  | Production Value | PV                      | Combination of Cow- and Growth values (Rand-value) | Profitable animals                                                                            | Loss                      |                    |     |        |      | Profit |        |
| Cow & Heifer     | 8                | Birth Weight Direct     | BD                                                 | Birth weight (Calf's genetic ability)                                                         | Average birth weight      | Heavy              |     |        |      |        | Light  |
|                  |                  | Birth Weight Maternal   | BM                                                 | Birth weight (Cow's genetic ability)                                                          | Easy calving              | Heavy              |     |        |      |        | Light  |
|                  | 9                | Weaning Weight Direct   | WD                                                 | Weaning weight (Calf's genetic ability)                                                       | Heavy weaner calves       | Light              |     |        |      |        | Heavy  |
|                  | 10               | Weaning Weight Maternal | WM                                                 | Weaning weight (Cow's genetic ability)                                                        | Good mothers              | Poor               |     |        |      |        | Good   |
|                  | 18               | Mature Cow Weight       | MW                                                 | Cow weight at weaning of first three calves                                                   | Average mature cow weight | Light              |     |        | *    | *      | Heavy  |
|                  |                  | Cow-Calf Birth          | CCB                                                | EBV Birth Direct / EBV Mature Cow weight                                                      | Average                   | Low                |     |        |      |        | High   |
|                  | Cow-Calf Wean    | CCW                     | EBV Wean Direct / EBV Mature Cow weight            | High calf-cow ratio                                                                           | Low                       |                    |     |        |      | High   |        |
| Fertility        | 12               | Heifer Fertility        | HF                                                 | Age at first calving                                                                          | Fertile heifers           | Less               |     |        |      |        | More   |
|                  | 13               | Cow Fertility           | CFE                                                | First 3 inter-calving periods (ICPs)                                                          | Fertile cows              | Less               |     |        |      |        | More   |
|                  | 11               | Scrotal Circumference   | SC                                                 | Scrotal circumference as measured during the growth test                                      | Fertile bulls             | Less               |     |        |      |        | More   |
|                  | 14               | Longevity               | LG                                                 | Retention of progeny                                                                          | Acceptable progeny        | Poor               |     |        |      |        | Good   |
| Growth & Frame   | 15               | Post-Wean Weight        | PWn                                                | 12- and 18 month weights                                                                      | Good post-wean growth     | Low                |     |        |      | *      | High   |
|                  | 16               | Average Daily Gain      | ADG                                                | Average daily gain                                                                            | Good growth               | Poor               |     |        |      |        | Good   |
|                  | 17               | Feed Conversion Ratio   | FCR                                                | 100g feed intake / g weight gain                                                              | Feed efficiency           | Poor               |     |        |      |        | Good   |
|                  |                  | Final Test Weight       | FW                                                 | Final weight in the growth test                                                               | Heavy carcass             | Light              |     |        |      | *      | Heavy  |
|                  | 19               | Height                  | H                                                  | Shoulder height in growth test                                                                | Average height            | Short              |     |        |      |        | Tall   |
|                  | 20               | Length                  | L                                                  | Length in growth test                                                                         | Longer for more muscle    | Short              |     |        |      |        | Long   |
|                  | 24               | Length-Height Ratio     | LH                                                 | EBV Length / EBV Height                                                                       | Longer rather than tall   | <1                 |     |        |      |        | >1     |
| Carcass          | 21               | Eye Muscle Area         | EMA                                                | RTU measured eye muscle area                                                                  | Bigger steaks             | Small              |     |        |      |        | Big    |
|                  | 22               | Fat Thickness           | Fat                                                | RTU measured P8 backfat thickness                                                             | Carcass quality           | Thin               |     |        |      |        | Thick  |
|                  | 23               | Marbling                | Mar                                                | RTU measured % of intra-muscular fat                                                          | Juicy meat                | Low                |     |        |      |        | High   |
|                  |                  | Dressing Percentage     | D%                                                 | Carcass weight / Live weight                                                                  | High dressing percentage  | Low                |     |        |      |        | High   |

\* Determined by own selection goal

## GENETIC VALUES - BUILDING BLOCKS

| Calf and Mother |           |           | Fertility    |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|--------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scrot. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 99              | 99        | 90        | 97           | 75           | 92        | 85      | 100              | 94  | 93  | 92            | 123    | 110    | 104     | 100 | 79  |

8    9    10    11    12    13    14    15    16    17    18    19    20    21    22    23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

## PHENOTYPIC VALUES

| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
|------------|------------|------------|-----------|-----------|---------|------|
| 109        | 104        | 105        | 122       | 117       | 327     | 1.22 |

16                      17                      11                      24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

## BULLS

**LOT 1**  
  
**JJ 240034**  
 2024-10-06  
 B  
 Parentage Sire Dam  
 DNA  
 Genomic

  
**BG 200536**  
 AGE/CALV. 4/2  
 AVG. Wt/CALV. 96/3  
 ICP 439

**WAT 100063**  
  
**CAB 070025**  
 AGE/CALV. 14/11  
 AVG. Wt/CALV. 101/11  
 ICP 371

**WAT 080283**  
 AGE/CALV. 13/11  
 AVG. Wt/CALV. 102/11  
**ZAK 040047**  
**CAB 040049**  
 AGE/CALV. 14/11  
 AVG. Wt/CALV. 101/11

|                                  |                                |                              |                                 |                        |                           |                             |
|----------------------------------|--------------------------------|------------------------------|---------------------------------|------------------------|---------------------------|-----------------------------|
| Calving Ease Value<br><b>105</b> | Weaner Calf Value<br><b>99</b> | Fertility Value<br><b>93</b> | Maintenance Value<br><b>104</b> | Cow Value<br><b>99</b> | Growth Value<br><b>81</b> | Carcass Value<br><b>100</b> |
|----------------------------------|--------------------------------|------------------------------|---------------------------------|------------------------|---------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 106             | 92        | 117       | 109        | 100          | 88        | 97      | 80               | 83  | 91  | 94            | 109    | 101    | 95      | 115 | 114 |

|                          |                 |                 |                        |                |                       |                   |
|--------------------------|-----------------|-----------------|------------------------|----------------|-----------------------|-------------------|
| Wean Index<br><b>104</b> | 365D Index<br>- | 540D Index<br>- | ADG Index<br><b>98</b> | FCR Index<br>- | Scrotum<br><b>389</b> | LH<br><b>1.22</b> |
|--------------------------|-----------------|-----------------|------------------------|----------------|-----------------------|-------------------|

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | 0          |
| F94L      | Not Tested |

REMARKS:

**LOGIX** EBV Analysis: 2026-07-17

**LOT 2**  
  
**JJ 240065**  
 2024-11-18  
 B  
 Parentage Sire Dam  
 DNA  
 Genomic

  
**BG 140259**  
 AGE/CALV. 11/4  
 AVG. Wt/CALV. 95/3  
 ICP 394

**OB 140452 HH(c)**  
  
**BG 150110**  
 AGE/CALV. 8/5  
 AVG. Wt/CALV. 105/5  
 ICP 470

**OB 110078 HH(c)**  
 AGE/CALV. 11/10  
 AVG. Wt/CALV. 99/8  
**OB 060112 HH(c)**  
 AGE/CALV. 11/10  
 AVG. Wt/CALV. 99/8  
**CAB 110001**  
**BG 100141**  
 AGE/CALV. 11/8  
 AVG. Wt/CALV. 94/7

|                                  |                                |                              |                                 |                        |                            |                             |
|----------------------------------|--------------------------------|------------------------------|---------------------------------|------------------------|----------------------------|-----------------------------|
| Calving Ease Value<br><b>112</b> | Weaner Calf Value<br><b>88</b> | Fertility Value<br><b>99</b> | Maintenance Value<br><b>103</b> | Cow Value<br><b>93</b> | Growth Value<br><b>114</b> | Carcass Value<br><b>101</b> |
|----------------------------------|--------------------------------|------------------------------|---------------------------------|------------------------|----------------------------|-----------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 110             | 86        | 105       | 94         | 101          | 99        | 99      | 93               | 115 | 107 | 95            | 105    | 100    | 93      | 102 | 107 |

|                         |                 |                 |                         |                |                       |                   |
|-------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|
| Wean Index<br><b>90</b> | 365D Index<br>- | 540D Index<br>- | ADG Index<br><b>117</b> | FCR Index<br>- | Scrotum<br><b>358</b> | LH<br><b>1.16</b> |
|-------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|

| Myostatin |            |
|-----------|------------|
| Q204X     | 0          |
| NT821     | 0          |
| F94L      | Not Tested |

REMARKS:

**LOGIX** EBV Analysis: 2026-07-17

**LOT 3**  
  
**LVP 230081 HH(c)**  
 2023-06-13  
 B  
 Parentage Sire Dam  
 DNA   
 Genomic

  
**LVP 180077**  
 AGE/CALV. 7/3  
 AVG. Wt/CALV. 89/3  
 ICP 541

**CNB 100132**  
  
**CNB 120048**  
 AGE/CALV. 8/4  
 AVG. Wt/CALV. 99/4  
 ICP 417

**CNB 030048**  
 AGE/CALV. 17/14  
 AVG. Wt/CALV. 100/14  
**CNB 050150**  
**CNB 080181**  
 AGE/CALV. 7/2  
 AVG. Wt/CALV. 102/2

|                                 |                                |                              |                                |                        |                           |                    |
|---------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------|---------------------------|--------------------|
| Calving Ease Value<br><b>81</b> | Weaner Calf Value<br><b>86</b> | Fertility Value<br><b>95</b> | Maintenance Value<br><b>91</b> | Cow Value<br><b>83</b> | Growth Value<br><b>95</b> | Carcass Value<br>- |
|---------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------|---------------------------|--------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 88              | 96        | 108       | 113        | 101          | 99        | 85      | 91               | 87  | 78  | 109           | 81     | 86     | -       | -   | -   |

|                          |                 |                 |                         |                |                       |                   |
|--------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|
| Wean Index<br><b>104</b> | 365D Index<br>- | 540D Index<br>- | ADG Index<br><b>105</b> | FCR Index<br>- | Scrotum<br><b>372</b> | LH<br><b>1.18</b> |
|--------------------------|-----------------|-----------------|-------------------------|----------------|-----------------------|-------------------|

| Myostatin |   |
|-----------|---|
| Q204X     | 1 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:

**LOGIX** EBV Analysis: 2026-07-17

## BULLE

## LOT 4

B2 BONSMARAS

LVP 230126 HH(c)  
2023-07-03  
B

Ouerskap Vaar Moer

DNS

Genomies

WAT 190426



LVP 170046

OUD/KALW. 8/4  
GEM. SI/KALW. 88/3  
TKP 406

WAT 160140

WAT 150311

OUD/KALW. 10/8  
GEM. SI/KALW. 102/7  
TKP 415

WAT 140477

WAT 130509  
OUD/KALW. 8/5  
GEM. SI/KALW. 107/4

WAT 110153

WAT 100244  
OUD/KALW. 11/10  
GEM. SI/KALW. 105/9Geboortegemak  
Waarde  
**113**Speenkalv  
Waarde  
**76**Vrugbaarheids-  
waarde  
**92**Onderhouds-  
waarde  
**108**Koeiwaarde  
**80**Groei-  
waarde  
**108**Karkas-  
waarde  
**94**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 115            | 79        | 96        | 87           | 100         | 87          | 97     | 78             | 108 | 105 | 91          | 117    | 102    | 92     | 92  | 105 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 95          | -           | -           | 105        | -          | 339     | 1.11 |

Miostation

|       |   |
|-------|---|
| Q204X | 0 |
| NT821 | 0 |
| F94L  | 0 |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 39

JOURIE BONSMARAS

JJ 240142  
2024-10-29  
B

Ouerskap Vaar Moer

DNS

Genomies

BG 170082 HH(c)



BG 200566

OUD/KALW. 5/3  
GEM. SI/KALW. 97/2  
TKP 398

WAT 100063

CAB 070025

OUD/KALW. 14/11  
GEM. SI/KALW. 101/11  
TKP 371

WAT 080283

WAT 080035  
OUD/KALW. 13/11  
GEM. SI/KALW. 102/11

ZAK 040047

CAB 040049  
OUD/KALW. 14/11  
GEM. SI/KALW. 101/11Geboortegemak  
Waarde  
**112**Speenkalv  
Waarde  
**90**Vrugbaarheids-  
waarde  
**95**Onderhouds-  
waarde  
**98**Koeiwaarde  
**93**Groei-  
waarde  
**87**Karkas-  
waarde  
**93**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 112            | 89        | 106       | 86           | 100         | 88          | 101    | 76             | 87  | 90  | 100         | 94     | 81     | 92     | 113 | 110 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 102         | -           | -           | 122        | -          | 361     | 1.17 |

Miostation

|       |             |
|-------|-------------|
| Q204X | 0           |
| NT821 | 0           |
| F94L  | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

## LOT 40

JOURIE BONSMARAS

JJ 240010  
2024-03-25  
B

Ouerskap Vaar Moer

DNS

Genomies

BG 180077 HH(c)



BG 200537

OUD/KALW. 5/4  
GEM. SI/KALW. 98/3  
TKP 412

WAT 160153

BG 160070

OUD/KALW. 9/5  
GEM. SI/KALW. 100/5  
TKP 467

WAT 060071

WAT 110223  
OUD/KALW. 11/8  
GEM. SI/KALW. 110/7

BG 120124

CAB 070069  
OUD/KALW. 11/9  
GEM. SI/KALW. 104/7Geboortegemak  
Waarde  
**95**Speenkalv  
Waarde  
**90**Vrugbaarheids-  
waarde  
**103**Onderhouds-  
waarde  
**120**Koeiwaarde  
**95**Groei-  
waarde  
**85**Karkas-  
waarde  
**89**

| Kalf en Moeder |           |           | Vrugbaarheid |             |             |        | Na-Speen Groei |     |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-----------|--------------|-------------|-------------|--------|----------------|-----|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat. | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl. | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 97             | 83        | 117       | 106          | 111         | 93          | 101    | 80             | 87  | 96  | 82          | 96     | 98     | 82     | 77  | 113 |

| Spn. Indeks | 365D Indeks | 540D Indeks | GDT Indeks | VOV Indeks | Skrotum | LH   |
|-------------|-------------|-------------|------------|------------|---------|------|
| 100         | 100         | 100         | -          | -          | 336     | 1.22 |

Miostation

|       |             |
|-------|-------------|
| Q204X | 0           |
| NT821 | 0           |
| F94L  | Nie Getoets |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

**BULLS**

**LOT 41**  
  
**LVP 230136 HH(c)**  
2023-07-05  
B

**B2 BONSMARAS**  
**CNB 170025**  
  
**LVP 190055**  
AGE/CALV. 6/2  
AVG. Wt/CALV. 108/2  
ICP 512

**CNB 100132**  
**CNB 120048**  
AGE/CALV. 8/4  
AVG. Wt/CALV. 99/4  
ICP 417

**CNB 030048**  
**CNB 030036**  
AGE/CALV. 17/14  
AVG. Wt/CALV. 100/14  
**CNB 050150**  
**CNB 080181**  
AGE/CALV. 7/2  
AVG. Wt/CALV. 102/2

|                                        |                                        |                                     |                                       |                                |                                   |                                  |
|----------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------|--------------------------------|-----------------------------------|----------------------------------|
| <b>Calving Ease Value</b><br><b>93</b> | <b>Weaner Calf Value</b><br><b>105</b> | <b>Fertility Value</b><br><b>96</b> | <b>Maintenance Value</b><br><b>80</b> | <b>Cow Value</b><br><b>101</b> | <b>Growth Value</b><br><b>113</b> | <b>Carcass Value</b><br><b>-</b> |
|----------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------|--------------------------------|-----------------------------------|----------------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 95              | 104       | 121       | 127        | 98           | 99        | 92      | 98               | 108 | 103 | 122           | 106    | 111    | -       | -   | -   |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 120        | -          | -          | 126       | -         | 388     | 1.20 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:


**EBV Analysis: 2026-07-17**

**LOT 42**  
  
**LVP 230404 HH(c)**  
2023-10-31  
B

**B2 BONSMARAS**  
**VV 150190**  
  
**LVP 170168**  
AGE/CALV. 8/3  
AVG. Wt/CALV. 99/2  
ICP 450

**VV 130147**  
**VV 100159**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 109/6  
ICP 427

**AG 090226**  
**VV 050452**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 101/9  
**VV 070122**  
**VV 040118**  
AGE/CALV. 7/4  
AVG. Wt/CALV. 104/4

|                                        |                                       |                                     |                                       |                               |                                  |                                    |
|----------------------------------------|---------------------------------------|-------------------------------------|---------------------------------------|-------------------------------|----------------------------------|------------------------------------|
| <b>Calving Ease Value</b><br><b>73</b> | <b>Weaner Calf Value</b><br><b>93</b> | <b>Fertility Value</b><br><b>91</b> | <b>Maintenance Value</b><br><b>82</b> | <b>Cow Value</b><br><b>83</b> | <b>Growth Value</b><br><b>95</b> | <b>Carcass Value</b><br><b>112</b> |
|----------------------------------------|---------------------------------------|-------------------------------------|---------------------------------------|-------------------------------|----------------------------------|------------------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 69              | 103       | 112       | 70         | 97           | 92        | 92      | 96               | 87  | 75  | 120           | 100    | 98     | 96      | 113 | 102 |

|            |            |            |           |           |         |      |
|------------|------------|------------|-----------|-----------|---------|------|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH   |
| 104        | 103        | 100        | -         | -         | 328     | 1.22 |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:


**EBV Analysis: 2026-07-17**

**LOT 58**  
  
**CSW 230113**  
2023-11-12  
SP

**SPENGLER BONSMARAS**  
**CSW 200075**  
  
**CSW 200015**  
AGE/CALV. 6/3  
AVG. Wt/CALV. 107/2  
ICP 464

**CSW 170005**  
**CSW 160089**  
AGE/CALV. 10/7  
AVG. Wt/CALV. 105/6  
ICP 437

**CSW 130253**  
**CSW 090012**  
AGE/CALV. 13/11  
AVG. Wt/CALV. 95/10  
**CSW 110065**  
**CSW 100172**  
AGE/CALV. 12/10  
AVG. Wt/CALV. 104/8  
**MCU 100109 Pp(c)**  
**CSW 140157 P**  
AGE/CALV. 11/9  
AVG. Wt/CALV. 103/9  
**CSW 120229**  
**CSW 130066 P**  
AGE/CALV. 8/5  
AVG. Wt/CALV. 94/5

|                                        |                                        |                                     |                                       |                                |                                   |                                    |
|----------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------|--------------------------------|-----------------------------------|------------------------------------|
| <b>Calving Ease Value</b><br><b>90</b> | <b>Weaner Calf Value</b><br><b>109</b> | <b>Fertility Value</b><br><b>90</b> | <b>Maintenance Value</b><br><b>93</b> | <b>Cow Value</b><br><b>101</b> | <b>Growth Value</b><br><b>100</b> | <b>Carcass Value</b><br><b>104</b> |
|----------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------|--------------------------------|-----------------------------------|------------------------------------|

| Calf and Mother |           |           | Fertility  |              |           |         | Post-Wean Growth |     |     | Frame         |        |        | Carcass |     |     |
|-----------------|-----------|-----------|------------|--------------|-----------|---------|------------------|-----|-----|---------------|--------|--------|---------|-----|-----|
| Birth Dir.      | Wean Dir. | Wean Mat. | Scr. Circ. | Heifer Fert. | Cow Fert. | Longev. | Post Wean        | ADG | FCR | Mature Weight | Height | Length | EMA     | Fat | Mar |
| 89              | 108       | 111       | 104        | 86           | 86        | 113     | 103              | 102 | 100 | 106           | 100    | 102    | 102     | 94  | 93  |

|            |            |            |           |           |         |    |
|------------|------------|------------|-----------|-----------|---------|----|
| Wean Index | 365D Index | 540D Index | ADG Index | FCR Index | Scrotum | LH |
| 100        | 100        | 100        | -         | -         | -       | -  |

| Myostatin |   |
|-----------|---|
| Q204X     | 0 |
| NT821     | 0 |
| F94L      | 0 |

REMARKS:


**EBV Analysis: 2026-07-17**

## BULLE

LOT 59

B2 BONSMARAS

LVP 230538 HH(c)  
2023-11-23  
B

Ouerskap Vaar Moer

DNS ☒  
Genomies

VV 150190

LVP 140016  
OUD/KALW. 11/3  
GEM. SI/KALW. 108/3  
TKP 500

VV 130147

VV 100159  
OUD/KALW. 10/7  
GEM. SI/KALW. 109/6  
TKP 427

AG 090226

VV 050452  
OUD/KALW. 11/9  
GEM. SI/KALW. 101/9

VV 070122

VV 040118  
OUD/KALW. 7/4  
GEM. SI/KALW. 104/4Geboortegemak  
Waarde  
**87**Speenkalf  
Waarde  
**87**Vrugbaarheids-  
waarde  
**90**Onderhouds-  
waarde  
**93**Koeiwaarde  
**83**Groei-  
waarde  
**101**Karkas-  
waarde  
**105**

| Kalf en Moeder |           |             | Vrugbaarheid |             |             |         | Na-Speen Groei |      |     | Raam        |        |        | Karkas |     |     |
|----------------|-----------|-------------|--------------|-------------|-------------|---------|----------------|------|-----|-------------|--------|--------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat.   | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl.  | Na-Speen       | GDT  | VOV | Volw. Gewig | Hoogte | Lengte | OSO    | Vet | Mar |
| 91             | 93        | 111         | 98           | 96          | 99          | 85      | 103            | 100  | 99  | 106         | 110    | 104    | 90     | 113 | 100 |
| Spn. Indeks    |           | 365D Indeks | 540D Indeks  | GDT Indeks  | VOV Indeks  | Skrotum |                | LH   |     | Miostation  |        |        |        |     |     |
| 104            |           | 113         | 112          | -           | -           | 359     |                | 1.20 |     | Q204X       |        | 0      |        |     |     |
|                |           |             |              |             |             |         |                |      |     | NT821       |        | 0      |        |     |     |
|                |           |             |              |             |             |         |                |      |     | F94L        |        | 0      |        |     |     |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 63

KORTKLOOF BONSMARAS

HS 230163 P  
2023-06-12  
SP

Ouerskap Vaar Moer

DNS  
Genomies

MCU 170132 PP(c)

HS 170249  
OUD/KALW. 9/6  
GEM. SI/KALW. 107/5  
TKP 441

MCU 130126 PP(c)

MCU 140195 P  
OUD/KALW. 10/8  
GEM. SI/KALW. 107/8  
TKP 394

LAR 000084

HS 080027  
OUD/KALW. 11/8  
GEM. SI/KALW. 108/8  
TKP 403

MCU 090078 P

MCU 100006 PP(c)  
OUD/KALW. 9/6  
GEM. SI/KALW. 91/6

MCU 100031 PP(c)

MCU 020109 P  
OUD/KALW. 13/10  
GEM. SI/KALW. 101/11

AG 960059

LAR 970205  
OUD/KALW. 14/8  
GEM. SI/KALW. 104/7

PER 000077

HS 030171  
OUD/KALW. 10/5  
GEM. SI/KALW. 102/4Geboortegemak  
Waarde  
**87**Speenkalf  
Waarde  
**118**Vrugbaarheids-  
waarde  
**103**Onderhouds-  
waarde  
**80**Koeiwaarde  
**111**Groei-  
waarde  
**111**Karkas-  
waarde  
**118**

| Kalf en Moeder |           |             | Vrugbaarheid |             |             |         | Na-Speen Groei |     |     | Raam        |        |             | Karkas |     |     |
|----------------|-----------|-------------|--------------|-------------|-------------|---------|----------------|-----|-----|-------------|--------|-------------|--------|-----|-----|
| Geb. Dir.      | Spn. Dir. | Spn. Mat.   | Skr. Omtr.   | Vers Vrugb. | Koei Vrugb. | Lankl.  | Na-Speen       | GDT | VOV | Volw. Gewig | Hoogte | Lengte      | OSO    | Vet | Mar |
| 84             | 117       | 112         | 90           | 92          | 114         | 98      | 113            | 113 | 112 | 122         | 132    | 125         | 107    | 101 | 98  |
| Spn. Indeks    |           | 365D Indeks | 540D Indeks  | GDT Indeks  | VOV Indeks  | Skrotum |                | LH  |     | Miostation  |        |             |        |     |     |
| 107            |           | 105         | 101          | -           | -           | -       |                | -   |     | Q204X       |        | Nie Getoets |        |     |     |
|                |           |             |              |             |             |         |                |     |     | NT821       |        | Nie Getoets |        |     |     |
|                |           |             |              |             |             |         |                |     |     | F94L        |        | Nie Getoets |        |     |     |

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

| Dier Info                     |            |     |     | Actual Values |              |           |                     |                 | Expected Breeding Values |                |               |               |                |                     |           |             |                 |              | Indices     |      |     | Dam        |                 |            |             |
|-------------------------------|------------|-----|-----|---------------|--------------|-----------|---------------------|-----------------|--------------------------|----------------|---------------|---------------|----------------|---------------------|-----------|-------------|-----------------|--------------|-------------|------|-----|------------|-----------------|------------|-------------|
| LOT                           | Animal ID  | Sex | SEC | Birth Wt (kg) | 205d Wt (kg) | CCB Ratio | Length Height Ratio | Scr. Circ. (mm) | Birth Dir (kg)           | Birth Mat (kg) | Wean Dir (kg) | Wean Mat (kg) | Post Wean (kg) | Mature Weight. (kg) | ADG (g/d) | FCR (kg:kg) | Scr. Circ. (mm) | Height. (mm) | Length (mm) | Wean | ADG | Scr. Circ. | Avg. Wean Index | Nr. Calves | Repr. Index |
| Breed Average Auction Average |            |     |     | 37            | 257          | 8.77      | 1.19                | 359             | 1.00 1.41                | -0.29 -0.10    | 15.0 12.7     | 3.6 6.8       | 24 19          | 22 28               | 79 71     | -37 -30     | 12.7 11.9       | -3.0 1       | 14.0 14     | 103  | 112 | 99         | 99              | 3.0        | 96          |
| 1                             | JJ 240034  | M   | B   | 34            | 278          | -         | 1.22                | 389             | 0.42                     | -0.11          | 10.9          | 8.9           | 7.0            | 12.7                | 15        | -22         | 17.8            | 4            | 15          | 104  | 98  | 109        | 96              | 2          | 99          |
| 2                             | JJ 240065  | M   | B   | 36            | 306          | -         | 1.16                | 358             | -0.03                    | -0.70          | 7.7           | 5.1           | 21.6           | 14.6                | 134       | -48         | 9.4             | 1            | 13          | 90   | 117 | 94         | 95              | 4          | 109         |
| 3                             | LVP 230081 | M   | B   | 40            | 234          | 11.17     | 1.18                | 372             | 2.25                     | 0.80           | 13.0          | 6.1           | 16.3           | 34.8                | 31        | -1          | 20.7            | -18          | 1           | 104  | 105 | 113        | 89              | 3          | 76          |
| 4                             | LVP 230126 | M   | B   | 32            | 209          | 7.6       | 1.11                | 339             | -0.61                    | 0.08           | 4.2           | 2.3           | 4.6            | 8.8                 | 108       | -44         | 5               | 11           | 15          | 95   | 105 | 87         | 88              | 4          | 107         |
| 39                            | JJ 240142  | M   | B   | 34            | 274          | -         | 1.17                | 361             | -0.24                    | -0.26          | 9.3           | 5.3           | 2.7            | 21.5                | 30        | -20         | 4.6             | -8           | -3          | 102  | 122 | 86         | 97              | 3          | 109         |
| 40                            | JJ 240010  | M   | B   | 36            | 203          | -         | 1.22                | 336             | 1.36                     | -0.04          | 6.1           | 8.9           | 7.1            | -3.8                | 31        | -30         | 16.4            | -6           | 12          | 100  | -   | 106        | 98              | 4          | 105         |
| 41                            | LVP 230136 | M   | B   | 35            | 259          | 8.79      | 1.20                | 388             | 1.53                     | 0.10           | 17.0          | 10.1          | 24.8           | 54.8                | 110       | -41         | 28.8            | 2            | 23          | 120  | 126 | 127        | 108             | 2          | 71          |
| 42                            | LVP 230404 | M   | B   | 47            | 251          | -         | 1.22                | 328             | 4.19                     | 0.62           | 16.6          | 7.3           | 21.2           | 51.3                | 30        | 5           | -4.9            | -3           | 12          | 104  | -   | 70         | 99              | 3          | 96          |
| 58                            | CSW 230113 | M   | SP  | 35            | 334          | 8.84      | -                   | -               | 2.13                     | -0.36          | 19.5          | 6.9           | 31.4           | 30.3                | 86        | -37         | 14.9            | -3           | 16          | 100  | -   | 104        | 107             | 3          | 102         |
| 59                            | LVP 230538 | M   | B   | 37            | 241          | -         | 1.20                | 359             | 1.92                     | 0.33           | 11.3          | 7.1           | 30.3           | 30.9                | 81        | -35         | 11.6            | 5            | 17          | 104  | -   | 98         | 108             | 3          | 85          |
| 63                            | HS 230163  | M   | SP  | 38            | 236          | 7.45      | -                   | -               | 2.63                     | -1.60          | 24.0          | 7.3           | 42.5           | 55.1                | 127       | -57         | 6.9             | 22           | 36          | 107  | -   | 90         | 107             | 6          | 101         |

| EXPLANATION OF CATALOGUE ABBREVIATIONS                  |                 | VERDUIDELIKING VAN KATALOGUS AFKORTINGS |                                                             |
|---------------------------------------------------------|-----------------|-----------------------------------------|-------------------------------------------------------------|
| Lot Number                                              | LOT             | LOT                                     | Lot Nommer                                                  |
| Estimated breeding value                                | EBV             | EBV                                     | Beraamde teelwaarde                                         |
| Parentage verification                                  | Parentage       | Ouerskap                                | Ouerskap verifikasie                                        |
| Age in years / Number of calvings                       | AGE. / CALV.    | OOD. / KALF.                            | Ouderdom in jaar / Aantal kalwings                          |
| Average Wean index / Number of calves weaned            | Ave WI / CALV.  | GEM SI / KALF.                          | Gemiddelde speen indeks / Aantal kalwers gespeen            |
| Animal identification number                            | ID              | ID                                      | Dier se identifikasie nommer                                |
| Herd Book Section                                       | SEC             | AFD                                     | Kuddeboek Afdeling                                          |
| Herd Book Section: Pending Registration                 | PEN             | PEN                                     | Kuddeboek Afdeling: Wag vir Registrasie                     |
| Herd Book Section: Not for Registration                 | NFR             | NFR                                     | Kuddeboek Afdeling: Nie vir Registrasie                     |
| Herd Book Section: Foundation Generation                | FO              | FO                                      | Kuddeboek Afdeling: Fondasie Generasie                      |
| Herd Book Section: Appendix A                           | A               | A                                       | Kuddeboek Afdeling: Aanhangsel A                            |
| Herd Book Section: Appendix B                           | B               | B                                       | Kuddeboek Afdeling: Aanhangsel B                            |
| Herd Book Section: Studbook Proper, a registered animal | SP              | SP                                      | Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier |
| Genomically Tested                                      | GT              | GT                                      | Genomies Getoets                                            |
| Homozygous Horned (Celtic test)                         | HH(c)           | HH(c)                                   | Homosigoties horings (Celtic toets)                         |
| Homozygous Polled (Celtic test)                         | PP(c)           | PP(c)                                   | Homosigotiets Poena (Celtic toets)                          |
| Heterozygous Polled (Celtic test)                       | Pp(c)           | Pp(c)                                   | Heterosigoties Poena (Celtic toets)                         |
| Phenotypically Polled                                   | P               | P                                       | Fenotopies Poena                                            |
| Intercalving Period                                     | ICP             | TKP                                     | Tussen-Kalf Periode                                         |
| Birth Direct breeding value                             | Birth Dir.      | Geb. Dir                                | Geboorte Direk teelwaarde                                   |
| Wean Direct breeding value                              | Wean Dir.       | Spn. Dir.                               | Speen Direk teelwaarde                                      |
| Wean Maternal breeding value                            | Wean Mat.       | SPn. Mat.                               | Speen Maternaal teelwaarde                                  |
| Scrotal Circumference                                   | Scr. Circ.      | Skr. Omt.                               | Skrotum omtrek                                              |
| Heifer Fertility                                        | Heifer Fert.    | Vers Vrugb.                             | Vers Vrugbaarheid                                           |
| Cow Fertility                                           | Cow Fert.       | Koei Vrugb.                             | Koei Vrugbaarheid                                           |
| Longevity                                               | Longev.         | Lankl.                                  | Lanklewendheid                                              |
| Mature Weight                                           | Mat. Wt.        | Volw. Gewig                             | Volwasse gewig                                              |
| Average Daily Gain (g/day)                              | ADG             | GDT                                     | Gemiddelde Daaglikse Toename                                |
| Feed Conversion Ratio (kg:kg)                           | FCR             | VOV                                     | Voeromset Verhouding                                        |
| Eye Muscle Area                                         | EMA             | OSO                                     | Oogspier grootte                                            |
| Backfat Thickness                                       | Fat             | Vet                                     | Rugvet Diepte                                               |
| Marbeling (intra-muscular fat)                          | Mar             | Mar                                     | Marmering (binne-spiers vet)                                |
| 365-day weight index                                    | 365D Index      | 365D Indeks                             | 365-dae gewig indeks                                        |
| 540-day weight index                                    | 540D Index      | 540D Indeks                             | 540-dae gewig indeks                                        |
| Length-Height ratio                                     | LH              | LH                                      | Lengte-Hoogte Verhouding                                    |
| Actual Birth weight                                     | Birth Wt.       | Geb. gewig                              | Werklike Geboorte gewig                                     |
| 205-day Dam-age corrected weight                        | 205d Wt.        | 205d gewig                              | 205-dag Moeder-ouderdom gekorrigeerde gewig                 |
| Cow-Calf Birth Ratio                                    | CCG             | KKG                                     | Koei-Kalf Geboorte Verhouding                               |
| Cow-Calf Wean Ratio                                     | CCW             | KKS                                     | Koei-Kalf Speen Verhouding                                  |
| Average Weaning Index                                   | Avg. Wean Index | Gem. Spn. Indeks                        | Gemiddelde speen indeks                                     |
| Number of Calves                                        | Nr. Calves      | Aant. Kalw.                             | Aantal kalwers                                              |
| Reproduction Index                                      | Repr. Index     | Repr. Indeks                            | Reproduksie indeks                                          |
| Animal sex: M - Male, F - Female                        | M / F           | M / V                                   | Dier geslag: M - Manlik, V - Vroulik                        |