

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

BENDITO BONSMARAS

Veilingsdatum / Auction Date:
30 July 2026

Data soos op / Data as on:
17 July 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiekties en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1

THE RED CATTLE FARM

3

ABC 150029

2015-02-03

SP

Parentage

Sire

Dam

DNA

Genomic

DEF 100066 P

DEF 050022

GHI 070076 HH(c)

AGE/CALV. 14/10

AVG. Wt/CALV. 92/10

ICP 395

JKL 000077 P

MNO 030002

AGE/CALV. 19/10

AVG. Wt/CALV. 109/10

ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
BENDITO BONSMARAS

PBL 230040 HH(c)
2023-09-27
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


AEJ 200011
WAT 190009
AGE/CALV. 7/5
AVG. Wt/CALV. 96/4
ICP 391
WAT 140166
AGE/CALV. 11/8
AVG. Wt/CALV. 100/8
ICP 426

BRB 160059
AEJ 160140
AGE/CALV. 7/4
AVG. Wt/CALV. 103/4
ICP 419
WAT 100063
WAT 140166
AGE/CALV. 11/8
AVG. Wt/CALV. 100/8
ICP 426

BRB 120144
BRB 120129
AGE/CALV. 8/4
AVG. Wt/CALV. 103/4
CRV 120415
JMW 100004
AGE/CALV. 12/9
AVG. Wt/CALV. 99/9
WAT 080283
WAT 080035
AGE/CALV. 13/11
AVG. Wt/CALV. 102/11
WAT 070353
WAT 050164
AGE/CALV. 10/8
AVG. Wt/CALV. 107/6

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
95	89	103	99	92	98	99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	95	100	142	106	99	102	98	103	111	100	100	92	70	91	110

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
90	-	-	102	-	389	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 2
BENDITO BONSMARAS

PBL 240001 HH(c)
2024-01-21
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


AEJ 200011
PBL 200030
AGE/CALV. 5/3
AVG. Wt/CALV. 99/1
ICP 401
WAT 160244
AGE/CALV. 9/7
AVG. Wt/CALV. 93/6
ICP 378

BRB 160059
AEJ 160140
AGE/CALV. 7/4
AVG. Wt/CALV. 103/4
ICP 419
WAT 160340 HH(c)
WAT 160244
AGE/CALV. 9/7
AVG. Wt/CALV. 93/6
ICP 378

BRB 120144
BRB 120129
AGE/CALV. 8/4
AVG. Wt/CALV. 103/4
CRV 120415
JMW 100004
AGE/CALV. 12/9
AVG. Wt/CALV. 99/9
WAT 130124
WAT 130293
AGE/CALV. 10/7
AVG. Wt/CALV. 99/5
WAT 120140
WAT 100185
AGE/CALV. 7/5
AVG. Wt/CALV. 91/5

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
82	108	99	88	100	96	115

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
81	119	89	128	105	97	98	112	100	110	113	95	95	78	94	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	117	-	430	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 3
BENDITO BONSMARAS

PBL 230051 HH(c)
2023-10-19
SP
Parentage Sire Dam
DNA ☒
Genomic ☒


LMR 200094 HH(c)
PBL 200004
AGE/CALV. 6/4
AVG. Wt/CALV. 105/3
ICP 406
WAT 160340 HH(c)
BG 150090 HH(c)
AGE/CALV. 10/9
AVG. Wt/CALV. 99/7
ICP 353

LAR 140173 HH(c)
LMR 110119
AGE/CALV. 14/11
AVG. Wt/CALV. 109/9
ICP 401
WAT 160340 HH(c)
BG 150090 HH(c)
AGE/CALV. 10/9
AVG. Wt/CALV. 99/7
ICP 353

LAR 120033 HH(c)
LAR 100159
AGE/CALV. 15/11
AVG. Wt/CALV. 105/11
LAR 040172
LMR 040094
AGE/CALV. 15/12
AVG. Wt/CALV. 106/13
WAT 130124
WAT 130293
AGE/CALV. 10/7
AVG. Wt/CALV. 99/5
BG 130157
BG 130068
AGE/CALV. 5/2
AVG. Wt/CALV. 99/2

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
113	118	92	91	113	113	118

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	116	95	122	100	87	104	118	114	110	109	101	113	115	97	137

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
110	-	-	94	-	351	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 4

BENDITO BONSMARAS



PBL 240009 HH(c)

2024-03-03
SP

Ouerskap Vaar Moer

DNS

Genomies

LMR 200094 HH(c)



PBL 200024

OUD/KALW. 5/3
GEM. SI/KALW. 100/2
TKP 413

LAR 140173 HH(c)

LMR 110119
OUD/KALW. 14/11
GEM. SI/KALW. 109/9
TKP 401

AEJ 170026 HH(c)

PBL 150013
OUD/KALW. 8/4
GEM. SI/KALW. 90/3
TKP 364

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

LAR 040172

LMR 040094
OUD/KALW. 15/12
GEM. SI/KALW. 106/13

AEJ 110111

AEJ 090093
OUD/KALW. 12/9
GEM. SI/KALW. 106/9

Geboortegemak Waarde 97			Speenkalf Waarde 110		Vrugbaarheids- waarde 101		Onderhouds- waarde 89		Koeiwaarde 109		Groei- waarde 118		Karkas- waarde 117		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	111	107	118	107	85	117	109	117	105	110	99	108	135	73	144
												Miostatien			
Spn. Indeks 108		365D Indeks 94		540D Indeks 98		GDT Indeks -		VOV Indeks -		Skrotum 346		LH 1.21			
												Q204X		1	
												NT821		0	
												F94L		0	

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 5

BENDITO BONSMARAS



PBL 230046 HH(c)

2023-10-05
SP

Ouerskap Vaar Moer

DNS

Genomies

LMR 200094 HH(c)



PBL 200012

OUD/KALW. 6/4
GEM. SI/KALW. 102/3
TKP 373

LAR 140173 HH(c)

LMR 110119
OUD/KALW. 14/11
GEM. SI/KALW. 109/9
TKP 401

WAT 150288

WAT 170566
OUD/KALW. 8/6
GEM. SI/KALW. 108/5
TKP 415

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

LAR 040172

LMR 040094
OUD/KALW. 15/12
GEM. SI/KALW. 106/13

FCT 110002

WAT 120106
OUD/KALW. 10/8
GEM. SI/KALW. 106/8

WAT 140330

WAT 120006
OUD/KALW. 9/7
GEM. SI/KALW. 104/6

Geboortegemak Waarde 117			Speenkalf Waarde 112		Vrugbaarheids- waarde 96		Onderhouds- waarde 84		Koeiwaarde 113		Groei- waarde 118		Karkas- waarde 119										
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas										
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar								
120	106	112	114	103	88	109	119	113	100	117	97	108	130	85	132								
Spn. Indeks												365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH	
102												-		-		103		-		333		1.23	
														Miostatien									
														Q204X		1							
														NT821		0							
														F94L		0							

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 6

BENDITO BONSMARAS



PBL 230050 HH(c)

2023-10-17
SP

Ouerskap Vaar Moer

DNS

Genomies

AEJ 200011



PBL 190013

OUD/KALW. 4/3
GEM. SI/KALW. 98/3
TKP 379

BRB 160059

AEJ 160140
OUD/KALW. 7/4
GEM. SI/KALW. 103/4
TKP 419

WAT 160340 HH(c)

WAT 160093
OUD/KALW. 9/8
GEM. SI/KALW. 91/6
TKP 374

BRB 120144

BRB 120129
OUD/KALW. 8/4
GEM. SI/KALW. 103/4

CRV 120415

JMW 100004
OUD/KALW. 12/9
GEM. SI/KALW. 99/9

WAT 130124

WAT 130293
OUD/KALW. 10/7
GEM. SI/KALW. 99/5

WAT 120140

WAT 060326
OUD/KALW. 10/8
GEM. SI/KALW. 95/8

Geboortegemak Waarde 118			Speenkalf Waarde 93		Vrugbaarheids- waarde 101		Onderhouds- waarde 101			Koeiwaarde 97		Groei- waarde 90		Karkas- waarde 88	
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	98	80	121	107	97	98	94	95	104	98	76	82	82	89	89
Spn. Indeks 101		365D Indeks -		540D Indeks -		GDT Indeks 106		VOV Indeks -		Skrotum 359		LH 1.24			
														Miostatien	
														Q204X 0	
														NT821 0	
														F94L 0	

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

BULLS

LOT 7
BENDITO BONSMARAS

PBL 230028 HH(c)
2023-09-07
SP
Parentage Sire Dam
DNA ☒ ☒
Genomic


AEJ 200011
WAT 130281
AGE/CALV. 12/8
AVG. WJ/CALV. 97/9
ICP 411
WAT 100290
AGE/CALV. 11/10
AVG. WJ/CALV. 101/9
ICP 369

BRB 160059
AEJ 160140
AGE/CALV. 7/4
AVG. WJ/CALV. 103/4
ICP 419
WAT 060071
WAT 100290
AGE/CALV. 11/10
AVG. WJ/CALV. 101/9
ICP 369

BRB 120144
BRB 120129
AGE/CALV. 8/4
AVG. WJ/CALV. 103/4
CRV 120415
JMW 100004
AGE/CALV. 12/9
AVG. WJ/CALV. 99/9
BEI 950156
WAT 030262
AGE/CALV. 15/10
AVG. WJ/CALV. 100/9
FCT 990022
WAT 070012
AGE/CALV. 11/9
AVG. WJ/CALV. 105/9

Calving Ease Value
119

Weaner Calf Value
79

Fertility Value
103

Maintenance Value
112

Cow Value
88

Growth Value
95

Carcass Value
75

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
118	81	88	124	101	102	102	84	101	120	88	81	73	77	87	104

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	-	-	101	-	392	1.20

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 8
BENDITO BONSMARAS

PBL 210004
2021-04-29
SP
Parentage Sire Dam
DNA ☒
Genomic


ABB 160464
BHB 180015
AGE/CALV. 8/5
AVG. WJ/CALV. 100/4
ICP 408
BHB 150049
AGE/CALV. 10/8
AVG. WJ/CALV. 106/7
ICP 397

ABB 110437 HH(c)
ABB 130223
AGE/CALV. 13/10
AVG. WJ/CALV. 101/8
ICP 408
GJG 130141
BHB 150049
AGE/CALV. 10/8
AVG. WJ/CALV. 106/7
ICP 397

LAR 070037
LAR 080284
AGE/CALV. 11/8
AVG. WJ/CALV. 106/7
AEJ 050183
ABB 080310
AGE/CALV. 7/5
AVG. WJ/CALV. 105/5
JMP 080355
MCH 020097
AGE/CALV. 11/9
AVG. WJ/CALV. 101/8
PER 080011
BHB 120100
AGE/CALV. 6/3
AVG. WJ/CALV. 100/3

Calving Ease Value
80

Weaner Calf Value
120

Fertility Value
110

Maintenance Value
86

Cow Value
120

Growth Value
112

Carcass Value
113

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	118	122	101	108	103	117	120	114	109	113	116	121	122	73	94

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	-	-	116	-	358	1.25

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 9
BENDITO BONSMARAS

PBL 230055 HH(c)
2023-11-10
SP
Parentage Sire Dam
DNA ☐
Genomic


LMR 200094 HH(c)
BG 150090 HH(c)
AGE/CALV. 10/9
AVG. WJ/CALV. 99/7
ICP 353
BG 130068
AGE/CALV. 5/2
AVG. WJ/CALV. 99/2
ICP 504

LAR 140173 HH(c)
LMR 110119
AGE/CALV. 14/11
AVG. WJ/CALV. 109/9
ICP 401
BG 130157
BG 150090 HH(c)
AGE/CALV. 10/9
AVG. WJ/CALV. 99/7
ICP 353
BG 130068
AGE/CALV. 5/2
AVG. WJ/CALV. 99/2
ICP 504

LAR 120033 HH(c)
LAR 100159
AGE/CALV. 15/11
AVG. WJ/CALV. 105/11
LAR 040172
LMR 040094
AGE/CALV. 15/12
AVG. WJ/CALV. 106/13
WAT 100063
BG 090118
AGE/CALV. 13/9
AVG. WJ/CALV. 91/8
BG 080144
BG 100023
AGE/CALV. 9/6
AVG. WJ/CALV. 96/4

Calving Ease Value
107

Weaner Calf Value
110

Fertility Value
97

Maintenance Value
92

Cow Value
109

Growth Value
121

Carcass Value
112

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	112	97	122	103	93	102	118	121	114	108	103	111	113	92	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	106	-	365	1.21

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 10
BENDITO BONSMARAS

PBL 240004 HH(c)
2024-02-23
B

Ouerskap **Vaar** **Moer**
DNS
Genomies


PBL 150035
OUD/KALW. 10/8
GEM. SI/KALW. 99/5
TKP 385

LAR 140173 HH(c)
LAR 120033 HH(c)
LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11
LAR 040172
LAR 040094
OUD/KALW. 15/12
GEM. SI/KALW. 106/13
LMR 110119
OUD/KALW. 14/11
GEM. SI/KALW. 109/9
TKP 401

Geboortegemak Waarde			Speenkalf Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
91			109			107			86			111			117			105		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas							
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar					
96	110	113	147	114	89	115	109	122	115	115	98	107	130	76	128					
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostatien						
96		107		104		-		-		392		1.19		Q204X 0 NT821 0 F94L 0						

OPMERKINGS: LOGIX EBV Analise: 2026-07-17

LOT 11
BENDITO BONSMARAS

PBL 240023 HH(c)
2024-04-07
SP

Ouerskap **Vaar** **Moer**
DNS  
Genomies


PBL 210041
OUD/KALW. 4/2
GEM. SI/KALW. 100/1
TKP 478
PBL 150034
OUD/KALW. 7/5
GEM. SI/KALW. 102/4
TKP 398

CEF 130317 HH(c)
CEF 110301 HH(c)
CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7
LAR 190058 HH(c)
LAR 160347 HH(c)
OUD/KALW. 9/7
GEM. SI/KALW. 104/6
TKP 385
LAR 130032 HH(c)
LAR 120367
OUD/KALW. 7/5
GEM. SI/KALW. 95/5
WAT 130124
WAT 130293
OUD/KALW. 10/7
GEM. SI/KALW. 99/5
WAT 160340 HH(c)

Geboortegemak Waarde			Speenkalf Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
136			98			108			120			111			93			96		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas							
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar					
135	90	85	119	103	99	116	83	103	107	84	82	91	83	108	100					
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostatien						
100		-		-		92		-		364		1.22		Q204X 0 NT821 0 F94L 0						

OPMERKINGS: LOGIX EBV Analise: 2026-07-17

LOT 12
BENDITO BONSMARAS

PBL 240024 HH(c)
2024-04-08
B

Ouerskap **Vaar** **Moer**
DNS
Genomies


PBL 180056
OUD/KALW. 8/6
GEM. SI/KALW. 100/4
TKP 389
WAT 150506
OUD/KALW. 10/8
GEM. SI/KALW. 102/5
TKP 386

LAR 140173 HH(c)
LAR 120033 HH(c)
LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11
LAR 040172
LAR 040094
OUD/KALW. 15/12
GEM. SI/KALW. 106/13
LMR 110119
OUD/KALW. 14/11
GEM. SI/KALW. 109/9
TKP 401
MULTIPLE SIREs
WAT 120421
WAT 060061
OUD/KALW. 11/9
GEM. SI/KALW. 100/8

Geboortegemak Waarde			Speenkalf Waarde			Vrugbaarheids-waarde			Onderhouds-waarde			Koeiwaarde			Groei-waarde			Karkas-waarde		
97			116			102			72			109			138			123		
Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas							
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar					
102	120	99	134	106	98	103	128	124	103	135	107	116	148	70	137					
Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH		Miostatien						
108		-		-		116		-		361		1.21		Q204X 1 NT821 0 F94L 0						

OPMERKINGS: LOGIX EBV Analise: 2026-07-17

BULLS

LOT 13
BENDITO BONSMARAS

PBL 240017 HH(c)
2024-03-30
B

Parentage	Sire	Dam
DNA		
Genomic		


PBL 180054
AGE/CALV. 8/5
AVG. Wt/CALV. 97/4
ICP 465

LAR 140173 HH(c)
LMR 110119
AGE/CALV. 14/11
AVG. Wt/CALV. 109/9
ICP 401
PBL 150011
AGE/CALV. 7/5
AVG. Wt/CALV. 107/4
ICP 396

LAR 120033 HH(c)
LAR 100159
AGE/CALV. 15/11
AVG. Wt/CALV. 105/11
LAR 040172
LMR 040094
AGE/CALV. 15/12
AVG. Wt/CALV. 106/13

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
91	102	107	92	104	115	100

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	107	104	94	110	101	104	105	108	98	108	89	96	127	63	118

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
91	-	-	115	-	323	1.23

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 14
BENDITO BONSMARAS

PBL 240016 HH(c)
2024-03-27
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		


WAT 090069
AGE/CALV. 16/13
AVG. Wt/CALV. 100/12
ICP 411

VV 090089
VV 120139 HH(c)
VV 090475 HH(c)
AGE/CALV. 16/13
AVG. Wt/CALV. 109/12
ICP 383
FCT 990022
WAT 060210
AGE/CALV. 4/2
AVG. Wt/CALV. 104/1
ICP 577

PHR 030036
VV 060122
AGE/CALV. 6/4
AVG. Wt/CALV. 113/4
VV 060403 P
VV 050031
AGE/CALV. 6/4
AVG. Wt/CALV. 108/4
EI 920079
RE 940025
AGE/CALV. 13/11
AVG. Wt/CALV. 104/11
FCT 020011
WAT 990078
AGE/CALV. 8/5
AVG. Wt/CALV. 112/5

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
92	125	103	82	121	132	142

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	123	113	120	114	94	99	134	128	124	119	120	138	127	125	98

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
99	-	-	97	-	344	1.27

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

LOT 15
BENDITO BONSMARAS

PBL 230052 HH(c)
2023-10-22
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		


PBL 200038
AGE/CALV. 5/3
AVG. Wt/CALV. 106/2
ICP 349

WAT 130124
WAT 130293
AGE/CALV. 10/7
AVG. Wt/CALV. 99/5
ICP 403
AG 160416
AG 100168
AGE/CALV. 15/13
AVG. Wt/CALV. 104/12
ICP 397

WAT 090083
WAT 100244
AGE/CALV. 11/10
AVG. Wt/CALV. 105/9
WAT 070353
WAT 060305
AGE/CALV. 11/9
AVG. Wt/CALV. 103/7
AG 110192
AG 070467
AGE/CALV. 12/8
AVG. Wt/CALV. 104/8
AJF 040075
AG 030204
AGE/CALV. 15/11
AVG. Wt/CALV. 107/10

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
107	107	87	95	100	102	109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	108	96	125	90	88	99	104	107	112	104	114	118	111	103	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
111	-	-	98	-	368	1.21

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-07-17

BULLE

LOT 16
BENDITO BONSMARAS

PBL 230019 HH(c)
2023-08-29
SP
Ouerskap Vaar Moer
DNS ✓
Genomies

AEJ 200011

BHB 150049
OUD/KALW. 10/8
GEM. SI/KALW. 106/7
TKP 397

BRB 160059
AEJ 160140
OUD/KALW. 7/4
GEM. SI/KALW. 103/4
TKP 419
PER 080011
BHB 120100
OUD/KALW. 6/3
GEM. SI/KALW. 100/3
TKP 380

BRB 120144
BRB 120129
OUD/KALW. 8/4
GEM. SI/KALW. 103/4
CRV 120415
 **JMW 100004**
OUD/KALW. 12/9
GEM. SI/KALW. 99/9
 **VV 040046 HH(c)**
PER 040041
OUD/KALW. 14/12
GEM. SI/KALW. 97/13
BHB 080076
NFS 990341
OUD/KALW. 14/12
GEM. SI/KALW. 105/12

Geboortegemak Waarde
99

Speenkalf Waarde
104

Vrugbaarheids-waarde
117

Onderhouds-waarde
97

Koeiwaarde
113

Groei-waarde
93

Karkas-waarde
99

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	101	111	125	115	113	107	103	91	106	101	107	102	97	88	87

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	93	-	369	1.18

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 17
BENDITO BONSMARAS

PBL 230020 HH(c)
2023-08-30
SP
Ouerskap Vaar Moer
DNS ✓ ✓
Genomies

WAT 180376 HH(c)

PBL 200051
OUD/KALW. 5/3
GEM. SI/KALW. 100/2
TKP 408

BG 150079
WAT 140243
OUD/KALW. 9/6
GEM. SI/KALW. 99/6
TKP 371
 **WAT 160340 HH(c)**
PBL 170057
OUD/KALW. 5/4
GEM. SI/KALW. 107/4
TKP 329

FCT 110002
BG 120014
OUD/KALW. 11/6
GEM. SI/KALW. 103/6
JRB 080018
WAT 110158
OUD/KALW. 10/9
GEM. SI/KALW. 108/8
WAT 130124
WAT 130293
OUD/KALW. 10/7
GEM. SI/KALW. 99/5

Geboortegemak Waarde
95

Speenkalf Waarde
111

Vrugbaarheids-waarde
82

Onderhouds-waarde
91

Koeiwaarde
102

Groei-waarde
105

Karkas-waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	106	122	108	84	82	103	101	113	120	107	124	123	110	83	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	-	-	118	-	363	1.25

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

LOT 18
BENDITO BONSMARAS

PBL 230027 HH(c)
2023-09-07
SP
Ouerskap Vaar Moer
DNS ✓ ✓
Genomies

AEJ 200011

WAT 130281
OUD/KALW. 12/8
GEM. SI/KALW. 97/9
TKP 411

BRB 160059
AEJ 160140
OUD/KALW. 7/4
GEM. SI/KALW. 103/4
TKP 419
 **WAT 060071**
WAT 100290
OUD/KALW. 11/10
GEM. SI/KALW. 101/9
TKP 369

BRB 120144
BRB 120129
OUD/KALW. 8/4
GEM. SI/KALW. 103/4
CRV 120415
 **JMW 100004**
OUD/KALW. 12/9
GEM. SI/KALW. 99/9
 **BEI 950156**
 **WAT 030262**
OUD/KALW. 15/10
GEM. SI/KALW. 100/9
FCT 990022
WAT 070012
OUD/KALW. 11/9
GEM. SI/KALW. 105/9

Geboortegemak Waarde
114

Speenkalf Waarde
80

Vrugbaarheids-waarde
103

Onderhouds-waarde
114

Koeiwaarde
88

Groei-waarde
96

Karkas-waarde
74

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	83	89	115	101	102	102	85	103	124	87	90	78	62	81	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	99	-	374	1.19

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-07-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				33	241	6.38	1.22	366	1.00	-0.29	15.0	3.6	24	22	79	-37	12.7	-3.0	14.0	101	105	121	100	6.0	107
1	PBL 230040	M	SP	37	247	7.2	1.19	389	1.54	-0.26	12.4	3.7	25.4	21.7	89	-55	37.5	-3	7	90	102	142	96	5	114
2	PBL 240001	M	SP	40	217	8.49	1.23	430	3.02	-0.50	25.2	0.3	39.8	40.9	80	-54	29.4	-7	9	99	117	128	99	3	110
3	PBL 230051	M	SP	30	288	6.8	1.22	351	-0.43	-0.18	23.4	2.2	46.2	35.9	131	-54	25.9	-2	25	110	94	122	105	4	110
4	PBL 240009	M	SP	35	229	6.26	1.21	346	0.74	0.53	20.6	5.8	36.2	37.3	145	-45	23.4	-4	21	108	-	118	100	3	107
5	PBL 230046	M	SP	31	271	7.47	1.23	333	-1.07	0.17	18.1	7.1	47.8	47.1	128	-36	21.2	-6	20	102	103	114	102	4	112
6	PBL 230050	M	SP	29	288	6.08	1.24	359	-0.43	-0.95	14.0	-2.4	22.1	18.9	60	-43	25	-22	-3	101	106	121	98	3	118
7	PBL 230028	M	SP	23	201	3.83	1.20	392	-0.83	-0.56	5.3	0.0	12.8	4.2	81	-70	26.7	-18	-11	103	101	124	97	8	100
8	PBL 210004	M	SP	36	250	7.95	1.25	358	2.58	0.58	24.5	10.4	47.3	41.2	130	-52	13.3	10	32	103	116	101	100	5	100
9	PBL 230055	M	SP	32	246	6.44	1.21	365	-0.27	0.46	21.1	2.6	45.0	33.6	160	-59	25.6	-1	24	98	106	122	99	9	118
10	PBL 240004	M	B	38	210	6.65	1.19	392	1.46	0.42	20.4	7.6	35.6	43.9	163	-61	40.9	-4	20	96	-	147	99	8	108
11	PBL 240023	M	SP	25	200	5.67	1.22	364	-2.63	-1.70	9.9	-0.9	11.8	-2.0	90	-49	24.1	-17	6	100	92	119	100	2	104
12	PBL 240024	M	B	36	225	5.72	1.21	361	0.82	0.45	25.2	3.4	56.3	74.3	168	-41	33	2	28	108	116	134	100	6	118
13	PBL 240017	M	B	39	197	6.29	1.23	323	1.45	0.49	18.6	4.7	31.5	33.6	110	-33	9.1	-12	10	91	115	94	97	5	92
14	PBL 240016	M	SP	37	217	5.9	1.27	344	1.14	0.79	26.8	7.5	62.2	50.5	183	-75	24.9	12	47	99	97	120	100	13	107
15	PBL 230052	M	SP	30	313	6.65	1.21	368	0.65	-0.83	19.0	2.3	32.9	28.3	107	-57	27.3	8	30	111	98	125	106	3	104
16	PBL 230019	M	SP	34	248	6.16	1.18	369	1.07	-0.20	15.7	7.0	30.9	23.9	45	-46	27.6	2	16	100	93	125	106	8	108
17	PBL 230020	M	SP	35	300	6.97	1.25	363	1.20	0.21	18.3	10.1	28.8	33.0	129	-69	17.3	16	34	104	118	108	100	3	104
18	PBL 230027	M	SP	26	192	4.33	1.19	374	-0.26	-0.60	5.9	0.3	13.2	2.3	89	-76	21.6	-11	-6	97	99	115	97	8	100

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik