

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

KTB PRODUCTION BOTTERFONTEIN ESTATE

Veilingsdatum / Auction Date:
01 October 2026

Data soos op / Data as on:
18 September 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA
✓

Genomic
✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period

MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit	
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High	
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

KT B 240110
2024-10-02
B

KT B 170054


KT B 170075
AGE/CALV. 8/4
AVG. Wt/CALV. 101/4
ICP 603

KT B 140044
KT B 110090
AGE/CALV. 13/9
AVG. Wt/CALV. 104/8
ICP 472
MULTIPLE SIRES
KT B 120106
AGE/CALV. 9/4
AVG. Wt/CALV. 100/4
ICP 520

JRP 100044
KT B 030087
AGE/CALV. 12/8
AVG. Wt/CALV. 106/8
NPT 080235
KT B 030157
AGE/CALV. 12/8
AVG. Wt/CALV. 97/7
NPT 090002
KT B 100010
AGE/CALV. 8/4
AVG. Wt/CALV. 95/4

Calving Ease Value
89

Weaner Calf Value
131

Fertility Value
107

Maintenance Value
80

Cow Value
124

Growth Value
-

Carcass Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	129	106	110	102	98	120	131	107	118	122	121	124	103	89	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	103	111	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

Parentage Sire Dam
DNA ✓ ✓
Genomic

REMARKS:


EBV Analysis: 2026-09-17

LOT 2

KT B 240052
2024-08-01
SP

DAJ 150071


KT B 130116
AGE/CALV. 13/10
AVG. Wt/CALV. 94/8
ICP 396

TOR 070049
DAJ 120117
AGE/CALV. 8/5
AVG. Wt/CALV. 99/5
ICP 387
JRP 100044
KT B 090086
AGE/CALV. 9/4
AVG. Wt/CALV. 98/4
ICP 518

FCT 000065
RAI 000032
AGE/CALV. 7/6
AVG. Wt/CALV. 103/6
CEF 990287
DAJ 060120
AGE/CALV. 8/6
AVG. Wt/CALV. 104/6
LAR 070055
JRP 040007
AGE/CALV. 14/10
AVG. Wt/CALV. 106/11
JRP 000028
KT B 990105
AGE/CALV. 13/9
AVG. Wt/CALV. 107/9

Calving Ease Value
111

Weaner Calf Value
107

Fertility Value
101

Maintenance Value
95

Cow Value
108

Growth Value
99

Carcass Value
99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	104	101	99	96	98	114	111	101	112	103	105	105	100	99	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
103	91	95	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

Parentage Sire Dam
DNA
Genomic

REMARKS:


EBV Analysis: 2026-09-17

LOT 3

KT B 240154
2024-10-04
SP

NPT 190086


KT B 200056
AGE/CALV. 6/4
AVG. Wt/CALV. 116/3
ICP 466

NPT 160050
NPT 150122
AGE/CALV. 9/6
AVG. Wt/CALV. 103/7
ICP 369
NPT 080235
KT B 130079
AGE/CALV. 12/7
AVG. Wt/CALV. 101/6
ICP 527

JOY 120020
NPT 070295
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7
JPL 090108
NPT 120296
AGE/CALV. 4/2
AVG. Wt/CALV. 88/2
NPT 060011
NPT 000094
AGE/CALV. 12/9
AVG. Wt/CALV. 107/8
DAJ 090086
KT B 110016
AGE/CALV. 5/1
AVG. Wt/CALV. 96/1

Calving Ease Value
80

Weaner Calf Value
134

Fertility Value
89

Maintenance Value
78

Cow Value
116

Growth Value
117

Carcass Value
123

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	130	115	110	91	78	119	131	118	114	125	120	125	120	98	113

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
116	103	99	-	-	-	-

Myostatin	
Q204X	0
NT821	1
F94L	0

Parentage Sire Dam
DNA ✓ ✓
Genomic

REMARKS:


EBV Analysis: 2026-09-17

BULLE

LOT 4
BOTTERFONTEIN ESTATES CC

KTB 240135
 2024-10-11
 SP
 Ouerskap Vaar Moer
 DNS
 Genomies


DAJ 150071
KTB 140169
 OUD/KALW. 11/7
 GEM. SI/KALW. 102/7
 TKP 425
KTB 100048
 OUD/KALW. 5/2
 GEM. SI/KALW. 102/2
 TKP 496

TOR 070049
 OUD/KALW. 8/5
 GEM. SI/KALW. 99/5
 TKP 387
NPT 110168
KTB 040235
 OUD/KALW. 10/6
 GEM. SI/KALW. 100/6

FCT 000065
RAI 000032
 OUD/KALW. 7/6
 GEM. SI/KALW. 103/6
CEF 990287
DAJ 060120
 OUD/KALW. 8/6
 GEM. SI/KALW. 104/6
NPT 060011
NPT 050252
 OUD/KALW. 7/4
 GEM. SI/KALW. 101/4
KTB 030117
 OUD/KALW. 10/6
 GEM. SI/KALW. 100/6

Geboortegemak Waarde 88	Speenkalf Waarde 120	Vrugbaarheids-waarde 102	Onderhouds-waarde 79	Koeiwaarde 113	Groei-waarde 112	Karkas-waarde 111
--	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	116	117	113	92	102	111	125	113	118	123	109	116	106	106	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
104	108	104	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-09-17

LOT 5
ZIKALI FARMING

EKO 230031 Pp(c)
 2023-10-31
 SP
 Ouerskap Vaar Moer
 DNS
 Genomies ✓


SYF 190045 HH(c)
EKO 180011 Pp(c)
 OUD/KALW. 7/2
 GEM. SI/KALW. 109/2
 TKP 699
EKO 130019
 OUD/KALW. 6/3
 GEM. SI/KALW. 91/2
 TKP 373

SYF 150097 HH(c)
SYF 110272
 OUD/KALW. 14/12
 GEM. SI/KALW. 106/9
 TKP 406
TOR 050247
EKO 130019
 OUD/KALW. 6/3
 GEM. SI/KALW. 91/2
 TKP 373

SYF 120042
SYF 070104
 OUD/KALW. 14/12
 GEM. SI/KALW. 98/10
LAR 060034
ADV 050041
 OUD/KALW. 15/11
 GEM. SI/KALW. 100/9
RAI 990034
RAI 990014
 OUD/KALW. 7/5
 GEM. SI/KALW. 103/5
HDT 060002 Pp(c)
JL 100546
 OUD/KALW. 5/2
 GEM. SI/KALW. 103/2

Geboortegemak Waarde 109	Speenkalf Waarde 120	Vrugbaarheids-waarde 105	Onderhouds-waarde 84	Koeiwaarde 120	Groei-waarde 119	Karkas-waarde 131
---	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	121	94	115	89	104	123	126	121	113	118	97	116	117	119	76

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	103	104	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-09-17

LOT 6
ZIKALI FARMING

EKO 230023 HH(c)
 2023-10-27
 SP
 Ouerskap Vaar Moer
 DNS
 Genomies ✓


SYF 190045 HH(c)
EKO 180054 HH(c)
 OUD/KALW. 7/3
 GEM. SI/KALW. 105/3
 TKP 354
WSS 140021
 OUD/KALW. 10/8
 GEM. SI/KALW. 101/7
 TKP 415

SYF 150097 HH(c)
SYF 110272
 OUD/KALW. 14/12
 GEM. SI/KALW. 106/9
 TKP 406
JL 120172 HH(c)
WSS 140021
 OUD/KALW. 10/8
 GEM. SI/KALW. 101/7
 TKP 415

SYF 120042
SYF 070104
 OUD/KALW. 14/12
 GEM. SI/KALW. 98/10
LAR 060034
ADV 050041
 OUD/KALW. 15/11
 GEM. SI/KALW. 100/9
LAR 070037
JL 090361
 OUD/KALW. 12/9
 GEM. SI/KALW. 106/8
FUZ 100131
DB 020001
 OUD/KALW. 13/10
 GEM. SI/KALW. 105/10

Geboortegemak Waarde 102	Speenkalf Waarde 104	Vrugbaarheids-waarde 92	Onderhouds-waarde 93	Koeiwaarde 99	Groei-waarde 121	Karkas-waarde 110
---	---------------------------------------	--	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	111	85	97	87	92	111	115	114	105	107	98	102	99	94	68

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	113	107	-	-	-	-

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: **LOGIX** EBV Analise: 2026-09-17

BULLS

LOT 7

BOTTERFONTEIN ESTATES CC

KTB 240256
2024-12-04
B

Parentage Sire Dam

DNA ✓ ✓

Genomic

KTB 200282



KTB 160213

AGE/CALV. 9/7
AVG. Wt/CALV. 105/6
ICP 370

KTB 140209

KTB 150130
AGE/CALV. 10/7
AVG. Wt/CALV. 110/7
ICP 418

MULTIPLE SIRES

KTB 120075

AGE/CALV. 13/9
AVG. Wt/CALV. 97/8
ICP 396

NPT 110099

KTB 110104
AGE/CALV. 6/2
AVG. Wt/CALV. 108/2

JRP 070067

KTB 100049
AGE/CALV. 6/3
AVG. Wt/CALV. 106/2

DAJ 090086

KTB 090152
AGE/CALV. 6/2
AVG. Wt/CALV. 96/1Calving Ease
Value
90Weaner Calf
Value
130Fertility
Value
110Maintenance
Value
81Cow Value
126Growth
Value
-Carcass
Value
102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	124	114	110	90	115	116	122	104	113	121	119	121	104	88	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
112	100	108	-	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 8

BOTTERFONTEIN ESTATES CC

KTB 240245
2024-11-09
SP

Parentage Sire Dam

DNA

Genomic

JOY 190050



KTB 150113

AGE/CALV. 10/6
AVG. Wt/CALV. 99/6
ICP 442

JOY 130002

JOY 150066
AGE/CALV. 11/8
AVG. Wt/CALV. 100/8
ICP 410

KTB 090045

KTB 090056

AGE/CALV. 11/7
AVG. Wt/CALV. 96/4
ICP 453

GCD 090175

JOY 100107
AGE/CALV. 15/14
AVG. Wt/CALV. 98/14

JRP 070022

LAR 020360
AGE/CALV. 13/10
AVG. Wt/CALV. 110/9

NPT 040079

KTB 060057
AGE/CALV. 7/3
AVG. Wt/CALV. 107/3

KTB 050060

KTB 060054
AGE/CALV. 13/9
AVG. Wt/CALV. 104/9Calving Ease
Value
89Weaner Calf
Value
123Fertility
Value
98Maintenance
Value
82Cow Value
109Growth
Value
-Carcass
Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	134	74	129	90	101	108	126	113	126	122	113	120	108	89	105

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
114	105	115	-	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 9

BOTTERFONTEIN ESTATES CC

KTB 240048
2024-07-18
SP

Parentage Sire Dam

DNA ✓

Genomic

KTB 170054



KTB 160171

AGE/CALV. 9/7
AVG. Wt/CALV. 103/5
ICP 394

KTB 140044

KTB 110090
AGE/CALV. 13/9
AVG. Wt/CALV. 104/8
ICP 472

GCD 130126

KTB 130172

AGE/CALV. 5/1
AVG. Wt/CALV. 116/1
ICP -

JRP 100044

KTB 030087
AGE/CALV. 12/8
AVG. Wt/CALV. 106/8

NPT 080235

KTB 030157
AGE/CALV. 12/8
AVG. Wt/CALV. 97/7

GCD 090112

GCD 030031
AGE/CALV. 14/13
AVG. Wt/CALV. 103/11

KTB 090045

KTB 080185
AGE/CALV. 11/6
AVG. Wt/CALV. 103/6Calving Ease
Value
82Weaner Calf
Value
136Fertility
Value
121Maintenance
Value
78Cow Value
134Growth
Value
109Carcass
Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
78	132	112	123	116	110	122	135	110	126	125	120	123	114	89	97

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	104	106	-	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 10 BOTTERFONTEIN ESTATES CC

KTB 240077
2024-09-02
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

NPT 190086



KTB 190055

OUD/KALW. 7/4
GEM. SI/KALW. 108/4
TKP 446

NPT 160050

NPT 150122

OUD/KALW. 9/6
GEM. SI/KALW. 103/7
TKP 369

DAJ 150071

KTB 160202

OUD/KALW. 9/7
GEM. SI/KALW. 104/7
TKP 379

JOY 120020

NPT 070295
OUD/KALW. 11/7
GEM. SI/KALW. 102/7

JPL 090108

NPT 120296
OUD/KALW. 4/2
GEM. SI/KALW. 88/2

TOR 070049

DAJ 120117
OUD/KALW. 8/5
GEM. SI/KALW. 99/5

GCD 130126

KTB 130235
OUD/KALW. 6/3
GEM. SI/KALW. 118/2Geboortegemak
Waarde
88Speenkalv
Waarde
129Vrugbaarheids-
waarde
110Onderhouds-
waarde
84Koeiwaarde
128Groei-
waarde
116Karkas-
waarde
121

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	122	120	113	101	98	129	130	117	115	116	116	120	122	102	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	96	95	-	-	-	-

Miostatien

Q204X	0
NT821	1
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 11 ZIKALI FARMING

EKO 230015 HH(c)
2023-10-18
SP

Ouerskap Vaar Moer

DNS

Genomies ✓

SYF 190045 HH(c)



EKO 150025

OUD/KALW. 10/8
GEM. SI/KALW. 107/7
TKP 375

SYF 150097 HH(c)

SYF 110272

OUD/KALW. 14/12
GEM. SI/KALW. 106/9
TKP 406

TOR 100161

WSS 100393 P

OUD/KALW. 9/8
GEM. SI/KALW. 103/7
TKP 365

SYF 120042

SYF 070104
OUD/KALW. 14/12
GEM. SI/KALW. 98/10

LAR 060034

ADV 050041
OUD/KALW. 15/11
GEM. SI/KALW. 100/9

MMJ 030164

TOR 060039
OUD/KALW. 11/8
GEM. SI/KALW. 114/8

WSS 070018 P

JJC 070070
OUD/KALW. 16/13
GEM. SI/KALW. 105/12Geboortegemak
Waarde
89Speenkalv
Waarde
120Vrugbaarheids-
waarde
118Onderhouds-
waarde
71Koeiwaarde
117Groei-
waarde
122Karkas-
waarde
122

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	122	100	127	100	117	116	126	125	114	137	109	121	119	108	80

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	113	113	-	-	-	-

Miostatien

Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 12 ZIKALI FARMING

EKO 230011 HH(c)
2023-10-12
SP

Ouerskap Vaar Moer

DNS

Genomies ✓ ✓

VV 040046 HH(c)



EKO 150011 HH(c)

OUD/KALW. 10/8
GEM. SI/KALW. 99/7
TKP 383

VV 010292

VV 000092

OUD/KALW. 17/13
GEM. SI/KALW. 104/11
TKP 364

TOR 100161

JMP 040105 P

OUD/KALW. 13/10
GEM. SI/KALW. 96/10
TKP 366

B 970059

VV 960374
OUD/KALW. 10/8
GEM. SI/KALW. 107/8

VV 960318

VV N 0106
OUD/KALW. 12/10
GEM. SI/KALW. 98/9

MMJ 030164

TOR 060039
OUD/KALW. 11/8
GEM. SI/KALW. 114/8

JMP 010116

JMP 990122
OUD/KALW. 6/4
GEM. SI/KALW. 103/4Geboortegemak
Waarde
112Speenkalv
Waarde
110Vrugbaarheids-
waarde
121Onderhouds-
waarde
99Koeiwaarde
123Groei-
waarde
107Karkas-
waarde
112

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	101	111	122	119	113	116	109	107	99	99	83	95	92	138	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
99	112	108	-	-	-	-

Miostatien

Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 13
BOTTERFONTEIN ESTATES CC



KTB 240207
2024-10-03
SP

Parentage Sire Dam

DNA ☒

Genomic ☐



NPT 200026

KTB 170223
AGE/CALV. 8/5
AVG. Wt/CALV. 106/5
ICP 467

KTB 140218
AGE/CALV. 8/4
AVG. Wt/CALV. 108/4
ICP 388

CEF 160380

NPT 150196
AGE/CALV. 10/7
AVG. Wt/CALV. 106/6
ICP 438

JOY 130092

KTB 140218
AGE/CALV. 8/4
AVG. Wt/CALV. 108/4
ICP 388

CEF 130317 HH(c)

CEF 110175
AGE/CALV. 8/6
AVG. Wt/CALV. 104/5

NPT 120136

NPT 090107
AGE/CALV. 10/7
AVG. Wt/CALV. 105/6

KVB 080089

JOY 110054
AGE/CALV. 15/12
AVG. Wt/CALV. 108/12

NPT 040079

KTB 040010
AGE/CALV. 12/7
AVG. Wt/CALV. 98/6

Calving Ease Value 95	Weaner Calf Value 141	Fertility Value 90	Maintenance Value 78	Cow Value 125	Growth Value 111	Carcass Value 116
--	--	-------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	134	107	125	88	87	111	132	116	130	125	123	132	117	96	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
113	107	107	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 14
BOTTERFONTEIN ESTATES CC



KTB 240141
2024-10-28
SP

Parentage Sire Dam

DNA ☐

Genomic ☐



DAJ 150071

KTB 140195
AGE/CALV. 11/7
AVG. Wt/CALV. 111/7
ICP 427

KTB 120006
AGE/CALV. 10/7
AVG. Wt/CALV. 99/7
ICP 417

TOR 070049

DAJ 120117
AGE/CALV. 8/5
AVG. Wt/CALV. 99/5
ICP 387

KTB 050060

KTB 120006
AGE/CALV. 10/7
AVG. Wt/CALV. 99/7
ICP 417

FCT 000065

RAI 000032
AGE/CALV. 7/6
AVG. Wt/CALV. 103/6

CEF 990287

DAJ 060120
AGE/CALV. 8/6
AVG. Wt/CALV. 104/6

CEF 010393

KTB 010126
AGE/CALV. 14/10
AVG. Wt/CALV. 101/10

NPT 040079

KTB 040071
AGE/CALV. 11/6
AVG. Wt/CALV. 97/4

Calving Ease Value 112	Weaner Calf Value 119	Fertility Value 103	Maintenance Value 95	Cow Value 123	Growth Value 101	Carcass Value 105
---	--	--------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	103	128	114	100	97	114	109	104	108	102	106	106	97	104	106

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	97	97	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 15
BOTTERFONTEIN ESTATES CC



KTB 240182
2024-10-08
SP

Parentage Sire Dam

DNA ☒

Genomic ☐



KTB 200282

KTB 180066
AGE/CALV. 8/5
AVG. Wt/CALV. 104/5
ICP 387

KTB 110006
AGE/CALV. 12/8
AVG. Wt/CALV. 99/8
ICP 478

KTB 140209

KTB 150130
AGE/CALV. 10/7
AVG. Wt/CALV. 110/7
ICP 418

KTB 150029

KTB 110006
AGE/CALV. 12/8
AVG. Wt/CALV. 99/8
ICP 478

NPT 110099

KTB 110104
AGE/CALV. 6/2
AVG. Wt/CALV. 108/2

JRP 070067

KTB 100049
AGE/CALV. 6/3
AVG. Wt/CALV. 106/2

NPT 110168

KTB 120190
AGE/CALV. 13/11
AVG. Wt/CALV. 100/11

MULTIPLE SIRES

KTB 060159
AGE/CALV. 7/3
AVG. Wt/CALV. 101/3

Calving Ease Value 82	Weaner Calf Value 143	Fertility Value 106	Maintenance Value 73	Cow Value 129	Growth Value -	Carcass Value 117
--	--	--------------------------------------	---------------------------------------	--------------------------------	---------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
77	139	104	107	85	108	123	132	113	114	134	119	127	112	96	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
123	110	108	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 16 BOTTERFONTEIN ESTATES CC

KTB 240168
2024-10-12
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

KTB 210126



KTB 210040

OUD/KALW. 5/3
GEM. SI/KALW. 104/2
TKP 406

CCV 150096

KTB 180059

OUD/KALW. 7/4
GEM. SI/KALW. 110/4
TKP 429

KTB 170054

KTB 070076

OUD/KALW. 15/12
GEM. SI/KALW. 93/12
TKP 412

WAT 090154

CCV 110023

OUD/KALW. 8/3
GEM. SI/KALW. 105/3

DAJ 150071

KTB 150125

OUD/KALW. 10/8
GEM. SI/KALW. 103/8

KTB 140044

KTB 110090

OUD/KALW. 13/9
GEM. SI/KALW. 104/8

KTB 040235

KTB 970100

OUD/KALW. 13/9
GEM. SI/KALW. 103/9Geboortegemak
Waarde
93Speenkalv
Waarde
120Vrugbaarheids-
waarde
106Onderhouds-
waarde
80Koeiwaarde
115Groei-
waarde
-Karkas-
waarde
106

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	123	98	105	100	96	125	124	104	110	123	117	115	108	93	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	102	92	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 17 ZIKALI FARMING

EKO 230055 HH(c)
2023-11-17
SP

Ouerskap Vaar Moer

DNS

Genomies ✓ ✓



EKO 140034 HH(c)

OUD/KALW. 10/6
GEM. SI/KALW. 96/5
TKP 441

JL 120172 HH(c)

EKO 180038 HH(c)

EKO 140027

OUD/KALW. 5/2
GEM. SI/KALW. 91/2
TKP 417

TOR 100197

EKO 110026

OUD/KALW. 12/10
GEM. SI/KALW. 97/8
TKP 365

LAR 070037

JL 090361

OUD/KALW. 12/9
GEM. SI/KALW. 106/8

TOR 100161

EKO 100023

OUD/KALW. 5/2
GEM. SI/KALW. 96/2

FCT 050127

TOR 030013

OUD/KALW. 8/6
GEM. SI/KALW. 99/6

AG 070458

Geboortegemak
Waarde
100Speenkalv
Waarde
99Vrugbaarheids-
waarde
110Onderhouds-
waarde
111Koeiwaarde
104Groei-
waarde
95Karkas-
waarde
82

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	101	90	88	86	117	118	97	92	96	89	85	86	89	77	84

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	95	96	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 18 ZIKALI FARMING

EKO 230072 HH(c)
2023-12-08
SP

Ouerskap Vaar Moer

DNS

Genomies



EKO 150045 HH(c)

OUD/KALW. 9/5
GEM. SI/KALW. 102/3
TKP 459

JL 120172 HH(c)

EKO 180038 HH(c)

EKO 140027

OUD/KALW. 5/2
GEM. SI/KALW. 91/2
TKP 417

TOR 100197

EKO 120028

OUD/KALW. 12/10
GEM. SI/KALW. 99/9
TKP 364

LAR 070037

JL 090361

OUD/KALW. 12/9
GEM. SI/KALW. 106/8

TOR 100161

EKO 100023

OUD/KALW. 5/2
GEM. SI/KALW. 96/2

FCT 050127

TOR 030013

OUD/KALW. 8/6
GEM. SI/KALW. 99/6

LAR 050186

Geboortegemak
Waarde
93Speenkalv
Waarde
109Vrugbaarheids-
waarde
110Onderhouds-
waarde
99Koeiwaarde
111Groei-
waarde
105Karkas-
waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	111	97	112	98	102	127	110	102	95	99	96	98	110	96	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
102	97	95	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 19 BOTTERFONTEIN ESTATES CC

KTB 240268
2024-12-03
SP

Parentage Sire Dam

DNA ✓ ✓

Genomic

KTB 210126



KTB 210066

AGE/CALV. 5/2
AVG. Wt/CALV. 128/1
ICP 432

CCV 150096

KTB 180059

AGE/CALV. 7/4
AVG. Wt/CALV. 110/4
ICP 429

DAJ 150071

KTB 140018

AGE/CALV. 12/9
AVG. Wt/CALV. 113/8
ICP 428

WAT 090154

CCV 110023
AGE/CALV. 8/3
AVG. Wt/CALV. 105/3

DAJ 150071

KTB 150125
AGE/CALV. 10/8
AVG. Wt/CALV. 103/8

TOR 070049

DAJ 120117
AGE/CALV. 8/5
AVG. Wt/CALV. 99/5

KTB 090045

KTB 040244
AGE/CALV. 11/8
AVG. Wt/CALV. 102/8Calving Ease
Value
87Weaner Calf
Value
137Fertility
Value
100Maintenance
Value
72Cow Value
124Growth
Value
112Carcass
Value
119

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	130	115	124	92	96	119	130	114	118	134	123	124	112	100	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
128	99	103	-	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 20 BOTTERFONTEIN ESTATES CC

KTB 240171
2024-10-18
SP

Parentage Sire Dam

DNA ✓ ✓

Genomic

EKO 200025



KTB 140088

AGE/CALV. 12/7
AVG. Wt/CALV. 87/7
ICP 465

NPT 170115 HH(c)

EKO 150045 HH(c)

AGE/CALV. 9/5
AVG. Wt/CALV. 102/3
ICP 459

KTB 090045

KTB 060124

AGE/CALV. 13/8
AVG. Wt/CALV. 104/8
ICP 485

NPT 140123

NPT 060123
AGE/CALV. 11/9
AVG. Wt/CALV. 110/9

TOR 100197

EKO 120028
AGE/CALV. 12/10
AVG. Wt/CALV. 99/9

NPT 040079

KTB 060057
AGE/CALV. 7/3
AVG. Wt/CALV. 107/3

JRP 000028

KTB 010136

AGE/CALV. 14/11
AVG. Wt/CALV. 96/10Calving Ease
Value
99Weaner Calf
Value
106Fertility
Value
98Maintenance
Value
95Cow Value
102Growth
Value
111Carcass
Value
107

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	114	82	124	95	96	112	116	112	128	105	104	108	105	101	113

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	95	103	-	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 21 BOTTERFONTEIN ESTATES CC

KTB 240153
2024-10-04
SP

Parentage Sire Dam

DNA ✓ ✓

Genomic

NPT 190086



KTB 190123

AGE/CALV. 6/4
AVG. Wt/CALV. 114/3
ICP 376

NPT 160050

NPT 150122

AGE/CALV. 9/6
AVG. Wt/CALV. 103/7
ICP 369

KTB 170054

KTB 100105

AGE/CALV. 14/11
AVG. Wt/CALV. 94/11
ICP 413

JOY 120020

NPT 070295
AGE/CALV. 11/7
AVG. Wt/CALV. 102/7

JPL 090108

NPT 120296
AGE/CALV. 4/2
AVG. Wt/CALV. 88/2

KTB 140044

KTB 110090
AGE/CALV. 13/9
AVG. Wt/CALV. 104/8

JRP 070067

KTB 040089
AGE/CALV. 8/3
AVG. Wt/CALV. 101/3Calving Ease
Value
84Weaner Calf
Value
152Fertility
Value
103Maintenance
Value
66Cow Value
133Growth
Value
128Carcass
Value
129

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	147	102	110	94	94	129	150	127	125	145	132	138	124	97	110

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
122	110	112	-	-	-	-

Myostatin

Q204X	0
NT821	1
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 22 BOTTERFONTEIN ESTATES CC

KTB 240211
2024-10-18
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

NPT 200026



KTB 150025

OUD/KALW. 11/7
GEM. SI/KALW. 99/6
TKP 496

CEF 160380

NPT 150196
OUD/KALW. 10/7
GEM. SI/KALW. 106/6
TKP 438

JRP 100044

KTB 110048
OUD/KALW. 6/3
GEM. SI/KALW. 108/3
TKP 583

CEF 130317 HH(c)

CEF 110175
OUD/KALW. 8/6
GEM. SI/KALW. 104/5

NPT 120136

NPT 090107
OUD/KALW. 10/7
GEM. SI/KALW. 105/6

LAR 070055

JRP 040007
OUD/KALW. 14/10
GEM. SI/KALW. 106/11

JRP 070067

KTB 080122
OUD/KALW. 11/6
GEM. SI/KALW. 108/6Geboortegemak
Waarde
95Speenkalv
Waarde
120Vrugbaarheids-
waarde
88Onderhouds-
waarde
87Koeiwaarde
107Groei-
waarde
106Karkas-
waarde
111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	125	87	112	86	88	111	122	109	121	114	118	124	117	90	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	99	96	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 23 BOTTERFONTEIN ESTATES CC

KTB 240029
2024-07-10
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

KTB 170054



KTB 180008

OUD/KALW. 8/5
GEM. SI/KALW. 93/4
TKP 414

KTB 140044

KTB 110090
OUD/KALW. 13/9
GEM. SI/KALW. 104/8
TKP 472

KTB 130070

KTB 150044
OUD/KALW. 8/3
GEM. SI/KALW. 106/3
TKP 535

JRP 100044

KTB 030087
OUD/KALW. 12/8
GEM. SI/KALW. 106/8

NPT 080235

KTB 030157
OUD/KALW. 12/8
GEM. SI/KALW. 97/7

DAJ 090086

KTB 100050
OUD/KALW. 12/8
GEM. SI/KALW. 100/7

JRP 100044

KTB 110015
OUD/KALW. 6/3
GEM. SI/KALW. 101/3Geboortegemak
Waarde
84Speenkalv
Waarde
129Vrugbaarheids-
waarde
105Onderhouds-
waarde
81Koeiwaarde
120Groei-
waarde
-Karkas-
waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	131	99	104	98	98	123	132	107	117	122	119	123	107	88	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	92	95	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 24 BOTTERFONTEIN ESTATES CC

KTB 240266
2024-12-01
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

GFM 200191



KTB 200083

OUD/KALW. 6/4
GEM. SI/KALW. 106/3
TKP 346

GCD 150113 HH(c)

BBN 090001
OUD/KALW. 12/9
GEM. SI/KALW. 98/9
TKP 413

KTB 140007

KTB 150035
OUD/KALW. 8/5
GEM. SI/KALW. 103/5
TKP 429

LAR 070090

GCD 110040
OUD/KALW. 11/8
GEM. SI/KALW. 112/7

JRB 030021

BBN 030090
OUD/KALW. 8/6
GEM. SI/KALW. 98/5

KTB 110001

KTB 040129
OUD/KALW. 11/8
GEM. SI/KALW. 98/7

NPT 110168

KTB 120090
OUD/KALW. 14/11
GEM. SI/KALW. 99/11Geboortegemak
Waarde
104Speenkalv
Waarde
107Vrugbaarheids-
waarde
99Onderhouds-
waarde
97Koeiwaarde
106Groei-
waarde
99Karkas-
waarde
99

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	105	101	91	98	99	104	105	101	104	101	113	109	95	92	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
116	96	97	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 25 BOTTERFONTEIN ESTATES CC



KTB 240215
2024-10-14
SP

Parentage Sire Dam

DNA ☒

Genomic ☒

NPT 200026



KTB 150137
AGE/CALV. 10/7
AVG. Wt/CALV. 98/7
ICP 429

CEF 160380

NPT 150196
AGE/CALV. 10/7
AVG. Wt/CALV. 106/6
ICP 438

JRP 100044

KTB 070140
AGE/CALV. 15/11
AVG. Wt/CALV. 82/13
ICP 393

CEF 130317 HH(c)

CEF 110175
AGE/CALV. 8/6
AVG. Wt/CALV. 104/5

NPT 120136

NPT 090107
AGE/CALV. 10/7
AVG. Wt/CALV. 105/6

LAR 070055

JRP 040007
AGE/CALV. 14/10
AVG. Wt/CALV. 106/11

CEF 010393

KTB 010118
AGE/CALV. 14/9
AVG. Wt/CALV. 100/9

Calving Ease
Value
104

Weaner Calf
Value
117

Fertility
Value
89

Maintenance
Value
91

Cow Value
106

Growth
Value
106

Carcass
Value
108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	122	81	105	82	95	106	120	107	124	111	113	119	112	93	103

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	91	103	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 26 BOTTERFONTEIN ESTATES CC



KTB 240214
2024-10-20
SP

Parentage Sire Dam

DNA ☒ ☒

Genomic ☒

NPT 200026



KTB 140075
AGE/CALV. 10/8
AVG. Wt/CALV. 99/8
ICP 392

CEF 160380

NPT 150196
AGE/CALV. 10/7
AVG. Wt/CALV. 106/6
ICP 438

KTB 090045

KTB 040139
AGE/CALV. 13/8
AVG. Wt/CALV. 102/8
ICP 460

CEF 130317 HH(c)

CEF 110175
AGE/CALV. 8/6
AVG. Wt/CALV. 104/5

NPT 120136

NPT 090107
AGE/CALV. 10/7
AVG. Wt/CALV. 105/6

JRP 040079

KTB 060057
AGE/CALV. 7/3
AVG. Wt/CALV. 107/3

JRP 000028

KTB 010005
AGE/CALV. 8/5
AVG. Wt/CALV. 105/5

Calving Ease
Value
100

Weaner Calf
Value
113

Fertility
Value
104

Maintenance
Value
91

Cow Value
111

Growth
Value
107

Carcass
Value
109

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	117	90	120	99	105	106	115	110	122	109	113	116	103	101	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	101	106	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	230	7.88	-	-	0.98 1.87	-0.28 -0.86	14.9 26.3	3.7 4.1	25 52	22 47	79 118	-37 -61	12.8 19.9	-3.0 6	14.0 28	107	-	112	104	6.0	98
1	KTB 240110	M	B	37	245	7.69	-	-	2.47	-1.52	30.2	5.5	62.1	55.3	106	-66	18.8	13	35	108	-	110	101	4	85
2	KTB 240052	M	SP	32	219	6.18	-	-	0.31	-0.99	17.0	4.0	41.0	27.1	81	-57	12.3	0	18	103	-	99	94	10	104
3	KTB 240154	M	SP	39	263	9.68	-	-	3.16	-0.36	30.9	8.5	58.9	58.7	149	-59	18.8	13	36	116	-	110	116	4	109
4	KTB 240135	M	SP	37	237	9.02	-	-	2.52	-0.68	23.7	8.9	54.2	56.2	129	-66	20.7	4	28	104	-	113	102	7	95
5	EKO 230031	M	SP	30	227	6.22	-	-	-0.13	0.01	26.0	1.8	54.4	48.7	157	-59	21.6	-6	27	110	-	115	109	2	54
6	EKO 230023	M	SP	33	204	7.27	-	-	0.48	0.10	21.1	-0.8	42.5	33.1	133	-45	11.1	-5	15	95	-	97	105	3	84
7	KTB 240256	M	B	37	221	7.49	-	-	2.51	-1.28	27.9	8.0	51.9	53.1	94	-59	18.5	12	33	112	-	110	105	7	110
8	KTB 240245	M	SP	36	224	7.11	-	-	2.68	-1.19	33.0	-4.3	54.9	54.4	130	-80	29.8	7	32	114	-	129	99	6	89
9	KTB 240048	M	SP	38	221	7.45	-	-	3.28	-1.57	32.0	7.5	66.9	59.2	118	-80	26.8	13	34	101	-	123	103	7	111
10	KTB 240077	M	SP	38	233	10.3	-	-	2.53	-0.65	27.0	9.9	58.8	45.3	144	-62	20.3	10	32	101	-	113	108	4	104
11	EKO 230015	M	SP	38	208	7.42	-	-	2.40	-0.67	26.9	3.6	55.3	76.8	174	-60	28.6	4	32	95	-	127	107	8	108
12	EKO 230011	M	SP	37	214	7.25	-	-	0.17	-0.94	15.7	7.1	37.7	20.7	104	-36	25.9	-17	9	99	-	122	99	8	107
13	KTB 240207	M	SP	36	255	7.81	-	-	1.92	-0.91	33.3	5.8	61.1	59.3	139	-86	27.9	15	42	113	-	125	106	5	94
14	KTB 240141	M	SP	31	237	7.45	-	-	-0.20	-0.46	16.5	12.4	38.1	25.2	93	-50	21.1	1	19	107	-	114	111	7	93
15	KTB 240182	M	SP	39	277	8.35	-	-	3.41	-1.43	36.1	5.0	62.2	71.9	129	-59	17.2	12	37	123	-	107	104	5	105
16	KTB 240168	M	SP	31	244	9.69	-	-	1.91	-0.49	27.1	3.1	52.9	56.2	94	-53	15.7	10	27	110	-	105	104	3	109
17	EKO 230055	M	SP	41	205	7.88	-	-	0.89	-0.18	15.7	0.6	24.7	5.5	47	-30	5.8	-15	1	97	-	88	96	6	94
18	EKO 230072	M	SP	40	212	7.04	-	-	1.85	-0.52	20.9	2.7	38.2	20.9	86	-29	20.1	-6	12	102	-	112	102	5	91
19	KTB 240268	M	SP	35	245	7.54	-	-	2.51	-0.60	31.2	8.4	59.0	72.6	134	-66	27	15	35	128	-	124	128	2	97
20	KTB 240171	M	SP	37	233	9.56	-	-	1.57	-1.31	22.7	-1.9	45.7	30.3	123	-82	27.3	0	21	102	-	124	87	7	92
21	KTB 240153	M	SP	39	274	8.71	-	-	3.76	-1.14	40.1	4.3	78.8	87.8	183	-78	18.5	22	48	122	-	110	114	4	106
22	KTB 240211	M	SP	36	195	7.2	-	-	2.05	-1.12	28.5	-0.3	50.8	43.0	112	-71	19.7	12	35	98	-	112	99	7	91
23	KTB 240029	M	SP	39	217	7.88	-	-	3.11	-1.37	31.4	3.4	62.4	54.2	107	-65	15.1	12	34	98	-	104	93	5	100
24	KTB 240266	M	SP	34	224	7.23	-	-	0.96	-0.86	17.8	4.1	34.8	24.1	84	-43	7.1	7	21	116	-	91	106	4	116
25	KTB 240215	M	SP	35	235	7.97	-	-	1.11	-1.17	26.9	-2.2	49.7	37.7	104	-77	15.9	7	30	104	-	105	98	7	97

Dier Info				Werklike Syfers					Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig	205d Gewig	KKG	Lengte Hoogte	Skr. Omtr.	Geb Dir	Geb Mat	Spn Dir	Spn Mat	Na-Spn	Volw. Gewig	GDT	VOV	Skr. Omtr.	Hoogte	Lengte	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
				(kg)	(kg)	Verh.	Verh.	(mm)	(kg)	(kg)	(kg)	(kg)	(kg)	(g/d)	(kg:kg)	(mm)	(mm)	(mm)							
Ras Gemiddeld				36	230	7.88	-	-	0.98	-0.28	14.9	3.7	25	22	79	-37	12.8	-3.0	14.0	107	-	112	104	6.0	98
Aanbod Gemiddeld									1.87	-0.86	26.3	4.1	52	47	118	-61	19.9	6	28						
26	KTB 240214	M	SP	36	200	7.56	-	-	1.42	-0.97	24.1	0.6	44.5	35.6	118	-73	24.5	7	28	102	-	120	99	8	109

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik