

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

HOTSPOT CATTLE 12TH PRODUCTION AUCTION

Ventersdotp

03 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 17 August 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.
- 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:
 - 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
 - 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
 - 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
 - 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.3 The Society will approve any production sale of registered Boran cattle provided that:
 - 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
 - 1.3.2 Both the Sellers and the Society will sign a written agreement
 - 1.3.3 The Seller adheres to the requirements detailed further in this document.
 - 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The seller may only sell animals at auction that have been in their possession for no less than 12 months. Only applicable for Boran National Auctions.

- 2.3 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.
- 2.4 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.8 Only one auction under the auspices of the society can be held on any one day
- 2.9 No other sale may be held three (3) weeks prior to the National sale. However, it is the Council's prerogative to grant permission to hold an auction under the auspices within the three weeks.
- 2.10 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Bye-laws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than eight months of age at the date of sale.
- 3.1.8 If the calf is younger than eight months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.

- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.
- 3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twenty-four (24) months and older, must:
- 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. These bulls must be genomically tested and also test free of Pompies mutation and double muscling. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
- 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
- 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 8 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days (Inter Calf Periods of female animals offered at the National Auction(s) may not exceed 500 days maximum.)
 - 4.1.1.2.2 have calved before 42 months (Female animals offered at the National Auction(s) may not exceed 39 months of age at first calving.
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.

- 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
- 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
- 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.
- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
- 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
- 4.1.11.2 Pregnancy must be recorded in months.
- 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
- 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
- 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
- 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
- 5.1.1 to verify the identification of the animals on offer
- 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
- 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B & C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.

- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:
 - 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
 - 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 8 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1% will be levied on the transaction as per Society's sales agreement.
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multi-sires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro-and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 In the event of a disease outbreak, such as Foot-and-Mouth, that prevents auctions from being held, the following procedures will be implemented regarding the screening of animals:
- 12.4.1 All screenings of animals intended for the online auction will take place on the farm of the seller, prior to the auction.
- 12.4.2 In the event that an auction is successfully concluded, the relocation of animals from the seller's farm to the buyer's premises will be subject to agreement between the seller and the buyer. The Boran Society will not be a party to these agreement, and the Society do not guarantee the relocation of animals in any way.
- 12.4.3 The seller and buyer must agree on a timeline for the relocation of animals that is both fair and safe, taking into account the prevailing disease conditions and any relevant regulatory requirements.
- 12.5 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society. Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

14

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

SB 110001

SUPERBULL SB 11 0100

6

7

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 140010

SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110012 P

SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001

SUPERBULL SB 110400

SB 060004 Pch

SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

8

Town, Province

078 737 2855

super_bull@webmail.com

1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

- Celtic: PP(c)/Pp(c) - polled, HH(c) - horned

- Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

- Herd book section
- Birth date
- Animal's age
- Animal's inbreeding percentage
- DNA Number - if available

10 Additional information (only females)

- Age at first calving
- Number of calves born
- Number of calves weighed at weaning
- Average Wean Index
- Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

- Age and Number of Calvings
- Average Wean Index and Number of Calves Weaned
- Age at First Calving and Intercalving Period
- Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin

Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Calf Growth Value

Heavy weaner calves

Measurement: Weaning weight
EBVs: Weaning weight Direct

Milk Value

Good mothering ability

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Maintenance Value

Low cow weight

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



HOT 230071

HOTSPOT PATCHES

Herd Book	SP
Birth date	2023-09-20
Age	2y 11m
Inbreeding	0%
DNA	U15344U008

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 170507 SP
MODEL GENETICS PATCHES
Age 8y | AFC 33m | ICP 382d
Calves 6 | Weighed 3 | Wean Mat. 101
Avg. WI 107 | CCB - | CCW 39.2
Calvings: 20-08, 21-09, 22-10,
23-09, 24-12, 25-11

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

W 110036 SP
MODEL MADOT
Wean Mat. 91

DLV 110015 SP
DE LA VIDA PATCHES
Age 15y | AFC 36m | ICP 377d
Calves 11 | Weighed 5 | Wean Mat. 90
Avg. WI 98 | CCB - | CCW 32.5

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
 CI 070034 SP
CIRCLE C CI070034- JUNIOR
B 040069 SP
BORGEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
 DLV 080002 SP
DE LA VIDA RED BULL DLV 0802
CFH 070243 SP
ELANDSPRUIT CFH07243
Age 5y | Avg. WI 94
Calves 3 | Weighed 2

COW VALUE 118

89	Calving Ease Value
118	Calf Growth Value
117	Milk Value
112	Maintenance Value
91	Fertility Value

GROWTH VALUE 105

CARCASS VALUE	119
PRODUCTION VALUE	117



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
87	101	118	117	138	97	81	110
74%	64%	72%	59%	49%	53%	36%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	110	110	89	118	114	101	108	110
56%	47%	30%	59%	49%	46%	41%	44%	41%

SELLER REMARKS: A super Zinzan daughter to kick off the auction. From the well known Patches cow family that has done superbly in the Ntaba Nyoni herd. 7 mths in calf to HOT18-29 ZAZU/HOT22-88



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 2 (F)



HOT 230228

HOTSPOT ROXY

Herd Book	SP
Birth date	2023-11-10
Age	2y 10m
Inbreeding	1%
DNA	U15988U016

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 170397 SP
MODEL ROXY
Age 8y | AFC 35m | ICP 378d
Calves 6 | Weighed 3 | Wean Mat. 91
Avg. WI 94 | CCB - | CCW 41.5
Calvings: 20-08, 21-09, 22-10,
23-11, 24-11, 25-10

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

W 110036 SP
MODEL MADOT
Wean Mat. 91

W 140732 SP
MODEL ROXY
Age 11y | AFC 34m | ICP 380d
Calves 9 | Weighed 3 | Wean Mat. 112
Avg. WI 102 | CCB - | CCW 40.8


KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
 CI 070034 SP
CIRCLE C CI070034- JUNIOR
B 040069 SP
BORGEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
 Z 060051 SP
HLANZENI Z0651 - MR MILLION
B 090479 SP
BORGEN ROXY
Age 17y | Avg. WI 102
Calves 9 | Weighed 2

COW VALUE 110

88	Calving Ease Value
113	Calf Growth Value
111	Milk Value
106	Maintenance Value
96	Fertility Value

GROWTH VALUE 99

CARCASS VALUE	116
PRODUCTION VALUE	108



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	93	113	111	135	101	87	109
74%	65%	71%	59%	52%	53%	37%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	101	103	93	116	109	101	106	110
55%	49%	31%	60%	51%	48%	41%	44%	41%

SELLER REMARKS: ZINZAN x MADOT x MR MILLION- What a sire stack. The Roxy cow family is known for beautiful, fertile animals that perform well all over the place. Super EBV's. 7mth in calf to HOT18-29 ZAZU/HOT22-88



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 3 (F)



HOT 240018

HOTSPOT ALEXA

Kuddeboek	SP
Geb. dtm	2024-01-16
Oud.	2j 8m
Inteling	9%
DNS	U16800U017



N. OLIVIER

Ventersdorp, North West
0737473239
cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HOT 180029 HH SP
HOTSPOT ZAZU
Spn Mat. 127

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 160121 SP
MODEL ALEXA
Oud. 9j | OEK 37m | TKP 382d
Kalwers 6 | Geweeg 4 | Spn. Mat. 102
Gem. SI 102 | KKG - | KKS 44.4
Kalwings: 19-10, 20-10, 21-10,
22-11, 24-01, 24-12

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

HOT 170002 SP
HOTSPOT ZELNIEKE
Oud. 9j | OEK 24m | TKP 408d
Kalwers 7 | Geweeg 4 | Spn. Mat. 118
Gem. SI 107 | KKG - | KKS 35.6

W 110036 SP
MODEL MADOT
Spn Mat. 91

W 110066 SP
MODEL ALEXA
Oud. 11j | OEK 30m | TKP 394d
Kalwers 5 | Geweeg - | Spn. Mat. 116
Gem. SI - | KKG - | KKS -

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
W 110036 SP
MODEL MADOT
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
CI 070034 SP
CIRCLE C 070034- JUNIOR
B 040069 SP
BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
CI 070034 SP
CIRCLE C 070034- JUNIOR
B 090488 HH SP
BORGEN ALEXA
Oud. 17j | Gem. SI 107
Kalwers 11 | Geweeg 4

KOEIWAARDE 114

119	Kalfgemak Waarde
104	Kalfgroei Waarde
112	Melk Waarde
97	Onderhoudswaarde
94	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE	115
PRODUKSIE WAARDE	112



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
117	104	104	112	128	110	80	103
74%	53%	69%	52%	51%	40%	29%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	103	100	100	117	110	111	103	110
43%	50%	21%	48%	51%	48%	28%	30%	28%

VERKOPER OPMERKINGS: The first ZAZU daughter on offer! She is the kind we like, and out of the Alexa cow family known for great bont animals. 7 mth in calf to HOT15-34 MUFASA/HOT22-18/HOT22-62/HOT22-88

LOT 7 (F)



HOT 230219

HOTSPOT KIARA

Kuddeboek	SP
Geb. dtm	2023-11-08
Oud.	2j 10m
Inteling	4%
DNS	U15988U007



N. OLIVIER

Ventersdorp, North West
0737473239
cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 151114 SP
MODEL KIARA
Oud. 10j | OEK 34m | TKP 383d
Kalwers 8 | Geweeg 6 | Spn. Mat. 147
Gem. SI 105 | KKG - | KKS 38.1
Kalwings: 18-08, 19-08, 20-09,
21-11, 22-11, 23-11, 24-10, 25-12

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

NBOR060063 SP
NTABA NYONI MOPANI
Spn Mat. 151

10-0007BBN SP
BORANA 10-0007BB
Oud. 8j | OEK - | TKP 383d
Kalwers 5 | Geweeg - | Spn. Mat. 124
Gem. SI - | KKG - | KKS -

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
06-0031BBN SP
BORANA BB06031 (ET)
06-0029BBN SP
BORANA KIARA
Oud. 16j | Gem. SI 99
Kalwers 12 | Geweeg 4

KOEIWAARDE 115

69	Kalfgemak Waarde
119	Kalfgroei Waarde
142	Melk Waarde
94	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 101

KARKAS WAARDE	125
PRODUKSIE WAARDE	113



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
76	79	119	142	138	106	91	110
72%	65%	69%	61%	47%	52%	36%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
124	105	101	102	119	120	110	114	98
48%	45%	29%	60%	46%	44%	39%	42%	39%

VERKOPER OPMERKINGS: White Zinzan daughter from our proven Kiara cow family. Milk 142!! The kind that is going to make a great cow!! 7 mths in calf to MXM16-1001

LOT 8 (F)



HOT 240012

HOTSPOT DANELLE

Herd Book	SP
Birth date	2024-01-09
Age	2y 8m
Inbreeding	2%
DNA	U16800U011

W 160018 HH SP
MODEL FRECKLES
Wean Mat. 116

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BR 170021 SP
BRENNBOSS DANELLE
Age 8y | AFC 38m | ICP 438d
Calves 5 | Weighed 2 | Wean Mat. 98
Avg. WI 100 | CCB - | CCW 39.4
Calvings: 21-01, 22-10, 24-01,
24-12, 25-10

W 110036 SP
MODEL MADOT
Wean Mat. 91

FPL 110018 HH SP
BLOODLINE TANYA
Age 15y | AFC 32m | ICP 423d
Calves 11 | Weighed 5 | Wean Mat. 125
Avg. WI 110 | CCB - | CCW 34.1

BWS 140023 HH SP
BRENAISSANCE BWS 140023
Wean Mat. 106

CFH 140314 SP
ELANDSPRUIT CFH140314
Age 5y | AFC 27m | ICP 418d
Calves 3 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -

CI 070034 SP
CIRCLE C 070034 - JUNIOR
B 040069 SP
BORGEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
CDH 040006 C
MASAI CDH 04 06
HOT 070007 SP
HOTSPOT TANYA
Age 19y | Avg. WI 105
Calves 8 | Weighed 3
B 060021 SP
BORGEN KERNEELS
MHB 060048 SP
MOLLS-HOOP GINGER
Age 15y | Avg. WI 91
Calves 10 | Weighed 1
E 060006 SP
TAMBARINE E 06 06
CFH 100137 SP
ELANDSPRUIT CFH100137
Age 13y | Avg. WI -
Calves 9 | Weighed -

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 98	
124	Calving Ease Value
90	Calf Growth Value
105	Milk Value
95	Maintenance Value
92	Fertility Value
GROWTH VALUE 89	
CARCASS VALUE 102	
PRODUCTION VALUE 94	



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
121	105	90	105	94	105	83	105
71%	50%	66%	46%	41%	38%	26%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	94	93	103	111	99	109	111	120
39%	37%	14%	45%	40%	36%	24%	26%	24%

SELLER REMARKS: With Feckles, Kerneels and Ginger in 1 pedigree, you cant go wrong! Top bont heifer used in our embryo programme. 3 mth in calf to HOT23-07/MXM16-1001 MOKO



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 9 (F)



HOT 230072

HOTSPOT DOROTHY

Herd Book	SP
Birth date	2023-09-20
Age	2y 11m
Inbreeding	6%
DNA	U15344U009

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BH 170349 SP
CIRCLE H DOROTHY
Age 8y | AFC 36m | ICP 394d
Calves 6 | Weighed 3 | Wean Mat. 99
Avg. WI 94 | CCB - | CCW 34.6
Calvings: 20-09, 21-10, 22-10,
24-01, 24-12, 26-01

MHB 040027 SP
MOLLS-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

B 050098 SP
BORGEN B05098 - NINETY-EIGHT
Wean Mat. 116

WZ 140128 SP
WILZAK DOROTHY
Age 11y | AFC 34m | ICP 368d
Calves 9 | Weighed - | Wean Mat. 87
Avg. WI - | CCB 6.68 | CCW -

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 040001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
K6K2997 PBD
KE MOGWONNI K6K2997
8334 F
ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
MHB 040027 SP
MOLLS-HOOP KHAN
WZ 110006 SP
WILZAK DOROTHY
Age 12y | Avg. WI -
Calves 7 | Weighed -

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 101	
75	Calving Ease Value
107	Calf Growth Value
119	Milk Value
91	Maintenance Value
108	Fertility Value
GROWTH VALUE 99	
CARCASS VALUE 113	
PRODUCTION VALUE 100	



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
76	94	107	119	147	102	107	112
63%	64%	59%	58%	50%	53%	36%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	101	105	107	101	104	90	114	99
50%	47%	31%	59%	49%	47%	42%	45%	42%

SELLER REMARKS: Full sister to lot 10. The consistency of the Dorothy cow family is superb. Linebred Khan and adding 494 from the Dorothy's. 7 mths in calf to HOT18-29 ZAZU/HOT22-88



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 10 (F)



HOT 230101

HOTSPOT DOROTHY

Kuddeboek	SP
Geb. dtm	2023-09-30
Oud.	2j 11m
Inteling	6%
DNS	U15441U012



N. OLIVIER

Ventersdorp, North West

0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 101

75	Kalfgemak Waarde
107	Kalfgroei Waarde
119	Melk Waarde
91	Onderhoudswaarde
108	Vrugbaarheidswaarde

GROEI WAARDE 99

KARKAS WAARDE 113

PRODUKSIE WAARDE 100

HOT 150012 HH SP

HOTSPOT ZINZAN

Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 170349 SP

CIRCLE H DOROTHY

Oud. 8j | OEK 36m | TKP 394d
Kalwers 6 | Geweeg 3 | Spn. Mat. 99
Gem. SI 94 | KKG - | KKS 34.6
Kalwings: 20-09, 21-10, 22-10,
24-01, 24-12, 26-01

MHB 040027 SP

MOLL'S-HOOP KHAN

Spn Mat. 95

HOT 070009 SP

HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

Spn Mat. 116

WZ 140128 SP

WILZAK DOROTHY

Oud. 11j | OEK 34m | TKP 368d
Kalwers 9 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG 6.68 | KKS -

KPO786 PBD

KE OL PEJETA 786

ADC5761 PBD

A.D.C. MUTARA 5761

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

B 040001 SP

BORGEN B 04001

B 960615 SP

BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

K6K2997 PBD

KE MOGWONNI K6K2997

8334 F

ADC MUTARA 8334

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

MHB 040027 SP


MOLL'S-HOOP KHAN

WZ 110006 SP

WILZAK DOROTHY

Oud. 12j | Gem. SI -

Kalwers 7 | Geweeg -



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
76	94	107	119	147	102	107	112
63%	64%	59%	58%	50%	53%	36%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	101	105	107	101	104	90	114	99
50%	47%	31%	59%	49%	47%	42%	45%	42%

VERKOPER OPMERKINGS: Full sister to lot 9. The consistency of the Dorothy cow family is superb. Linebred Khan and adding 494 from the Dorothy's. 7 mths in calf to HOT18-29 ZAZU/HOT22-88

LOT 14A (F)



HOT 220219

HOTSPOT HEIDI

Kuddeboek	SP
Geb. dtm	2022-10-30
Oud.	3j 10m
Inteling	0%
DNS	U11177U014
OEK	38m
Kalwers	1
Geweeg	1
Gem. SI	134
TKP	-



N. OLIVIER

Ventersdorp, North West

0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Kalwings: 25-12

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 115

59	Kalfgemak Waarde
134	Kalfgroei Waarde
151	Melk Waarde
74	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE 112

KARKAS WAARDE 117

PRODUKSIE WAARDE 117

WZ 150085 HH SP

WILZAK SATURN

Spn Mat. 135

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 120106 SP

MODEL HEIDI

Oud. 13j | OEK 24m | TKP 449d
Kalwers 10 | Geweeg 6 | Spn. Mat. 139
Gem. SI 114 | KKG - | KKS 45.4
Kalwings: 14-10, 16-05, 17-09,
18-09, 19-12, 21-05, 22-10, 23-10,
24-09, 25-10

VST 110005 SP

TRAP ZENITH

Spn Mat. 126

WZ 130015 SP

WILZAK SUNSHINE

Oud. 13j | OEK 32m | TKP 520d
Kalwers 8 | Geweeg - | Spn. Mat. 120
Gem. SI - | KKG 6.48 | KKS -

Z 060051 SP

HLANZENI 20651 - MR MILLION

Spn Mat. 113

AAA 060001 HH SP

TRIPLE A HEIDI

Oud. 19j | OEK - | TKP 437d
Kalwers 13 | Geweeg 5 | Spn. Mat. 94
Gem. SI 92 | KKG - | KKS 39

B 040042 SP

BORGEN B 04 42

HOT 070009 SP

HOTSPOT ZELMA

Oud. 13j | Gem. SI 83

Kalwers 8 | Geweeg 1

CFH 070065 SP

ELANDSPRUIT AMARULA

N 080020 HH SP

EERSTEGELUK-BAAS SUNSHINE

Oud. 17j | Gem. SI 110

Kalwers 14 | Geweeg 4

KPO794 PBD

KE OL PEJETA 794

K6K2386 PBD

KE MOGWONNI 2386

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

HVT 980014 SP

OUTSPAN HVT980014

GF400 SP

GRASMERE 40 O

Oud. 21j | Gem. SI -

Kalwers 6 | Geweeg -



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
65	66	134	151	111	97	91	107
75%	69%	72%	61%	36%	54%	30%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
141	118	127	128	143	142	115	97	105
48%	33%	22%	69%	35%	32%	29%	31%	29%

VERKOPER OPMERKINGS: 3 in 1.Exceptional Heidi!! Half sister from the same dam was sold by Hollenbach Boran at the recent national sale. With a heifer calf HOT25-445 out of this world from HOT20-218! 6mths in calf to HOT21-296

LOT 14B (F)



HOT 250445

HOTSPOT HEIDI

Herd Book	SP
Birth date	2025-12-16
Age	9 months
Inbreeding	2%
DNA	U25790U010



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 128

68	Calving Ease Value
147	Calf Growth Value
127	Milk Value
81	Maintenance Value
103	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 128

PRODUCTION VALUE 128

SELLER REMARKS: One of my personal favourites amongst the calves on auction. Incredible indexes, Cow Value 128, Calf Growth 147!! Must be inspected when of age

HOT 200218 HH SP

HOTSPOT HOT 200218

Wean Mat. 101

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 220219 SP

HOTSPOT HEIDI

Age 3y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 151
Avg. WI 134 | CCB - | CCW 42.1

Calvings: 25-12

HOT 150012 HH SP

HOTSPOT ZINZAN

Wean Mat. 138

W 150965 SP

MODEL KARLA

Age 11y | AFC 39m | ICP 409d
Calves 7 | Weighed 4 | Wean Mat. 68
Avg. WI 97 | CCB - | CCW 42

WZ 150085 HH SP

WILZAK SATURN

Wean Mat. 135

W 120106 SP

MODEL HEIDI

Age 13y | AFC 24m | ICP 449d
Calves 10 | Weighed 6 | Wean Mat. 139
Avg. WI 114 | CCB - | CCW 45.4

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 070009 SP

HOTSPOT ZELMA

Age 13y | Avg. WI 83

Calves 8 | Weighed 1

CI 080034 HH SP

CIRCLE C C1080034

B 090545 SP

BORGEN B 090545

Age 13y | Avg. WI -

Calves 8 | Weighed -

VST 110005 SP

TRAP ZENITH

WZ 130015 SP

WILZAK SUNSHINE

Age 13y | Avg. WI -

Calves 8 | Weighed -

Z 060051 SP

HLANZENI Z0651 - MR MILLION

AAA 060001 HH SP

TRIPLE A HEIDI

Age 19y | Avg. WI 92

Calves 13 | Weighed 5



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
53	87	147	127	122	99	91	121
70%	47%	63%	43%	31%	38%	24%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
146	111	109	120	128	131	117	117	103
34%	29%	20%	45%	30%	28%	25%	27%	25%

LOT 15A (F)



HOT 200087

HOTSPOT KIARA

Herd Book	SP
Birth date	2020-09-23
Age	5y 11m
Inbreeding	0%
DNA	U2327U029
AFC	26m
Calves	4
Weighed	4
Avg. WI	88
ICP	361d



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Last Calf

Calf ID	HOT 250340 (F)
Birth Date	2025-11-05
Sire ID	HOT 180029

Calvings: 22-11, 23-11, 24-12, 25-11

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 89

75	Calving Ease Value
115	Calf Growth Value
95	Milk Value
89	Maintenance Value
96	Fertility Value

GROWTH VALUE 112

CARCASS VALUE 112

PRODUCTION VALUE 94

SELLER REMARKS: 3 in 1. Maternal sister to lot 7. This cow family never disappoints! With beautiful ZAZU HOT18-29 heifer calf HOT25-340. 3 mths in calf to MXM16-1001

W 110036 SP

MODEL MADOT

Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 151114 SP

MODEL KIARA

Age 10y | AFC 34m | ICP 383d
Calves 8 | Weighed 6 | Wean Mat. 147
Avg. WI 105 | CCB - | CCW 38.1

Calvings: 18-08, 19-08, 20-09,
21-11, 22-11, 23-11, 24-10, 25-12

CI 070034 SP

CIRCLE C C1070034 - JUNIOR

Wean Mat. 96

B 040069 SP

BORGEN B 04 69

Age 10y | AFC - | ICP (donor)
Calves 4 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -

NBOR060063 SP

NTABA NYONI MOPANI

Wean Mat. 151

10-0007BBN SP

BORANA 10-0007BB

Age 8y | AFC - | ICP 383d
Calves 5 | Weighed - | Wean Mat. 124
Avg. WI - | CCB - | CCW -

TLM 020001 SP

KETA TLM020001 - BUFFEL

GF39T D SP

GRASMER GF 39T

Age 18y | Avg. WI -

Calves 9 | Weighed -

K6K3094 PBD

KE MOGWOOINI 3094 (8MK163)

Z7F108 F

KE WORAGUS 108

Age 35y | Avg. WI -

Calves 1 | Weighed -

25 PBD

KE MARULA 25

KPO999 SP

KE OL PEJETA 999

Age 28y | Avg. WI -

Calves 1 | Weighed -

06-0031BBN SP

BORANA BB06031 (ET)

06-0029BBN SP

BORANA KIARA

Age 16y | Avg. WI 99

Calves 12 | Weighed 4



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	80	115	95	91	113	75	109
78%	81%	75%	76%	44%	57%	41%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	118	112	112	121	118	126	91	110
44%	41%	24%	75%	43%	40%	34%	37%	34%

LOT 15B (F)



HOT 250340

HOTSPOT KIARA

Kuddeboek	SP
Geb. dtm	2025-11-05
Oud.	10 maande
Inteling	7%
DNS	U25308U001

HOT 180029 HH SP
HOTSPOT ZAZU
Spn Mat. 127

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 200087 SP
HOTSPOT KIARA
Oud. 5j | OEK 26m | TKP 361d
Kalwers 4 | Geweeg 4 | Spn. Mat. 95
Gem. SI 88 | KKG - | KKS 33.6
Kalwings: 22-11, 23-11, 24-12, 25-11

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

HOT 170002 SP
HOTSPOT ZELNIEKE
Oud. 9j | OEK 24m | TKP 408d
Kalwers 7 | Geweeg 4 | Spn. Mat. 118
Gem. SI 107 | KKG - | KKS 35.6

W 110036 SP
MODEL MADOT
Spn Mat. 91

W 151114 SP
MODEL KIARA
Oud. 10j | OEK 34m | TKP 383d
Kalwers 8 | Geweeg 6 | Spn. Mat. 147
Gem. SI 105 | KKG - | KKS 38.1

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
W 110036 SP
MODEL MADOT
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
CI 070034 SP
CIRCLE C CIO70034- JUNIOR
B 040069 SP
BORGES B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
NBOR060063 SP
NTABA NYONI MOPANI
10-0007BBN SP
BORANA 10-0007BB
Oud. 8j | Gem. SI -
Kalwers 5 | Geweeg -

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

KOEIWAARDE	110
101	Kalfgemak Waarde
98	Kalfgroei Waarde
113	Melk Waarde
109	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE	93
KARKAS WAARDE	104
PRODUKSIE WAARDE	105



EBV Analyse 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	87	98	113	125	119	79	114
73%	53%	70%	53%	51%	40%	28%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	97	94	91	108	104	104	103	107
42%	49%	21%	48%	50%	48%	28%	30%	28%

VERKOPER OPMERKINGS: ZAZU heifer calf out of the ever consistent Kiara's. Calf with the potential to become an incredible cow. Must be inspected when of age



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 16A (F)



HOT 220166

HOTSPOT ANKIA

Kuddeboek	SP
Geb. dtm	2022-10-16
Oud.	3j 11m
Inteling	2%
DNS	U10882U009
OEK	37m
Kalwers	1
Geweeg	1
Gem. SI	89
TKP	-

W 170308 SP
MODEL TYSON
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JJP 160023 SP
JOLOPAHE ANKIA
Oud. 9j | OEK 36m | TKP 356d
Kalwers 7 | Geweeg 6 | Spn. Mat. 97
Gem. SI 99 | KKG - | KKS 42.1
Kalwings: 19-12, 20-10, 21-10, 22-10, 23-09, 24-10, 25-10

VST 120070 SP
TRAP VST1270
Spn Mat. 104

CI 080036 SP
CIRCLE C CIO80036
Oud. 12j | OEK 28m | TKP 365d
Kalwers 9 | Geweeg 7 | Spn. Mat. 99
Gem. SI 98 | KKG 4.84 | KKS 45

JJP 110531 SP
JOLOPAHE JJP 110531
Spn Mat. 110

JJP 120039 C
JOLOPAHE JJP12039
Oud. 7j | OEK 32m | TKP 403d
Kalwers 5 | Geweeg 2 | Spn. Mat. 83
Gem. SI 91 | KKG - | KKS 44.4

MHB 060030 SP
MOLL'S-HOOP RUSTIN
MHB 070029 SP
MOLL'S-HOOP JACKIE
Oud. 16j | Gem. SI 109
Kalwers 9 | Geweeg 4
TLM 040507 DH SP
KETA TLM040507 - BUSTER
KB2X SP
KETA KB 2 X
Oud. 14j | Gem. SI 104
Kalwers 10 | Geweeg 8
KB56X SP
KETA KB 56 X
DVB 080027 SP
DIAMANT-V 08 27
Oud. 11j | Gem. SI 98
Kalwers 9 | Geweeg 5
KB56X SP
KETA KB 56 X
JJP 100009 B
JOLOPAHE JJP100009
Oud. 4j | Gem. SI 112
Kalwers 2 | Geweeg 1

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

KOEIWAARDE	100
97	Kalfgemak Waarde
116	Kalfgroei Waarde
88	Melk Waarde
97	Onderhoudswaarde
90	Vrugbaarheidswaarde

GROEI WAARDE	100
KARKAS WAARDE	104
PRODUKSIE WAARDE	100



EBV Analyse 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	108	116	88	109	90	97	97
74%	67%	71%	60%	28%	47%	24%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	98	97	101	97	99	108	112	95
42%	26%	15%	68%	27%	25%	22%	24%	22%

VERKOPER OPMERKINGS: 3 in 1.As functional is they get.Sells with beautiful mottled heifer calf HOT25-386 from HOT21-296. 6 mths in calf to HOT18-04 ZION



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 16B (F)



HOT 250386

HOTSPOT ANKIA

Herd Book	SP
Birth date	2025-11-23
Age	9 months
Inbreeding	2%
DNA	U25522U006

HOT 210296 SP
HOTSPOT HOT210296
Wean Mat. 66

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 220166 SP
HOTSPOT ANKIA
Age 3y | AFC 37m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 88
Avg. WI 89 | CCB - | CCW 32.8
Calvings: 25-11

CFH 120308 SP
ELANDSPRUIT MAUSER
Wean Mat. 72

W 151079 SP
MODEL PORTCHIE
Age 10y | AFC 37m | ICP 417d
Calves 7 | Weighed 3 | Wean Mat. 68
Avg. WI 92 | CCB - | CCW 37.7

W 170308 SP
MODEL TYSON
Wean Mat. 89

JJP 160023 SP
JOLOPAHE ANKIA
Age 9y | AFC 36m | ICP 356d
Calves 7 | Weighed 6 | Wean Mat. 97
Avg. WI 99 | CCB - | CCW 42.1

CI 080034 HH SP
CIRCLE C CI080034
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 18y | Avg. WI -
Calves 4 | Weighed -
HOT 110003 SP
HOTSPOT LABOLA
LW 130017 SP
NELLO PORTCHIE
Age 12y | Avg. WI 55
Calves 8 | Weighed 1
VST 120070 SP
TRAP VST1270
CI 080036 SP
CIRCLE C CI080036
Age 12y | Avg. WI 98
Calves 9 | Weighed 7
JJP 110531 SP
JOLOPAHE JJP 110531
JJP 120039 C
JOLOPAHE JJP12039
Age 7y | Avg. WI 91
Calves 5 | Weighed 2

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 105

114	Calving Ease Value
94	Calf Growth Value
78	Milk Value
121	Maintenance Value
101	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 90

PRODUCTION VALUE 101



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	106	94	78	90	100	98	111
69%	45%	63%	41%	23%	32%	20%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	89	87	83	90	88	95	113	94
28%	21%	12%	44%	22%	20%	17%	18%	17%

SELLER REMARKS: Beautiful mottled heifer calf out of a fertile,functional line of cows. Sired by one of our bont stud bulls. Must be inspected when of age



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 20A (F)



HOT 220278

HOTSPOT BOEING

Herd Book	SP
Birth date	2022-11-18
Age	3y 9m
Inbreeding	0%
DNA	U11364U027
AFC	35m
Calves	1
Weighed	1
Avg. WI	108
ICP	-

MXM 161001 HH SP
MAMBUSHI MOKO
Wean Mat. 122

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 190152 SP
HOTSPOT BOEING
Age 6y | AFC 36m | ICP 348d
Calves 4 | Weighed 2 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW 45.2
Calvings: 22-11, 23-11, 24-10, 25-09

MXM110686 SP
MAMBUSHI 11-0686MXM
Wean Mat. 106

MXM 130236 SP
MAMBUSHI MXM 130236
Age 12y | AFC 36m | ICP 496d
Calves 7 | Weighed 2 | Wean Mat. 108
Avg. WI 105 | CCB 8.26 | CCW 46.9

W 140628 HH SP
MODEL KGOSI
Wean Mat. 115

W 160208 SP
MODEL BOEING
Age 5y | AFC 36m | ICP 348d
Calves 4 | Weighed 3 | Wean Mat. 84
Avg. WI 94 | CCB - | CCW 45.2

CB04511A SP
CHULLU CB04511A
GF03074X SP
GRASMERE GF03074X
Age 22y | Avg. WI -
Calves 1 | Weighed -
MXM 100191 SP
MAMBUSHI 10191
MXM 100020 SP
MAMBUSHI 10020
Age 8y | Avg. WI -
Calves 4 | Weighed -
NBOR060065 SP
NTABA NYONI 0665
B 090023 SP
BORGEN KHARI
Age 13y | Avg. WI -
Calves 10 | Weighed -
B 090020 HH SP
BORGEN B09020
W 110072 SP
MODEL W110072
Age 9y | Avg. WI -
Calves 5 | Weighed -

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 123

79	Calving Ease Value
128	Calf Growth Value
117	Milk Value
76	Maintenance Value
122	Fertility Value

GROWTH VALUE 100

CARCASS VALUE 91

PRODUCTION VALUE 120



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
73	119	128	117	120	111	124	112
73%	65%	68%	54%	24%	48%	19%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
135	104	109	127	109	112	115	81	94
40%	21%	14%	66%	23%	20%	18%	20%	18%

SELLER REMARKS: 3 in 1.Moko daughter selling with Mufasa (HOT15-34)bull calf HOT25-182. Her dam sells at lot 21 with an exceptional white heifer calf HOT250182. 8 mths in calf to HOT15-34 MUFASA/HOT22-16/HOT22-21




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 20B (M)



HOT 250182

HOTSPOT HOT250182



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2025-10-07
Oud.	11 maande
Inteling	1%

KOEIWAARDE 128

98	Kalfgemak Waarde
116	Kalfgroei Waarde
108	Melk Waarde
86	Onderhoudswaarde
128	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE	98
PRODUKSIE WAARDE	125

VERKOPER OPMERKINGS: Mufasa son out of a very fertile and funtional cow family. Cow Value 128! Must be inspected when of age

HOT 150034 HH SP
HOTSPOT MUFASA
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS		
Genomies		

HOT 220278 SP
HOTSPOT BOEING
Oud. 3j | OEK 35m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 117
Gem. SI 108 | KKG - | KKS 44.1
Kalwings: 25-10

W 110036 SP
MODEL MADOT
Spn Mat. 91

W 130224 HH SP
MODEL LEAH
Oud. 13j | OEK 29m | TKP 436d
Kalwers 10 | Geweeg 5 | Spn. Mat. 103
Gem. SI 103 | KKG - | KKS 41.5

MXM 161001 HH SP
MAMBUSHI MOKO
Spn Mat. 122

HOT 190152 SP
HOTSPOT BOEING
Oud. 6j | OEK 36m | TKP 348d
Kalwers 4 | Geweeg 2 | Spn. Mat. 103
Gem. SI 100 | KKG - | KKS 45.2

CI 070034 SP
CIRCLE C C1070034 - JUNIOR

B 040069 SP
BORGES B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
Z 060051 SP

HLANZENI 20651 - MR MILLION

CFH 060744 SP
ELANDSPRUIT 06 744
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
MXM110686 SP

MAMBUSHI 11-0686MXM

MXM 130236 SP
MAMBUSHI MXM 130236
Oud. 12j | Gem. SI 105
Kalwers 7 | Geweeg 2

W 140628 HH SP
MODEL KGOSI
W 160208 SP
MODEL BOEING
Oud. 5j | Gem. SI 94
Kalwers 4 | Geweeg 3



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
93	108	116	108	120	116	123	121	
72%	56%	67%	50%	42%	43%	26%	50%	


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	113	117	114	111	117	131	67	100
44%	39%	25%	53%	41%	37%	30%	34%	31%

LOT 21A (F)



HOT 190152

HOTSPOT BOEING



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Laaste Kalf	
Kalf ID	HOT 250121 (F)
Geb. datum	2025-09-28
Vaar ID	HOT 180029

Kalwings: 22-11, 23-11, 24-10, 25-09

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-11-14
Oud.	6j 10m
Inteling	3%
DNS	U550225
OEK	36m
Kalwers	4
Geweeg	2
Gem. SI	100
TKP	348d

KOEIWAARDE 116

111	Kalfgemak Waarde
100	Kalfgroei Waarde
103	Melk Waarde
104	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 77

KARKAS WAARDE	69
PRODUKSIE WAARDE	105

VERKOPER OPMERKINGS: 3 in 1. Dam to lot 20 and with one of the best heifer calves HOT25-121 sired by HOT 18-29 ZAZU. A cow that has PROVEN what she can do! 6 mths in calf to HOT22-16/HOT22-21

W 140628 HH SP
MODEL KGOSI
Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 160208 SP
MODEL BOEING
Oud. 5j | OEK 36m | TKP 348d
Kalwers 4 | Geweeg 3 | Spn. Mat. 84
Gem. SI 94 | KKG - | KKS 45.2
Kalwings: 19-11, 20-11, 21-10, 22-09

NBOR060065 SP
NTABA NYONI 0665
Spn Mat. 129

B 090023 SP
BORGES KHARI
Oud. 13j | OEK 33m | TKP 365d
Kalwers 10 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG - | KKS -

B 090020 HH SP
BORGES B09020
Spn Mat. 66

W 110072 SP
MODEL W110072
Oud. 9j | OEK 31m | TKP 423d
Kalwers 5 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG - | KKS -

25 PBD

KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
BIY943 PBD

BIY943

KPO1023 SP
KE OL PEJETA 1023
Oud. 27j | Gem. SI -
Kalwers 2 | Geweeg -
BIY943 PBD

BIY943

1545.LXIV PBD
KE OL PEJETA 1096
Oud. 25j | Gem. SI -
Kalwers - | Geweeg -
CI 070034 SP

CIRCLE C C1070034 - JUNIOR

CI 080114 SP
CIRCLE C C1080114
Oud. 15j | Gem. SI -
Kalwers 9 | Geweeg -



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
105	111	100	103	105	94	120	107	
77%	80%	72%	68%	40%	54%	34%	60%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	82	88	95	104	97	105	57	88
39%	36%	22%	74%	38%	34%	29%	33%	30%

LOT 21B (F)



HOT 250121

HOTSPOT BOEING



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2025-09-28
Age	11 months
Inbreeding	1%
DNA	U24848U016

COW VALUE 123

129	Calving Ease Value
94	Calf Growth Value
111	Milk Value
104	Maintenance Value
108	Fertility Value

GROWTH VALUE 79

CARCASS VALUE 89

PRODUCTION VALUE 112

SELLER REMARKS: She is the kind we like ALOT!! Thick, wide and feminine white Zazu heifer calf! Must be inspected when of age

HOT 180029 HH SP
HOTSPOT ZAZU
Wean Mat. 127

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 190152 SP
HOTSPOT BOEING
Age 6y | AFC 36m | ICP 348d
Calves 4 | Weighed 2 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW 45.2
Calvings: 22-11, 23-11, 24-10, 25-09

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

HOT 170002 SP
HOTSPOT ZELNIEKE
Age 9y | AFC 24m | ICP 408d
Calves 7 | Weighed 4 | Wean Mat. 118
Avg. WI 107 | CCB - | CCW 35.6

W 140628 HH SP
MODEL KGOSI
Wean Mat. 115

W 160208 SP
MODEL BOEING
Age 5y | AFC 36m | ICP 348d
Calves 4 | Weighed 3 | Wean Mat. 84
Avg. WI 94 | CCB - | CCW 45.2

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
W 110036 SP
MODEL MADOT
HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
NBOR060065 SP
NTABA NYONI 0665
B 090023 SP
BORGEN KHARI
Age 13y | Avg. WI -
Calves 10 | Weighed -
B 090020 HH SP
BORGEN B09020
W 110072 SP
MODEL W110072
Age 9y | Avg. WI -
Calves 5 | Weighed -



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
129	104	94	111	135	108	101	113
73%	52%	69%	50%	50%	39%	26%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	83	84	94	104	100	99	86	96
41%	48%	20%	48%	49%	47%	27%	29%	27%

LOT 22 (F)



W 170346

MODEL KHARI



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Last Calf

Calf ID	HOT 260044 (M)
Birth Date	2026-06-29
Sire ID	MXM 161001

Calvings: 20-10, 21-10, 22-11, 23-09, 24-11, 26-06

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2017-08-31
Age	9y
Inbreeding	13%
DNA	U390714
AFC	38m
Calves	6
Weighed	2
Avg. WI	109
ICP	414d

COW VALUE 113

94	Calving Ease Value
100	Calf Growth Value
132	Milk Value
97	Maintenance Value
106	Fertility Value

GROWTH VALUE 84

CARCASS VALUE 95

PRODUCTION VALUE 105

SELLER REMARKS: Khari is a snow white cow with exceptional capacity. Proven cow from a proven cow family. R/W MXM16-1001. With bull calf HOT26-44 from MXM161001.

W 140628 HH SP
MODEL KGOSI
Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 130330 SP
MODEL KHARI
Age 12y | AFC 32m | ICP 378d
Calves 7 | Weighed 4 | Wean Mat. 128
Avg. WI 105 | CCB - | CCW 52.4
Calvings: 16-08, 17-08, 18-10, 19-10, 20-09, 21-09, 22-10

NBOR060065 SP
NTABA NYONI 0665
Wean Mat. 129

B 090023 SP
BORGEN KHARI
Age 13y | AFC 33m | ICP 365d
Calves 10 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -

NBOR060065 SP
NTABA NYONI 0665
Wean Mat. 129

W 110049 SP
MODEL W110049
Age 8y | AFC 25m | ICP 654d
Calves 2 | Weighed - | Wean Mat. 108
Avg. WI - | CCB - | CCW -

25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Age 28y | Avg. WI -
Calves 1 | Weighed -
BIY943 PBD
BIY943
KPO1023 SP
KE OL PEJETA 1023
Age 27y | Avg. WI -
Calves 2 | Weighed -
25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Age 28y | Avg. WI -
Calves 1 | Weighed -
CI 070034 SP
CIRCLE C 070034- JUNIOR
B 030030 SP
BORGEN B 03 30
Age 13y | Avg. WI -
Calves 2 | Weighed -



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	80	100	132	103	94	112	107
77%	79%	63%	68%	50%	54%	38%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	94	98	99	133	123	130	68	95
44%	44%	24%	74%	48%	42%	33%	36%	33%

LOT 26 (F)



HOT 220182

HOTSPOT SIMONE

Kuddeboek	SP
Geb. dtm	2022-10-21
Oud.	3j 10m
Inteling	0%
DNS	U10959U005
OEK	31m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	352d

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

Laaste Kalf	
Kalf ID	HOT 260039 (F)
Geb. datum	2026-05-18
Vaar ID	JRS 170002

Kalwings: 25-05, 26-05

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MXM 161001 HH SP
MAMBUSHI MOKO
Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 190147 SP
HOTSPOT SIMONE
Oud. 4j | OEK 35m | TKP 342d
Kalwers 2 | Geweeg 2 | Spn. Mat. 96
Gem. SI 99 | KKG - | KKS 34.5
Kalwings: 22-10, 23-09

MXM110686 SP
MAMBUSHI 11-0686MXM
Spn Mat. 106

MXM 130236 SP
MAMBUSHI MXM 130236
Oud. 12j | OEK 36m | TKP 496d
Kalwers 7 | Geweeg 2 | Spn. Mat. 108
Gem. SI 105 | KKG 8.26 | KKS 46.9

W 140628 HH SP
MODEL KGOSI
Spn Mat. 115

W 160013 SP
MODEL W160013
Oud. 5j | OEK 30m | TKP 409d
Kalwers 3 | Geweeg 2 | Spn. Mat. 93
Gem. SI 109 | KKG - | KKS 42.1

CB04511A SP
CHULU CB04511A
GF03074X SP
GRASMERE GF03074X
Oud. 22j | Gem. SI -
Kalwers 1 | Geweeg -
MXM 100191 SP
MAMBUSHI 10191
MXM 100020 SP
MAMBUSHI 10020
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -
NBOR060065 SP
NTABA NYONI 0665
B 090023 SP
BORGEN KHARI
Oud. 13j | Gem. SI -
Kalwers 10 | Geweeg -
W 110036 SP
MODEL MADOT
W 120023 SP
MODEL SIMONE
Oud. 12j | Gem. SI 89
Kalwers 9 | Geweeg 2

KOEIWAARDE 128	
87	Kalfgemak Waarde
129	Kalfgroei Waarde
110	Melk Waarde
75	Onderhoudswaarde
127	Vrugbaarheidswaarde
GROEI WAARDE 109	
KARKAS WAARDE 98	
PRODUKSIE WAARDE 127	



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	109	129	110	118	131	120	107
73%	70%	66%	43%	25%	48%	20%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
138	111	118	129	117	118	119	85	100
40%	22%	15%	44%	24%	22%	19%	21%	19%

VERKOPER OPMERKINGS: 3rd generation white cow with an unbelievable heifer calf HOT26-039 sired by JRS17-02 Remington. ICP of 352 and cow value 128, a young cow with a bright future!!

LOT 27A (F)



HOT 210061

HOTSPOT KHARI

Kuddeboek	SP
Geb. dtm	2021-09-24
Oud.	4j 11m
Inteling	4%
DNS	U6307U007
OEK	38m
Kalwers	2
Geweeg	2
Gem. SI	99
TKP	344d

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

Laaste Kalf	
Kalf ID	HOT 250324 (F)
Geb. datum	2025-11-01
Vaar ID	W 150811

Kalwings: 24-11, 25-11

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



HOT 150034 HH SP
HOTSPOT MUFASA
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 130330 SP
MODEL KHARI
Oud. 12j | OEK 32m | TKP 378d
Kalwers 7 | Geweeg 4 | Spn. Mat. 128
Gem. SI 105 | KKG - | KKS 52.4
Kalwings: 16-08, 17-08, 18-10, 19-10, 20-09, 21-09, 22-10

W 110036 SP
MODEL MADOT
Spn Mat. 91

W 130224 HH SP
MODEL LEAH
Oud. 13j | OEK 29m | TKP 436d
Kalwers 10 | Geweeg 5 | Spn. Mat. 103
Gem. SI 103 | KKG - | KKS 41.5

NBOR060065 SP
NTABA NYONI 0665
Spn Mat. 129

W 110049 SP
MODEL W110049
Oud. 8j | OEK 25m | TKP 654d
Kalwers 2 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG - | KKS -

CI 070034 SP
CIRCLE C 070034 - JUNIOR
B 040069 SP
BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
Z 060051 SP
HLANZENI 20651 - MR MILLION
CFH 060744 SP
ELANDSPRUIT 06 744
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -
CI 070034 SP
CIRCLE C 070034 - JUNIOR
B 030030 SP
BORGEN B 03 30
Oud. 13j | Gem. SI -
Kalwers 2 | Geweeg -



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	101	108	116	105	107	111	116
76%	74%	72%	68%	47%	54%	34%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	114	113	114	122	122	129	73	105
44%	43%	26%	73%	46%	42%	34%	38%	35%

VERKOPER OPMERKINGS: 3 in 1. Generations of white stacked! Sells with white heifer calf HOT25-324 sired by W15-811 Frost. ICP 344. 6 mths in calf to MXM16-1001 MOKO/HOT22-267

LOT 27B (F)



HOT 250324

HOTSPOT KHARI

Herd Book	SP
Birth date	2025-11-01
Age	10 months
Inbreeding	1%
DNA	U25129U033

W 150811 SP
MODEL FROST
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 210061 SP
HOTSPOT KHARI
Age 4y | AFC 38m | ICP 344d
Calves 2 | Weighed 2 | Wean Mat. 116
Avg. WI 99 | CCB - | CCW 35.8
Calvings: 24-11, 25-11

B 090020 HH SP
BORGEN B09020
Wean Mat. 66

B 090471 SP
BORGEN B09471
Age 9y | AFC 31m | ICP 317d
Calves 6 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -

HOT 150034 HH SP
HOTSPOT MUFASA
Wean Mat. 102

W 130330 SP
MODEL KHARI
Age 12y | AFC 32m | ICP 378d
Calves 7 | Weighed 4 | Wean Mat. 128
Avg. WI 105 | CCB - | CCW 52.4

BIY943 PBD
BIY943

1545.LXIV PBD
KE OL PEJETA 1096
Age 25y | Avg. WI -
Calves - | Weighed -

B 040042 SP
BORGEN B 04 42

B 040060 SP
BORGEN B04060
Age 21y | Avg. WI -
Calves 7 | Weighed -

W 110036 SP
MODEL MADOT

W 130224 HH SP
MODEL LEAH
Age 13y | Avg. WI 103
Calves 10 | Weighed 5

NBOR060065 SP
NTABA NYONI 0665

W 110049 SP
MODEL W110049
Age 8y | Avg. WI -
Calves 2 | Weighed -



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	100	109	108	113	106	116	118
69%	53%	62%	47%	38%	41%	24%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	98	103	104	103	105	108	70	92
30%	34%	17%	49%	37%	33%	26%	29%	26%

COW VALUE 113	
84	Calving Ease Value
109	Calf Growth Value
108	Milk Value
94	Maintenance Value
119	Fertility Value
GROWTH VALUE 88	
CARCASS VALUE 84	
PRODUCTION VALUE 106	

SELLER REMARKS: Generations of white stacked in this pedigree! Must be inspected when of age



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 28A (F)



HOT 220072

HOTSPOT BOSCH

Herd Book	SP
Birth date	2022-09-15
Age	3y 12m
Inbreeding	2%
DNA	U10489U043
AFC	37m
Calves	1
Weighed	1
Avg. WI	117
ICP	-

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 130364 SP
MODEL BOSCH
Age 12y | AFC 34m | ICP 372d
Calves 10 | Weighed 5 | Wean Mat. 137
Avg. WI 108 | CCB - | CCW 38.8
Calvings: 16-08, 17-07, 18-08,
19-07, 20-06, 21-10, 22-09, 23-12,
24-11, 25-10

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

Z 060051 SP
HLANZENZI 20651 - MR MILLION
Wean Mat. 113

W 110001 C
MODEL W110001
Age 9y | AFC - | ICP 386d
Calves 6 | Weighed - | Wean Mat. 121
Avg. WI - | CCB - | CCW -

KPO786 PBD
KE OL PEJETA 786

ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -

KPO794 PBD
KE OL PEJETA 794

K6K2386 PBD
KE MOGWONI 2386
Age 33y | Avg. WI -
Calves - | Weighed -

B 060114 SP
BORGEN B060114

BVB 044146 B
BOSCHVELD BVB 04 4146
Age 10y | Avg. WI -
Calves 6 | Weighed -



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
67	71	134	147	147	109	107	112
75%	72%	72%	66%	50%	58%	37%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
139	110	118	112	134	130	99	105	108
54%	48%	32%	72%	49%	47%	42%	44%	42%

COW VALUE 130	
61	Calving Ease Value
134	Calf Growth Value
147	Milk Value
86	Maintenance Value
113	Fertility Value
GROWTH VALUE 106	
CARCASS VALUE 124	
PRODUCTION VALUE 128	

SELLER REMARKS: 3 in 1.Zinzan daughter with possibly the highest milk value in the breed - 147!! With a super heifer calf HOT25-226 sired by Mufasa-HP (HOT15-34) bull at the 2025 National sale. 6 mths in calf to HOT15-34 MUFASA/MXM16-1001 MOKO



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Last Calf	
Calf ID	HOT 250226 (F)
Birth Date	2025-10-14
Sire ID	HOT 150034
Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 28B (F)



HOT 250226

HOTSPOT BOSCH

Kuddeboek	SP
Geb. dtm	2025-10-14
Oud.	11 maande
Inteling	4%
DNS	U24965U019



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	132
69	Kalfgemak Waarde
135	Kalfgroei Waarde
124	Melk Waarde
86	Onderhoudswaarde
123	Vrugbaarheidswaarde

GROEI WAARDE	109
KARKAS WAARDE	117
PRODUKSIE WAARDE	131

VERKOPER OPMERKINGS: Mufasa x Zinzan- 2 of our greatest bulls ever produced! Super cow value of 132! Must be inspected when of age

HOT 150034 HH SP
HOTSPOT MUFASA
Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 220072 SP
HOTSPOT BOSCH
Oud. 3j | OEK 37m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 147
Gem. SI 117 | KKG - | KKS 51.4
Kalwings: 25-10

W 110036 SP
MODEL MADOT
Spn Mat. 91

W 130224 HH SP
MODEL LEAH
Oud. 13j | OEK 29m | TKP 436d
Kalwers 10 | Geweeg 5 | Spn. Mat. 103
Gem. SI 103 | KKG - | KKS 41.5

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

W 130364 SP
MODEL BOSCH
Oud. 12j | OEK 34m | TKP 372d
Kalwers 10 | Geweeg 5 | Spn. Mat. 137
Gem. SI 108 | KKG - | KKS 38.8

CI 070034 SP
CIRCLE C 070034- JUNIOR

B 040069 SP
BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
Z 060051 SP

HLANZENI 20651 - MR MILLION

CFH 060744 SP
ELANDSPRUIT 06 744
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
MHB 040027 SP
MOLL'S-HOOP KHAN

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
Z 060051 SP

HLANZENI 20651 - MR MILLION

W 110001 C
MODEL W110001
Oud. 9j | Gem. SI -
Kalwers 6 | Geweeg -



EBV Analyse 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
73	86	135	124	136	113	114	120
72%	58%	68%	53%	47%	46%	30%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
132	120	124	113	128	132	124	79	107
47%	44%	29%	55%	46%	43%	36%	39%	36%

LOT 32A (F)



HOT 210247

HOTSPOT KISIMA

Kuddeboek	SP
Geb. dtm	2021-11-14
Oud.	4j 10m
Inteling	1%
DNS	U7003U020
OEK	35m
Kalwers	2
Geweeg	1
Gem. SI	111
TKP	368d



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Laaste Kalf

Kalf ID	HOT 250178 (F)
Geb. datum	2025-10-07
Vaar ID	HOT 180029

Kalwings: 24-10, 25-10

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	103
111	Kalfgemak Waarde
98	Kalfgroei Waarde
108	Melk Waarde
100	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE	94
KARKAS WAARDE	102
PRODUKSIE WAARDE	100

VERKOPER OPMERKINGS: 3 in 1. A stunning Saturn daughter from the Kisima cow family selling with a beautiful linebred ZAZU HOT18-29 heifer calf HOT25-178. 8 mths in calf to HOT18-29 ZAZU/HOT22-88

WZ 150085 HH SP
WILZAK SATURN
Spn Mat. 135

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 120076 SP
MODEL KISIMA
Oud. 10j | OEK 26m | TKP 427d
Kalwers 7 | Geweeg 2 | Spn. Mat. 59
Gem. SI 88 | KKG - | KKS 40.7
Kalwings: 14-11, 15-12, 17-01, 18-06, 19-08, 20-09, 21-11

VST 110005 SP
TRAP ZENITH
Spn Mat. 126

WZ 130015 SP
WILZAK SUNSHINE
Oud. 13j | OEK 32m | TKP 520d
Kalwers 8 | Geweeg - | Spn. Mat. 120
Gem. SI - | KKG 6.48 | KKS -

E 060005 HH SP
TAMBARAINE E 06 05
Spn Mat. 98

B 090552 SP
BORGEN 09552
Oud. 8j | OEK - | TKP 339d
Kalwers 5 | Geweeg 1 | Spn. Mat. 50
Gem. SI 76 | KKG - | KKS 23.9

B 040042 SP
BORGEN B 04 42

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
CFH 070065 SP
ELANDSPRUIT AMARULA

N 080020 HH SP
EERSTEGELUK-BAAS SUNSHINE
Oud. 17j | Gem. SI 110
Kalwers 14 | Geweeg 4
TLM 020001 SP

TLM 000014 SP
KETA TLM 00 14
Oud. 15j | Gem. SI 111
Kalwers 12 | Geweeg 6
K6K3460 PBD
KE MOGWONNI K6K3460

V7Y9301 PBD
KISIMA 9301
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -



EBV Analyse 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	114	98	108	86	107	84	100
74%	68%	58%	58%	31%	52%	30%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	95	97	98	116	106	101	111	95
39%	28%	19%	68%	30%	27%	25%	28%	26%

LOT 32B (F)



HOT 250178

HOTSPOT KISIMA

Herd Book	SP
Birth date	2025-10-07
Age	11 months
Inbreeding	4%
DNA	U24847U022

HOT 180029 HH SP
HOTSPOT ZAZU
Wean Mat. 127

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 210247 SP
HOTSPOT KISIMA
Age 4y | AFC 35m | ICP 368d
Calves 2 | Weighed 1 | Wean Mat. 108
Avg. WI 111 | CCB - | CCW 50.1
Calvings: 24-10, 25-10

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

HOT 170002 SP
HOTSPOT ZELNIEKE
Age 9y | AFC 24m | ICP 408d
Calves 7 | Weighed 4 | Wean Mat. 118
Avg. WI 107 | CCB - | CCW 35.6

WZ 150085 HH SP
WILZAK SATURN
Wean Mat. 135

W 120076 SP
MODEL KISIMA
Age 10y | AFC 26m | ICP 427d
Calves 7 | Weighed 2 | Wean Mat. 59
Avg. WI 88 | CCB - | CCW 40.7

MHB 040027 SP
MOLL'S-HOOP KHAN
 HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
W 110036 SP
MODEL MADOT
 HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
VST 110005 SP
TRAP ZENITH
WZ 130015 SP
WILZAK SUNSHINE
Age 13y | Avg. WI -
Calves 8 | Weighed -
 E 060005 HH SP
TAMBARAINE E 06 05
B 090552 SP
BORGEN 09552
Age 8y | Avg. WI 76
Calves 5 | Weighed 1



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 121	
119	Calving Ease Value
111	Calf Growth Value
112	Milk Value
93	Maintenance Value
99	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 112	
PRODUCTION VALUE 115	

Trax
EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
115	107	111	112	128	113	83	110
72%	48%	66%	46%	48%	38%	24%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	94	92	105	116	111	103	113	100
40%	47%	19%	46%	48%	45%	25%	27%	26%

SELLER REMARKS: Beautiful ZAZU heifer calf, with loads of capacity. Must be inspected when of age



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 34A (F)



HOT 200179

HOTSPOT SOCKS

Herd Book	SP
Birth date	2020-11-02
Age	5y 10m
Inbreeding	1%
DNA	U2550U058
AFC	35m
Calves	3
Weighed	1
Avg. WI	105
ICP	386d

HOT 130013 HH SP
HOTSPOT ZEUS
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CTM 100053 SP
CHAN-TE-MAR SOCKS
Age 14y | AFC - | ICP 405d
Calves 10 | Weighed 6 | Wean Mat. 112
Avg. WI 103 | CCB - | CCW 43.3
Calvings: 13-11, 15-07, 16-08, 17-10, 18-10, 19-11, 20-11, 21-10, 22-11, 23-11

CI 080030 SP
CIRCLE C COJACK
Wean Mat. 104

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

KB28W D SP
KETA KB 28 W
Wean Mat. 126

CFH 060697 SP
ELANDSPRUIT SOCKS
Age 16y | AFC - | ICP (donor)
Calves 12 | Weighed 1 | Wean Mat. 118
Avg. WI 108 | CCB - | CCW 53.5

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
PM14R SP
LILAYI PM14R
GF31R
GF31R
Age 46y | Avg. WI -
Calves 1 | Weighed -
TLM 020038 SP
KETA TLM020038
HVT 000001 SP
OUTSPAN HVT000001
Age 15y | Avg. WI -
Calves 2 | Weighed -



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 122	
127	Calving Ease Value
77	Calf Growth Value
124	Milk Value
128	Maintenance Value
105	Fertility Value
GROWTH VALUE 96	
CARCASS VALUE 90	
PRODUCTION VALUE 117	

Trax
EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
128	97	77	124	104	113	96	106
77%	79%	72%	66%	47%	55%	38%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	96	92	70	97	99	99	109	87
48%	44%	24%	72%	46%	43%	35%	37%	35%

SELLER REMARKS: 3 in 1. beautiful feminine cow selling with a bull calf HOT250317 sired by Zazu (HOT18-29), loaded with potential. Combining Zelma and Socks, 2 of the breed greats! 8 mths in calf to HOT18-29 ZAZU/HOT18-04 ZION




Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 34B (M)



HOT 250317

HOTSPOT HOT250317



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2025-10-31
Oud.	10 maande
Inteling	7%

HOT 180029 HH SP
HOTSPOT ZAZU
Spn Mat. 127

Ouerskap	Vaar	Moer
DNS		
Genomies		

HOT 200179 SP
HOTSPOT SOCKS
Oud. 5j | OEK 35m | TKP 386d
Kalwers 3 | Geweeg 1 | Spn. Mat. 124
Gem. SI 105 | KKG - | KKS 42.1
Kalwings: 23-09, 24-11, 25-10

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

HOT 170002 SP
HOTSPOT ZELNIEKE
Oud. 9j | OEK 24m | TKP 408d
Kalwers 7 | Geweeg 4 | Spn. Mat. 118
Gem. SI 107 | KKG - | KKS 35.6

HOT 130013 HH SP
HOTSPOT ZEUS
Spn Mat. 138

CTM 100053 SP
CHAN-TE-MAR SOCKS
Oud. 14j | OEK - | TKP 405d
Kalwers 10 | Geweeg 6 | Spn. Mat. 112
Gem. SI 103 | KKG - | KKS 43.3

MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
W 110036 SP
MODEL MADOT
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
CI 080030 SP
CIRCLE C COJACK
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
KB28W D SP
KETA KB 28 W
CFH 060697 SP
ELANDSPRUIT SOCKS
Oud. 16j | Gem. SI 108
Kalwers 12 | Geweeg 1

KOEIWAARDE	127
115	Kalfgemak Waarde
95	Kalfgroei Waarde
126	Melk Waarde
119	Onderhoudswaarde
103	Vrugbaarheidswaarde
GROEI WAARDE	90
KARKAS WAARDE	102
PRODUKSIE WAARDE	120



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
116	97	95	126	134	117	89	107
73%	52%	60%	48%	51%	39%	27%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	91	87	82	102	102	98	112	96
43%	50%	21%	47%	51%	48%	28%	30%	28%


VERKOPER OPMERKINGS: Linebred block of a bull calf with alot of potential. His dam is the feminine kind that breeds bulls like him!! Must be inspected when of age

LOT 38 (F)



HOT 220131

HOTSPOT KISIMA



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Kalwings: 25-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-10-01
Oud.	3j 11m
Inteling	1%
DNS	U10813U012
OEK	36m
Kalwers	1
Geweeg	1
Gem. SI	79
TKP	-

HOT 130013 HH SP
HOTSPOT ZEUS
Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 120126 SP
MODEL KISIMA
Oud. 13j | OEK 26m | TKP 356d
Kalwers 12 | Geweeg 6 | Spn. Mat. 82
Gem. SI 104 | KKG - | KKS 37.5
Kalwings: 15-01, 15-11, 16-10, 17-11, 18-11, 19-11, 20-10, 21-09, 22-10, 23-10, 24-10, 25-10

CI 080030 SP
CIRCLE C COJACK
Spn Mat. 104

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

Z 060051 SP
HLANZENI 20651 - MR MILLION
Spn Mat. 113

B 090552 SP
BORGEN 09552
Oud. 8j | OEK - | TKP 339d
Kalwers 5 | Geweeg 1 | Spn. Mat. 50
Gem. SI 76 | KKG - | KKS 23.9

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
B 040001 SP
BORG B 04001
B 960615 SP
BORG B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
KP0794 PBD
KE OL PEJETA 794
K6K2386 PBD
KE MOGWONNI 2386
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
K6K3460 PBD
KE MOGWONNI K6K3460
V7Y9301 PBD
KISIMA 9301
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -

KOEIWAARDE	104
124	Kalfgemak Waarde
81	Kalfgroei Waarde
96	Melk Waarde
96	Onderhoudswaarde
119	Vrugbaarheidswaarde
GROEI WAARDE	89
KARKAS WAARDE	79
PRODUKSIE WAARDE	99



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
122	103	81	96	87	127	106	109
75%	71%	72%	66%	48%	57%	38%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	89	95	103	107	100	83	99	106
54%	45%	25%	71%	47%	44%	35%	37%	35%

VERKOPER OPMERKINGS: 3/4 sister to lot 39. Her dam is one of the very best cows in our herd and used in our embryo programme. Dam's ICP 356/12!!! 7 mths in calf to HOT15-12 ZINZAN/HOT18-05 AFRIKA

LOT 39 (F)



HOT 230134

HOTSPOT KISIMA

Herd Book	SP
Birth date	2023-10-08
Age	2y 11m
Inbreeding	1%
DNA	U15441U044

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 120126 SP
MODEL KISIMA
Age 13y | AFC 26m | ICP 356d
Calves 12 | Weighed 6 | Wean Mat. 82
Avg. WI 104 | CCB - | CCW 37.5
Calvings: 15-01, 15-11, 16-10, 17-11,
18-11, 19-11, 20-10, 21-09, 22-10,
23-10, 24-10, 25-10

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

Z 060051 SP
HLANZENI 20651 - MR MILLION
Wean Mat. 113

B 090552 SP
BORGEN 09552
Age 8y | AFC - | ICP 339d
Calves 5 | Weighed 1 | Wean Mat. 50
Avg. WI 76 | CCB - | CCW 23.9

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
KPO794 PBD
KE OL PEJETA 794
K6K2386 PBD
KE MOGWOONI 2386
Age 33y | Avg. WI -
Calves - | Weighed -
K6K3460 PBD
KE MOGWOONI K6K3460
V7Y9301 PBD
KISIMA 9301
Age 30y | Avg. WI -
Calves - | Weighed -

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 114

95	Calving Ease Value
108	Calf Growth Value
110	Milk Value
92	Maintenance Value
115	Fertility Value

GROWTH VALUE 88

CARCASS VALUE 108

PRODUCTION VALUE 107



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	97	108	110	127	114	109	113
64%	67%	61%	62%	52%	55%	38%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	87	92	106	111	102	88	109	107
51%	49%	32%	61%	51%	48%	42%	45%	42%

SELLER REMARKS: 3/4 sister to lot 38. Her dam is one of the very best cows in our herd and used in our embryo programme. Dam's ICP 356/12!!! 7 mths in calf to HOT18-29 ZAZU/HOT22-88

LOT 40 (F)



HOT 230052

HOTSPOT KISIMA

Herd Book	SP
Birth date	2023-09-14
Age	2y 12m
Inbreeding	3%
DNA	U15209U035

HOT 130013 HH SP
HOTSPOT ZEUS
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT190063 SP
HOTSPOT KISIMA
Age 6y | AFC 36m | ICP 369d
Calves 4 | Weighed 3 | Wean Mat. 83
Avg. WI 88 | CCB - | CCW 42.1
Calvings: 22-09, 23-09, 24-09,
25-09

CI 080030 SP
CIRCLE C COJACK
Wean Mat. 104

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

W 150975 SP
MODEL W150975
Wean Mat. 99

W 160204 SP
MODEL KISIMA
Age 9y | AFC 35m | ICP 371d
Calves 7 | Weighed 3 | Wean Mat. 91
Avg. WI 97 | CCB - | CCW 32.7

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070002 SP
HOTSPOT FRIEDA
Age 19y | Avg. WI 100
Calves 13 | Weighed 1
CFH 070065 SP
ELANDSPRUIT AMARULA
W 130307 SP
MODEL W130307
Age 6y | Avg. WI -
Calves 1 | Weighed -

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 109

112	Calving Ease Value
84	Calf Growth Value
110	Milk Value
123	Maintenance Value
101	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 97

PRODUCTION VALUE 105



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	97	84	110	92	116	83	108
72%	60%	69%	56%	43%	48%	34%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	97	91	78	105	105	98	112	100
50%	41%	23%	56%	42%	40%	32%	34%	32%

SELLER REMARKS: Picture perfect Zeus daughter from the ever consistent Kisima cow family! She has a line of beautiful cows in her pedigree! 7 mths in calf to HOT18-29 ZAZU/HOT22-18/HOT22-88/HOT22-62

LOT 41 (F)



HOT 230038

HOTSPOT FRIEDA

Kuddeboek	SP
Geb. dtm	2023-09-12
Oud.	2j 12m
Inteling	10%
DNS	U15209U022



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HOT 130013 HH SP
HOTSPOT ZEUS

Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 170292 SP
MODEL FRIEDA

Oud. 9j | OEK 39m | TKP 356d
Kalwers 6 | Geweeg 3 | Spn. Mat. 114
Gem. SI 96 | KKG - | KKS 38.7

Kalwings: 20-11, 21-09, 22-09,
23-09, 24-09, 25-09

CI 080030 SP
CIRCLE C COJACK

Spn Mat. 104

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

CI 110129 SP
CIRCLE C KAJAK

Spn Mat. 115

CTM 140014 SP
CHAN-TE-MAR CTM1414

Oud. 7j | OEK 43m | TKP 468d
Kalwers 2 | Geweeg - | Spn. Mat. 116
Gem. SI - | KKG - | KKS -

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP

GRASMER GF 159U
Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

CI 080030 SP
CIRCLE C COJACK

CI 090011 SP
CIRCLE C ASTRID

Oud. 16j | Gem. SI 98

Kalwers 11 | Geweeg 4

CFH 090061 SP
ELANDSPRUIT CFH090061 - HAPPOOR

HOT 070002 SP
HOTSPOT FRIEDA

Oud. 19j | Gem. SI 100

Kalwers 13 | Geweeg 1



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	88	84	128	104	114	91	105
74%	62%	69%	56%	44%	48%	34%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	104	95	93	105	107	105	103	101
52%	41%	22%	57%	43%	41%	32%	34%	33%

VERKOPER OPMERKINGS: Linebred back to one of the best in the breed-615 Winnie. She has great capacity and femininity! 7 mths in calf to HOT18-29 ZAZU/HOT22-18/HOT22-88/HOT22-62

LOT 42 (F)



HOT 230066

HOTSPOT KIARA

Kuddeboek	SP
Geb. dtm	2023-09-17
Oud.	2j 12m
Inteling	0%
DNS	U15209U048



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HOT 130013 HH SP
HOTSPOT ZEUS

Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 170493 SP
MODEL GENETICS KIARA

Oud. 8j | OEK 36m | TKP 367d
Kalwers 6 | Geweeg 5 | Spn. Mat. 119
Gem. SI 103 | KKG - | KKS 48.6

Kalwings: 20-10, 21-10, 22-09,
23-09, 24-10, 25-11

CI 080030 SP
CIRCLE C COJACK

Spn Mat. 104

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

Z 060051 SP
HLANZENI 20651 - MR MILLION

Spn Mat. 113

06-0029BBN SP
BORANA KIARA

Oud. 16j | OEK 45m | TKP 404d
Kalwers 12 | Geweeg 4 | Spn. Mat. 139
Gem. SI 99 | KKG - | KKS 46.4

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP

GRASMER GF 159U
Oud. 15j | Gem. SI -

Kalwers 6 | Geweeg -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

KPO794 PBD
KE OL PEJETA 794

K6K2386 PBD
KE MOGWOONI 2386

Oud. 33j | Gem. SI -

Kalwers - | Geweeg -

KPO786 PBD
KE OL PEJETA 786

KPO999 SP
KE OL PEJETA 999

Oud. 28j | Gem. SI -

Kalwers 1 | Geweeg -



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
115	90	85	129	96	125	104	106
74%	63%	71%	59%	47%	50%	37%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	101	101	75	115	112	94	96	106
54%	45%	26%	58%	46%	44%	36%	38%	36%

VERKOPER OPMERKINGS: This heifer combines 2 of our favourite cow families-Zelma and Kiara. Her dam has an ICPof 367/6 and is one of our embryo donors. Dam has the highest Cow Value in the breed- 147!! 8 mths in calf to HOT18-29 ZAZU/HOT22-88

LOT 45 (F)



HOT 230194

HOTSPOT JACKIE

Herd Book	SP
Birth date	2023-11-01
Age	2y 10m
Inbreeding	7%
DNA	U15871U030

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 170006 SP
HOTSPOT JACKIE
Age 9y | AFC 29m | ICP 418d
Calves 5 | Weighed 4 | Wean Mat. 89
Avg. WI 100 | CCB - | CCW 39.5
Calvings: 19-10, 21-05, 22-12,
23-11, 24-10

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

W 110036 SP
MODEL MADOT
Wean Mat. 91

HOT 110018 SP
HOTSPOT JACKIE
Age 9y | AFC - | ICP 436d
Calves 4 | Weighed 1 | Wean Mat. 88
Avg. WI 93 | CCB 7.92 | CCW -

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
 CI 070034 SP
CIRCLE C C070034 - JUNIOR
B 040069 SP
BORGEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
MHB 040027 SP
MOLL'S-HOOP KHAN
MHB 070032 SP
MOLL'S-HOOP JACKIE
Age 13y | Avg. WI 88
Calves 7 | Weighed 4

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested


COW VALUE 94

80	Calving Ease Value
109	Calf Growth Value
114	Milk Value
100	Maintenance Value
87	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 116

PRODUCTION VALUE 95



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	91	109	114	128	97	76	110
72%	63%	69%	60%	53%	52%	36%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	100	102	98	112	105	100	116	102
56%	51%	32%	60%	53%	50%	44%	47%	44%

SELLER REMARKS: Zinzan daughter from the Molls Hoop Jackie cow family. Feminine,functional linebred KHAN. 7 mths in calf to HOT18-29 ZAZU/VST19-25 KORBAN

LOT 46 (F)



HOT 230153

HOTSPOT THAWINI

Herd Book	SP
Birth date	2023-10-13
Age	2y 11m
Inbreeding	1%
DNA	U15597U013

HOT 190012 SP
HOTSPOT ZODAK
Wean Mat. 126

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 170289 SP
MODEL THAWINI
Age 8y | AFC 37m | ICP 387d
Calves 5 | Weighed 3 | Wean Mat. 138
Avg. WI 110 | CCB - | CCW 46.8
Calvings: 20-08, 21-09, 22-10,
23-10, 24-11

HOT 130001 SP
HOTSPOT BOSTON
Wean Mat. 114

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

CTM 150063 SP
CHAN-TE-MAR CTM150063
Wean Mat. 113

CTM 140151 SP
CHAN-TE-MAR THAWINI
Age 11y | AFC 33m | ICP 376d
Calves 9 | Weighed 6 | Wean Mat. 136
Avg. WI 108 | CCB - | CCW 46.8

TLM 020001 SP
KETA TLM020001 - BUFFEL
 HOT 070008 HH SP
HOTSPOT BIANCA
Age 18y | Avg. WI 97
Calves 14 | Weighed 7
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
CTM 110012 SP
CHAN-TE-MAR REDBULL
 CI 080036 SP
CIRCLE C C080036
Age 12y | Avg. WI 98
Calves 9 | Weighed 7
CFH 090061 SP
ELANDSPRUIT CFH090061 - HARPOOR
NAB 060013 SP
UPPER ELLERSLIE THAWINI
Age 15y | Avg. WI 104
Calves 11 | Weighed 6

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 112

80	Calving Ease Value
108	Calf Growth Value
131	Milk Value
107	Maintenance Value
101	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 107

PRODUCTION VALUE 109



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	77	108	131	101	114	88	107
72%	56%	67%	49%	38%	41%	27%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	102	93	92	112	112	99	116	102
46%	35%	19%	48%	37%	34%	28%	30%	28%

SELLER REMARKS: Snow white heifer from the fertile Thawini cow family. She is wide, thick and well balanced! 7 mths in calf to W15-811 FROST/MXM16-1001 MOKO

LOT 47 (F)



HOT 230202

HOTSPOT BAMBI

Kuddeboek	SP
Geb. dtm	2023-11-05
Oud.	2j 10m
Inteling	4%
DNS	U15871U037



HOTSPOT

Cattle

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 180119 SP
MODEL BAMBI
Oud. 7j | OEK 37m | TKP 369d
Kalwers 5 | Geweeg 3 | Spn. Mat. 114
Gem. SI 102 | KKG - | KKS 36.8
Kalwings: 21-10, 22-11, 23-11,
24-12, 25-11

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

NBOR060065 SP
NTABA NYONI 0665
Spn Mat. 129

ZB 110209 SP
ZOUTPANSBERG ZB 110209
Oud. 15j | OEK 40m | TKP 361d
Kalwers 5 | Geweeg 2 | Spn. Mat. 100
Gem. SI 102 | KKG - | KKS -

KPO786 PBD
KE OL PEJETA 786

ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

B 040001 SP
BORGEN B 040001

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

25 PBD
KE MARULA 25
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -

AJB 030125 SP
MOTSWIRI AJB 03 125
AAA 080010 HH SP
TRIPLE A AAA 080010
Oud. 17j | Gem. SI 95
Kalwers 13 | Geweeg 12



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
91	106	118	123	137	99	94	108	
74%	64%	71%	59%	50%	53%	36%	56%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
118	104	101	108	122	120	106	112	102
50%	47%	30%	59%	49%	47%	41%	44%	42%

VERKOPER OPMERKINGS: 3rd generation white Zinzan daughter from a fertile cow family. Dam's ICP 369/5, Gr. Dam ICP 361/5. 7 mths in calf to HOT15-34 MUFASA/MXM16-1001 MOKO

LOT 48 (F)



HOT 230217

HOTSPOT HEIDI

Kuddeboek	SP
Geb. dtm	2023-11-07
Oud.	2j 10m
Inteling	1%
DNS	U15988U005



HOTSPOT

Cattle

N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 160290 SP
CIRCLE H HEIDI
Oud. 10j | OEK 40m | TKP 469d
Kalwers 6 | Geweeg 4 | Spn. Mat. 84
Gem. SI 103 | KKG - | KKS 46.9
Kalwings: 20-01, 21-05, 22-11,
23-11, 24-10, 26-06

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

W 110036 SP
MODEL MADOT
Spn Mat. 91

AAA 090004 SP
TRIPLE A HEIDI
Oud. 14j | OEK - | TKP 385d
Kalwers 10 | Geweeg 1 | Spn. Mat. 68
Gem. SI 88 | KKG 7.92 | KKS -

KPO786 PBD
KE OL PEJETA 786

ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

B 040001 SP
BORGEN B 040001

B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

CI 070034 SP
CIRCLE C CI070034- JUNIOR
B 040069 SP
BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
B 060021 SP
BORGEN KERNEELS
AAA 060001 HH SP
TRIPLE A HEIDI
Oud. 19j | Gem. SI 92
Kalwers 13 | Geweeg 5



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
91	100	104	113	128	98	78	111	
73%	63%	71%	60%	52%	53%	36%	58%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	96	98	90	104	99	99	112	112
50%	49%	31%	60%	51%	48%	41%	44%	41%

VERKOPER OPMERKINGS: Heidi,Kerneels,Zelma-All in one beautiful white, long bodied heifer with a lot of potential! 7 mths in calf to HOT15-34 MUFASA/MXM16-1001 MOKO

LOT 49 (F)



HOT 230067

HOTSPOT MADDIE

Herd Book	SP
Birth date	2023-09-19
Age	2y 12m
Inbreeding	1%
DNA	U15344U004



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 116	
83	Calving Ease Value
112	Calf Growth Value
117	Milk Value
100	Maintenance Value
112	Fertility Value
GROWTH VALUE 86	
CARCASS VALUE 108	
PRODUCTION VALUE 109	

SELLER REMARKS: Dikgat easy fleshing Zinzan daughter, out of the same cow family as Madot! 4th generation white!! 7 mths in calf to HOT15-34 MUFASA/MXM16-1001 MOKO

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		



W 170321 SP
MODEL MADDIE
Age 9y | AFC 37m | ICP 382d
Calves 6 | Weighed 5 | Wean Mat. 95
Avg. WI 97 | CCB - | CCW 41.3
Calvings: 20-09, 21-10, 22-09,
23-11, 24-12, 25-12

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA

Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

W 140628 HH SP
MODEL KGOSI
Wean Mat. 115

W 150878 HH SP
MODEL MADDIE

Age 11y | AFC 29m | ICP 380d
Calves 9 | Weighed 5 | Wean Mat. 95
Avg. WI 108 | CCB - | CCW 39.9

KPO786 PBD
KE OL PEJETA 786

ADC5761 PBD

A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615

Age 20y | Avg. WI -
Calves 8 | Weighed -

NBOR060065 SP
NTABA NYONI 0665

B 090023 SP
BORGEN KHARI

Age 13y | Avg. WI -
Calves 10 | Weighed -

Z 060051 SP
HLANZENI Z0651 - MR MILLION

W 110033 SP
MODEL MADDIE

Age 12y | Avg. WI 94
Calves 10 | Weighed 5



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	91	112	117	138	108	107	115
62%	64%	62%	60%	49%	53%	35%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	91	95	97	117	108	103	96	105
50%	47%	31%	60%	48%	46%	40%	43%	41%

LOT 50 (F)



HOT 230083

HOTSPOT KYRA

Herd Book	SP
Birth date	2023-09-24
Age	2y 11m
Inbreeding	2%
DNA	U15344U020



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 102	
100	Calving Ease Value
99	Calf Growth Value
91	Milk Value
106	Maintenance Value
106	Fertility Value
GROWTH VALUE 78	
CARCASS VALUE 91	
PRODUCTION VALUE 93	

SELLER REMARKS: Zinzan daughter with serious capacity and from a super fertile dam-ICP 362/7. Cows that PRODUCE!! 7 mths in calf to HOT18-29 ZAZU/HOT22-18/HOT22-88/HOT22-62

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

W 160144 SP
MODEL KYRA
Age 9y | AFC 37m | ICP 362d
Calves 7 | Weighed 6 | Wean Mat. 50
Avg. WI 83 | CCB - | CCW 38.7
Calvings: 19-10, 20-09, 21-10,
22-10, 23-09, 24-09, 25-09

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA

Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

B 090020 HH SP
BORGEN B09020
Wean Mat. 66

ED 100204 SP
EDLYN KUKI

Age 9y | AFC 39m | ICP 447d
Calves 5 | Weighed - | Wean Mat. 74
Avg. WI - | CCB - | CCW -

KPO786 PBD
KE OL PEJETA 786

ADC5761 PBD

A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615

Age 20y | Avg. WI -
Calves 8 | Weighed -

BIY943 PBD
BIY943

1545.LXIV PBD
KE OL PEJETA 1096

Age 25y | Avg. WI -
Calves - | Weighed -

BA 070050 SP
BA VOORBRIT

CFH 080019 HH SP

ELANDSPRUIT KATE
Age 18y | Avg. WI 93
Calves 14 | Weighed 6



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	94	99	91	139	101	109	108
74%	65%	71%	61%	47%	52%	34%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	83	88	94	92	88	78	99	94
53%	45%	29%	59%	46%	44%	39%	41%	39%

LOT 51 (F)



HOT 230147

HOTSPOT BOEING

Kuddeboek	SP
Geb. dtm	2023-10-12
Oud.	2j 11m
Inteling	1%
DNS	U15597U008

JRS 170002 HH SP
JERAS REMINGTON

Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 180243 SP
MODEL BOEING

Oud. 7j | OEK 36m | TKP 359d
Kalwers 4 | Geweeg 2 | Spn. Mat. 128
Gem. SI 111 | KKG - | KKS 40.1
Kalwings: 21-10, 22-11, 23-10, 24-10

B 120105 SP
BORGEN VREDE

Spn Mat. 111

JRS 140020 SP
JERAS JRS 140020

Oud. 11j | OEK 29m | TKP 406d
Kalwers 9 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -

HOT 130013 HH SP
HOTSPOT ZEUS

Spn Mat. 138

W 140405 SP
MODEL W140405

Oud. 6j | OEK 36m | TKP 356d
Kalwers 4 | Geweeg 1 | Spn. Mat. 113
Gem. SI 103 | KKG - | KKS -

B 050098 SP
BORGEN B05098 - NINETY-EIGHT

B 040048 SP
BORGEN B04048

Oud. 16j | Gem. SI -
Kalwers 2 | Geweeg -

TLM 000005 SP
KETA TLM 00 5

JRS 090006 SP
JERAS 0906

Oud. 14j | Gem. SI -
Kalwers 7 | Geweeg -

CI 080030 SP
CIRCLE C COJACK

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1

Z 060051 SP
HLANZENI Z0651 - MR MILLION

CI 080114 SP
CIRCLE C C1080114

Oud. 15j | Gem. SI -
Kalwers 9 | Geweeg -

EBV Analyse 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	96	125	116	101	110	108	103
73%	51%	68%	41%	42%	38%	26%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
119	111	108	114	118	121	106	92	99
44%	38%	14%	40%	41%	36%	21%	23%	21%

VERKOPER OPMERKINGS: Bont Remington daughter with a super Cow value of 125! A heifer with a lot of growth and capacity, just like her whole family. Super ICP's. 5 mths in calf to HOT18-29 ZAZU/HOT23-07



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 125	
91	Kalfgemak Waarde
125	Kalfgroei Waarde
116	Melk Waarde
86	Onderhoudswaarde
112	Vrugbaarheidswaarde
GROEI WAARDE 112	
KARKAS WAARDE 114	
PRODUKSIE WAARDE 126	

LOT 52 (F)



HOT 230234

HOTSPOT EMMA

Kuddeboek	SP
Geb. dtm	2023-11-10
Oud.	2j 10m
Inteling	0%
DNS	U15988U022

HOT 150012 HH SP
HOTSPOT ZINZAN

Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

CFH 080267 SP
ELANDSPRUIT EMMA

Oud. 17j | OEK 33m | TKP 387d
Kalwers 14 | Geweeg 8 | Spn. Mat. 82
Gem. SI 94 | KKG - | KKS 42.8
Kalwings: 11-01, 12-03, 13-02, 14-01, 15-03, 16-03, 17-02, 18-03, 19-04, 20-10, 21-10, 22-11, 23-11, 24-10

MHB 040027 SP
MOLL'S-HOOP KHAN

Spn Mat. 95

HOT 070009 SP
HOTSPOT ZELMA

Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

11B SP
KETA KB 11 B

Spn Mat. 117

HVT 990005 SP
OUTSPAN HVT 99 05

Oud. 19j | OEK 34m | TKP 359d
Kalwers 6 | Geweeg - | Spn. Mat. 75
Gem. SI - | KKG - | KKS -

KPO786 PBD
KE OL PEJETA 786

ADC5761 PBD
A.D.C. MUTARA 5761

Oud. 35j | Gem. SI -
Kalwers - | Geweeg -

B 040001 SP
BORGEN B 04001

B 960615 SP
BORGEN B 96 615

Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -

PM14R SP
LILAYI PM14R

26
ZF26

Oud. 29j | Gem. SI -
Kalwers - | Geweeg -

HVT 950030 SP
OUTSPAN HVT 95 30

B 960011 SP
OUTSPAN B 96 11

Oud. 8j | Gem. SI -
Kalwers 5 | Geweeg -

EBV Analyse 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
86	98	104	112	133	96	102	108
75%	67%	71%	62%	49%	52%	34%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	75	72	85	88	85	94	108	93
47%	46%	30%	61%	48%	45%	39%	41%	39%

VERKOPER OPMERKINGS: Deep bodied Zinzan daughter combining the great 1719 with PM14R, Khan and Zelma! 7 mths in calf to HOT18-29 ZAZU/VST19-25 KORBAN



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets


KOEIWAARDE 110	
87	Kalfgemak Waarde
104	Kalfgroei Waarde
112	Melk Waarde
117	Onderhoudswaarde
101	Vrugbaarheidswaarde
GROEI WAARDE 83	
KARKAS WAARDE 103	
PRODUKSIE WAARDE 102	

LOT 53 (F)



HOT 230244

HOTSPOT SOCKS



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-11-13
Age	2y 10m
Inbreeding	0%
DNA	U15988U032

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

CTM 160009 SP
CHAN-TE-MAR SOCKS
Age 10y | AFC 41m | ICP 363d
Calves 7 | Weighed 4 | Wean Mat. 114
Avg. WI 101 | CCB - | CCW 43
Calvings: 19-10, 20-12, 21-11, 22-12, 23-11, 24-10, 25-09

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

CI 110129 SP
CIRCLE C KAJAK
Wean Mat. 115

CTM 140021 SP
CHAN-TE-MAR SOCKS
Age 12y | AFC 28m | ICP 387d
Calves 10 | Weighed 7 | Wean Mat. 128
Avg. WI 103 | CCB - | CCW 45.3

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
CI 080030 SP
CIRCLE C COJACK
CI 090011 SP
CIRCLE C ASTRID
Age 16y | Avg. WI 98
Calves 11 | Weighed 4
KB28W D SP
KETA KB 28 W
CTM 100072 HH SP
CHAN-TE-MAR CTM1072
Age 15y | Avg. WI 110
Calves 13 | Weighed 2

COW VALUE 108	
85	Calving Ease Value
96	Calf Growth Value
128	Milk Value
115	Maintenance Value
102	Fertility Value
GROWTH VALUE 99	
CARCASS VALUE 113	
PRODUCTION VALUE 106	



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	83	96	128	148	104	96	111
74%	64%	71%	60%	48%	50%	35%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	99	97	86	101	101	102	120	99
48%	46%	29%	59%	48%	45%	40%	43%	40%


SELLER REMARKS: Zinzan x Socks cow family!! Excellent milk in this family! 7 mths in calf to HOT18-29 ZAZU/VST19-25 KORBAN

LOT 57 (M)



HOT 220020 HH

HOTSPOT WARRIOR



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2022-06-04
Age	4y 3m
Inbreeding	7%
DNA	WSC051524

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

W 120060 HH SP
MODEL W120060
Age 14y | AFC 27m | ICP 385d
Calves 11 | Weighed 1 | Wean Mat. 127
Avg. WI 101 | CCB - | CCW -
Calvings: 14-10, 15-10, 16-11, 17-09, 19-01, 19-12, 21-06, 22-07, 23-07, 24-10, 25-11

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

Z 060051 SP
HLANZENI 20651 - MR MILLION
Wean Mat. 113

B 070108 SP
BORGEN WINNIE
Age 13y | AFC - | ICP 503d
Calves 8 | Weighed - | Wean Mat. 131
Avg. WI - | CCB - | CCW -

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
KPO794 PBD
KE OL PEJETA 794
K6K2386 PBD
KE MOGWONI 2386
Age 33y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -

COW VALUE 123	
82	Calving Ease Value
108	Calf Growth Value
134	Milk Value
112	Maintenance Value
107	Fertility Value
GROWTH VALUE 94	
CARCASS VALUE 115	
PRODUCTION VALUE 117	



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
88	82	108	134	125	107	95	114
87%	87%	86%	86%	85%	85%	84%	86%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	100	101	88	122	113	83	108	118
85%	84%	83%	86%	85%	84%	84%	84%	84%

SELLER REMARKS: One of the very best we have to offer and linebred for prepotency! His dam was a beautiful bont Mr Million daughter sold to Iminathi Ranch. We have used him in our own stud, he is a sire!! Cow value 123! Beautiful temperament!

LOT 58 (M)



HOT 220221

HOTSPOT FERDINAND

Kuddeboek	SP
Geb. dtm	2022-10-30
Oud.	3j 10m
Inteling	3%
DNS	U11177U016



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

GEBRUIK IN KUDDE (2)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 110

116	Kalfgemak Waarde
82	Kalfgroei Waarde
113	Melk Waarde
117	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 82

KARKAS WAARDE 104

PRODUKSIE WAARDE 101

VERKOPER OPMERKINGS: If you are looking for the best bont genetics in the business, this is your bull!!! Ferdinand is the right size, right type kind of bull!!! Linebred to 3 of Hotspot's foundation cows, he WILL breed! Used in our own stud. He is the winner of the 2026 LRF "Make My Bull Famous" competition.

W 160018 HH SP

MODEL FRECKLES

Spn Mat. 116

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 190044 SP

HOTSPOT FRIEDA

Oud. 7j | OEK 38m | TKP 346d
Kalwers 3 | Geweeg 2 | Spn. Mat. 110
Gem. SI 96 | KKG - | KKS 45.8
Kalwings: 22-10, 23-10, 24-09

W 110036 SP

MODEL MADOT

Spn Mat. 91

FPL 110018 HH SP

BLOODLINE TANYA

Oud. 15j | OEK 32m | TKP 423d
Kalwers 11 | Geweeg 5 | Spn. Mat. 125
Gem. SI 110 | KKG - | KKS 34.1

HOT 150012 HH SP

HOTSPOT ZINZAN

Spn Mat. 138

W 150968 SP

MODEL FRIEDA

Oud. 11j | OEK 38m | TKP 382d
Kalwers 8 | Geweeg 3 | Spn. Mat. 91
Gem. SI 96 | KKG - | KKS 40.7

CI 070034 SP

CIRCLE C 070034 - JUNIOR

B 040069 SP
BORGES B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
CDH 040006 C
MASAI CDH 04 06

HOT 070007 SP

HOTSPOT TANYA

Oud. 19j | Gem. SI 105
Kalwers 8 | Geweeg 3
MHB 040027 SP
MOLL'S-HOOP KHAN

HOT 070009 SP

HOTSPOT ZELMA

Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
MHB 040027 SP
MOLL'S-HOOP KHAN

HOT 070002 SP

HOTSPOT FRIEDA

Oud. 19j | Gem. SI 100
Kalwers 13 | Geweeg 1



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
112	107	82	113	104	118	87	117
74%	52%	68%	48%	47%	40%	28%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
81	84	83	85	106	93	102	123	109
50%	43%	21%	48%	46%	42%	30%	32%	30%

LOT 59 (M)



HOT 220199

HOTSPOT WINCHESTER

Kuddeboek	SP
Geb. dtm	2022-10-24
Oud.	3j 10m
Inteling	0%
DNS	U10959U022



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 126

104	Kalfgemak Waarde
120	Kalfgroei Waarde
106	Melk Waarde
75	Onderhoudswaarde
124	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 97

PRODUKSIE WAARDE 120

VERKOPER OPMERKINGS: Serious about breeding the best white Boran animals? He can do it! Super capacity and a beef machine! His dam was sold to Green Valley Boran, and maternal brother is also a stud bull in the making! Cow Value 126!

MXM 161001 HH SP

MAMBUSHI MOKO

Spn Mat. 122

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 190048 SP

HOTSPOT WINNIE

Oud. 6j | OEK 38m | TKP 346d
Kalwers 4 | Geweeg 4 | Spn. Mat. 97
Gem. SI 107 | KKG 5.62 | KKS 44.6
Kalwings: 22-10, 23-09, 24-09, 25-08

MXM110686 SP

MAMBUSHI 11-0686MXM

Spn Mat. 106

MXM 130236 SP

MAMBUSHI MXM 130236

Oud. 12j | OEK 36m | TKP 496d
Kalwers 7 | Geweeg 2 | Spn. Mat. 108
Gem. SI 105 | KKG 8.26 | KKS 46.9

W 140628 HH SP

MODEL KGOSI

Spn Mat. 115

W 160150 SP

MODEL WINNIE

Oud. 9j | OEK 35m | TKP 376d
Kalwers 7 | Geweeg 3 | Spn. Mat. 66
Gem. SI 98 | KKG 7.74 | KKS 45.9

CB04511A SP

CHULU CB04511A

GF03074X SP
GRASMERE GF03074X
Oud. 22j | Gem. SI -
Kalwers 1 | Geweeg -

MXM 100191 SP

MAMBUSHI 10191

MXM 100020 SP
MAMBUSHI 10020
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -

NBOR060065 SP

NTABA NYONI 0665

B 090023 SP

BORGES KHARI

Oud. 13j | Gem. SI -
Kalwers 10 | Geweeg -

B 090020 HH SP

BORGES B09020

FN 100275 SP
FONTEINE WINNIE
Oud. 12j | Gem. SI 91
Kalwers 9 | Geweeg 4



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	123	120	106	119	111	126	116
73%	55%	68%	46%	24%	39%	19%	49%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	97	98	130	104	109	118	81	92
40%	21%	14%	46%	23%	20%	18%	20%	18%

LOT 63 (M)



HOT 220093

HOTSPOT SIDIKI

Herd Book	SP
Birth date	2022-09-18
Age	3y 12m
Inbreeding	0%
DNA	U10673U008

HOT 150012 HH SP
HOTSPOT ZINZAN
Wean Mat. 138

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CTM 150083 SP
CHAN-TE-MAR SOCKS
Age 10y | AFC 34m | ICP 382d
Calves 8 | Weighed 3 | Wean Mat. 117
Avg. WI 107 | CCB 6.8 | CCW 40.3
Calvings: 18-08, 19-10, 20-09, 21-10, 22-09, 23-10, 24-12, 25-12

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

CI 080179 SP
CIRCLE C BUFFELO
Wean Mat. 95

CTM 120138 SP
CHAN-TE-MAR SOCKS DIE 2DE
Age 6y | AFC 35m | ICP 421d
Calves 4 | Weighed 1 | Wean Mat. 115
Avg. WI 113 | CCB - | CCW 50

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
KB51X DH SP
KETA KB 51 X
Age 21y | Avg. WI 95
Calves 5 | Weighed 1
 CI 080034 HH SP
CIRCLE C CI080034
CFH 060697 SP
ELANDSPRUIT SOCKS
Age 16y | Avg. WI 108
Calves 12 | Weighed 1

N. OLIVIER

Ventersdorp, North West
0737473239
cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 108

75	Calving Ease Value
120	Calf Growth Value
127	Milk Value
85	Maintenance Value
100	Fertility Value

GROWTH VALUE 98

CARCASS VALUE 123

PRODUCTION VALUE 106



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
79	87	120	127	132	100	90	115
74%	64%	71%	59%	48%	51%	36%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
122	100	92	114	109	107	103	124	96
54%	46%	30%	60%	47%	45%	40%	42%	40%

SELLER REMARKS: Zinzan x Socks, a proven combination! He is a eye catching bull with super length of body! SC of 55cm wil make many others jealous!



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 64 (M)



HOT 220178

HOTSPOT SHERIFF

Herd Book	SP
Birth date	2022-10-19
Age	3y 10m
Inbreeding	1%
DNA	U10959U001

HOT 180004 HH SP
HOTSPOT ZION
Wean Mat. 98

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CTM 110031 SP
CHAN-TE-MAR SOCKS
Age 15y | AFC 32m | ICP 410d
Calves 10 | Weighed 3 | Wean Mat. 116
Avg. WI 99 | CCB - | CCW 37.3
Calvings: 13-10, 14-12, 16-02, 17-03, 18-07, 19-08, 20-08, 21-10, 22-10, 23-11

MHB 040027 SP
MOLL'S-HOOP KHAN
Wean Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Age 13y | AFC - | ICP 283d
Calves 8 | Weighed 1 | Wean Mat. 130
Avg. WI 83 | CCB 6.07 | CCW -

FE 960075 SP
FORRESTER 96/75
Wean Mat. 124

CFH 060697 SP
ELANDSPRUIT SOCKS
Age 16y | AFC - | ICP (donor)
Calves 12 | Weighed 1 | Wean Mat. 118
Avg. WI 108 | CCB - | CCW 53.5

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Age 35y | Avg. WI -
Calves - | Weighed -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
93/84 SP
FORRESTER 93/84
93/20 SP
FORRESTER 93/20
Age 38y | Avg. WI -
Calves 1 | Weighed -
TLM 020038 SP
KETA TLM020038
HVT 000001 SP
OUTSPAN HVT000001
Age 15y | Avg. WI -
Calves 2 | Weighed -

N. OLIVIER

Ventersdorp, North West
0737473239
cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

COW VALUE 103

114	Calving Ease Value
93	Calf Growth Value
104	Milk Value
92	Maintenance Value
106	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 114

PRODUCTION VALUE 106



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
120	86	93	104	105	106	108	98
73%	58%	70%	53%	47%	47%	34%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	106	106	106	97	102	104	128	99
44%	44%	26%	51%	46%	43%	37%	40%	38%

SELLER REMARKS: Proven pedigree!! Zelma x Socks! His half sister CTM17-10 was sold to Hurwitz Farming at the 2024 Collaboration auction and is an incredible cow! He is a bull that always comes up for a scratch, beautiful temperament.



Myostatin


Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 65 (M)



HOT 220043

HOTSPOT PORTCHIE



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-09-08
Oud.	3j 12m
Inteling	8%
DNS	U10489U014

KOEIWAARDE	99
86	Kalfgemak Waarde
112	Kalfgroei Waarde
104	Melk Waarde
92	Onderhoudswaarde
98	Vrugbaarheidswaarde

GROEI WAARDE	95
KARKAS WAARDE	120
PRODUKSIE WAARDE	97

VERKOPER OPMERKINGS: A bont Zinzan son with an incredible head and loaded with beef! The easy fleshing kind that will never disappoint.

HOT 150012 HH SP
HOTSPOT ZINZAN

Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

W 160105 SP
MODEL PORTCHIE

Oud. 10j | OEK 37m | TKP 373d
Kalwers 7 | Geweeg 5 | Spn. Mat. 72
Gem. SI 93 | KKG - | KKS 38.8

Kalwings: 19-09, 20-10, 21-09,
22-09, 23-10, 24-12, 25-11



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	89	112	104	128	99	90	112
74%	65%	71%	60%	51%	52%	36%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	93	91	107	108	103	104	113	88
50%	48%	30%	60%	50%	47%	42%	45%	42%

LOT 69 (M)



HOT 220163 HH

HOTSPOT ZEBULA



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2022-10-13
Oud.	3j 11m
Inteling	14%
DNS	WSC051520

KOEIWAARDE	104
65	Kalfgemak Waarde
124	Kalfgroei Waarde
143	Melk Waarde
78	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE	104
KARKAS WAARDE	129
PRODUKSIE WAARDE	105

VERKOPER OPMERKINGS: He is the kind that will produce super consistently. Zinzan x Boston x Zelma from both sides!! Used in our own stud.

HOT 150012 HH SP
HOTSPOT ZINZAN

Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

HOT 190006 HH SP
HOTSPOT ZELRI

Oud. 7j | OEK 30m | TKP 403d
Kalwers 5 | Geweeg 2 | Spn. Mat. 128
Gem. SI 106 | KKG - | KKS 35.8

Kalwings: 21-10, 22-11, 23-11,
25-01, 26-01



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	59	124	143	134	105	77	119
88%	88%	87%	87%	86%	86%	84%	87%


Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
130	105	97	122	122	117	106	132	105
86%	86%	84%	87%	86%	86%	85%	85%	85%

LOT 70 (M)



HOT 220134

HOTSPOT KNIGHT



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-10-04
Age	3y 11m
Inbreeding	3%
DNA	U10813U015

COW VALUE 100	
95	Calving Ease Value
102	Calf Growth Value
103	Milk Value
105	Maintenance Value
95	Fertility Value
GROWTH VALUE 88	
CARCASS VALUE 103	
PRODUCTION VALUE 95	

DM 170070 HH SP
SFONTEIN KINGSLEY
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 190159 SP
HOTSPOT KISIMA
Age 6y | AFC 35m | ICP 361d
Calves 4 | Weighed 3 | Wean Mat. 97
Avg. WI 97 | CCB - | CCW 42.9
Calvings: 22-10, 23-09, 24-09, 25-09

FN 120457 SP
FONTEINE STEGMANN
Wean Mat. 93

MHB 080039 SP
MOLL'S-HOOP KELLY
Age 12y | AFC 25m | ICP 388d
Calves 8 | Weighed 3 | Wean Mat. 123
Avg. WI 102 | CCB 6.1 | CCW 48.7

VST 110003 SP
TRAP ZAPPA
Wean Mat. 106

W 140467 SP
MODEL W140467
Age 12y | AFC 31m | ICP 433d
Calves 8 | Weighed 4 | Wean Mat. 98
Avg. WI 100 | CCB 6.3 | CCW 51.3

HVT 970017 SP
OUTSPAN HVT970017
FN 070142 SP
FONTEINE FN07142
Age 5y | Avg. WI -
Calves 1 | Weighed -
TLM 020003 SP
KETA VOORSLAG
MHB 040024 SP
MOLL'S-HOOP KELLY
Age 13y | Avg. WI 100
Calves 8 | Weighed 3
MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
NBOR060065 SP
NTABA NYONI 0665
B 090607 SP
BORGEN 09607
Age 12y | Avg. WI -
Calves 8 | Weighed -



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	106	102	103	94	99	84	116
69%	50%	63%	45%	37%	38%	27%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	88	83	94	96	88	101	112	110
41%	34%	21%	45%	36%	33%	29%	32%	30%


SELLER REMARKS: Very well balanced bull combining Zelma, Kelly, Kisima and Kijivu all in one pedigree!

LOT 71 (M)



HOT 220179

HOTSPOT MAKULU



N. OLIVIER

Ventersdorp, North West
0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2022-10-19
Age	3y 10m
Inbreeding	3%
DNA	U10959U002

COW VALUE 103	
101	Calving Ease Value
102	Calf Growth Value
114	Milk Value
98	Maintenance Value
94	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 113	
PRODUCTION VALUE 105	

DM 170070 HH SP
SFONTEIN KINGSLEY
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 190144 SP
HOTSPOT MUTARA
Age 6y | AFC 35m | ICP 358d
Calves 4 | Weighed 2 | Wean Mat. 115
Avg. WI 107 | CCB - | CCW 55.8
Calvings: 22-10, 23-10, 24-10, 25-09

FN 120457 SP
FONTEINE STEGMANN
Wean Mat. 93

MHB 080039 SP
MOLL'S-HOOP KELLY
Age 12y | AFC 25m | ICP 388d
Calves 8 | Weighed 3 | Wean Mat. 123
Avg. WI 102 | CCB 6.1 | CCW 48.7

W 150975 SP
MODEL W150975
Wean Mat. 99

W 151077 SP
MODEL W 151077
Age 6y | AFC 37m | ICP 357d
Calves 4 | Weighed 2 | Wean Mat. 127
Avg. WI 110 | CCB - | CCW 40.6

HVT 970017 SP
OUTSPAN HVT970017
FN 070142 SP
FONTEINE FN07142
Age 5y | Avg. WI -
Calves 1 | Weighed -
TLM 020003 SP
KETA VOORSLAG
MHB 040024 SP
MOLL'S-HOOP KELLY
Age 13y | Avg. WI 100
Calves 8 | Weighed 3
MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070002 SP
HOTSPOT FRIEDA
Age 19y | Avg. WI 100
Calves 13 | Weighed 1
CI 070034 SP
CIRCLE C 070034- JUNIOR
W 130214 SP
MODEL MUTARA
Age 11y | Avg. WI 112
Calves 7 | Weighed 2



EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	106	102	114	91	95	90	111
69%	48%	46%	39%	30%	36%	25%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	105	99	99	107	103	104	111	115
30%	28%	17%	43%	30%	28%	26%	28%	26%

SELLER REMARKS: Tough as nails!! Hard muscled stocky bull. Mutara bred on both sides of his pedigree.

LOT 75 (M)



HOT 220188

HOTSPOT STEIGER



N. OLIVIER

Ventersdorp, North West
0737473239
cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-10-22
Oud.	3j 10m
Inteling	2%
DNS	U10959U011

DM 170070 HH SP
SPONTAIN KINGSLEY
Spn Mat. 114

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

HOT 190205 SP
HOTSPOT SOCKS
Oud. 6j | OEK 34m | TKP 376d
Kalwers 3 | Geweeg 1 | Spn. Mat. 138
Gem. SI 107 | KKG - | KKS 40.7
Kalwings: 22-10, 23-10, 24-11

FN 120457 SP
FONTEINE STEGMANN
Spn Mat. 93


MHB 080039 SP
MOLL'S-HOOP KELLY
Oud. 12j | OEK 25m | TKP 388d
Kalwers 8 | Geweeg 3 | Spn. Mat. 123
Gem. SI 102 | KKG 6.1 | KKS 48.7

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

CTM 160008 HH SP
CHAN-TE-MAR SOCKS
Oud. 10j | OEK 30m | TKP 365d
Kalwers 8 | Geweeg 7 | Spn. Mat. 138
Gem. SI 114 | KKG - | KKS 43.3

HVT 970017 SP
OUTSPAN HVT970017
FN 070142 SP
FONTEINE FN07142
Oud. 5j | Gem. SI -
Kalwers 1 | Geweeg -
TLM 020003 SP
KETA VOORSLAG
MHB 040024 SP
MOLL'S-HOOP KELLY
Oud. 13j | Gem. SI 100
Kalwers 8 | Geweeg 3
MHB 040027 SP
MOLL'S-HOOP KHAN
HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | Gem. SI 83
Kalwers 8 | Geweeg 1
CI 110129 SP
CIRCLE C KAJAK
CTM 100072 HH SP
CHAN-TE-MAR CTM1072
Oud. 15j | Gem. SI 110
Kalwers 13 | Geweeg 2

KOEIWAARDE 102	
84	Kalfgemak Waarde
100	Kalfgroei Waarde
128	Melk Waarde
106	Onderhoudswaarde
94	Vrugbaarheidswaarde
GROEI WAARDE 101	
KARKAS WAARDE 115	
PRODUKSIE WAARDE 101	



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	92	100	128	117	94	87	119
69%	48%	62%	43%	35%	37%	26%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	100	95	93	96	97	105	119	113
42%	33%	19%	44%	34%	32%	29%	31%	29%

VERKOPER OPMERKINGS: His dam and granddam are some of the most beautiful cows at Hotspot! Full sister to dam sold for HP female at the 2023 Boran National auction.

LOT 76 (M)



HOT 220120

HOTSPOT KATANGA



N. OLIVIER

Ventersdorp, North West
0737473239
cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2022-09-29
Oud.	3j 11m
Inteling	5%
DNS	U10813U001

HOT 150012 HH SP
HOTSPOT ZINZAN
Spn Mat. 138

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

W 170493 SP
MODEL GENETICS KIARA
Oud. 8j | OEK 36m | TKP 367d
Kalwers 6 | Geweeg 5 | Spn. Mat. 119
Gem. SI 103 | KKG - | KKS 48.6
Kalwings: 20-10, 21-10, 22-09, 23-09, 24-10, 25-11

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 95

HOT 070009 SP
HOTSPOT ZELMA
Oud. 13j | OEK - | TKP 283d
Kalwers 8 | Geweeg 1 | Spn. Mat. 130
Gem. SI 83 | KKG 6.07 | KKS -

Z 060051 SP
HLANZENI Z0651 - MR MILLION
Spn Mat. 113

06-0029BBN SP
BORANA KIARA
Oud. 16j | OEK 45m | TKP 404d
Kalwers 12 | Geweeg 4 | Spn. Mat. 139
Gem. SI 99 | KKG - | KKS 46.4

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
B 040001 SP
BORGEN B 04001
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
KPO794 PBD
KE OL PEJETA 794
K6K2386 PBD
KE MOGWONNI 2386
Oud. 33j | Gem. SI -
Kalwers - | Geweeg -
KPO786 PBD
KE OL PEJETA 786
KPO999 SP
KE OL PEJETA 999
Oud. 28j | Gem. SI -
Kalwers 1 | Geweeg -

KOEIWAARDE 131	
79	Kalfgemak Waarde
122	Kalfgroei Waarde
128	Melk Waarde
101	Onderhoudswaarde
116	Vrugbaarheidswaarde
GROEI WAARDE 96	
KARKAS WAARDE 126	
PRODUKSIE WAARDE 125	



EBV Analise 2026-08-17

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
81	92	122	128	137	111	107	117
74%	64%	71%	61%	51%	53%	38%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	101	102	96	120	116	101	106	108
56%	49%	32%	60%	50%	48%	43%	46%	43%


VERKOPER OPMERKINGS: Polled Zinzan son out of the cow with the highest Cow Value index (147) in SA!! Carries beef!

LOT 77 (M)



HOT 220297 HH

HOTSPOT FELIX



N. OLIVIER

Ventersdorp, North West

0737473239

cattle@hotspotcattle.co.za

POSTNET SUITE 71, PRIVATE BAG
X1288, POTCHEFSTROOM, 2531

USED IN HERD (2)



Myostatin

Q204X Free
NT821 Free
F94L Free

Herd Book	SP
Birth date	2022-11-26
Age	3y 9m
Inbreeding	5%
DNA	WSC051523

W 160018 HH SP

MODEL FRECKLES

Wean Mat. 116

Parentage Sire Dam

DNA ✓ ✓

Genomic ✓

W 151011 SP

MODEL FRIEDA

Age 11y | AFC 36m | ICP 374d
Calves 8 | Weighed 5 | Wean Mat. 84
Avg. WI 93 | CCB - | CCW 45.2

Calvings: 18-08, 19-10, 20-09,
22-01, 22-11, 23-11, 24-10, 25-10

W 110036 SP

MODEL MADOT

Wean Mat. 91

FPL 110018 HH SP

BLOODLINE TANYA

Age 15y | AFC 32m | ICP 423d
Calves 11 | Weighed 5 | Wean Mat. 125
Avg. WI 110 | CCB - | CCW 34.1

HOT 110003 SP

HOTSPOT LABOLA

Wean Mat. 78

HOT 070002 SP

HOTSPOT FRIEDA

Age 19y | AFC - | ICP 413d
Calves 13 | Weighed 1 | Wean Mat. 110
Avg. WI 100 | CCB 5.6 | CCW 54.4

CI 070034 SP
CIRCLE C 070034 - JUNIOR

B 040069 SP

BORGEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
CDH 040006 C
MASAI CDH 04 06

HOT 070007 SP

HOTSPOT TANYA

Age 19y | Avg. WI 105
Calves 8 | Weighed 3
B 040042 SP
BORGEN B 04 42

HOT 070009 SP

HOTSPOT ZELMA

Age 13y | Avg. WI 83
Calves 8 | Weighed 1
B 040001 SP
BORGEN B 040001

B 960615 SP

BORGEN B 96 615

Age 20y | Avg. WI -

Calves 8 | Weighed -

COW VALUE 117

122 Calving Ease Value

86 Calf Growth Value

96 Milk Value


123 Maintenance Value

110 Fertility Value

GROWTH VALUE 94

CARCASS VALUE 98

PRODUCTION VALUE 112



EBV Analysis 2026-08-17

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	113	86	96	98	126	92	110
88%	84%	86%	83%	82%	81%	80%	84%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
85	94	97	79	116	99	103	116	106
82%	82%	80%	82%	82%	81%	80%	80%	80%

SELLER REMARKS: Long bodied bont Freckles son linebred to Winnie! Dam has in ICP of 374/8.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.21	1.4	0.5	4	6	-3		2.1	2.0	1.0						
Auction Average				28	196	-	40.5	-	-	0.69	-0.07	3.7	4.3	6	7	-4	1	11.3	8	6	104	-	118	101	6.0	103
1	HOT 230071	F	SP	28	207	-	44.2	-	-	1.17	-0.23	7.2	4.5	10.5	-3.1	12	-21	21.3	12	9	109	-	138	107	6	108
2	HOT 230228	F	SP	28	192	-	46.3	-	-	1.01	-0.02	5.7	3.1	5.7	0.6	-1	-6	19.9	11	6	108	-	135	94	6	107
3	HOT 240018	F	SP	24	173	-	-	-	-	-0.75	-0.31	2.8	3.4	1.9	6.5	2	0	16.3	11	7	114	-	128	102	6	100
7	HOT 230219	F	SP	28	179	-	34.4	-	-	1.88	0.41	7.6	10.4	13.5	8.1	4	-2	21	13	13	100	-	138	105	8	108
8	HOT 240012	F	SP	24	163	-	-	-	-	-1.03	-0.36	-2.0	1.6	-4.3	8.7	-12	13	-9	8	0	106	-	94	100	5	94
9	HOT 230072	F	SP	26	163	-	-	-	-	1.90	-0.05	3.7	4.9	9.7	12.1	-1	-10	25.5	2	3	100	-	147	94	6	103
10	HOT 230101	F	SP	29	211	-	-	-	-	1.90	-0.05	3.7	4.9	9.7	12.1	-1	-10	25.5	2	3	100	-	147	94	6	103
14A	HOT 220219	F	SP	32	201	-	39	-	-	2.59	0.77	12.5	12.5	21.6	30.3	24	-54	7.8	26	27	113	-	111	114	10	104
14B	HOT 250445	F	SP	36	255	-	42.1	-	-	3.38	0.17	16.7	6.8	25.9	23.7	14	-19	13.2	18	20	134	-	122	134	1	86
15A	HOT 200087	F	SP	32	210	-	47.6	-	-	1.46	0.38	6.3	-0.7	6.6	16.4	24	-24	-2.2	14	12	112	-	91	105	8	108
15B	HOT 250340	F	SP	25	154	-	29.3	-	-	-0.02	0.17	0.6	3.5	-0.4	-1.1	-8	12	14.6	6	3	79	-	125	88	4	119
16A	HOT 220166	F	SP	28	219	-	39.8	-	-	0.86	-0.44	6.7	-2.3	11.6	7.7	-5	6	6.8	-0	0	111	-	109	99	7	111
16B	HOT 250386	F	SP	26	172	-	32.8	-	-	-0.35	-0.39	-0.5	-4.5	0.7	-8.5	-20	26	-3.1	-4	-6	89	-	90	89	1	87
20A	HOT 220278	F	SP	34	193	-	47.2	-	-	2.11	-0.74	10.6	4.5	21.8	30.0	3	-18	12.4	7	8	107	-	120	100	4	107
20B	HOT 250182	M	SP	25	206	-	44.1	-	-	0.78	-0.45	6.6	2.4	10.6	18.4	16	-34	12.1	8	11	108	-	120	108	1	95
21A	HOT 190152	F	SP	26	193	-	-	-	-	0.02	-0.53	1.5	1.3	1.4	2.0	-30	24	4.7	4	-1	96	-	105	94	4	107
21B	HOT 250121	F	SP	18	171	-	43.8	-	-	-1.52	-0.31	-0.7	3.1	-2.2	1.2	-28	31	19.4	4	1	93	-	135	100	4	107
22	W 170346	F	SP	26	-	-	-	-	-	0.21	0.38	1.5	8.1	0.9	5.4	-11	3	3.5	21	15	-	-	103	105	7	85
26	HOT 220182	F	SP	28	214	-	34.5	-	-	1.58	-0.47	10.9	3.0	23.3	31.8	14	-37	11.3	11	12	108	-	118	99	2	101
27A	HOT 210061	F	SP	32	201	-	49	-	-	0.51	-0.23	4.0	4.4	2.8	18.9	18	-27	4.7	14	14	103	-	105	105	7	85
27B	HOT 250324	F	SP	30	194	-	35.9	-	-	1.45	-0.20	4.4	2.5	6.1	9.8	-6	-6	8.4	4	4	100	-	113	99	2	96
28A	HOT 220072	F	SP	32	219	-	38.1	-	-	2.48	0.63	12.4	11.7	21.5	16.6	12	-36	25.6	22	19	109	-	147	108	10	111
28B	HOT 250226	F	SP	30	221	-	51.4	-	-	2.08	0.20	12.9	6.1	18.1	17.8	26	-48	19.9	18	20	117	-	136	117	1	88
32A	HOT 210247	F	SP	29	-	-	-	-	-	0.12	-0.62	0.8	2.4	0.1	4.4	-11	6	-4.9	11	4	-	-	86	88	7	104
32B	HOT 250178	F	SP	21	203	-	50.1	-	-	-0.64	-0.41	4.9	3.3	5.3	11.1	-11	15	16.1	11	7	111	-	128	111	2	101

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.34	-0.21	1.4	0.5	4	6	-3		2.1	2.0	1.0						
Aanbod Gemiddeld				28	196	-	40.5	-	-	0.69	-0.07	3.7	4.3	6	7	-4	1	11.3	8	6	104	-	118	101	6.0	103
34A	HOT 200179	V	SP	26	154	-	-	-	-	-1.47	-0.12	-6.3	6.2	-8.1	-19.5	-8	16	4.1	0	0	94	-	104	103	10	100
34B	HOT 250317	M	SP	27	-	-	-	-	-	-0.69	-0.13	-0.1	6.6	-0.2	-9.2	-16	26	19.4	3	2	-	-	134	105	3	103
38	HOT 220131	V	SP	26	184	-	27.5	-	-	-1.09	-0.29	-4.9	-0.4	-5.8	9.0	-19	10	-4.3	6	1	92	-	87	104	12	119
39	HOT 230134	V	SP	30	145	-	-	-	-	0.66	-0.11	3.9	2.9	6.4	11.9	-22	16	15.7	8	2	100	-	127	104	12	119
40	HOT 230052	V	SP	26	181	-	-	-	-	-0.51	-0.11	-3.8	2.9	-5.3	-12.8	-8	17	-2	5	4	94	-	92	88	4	105
41	HOT 230038	V	SP	30	177	-	31	-	-	0.18	0.14	-4.0	7.2	-4.3	0.1	3	10	4.1	5	5	90	-	104	96	6	106
42	HOT 230066	V	SP	25	167	-	34.2	-	-	-0.65	0.09	-3.7	7.4	-5.7	-15.4	-2	-2	-.1	10	8	87	-	96	103	6	107
45	HOT 230194	V	SP	28	176	-	37.1	-	-	1.44	0.07	4.2	3.9	8.5	4.5	-3	-5	16.1	9	4	98	-	128	100	5	98
46	HOT 230153	V	SP	30	205	-	50.3	-	-	1.10	0.46	3.8	7.7	3.3	-0.2	0	14	2.4	9	8	115	-	101	110	5	103
47	HOT 230202	V	SP	26	198	-	44.4	-	-	0.92	-0.37	7.2	6.0	11.9	13.2	3	-3	20.4	15	13	113	-	137	102	5	105
48	HOT 230217	V	SP	28	173	-	37.6	-	-	0.90	-0.19	2.5	3.5	5.5	-2.5	-8	3	16.4	4	0	96	-	128	103	6	88
49	HOT 230067	V	SP	30	189	-	-	-	-	1.27	0.06	5.3	4.5	7.4	3.9	-16	9	21.3	12	6	100	-	138	97	6	102
50	HOT 230083	V	SP	28	187	-	36.1	-	-	0.24	-0.02	1.1	-1.5	5.1	1.0	-28	24	21.5	-2	-7	97	-	139	83	7	109
51	HOT 230147	V	SP	28	223	-	37	-	-	0.91	-0.09	9.6	4.4	12.0	18.4	14	-17	2.4	12	13	119	-	101	111	4	98
52	HOT 230234	V	SP	30	169	-	37.5	-	-	1.24	-0.15	2.6	3.3	5.9	-6.4	-40	55	18.5	-5	-8	92	-	133	94	14	110
53	HOT 230244	V	SP	30	175	-	37	-	-	0.93	0.29	0.1	7.2	3.1	-5.8	-4	5	26.2	2	1	96	-	148	101	7	105
57	HOT 220020	M	SP	29	218	-	-	-	-	1.10	0.31	4.1	8.6	4.2	-3.8	-3	-3	14.6	14	9	100	-	125	101	11	113
58	HOT 220221	M	SP	26	183	-	47.3	-	-	-0.43	-0.42	-4.7	3.5	-7.1	-6.5	-26	34	4	6	-4	100	-	104	96	3	90
59	HOT 220199	M	SP	27	214	-	48.8	-	-	0.30	-0.88	8.1	2.0	15.9	32.4	-7	4	11.4	4	6	119	-	119	107	4	106
63	HOT 220093	M	SP	33	232	-	35.7	-	-	1.70	0.17	8.1	7.0	12.6	18.5	-2	15	18.3	7	5	109	-	132	107	8	108
64	HOT 220178	M	SP	25	222	-	31.6	-	-	-0.92	0.21	-0.9	1.5	2.2	12.0	6	-12	4.8	0	2	108	-	105	99	10	97
65	HOT 220043	M	SP	32	215	-	41.1	-	-	1.05	0.11	5.4	1.5	10.6	12.1	-13	17	16.3	6	3	100	-	128	93	7	107
69	HOT 220163	M	SP	33	231	-	-	-	-	1.52	0.97	9.2	10.6	15.1	25.8	4	6	19.3	14	11	100	-	134	106	5	108
70	HOT 220134	M	SP	30	236	-	46.4	-	-	0.89	-0.37	2.1	1.3	1.7	1.2	-21	34	-1	-0	-6	113	-	94	97	4	108
71	HOT 220179	M	SP	27	177	-	-	-	-	0.53	-0.38	2.1	3.8	4.4	6.0	5	1	-2.2	6	3	100	-	91	107	4	107

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.21	1.4	0.5	4	6	-3		2.1	2.0	1.0						
Auction Average				28	196	-	40.5	-	-	0.69	-0.07	3.7	4.3	6	7	-4	1	11.3	8	6	104	-	118	101	6.0	103
75	HOT 220188	M	SP	32	227	-	40.7	-	-	1.21	0.03	1.3	7.0	5.0	0.1	-3	9	10.6	-0	-1	107	-	117	107	3	95
76	HOT 220120	M	SP	32	229	-	46.7	-	-	1.57	0.04	8.5	7.1	12.2	2.7	-2	-5	20.8	14	10	108	-	137	103	6	107
77	HOT 220297	M	SP	28	187	-	42.2	-	-	-0.68	-0.59	-3.2	-0.5	-4.7	-11.6	-11	6	1	11	0	101	-	98	93	8	108

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik