

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

WESTBOURN BONSMARAS - FEMALE

Veilingsdatum / Auction Date:
27 August 2026

Data soos op / Data as on:
19 August 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P

DEF 050022
7

GHI 070076
HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 ♀ GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit	
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High				Low	
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy	
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More	
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low	
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low				High	
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light				Heavy	
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss				Profit	
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss				Profit		
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy				Light	
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light	
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy	
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good	
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	Heavy	
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low			*	High	
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High		
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less				More	
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More	
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less				More	
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor				Good	
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

PREGNANT COWS

LOT 23 WESTBOURN BONSMARAS

WESTBOURN

AVW 220038
2022-11-06
SP
AGE/CALV. 3/1
AVG. Wt/CALV. 108/1
ICP -

SYF 170438 HH(c)

ADV 190029
AGE/CALV. 6/2
AVG. Wt/CALV. 101/2
ICP 419

ADV 130335
AGE/CALV. 9/5
AVG. Wt/CALV. 108/5
ICP 367

FCT 100167

AVW 110045
AGE/CALV. 11/7
AVG. Wt/CALV. 102/6
ICP 428

Parentage Sire Dam

DNA ✓

Genomic

ADV 110336
SYF 060111
AGE/CALV. 13/11
AVG. Wt/CALV. 103/11

SYF 100223

ADV 070166
AGE/CALV. 14/12
AVG. Wt/CALV. 103/12

FCT 080118

FCT 070146
AGE/CALV. 5/2
AVG. Wt/CALV. 104/2

RGR 040153

AVW 080068
AGE/CALV. 7/5
AVG. Wt/CALV. 97/4

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
101	112	75	113	97	92	94

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	106	99	82	82	78	100	101	94	98	87	100	102	97	86	118

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
101	98	98	-	-	-

Myostatin

Q204X	1
NT821	0
F94L	0

REMARKS: Dam in first trimester of pregnancy from bull LAR 19-330, SYF 24-227 or FJK 24-55. Last calf FJK 25-89 sire verified as SYF 20-126.

LOGIX EBV Analysis: 2026-08-17

LOT 24 WESTBOURN BONSMARAS

WESTBOURN

AVW 180057
2018-11-28
SP
AGE/CALV. 7/5
AVG. Wt/CALV. 97/4
ICP 459

AEJ 100008

AVW 130037
AGE/CALV. 11/7
AVG. Wt/CALV. 102/6
ICP 376

AG 020251

AEJ 050149
AGE/CALV. 10/8
AVG. Wt/CALV. 100/8
ICP 393

AEJ 090109

WCS 070003
AGE/CALV. 8/6
AVG. Wt/CALV. 94/5
ICP 374

Parentage Sire Dam

DNA

Genomic

AG 980338
AG 950206
AGE/CALV. 17/13
AVG. Wt/CALV. 109/11

AEJ 020065

AEJ 020129
AGE/CALV. 4/1
AVG. Wt/CALV. 99/1

AG 020275

AEJ 060144
AGE/CALV. 10/8
AVG. Wt/CALV. 101/8

RGR 000110

WCS 020159
AGE/CALV. 6/2
AVG. Wt/CALV. 94/2

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
96	90	94	127	89	80	78

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	91	92	89	113	89	94	92	82	99	78	88	82	76	90	113

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
96	103	100	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: 6 Months pregnant from AI: LAR 20-375, follow-up bulls BKR 22-357, AVW 23-58 and FJK 24-29. Last calf FJK 25-98 sire verified as LAR 19-330.

LOGIX EBV Analysis: 2026-08-17

LOT 25 WESTBOURN BONSMARAS

WESTBOURN

AVW 200019 HH(c)
2020-10-22
SP
AGE/CALV. 5/4
AVG. Wt/CALV. 91/3
ICP 375

SYF 160237 HH(c)

AVW 110038
AGE/CALV. 11/8
AVG. Wt/CALV. 106/7
ICP 363

SYF 130047

SYF 050040
AGE/CALV. 14/12
AVG. Wt/CALV. 105/12
ICP 380

RGR 040153

WCS 080024
AGE/CALV. 11/7
AVG. Wt/CALV. 99/6
ICP 433

Parentage Sire Dam

DNA

Genomic ✓

SYF 090010
SYF 090132
AGE/CALV. 9/5
AVG. Wt/CALV. 106/3

SYF 020097

SYF 020046
AGE/CALV. 7/5
AVG. Wt/CALV. 101/4

RGR 000106

JH 010088
AGE/CALV. 13/7
AVG. Wt/CALV. 109/7

GCD 050136

WCS 050037
AGE/CALV. 10/8
AVG. Wt/CALV. 96/7

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
106	89	114	101	98	92	97

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	100	78	98	105	121	98	101	95	96	99	97	102	129	80	115

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
107	119	-	-	-	-

Myostatin

Q204X	0
NT821	0
F94L	0

REMARKS: 7 Months Pregnant from AI: LAR 20-375 follow-up bulls AVW 23-38 and AVW 23-41. Last calf FJK 25-63 sire verified as LAR 20-385.

LOGIX EBV Analysis: 2026-08-17

DRAGTIGE KOEIE

LOT 26 **WESTBOURN BONSMARAS**

WESTBOURN BONSMARAS

AVW 220006
2022-03-21 SP
OUD/KALW. 4/2
GEM. SI/KALW. 102/1
TKP 353

Ouerskap Vaar Moer

DNS ✓

Genomies

ADV 170313 HH(c)



ADV 140065
OUD/KALW. 11/8
GEM. SI/KALW. 99/7
TKP 395

SYF 140247

ADV 080048
OUD/KALW. 12/10
GEM. SI/KALW. 100/8
TKP 409

BPJ 090028

AVW 090066
OUD/KALW. 11/7
GEM. SI/KALW. 102/7
TKP 430

GEL 100113

SYF 100071
OUD/KALW. 11/9
GEM. SI/KALW. 110/9

ADV 040182

ADV 050196
OUD/KALW. 6/4
GEM. SI/KALW. 102/4

FCT 000065

BHE 030013
OUD/KALW. 7/4
GEM. SI/KALW. 96/3

AG 050306

AVW 040016
OUD/KALW. 6/4
GEM. SI/KALW. 107/4

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
103	100	82	124	90	84	95

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	99	85	110	90	85	95	96	89	88	81	94	92	106	106	85

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
100	-	106	-	-	-

Miostation	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: 7 Months Pregnant from AI: LAR 20-375 follow-up bulls BKR 22-357, AVW 23-58 and FJK 24-29. Last calf FJK 25-81 sire verified as LAR 20-385

LOGIX EBV Analise: 2026-08-17

KOEIE MET KALWERS

LOT 27 **WESTBOURN BONSMARAS**

WESTBOURN BONSMARAS

AVW 230039
2023-10-21 SP
OUD/KALW. 2/1
GEM. SI/KALW. -/-
TKP -

Ouerskap Vaar Moer

DNS ✓

Genomies

AH 190107



HP 180255
OUD/KALW. 6/3
GEM. SI/KALW. 106/3
TKP 466

LAR 140173 HH(c)

SYF 150134 HH(c)
OUD/KALW. 11/8
GEM. SI/KALW. 101/7
TKP 434

V 120268

HP 110013
OUD/KALW. 12/8
GEM. SI/KALW. 100/8
TKP 478

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 15/11
GEM. SI/KALW. 105/11

SYF 100072

SYF 110274
OUD/KALW. 4/3
GEM. SI/KALW. 102/1

V 090260

V 050051
OUD/KALW. 11/9
GEM. SI/KALW. 103/10

AG 930210

HP 030012
OUD/KALW. 12/10
GEM. SI/KALW. 104/10

Geboortegemak Waarde	Speenkalf Waarde	Vrugbaarheids- waarde	Onderhouds- waarde	Koeiwaarde	Groei- waarde	Karkas- waarde
85	111	102	94	105	103	107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	119	89	107	107	90	112	114	104	94	106	82	99	133	88	105

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
110	-	106	-	-	-

Laaste Kalf		Miostation	
Kalf ID	FJK 260020 (M)	Q204X	0
Geb. dtm.	2026-06-03	NT821	0
Vaar ID	MULTIPLE SIRES	F94L	0

OPMERKINGS: Sire of calf FJK 22-007

LOGIX EBV Analise: 2026-08-17

DRAGTIGE KOEIE

LOT 28 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 220035
2022-11-03
SP
OUD/KALW. 3/1
GEM. SI/KALW. -/-
TKP -



Ouerskap Vaar Moer

DNS ☒

Genomies

SYF 130047
OUD/KALW. 9/5
GEM. SI/KALW. 106/3

SYF 050040
OUD/KALW. 14/12
GEM. SI/KALW. 105/12
TKP 380

AEJ 100008
OUD/KALW. 10/8
GEM. SI/KALW. 100/8

AG 070064
OUD/KALW. 17/13
GEM. SI/KALW. 100/13
TKP 370

SYF 090010
SYF 090132
OUD/KALW. 9/5
GEM. SI/KALW. 106/3

SYF 020097
SYF 020046
OUD/KALW. 7/5
GEM. SI/KALW. 101/4

AG 020251
AEJ 050149
OUD/KALW. 10/8
GEM. SI/KALW. 100/8

AG 020251
AG 010172
OUD/KALW. 15/12
GEM. SI/KALW. 98/11

Geboortegemak
Waarde
96

Speenkalf
Waarde
82

Vrugbaarheids-
waarde
93

Onderhouds-
waarde
101

Koeiwaarde
79

Groei-
waarde
99

Karkas-
waarde
89

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	99	74	89	95	99	96	100	100	105	99	89	90	101	81	110

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
92	92	94	-	-	-

Miostatien	
Q204X	1
NT821	0
F94L	0

OPMERKINGS: 6 Months pregnant from AI: LAR 20-375 or follow-up bulls BKR 22-357, AVW 23-58 and FJK 24-29.

LOGIX EBV Analyse: 2026-08-17

PREGNANT HEIFERS

LOT 29 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

FJK 230026
2023-11-03
SP



Parentage Sire Dam

DNA ☒

Genomic

LAR 160225
AGE/CALV. 8/4
AVG. WI/CALV. 101/4

LAR 120197
AGE/CALV. 13/10
AVG. WI/CALV. 101/10
ICP 408

AEJ 160061
AGE/CALV. 9/7
AVG. WI/CALV. 98/7

FCT 090205
AGE/CALV. 12/8
AVG. WI/CALV. 104/8
ICP 375

WAT 110394
LAR 130176
AGE/CALV. 8/4
AVG. WI/CALV. 101/4

AG 070457
LAR 020230
AGE/CALV. 14/12
AVG. WI/CALV. 98/11

AEJ 110111
AEJ 110268
AGE/CALV. 9/7
AVG. WI/CALV. 98/7

FCT 050127
FCT 040221
AGE/CALV. 6/4
AVG. WI/CALV. 97/4

Calving Ease
Value
104

Weaner Calf
Value
102

Fertility
Value
93

Maintenance
Value
92

Cow Value
97

Growth
Value
109

Carcass
Value
107

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Skr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	108	88	106	84	95	114	109	115	109	108	90	106	100	100	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
104	-	122	-	-	-

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: 8 Months pregnant: Ran with bulls: AVW 23-38 and AVW 23-41.

LOGIX EBV Analysis: 2026-08-17

LOT 30 WESTBOURN BONSMARAS

WESTBOURN
BONSMARA

AVW 230059
2023-11-15
SP



Parentage Sire Dam

DNA ☒

Genomic

LAR 170263 HH(c)
AGE/CALV. 15/12
AVG. WI/CALV. 106/11

LAR 100194 HH(c)
AGE/CALV. 15/10
AVG. WI/CALV. 102/9
ICP 461

AEJ 100008
AGE/CALV. 10/8
AVG. WI/CALV. 100/8

AVW 130071
AGE/CALV. 10/6
AVG. WI/CALV. 101/6
ICP 466

LAR 140173 HH(c)
LAR 110082
AGE/CALV. 15/12
AVG. WI/CALV. 106/11

LAR 070090
LAR 020081
AGE/CALV. 18/14
AVG. WI/CALV. 102/13

AG 020251
AEJ 050149
AGE/CALV. 10/8
AVG. WI/CALV. 100/8

CRV 090233
WCS 080024
AGE/CALV. 11/7
AVG. WI/CALV. 99/6

Calving Ease
Value
90

Weaner Calf
Value
103

Fertility
Value
97

Maintenance
Value
114

Cow Value
99

Growth
Value
109

Carcass
Value
97

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Skr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	104	96	96	114	86	108	103	105	107	86	85	91	101	95	117

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
90	-	99	-	-	-

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: 6 Months pregnant: Ran with bulls: AVW 23-38 and AVW 23-41.

LOGIX EBV Analysis: 2026-08-17

DRAGTIGE VERSE

LOT 31 WESTBOURN BONSMARAS

WESTBOURN
BONSMARAS

AVW 230031
2023-09-29
SP

Ouerskap Vaar Moer

DNS ✓

Genomies



SYF 200213 HH(c)
SYF 150033
OUD/KALW. 6/4
GEM. SI/KALW. 98/4
TKP 366
SYF 150097 HH(c)
BDX 200064 HH(c)
OUD/KALW. 5/3
GEM. SI/KALW. 95/3
TKP 390
BDX 170005
OUD/KALW. 4/2
GEM. SI/KALW. 98/2
TKP 436

SYF 130223
ADV 080229
OUD/KALW. 11/9
GEM. SI/KALW. 102/9
ADV 070145
ADV 120203
OUD/KALW. 6/2
GEM. SI/KALW. 100/2
SYF 120042
SYF 070104
OUD/KALW. 14/12
GEM. SI/KALW. 98/10
BDX 110029
DNT 070027
OUD/KALW. 14/11
GEM. SI/KALW. 100/11

Geboortegemak
Waarde
114

Speenkalf
Waarde
89

Vrugbaarheids-
waarde
90

Onderhouds-
waarde
113

Koeiwaarde
84

Groei-
waarde
97

Karkas-
waarde
100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	101	59	93	79	99	107	101	95	83	88	67	77	106	117	92

Spn. Indeks
100

365D Indeks
-

540D Indeks
99

GDT Indeks
-

VOV Indeks
-

LH
-

Miostation

Q204X 0

NT821 0

F94L 0

OPMERKINGS: 6 Months pregnant: Ran with bulls: AVW 23-38 and AVW 23-41.

LOGIX EBV Analise: 2026-08-17

LOT 32 WESTBOURN BONSMARAS

WESTBOURN
BONSMARAS

FJK 230033
2023-12-04
SP

Ouerskap Vaar Moer

DNS ✓

Genomies



LAR 170263 HH(c)
LAR 190374 HH(c)
LAR 100194 HH(c)
OUD/KALW. 15/10
GEM. SI/KALW. 102/9
TKP 461
FCT 100167
FJK 180010
OUD/KALW. 7/3
GEM. SI/KALW. 96/3
TKP 695
FCT 090205
OUD/KALW. 12/8
GEM. SI/KALW. 104/8
TKP 375

LAR 140173 HH(c)
LAR 110082
OUD/KALW. 15/12
GEM. SI/KALW. 106/11
LAR 070090
LAR 020081
OUD/KALW. 18/14
GEM. SI/KALW. 102/13
FCT 080118
FCT 070146
OUD/KALW. 5/2
GEM. SI/KALW. 104/2
FCT 050127
FCT 040221
OUD/KALW. 6/4
GEM. SI/KALW. 97/4

Geboortegemak
Waarde
93

Speenkalf
Waarde
107

Vrugbaarheids-
waarde
80

Onderhouds-
waarde
99

Koeiwaarde
93

Groei-
waarde
118

Karkas-
waarde
101

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	111	92	86	90	73	115	109	115	115	100	97	105	107	96	104

Spn. Indeks
91

365D Indeks
-

540D Indeks
99

GDT Indeks
-

VOV Indeks
-

LH
-

Miostation

Q204X 0

NT821 0

F94L 0

OPMERKINGS: 7 Months pregnant: Ran with bulls: AVW 23-38 and AVW 23-41.

LOGIX EBV Analise: 2026-08-17

WESTBOURN BONSMARAS - FEMALE

27 August 2026

Page 8

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				31	208	6.62	-	-	0.98 1.26	-0.28 -0.51	14.9 17.0	3.7 -0.8	25 31	22 12	79 77	-37 -36	12.8 10.1	-3.0 -12	14.0 9	99	-	96	100	5.0	94
23	AVW 220038	F	SP	29	201	6.52	-	-	1.18	-0.69	18.4	3.3	30.0	2.6	57	-34	2	-3	15	101	-	82	101	2	72
24	AVW 180057	F	SP	33	228	7.48	-	-	0.90	0.52	10.2	1.3	18.7	-10.6	10	-35	6.5	-13	-2	96	-	89	102	7	95
25	AVW 200019	F	SP	29	239	5.73	-	-	0.25	-0.19	14.8	-3.0	29.0	20.3	59	-31	11.3	-6	15	107	-	98	106	8	109
26	AVW 220006	F	SP	31	185	5.9	-	-	1.02	-0.79	14.6	-0.9	24.2	-5.5	38	-17	18.9	-8	7	100	-	110	99	8	105
27	AVW 230039	F	SP	34	221	7.33	-	-	3.08	-1.04	25.0	0.4	41.8	30.8	94	-27	16.8	-17	13	110	-	107	106	3	95
28	AVW 220035	F	SP	30	186	6.06	-	-	1.27	-0.10	14.4	-4.4	27.5	20.9	79	-45	6.2	-12	5	92	-	89	92	7	111
29	FJK 230026	F	SP	31	232	6.7	-	-	0.85	-0.77	19.1	0.0	38.3	33.9	135	-51	16.6	-11	19	104	-	106	107	2	75
30	AVW 230059	F	SP	36	189	7.74	-	-	1.88	-0.06	17.0	2.5	30.8	1.8	96	-48	10.4	-15	5	90	-	96	97	5	105
31	AVW 230031	F	SP	28	222	6.65	-	-	0.04	-1.07	15.3	-8.8	29.4	5.2	62	-9	8.4	-29	-6	100	-	93	95	3	103
32	FJK 230033	F	SP	33	179	6.11	-	-	2.17	-0.89	21.1	1.4	37.7	22.3	136	-61	4.2	-5	18	91	-	86	96	3	69

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik