

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

NU-ALCADE BONSMARA GROEP

Veilingsdatum / Auction Date:
24 September 2026

Data soos op / Data as on:
19 August 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 ♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 ♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 ♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 ♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1

J.A. BENEKE


JAB 230126
2023-10-06
SP

Parentage Sire Dam
DNA ☒
Genomic ☒


OUH 190083

AGE/CALV. 8/6
AVG. Wt/CALV. 97/6
ICP 362

OUH 130175
AGE/CALV. 12/10
AVG. Wt/CALV. 102/9
ICP 361

OUH 140011
AGE/CALV. 12/10
AVG. Wt/CALV. 102/9
ICP 361

HVD 140007

JAB 130195
AGE/CALV. 11/8
AVG. Wt/CALV. 108/8
ICP 421

OUH 100005
HOT 080022
AGE/CALV. 12/10
AVG. Wt/CALV. 97/8

OUH 100028
LAR 120009
AGE/CALV. 7/5
AVG. Wt/CALV. 95/5

BBN 090176
SYF 080182
AGE/CALV. 14/12
AVG. Wt/CALV. 94/12

BEI 080114
JAB 110054
AGE/CALV. 12/10
AVG. Wt/CALV. 94/10

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
110	92	89	113	89	88	92

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	93	90	65	87	93	103	92	83	73	87	89	82	96	99	85

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
94	-	-	98	-	338	1.18

REMARKS: Mooi breedte op nek en skof. Goed bevelesde bul met goeie balans en toplyn. SCR 370 mm. Vir gebruik op verse en koeie.

LOGIX EBV Analysis: 2026-08-17

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 2

THINUS MARITZ BOERDERY


TMB 230106 HH(c)
2023-03-09
SP

Parentage Sire Dam
DNA ☒ ☒
Genomic ☒


TMB 200231 HH(c)

AGE/CALV. 2/1
AVG. Wt/CALV. 96/1
ICP -

TMB 180646
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7

TMB 150338
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9

HJS 140016
CEF 130028
AGE/CALV. 13/11
AVG. Wt/CALV. 99/12

CEF 100418
TMB 140368
AGE/CALV. 5/3
AVG. Wt/CALV. 93/3

CEF 130317 HH(c)
CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7

TMB 160299 HH(c)

TMB 160662
AGE/CALV. 10/8
AVG. Wt/CALV. 106/7
ICP 375

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
125	111	123	94	125	124	126

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	111	82	93	127	111	108	121	117	114	106	110	108	116	137	130

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	107	-	359	1.24

REMARKS: Sterk manlike bul met goeie breedte, balans en lang spierlengtes. Vir gebruik op koeie.

LOGIX EBV Analysis: 2026-08-17

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 3

THINUS MARITZ BOERDERY


TMB 230474 HH(c)
2023-09-24
SP

Parentage Sire Dam
DNA ☒ ☒
Genomic ☒


CEF 130317 HH(c)

AGE/CALV. 13/9
AVG. Wt/CALV. 103/7
ICP 387

CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7
ICP 387

AG 050415
CJJ 990108
AGE/CALV. 12/10
AVG. Wt/CALV. 110/10
ICP 389

CEF 080338
CEF 080218
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6

HOT 060054
CEF 020218
AGE/CALV. 11/7
AVG. Wt/CALV. 91/8

LAR 010176
AG 000033
AGE/CALV. 15/12
AVG. Wt/CALV. 99/10

IVY 920333
BAL 930020
AGE/CALV. 13/11
AVG. Wt/CALV. 99/10

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
93	103	118	95	111	105	108

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	105	103	129	104	116	114	108	99	98	103	90	99	109	85	108

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
107	-	-	119	-	405	1.22

REMARKS: Bul met sterk bek, kop en bene. Baie goeie skrotum-aanhegting. Vir gebruik op koeie.

LOGIX EBV Analysis: 2026-08-17

Myostatin	
Q204X	0
NT821	0
F94L	0

BULLE

LOT 4

BESTRINA TRUST BOERDERY



BTB 230107 HH(c)

2023-09-27
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓

NFS 190321 HH(c)



WWP 120044

OUD/KALW. 11/8
GEM. SI/KALW. 101/8
TKP 417

CEF 130317 HH(c)

ZVJ 110059 HH(c)

OUD/KALW. 14/12
GEM. SI/KALW. 105/11
TKP 365

BBM 080054

TBR 090015

OUD/KALW. 9/8
GEM. SI/KALW. 100/8
TKP 363

CEF 110301 HH(c)

CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7

ZVJ 090005

SSK 080015
OUD/KALW. 4/1
GEM. SI/KALW. 113/1

JRB 000116

JRB 030038
OUD/KALW. 9/7
GEM. SI/KALW. 92/7

TBR 000605

TBR 010045
OUD/KALW. 15/8
GEM. SI/KALW. 93/7Geboortegemak
Waarde
110Speenkalv
Waarde
105Vrugbaarheids-
waarde
124Onderhouds-
waarde
115Koeiwaarde
117Groei-
waarde
98Karkas-
waarde
108

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	108	75	98	106	121	118	103	95	95	87	80	81	94	138	115

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
115	-	-	103	-	367	1.21

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Bul met sterk tophyn en goeie balans. Besonderse ribsprong, breedte en diepte. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

LOT 5

OUHOUDT BONSMARAS



OUH 230092

2023-09-21
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

CEF 190471



OUH 190054

OUD/KALW. 6/4
GEM. SI/KALW. 108/4
TKP 455

CEF 150315

CEF 150112

OUD/KALW. 10/8
GEM. SI/KALW. 103/6
TKP 395

OUH 140137

OUH 120086

OUD/KALW. 13/10
GEM. SI/KALW. 100/10
TKP 411

CEF 100304 HH(c)

CEF 050121
OUD/KALW. 12/10
GEM. SI/KALW. 99/10

CEF 130437

CEF 130057
OUD/KALW. 4/2
GEM. SI/KALW. 102/1

JDB 050037

OUH 100091
OUD/KALW. 5/2
GEM. SI/KALW. 100/2

LAR 080376

ANH 050029
OUD/KALW. 15/13
GEM. SI/KALW. 101/13Geboortegemak
Waarde
92Speenkalv
Waarde
102Vrugbaarheids-
waarde
99Onderhouds-
waarde
101Koeiwaarde
98Groei-
waarde
103Karkas-
waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	106	93	83	103	94	106	100	99	98	97	94	103	110	95	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
107	-	-	91	-	330	1.25

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Sterk bek, kop, nek en skof. Uitstekende tophyn en lang agterkwart bespiering. Vir gebruik op koeie.

LOGIX EBV Analise: 2026-08-17

LOT 6

INTERSWART INGDIENSTE EDMS
BPK

FDS 230152

2023-09-14
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

LFR 170077



FDS 110015

OUD/KALW. 14/12
GEM. SI/KALW. 109/12
TKP 378

BBM 120194

LFR 150004

OUD/KALW. 10/8
GEM. SI/KALW. 97/8
TKP 378

HJL 070011

FDS 070123

OUD/KALW. 4/2
GEM. SI/KALW. 94/2
TKP 365

JRB 080120

JRB 990208
OUD/KALW. 17/13
GEM. SI/KALW. 103/14

HJL 120124

LMR 100127
OUD/KALW. 14/12
GEM. SI/KALW. 100/12

JRB 000140

HJL 020132
OUD/KALW. 9/7
GEM. SI/KALW. 105/5

NFS 010276

BEI 000018
OUD/KALW. 10/7
GEM. SI/KALW. 101/6Geboortegemak
Waarde
98Speenkalv
Waarde
110Vrugbaarheids-
waarde
112Onderhouds-
waarde
95Koeiwaarde
118Groei-
waarde
113Karkas-
waarde
121

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	101	126	147	113	108	103	108	117	116	102	116	108	119	108	99

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
107	-	-	112	-	399	1.26

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Bul met manlike kop, mooi diepte, tophyn en ribsprong. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

BULLS

LOT 7

THINUS MARITZ BOERDERY

 TMB 230035 HH(c)
2023-02-12
SP

Parentage Sire Dam

DNA ✓

Genomic ✓



TMB 190230
AGE/CALV. 7/5
AVG. Wt/CALV. 97/4
ICP 413

AG 160402

AG 080090
AGE/CALV. 13/11
AVG. Wt/CALV. 105/11
ICP 370

CEF 130317 HH(c)

TMB 170287
AGE/CALV. 3/1
AVG. Wt/CALV. 106/1
ICP -

CEW 110234

AG 100734
AGE/CALV. 11/9
AVG. Wt/CALV. 101/9

AG 040158
HTC 010028
AGE/CALV. 15/10
AVG. Wt/CALV. 110/10

CEF 110301 HH(c)

CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7

HJS 130451

HJS 090058
AGE/CALV. 11/9
AVG. Wt/CALV. 104/9

Calving Ease
Value
98

Weaner Calf
Value
111

Fertility
Value
97

Maintenance
Value
87

Cow Value
106

Growth
Value
135

Carcass
Value
107

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
95	114	98	109	112	91	96	111	137	123	114	100	109	130	76	119
Wean Index		365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH	Myostatin							
94		-	-	118	-	367	1.26	Q204X 0							
								NT821 0							
								F94L 0							

REMARKS: Goeie volume bul met mooi lengte, breedte en diepte. Skoon onderlyn en gewensde kruis. Vir gebruik op koeie.

LOGIX EBV Analysis: 2026-08-17

LOT 8

J.A. BENEKE

 JAB 230149
2023-10-20
SP

Parentage Sire Dam

DNA ✓

Genomic



JAB 180186
AGE/CALV. 7/5
AVG. Wt/CALV. 96/4
ICP 401

HVD 140007

JAB 120099
AGE/CALV. 12/10
AVG. Wt/CALV. 98/10
ICP 367

JAB 140054

JAB 120054
AGE/CALV. 7/5
AVG. Wt/CALV. 106/4
ICP 413

BBN 090176

SYF 080182
AGE/CALV. 14/12
AVG. Wt/CALV. 94/12

BEI 090115
JAB 040057
AGE/CALV. 15/12
AVG. Wt/CALV. 95/11

LAR 100078

JAB 090123
AGE/CALV. 7/4
AVG. Wt/CALV. 111/3

BEI 090106

JAB 050091
AGE/CALV. 9/8
AVG. Wt/CALV. 92/8

Calving Ease
Value
120

Weaner Calf
Value
99

Fertility
Value
98

Maintenance
Value
101

Cow Value
101

Growth
Value
106

Carcass
Value
102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	101	83	87	104	100	94	100	106	95	98	105	97	88	103	96
Wean Index		365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH	Myostatin							
104		-	-	118	-	363	1.21	Q204X 0							
								NT821 0							
								F94L 0							

REMARKS: Goeie kop, nek en skof. Goeie volume bul met vloeiende lyne. Vir gebruik op verse en koeie.

LOGIX EBV Analysis: 2026-08-17

LOT 9

BESTRINA TRUST BOERDERY

 BTB 230123 HH(c)
2023-10-29
SP

Parentage Sire Dam

DNA ✓

Genomic



HJS 160061
AGE/CALV. 10/8
AVG. Wt/CALV. 101/7
ICP 403

FCT 090082

TMB 130111
AGE/CALV. 9/8
AVG. Wt/CALV. 99/7
ICP 388

LEL 080010

HJS 090081
AGE/CALV. 7/5
AVG. Wt/CALV. 100/5
ICP 396

BG 060002

FCT 050091
AGE/CALV. 11/6
AVG. Wt/CALV. 103/5

MMJ 060240

CJJ 090028
AGE/CALV. 8/7
AVG. Wt/CALV. 105/6

BG 050035

LEL 050101
AGE/CALV. 11/9
AVG. Wt/CALV. 112/7

HJS 060126

HJS 040260
AGE/CALV. 13/11
AVG. Wt/CALV. 96/10

Calving Ease
Value
107

Weaner Calf
Value
94

Fertility
Value
107

Maintenance
Value
119

Cow Value
101

Growth
Value
91

Carcass
Value
82

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	89	100	101	121	105	90	92	88	85	84	82	84	90	70	82
Wean Index		365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH	Myostatin							
103		-	-	90	-	335	1.22	Q204X 0							
								NT821 0							
								F94L 0							

REMARKS: Goed ontwikkelde nek, skof, ribsprong en oogspier. Vol onderlyn, lang spierlengtes en sterk bene. Vir gebruik op verse.

LOGIX EBV Analysis: 2026-08-17

BULLE

LOT 10 THINUS MARITZ BOERDERY

 **TMB 230433 HH(c)**
2023-09-08 SP

Ouerskap Vaar Moer

DNS ✓
Genomies ✓



TMB 200279
OUD/KALW. 5/4
GEM. SI/KALW. 103/4
TKP 374

DAJ 180072
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

DAJ 180024
OUD/KALW. 8/6
GEM. SI/KALW. 100/6
TKP 385

TMB 170355 HH(c)

TMB 180434
OUD/KALW. 7/7
GEM. SI/KALW. 100/6
TKP 362

TOR 070049
DAJ 150169
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

AG 120131
DAJ 120180
OUD/KALW. 13/11
GEM. SI/KALW. 97/11

CEF 100304 HH(c)

TMB 130015
OUD/KALW. 13/12
GEM. SI/KALW. 107/10

TMB 130235

CEF 060092
OUD/KALW. 13/12
GEM. SI/KALW. 99/8

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde	
101		92		98		127		94		96		101	

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	90	95	95	115	84	104	97	97	90	78	68	83	80	129	107

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
95	-	-	100	-	366	1.27

OPMERKINGS: Mooi diep, lang bul met mooi pigment en verdonkering. Uitstekende klou konformasie. Goeie aanpasbaarheid in veld. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

LOT 11 OUHOUDT BONSMARAS

 **OUH 230035**
2023-02-25 SP

Ouerskap Vaar Moer

DNS ✓
Genomies



LAR 160458

LAR 110350
OUD/KALW. 7/4
GEM. SI/KALW. 99/4
TKP 399

RGR 040246

LTS 960083
OUD/KALW. 16/13
GEM. SI/KALW. 104/13
TKP 394

AG 070176
LAR 100303
OUD/KALW. 11/6
GEM. SI/KALW. 108/6

LAR 070090

LAR 060065
OUD/KALW. 6/4
GEM. SI/KALW. 99/3

BG 010028

RGR 960091
OUD/KALW. 13/10
GEM. SI/KALW. 103/10

LTS 920150

LTS 910136
OUD/KALW. 10/8
GEM. SI/KALW. 101/7

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde	
92		106		84		103		95		98		123	

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	107	100	96	88	89	95	101	92	75	95	76	89	109	143	129

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	92	-	360	1.27

OPMERKINGS: Sterk bek, kop, nek en skof. Goeie toplyn met prominente lende. Baie rumenkapasiteit. Vir gebruik op koeie.

LOGIX EBV Analise: 2026-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

LOT 12 THINUS MARITZ BOERDERY

 **TMB 230385 HH(c)**
2023-08-28 SP

Ouerskap Vaar Moer

DNS ✓
Genomies ✓



TMB 200126 HH(c)

HJS 110012
OUD/KALW. 12/10
GEM. SI/KALW. 99/10
TKP 365

TMB 160299 HH(c)

TMB 160017
OUD/KALW. 10/9
GEM. SI/KALW. 110/8
TKP 380

CEF 130317 HH(c)

CEF 110301 HH(c)

CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7

HJS 080115

HJS 090039
OUD/KALW. 6/4
GEM. SI/KALW. 104/4

HJS 140016

CEF 130028
OUD/KALW. 13/11
GEM. SI/KALW. 99/12

CEF 100418

TMB 140201
OUD/KALW. 12/7
GEM. SI/KALW. 99/5

Geboortegemak Waarde		Speenkalf Waarde		Vrugbaarheids-waarde		Onderhouds-waarde		Koeiwaarde		Groei-waarde		Karkas-waarde	
102		107		66		116		87		96		103	

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	106	87	96	72	65	108	104	95	83	85	71	86	112	122	116

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	99	-	370	1.26

OPMERKINGS: Bul met goeie lengte en breedte. Baie goed gebalanseerde bul. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

Miostation	
Q204X	0
NT821	0
F94L	0

BULLS

LOT 13

LANGKLOOF GAME FARM

LBV 230020
2023-08-20
B

Parentage Sire Dam

DNA

Genomic

GEL 180025



LBV 170186

AGE/CALV. 8/4
AVG. Wt/CALV. 103/4
ICP 435

SYF 100078

GEL 110051
AGE/CALV. 9/6
AVG. Wt/CALV. 114/6
ICP 411

SYF 070036

SYF 070133
AGE/CALV. 7/3
AVG. Wt/CALV. 95/2

LES 070020

GEL 080119
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6Calving Ease
Value
85Weaner Calf
Value
88Fertility
Value
87Maintenance
Value
99Cow Value
81Growth
Value
91Carcass
Value
99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	95	107	113	91	89	94	91	95	88	99	95	104	101	101	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
111	-	-	103	-	370	1.26

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Sterk bek, kop, nek en skof. Bul met mooi kruis en goeie lengte. Vir gebruik op koeie.

LOGIX EBV Analysis: 2026-08-17

LOT 14

J.A. BENEKE

JAB 230119
2023-09-27
SP

Parentage Sire Dam

DNA

Genomic

REV 190045



OLI 160400

AGE/CALV. 9/7
AVG. Wt/CALV. 98/7
ICP 375

CSW 130253

REV 140110 HH(c)
AGE/CALV. 11/10
AVG. Wt/CALV. 95/10
ICP 355

BBP 100205

OLI 110091
AGE/CALV. 9/5
AVG. Wt/CALV. 98/5
ICP 384

CSW 090137 Pp(c)

CSW 100007
AGE/CALV. 15/10
AVG. Wt/CALV. 104/10

AG 090255

REV 120048 HH(c)

AGE/CALV. 14/11
AVG. Wt/CALV. 101/12

AG 060401

AG 030146
AGE/CALV. 14/10
AVG. Wt/CALV. 107/10

JRB 060028

BBN 040122
AGE/CALV. 13/9
AVG. Wt/CALV. 100/9Calving Ease
Value
97Weaner Calf
Value
94Fertility
Value
106Maintenance
Value
100Cow Value
97Growth
Value
101Carcass
Value
106

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	102	90	93	100	109	102	109	100	82	99	91	98	109	89	86

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
92	-	-	100	-	366	1.23

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Goeie bek, kop, nek en skof. Bul met goeie balans, breedte en diepte. Vir gebruik op koeie.

LOGIX EBV Analysis: 2026-08-17

LOT 15

THINUS MARITZ BOERDERY

TMB 230296 HH(c)
2023-08-20
SP

Parentage Sire Dam

DNA

Genomic

TMB 170554 HH(c)



TMB 130250

AGE/CALV. 12/11
AVG. Wt/CALV. 98/11
ICP 367

TMB 140015

TMB 140426
AGE/CALV. 11/10
AVG. Wt/CALV. 97/10
ICP 370

FCT 090082

MMJ 110083
AGE/CALV. 11/10
AVG. Wt/CALV. 97/11
ICP 359

JL 100600

JL 110015
AGE/CALV. 11/9
AVG. Wt/CALV. 108/8

FCT 080118

MMJ 090073
AGE/CALV. 10/6
AVG. Wt/CALV. 99/5

BG 060002

FCT 050091
AGE/CALV. 11/6
AVG. Wt/CALV. 103/5

MMJ 080086

MMJ 070174
AGE/CALV. 11/9
AVG. Wt/CALV. 107/9Calving Ease
Value
115Weaner Calf
Value
108Fertility
Value
133Maintenance
Value
138Cow Value
129Growth
Value
60Carcass
Value
79

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	96	91	100	138	117	117	90	63	65	66	91	81	83	88	86

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	-	-	92	-	367	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Bul met goeie lengte van lyf wat lekker gemaklik beweeg. Vir gebruik op verse en koeie.

LOGIX EBV Analysis: 2026-08-17

BULLE

LOT 16 INTERSWART INGDIENSTE EDMS
BPK

@interswart

FDS 230155
2023-09-17
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

LFR 170077



FDS 160112

OUD/KALW. 9/7
GEM. SI/KALW. 102/6
TKP 426

BBM 120194

LFR 150004

OUD/KALW. 10/8
GEM. SI/KALW. 97/8
TKP 378

NFS 110196

FDS 100110

OUD/KALW. 14/11
GEM. SI/KALW. 105/9
TKP 401

JRB 080120

JRB 990208

OUD/KALW. 17/13
GEM. SI/KALW. 103/14

HJL 120124

LMR 100127

OUD/KALW. 14/12
GEM. SI/KALW. 100/12

NFS 070163

NFS 040100

OUD/KALW. 11/8
GEM. SI/KALW. 101/8

HJL 070011

FDS 080076

OUD/KALW. 5/4
GEM. SI/KALW. 97/4Geboortegemak
Waarde
106Speenkalv
Waarde
112Vrugbaarheids-
waarde
106Onderhouds-
waarde
101Koeiwaarde
116Groei-
waarde
105Karkas-
waarde
111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	105	109	144	105	103	105	104	110	115	96	101	97	112	115	111

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	103	-	419	1.27

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Bul met goeie ontwikkelde nek en ribsprong wat baie breed en vol is. Vir gebruik op koeie.

LOGIX EBV Analise: 2026-08-17

LOT 17 THINUS MARITZ BOERDERY

Thinus Maritz
BoerderyTMB 230236 HH(c)
2023-08-09
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓



TMB 210073

OUD/KALW. 5/3
GEM. SI/KALW. 100/3
TKP 371

CEF 130317 HH(c)

TMB 150154

OUD/KALW. 11/10
GEM. SI/KALW. 106/8
TKP 363

TMB 170557 HH(c)

TMB 170442

OUD/KALW. 5/3
GEM. SI/KALW. 107/3
TKP 419

CEF 110301 HH(c)

CEF 100161

OUD/KALW. 13/9
GEM. SI/KALW. 103/7

FCT 080118

TMB 100103

OUD/KALW. 10/7
GEM. SI/KALW. 104/6

HJS 110365

HJS 100475

OUD/KALW. 11/9
GEM. SI/KALW. 101/9

CEF 100304 HH(c)

JDB 110062

OUD/KALW. 10/8
GEM. SI/KALW. 104/7Geboortegemak
Waarde
106Speenkalv
Waarde
113Vrugbaarheids-
waarde
114Onderhouds-
waarde
102Koeiwaarde
123Groei-
waarde
136Karkas-
waarde
135

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	101	121	94	92	109	130	112	131	122	95	112	128	95	141	144

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	-	-	104	-	335	1.27

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Gewensde Sanga-tipe bul met mooi onderlyn. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

LOT 18 THINUS MARITZ BOERDERY

Thinus Maritz
BoerderyTMB 230358 HH(c)
2023-08-27
SP

Ouerskap Vaar Moer

DNS ✓

Genomies ✓



TMB 190123

OUD/KALW. 7/5
GEM. SI/KALW. 104/5
TKP 380

CEF 130317 HH(c)

HJS 110012

OUD/KALW. 12/10
GEM. SI/KALW. 99/10
TKP 365

TMB 160427

HJS 110390

OUD/KALW. 13/11
GEM. SI/KALW. 103/10
TKP 370

CEF 110301 HH(c)

CEF 100161

OUD/KALW. 13/9
GEM. SI/KALW. 103/7

HJS 080115

HJS 090039

OUD/KALW. 6/4
GEM. SI/KALW. 104/4

WAT 080080

TMB 130026

OUD/KALW. 7/4
GEM. SI/KALW. 106/4

WAT 080198

HJS 060350

OUD/KALW. 5/4
GEM. SI/KALW. 91/2Geboortegemak
Waarde
123Speenkalv
Waarde
96Vrugbaarheids-
waarde
81Onderhouds-
waarde
109Koeiwaarde
93Groei-
waarde
108Karkas-
waarde
123

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
126	92	95	121	74	89	104	101	102	89	89	59	82	94	143	127

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
93	-	-	99	-	376	1.27

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Vroeg ontwikkelende bul met n vol boud en lies. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

BULLS

LOT 19 INTERSWART INGDIENSTE EDMS
BPK

@interswart

FDS 230202
2023-10-12
SP

Parentage Sire Dam

DNA

Genomic

FDS 200055



FDS 190049

AGE/CALV. 7/5
AVG. WJ/CALV. 104/4
ICP 371

ABB 160024 HH(c)

FDS 160098

AGE/CALV. 10/7
AVG. WJ/CALV. 102/7
ICP 398

GJG 130368 HH(c)

FDS 160123

AGE/CALV. 9/7
AVG. WJ/CALV. 108/6
ICP 394

ABB 090366

ABB 130114
AGE/CALV. 10/8
AVG. WJ/CALV. 99/8

NFS 110196

FDS 080096

AGE/CALV. 17/16
AVG. WJ/CALV. 103/14

GZV 090013

GJG 110005
AGE/CALV. 5/3
AVG. WJ/CALV. 107/3

FDS 130033

WSS 130059 P

AGE/CALV. 9/6
AVG. WJ/CALV. 94/6Calving Ease
Value
101Weaner Calf
Value
107Fertility
Value
115Maintenance
Value
96Cow Value
116Growth
Value
117Carcass
Value
110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	106	106	94	110	111	108	106	122	119	102	119	116	109	104	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	104	-	340	1.22

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Bul met goeie rumenkapasiteit, mooi lengte en aansluitingspunte. Vir gebruik op verse en koeie.

LOGIX EBV Analysis: 2026-08-17

LOT 20 INI-BOS BONSMARA

INI 230009
2023-10-19
SP

Parentage Sire Dam

DNA

Genomic



SYF 190221

AGE/CALV. 7/4
AVG. WJ/CALV. 106/3
ICP 466

BKR 180137

SYF 180233 HH(c)

AGE/CALV. 8/6
AVG. WJ/CALV. 110/5
ICP 385

LAR 150423 HH(c)

SYF 160084

AGE/CALV. 10/7
AVG. WJ/CALV. 100/7
ICP 419

LAR 090223

KRT 140053
AGE/CALV. 12/9
AVG. WJ/CALV. 103/8

VIL 140221

SYF 160095

AGE/CALV. 6/5
AVG. WJ/CALV. 102/5

LAR 120455

LAR 100259 HH(c)

AGE/CALV. 14/11
AVG. WJ/CALV. 96/10

SYF 120090 HH(c)

SYF 100115

AGE/CALV. 15/13
AVG. WJ/CALV. 99/13Calving Ease
Value
103Weaner Calf
Value
110Fertility
Value
120Maintenance
Value
114Cow Value
119Growth
Value
108Carcass
Value
101

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	107	92	90	123	104	118	106	113	96	86	100	102	106	92	84

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	106	-	338	1.25

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Bul met goeie lengte en balans en goeie breedte op die dye. Vir gebruik op verse en koeie.

LOGIX EBV Analysis: 2026-08-17

LOT 21 THINUS MARITZ BOERDERY

Thinus Maritz
Boerdery
LustfonteinTMB 230376 HH(c)
2023-08-28
SP

Parentage Sire Dam

DNA

Genomic



TMB 190451

AGE/CALV. 7/5
AVG. WJ/CALV. 101/4
ICP 444

DAJ 180072

DAJ 180024

AGE/CALV. 8/6
AVG. WJ/CALV. 100/6
ICP 385

CEF 130317 HH(c)

TMB 140391

AGE/CALV. 7/7
AVG. WJ/CALV. 102/7
ICP 365

TOR 070049

DAJ 150169
AGE/CALV. 10/7
AVG. WJ/CALV. 103/7

AG 120131

DAJ 120180

AGE/CALV. 13/11
AVG. WJ/CALV. 97/11

CEF 110301 HH(c)

CEF 100161

AGE/CALV. 13/9
AVG. WJ/CALV. 103/7

FCT 080118

MMJ 040148

AGE/CALV. 13/10
AVG. WJ/CALV. 99/10Calving Ease
Value
91Weaner Calf
Value
119Fertility
Value
111Maintenance
Value
96Cow Value
118Growth
Value
117Carcass
Value
123

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	123	89	115	110	99	115	120	118	108	103	109	119	102	111	120

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	-	-	98	-	356	1.29

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Baie goed ontwikkelde, manlike bul. Vir gebruik op koeie.

LOGIX EBV Analysis: 2026-08-17

BULLE

LOT 22 INTERSWART INGDIENSTE EDMS
BPK

@interswart

FDS 230182
2023-10-03
SP

Ouerskap Vaar Moer

DNS

Genomies

FDS 160038
OUD/KALW. 10/8
GEM. SI/KALW. 102/7
TKP 393

LAR 140173 HH(c)

SBJ 190056 HH(c)

LFB 140421
OUD/KALW. 6/3
GEM. SI/KALW. 114/3
TKP 549

NFS 100157

WSS 120121
OUD/KALW. 13/9
GEM. SI/KALW. 96/9
TKP 459

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 16/11
GEM. SI/KALW. 105/11

LAR 090212

LFB 090232
OUD/KALW. 10/7
GEM. SI/KALW. 101/6

NFS 070163

NFS 060126
OUD/KALW. 15/13
GEM. SI/KALW. 101/12

HFN 080139 P

WSS 090336
OUD/KALW. 4/2
GEM. SI/KALW. 103/1Geboortegemak
Waarde
98Speenkalf
Waarde
125Vrugbaarheids-
waarde
103Onderhouds-
waarde
88Koeiwaarde
122Groei-
waarde
100Karkas-
waarde
114

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	121	105	92	114	90	109	122	97	99	112	100	116	114	90	96

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	-	-	97	-	345	1.30

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Bul met goeie breedte en mooi vol dye. Goeie kloue op hierdie bul. Vir gebruik op koeie.

LOGIX EBV Analise: 2026-08-17

LOT 23 THINUS MARITZ BOERDERY

Thinus Maritz
BoerderyTMB 230312 HH(c)
2023-08-21
SP

Ouerskap Vaar Moer

DNS

Genomies

TMB 200119
OUD/KALW. 5/2
GEM. SI/KALW. 103/2
TKP 380

DAJ 180072

DAJ 200069 HH(c)

DAJ 180024
OUD/KALW. 8/6
GEM. SI/KALW. 100/6
TKP 385

CEF 130317 HH(c)

HJS 100359
OUD/KALW. 12/10
GEM. SI/KALW. 105/8
TKP 363

TOR 070049

DAJ 150169
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

AG 120131

DAJ 120180
OUD/KALW. 13/11
GEM. SI/KALW. 97/11

CEF 110301 HH(c)

CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7

HJS 080042

HJS 080161
OUD/KALW. 12/10
GEM. SI/KALW. 102/10Geboortegemak
Waarde
127Speenkalf
Waarde
101Vrugbaarheids-
waarde
101Onderhouds-
waarde
111Koeiwaarde
107Groei-
waarde
119Karkas-
waarde
115

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
127	97	87	74	111	90	107	99	115	83	88	85	90	92	129	138

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
96	-	-	95	-	333	1.28

Miostation	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Bul met goeie toplyn, kruis en lang boudspier-lengtes. Vir gebruik op verse en koeie.

LOGIX EBV Analise: 2026-08-17

DRAGTIGE VERSE

LOT 24 INTERSWART INGDIENSTE EDMS
BPK

@interswart

FDS 240036
2024-04-15
SP

Ouerskap Vaar Moer

DNS

Genomies

FDS 190110
OUD/KALW. 6/5
GEM. SI/KALW. 107/3
TKP 380

BBM 120194

LFR 170077

LFR 150004
OUD/KALW. 10/8
GEM. SI/KALW. 97/8
TKP 378

FDS 120018 HH(c)

FDS 100067
OUD/KALW. 10/9
GEM. SI/KALW. 105/8
TKP 365

JRB 080120

JRB 990208
OUD/KALW. 17/13
GEM. SI/KALW. 103/14

HJL 120124

LMR 100127
OUD/KALW. 14/12
GEM. SI/KALW. 100/12

NFS 080186

FDS 090083
OUD/KALW. 6/4
GEM. SI/KALW. 115/3

AEK 040007

FDS 060076
OUD/KALW. 5/3
GEM. SI/KALW. 105/2Geboortegemak
Waarde
101Speenkalf
Waarde
117Vrugbaarheids-
waarde
99Onderhouds-
waarde
96Koeiwaarde
115Groei-
waarde
109Karkas-
waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	109	115	147	96	97	105	106	115	119	102	121	114	106	90	93

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
114	104	103	-	-	-

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: 6-8 Maande dragtig (04/08/2026). Dekbul: CEF 20-515. Bul in 17/11/2025 en uit 25/02/2026.

LOGIX EBV Analise: 2026-08-17

COWS WITH CALVES

LOT 25

LANGKLOOF GAME FARM

LBV 230004

2023-07-10
B
AGE/CALV. 3/1
AVG. Wt/CALV. -/-
ICP -

KRT 120034



LBV 200147

AGE/CALV. 5/3
AVG. Wt/CALV. 99/3
ICP 445

Parentage Sire Dam

DNA

Genomic

ADV 010011

AAM 090054

AGE/CALV. 9/6
AVG. Wt/CALV. 106/6
ICP 441

AG 970055

AG 970357
AGE/CALV. 12/8
AVG. Wt/CALV. 109/8

MMJ 050148

AAM 040036

AGE/CALV. 9/6
AVG. Wt/CALV. 106/5Calving Ease
Value
109Weaner Calf
Value
96Fertility
Value
93Maintenance
Value
107Cow Value
95Growth
Value
90Carcass
Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	95	98	89	89	98	99	85	91	87	91	93	96	96	95	92

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
100	102	105	-	-	-

Last Calf			Myostatin	
Calf ID	LBV 260049 (F)		Q204X	Not Tested
Birth Date	2026-08-17		NT821	Not Tested
Sire ID	MULTIPLE SIRES		F94L	Not Tested

REMARKS: Dekbul: SBJ 20-118

LOGIX EBV Analysis: 2026-08-17

PREGNANT HEIFERS

LOT 26

BESTRINA TRUST BOERDERY



BTB 240016

2024-03-03
SP

CEF 190058

AGE/CALV. 7/5
AVG. Wt/CALV. 101/4
ICP 413

Parentage Sire Dam

DNA

Genomic

CEF 130317 HH(c)

ZVJ 110059 HH(c)

AGE/CALV. 14/12
AVG. Wt/CALV. 105/11
ICP 365

CEF 130548 HH(c)

CEF 090054

AGE/CALV. 12/9
AVG. Wt/CALV. 104/9
ICP 363

CEF 110301 HH(c)

CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7

ZVJ 090005

SSK 080015

AGE/CALV. 4/1
AVG. Wt/CALV. 113/1

GJN 100238

CEF 110046

AGE/CALV. 15/12
AVG. Wt/CALV. 104/11

GJN 040173

CEF 000112

AGE/CALV. 14/11
AVG. Wt/CALV. 108/11Calving Ease
Value
83Weaner Calf
Value
115Fertility
Value
116Maintenance
Value
105Cow Value
117Growth
Value
115Carcass
Value
121

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	115	100	93	117	103	116	113	114	108	93	104	111	112	129	116

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
100	100	101	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 8-9 Maande dragtig (20/08/2026). KI bul CEF 18-505
KI datum: 27/10/2025. Opvolgbul: DAJ 20-069. Bul in 29/10/2025
en uit 28/02/2026.

LOGIX EBV Analysis: 2026-08-17

LOT 27

J.A. BENEKE



JAB 240019

2024-06-05
SP

JAB 210101

AGE/CALV. 4/3
AVG. Wt/CALV. 97/2
ICP 382

Parentage Sire Dam

DNA

Genomic

LAR 180041 HH(c)

LAR 170156
AGE/CALV. 9/5
AVG. Wt/CALV. 101/5
ICP 450

LAR 160128

JAB 100127

AGE/CALV. 13/11
AVG. Wt/CALV. 102/11
ICP 378

LAR 140173 HH(c)

LAR 150271
AGE/CALV. 9/5
AVG. Wt/CALV. 115/4

LAR 130059 HH(c)

LAR 140332

AGE/CALV. 9/5
AVG. Wt/CALV. 94/4

WAT 110394

LAR 130274

AGE/CALV. 4/1
AVG. Wt/CALV. 106/1

JAB 060034

JAB 000128

AGE/CALV. 13/8
AVG. Wt/CALV. 99/7Calving Ease
Value
105Weaner Calf
Value
111Fertility
Value
111Maintenance
Value
111Cow Value
117Growth
Value
109Carcass
Value
99

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	102	107	106	123	93	111	104	115	120	87	96	105	93	96	85

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
94	95	102	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 5 Maande dragtig (05/08/2026). KI bul TMB 20-126 KI
datum: 21/01/2026. Opvolgbul: TMB 20-126. Bul in 20/01/2026 en
uit 13/03/2026.

LOGIX EBV Analysis: 2026-08-17

DRAGTIGE VERSE

LOT 28

THINUS MARITZ BOERDERY

TMB 240130
2024-04-09
SP

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

TMB 180545
OUD/KALW. 7/5
GEM. SI/KALW. 102/5
TKP 373

DAJ 180072

DAJ 180024
OUD/KALW. 8/6
GEM. SI/KALW. 100/6
TKP 385

CEF 100418

MMJ 070246
OUD/KALW. 12/10
GEM. SI/KALW. 99/10
TKP 374

TOR 070049

DAJ 150169
OUD/KALW. 10/7
GEM. SI/KALW. 103/7

AG 120131

DAJ 120180
OUD/KALW. 13/11
GEM. SI/KALW. 97/11

CEF 080460

CEF 080018
OUD/KALW. 7/4
GEM. SI/KALW. 92/4

MMJ 010054

MMJ 000345
OUD/KALW. 10/8
GEM. SI/KALW. 100/6Geboortegemak
Waarde
104Speenkalv
Waarde
110Vrugbaarheids-
waarde
91Onderhouds-
waarde
105Koeiwaarde
105Groei-
waarde
102Karkas-
waarde
107

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	107	97	97	95	89	105	105	103	100	94	94	103	93	119	113

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
108	98	110	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: 8 Maande dragtig (29/07/2026). KI bul KVB 18-083 KI datum: 29/10/2025. Opvolgbulle: BDX 21-037 en TMB 24-154. Bulle in 30/10/2025 en uit 31/01/2026.

LOGIX EBV Analise: 2026-08-17

LOT 29

INTERSWART INGDIENSTE EDMS
BPKFDS 240070
2024-05-06
SP

Ouerskap Vaar Moer

DNS

Genomies

FDS 190125
OUD/KALW. 6/5
GEM. SI/KALW. 104/4
TKP 372

LAR 140173 HH(c)

LFB 140421
OUD/KALW. 6/3
GEM. SI/KALW. 114/3
TKP 549

ABB 150349 HH(c)

FDS 100088
OUD/KALW. 15/14
GEM. SI/KALW. 106/11
TKP 366

LAR 120033 HH(c)

LAR 100159
OUD/KALW. 16/11
GEM. SI/KALW. 105/11

LAR 090212

LFB 090232
OUD/KALW. 10/7
GEM. SI/KALW. 101/6

CEW 080116

NFS 040281
OUD/KALW. 11/9
GEM. SI/KALW. 101/8

NFS 020136

FDS 050030
OUD/KALW. 11/9
GEM. SI/KALW. 107/9Geboortegemak
Waarde
87Speenkalv
Waarde
132Vrugbaarheids-
waarde
108Onderhouds-
waarde
87Koeiwaarde
128Groei-
waarde
113Karkas-
waarde
116

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
84	126	113	113	108	102	109	126	114	115	113	112	124	123	83	93

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
103	106	105	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: 6-8 Maande dragtig (04/08/2026). Dekbul: CEF 20-515. Bul in 17/11/2025 en uit 25/02/2026.

LOGIX EBV Analise: 2026-08-17

LOT 30

BTB 240030
2024-03-13
SP

Ouerskap Vaar Moer

DNS ✓

Genomies

FUZ 190206
OUD/KALW. 6/5
GEM. SI/KALW. 108/4
TKP 393

CEF 150486

CEF 160259
OUD/KALW. 9/7
GEM. SI/KALW. 104/6
TKP 407

AG 140505

FUZ 130120
OUD/KALW. 12/9
GEM. SI/KALW. 106/9
TKP 411

CEF 100304 HH(c)

CEF 070046
OUD/KALW. 12/10
GEM. SI/KALW. 99/9

CEF 130437

CEF 130005
OUD/KALW. 10/9
GEM. SI/KALW. 94/8

AG 110029

AG 110622
OUD/KALW. 8/6
GEM. SI/KALW. 105/6

AG 020263

FUZ 090144
OUD/KALW. 11/8
GEM. SI/KALW. 97/8Geboortegemak
Waarde
84Speenkalv
Waarde
105Vrugbaarheids-
waarde
106Onderhouds-
waarde
96Koeiwaarde
106Groei-
waarde
107Karkas-
waarde
100

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	106	113	97	102	105	107	110	105	104	101	99	99	97	95	98

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
111	112	113	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: 8-9 Maande dragtig (20/08/2026). KI bul CEF 18-505 KI datum: 27/10/2025. Opvolgbul: DAJ 20-069. Bul in 29/10/2025 en uit 28/02/2026.

LOGIX EBV Analise: 2026-08-17

PREGNANT HEIFERS

LOT 31

JAB 240012
 2024-06-04
 SP

J.A. BENEKE

JAB 180037
 AGE/CALV. 8/6
 AVG. Wt/CALV. 107/5
 ICP 411

Parentage	Sire	Dam
DNA	✓	
Genomic		

LAR 180041 HH(c)
 AGE/CALV. 9/5
 AVG. Wt/CALV. 101/5
 ICP 450
LAR 170156
 AGE/CALV. 9/5
 AVG. Wt/CALV. 101/5
 ICP 450
AG 130059
JAB 100032
 AGE/CALV. 13/11
 AVG. Wt/CALV. 105/11
 ICP 392

LAR 140173 HH(c)
 AGE/CALV. 9/5
 AVG. Wt/CALV. 115/4
LAR 150271
 AGE/CALV. 9/5
 AVG. Wt/CALV. 115/4
LAR 130059 HH(c)
 AGE/CALV. 9/5
 AVG. Wt/CALV. 94/4
LAR 140332
 AGE/CALV. 9/5
 AVG. Wt/CALV. 94/4
CEF 040462 HH(c)
 AGE/CALV. 14/11
 AVG. Wt/CALV. 102/11
AG 060452
 AGE/CALV. 14/11
 AVG. Wt/CALV. 102/11
JAB 060042
JAB 040070
 AGE/CALV. 9/7
 AVG. Wt/CALV. 113/7

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
112	116	109	99	124	115	107

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	101	125	124	118	97	110	106	122	121	97	106	116	98	96	87

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
101	106	106	-	-	-

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 5 Maande dragtig (05/08/2026). KI bul TMB 20-126 KI datum 21/01/2026. Opvolgbul: TMB 20-126. Bul in 20/01/2026 en uit 13/03/2026.

LOGIX EBV Analysis: 2026-08-17

LOT 32

TMB 240095
 2024-03-10
 SP

THINUS MARITZ BOERDERY

TMB 180058
 AGE/CALV. 6/5
 AVG. Wt/CALV. 107/5
 ICP 376

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CEF 130317 HH(c)
 AGE/CALV. 13/9
 AVG. Wt/CALV. 103/7
CEF 100161
 AGE/CALV. 13/9
 AVG. Wt/CALV. 103/7
TMB 160299 HH(c)
 AGE/CALV. 11/9
 AVG. Wt/CALV. 101/9
TMB 150338
 AGE/CALV. 11/9
 AVG. Wt/CALV. 101/9
CEF 080025
 AGE/CALV. 15/13
 AVG. Wt/CALV. 101/12
CEF 070151
 AGE/CALV. 15/13
 AVG. Wt/CALV. 101/12
FCT 080118
HJS 000197
 AGE/CALV. 15/13
 AVG. Wt/CALV. 107/12

TMB 180646
 AGE/CALV. 2/1
 AVG. Wt/CALV. 96/1
 ICP -
CEF 100304 HH(c)
TMB 140383
 AGE/CALV. 3/2
 AVG. Wt/CALV. 95/2
 ICP 505

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
91	122	93	91	112	130	126

Calf and Mother			Fertility			Post-Wean Growth			Frame			Carcass			
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	123	99	113	101	87	104	125	127	123	109	119	117	109	126	111

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
108	110	105	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: 8 Maande dragtig (29/07/2026). KI bul KVB 18-083 KI datum: 29/10/2025. Opvolgbulle: BDX 21-037 en TMB 24-154. Bulle in 30/10/2025 en uit 31/01/2026.

LOGIX EBV Analysis: 2026-08-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				34	225	6.71	1.25	361	0.98 0.78	-0.28 -0.43	14.9 17.6	3.7 3.7	25 34	22 16	79 103	-37 -37	12.8 14.9	-3.0 -6	14.0 15	102	102	103	102	6.0	110
1	JAB 230126	M	SP	33	183	-	1.18	338	-0.01	-0.41	10.9	0.6	20.8	2.6	16	8	-8.1	-12	-2	94	98	65	97	6	116
2	TMB 230106	M	SP	33	241	6.26	1.24	359	-1.13	-1.06	20.7	-1.9	50.8	30.8	145	-60	8.9	5	20	102	107	93	90	3	115
3	TMB 230474	M	SP	38	278	6.63	1.22	405	1.91	-1.61	17.4	4.8	38.0	26.9	76	-33	30.4	-11	13	107	119	129	107	12	119
4	BTB 230107	M	SP	34	244	6.91	1.21	367	0.19	-0.65	19.1	-4.0	31.0	2.3	62	-29	11.7	-19	-4	115	103	98	101	8	102
5	OUH 230092	M	SP	36	232	7.47	1.25	330	2.34	-1.13	18.2	1.6	29.3	18.0	77	-34	2.7	-8	16	107	91	83	108	4	104
6	FDS 230152	M	SP	37	215	6.65	1.26	399	0.63	0.51	15.6	11.8	35.9	24.9	144	-62	41	9	20	107	112	147	109	12	115
7	TMB 230035	M	SP	24	209	4.72	1.26	367	1.45	-0.66	22.4	3.2	39.7	43.5	219	-74	18	-3	21	94	118	109	97	5	111
8	JAB 230149	M	SP	32	198	-	1.21	363	-0.60	-1.20	15.3	-1.4	29.6	19.2	101	-28	5.3	1	11	104	118	87	96	5	109
9	BTB 230123	M	SP	38	234	6.88	1.22	335	0.63	-0.82	9.2	3.8	21.4	-1.8	35	-12	13.5	-17	-0	103	90	101	101	8	107
10	TMB 230433	M	SP	36	248	-	1.27	366	0.66	0.06	9.5	2.2	23.6	-10.5	70	-21	9.8	-29	-1	95	100	95	103	4	121
11	OUH 230035	M	SP	35	202	6.28	1.27	360	1.42	0.26	18.7	3.8	28.8	14.8	51	3	10.3	-22	4	100	92	96	106	13	111
12	TMB 230385	M	SP	37	257	7.01	1.26	370	0.78	-0.30	18.2	-0.2	32.2	0.3	62	-8	10.7	-26	1	98	99	96	112	4	106
13	LBV 230020	M	B	38	253	8.46	1.26	370	1.93	0.64	12.1	5.8	17.0	20.2	62	-16	20.7	-7	17	111	103	113	103	4	100
14	JAB 230119	M	SP	34	182	-	1.23	366	1.13	-0.03	15.9	0.7	36.5	20.7	80	-7	8.4	-10	12	92	100	93	98	7	111
15	TMB 230296	M	SP	34	261	6.51	1.25	367	-0.40	-0.57	12.7	1.1	18.9	-27.8	-60	20	13	-10	-4	101	92	100	98	11	119
16	FDS 230155	M	SP	36	202	6.77	1.27	419	0.54	-0.54	17.7	6.5	33.0	16.7	119	-61	39.2	-3	11	100	103	144	102	7	104
17	TMB 230236	M	SP	30	247	6.61	1.27	335	0.45	-0.40	15.7	10.0	40.3	14.3	197	-73	9	6	38	97	104	94	100	3	113
18	TMB 230358	M	SP	32	241	5.72	1.27	376	-1.71	0.15	10.7	2.3	29.2	6.6	86	-18	25.3	-35	-2	93	99	121	104	5	114
19	FDS 230202	M	SP	35	208	7.69	1.22	340	0.45	0.40	18.2	5.4	33.8	25.0	161	-68	9.1	12	28	104	104	94	104	5	114
20	INI 230009	M	SP	34	237	6.28	1.25	338	0.91	-1.64	18.4	1.2	34.6	1.6	128	-30	6.8	-3	15	100	106	90	106	4	98
21	TMB 230376	M	SP	36	278	7.16	1.29	356	1.87	-0.24	27.3	0.2	47.3	26.7	149	-49	21.6	4	31	108	98	115	101	5	110
22	FDS 230182	M	SP	36	207	6.62	1.30	345	1.35	-0.55	26.3	5.4	50.6	39.2	68	-36	8.3	-3	28	103	97	92	102	8	110
23	TMB 230312	M	SP	27	243	5.38	1.28	333	-1.82	-0.27	13.4	-0.3	27.6	5.2	135	-9	-2.7	-15	5	96	95	74	103	2	93
24	FDS 240036	F	SP	31	197	5.44	-	-	0.89	-0.36	19.9	8.2	35.5	25.1	137	-69	41	14	26	114	-	147	107	5	112
25	LBV 230004	F	B	34	224	7.26	-	-	0.19	-0.52	12.0	3.2	13.9	9.3	45	-16	6.3	-9	10	100	-	89	99	3	98

Dier Info				Werklike Syfers					Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld Aanbod Gemiddeld				34	225	6.71	1.25	361	0.98 0.78	-0.28 -0.43	14.9 17.6	3.7 3.7	25 34	22 16	79 103	-37 -37	12.8 14.9	-3.0 -6	14.0 15	102	102	103	102	6.0	110
26	BTB 240016	V	SP	38	188	7.39	-	-	2.86	-0.47	23.2	3.8	41.3	12.3	132	-50	8.6	-0	23	100	-	93	101	5	106
27	JAB 240019	V	SP	28	197	-	-	-	0.45	-0.27	16.0	6.0	33.2	3.6	135	-70	16.2	-6	18	94	-	106	97	3	108
28	TMB 240130	V	SP	35	260	6.72	-	-	0.51	-0.21	18.9	2.9	34.1	13.0	90	-36	11	-8	16	108	-	97	102	5	110
29	FDS 240070	V	SP	37	187	7.4	-	-	2.63	-0.79	29.0	7.8	53.8	41.3	132	-62	20.4	6	35	103	-	113	104	5	113
30	BTB 240030	V	SP	40	206	7.89	-	-	2.54	-0.02	18.1	7.7	37.3	24.2	99	-43	10.9	-4	13	111	-	97	108	5	116
31	JAB 240012	V	SP	29	191	-	-	-	-0.15	-0.51	15.3	11.5	35.3	18.5	160	-72	27.3	1	28	101	-	124	107	6	109
32	TMB 240095	V	SP	39	259	6.47	-	-	2.12	-0.50	27.1	3.3	53.0	34.9	181	-74	20.7	12	29	108	-	113	107	5	120

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik